

EXPERIENCE THE DIFFERENCE

2020 CATALOGUE

www.xxiouk.com



FEW PURSUITS LAST A LIFETIME. GOLF IS UNQUESTIONABLY ONE OF THEM. IT IS A JOURNEY TOWARD PERFECTION FILLED WITH MILESTONES YET WITHOUT A FINISH LINE.

BUT THE PRIVILEGE TO ENJOY THIS LIFELONG CHASE IS RESERVED FOR THOSE GOLFERS WHO PLAY FOR A LIFETIME. AND IF YOU AREN'T ON THE COURSE IN THE LATTER STAGE OF LIFE YOU WON'T HAVE THE OPPORTUNITY TO REALISE YOUR BEST GOLF.

ESCAPE THAT REALITY. GRANT YOURSELF THE FREEDOM TO PLAY FOREVER THIS GAME THAT NEVER STOPS. CHOO<u>SE XXIO.</u>

REMARKABLY LIGHTWEIGHT DESIGNS, REVOLUTIONARY SWING TECHNOLOGIES AND UNMATCHED ATTENTION TO YOUR NEEDS.

THESE PILLARS MAKE XXIO THE UNDISPUTED WORLD-LEADER OF MODERATE SWING SPEED GOLF EQUIPMENT.

SKILL COMES FROM DECADES OF EXPERIENCE—EXPERIENCE THAT YOU HAVE. SO USE IT. PLAY CLUBS DESIGNED EXCLUSIVELY FOR YOUR GAME AND REVEL IN THE BEST GOLF OF YOUR LIFETIME.

THIS IS XXIO. EXPERIENCE THE DIFFERENCE.



XXIO SERVES THE MODERATE SWING SPEED GOLFER. WHILE OTHERS DEDICATE THEIR BEST RESOURCES TO PROFESSIONAL PLAYERS, WE STAND APART, ENGINEERING REMARKABLE ACHIEVEMENTS EXCLUSIVELY FOR THOSE WITHOUT FAST SWINGS.

THIS IS NOT CHANGING—WE REMAIN COMMITTED AS EVER TO THE MODERATE SPEED PLAYER. THAT IS NO LONGER OUR SINGULAR PURPOSE HOWEVER.

WITH A NEW X LINE OF PRODUCTS TUNED TO FASTER PLAYERS WITH STRONGER SWINGS, WE WELCOME EVEN MORE GOLFERS TO EXPERIENCE THE XXIO DIFFERENCE.

THERE HAS NEVER BEEN A BETTER TIME TO JOIN US. WITH MORE PRESENCE, MORE SELECTION AND MORE DISTINCTION THAN EVER IN OUR HISTORY, XXIO IS YOUR GATEWAY TO A LIFETIME OF ENJOYABLE GOLF.



XXIO IS MARKEDLY DIFFERENT FROM ANY EQUIPMENT YOU OWN OR HAVE OWNED. THE CLUBS ARE INEXPLICABLY LIGHT AND EFFORTLESSLY FAST.

WEIGHT IS BY FAR OUR MOST DISTINGUISHING FEATURE. SWITCHING FROM HEAVY, TOUR-DEVELOPED EQUIPMENT TO OUR LIGHTWEIGHT DESIGNS DELIVERS INSTANT SPEED AND THE DIFFERENCE IS NOT SUBTLE: XXIO DRIVERS ARE 30 TO 60 GRAMS LIGHTER THAN TYPICAL ONES.

WE ARE ALSO PIONEERS OF HIGH BALANCE POINT GOLF CLUBS, REDUCING THE FORCES ENACTED ON A GOLFER THROUGHOUT THEIR SWING.

IT IS OUR UNIQUE COMBINATION OF HIGH BALANCE POINT TECHNOLOGY AND LIGHTWEIGHT DESIGN THAT PROVIDES A GENUINELY EFFORTLESS SWING FEEL AND THE UNCANNY SENSATION OF GOLF CLUBS THAT SWING THEMSELVES.



EASIER IS MORE THAN A PHILOSOPHY: CLUBS THAT INCREASE SPEED WITHOUT INCREASING EFFORT REDUCE THE STRAIN YOU EXPERIENCE DURING A ROUND, KEEPING YOU STRONGER THROUGH 18 AND LESS FATIGUED ON THE 19TH.

EASIER PLAY MEANS MORE PLAY, MORE ENERGY POST-ROUND AND FAR LESS STRAIN ON YOUR BODY.

XXIO EMPOWERS YOU TO ACHIEVE MORE ON THE COURSE WITHOUT THE FEAR OF OVER TAXING YOURSELF. WE EXIST NOT ONLY TO HELP YOU PLAY BETTER BUT TO PLAY MORE, TO FEEL ENERGIZED AND TO LIVE WELL.





INTRODUCING WEIGHT PLUS


A MORE CONSISTENT, MORE POWERFUL SWING

XXIO HAS ALWAYS PROMISED AN EASIER, FASTER SWING THROUGH OUR PURSUIT OF HIGH BALANCE POINT GOLF CLUBS. THIS PRINCIPLE REDUCES THE EFFORT REQUIRED TO SWING YOUR CLUBS, MAKING YOU FASTER AND MORE ACCURATE, INSTANTLY.

WEIGHT PLUS IS A BREAKTHROUGH ACHIEVEMENT THAT PUSHES OUR HIGH BALANCE POINT CLUBS INTO THE NEXT LEVEL. INNOVATIVE AND UNIQUELY EFFECTIVE, IT'S A SUREFIRE METHOD FOR IMPROVING YOUR GOLF GAME WITHOUT REQUIRING ANY CONSCIOUS SWING CHANGES ON YOUR PART.


HOW IT WORKS

WEIGHT PLUS USES UP TO 13G OF BRASS AND RUBBER WEIGHTS PLACED IN THE BUTT END OF EVERY XXIO SHAFT. THAT MASS BEHIND YOUR HANDS OPERATES ON THE PRINCIPLE OF A LEVER, ASSISTING IN YOUR TAKEAWAY AND REDUCING THE EFFORT REQUIRED TO SWING EACH CLUB.



CLUBS WITH WEIGHT PLUS:

- ARE INCREDIBLY EASY TO SWING
- FEEL LIGHTER THAN THEY ARE
- AUTOMATICALLY GROOVE YOUR SWING FOR MORE CONSISTENCY
- HELP YOU FIND THE IDEAL POWER POSITION AT THE TOP OF YOUR BACKSWING





XXIO ELEVEN

FAST FORGIVING AND FASY TO SWING

IF YOU SWING AT OR BELOW 90MPH, ADDED BALL SPEED CAN TRANSFORM HOW YOU PLAY GOLF. WITH A WHOLLY REDESIGNED CUP FACE STRUCTURE AND A PROFOUNDLY LIGHTWEIGHT SHAFT, XXIO ELEVEN DOES THIS IN SPADES.

A REMARKABLE SOLE DESIGN IS HOW WE'VE ADDED FORGIVENESS, IMPROVING MOI AND RAISING YOUR LAUNCH ANGLE FOR MAXIMUM DISTANCE.

XXIO ELEVEN ALSO USES OUR WEIGHT PLUS SYSTEM TO ACTIVELY MODIFY YOUR GOLF SWING FOR NOTICEABLY IMPROVED CONSISTENCY, BALL STRIKING, SPEED AND CONTROL.

STAR FRAME & CUP FACE

Driver Forgiveness and Speed

XXIO ELEVEN'S DRIVER USES A STAR FRAME RIB STRUCTURE TO SUPPORT A SOLE THICKNESS OF JUST .45MM, REDISTRIBUTING WEIGHT FOR IMPROVED LAUNCH AND ADDED FORGIVENESS. COMBINED WITH A POWERFUL YET NORMALISED CUP FACE THAT'S FASTEST ON CENTRE STRIKES AND MISS-HITS ALIKE, YOU'LL ENJOY INCREDIBLE DISTANCE AND STRAIGHTER SHOTS OFF EVERY TEE.



CANNON SOLE & CUP FACE


FASTER FAIRWAYS AND HYBRIDS

A UNIQUELY SHAPED WEIGHT PAD IN THE XXIO ELEVEN WOODS AND HYBRIDS RESEMBLES A CANNON. THE WEIGHT IS THERE TO PROVIDE THE IDEAL LAUNCH CHARACTERISTICS FOR MODERATE SWING SPEED GOLFERS. BUT ITS DISTINCTIVE CANNON SHAPE ALLOWS FOR UP TO 4MM OF ADDITIONAL CUP FACE ALONG THE SOLE AND AN EXTRA 7MM OF EXTREMELY THIN SOLE AREA.

WITH ZERO COMPROMISE TO LAUNCH ANGLE OR FORGIVENESS, THE CANNON SOLE PROVIDES MORE SPEED AND MORE DISTANCE ESPECIALLY FOR SHOTS HIT LOW ON THE FACE.



FAIRWAY WOOD



HYBRID

MULTI-MATERIAL & DOUBLE UNDERCUT CAVITY

Iron Forgiveness and Speed

A HOT FORGED TITANIUM FACEPLATE, INTEGRATED TUNGSTEN SOLE WEIGHT AND COMPLEX 4-PIECE CONSTRUCTION MAKE XXIO ELEVEN OUR MOST AMBITIOUS IRON PROJECT TO DATE. BUT WE DIDN'T STOP THERE: OUR NEW DOUBLE UNDERCUT CAVITY IS A REVOLUTION IN CAVITY BACK IRON DESIGN.


TWO SLOTS CUT INTO THE IRON BODY JUST BEHIND THE FACE DRAMATICALLY INCREASE FLEXIBILITY WHILE MAINTAINING STRENGTH. IT'S A REMARKABLY FAST YET RESILIENT DESIGN FOR EXPLOSIVE BALL SPEED THAT BOOSTS DISTANCE ON EVERY IRON SHOT.



WEIGHT PLUS

A RETTER SWING

XXIO ELEVEN FEATURES OUR MOST EXTREME WEIGHT PLUS SYSTEM WITH OUR HEAVIEST GRIP WEIGHTS IN EACH CLUB. IT PROVIDES THE MOST POWERFUL SWING-IMPROVEMENT CHARACTERISTICS, DRASTICALLY ENHANCING YOUR TOP-OF-SWING CONSISTENCY AND DOWNSWING POWER.





XXIO ELEVEN IS A PREMIUM SET OF WOODS AND IRONS THAT HELPS MODERATE SWING SPEED GOLFERS HIT LONGER, STRAIGHTER GOLF SHOTS. ITS BREAKTHROUGH TECHNOLOGIES SPECIFICALLY BENEFIT THE GOLFER WHO SWINGS 90MPH OR LESS, IMPROVING SPEED, ACCURACY AND CONSISTENCY FOR YOUR EASIEST GOLF YET.

KEY TECHNOLOGY

WEIGHT PLUS

BRASS AND RUBBER WEIGHTS IN THE BUTT-END OF EACH CLUB RAISE BALANCE POINTS TO UNPRECEDENTED HEIGHTS. THE EFFECT IS A SMOOTH AND EASY SWING THAT ALSO HELPS YOU CONSISTENTLY FIND THE IDEAL TOP-OF-SWING POSITION FOR MORE POWER.

STAR FRAME

XXIO ELEVEN'S DRIVER USES A STAR FRAME RIB STRUCTURE TO SUPPORT A SOLE THICKNESS OF JUST .45MM, REDISTRIBUTING WEIGHT FOR IMPROVED LAUNCH AND FORGIVENESS.

CUP FACE

THE DRIVER, WOODS AND HYBRIDS FEATURE A POWERFUL YET NORMALISED CUP FACE THAT IS FASTEST ON CENTRE STRIKES AND MISS-HITS ALIKE.

CANNON SOLE

A UNIQUELY SHAPED WEIGHT PAD IN THE XXIO ELEVEN WOODS AND HYBRIDS CREATES SPACE FOR A LARGER CUP FACE WHICH IN TURN BOOSTS SPEED AND DISTANCE.

DOUBLE UNDERCUT CAVITY

TWO SLOTS CUT INTO THE IRON BODY JUST BEHIND THE FACE DRAMATICALLY INCREASE FLEXIBILITY FOR EXPLOSIVE BALL SPEED AND DISTANCE.



XXIO ELEVEN DRIVER

| MODEL | 9.5° | 10.5° | 11.5° | | |
|------------------|-------------|-------------|-------|--|--|
| LIE ANGLE | 59° | | | | |
| HEAD VOLUME (CC) | 460 | | | | |
| CLUB LENGTH (IN) | 45.75 | | | | |
| SWING WEIGHT | | D3(S) D2(R) | | | |
| CLUB WEIGHT (G) | | 280 | | | |
| HAND | RH/LH | RH/LH | RH/LH | | |
| SHAFT | XXIO MP1100 | | | | |

| SHAFT SPEC | FLEX | LENGTH BEFORE CUTTING (INCH) | WEIGHT (G) | | | _ | | |
|------------|------|------------------------------|-------------------|-----------------------|--------|------------------|----------|------|
| | | | BEFORE CUTTING | W#1 WHEN INSTALLED | TORQUE | BALANCE POINT | TIP (MM) | IFC |
| | | | | | | | | |
| MP1100 W#1 | SR | 46 | 42 | 40 | 6,4 | MBP | 9.00 | 4223 |
| MPHOU W#1 | R | | | | | MBP | 9.00 | 3222 |
| | R2 | 46 | 40 | 37 | 6.6 | MBP | 9.00 | 3212 |





| MODEL | #3 | #4 | #5 | #7 | #9 | | | | |
|------------------|-------------|-------|------------|-------|-------|--|--|--|--|
| LOFT | 15° | 16.5° | 18° | 20° | 23° | | | | |
| LIE ANGLE | 58° | 58.5° | 59° | 59.5° | 60° | | | | |
| SHAFT | MP1100 FW | | | | | | | | |
| CLUB LENGTH (IN) | 43.25 | 42.75 | 42.25 | 41.75 | 41.25 | | | | |
| SWING WEIGHT | | 1 | D3(S) D2(R | | | | | | |
| CLUB WEIGHT (G) | 282 | 286 | 289 | 293 | 297 | | | | |
| HAND | RH/LH | RH | RH/LH | RH/LH | RH | | | | |
| SHAFT | XXIO MP1100 | | | | | | | | |

| SHAFT SPEC | FLEX | LENGTH BEFORE CUTTING (INCH) | WEIGHT (G) | | | _ | | |
|------------|------|------------------------------|-------------------|-----------------------|--------|------------------|---|------|
| | | | BEFORE CUTTING | W#5 WHEN INSTALLED | TORQUE | BALANCE POINT | | IFC |
| | | 43.5 | | | | | | 4333 |
| MP1100 FW | SR | 43.5 | 42 | 40 | 6.1 | MBP | 9 | 4223 |
| MPHOU FW | | 43.5 | 40 | 38 | | MBP | | 3222 |
| | R2 | 43.5 | 40 | 38 | 6.3 | MBP | 9 | 3221 |

XXIO ELEVEN HYBRIDS



| MODEL | #3 | #4 | #5 | #6 | | | |
|------------------|-------------|-------|-------|-------|--|--|--|
| LOFT | 18° | 20° | 23° | 26° | | | |
| LIE ANGLE | 59.5° | 60° | 60.5° | 61° | | | |
| CLUB LENGTH (IN) | 40.75 | 40.25 | 39.75 | 39.25 | | | |
| SWING WEIGHT | | D1(S) | D0(R) | | | | |
| CLUB WEIGHT (G) | 316 | 320 | 325 | 329 | | | |
| HAND | RH/LH | RH/LH | RH/LH | RH/LH | | | |
| SHAFT | XXIO MP1100 | | | | | | |

| SHAFT SPEC | FLEX | LENGTH BEFORE CUTTING (INCH) | WEIGHT (G) | | | | | |
|------------|------|------------------------------|-------------------|------------------------|--------|------------------|----------|------|
| | | | BEFORE CUTTING | HB#5 WHEN INSTALLED | TORQUE | BALANCE POINT | TIP (MM) | IFC |
| | | | | | | | | |
| MP1100 HB | SR | 42 | | 45 | 4.2 | MBP | 9.40 | 4323 |
| MPHOO HB | R | | | | | | | |
| | R2 | 42 | 46 | 42 | 4.4 | MBP | 9.40 | 3222 |

XXIO ELEVEN IRONS



| MODEL | | #5 | #6 | #7 | #8 | #9 | PW | AW | SW |
|------------------|------------------|--------|--------|--------|--------|--------|--------|--------|-------|
| LOFT | | 22° | 25° | 28° | 32° | 37° | 42° | 48° | 56° |
| LIE ANGLE | 61.5° | 62° | 62.5° | 63° | 63° | 63.5° | 63.5° | 63.5° | |
| CLUB LENGTH (IN) | 38.25° | 37.75° | 37.25° | 36.75° | 36.25° | 35.75° | 35.75° | 35.75° | |
| SWING WEIGHT | S | C9 | C9 | C9 | C9 | C9 | C9 | D0 | D0 |
| SWING WEIGHT | R | C8 | C8 | C8 | C8 | C8 | C8 | C9 | C9 |
| HAND | | RH/LH | RH/LH |
| SHAFT | XXIO MP1100 IRON | | | | | | | | |

| | FLEX | LENGTH BEFORE CUTTING (INCH) | WEIGHT (G) | | | | | |
|--|------|------------------------------|-------------------|-----------------------|--------|------------------|----------|------|
| SHAFT SPEC | | | BEFORE CUTTING | I#6 WHEN INSTALLED | TORQUE | BALANCE POINT | TIP (MM) | IFC |
| | | | | | | MBP | 10.00 | |
| | SR | 38,75 | 54 | 50 | 3.8 | MBP | 10.00 | 4333 |
| | | 38.75 | 52 | 48 | | MBP | 10.00 | 3233 |
| | R2 | 38.75 | 51 | 46 | 4.0 | MBP | 10.00 | 3223 |
| N.S. PRO860GH D.S.T. FOR XXIO | | | 90 | 88 | | мвр | | |
| | | | | | | мвр | | |



XXIO ELEVEN LADIES

THOUGHTFULLY CRAFTED WOMEN'S EQUIPMENT

A Woman's golf swing deserves its own suite of customised and well-engineered technologies. To that end, the new XXIO Eleven Ladies Woods and Irons are a masterpiece of women's specific golf equipment.

DESIGNED FOR THE INTRICACIES OF A WOMAN'S SWING AND HER SPECIFIC NEEDS ON THE COURSE, OUR LATEST WOMEN'S OFFERING IS FASTER AND MORE POWERFUL THAN EVER BEFORE.

STAR FRAME

Driver Forgiveness and Speed

XXIO ELEVEN'S LADIES DRIVER USES A STAR FRAME RIB STRUCTURE TO SUPPORT A SOLE THICKNESS OF JUST .45MM, REDISTRIBUTING WEIGHT FOR IMPROVED LAUNCH AND ADDED FORGIVENESS. COMBINED WITH UNIQUE SHAPING THAT'S CRAFTED SPECIFICALLY FOR A WOMAN'S SWING, YOU'LL ENJOY INCREDIBLE CONFIDENCE AND DISTANCE OFF THE TEE.



CANNON SOLE & FACE PLATE


Faster Fairways and Hybrids

A UNIQUELY SHAPED WEIGHT PAD IN THE XXIO ELEVEN LADIES WOODS AND HYBRIDS RESEMBLES A CANNON. THE WEIGHT IS THERE TO PROVIDE THE IDEAL LAUNCH CHARACTERISTICS FOR FEMALE GOLFERS BUT ITS DISTINCTIVE CANNON SHAPE ALLOWS FOR A THINNER SOLE JUST BEHIND THE FACE.

THE RESULT IS MORE SPEED THAN WE'VE EVER ACHIEVED WITH ZERO COMPROMISE TO LAUNCH OR FORGIVENESS.



FAIRWAY WOOD



HYBRID

MULTI-MATERIAL & DOUBLE UNDERCUT CAVITY

Iron Forgiveness and Speed

A HOT FORGED TITANIUM FACEPLATE, INTEGRATED TUNGSTEN SOLE WEIGHT AND COMPLEX 4-PIECE CONSTRUCTION MAKE XXIO ELEVEN LADIES OUR MOST AMBITIOUS IRON PROJECT TO DATE BUT WE DIDN'T STOP THERE: OUR NEW DOUBLE UNDERCUT CAVITY IS A REVOLUTION IN CAVITY BACK IRON DESIGN.


TWO SLOTS CUT INTO THE IRON BODY JUST BEHIND THE FACE DRAMATICALLY INCREASE FLEXIBILITY WHILE MAINTAINING STRENGTH. IT'S A REMARKABLY FAST YET RESILIENT DESIGN FOR EXPLOSIVE BALL SPEED THAT BOOSTS DISTANCE ON EVERY IRON SHOT.



WEIGHT PLUS

A RETTER SWING

XXIO ELEVEN LADIES
FEATURES A WEIGHT PLUS
SYSTEM TUNED PRECISELY
TO THE NEEDS OF FEMALE
GOLFERS. IT PROVIDES JUST
THE RIGHT ADJUSTMENTS
FOR THE SPEED AND SHAPE
OF A WOMAN'S GOLF
SWING, DRASTICALLY
ENHANCING YOUR TOP-OFSWING CONSISTENCY AND
DOWNSWING POWER.





XXIO ELEVEN LADIES IS A PREMIUM SET OF WOODS AND IRONS THAT HELPS FEMALE GOLFERS HIT LONGER, STRAIGHTER GOLF SHOTS. ITS BREAKTHROUGH TECHNOLOGIES SPECIFICALLY BENEFIT A WOMAN'S SWING, IMPROVING SPEED, ACCURACY AND CONSISTENCY FOR YOUR EASIEST GOLF YET.

KEY TECHNOLOGY

WEIGHT PLUS

BRASS OR RUBBER WEIGHTS IN THE BUTT-END OF EACH CLUB RAISE BALANCE POINTS TO UNPRECEDENTED HEIGHTS. THE EFFECT IS A SMOOTH AND EASY SWING THAT ALSO HELPS YOU CONSISTENTLY FIND THE IDEAL TOP-OF-SWING POSITION FOR MORE POWER.

STAR FRAME

XXIO ELEVEN LADIES DRIVER USES A STAR FRAME RIB STRUCTURE TO SUPPORT A SOLE THICKNESS OF JUST .45MM, REDISTRIBUTING WEIGHT FOR IMPROVED LAUNCH AND FORGIVENESS.

CANNON SOLE

A UNIQUELY SHAPED WEIGHT PAD IN THE XXIO ELEVEN LADIES WOODS AND HYBRIDS ALLOWS FOR A THINNER SOLE JUST BEHIND THE FACE WHICH IN TURN BOOSTS SPEED AND DISTANCE.

DOUBLE UNDERCUT CAVITY

TWO SLOTS CUT INTO THE IRON BODY JUST BEHIND THE FACE DRAMATICALLY INCREASE FLEXIBILITY FOR EXPLOSIVE BALL SPEED AND DISTANCE.

COLOUR OPTIONS

XXIO ELEVEN LADIES IS AVAILABLE IN STUNNING BLUE OR RICH BORDEAUX COLOUR SCHEMES.





| MODEL | 11.5° | 12.5° | 13.5° | | |
|------------------|-------|---------------|-------|--|--|
| lie angle | | 58° | | | |
| CLUB LENGTH (IN) | | 43.5 | | | |
| SWING WEIGHT | C2 | C0 | | | |
| CLUB WEIGHT (G) | | 259 | | | |
| HAND | | RH | | | |
| SHAFT | | XXIO MP1100 L | | | |

| SHAFT SPEC | | | | | | |
|----------------|--|--|--|--|------|-----|
| | | | | | | IFC |
| MP1100L W#1 | | | | | 9.00 | - |
| | | | | | | |

XXIO LADIES FAIRWAY WOODS



| MODEL | #3 | #4 | #5 | #7 | #9 | | |
|------------------|--------------|-------|------|-------|-----|--|--|
| LOFT | 16° | 18° | 20° | 23° | 26° | | |
| LIE ANGLE | 58° | 58.5° | 59° | 59.5° | 60° | | |
| CLUB LENGTH (IN) | 42 | 41.5 | 41.0 | 40.5 | 40 | | |
| SWING WEIGHT | | | C0 | | | | |
| CLUB WEIGHT (G) | 267 | 271 | 275 | 279 | 284 | | |
| HAND | RH | RH | RH | RH | RH | | |
| SHAFT | XXIO MP1100L | | | | | | |

| SHAFT SPEC | | | | | |
|------------|--|--|--|--|-----|
| | | | | | IFC |
| MP1100L FW | | | | | - |
| | | | | | - |

XXIO LADIES HYBRIDS



| MODEL | #4 | #5 | #6 | #7 | | | |
|------------------|---------|-------|-----|-------|--|--|--|
| LOFT | 22° | 25° | 28° | 31° | | | |
| LIE ANGLE | 60° | 60.5° | 61° | 61.5° | | | |
| CLUB LENGTH (IN) | 293 | 297 | 302 | 307 | | | |
| SWING WEIGHT | | В | 8 | | | | |
| CLUB WEIGHT (G) | 330 | 334 | 339 | 343 | | | |
| HAND | RH | RH | RH | RH | | | |
| SHAFT | MP1100L | | | | | | |

| | | | | | | IFC | | |
|--------------|---|----|--|----|-----|-----|------|---|
| LABITOOL LIB | | | | | | | | |
| MP1100L HB | L | 40 | | 34 | 5.5 | MBP | 9,40 | - |

XXIO LADIES IRONS



| MODEL | #5 | #6 | #7 | #8 | #9 | PW | AW | SW |
|------------------|--------------|------|-------|-----|-----|-------|-------|-------|
| LOFT | 24° | 27° | 30° | 34° | 39° | 44° | 50° | 56° |
| LIE ANGLE | 61.5° | 62° | 62.5° | 63° | 63° | 63.5° | 63.5° | 63.5° |
| CLUB LENGTH (IN) | 37 | 36.5 | 36 | 35 | 35 | 34.5 | 34.5 | 34.5 |
| SWING WEIGHT | В7 | В7 | В7 | В7 | В7 | В7 | В8 | В8 |
| HAND | RH | RH | RH | RH | RH | RH | RH | RH |
| SHAFT | XXIO MP1100L | | | | | | | |

| | Length | | | | | | |
|---|--------|--|----|-----|-----|------|-----|
| | | | | | | | IFC |
| R | | | | | MBP | 9.40 | - |
| L | 37 | | 36 | 5.0 | MBP | 9,40 | - |



XXIO X-ÉKS

THE XXIO EXPERIENCE FOR STRONGER PLAYERS

WITH OUR COMPLETELY NEW XXIO X WOODS AND IRONS, GOLFERS WHO SWING ABOVE 90MPH FINALLY HAVE THE PRIVILEGE TO EXPERIENCE XXIO. THIS NEW LINE FEATURES A STRIKING BLACK AND ORANGE COLOURS SCHEME ALONG WITH STIFFER SHAFTS DESIGNED FOR STRONGER PLAYERS.

ADDED POWER AND EXTREME FORGIVENESS ARE STILL PARAMOUNT DESIGN FEATURES IN X AND EACH CLUB MAKES USE OF WEIGHT PLUS TO IMPROVE THE CONSISTENCY OF YOUR SWING.

WITH XXIO X-ÉKS, WE HAVE EXPANDED INTO A NEW SEGMENT OF FASTER, STRONGER PLAYERS BUT WE ARE STILL PROVIDING THE SAME UNMATCHED QUALITY AND INCREDIBLE EASE OF USE THAT XXIO GOLFERS HAVE ENJOYED FOR DECADES.

CARBON SOLE & CUP FACE

Driver Forgiveness and Speed

IN THE XXIO X-ÉKS DRIVER, WE CONSTRUCTED A LARGE PORTION OF THE SOLE USING CARBON FIBRE WHICH IS STRONG BUT MUCH LIGHTER THAN TITANIUM WHICH REPOSITIONED MASS TO THE BACK OF THE HEAD FOR HIGHER DRIVES WITH MAXIMUM FORGIVENESS. COMBINED WITH A THIN, FAST CUP FACE, SPECIFICALLY ENGINEERED TO WITHSTAND FASTER HEAD SPEEDS, XXIO X-ÉKS PROMISES REMARKABLY FASTER BALL SPEEDS AND INCREDIBLE DISTANCE PERFORMANCE.



CANNON SOLE & CUP FACE


Faster Fairways and Hybrids

A UNIQUELY SHAPED WEIGHT PAD IN THE XXIO X-ÉKS WOODS AND HYBRIDS RESEMBLES A CANNON. THE WEIGHT IS THERE TO PROVIDE THE IDEAL LAUNCH CHARACTERISTICS FOR CARRY DISTANCE AND ROLL OUT BUT ITS DISTINCTIVE CANNON SHAPE ALLOWS FOR UP TO 4MM OF ADDITIONAL CUP FACE ALONG THE SOLE AND AN EXTRA 7MM OF EXTREMELY THIN SOLE AREA.

WITH ZERO COMPROMISE TO LAUNCH ANGLE OR FORGIVENESS, THE CANNON SOLE PROVIDES MORE SPEED AND MORE DISTANCE, ESPECIALLY FOR SHOTS HIT LOW ON THE FACE.



FAIRWAY WOOD



HYBRID

SPEED GROOVE & V-SHAPED SOLE

Iron Forgiveness and Speed

XXIO X-ÉKS IRONS ARE FORGED FOR INCREDIBLY SOFT YET RESPONSIVE FEEL ON EVERY SHOT. TO BOOST YOUR SPEED AND DISTANCE, WE MILLED A SPEED GROOVE ON THE BACKSIDE OF THE FACEPLATE. THIS CHANNEL AROUND THE PERIMETER FLEXES AT IMPACT, REBOUNDING ADDED ENERGY BACK INTO THE BALL FOR INCREDIBLE DISTANCE.


BECAUSE X PLAYERS TEND TO SWING DOWN ON THE BALL WITH A STEEPER ATTACK ANGLE, THE IRONS ALSO FEATURE OUR V-SHAPED SOLE, WHICH IMPROVES TURF INTERACTION WHILE STILL OFFERING PLENTY OF CONTROL.



WEIGHT PLUS

A RETTER SWING

XXIO X-ÉKS USES WEIGHT
PLUS TO BRING THE CENTRE
OF GRAVITY OF THE ENTIRE
GOLF CLUB CLOSER TO YOUR
BODY. THE CLUBS FEEL LIGHTER
THAN ANY OTHERS AND ARE
EFFORTLESS TO SWING, EVEN
AT HIGHER SPEEDS. THE EFFECT
IMPROVES YOUR CONSISTENCY
SO YOU HIT THE SWEET SPOT
MORE OFTEN AND SEND THE
BALL FLYING STRAIGHT AT
YOUR TARGET.





XXIO X-ÉKS IS A PREMIUM SET OF WOODS AND IRONS THAT HELPS HIGH SWING SPEED GOLFERS HIT LONGER, STRAIGHTER GOLF SHOTS. ITS BREAKTHROUGH TECHNOLOGIES SPECIFICALLY BENEFIT THE GOLFER WHO SWINGS 90MPH OR MORE, IMPROVING SPEED, ACCURACY AND CONSISTENCY FOR YOUR EASIEST GOLF YET.

KEY TECHNOLOGY

WEIGHT PLUS

BRASS AND RUBBER WEIGHTS IN THE BUTT-END OF EACH CLUB RAISE BALANCE POINTS TO UNPRECEDENTED HEIGHTS. THE EFFECT IS A SMOOTH AND EASY SWING THAT ALSO HELPS YOU CONSISTENTLY FIND THE IDEAL TOP-OF-SWING POSITION FOR MORE POWER.

CARBON FIBRE SOLE

XXIO X-ÉKS DRIVER USES A LIGHTWEIGHT CARBON FIBRE SOLE TO REDISTRIBUTE WEIGHT FOR IMPROVED LAUNCH AND FORGIVENESS.

CUP FACE


THE DRIVER, WOODS, AND HYBRIDS FEATURE A POWERFUL YET NORMALISED CUP FACE THAT IS FASTEST ON CENTRE STRIKES AND MISS-HITS ALIKE.

CANNON SOLE

A UNIQUELY SHAPED WEIGHT PAD IN THE XXIO ELEVEN WOODS AND HYBRIDS CREATES SPACE FOR A LARGER CUP FACE WHICH IN TURN BOOSTS SPEED AND DISTANCE.

SPEED GROOVE

XXIO X-ÉKS IRONS HAVE A MILLED SPEED GROOVE ON THE BACKSIDE OF THEIR FACEPLATE. THIS CHANNEL AROUND THE PERIMETER FLEXES AT IMPACT, REBOUNDING ADDED ENERGY BACK INTO THE BALL FOR INCREDIBLE DISTANCE.





XXIO X-ÉKS DRIVER

| MODEL | 8.5° 9.5° 10. | | | | |
|------------------|---------------|-----|----|--|--|
| LIE ANGLE | 59° | | | | |
| HEAD VOLUME (CC) | | 460 | | | |
| CLUB LENGTH (IN) | 45.5 | | | | |
| SWING WEIGHT | | D1 | | | |
| CLUB WEIGHT (G) | | 299 | | | |
| HAND | RH | RH | RH | | |
| SHAFT | MIYAZAKI AX-1 | | | | |

| | | | WEIGHT (G) | | | | | |
|------------|------|-----------------------------|-------------------|-----------------------|-----|-----|----------|------|
| SHAFT SPEC | FLEX | BEFORE CUTTING (INCH) | BEFORE CUTTING | W#1 WHEN INSTALLED | | | TIP (MM) | IFC |
| MIYAZAKI | S | | | 47 | 4.9 | MBP | 8.50 | 4333 |
| | R | 46 | | 44 | | MBP | 8.50 | 3222 |

XXIO X-ÉKS FAIRWAY WOODS

| MODEL | #3 | #4 | #5 | #7 | | | |
|------------------|---------------|-------|-------|-------|--|--|--|
| LOFT | 15° | | 18° | 20° | | | |
| LIE ANGLE | 58° | | 59° | 59.5° | | | |
| CLUB LENGTH (IN) | 43 | | 42 | 41.5 | | | |
| SWING WEIGHT | | D1(S) | D0(R) | | | | |
| CLUB WEIGHT (G) | 305 | | 312 | 317 | | | |
| HAND | RH | | RH | RH | | | |
| SHAFT | MIYAZAKI AX-1 | | | | | | |

| | | WEIGHT (G) | | | | | |
|----------|-----------------------------|-------------------|-----------------------|-----|------------------|------|------|
| | BEFORE CUTTING (INCH) | BEFORE CUTTING | W#5 WHEN INSTALLED | | BALANCE POINT | | IFC |
| MIYAZAKI | 43 | 49 | 47 | 5.0 | MBP | 8.50 | 4333 |
| | 43 | 45 | 43 | 5.2 | MBP | 8.50 | 3222 |

XXIO X-ÉKS HYBRIDS

| MODEL | #3 | #4 | #5 | #6 |
|------------------|-------|--------|---------|-----|
| LOFT | 18° | 20° | 23° | 26° |
| LIE ANGLE | 59.5° | 60° | 60.5° | 61° |
| CLUB LENGTH (IN) | 40.5 | 40 | 39.5 | 39 |
| SWING WEIGHT | | D0(S) | C9(R) | |
| CLUB WEIGHT (G) | 330 | 334 | 339 | 343 |
| HAND | RH | RH | RH | RH |
| SHAFT | | MIYAZA | KI AX-1 | |

| | Length | WEIGHT (G) | | | | | | |
|----------|-----------------------------|-------------------|------------------------|-----|------------------|------|------|--|
| | BEFORE CUTTING (INCH) | BEFORE CUTTING | HB#5 WHEN INSTALLED | | BALANCE POINT | | IFC | |
| MIYAZAKI | | 59 | 55 | | MBP | 9.40 | 4333 | |
| | | 55 | 51 | 3,9 | MBP | 9,40 | 3223 | |

XXIO X-ÉKS IRONS

| MODEL | | #4 | #5 | #6 | #7 | #8 | #9 | PW | AW | SW |
|------------------|--|--|-----|-------|------|-------|------|-------|-------|-------|
| LOFT | | 21° | 23° | 26° | 29° | 33° | 38° | 43° | 49° | 56° |
| LIE ANGLE | | 60.5° | 61° | 61.5° | 62° | 62.5° | 63° | 63.5° | 63.5° | 63.5° |
| SHAFT | | GRAPHITE SPECS - MIYAZAKI AX-1 | | | | | | | | |
| CLUB LENGTH (IN) | | 38.5° | 38° | 37.5° | 37° | 36.5° | 36° | 35.5° | 35.5° | 35.5° |
| SUMMERICANT | | D0 | D0 | D0 | D0 | D0 | D0 | D0 | D1 | D1 |
| SWING WEIGHT R | | C9 | C9 | C9 | C9 | C9 | C9 | C9 | D0 | D0 |
| HAND | | RH | RH | RH | RH | RH | RH | RH | RH | RH |
| SHAFT | | STEEL SPECS - N.S.PRO920GH D.S.T. FOR XXIO | | | | | | | | |
| CLUB LENGTH (IN) | | 38.5° | 38° | 37.5° | 37° | 36.5° | 36° | 35.5° | 35.5° | 35.5° |
| SWING WEIGHT | | D1 | D1 | D1 | D1 | D1 | D1 | D1 | D2 | D2 |
| SWING WEIGHT R | | D0 | D0 | D0 | D0 | D0 | D0 | D0 | D1 | D1 |
| HAND | | RH | RH | RH | RH | RH | RH | RH | RH | RH |
| SHAFT | | | | | MIY. | AZAKI | AX-1 | | | |

| | | LENGTH | WEIGI | HT (G) | | | | |
|--------------------|---|---|-------|-----------------------|-----|------------------|------|------|
| | | FLEX BEFORE CUTTING BEFORE (INCH) CUTTI | | I#6 WHEN INSTALLED | | BALANCE POINT | | |
| | S | 39 | 64 | | 3.6 | MBP | 9,20 | 4344 |
| | R | 39 | 62 | | 3.8 | MBP | 9,20 | |
| | | | | | | | | |
| D.S.T. FOR XXIO | R | | 92 | 88 | 2.9 | | | |









XXIO PRIME

INDULGE IN DISTANCE

REVEL IN THE LUXURY PERFORMANCE THAT COMES ONLY FROM OUR LIGHTEST EQUIPMENT LINE. DESIGNED SINGULARLY FOR THOSE WHO DO NOT SWING FAST, XXIO PRIME WORKS IN TANDEM WITH YOUR SWING TO PRODUCE HIGH-LAUNCHING SHOTS THAT CARRY FAR AND FLY STRAIGHT.

THESE CLUBS ARE LIGHT—REMARKABLY LIGHT. SIMPLY HOLD PRIME IN YOUR HANDS AND YOU FEEL A SUBSTANTIVE DIFFERENCE FROM EVERY OTHER DRIVER OR IRON YOU'VE OWNED. THAT LIGHT-AS-AIR FEELING FILLS YOU WITH CONFIDENCE AT ADDRESS, MAKING YOUR SWING SEEM IMMEDIATELY FASTER AND EASIER.



EXPERIENCE THE UNPRECEDENTED SPEED AND LIGHTWEIGHT FEEL OF XXIO PRIME. DESIGNED TO HELP YOU ACHIEVE A STRAIGHT BALL FLIGHT WITH ENHANCED DISTANCE, XXIO PRIME IS AN INDULGENCE IN LUXURY PERFORMANCE CRAFTED EXCLUSIVELY FOR YOUR MODERATE SWING SPEED.

KEY TECHNOLOGY

SUPER-TIX° PLUS TITANIUM CUP FACES


FORGED FROM SUPER-TIX PLUS TITANIUM—A LIGHTWEIGHT YET HIGH-STRENGTH ALLOY—CUP FACES IN PRIME'S DRIVER AND WOODS GREATLY INCREASE DISTANCE PERFORMANCE THANKS TO A HOTTER SWEET SPOT.

UNPRECEDENTED LIGHTWEIGHT CONSTRUCTION

THE SP-1000 SHAFT, WITH TORAYCA T1100G CARBON FIBRE AND NANOALLOY RESIN, WEIGHS UP TO 36G. THAT, ALONG WITH WEIGHT SAVINGS IN THE GRIP AND CLUB HEAD, PRODUCES A DRIVER THAT'S REMARKABLY FAST AND EASY TO SWING.

GROUNDBREAKING FORGIVENESS

WEIGHTS LOW AND DEEP IN EVERY WOOD PLUS TWO TUNGSTEN WEIGHTS IN EACH IRON BRING THE CENTRE OF GRAVITY LOW AND DEEP FOR INCREDIBLE FORGIVENESS, A TOWERING LAUNCH AND STRAIGHT BALL FLIGHT.







| MODEL | 10.5° 11.5° | | | | |
|------------------|----------------|---------------|--|--|--|
| LIE ANGLE | 60° | | | | |
| HEAD WEIGHT (G) | 185 | | | | |
| HEAD VOLUME (CC) | 460 | | | | |
| LENGTH (IN) | 46.5 | | | | |
| SWING WEIGHT | Ε | 93 | | | |
| CLUB WEIGHT (G) | 25 | 50 | | | |
| HAND | RH RH | | | | |
| SHAFT | XXIO PRIME SP- | 1000 graphite | | | |

| SHAFT SPEC | | | | | | | | |
|------------|---|----|----|----|-----|-----|-----|------|
| | | | | | | | | |
| SP-1000 | R | 46 | 39 | 36 | 6.6 | MBP | 9.0 | 2212 |
| | | | 39 | 36 | | MBP | 9.0 | 2112 |

XXIO PRIME FAIRWAY WOODS



| MODEL | #3 | #5 | #7 | #9 |
|------------------|-------|-------------|------------|-------|
| LOFT ANGLE | 15° | 18° | 21° | 24° |
| LIE ANGLE | 59° | 60° | 60.5° | 61° |
| HEAD WEIGHT (G) | 202 | 211 | 216 | 221 |
| HEAD VOLUME (CC) | 188 | 175 | 158 | 144 |
| LENGTH (IN) | 43.25 | 42.25 | 41.75 | 41.25 |
| SWING WEIGHT | | D | 2 | |
| CLUB WEIGHT (G) | 272 | 279 | 283 | 287 |
| HAND | RH | RH | RH | RH |
| SHAFT | XXI | O PRIME SP- | 1000 graph | IITE |

| SHAFT SPEC | | | | | | | |
|------------|----|----|----|-----|-----|-----|------|
| | 43 | 42 | 39 | 6.3 | MBP | 9.0 | 3212 |
| SP-1000 | 43 | 41 | 38 | | MBP | 9.0 | 2212 |
| | | | | | | | |

XXIO PRIME HYBRIDS



| MODEL | #5 | #6 | #7 |
|------------------|----------|--------------|----------|
| LOFT | 23° | 26° | 29° |
| LIE ANGLE | 60.5° | 61° | 61.5° |
| HEAD WEIGHT (G) | 233 | 238 | 244 |
| HEAD VOLUME (CC) | 109 | 108 | 105 |
| LENGTH (IN) | 39.75 | 39.25 | 38.75 |
| SWING WEIGHT | | D0 | |
| CLUB WEIGHT (G) | 318 | 322 | 327 |
| HAND | RH | RH | RH |
| SHAFT | XXIO PRI | me sp-1000 (| GRAPHITE |

| | | | | HB#5 WHEN INSTALLED | | | IFC | |
|--|---|------|----|------------------------|-----|--|------|--|
| | | | | 45 | | | 4212 | |
| | R | 40.5 | 47 | 44 | 4.8 | | 3212 | |
| | | | | | | | 3211 | |

XXIO PRIME IRONS



| MODEL | #5 | #6 | #7 | #8 | #9 | PW | AW | SW |
|-----------------------|-------|-------|---------|----------|---------|---------|-------|-------|
| LOFT ANGLE | 22° | 25° | 28° | 32° | 37° | 42° | 48° | 56° |
| LIE ANGLE | 61.5° | 62° | 62.5° | 63° | 63° | 63.5° | 63.5° | 63.5° |
| BOUNCE ANGLE | | | | 2° | 3° | 4° | 5° | 12° |
| FACE PROGRESSION (MM) | 1.5 | 2 | 2 | 2 | 2.5 | 3.5 | 5 | 5 |
| length (in) | 38.25 | 37.75 | 37.25 | 36.75 | 36.25 | 35.75 | 35.75 | 35.75 |
| SWING WEIGHT | C9 | C9 | C9 | C9 | C9 | C9 | D0 | D0 |
| CLUB WEIGHT (G) | 334 | 340 | 345 | 351 | 357 | 364 | 366 | 366 |
| HAND | RH | RH | RH | RH | RH | RH | RH | RH |
| SHAFT | | | XXIO PF | RIME SP- | 1000 gr | KAPHITE | | |

| | 39 | 51 | 47 | 3.8 | MBP | 10.0 | |
|--|----|----|----|-----|-----|------|--|
| | 39 | 49 | 45 | 3.9 | MBP | 10.0 | |
| | | | | | | | |









DRIVER

SHAFT: XXIO PRIME RE SP-1000K GRAPHITE DRIVER SHAFT

GRIP: XXIO PRIME RE DRIVER GRIP

| SPEC | CIFICAT | ions | | | | | | |
|-------|---------|------|----------------|--------|----|-----------------|----|---|
| LOFT | | | HEAD VOLUME | | | CLUB WEIGHT* | SR | R |
| 9.5° | 60° | 185g | 460cc | 46.5in | D3 | 250g | | |
| 70 E° | coo | 105 | | | | 050 | | |

*Club weights shown are for R flex only

FAIRWAY WOODS

SHAFT: XXIO PRIME RE SP-1000K GRAPHITE WOOD SHAFT

GRIP: XXIO PRIME RE WOOD GRIP

| SPECI | FICAT | rions | | | | | | | |
|-------|-------|--------------|------|-------|---------|----|-----------------|----|---|
| MODEL | LOFT | LIE ANGLE | | | LENGTH | | CLUB WEIGHT* | SR | R |
| 3 | 15° | 59° | 202g | 188cc | 43.25in | D2 | 272g | | |
| 5 | 18° | 60° | 211g | 175cc | 42.25in | D2 | 279g | | |
| 7 | 21° | 60.5° | 216g | 158cc | 41.75in | D2 | 283g | | |

^{*}Club weights shown are for R flex only

HYBRIDS

SHAFT: XXIO PRIME RE SP-1000K GRAPHITE HYBRID SHAFT

GRIP: XXIO PRIME RE HYBRID GRIP

| SPECI | FICAT | ΓΙΟΝS | | | | | | | |
|-------|-------|--------------|------|----------------|---------|-----------------|-----------------|----|---|
| MODEL | LOFT | LIE ANGLE | | HEAD VOLUME | | SWING WEIGHT | CLUB WEIGHT* | SR | R |
| 5 | 23° | 60.5° | 233g | 109cc | 39.75in | D0 | 318g | | |
| 6 | 26° | 61° | 238g | 108cc | 39.25in | D0 | 322g | | |
| 7 | 29° | 61.5° | 244g | 105cc | 38.75in | D0 | 327g | | |

^{*}Club weights shown are for R flex only

IRONS

SHAFT: XXIO PRIME RE SP-1000K GRAPHITE IRON SHAFT

GRIP: XXIO PRIME RE IRON GRIP

| SPECII | FICAT | IONS | | | | | | | |
|--------|-------|--------------|-----------------|---------------------|---------|-----------------|----------------|----|---|
| MODEL | LOFT | LIE ANGLE | BOUNCE ANGLE | FACE PROGRESSION | LENGTH | SWING WEIGHT | CLUB WEIGHT | SR | R |
| 5 | 22° | 61.5° | 1° | 1.5mm | 38.25in | C9 | 334g | | |
| 6 | 25° | 62° | 1° | 2mm | 37.75in | C9 | 340g | | |
| 7 | 28° | 62.5° | 1° | 2mm | 37.25in | C9 | 345g | | |
| 8 | 32° | 63° | 2° | 2mm | 36.75in | C9 | 351g | | |
| 9 | 37° | 63° | 3° | 2.5mm | 36.25in | C9 | 357g | | |
| PW | 42° | 63.5° | 4° | 3.5mm | 35.75in | C9 | 364g | | |
| AW | 48° | 63.5° | 5° | 5mm | 35.75in | D0 | 366g | | |
| SW | 56° | 63.5° | 12° | 5mm | 35.75in | D0 | 366g | | |











DRIVER

SHAFT: XXIO PRIME RE SP-1000K GRAPHITE DRIVER SHAFT

GRIP: XXIO PRIME RE DRIVER GRIP

XIDO:

| SPECIFICATIONS | | | | | | | | | |
|----------------|-----|------|----------------|--------|----|-----------------|---|--|--|
| LOFT | | | HEAD VOLUME | LENGTH | | CLUB WEIGHT* | L | | |
| 11.5° | 60° | 177g | 460cc | 44.5in | C1 | 239g | • | | |

FAIRWAY WOODS

SHAFT: XXIO PRIME RE SP-1000K GRAPHITE WOOD SHAFT

GRIP: XXIO PRIME RE WOOD GRIP

| SPECIFICATIONS | | | | | | | | | |
|----------------|--------------|----------------|----------------|---------|-----------------|-----------------|---|--|--|
| LOFT | LIE ANGLE | HEAD WEIGHT | HEAD VOLUME | LENGTH | SWING WEIGHT | CLUB WEIGHT* | L | | |
| 3 | 17° | 189g | 190cc | 42.25in | CO | 253g | | | |
| 5 | 21° | 197g | 176cc | 41.25in | CO | 259g | | | |
| 7 | 24° | 202g | 160cc | 40.75in | CO | 263g | | | |

HYBRIDS

SHAFT: XXIO PRIME RE SP-1000K GRAPHITE HYBRID SHAFT

GRIP: XXIO PRIME RE HYBRID GRIP

| SPECIFICATIONS | | | | | | | | | |
|----------------|--------------|----------------|----------------|---------|-----------------|-----------------|---|--|--|
| LOFT | LIE ANGLE | HEAD WEIGHT | HEAD VOLUME | LENGTH | SWING WEIGHT | CLUB WEIGHT* | L | | |
| 5 | 25° | 219g | 108cc | 38.75in | C0 | 281g | ٠ | | |
| 6 | 28° | 225g | 108cc | 38.25in | CO | 286g | • | | |
| 7 | 31° | 230g | 107cc | 37.75in | CO | 290g | | | |

IRONS

SHAFT: XXIO PRIME RE SP-1000K GRAPHITE IRON SHAFT

GRIP: XXIO PRIME RE IRON GRIP

| SPECIFICATIONS | | | | | | | | | |
|----------------|------|--------------|-----------------|---------------------|---------|-----------------|----------------|---|--|
| MODEL | LOFT | LIE ANGLE | BOUNCE ANGLE | FACE PROGRESSION | LENGTH | SWING WEIGHT | CLUB WEIGHT | L | |
| 5 | 24° | 61.5° | 1° | 1.5mm | 37.25in | C0 | 302g | ٠ | |
| 6 | 27° | 62° | 1° | 2mm | 36.75in | C0 | 307g | | |
| 7 | 30° | 62.5° | 1° | 2mm | 36.25in | CO | 312g | | |
| 8 | 34° | 63° | 2° | 2mm | 35.75in | C0 | 318g | | |
| 9 | 39° | 63° | 3° | 2.5mm | 35.25in | CO | 325g | | |
| PW | 44° | 63.5° | 4° | 3.5mm | 34.75in | CO | 331g | | |
| AW | 50° | 63.5° | 5° | 5mm | 34.75in | Dì | 333g | | |
| SW | 56° | 63.5° | 12° | 5mm | 34.75in | Dī | 333g | | |





XXIO PUTTER FORGED, MILLED, PERFECTION

MILLED FROM A SINGLE BILLET OF FORGED 303 STAINLESS STEEL, THE NEW XXIO PUTTER OFFERS AN EXTREMELY STABLE PUTTING PLATFORM WITH EXCEPTIONALLY PREMIUM FEEL.

TUNGSTEN WEIGHTS IN THE TOE AND HEEL EXPAND MOI FOR MORE STABILITY AND MORE CONSISTENCY ON THE GREEN. COMBINED WITH SUPERB SOFT FEEL, XXIO PUTTERS ARE TOP OF THE LINE, PREMIUM OFFERINGS THAT BRING UNDENIABLE WOW FACTOR TO YOUR BAG.

- , FULLY MILLED
- , Tungsten weights for increased MOI
- FORGED 303 STAINLESS STEEL
- , AVAILABLE IN A MID-MALLET SHAPE



XXIO GOLF BALLS

CRAFTED FOR YOUR GAME

A TRULY PREMIUM BALL OFFERING FOR MODERATE SWING SPEED GOLFERS IS ANOMALOUS, MAKING THE NEW XXIO GOLF BALLS UNIQUE IN THE MARKETPLACE AND BY FAR YOUR IDEAL CHOICE.

XXIO ELEVEN AND XXIO X GOLF BALLS ARE UNCOMMONLY SOFT. IN FACT, THEY REDUCE THE SHOCK OF IMPACT FOR ENHANCED COMFORT ON ALL SHOTS AND BECAUSE THEY SPIN FAR LESS OFF THE TEE THAN TOUR BALLS, THEY BOOST YOUR DISTANCE AND FLY REMARKABLY STRAIGHT.



XXIO ELEVEN GOLF BALLS

IDEAL FOR MODERATE SWING SPEEDS

We specially engineered the New XXIO Eleven golf ball to deliver maximum performance for golfers who swing below 90mph, making these an ideal choice for most XXIO players.

- EXTREMELY SOFT FEEL
- MAX DISTANCE FOR MODERATE SWING SPEEDS
- Premium 3-piece construction
- FASTLAYER CORE FOR DISTANCE AND FEEL
- AVAILABLE IN WHITE, YELLOW, PINK
 AND MIXED (WHITE, PINK, YELLOW, ORANGE)
- COMPRESSION: 70



XXIO X GOLF BALLS

IDEAL FOR FASTER SWING SPEEDS

XXIO X GOLF BALLS DELIVER MAXIMUM DISTANCE AND ENHANCED GREENSIDE SPIN FOR STRONGER GOLFERS WHO SWING FASTER THAN 90MPH.

- SOFT FEEL
- MAX DISTANCE FOR FASTER SWING SPEEDS
- Premium 3-Piece Construction
- FASTLAYER CORE FOR DISTANCE AND FEEL
- SPIN SKIN WITH SERM FOR GREENSIDE SPIN
- AVAILABLE IN WHITE AND LIME YELLOW
- COMPRESSION: 80





XXIO PREMIUM GOLD GOLF BALLS

• Core: Fastlayer Core Technology

COVER: HIGHLY RESILIENT AND SOFT IONOMER COVER

DIMPLE: 338 SPEED DIMPLE PATTERNMID: HIGHLY RESILIENT MID-LAYER

• Compression: 62



XXIO ACCESSORIES

XXIO LIMITED EDITION CADDY BAG

- o 3.3KG
- MATERIAL : EXCLUSIVE KIMONO JAPANESE JACQUARD FABRIC
- ∘ 5 ways top
- 7 ZIPPER POCKETS
- 1 MAGNETIC CLOSURE WITH EXTENT SPACING
- ° COLOURS : BLACK



XXIO STAFF BAG



- o 4KG
- 5 Ways Top
- 100% Sythetic PU
- 10 CONVINENT ZIPPER POCKETS
- 1 REMOVABLE PANEL FOR CUSTOMIZATION LOGO
- IMPIRATION WITH STAFF BAG CONCEPT
- HEAT EMBOSS WITH TPU LOGO SIDE PANEL
- METAL UMBRELLA RING
- COLOURS : WHITE/NAVY



XXIO PREMIUM WATERPROOF CART BAG

- 4.5KG
- 15 ways top unique organization space to keep club organized
- Insulated Cooler Pocket
- WATERPROOF FABRIC BODY
- 6 Welded water proof zipper pockets includes 2 valuable velvet lined
- INTEGRATED CART STRAP HOLDER
- 1 Magnetic closure accessories pocket
- 1 Removable ball pocket
- DETACHABLE WATER BOTTLE BAG AND SMALL POUCH
- OVERSIZE OUTER PUTTER TUBE
- CART LOCK BOTTOM BASE
- COLOURS : BLACK



XXIO PREMIUM CART BAG



- 4.2KG
- 15 WAY TOP WITH FULL LENGTH DIVIDERS
- TOP HAS TWO INTEGARTED LIFT -ASSIST HANDLES & INTEGRATED PUTTER COMPARTMENT
- HIGH DENSITY WATERPROOF POLYESTER
- INTEGRATED CART STRAP HOLDER
- INSULATED COOLER POCKET
- \circ 6 Welded water proof zipper pockets includes 2 valaubale velvet lined
- 1 MAGNETIC CLOSURE ACCESSORIES POCKET
- 1 REMOVABLE BALL POCKET
- DETACHABLE WATER BOTTLE BAG AND SMALL POUCH
- CART LOCK BOTTOM BASE
- COLOURS : NAVY/GOLD, GREY/RED

XXIO HYBRID CART BAG



- 3.65KG
- 15 ways top with full length dividers
- TOP HAS TWO INTEGARTED LIFT -ASSIST HANDLES & INTEGRATED PUTTER COMPARTMENT
- MATERIAL SYNTHETIC PU + WATER REPELLENT POLYESTER
- Insulated Cooler Pocket
- 2 WELDED WATERPROOF ZIP POCKETS WITH 1 VALAUBLE VELVET LINED
- 1 Magnetic Closure accessories pocket with soft velvet lining
- 1 Removable ball pocket
- 6 CONVENIENT ZIPPER POCKETS
- HIDDEN UMBRELLA CONTAINMENT
- SCORD CARD HOLDER
- PEN AND DIVOT TOOL SLEEVES
- PU BELT UMBRELLA HOLDER WITH PIN BUCKLE FASTEN
- COLOURS : BLACK, CHARCOAL/GREY

XXIO STAND BAG



- 。3.7KG
- 5 Ways Top
- MATERIAL SYTHETIC PU + WATER REPELLANT POLYESTER
- 4 CONVENIENT ZIPPER POCKETS
- 1 VALUABLE POCKET WITH VELVET LINED
- COOLER BOTTLE POCKET
- Removable front pocket
- DUAL COMFORTABLE ADJUSTABLE SHOULDER STRAP
- COLOURS : WHITE/NAVY







XXIO PREMIUM LADIES CART BAG



- 。3.80KG
- 15 ways top with full length dividers
- TOP HAS TWO INTEGARTED LIFT -ASSIST HANDLES & INTEGRATED PUTTER COMPARTMENT
- MATERIAL IS SYNTHETIC PU + WATER REPELLENT POLYESTER
- 4 ZIPPER POCKET WITH 1 VALAUBLE VELVET LINED
- 1 MAGNETIC CLOSURE ACCESSORIES POCKET
- DETACHABLE WATER BOTTLE BAG AND LADIES POUCH
- PU BELT UMBRELLA HOLDER WITH PIN BUCKLE FASTEN
- NAME TAG HOLDER
- LARGE METAL TOWEL RING
- CART LOCK BOTTOM BASE
- COLOURS : WHITE, NAVY/ORANGE



XXIO HYBRID LADIES CART BAG



- o 3.65KG
- 15 ways top with full length dividers
- TOP HAS TWO INTEGARTED LIFT -ASSIST HANDLES & INTEGRATED PUTTER COMPARTMENT
- MATERIAL SYNTHETIC PU + WATER REPELLENT POLYESTER
- Insulated Cooler Pocket
- \circ 2 welded waterproof zip pockets with 1 valauble velvet lined
- 1 MAGNETIC CLOSURE ACCESSORIES POCKET WITH SOFT VELVET LINING
- 1 REMOVABLE BALL POCKET
- 6 CONVENIENT ZIPPER POCKETS
- HIDDEN UMBRELLA CONTAINMENT
- SCORD CARD HOLDER
- PEN AND DIVOT TOOL SLEEVES
- \circ PU belt umbrella holder with Pin buckle fasten
- \circ Colours : White, Purple/Grey



PREMIUM MENS CAP

- Relaxed lightweight construction
- PERFORMANCE POLYESTER
- Breathable moisture wicking fabric
- 3D LOGO WITH RED TRIM
- COLOURS: BLACK, WHITE, NAVY



PREMIUM WOMENS VISOR

- Low Crown Design
- PERFORMANCE POLYESTER
- SIZE 56CM (S/M)
- COLOURS: WHITE, CORAIL



XXIO ALL WEATHER GLOVE

AVAILABLE FOR LADIES

AVAILABLE IN SEPT 2020

- DESIGNED WITH A FOCUS ON GRIP PRESSURE
- EXCELLENT FIT: COMBINATION OF SOFT SYNTHETIC LEATHER AND ELASTIC MATERIAL OFFERS COMFORTABLE FEEL REDUCING TIGHTNESS.
- STRONG GRIP: SILICONE PRINT ON PALM SIDE ALLOW GOLFERS TO INCREASE GRIP
 PRESSURE. SUEDE SYNTHETIC LEATHER HAS EXCELLENT ABSORBENCY, HELPING GOLFERS
 TO MAINTAIN GRIP REGARDLESS OF RAIN AND SWEAT.
- LADY: S, M, ML, L





SIZE MEN: S, M, ML, L, XL

XXIO UMBRELLA ANTI UV

- UV PROTECTION
- o 62"
- DOUBLE CANOPY
- Innovative handle
- COLOURS: BLACK





XXIO BAG TOWEL

- Tri Fold Towel
- 16"x21"
- COTTON VELOUR MATERIAL
- COLOURS: BLACK, ELECTRIC BLUE, GOLD, BLUE, SILVER, PURPLE







EXPERIENCE THE DIFFERENCE