

GAMA NEGÓCIOS LTDA

GAMA NEGÓCIOS Ltda

clarklima@gamanegocios.com

www.gamanegocios.com

WhatsApp: +55 (11) 956711166

Clark Lima





4G LTE Solar IP Camera

4G低功耗太阳能枪机

- DISCRIPTION
- The product quickly sleeps and wakes up quickly to achieve intelligent power saving
 - Adopt high-performance 1/2"black light full-color image processor
 - Solar rechargeable built-in battery
 - 1080P HD video
 - Ultra low power consumption, long standby
 - Built-in microphone and speaker, support two-way voice intercom
 - Sound and light alarm function
 - Support cloud storage local storage.
 - APP supports Android/IOS
 - Metal body, IP65 outdoor waterproof



Specification

Main Chipset	Sensor	Lens	Angle		Video Stream	System	
Hi3518EV200	HD COMS sensor 1/2.7 PS5230	2G2P FULL Super-Angle Lens	Horizontal 120 Degree		1920*1080/15fps 1920*1080/15fps	Lite OS	
Coding	I/O	Recording Methods	4G	PIR Detection	Auto adaptation	Two-way Speak	Panoramic Show
AAC&G.726	-38dB Mic / Inside 1"Speaker	Manual / Alarm Recording	LTE	YES	YES	Real-time talk	Analog 3D & Auto Cruise
Standby Time	Voice call	Remote waking	Motion Waking	APP	Power	Tem	Hum



WIFI LTE Solar IP Camera

WIFI低功耗太阳能枪机

- DISCRIPTION
- The product quickly sleeps and wakes up quickly to achieve intelligent power saving
 - Adopt high-performance 1/2"black light full-color image processor
 - Solar rechargeable built-in battery
 - 1080P HD video
 - Ultra low power consumption, long standby
 - Built-in microphone and speaker, support two-way voice intercom
 - Sound and light alarm function
 - Support cloud storage local storage.
 - APP supports Android/IOS
 - Metal body, IP65 outdoor waterproof



Specification

Main Chipset	Sensor	Lens	Angle	Video Stream	System		
Hi3518EV200	HD COMS sensor 1/2.7 PS5230	2G2P FULL Super-Angle Lens	Horizontal 120 Degree	1920*1080/15fps 1920*1080/15fps	Lite OS		
Coding	I/O	Recording Methods	4G	PIR Detection	Auto adaptation	Two-way Speak	Panoramic Show
AAC&G.726	-38dB Mic / Inside 1"Speaker	Manual / Alarm Recording	LTE	YES	YES	Real-time talk	Analog 3D & Auto Cruise
Standby Time	Voice call	Remote waking	Motion Waking	APP	Power	Tem	Hum



WHITE RICH AND BEAUTY 白富美

DISCRIPTION

- Aviation aluminum
- COB chip
- Efficient heat dissipation
- Dual track IC drive



Long life



High light efficiency



High color rendering




Better heat dissipation



No radiation



Low light failure



Specification

Item no	Rated watt(w)	The actual wattage	Aluminum tube size	Voltage
COB-902	10W	7W	Φ60*100	170-265V
COB-902	20W	12W	Φ80*120	170-265V
COB-902	30W	20W	Φ90*130	170-265V



LEX PARGRAAPH 雷士款

DISCRIPTION

- Aviation aluminum
- COB chip
- Efficient heat dissipation
- Dual track IC drive



Long life



High light efficiency



High color rendering



Better heat dissipation



No radiation



Low light failure



Specification

Item no	Rated watt(w)	The actual wattage	Aluminum tube size	Voltage
COB-902	10W	7W	Φ50*138	170-265V
COB-902	20W	12W	Φ62*158	170-265V
COB-902	30W	20W	Φ75*178	170-265V



ACRYLIC 亚克力

- DISCRIPTION
- Aviation aluminum
 - COB chip
 - Efficient heat dissipation
 - Dual track IC drive



Long life



High light efficiency



High color rendering



Better heat dissipation



No radiation



Low light failure



Specification

Item no	Rated watt(w)	The actual wattage	Aluminum tube size	Voltage
COB-909	7W	7W	Φ50*70	170-265V
COB-909	10W	10W	Φ70*83	170-265V
COB-909	20W	20W	Φ85*110	170-265V
COB-909	30W	30W	Φ85*123	170-265V
COB-909	40W	36W	Φ85*136	170-265V
COB-909	50W	46W	Φ110*140	170-265V



Aluminium street lamp Series
铝型材路灯系列

- DISCRIPTION
- High quality die-cast aluminumshell material
 - Using high-quality polycrystalline silicon solar panels
 - Intelligent light control long bright no need to operate in response to weather changes
 - All new upgrades large capacity lithium batteries
 - High water proof rating long-lasting anti- rust paint process
 - Die-cast aluminum shell,high hardness, not easy to damag enot easyto rust
 - Meetthe needs of various outdoor scenes



human induction remote control



Outdoor Waterproof



High capacity batteries



Wide range of the illumination



Solar charging



Free wiring



Specification

Item no	Solar panels	Material	Waterproof grade	Patch Balls	Box Size	Charging time
XQ-3101	16W	Aluminum alloy	IP65	81 Balls of Changfang Brand	68*32*55cm	4-6H
XQ-3102	20W	Aluminum alloy	IP65	162 Balls of Changfang Brand	87*42*28cm	4-6H
XQ-3103	25W	Aluminum alloy	IP65	243 Balls of Changfang Brand	107*32.5*28cm	4-6H



Split mesh louver ventilator
分体网百叶换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation




Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
APB6-15A	6"	220V	25W	240*240	200*200	Φ150
APB8-20A	8"	220V	30W	300*300	240*240	Φ200
APB10-25A	10"	220V	35W	340*340	280*280	Φ250
APB12-30A	12"	220V	45W	400*400	330*330	Φ300



Connected mesh louver ventilator
连体网百叶换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
APB6-15A	6"	220V	25W	240*240	200*200	Φ150
APB8-20A	8"	220V	30W	300*300	240*240	Φ200
APB10-25A	10"	220V	35W	340*340	280*280	Φ250
APB12-30A	12"	220V	45W	400*400	330*330	Φ300



Arc strip split mesh louver ventilator
弧条分体网百叶换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
APB6-15F	6"	220V	25W	240*240	200*200	Φ150
APB8-20F	8"	220V	30W	300*300	240*240	Φ200
APB10-25F	10"	220V	35W	340*340	280*280	Φ250
APB12-30F	12"	220V	45W	400*400	330*330	Φ300



Bathroom ventilator A8
浴室换气扇A8款

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise




Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole size	Blade Specification
APC-10A8	4"	220V	15W	150*150	Φ100	Φ85
APC-15A8	6"	220V	18W	200*200	Φ150	Φ140
APC-18A8	8"	220V	25W	250*250	Φ180	Φ160



Integrated ceiling ventilator
集成吊顶换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise




Thin depth



Specification

Item no	Voltage	Power	Panel Specification	Hole Specification	Blade Specification	Material
BPT15-60A	220V	85W	600*600	600*600	Φ150	PC+aluminum
BPT10-60B	220V	65W	600*600	600*600	Φ100	PC+aluminum
BPT10-45B	220V	65W	450*450	450*450	Φ100	PC+aluminum



Integrated ceiling ventilator
集成吊顶换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Voltage	Power	Panel Specification	Hole Specification	Blade Specification	Material
BPT10-30B	220V	85W	600*600	600*600	Φ150	PC+aluminum



Common ducted ventilation fan
普通管道换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
BPT6-20A	6"	220V	25W	200*200	170*170	Φ80
BPT8-25A	8"	220V	25W	250*250	200*000	Φ100
BPT10-30A(small)	10"	220V	28W	280*280	230*230	Φ100
BPT10-30A(big)	10"	220V	35W	300*300	250*250	Φ100
BPT120-34A	12"	220V	35W	340*340	300*300	Φ100
BPT14-40A	14"	220V	65W	400*400	350*350	Φ150
BPT20-60A	20"	220V	65W	600*600	480*480	Φ100
BPT20-60A	20"	220V	65W	600*600	480*480	Φ100
BPT20-60A	20"	220V	85W	600*600	480*480	Φ150



Ceiling straight-line ventilation fan
天花直排式换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
BPT8-20A	8"	220V	30W	305*305	250*250	Φ150
BPT10-25A	10"	220V	35W	325*325	280*280	Φ250
BPT12-30A	12"	220V	45W	355*355	310*310	Φ250



Common ducted ventilation fan
普通管道换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
APB6-15A	6"	220V	25W	240*240	200*200	Φ150
APB8-20A	8"	220V	30W	300*300	240*240	Φ200
APB10-25A	10"	220V	35W	340*340	280*280	Φ250
APB12-30A	12"	220V	45W	400*400	330*330	Φ300



Common ducted ventilation fan
普通管道换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
APB6-15A	6"	220V	25W	240*240	200*200	Φ150
APB8-20A	8"	220V	30W	300*300	240*240	Φ200
APB10-25A	10"	220V	35W	340*340	280*280	Φ250
APB12-30A	12"	220V	45W	400*400	330*330	Φ300



Common ducted ventilation fan
普通管道换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
APB6-15A	6"	220V	25W	240*240	200*200	Φ150
APB8-20A	8"	220V	30W	300*300	240*240	Φ200
APB10-25A	10"	220V	35W	340*340	280*280	Φ250
APB12-30A	12"	220V	45W	400*400	330*330	Φ300



Glass window type (round row) ventilation fan
玻璃窗式（圆排）换气扇

- DISCRIPTION
- Contracted design
 - Low carbon environmental protection
 - Waterproof and flame retardant
 - Security firm
 - Wind power



Easy installation



Large air volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
APC6-15A	6"	220V	18W	Φ205	Φ185	Φ150
APC8-20A	8"	220V	25W	Φ275	Φ240	Φ200



Common ducted ventilation fan 普通管道换气扇

DISCRIPTION

- Contracted design
- Low carbon environmental protection
- Waterproof and flame retardant
- Security firm
- Wind power



Easy
installation



Large air
volume



Low noise



Thin depth



Specification

Item no	Size	Voltage	Power	Panel Specification	Hole Specification	Blade Specification
APC6-15B	6"	220V	18W	Φ205	Φ185	Φ150
APC8-20B	8"	220V	25W	Φ275	Φ240	Φ200



Solar powered fan 太阳能风扇

DISCRIPTION

- Solar panel charging, solve the problem of power failure
- Solar power generation technology, energy saving and zero electricity consumption
- AC/DC
- 9-24H endurance subversive imagination



Solar
charging



Large air
volume



Low noise



Super strong
momentum



Specification

Item no	Blade size	Motor type	Rotation speed	Lamp	Battery
EP-3212	12 inches	555 brush motor	about 1000 revolutions	14PCS SMD lamp beads	6V 4.5AH lead-acid battery

USB output current	Full time	Working time	Fan speed	AC/DC	Fan size
500MAH	8 hours	3.5-8 hours	2 gears	110V~220V / 9V	515*340*215mm



Solar powered fan 太阳能风扇

- DISCRIPTION
- Solar panel charging, solve the problem of power failure
 - Solar power generation technology, energy saving and zero electricity consumption
 - AC/DC
 - 9-24H endurance subversive imagination

Solar charging

Large air volume

Low noise

Super strong momentum



Specification

Item no	Blade size	Rotation speed	Lamp	Battery	
EP-316A	16 inches (can be used as a wall fan)	about 1000 revolutions	8PCS SMD lamp beads	6V 4.5AH lead-acid battery	
Protection measures	Timing function	USB output current	Full time	Working time	Fan speed
With overcharge protection	0.5 hours	500MAH	12-15 hours	3-8 hours	3 gears
AC/DC		Fan size			
110V~220V / 9V		570*430*250mm			



Solar powered fan 太阳能风扇

- DISCRIPTION
- Solar panel charging, solve the problem of power failure
 - Solar power generation technology, energy saving and zero electricity consumption
 - AC/DC
 - 9-24H endurance subversive imagination

Solar charging

Large air volume

Low noise

Super strong momentum



Specification

Item no	Blade size	Speed	Lamp	Battery	Protection measures	
EP-316H	16 inches	about 1300 rpm	20PCS SMD lamp beads brightness can be adjusted	12V 4.5AH lead-acid battery	With overcharge protection	
Timing function	5V USB output current	Full time	Working time	Fan speed	AC/DC	Fan size
0.5 hours	500MAH	12-15 hours	3-8 hours	3 gears	110V~220V / 9V	980*430*250mm



Solar powered fan 太阳能风扇

- DISCRIPTION
- Night light
 - Solar charging
 - Bluetooth speakers (TF, USB, FM radio)
 - AC/DC fan




Specification

Item no	Fan size	Motor type	Rotation speed	Lamp beads	
EP-312	12 inches	545 brush motor	about 1000 revolutions	20PCS SMD	
Battery	Timing function	USB output current	AC charging time	DC charging	Working time
6V 3.5Ah sealed lead-acid battery	0.5 hours	1A	12-15 hours	9V solar panels	4-15 hours
Maximum power	Fan speed	AC/DC	Speaker	Product size	
10 watts	3 gear options	110V~220V / 9V	4Ω3W 50MM	200*125*395mm	



Solar powered bulb 太阳能灯泡

- DISCRIPTION
- Solar panels are protected against thunder and rain
 - High power LED light emitting chip
 - LED lamp with hook, used as light bulb and mobile lighting
 - Using polycrystalline silicon solar panels with good charging efficiency, automatic charging during the day, saving money and worry
 - Bright lights, wide coverage



Specification


Item no	LED Unit	Switch	Battery	Packing
EP-020	20 high brightness 2835 SMD beads	Press the switch to control the brightness of the light	4V 900mAh lead-acid battery	80 pieces/case
Charging	Product size	PCS/CTN		
Charging from the solar socket of the solar panel	82*82*137 mm	80 PCS		



Solar powered fan

太阳能灯泡

- DISCRIPTION
- Solar panels are protected against thunder and rain
 - High power LED light emitting chip
 - LED lamp with hook and handle, used as bulb and mobile lamp
 - Using polycrystalline silicon solar panels with good charging efficiency, automatic charging during the day, saving money and worry
 - Bright lights, wide coverage



Specification

Item no	LED Unit	Switch	Battery	Packing
EP-022	18 high brightness 2835 SMD 1PCS power lamp beads	Press the switch to control 18 lights or 1 LED light	4V 900mAh lead-acid battery	60 pieces/case
Charging	Product size	PCS/CTN		

Charging from the solar socket
of the solar panel

100*100*155mm


60 PCS



Solar powered bulb

太阳能灯泡

- DISCRIPTION
- Solar panels are protected against thunder and rain
 - High power LED light emitting chip
 - LED lamp with hook, used as light bulb and mobile lighting
 - Using polycrystalline silicon solar panels with good charging efficiency, automatic charging during the day, saving money and worry
 - Bright lights, wide coverage



Specification

Item no	LED Unit	Battery	Charging	Packing
EP-023	25 High Brightness 2835 SMD	4V 900mAh lead-acid battery	Charging from the solar socket of the solar panel	1 piece/color box 50 pieces/box
Product size	PCS/CTN			

125*125*80mm

50 PCS



Solar powered fan 太阳能灯泡

DISCRIPTION

- Solar panels are protected against thunder and rain
- High power LED light emitting chip
- LED lamp with hook and handle, used as bulb and mobile lamp
- Using polycrystalline silicon solar panels with good charging efficiency, automatic charging during the day, saving money and worry
- Bright lights, wide coverage



Solar
charging



Outdoor
rain



Environmental
protection



Bright
lights




Specification

Item no	Lamp	Switch	Battery	Packing
EP-025	1 COB (2W)	press the switch to control the height of the light	4V 900mAh lead-acid battery	1 piece/color box 50 pieces/box
Charging	Product size	PCS/CTN		

Charging from the solar socket
of the solar panel

130*130*95mm

50 PCS



Solar panel 太阳能电池板

DISCRIPTION

- Single crystal silicon positive A, battery welding process complete, high efficiency
- With its own bracket, stable placement
- Rechargeable emergency lights, mobile phones, mini fans...
- Waterproof, corrosion resistant, high temperature resistant to cope with all kinds of harsh environment



Short circuit
protection



Temperature
protection



Over voltage
protection



Over current
protection



Specification

Item no	Power	Shell material	Color selection	Solar cells
EP-0606A	6V/6W efficient solar panel (five output ports)	ABS plastic	Black (according to your requirements)	Polysilicon
IMP	Product size	PCS/CTN		

1000mA

273*183*18mm

30 PCS



Solar panel

太阳能电池板

DISCRIPTION

- Single crystal silicon positive A, battery welding process complete, high efficiency
- With its own bracket, stable placement
- Rechargeable emergency lights, mobile phones, mini fans...
- Waterproof, corrosion resistant, high temperature resistant to cope with all kinds of harsh environment



Short circuit
protection



Temperature
protection



Over voltage
protection



Over current
protection

Specification

Item no	Power	Shell material	Color selection	Solar cells
EP-0902	6V3W efficient solar panel (with five output ports)	ABS plastic	Black (according to your requirements)	Polysilicon
IMP	Product size	PCS/CTN		
500mA	230*140*18mm	50 PCS		



Solar panel

太阳能电池板

DISCRIPTION

- Single crystal silicon positive A, battery welding process complete, high efficiency
- With its own bracket, stable placement
- Rechargeable emergency lights, mobile phones, mini fans...
- Waterproof, corrosion resistant, high temperature resistant to cope with all kinds of harsh environment



Short circuit
protection



Temperature
protection



Over voltage
protection



Over current
protection

Specification

Item no	Power	Shell material	Color selection	Solar cells
EP-0632	6V3.2W high efficiency solar panel (USB interface external 1 drag 5 wire)	ABS plastic	Black (according to your request)	Polysilicon
IMP	Product size	PCS/CTN		
533MA	235*150*18mm	50 PCS		



Solar panel
太阳能电池板

- DISCRIPTION
- Single crystal silicon positive A, battery welding process complete, high efficiency
 - With its own bracket, stable placement
 - Rechargeable emergency lights, mobile phones, mini fans, 12-15V small appliances and batteries...
 - Waterproof, corrosion resistant, high temperature resistant to cope with all kinds of harsh environment



Short circuit protection



Temperature protection



Over voltage protection



Over current protection

Specification

Item no	Power	Shell material	Color selection	Solar cells
EP-1812	6V3.2W high efficiency solar panel (USB interface external 1 drag 5 wire)	ABS plastic	Black (according to your request)	Polysilicon
IMP	Product size	PCS/CTN		
666MA	273*183*18mm	20 PCS		



Solar powered outdoor lighting sensor lamp
太阳能户外照明感应灯

- DISCRIPTION
- Low light mode+induction mode/induction mode/long light mode
 - With its own bracket, stable placement
 - Rechargeable emergency lights, mobile phones, mini fans...
 - Waterproof, corrosion resistant, high temperature resistant to cope with all kinds of harsh environment



Short circuit protection



Temperature protection



Over voltage protection



Over current protection

Specification

Item no	LED quantity	Solar panel	Battery	Charging time
EP-138	24PCS	5V2.5W	3.2V 3000mAh	8 hours
Lighting time	Waterproof rating	Product size	PCS/CTN	
15 hours	IP65	295*80*50mm	40 PCS	



Solar outdoor lamp
太阳能户外灯

- DISCRIPTION
- Remote control
 - With its own bracket, stable placement
 - Rechargeable emergency lights, mobile phones, mini fans, 12-15V small appliances and batteries...
 - Waterproof, corrosion resistant, high temperature resistant to cope with all kinds of harsh environment



Short circuit
protection



Temperature
protection



Over voltage
protection



Over current
protection

Specification

Item no	LED quantity	Solar panel	Battery	Wire length
EP-026B	30 PCS	5V4W	3.7V 2400mAh	5m
Bulb size	Power board size	Charging time	Lighting time	Waterproof rating
135*120*130mm	173*165*130mm	3.5h	11h	IP65



Solar outdoor lamp
太阳能户外灯

- DISCRIPTION
- Remote control
 - With its own bracket, stable placement
 - Rechargeable emergency lights, mobile phones, mini fans, 12-15V small appliances and batteries...
 - Waterproof, corrosion resistant, high temperature resistant to cope with all kinds of harsh environment



Short circuit
protection



Temperature
protection



Over voltage
protection



Over current
protection


Specification

Item no	LED quantity	Solar panel	Battery	Wire length
EP-027B	30 PCS	5V4W	3.7V 2400mAh	5m
Bulb size	Power board size	Charging time	Lighting time	Waterproof rating
150*45mm	173*165*130mm	3.5h	11h	IP65



Solar power system 照明小系统

- DISCRIPTION
- Host/TF/USB/FM/Speaker function/Mobile power/Lighting
 - Equipped with 9V3W solar panel, 3 bulbs, 1 drag 4 charging cable, AC charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



LED Mobile Lighting

Solar panel charging

USB charging

High capacity battery

Specification

Item no	Lighting	Emergency charger	Battery capacity	AC / DC
EP-371	5025 lamp beads 8PCS Current 680MA	5V0.5A	6V3A	110-240V / DC9V
Product size	Packing number			
140*110*195mm	12PCS			



Solar power system 照明小系统

- DISCRIPTION
- Host/TF/USB/FM/Speaker function/Mobile power/Lighting
 - Equipped with 9V3W solar panel, 3 bulbs, 1 drag 4 charging cable, AC charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



LED Mobile Lighting

Solar panel charging

USB charging

High capacity battery

Specification

Item no	Lighting	Emergency charger	Battery capacity	AC / DC
EP-381	5025 lamp beads 8PCS Current 680MA	5V0.5A	6V3A	110-240V / DC9V
Product size	Packing number			
145*105*185mm	12PCS			



Solar power system 照明小系统

- DISCRIPTION
- Host/TF/USB/FM/Speaker function/Mobile power/Lighting
 - Equipped with 9V3W solar panel, 3 bulbs, 1 drag 4 charging cable, AC charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



- LED Mobile Lighting
- Solar panel charging
- USB charging
- High capacity battery

Specification

Item no	Lighting	Emergency charger	Flashlight	Battery capacity
EP-391	2835 lamp beads 40PCS Current 680MA	5V0.5A	1W aluminum cup Current 290MA	6V3A
AC / DC	Product size	Packing number		
110-240V / DC9V	140*60*185mm	16PCS		



Solar power system 照明小系统

- DISCRIPTION
- Host/TF/USB/FM/Speaker function/Mobile power/Lighting
 - Equipped with 9V3W solar panel, 3 bulbs, 1 drag 4 charging cable, AC charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



- LED Mobile Lighting
- Solar panel charging
- USB charging
- High capacity battery

Specification

Item no	Lighting	Emergency charger	Flashlight	Battery capacity
EP-391B	2835 lamp beads 40PCS Current 680MA	5V0.5A	1W aluminum cup Current 290MA	6V3A
AC / DC	Product size	Packing number		
110-240V / DC9V	140*60*185mm	16PCS		



Solar power system 照明小系统

- DISCRIPTION
- Host/TF/USB/FM/Speaker function/Mobile power/Lighting
 - Equipped with 9V3W solar panel, 3 bulbs, 1 drag 4 charging cable, AC charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



- LED Mobile Lighting
- Solar panel charging
- USB charging
- High capacity battery

Specification

Item no	Lighting	Emergency charger	Flashlight	Battery capacity
EP-392	2835 lamp beads 40PCS Current 680MA	5V0.5A	1W aluminum cup Current 290MA	6V3A
AC / DC	Product size	Packing number		
110-240V / DC9V	175*62*125mm	16PCS		



Solar power system 照明小系统

- DISCRIPTION
- Host/TF/USB/FM/Speaker function/Mobile power/Lighting
 - Equipped with 9V3W solar panel, 3 bulbs, 1 drag 4 charging cable, AC charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



- LED Mobile Lighting
- Solar panel charging
- USB charging
- High capacity battery

Specification

Item no	Lighting	Emergency charger	Battery actual capacity	AC / DC
EP-351	5030 lamp beads 10PCS	5V0.5A	6V3A	110-240V / DC9V
Product size	Packing number			
175*65*125mm	16PCS			



Solar power system

照明小系统

- DISCRIPTION
- Host/TF/USB/FM/Speaker function/Mobile power/Lighting
 - Equipped with 9V3W solar panel, 3 bulbs, 1 drag 4 charging cable, AC charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



- LED Mobile Lighting
- Solar panel charging
- USB charging
- High capacity battery

Specification

Item no	Lighting	Emergency charger	Flashlight	Battery capacity
EP-393	2835 lamp beads 40PCS Current 680MA	5V0.5A	1W aluminum cup Current 290MA	6V3A
AC / DC	Product size	Packing number		
110-240V / DC9V	195*65*135mm	16PCS		



Solar power system

照明小系统

- DISCRIPTION
- Host/Bluetooth speaker/FM/USB/mobile power/two DC ports can be connected to the bulb
 - Equipped with 2 bulbs, 1 with 4 charging cables
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



- LED Mobile Lighting
- Solar panel charging
- USB charging
- High capacity battery

Specification

Item no	Battery capacity	Charging time	Solar panel	Product size
EP-11	3000MAH (2PCS*1500MAH) Each bulb 550MA can light up for 5.5 hours	6 hours	6V3W	240*157*46mm
Packing number				
20PCS				



Solar power system

照明小系统

- DISCRIPTION
- Host/Bluetooth speaker/FM/USB/mobile power supply/three DC ports can be connected with bulbs
 - Equipped with 3 bulbs, 1 drag 4 charging cables
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



- LED Mobile Lighting
- Solar panel charging
- USB charging
- High capacity battery

Specification

Item no	Battery capacity	Charging time	Solar panel	Product size
EP-09	6000MAH (4PCS*1500MAH) Each bulb 550MA can light for 10 hours	8 hours	6V6W	290*197*41mm
Packing number				
16PCS				



Solar power system

照明小系统

- DISCRIPTION
- Charging indicator: charging red light, work indicator blue light
 - Rechargeable battery 500MA charging time about 6H
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



- LED Mobile Lighting
- Solar panel charging
- USB charging
- High capacity battery

Specification


Item no	Battery specification	LED specifications	Bulb current	Standby skin current
EP-05	3.7V 3000MA	23V3W bulbs	250MA	30UA
Battery power	Solar charging	Emergency charger	Product size	Packing number
11.1w	6V3W	5V1A (actually 600-700MA)	135*35*145mm	60PCS



Solar power system

照明小系统

- DISCRIPTION
- Charging indicator: charging red light, work indicator blue light
 - Charging current 333MA/H, charging about 4.5H
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



Specification


Item no	Battery specification	LED specifications	Bulb current	Standby skin current
EP-07	3.7V 1500MA	13V/3W bulb	250MA	30UA
Battery power	Charging current	Emergency charger	Product size	Packing number
5.55w	333mA/H (charging about 4.5H)	5V 1A (actually 600-700MA)	244.5*193*50mm	30PCS



Solar power system

照明小系统

- DISCRIPTION
- Host (lighting, flashlight, mobile power supply, 2 DC ports can be connected with external light bulbs)
 - Equipped with 1 tow 4 charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



Specification

Item no	Battery capacity	Solar panel	Frontal lighting	Flashlight lighting
EP-038	3000MAH	3.8W	4.5 hours	14 hours
Product size	Packing number			
244.5*193*50mm	30PCS			



Solar power system

照明小系统

- DISCRIPTION
- Host (lighting, flashlight, mobile power supply, 2 DC ports can be connected with external light bulbs)
 - Equipped with 1 tow 4 charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show

LED Mobile Lighting

Solar panel charging

USB charging

High capacity battery



Specification

Item no	Battery capacity	Solar panel	Frontal lighting	Flashlight lighting
EP-035	2400MAH	2W	3.5 hours	11 hours

Product size	Packing number
205*150.5*50mm	40PCS



Solar power system

照明小系统

- DISCRIPTION
- Host (lighting, mobile power, Bluetooth speaker function)
 - Equipped with 1 tow 4 charging cable
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show

LED Mobile Lighting

Solar panel charging

USB charging

High capacity battery



Specification

Item no	Battery capacity	Solar panel	Front lighting	Playback
EP-036	2400MAH	2W	3.5 hours	6-8 hours


Product size	Packing number
205*150.5*50mm	40PCS



Solar power system

照明小系统

- DISCRIPTION
- Host (solar charging/TF/USB/FM/BT mobile power supply/ lighting/DC bulb output)
 - Equipped with 3 bulbs, lengthened 1 and 4 charging cables
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



Specification


Item no	Lighting	USB mobile power output	Charging current	Flashlight
EP-0188	2835 lamp beads 28PCS Current 680MA	0.7-1A	0.8-1A	1W aluminum cup Current 310MA
Battery capacity	Solar panel	Product size	Packing number	
3.7V3600MA	6V2W	225*172*70mm	12PCS	



Solar power system

照明小系统

- DISCRIPTION
- Host (solar charging/TF/USB/FM/BT mobile power supply/ lighting/DC bulb output)
 - Equipped with 3 bulbs, lengthened 1 and 4 charging cables
 - Multi-function mobile power supply, outdoor/home intelligent use
 - Multi-purpose machine, strength show



Specification

Item no	Lighting	USB mobile power output	Charging current	Flashlight
EP-0198	2835 lamp beads 28PCS Current 680MA	0.7-1A	0.8-1A	1W aluminum cup Current 310MA
Battery capacity	Solar panel	Product size	Packing number	
3.7V4500MA	6V3W	279*70*226mm	12 PCS	

GAMA NEGÓCIOS Ltda
clarklima@gamanegocios.com
www.gamanegocios.com
WhatsApp: +55 (11) 956711166
Clark Lima



GAMA NEGÓCIOS LTDA



KK-7678



KK-7678



KK-7677



KK-7677



KK-7677



KK-7677



KK-7676



KK-7673



KK-7652



KK-7721



KK-7720



KK-7719



KK-7717



KK-7715



KK-7713

GAMA NEGÓCIOS LTDA



KK-7678



KK-7678



KK-7677



KK-7677



KK-7677



KK-7677



KK-7676



KK-7673



KK-7652



KK-7721



KK-7720



KK-7719



KK-7717




KK-7715



KK-7713

GAMA NEGÓCIOS LTDA



KK-7678



KK-7678



KK-7677



KK-7677



KK-7677



KK-7677



KK-7676



KK-7673



KK-7652

GAMA NEGÓCIOS LTDA



KK-7678



KK-7678



KK-7677



KK-7677



KK-7677



KK-7677



KK-7676



KK-7673



KK-7652



KK-7721



KK-7720



KK-7719



KK-7717



KK-7715



KK-7713

GAMA NEGÓCIOS LTDA



KK-7678



KK-7678



KK-7677



KK-7677



KK-7677



KK-7677



KK-7676



KK-7673



KK-7652



KK-7721



KK-7720



KK-7719



KK-7717



KK-7715



KK-7713