


New Construction Windows Warranty WINCORE
WINDOWS & DOORS
The way it should be.



Operating Your Vinyl Windows

Wincore® windows are designed to be thermally efficient, easy to operate, and virtually maintenance free. For easy access during cleaning, double-hung sash tilt in and slider sash lift out.

Follow these steps to tilt the sash on a Double Hung window:

- Unlock the sash and raise (bottom sash) or lower (top sash) approximately 2" from the frame.
- Slide the tilt latches toward the lock and carefully tilt the sash in toward you. Be sure to support the sash while tilting or cleaning it.
- To return the sash to the operating position, tilt it up and snap it into place. Make sure the tilt latches engage fully.
- To remove the sash completely, tilt the sash in to a 90-degree angle, then lift the bottom of the sash up and out of the frame.
 When reinserting the sash, be sure to fully insert both pivot bars (on the bottom of the sash) into the balance shoes.

Follow these steps to remove an operable Slider sash:

- Unlock the sash and slide it past the sash retainer insert located in the head.
- Lift the sash up and into the head, then pull the bottom of the sash toward you.



New Construction Windows

Wincore Window Company LLC (referred to herein as Wincore*), manufacturer of Series 400 and 500 new construction windows, warrants to the original resident property owner where the product is installed, that any Series 400 or 500 new construction product manufactured by Wincore* is free of manufacturing and material defects. This warranty applies for the lifetime of the product under normal use and service, subject to the conditions and limitations listed herein, and as long as the original purchaser resides in the home in which the products were installed. If Series 400 or 500 new construction products are installed in multi-family, commercial, or rental properties, refer to the Commercial Applications section of this warranty.

This warranty covers only manufacturing and material defects as specified herein and does not include damages caused by improper installation; normal weathering; accident, fire, flood, acts of God, vandalism, riot, or civil disorder; acts of terrorism or war; misuse; abuse by harmful fumes, vapors, solvents, chemicals, or chemical pollutants in the atmosphere; mildew; building settlement or structural failures of walls or foundations; stresses resulting from localized heat that causes excessive temperature differentials; or incidents beyond Wincore's™ control.

Vinyl – Lifetime Warranty

The vinyl components of Series 400 and 500 products are warranted against peeling, flaking, chipping, blistering, and corrosion for the life of the product. If such defects occur, Wincore® will provide replacement parts at no charge. Color-matching of parts cannot be guaranteed. The warranty on the vinyl becomes void if the vinyl is painted or stained, or if the surface is altered in any way.

Hardware – Lifetime Warranty

The Series 400 and 500 new construction hardware, including locking mechanisms, fasteners, rollers, balances, etc., is warranted against peeling, flaking, blistering, rusting, and corrosion for the life of the product. If any such defects occur, Wincore* will provide replacement hardware at no charge. Color-matching of parts cannot be guaranteed.

Factory-applied Exterior Coating

For Products purchased with a factory-applied exterior coating on the vinyl components, the factory-applied exterior coating is warranted to the Residential Warranty Holder against peeling, flaking, chipping, blistering, and corrosion, and for significant ultraviolet fading or discoloration caused by natural environmental conditions (subject to below limitations), for the applicable Warranty Period of ten (10) Years (three [3] Years non-Residential). If such defects occur, manufacturer will, at its option, provide the Warranty Holder factory-authorized repair at no charge, or provide replacement parts only at no charge to the Warranty Holder (assembly and labor not included), or refund the purchase price of the Product or component (the lesser of the original Product or component purchase price or the original catalog list price at the time of purchase). Repaired or replaced Products or components are NOT guaranteed to match the color of the original Product or component or of other windows or doors in the premises, due, in part, to the normal effects of weathering over time on exterior coating or finishes.

This Limited Warranty does not include non-conformities or damage attributable to or arising from:

- 1. ANY painting, staining, or other alteration of the factory-applied paint surface of the Product
- Chemicals or solvents applied to the surface, including by example, stucco leach or acidic brick washes, or, any damage resulting from use of mechanical cleaning implements (i.e. power washers).
- 3. Harsh natural environmental conditions, including by example, salt spray or airborne pollutants.
- Excessive artificial temperature buildup or exposure, including by example, from using storm doors
 or windows, or shutters.
- Damage from windborne or other debris, high wind or severe storm events or other forces of nature (including by example, hurricane, earthquakes, tornadoes, etc.), or external contact due to accident, crime or vandalism.

Screens

Series 400 and 500 screen frames and screen mesh is warranted to be free from material defects such as frame or mesh discoloration as well as cracking or peeling of screen frame for twenty (20) years from the date of installation. If such defects occur, Wincore® will provide a replacement screen at no charge. Cutting, tearing or ripping of screen mesh is not covered under this warranty.

Glass

The installed and sealed Series 400 and 500 new construction insulating glass units are warranted against defects resulting in material obstruction of vision from film formation caused by dust or moisture in the air space of the sealed unit. If such defects occur, Wincore® will provide a replacement insulating glass unit at no charge for a period of twenty (20) years.

Blinds

Internal Blind units are warranted against seal failure and defects in material and workmanship for a period of ten (10) years from date of installation.

Note

Condensation on windows and doors as the natural result of humidity within the house or building and interior/exterior temperature differences does not indicate a defect in the product and is not included in this warranty.

Transferable Warranty

The Wincore® Series 400 and 500 new construction lifetime limited warranty is transferable by the original property owner to one subsequent owner. The property owner must notify Wincore® of the transfer of the title to the registered property within 30 (thirty) days after the transfer of ownership and provide a copy of this warranty, the order number, and a certified check in the amount of \$50.00. Such a transfer does not extend the warranty period.

Repair

If an inspection indicates that the claim is valid in accordance with the provisions of this warranty, Wincore® agrees, at its option, to repair or replace any defective part or component as warranted herein, free of charge to the warranty holder, when said defective part or component is returned to Wincore®. The warranty holder shall pay return transportation charges.

Labor

Labor costs are not included in this warranty. Neither Wincore® nor its distributors will be responsible for any costs incurred in the removal, replacement, installation, or reinstallation of any product or part furnished by Wincore® under this warranty.

Warranty Extension

Repair or replacement of any part shall not extend the original warranty period. Any remaining warranty time period, under the terms and conditions described herein, shall continue in effect and shall include the replacement parts.

Product Changes

Wincore® reserves the right to change or discontinue any product it manufactures. If a warranted replacement part or component of the product originally installed is not available, Wincore® shall have the right to substitute a part or component determined by Wincore® to be of equal quality and price.

Commercial Applications

If Series 400 or 500 new construction products are installed in a building operated as a multi-family dwelling or used for commercial purposes or rental properties such as schools, churches, apartment complexes, government-owned structures, office buildings, etc., then this warranty is limited to 10 (ten) years on all materials and is not transferable.


Other Warranty Considerations

Caulk is used in some installations to seal the frames or trim package against water or air penetration. This caulking is not a part of the Series 400 or 500 new construction product and therefore is not covered under this warranty. This warranty shall be void if accessory products not manufactured by Wincore® are installed and subsequently cause defects to occur in the Wincore® product.

The warranty statements contained in this certificate set forth the only express warranties extended by Wincore® for Series 400 and 500 new construction products, and the provisions herein shall constitute the warranty holder's exclusive remedy for breach of this warranty given under this certificate. Wincore® shall not be liable to the property owner for incidental or consequential damages for breach of any written or implied warranty of Series 400 and 500 new construction products. Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitations of incidental or consequential damages, therefore this limitation/exclusion may not apply.

This limited warranty gives specific legal rights. There may be other rights which vary from state to state.

Corporate Headquarters: Wincore® Windows and Doors 250 Staunton Avenue Parkersburg, WV 26104



Care and Maintenance of Your Vinyl Windows

Vinyl windows offer easy care and maintenance. Since vinyl does not pit, peel, or flake over time, simple care and cleaning can keep your windows looking beautiful for years to come.

Like any surface that's exposed to the outdoors, your windows will get dirty. Heavy rains will keep the vinyl fairly clean, but if that's not enough, you can clean them yourself by following these simple quidelines.

- Do not use a high-pressure spray to clean your vinyl windows. The pressure could damage the
 caulking and cause it to leak. Use a mild detergent and a soft cloth or a soft brush instead.
- For dirt and stains that are more difficult to remove, try the household cleaners listed below. Follow the
 manufacturer's instructions to make sure you're using the products properly.
- If you choose to use a mildly abrasive cleaner such as Soft Scrub®, be aware that abrasive cleaners can
 scratch the glass and frame. Do not use liquid grease removers, strong soaps or detergents containing
 organic solvents, nail polish remover, furniture polish, or cleaners containing chlorine bleach, as these
 products can affect the surface appearance of the vinyl.

Recommended Cleaners for Vinyl Window Frames

For	Try
Bubble gum	Fantastik", Murphy Oil Soap", Windex", or a solution of 30% vinegar and 70% water
Crayon	Lestoil®
DAP oil-based caulk	Fantastik®
Felt-tip pen	Fantastik®, water-based cleaners
Grass	Fantastik®, Lysol®, Murphy Oil Soap®, Windex®
Lipstick	Fantastik®, Lysol®, Murphy Oil Soap®
Lithium grease	Fantastik®, Lysol®, Murphy Oil Soap®, Windex®
Mold and mildew	Fantastik", Murphy Oil Soap", Windex", or a solution of 30% vinegar and 70% water
Motor oil	Fantastik®, Lysol®, Murphy Oil Soap®, Windex®
Oil	Soft Scrub®
Paint	Brillo® Pad
Pencil	Soft Scrub®
Rust	Fantastik®, Murphy Oil Soap®, Windex®
Soil	Fantastik®, Lestoil®, Murphy Oil Soap®
Tar	Soft Scrub®

Wincore* and The way it should be."* are trademarks of Wincore Window Company LLC. Brillo* Pad is a registered trademark of Church & Dwight Co., Inc. Fantastik* is a registered trademark of DowBrands, Inc. Lestoil* and Soft Scrub* are registered trademarks of The Clorox Company, Lysof* is a registered trademark of Sterling Drug, Inc. Murphy Oil Soap* is a registered trademark of Colgate-Palmolive. Windex* is a registered trademark of Soft. Scr. Johnson & Son, Inc. © 2007 Wincore Window Company LLC. All rights reserved. Printed in U.S.A.

PRODUCT INFORMATION

(please print)

Installation Date _____ Order No.

Your order number can be found on the label affixed in the head of any operation unit.

> **Test Windows** 06/01/07 DH500 – FR 35.75 W X 59.75 H Batch: 1 WH, 409S, 409S,

Number of Windows Purchased Type of Windows Purchased ☐ 400 ☐ 500

HOMEOWNER INFORMATION

Name

Address

State _____ Zip

Telephone (____)

CONTRACTOR/DEALER/DISTRIBUTOR INFORMATION

(please print)

Email

(please print)

Contractor Name

Dealer / Distributor Name

Address City

State

Zip

Telephone (<u>)</u>

Email

www.wincorewindows.com

To activate Warranty, complete and mail this card within 30 days of installation, or activate online a

Postage Required. Post Office will without proper not deliver postage.