ANALYSIS REPORT

LABORATORIO CLINICO LOS LOS COLOBOS SHOPPING CENTER II SUITE 15025 AVE. 65 DE INFANTE CAROLINA, PR 00987-9999 DIRECTOR: LCDO. MIGUEL A. RODRIGUEZ	COLOBOS Col. Tec. Med. P.R. Pat. No.: 0000456 Paid 5 Cents Exp: 5/31/2021 Num: 000499563	Patient Number	Birthdate	Sex	Page
		0065806-00	9/28/1998	F	1
		Physician Name			
		MEDICO, REFIERE			
LIC #952 CLIA # 40D0955970 TEL: (787) 75	0-0973 FAX: (787) 750-0973	Origin / Special Instructions			
000898309 a*ÿn 🛌	L251	misResultado	Resultados		
Request	Reference	Ordered On		Supervisor	
OJEDA-VELAZQUEZ, JUDIBER M.		JAN 29,2021	7:29AM	1	MRJ
	C002:065806-000	Reported On		N	<i>I</i> .T.
		JAN 29,2021	8:19AM	i	JLV
Test	Units Re	ults Graphic Normal Ra		nge	
SEROLOGY COVID-19 RAPID ANTIBODY TEST COVID AB IGM NEGATIVE NEGATIVE					

COVID AB IGG......NEGATIVE

THIS TEST HAS NOT BEEN REVIEWED BY THE FDA.

THE COVID-19 IgM/IgG RAPID TEST IS FOR IN VITRO DIAGNOSTIC USE ONLY. NEGATIVE RESULTS DO NOT RULE OUT SARS-COV-2 INFECTION, PARTICULARLY IN THOSE WHO HAVE BEEN IN CONTACT WITH THE VIRUS. FOLLOW-UP TESTING WITH A MOLECULAR DIAGNOSTIC SHOULD BE CONSIDERED TO RULE OUT INFECTION IN THESE INDIVIDUALS. POSITIVE RESULTS MAY BE DUE TO PAST OR PRESENT INFECTION WITH NON SARS-COV-2 CORONAVIRUS STRAINS, SUCH AS CORONAVIRUS HKU1, NL63, OC43 OR 229E. RESULTS FROM ANTIBODY TESTING SHOULD NOT BE USED AS THE SOLE BASIS TO DIAGNOSE OR EXCLUDE SARS-COV-2 INFECTION OR TO INFORM INFECTION STATUS. By : LATERAL FLOW IMMUNOASSAY

NEGATIVE

TEST PERFORMED BY: L:8723-JLV 1/29/2021 8:19AM TEST VALIDATED BY: L:8723-JLV 1/29/2021 8:19AM