

Heartsaver Multi-Student Checklist

Adult – CPR AED Skills



Students

Student 1:	Student 6:
Student 2:	Student 7:
Student 3:	Student 8:
Student 4:	Student 9:
Student 5:	Student 10:

Heartsaver Checkoff testing: Maximum of 6 per session.

Adult – CPR AED Skills

Insert P(Pass) NR(Needed Remediation).

Student Number	1	2	3	4	5	6	7	8	9	10
CRITICAL PERFORMANCE STEPS										
Verbalizes the scene is safe.										
Checks for response – tap and shout.										
Yells for help.										
Tells someone to call emergency response number (911) and bring AED. (Adult only)										
Checks for no breathing or only gasping. Min. 5 seconds.; max. 10 seconds.										
Locates hand placement for compressions. Moves clothes out of way of chest. Hands placed at lower half of breastbone. 1-2 hands for child.										
Delivers 1st set of compressions. 30 compressions in 18 seconds or less. Adult: Gives 2 breaths w/ mask. Child: Gives 2 breaths without mask. Min. 1 breath results in visible chest rise. Breaths given; compressions started within 10 seconds.										
Delivers 2nd set of compressions. At least 23 out of 30 compressions at correct chest location. Adult: Gives 2 breaths w/ mask. Child: Gives 2 breaths without mask. Min. 1 breath results in visible chest rise. Breaths given; compressions started within 10 seconds.										
Instructor says, "You completed 5 sets of compressions and breaths." Leaves to phone 911 and get an AED (for child only).	CHILD ONLY									
Turns on AED immediately upon its arrival.										
The next step is done with a manikin with a feedback device designed to indicate when compressions are 2 inches deep (child) or more (adult) and/or indicate chest recoil is complete. If no device, STOP THE TEST.										
Delivers 3rd set of compressions of adequate depth. Min. of 23 out of 30 compressions indicate depth of at least 2 in. for adult or about 2 in. for child.										

A student specific sheet must be included in the class paperwork for any student that has a NR (Needed Remediation) for any section.

INSTRUCTOR AFFIRMS THAT ALL SKILLS TESTS WERE DONE ACCORDING TO AHA GUIDELINES		
Instructor Name:	Instructor Signature:	Date:

Heartsaver Multi-Student Checklist

Child – CPR AED Skills



Insert P (Pass) NR (Needed Remediation).

Student Number	1	2	3	4	5	6	7	8	9	10
CRITICAL PERFORMANCE STEPS										
Verbalizes the scene is safe.										
Checks for response – tap and shout.										
Yells for help.										
Tells someone to call emergency response number (911) and bring AED. (Adult only)	ADULT ONLY									
Checks for no breathing or only gasping. Min. 5 seconds; max. 10 seconds.										
Locates hand placement for compressions. Moves clothes out of way of chest. Hands placed at lower half of breastbone. 1-2 hands for child.										
Delivers 1st set of compressions. 30 compressions in no less than 15 seconds and no more than 18 seconds.										
Adult: Gives 2 breaths w/ mask. Child: Gives 2 beaths w/o mask. Min. 1 breath results in visible chest rise. Breaths given; compressions started within 10 seconds.										
Delivers 2nd set of compressions. Min. of 23/30 compressions at correct chest location.										
Adult: Gives 2 breaths w/ mask. Child: Gives 2 breaths w/o mask. Min. 1 breath results in visible chest rise. Breaths given; compressions started within 10 seconds.										
Instructor says, "You completed 5 sets of compressions and breaths." Leaves to phone 911 and get an AED (for child only).										
Turns on the AED immediately after it arrives.										
Turns on the AED immediately The next stop is done with a manikin with a feedback device designed to indicate when compressions are 2 inches deep (child) or more (adult) and/or indicate chest recoil is complete. If no device, STOP THE TEST.										
Delivers 3rd set of compressions of adequate depth. Min. of 23 out of 30 compressions indicate depth of at least 2 in. for adult or about 2 in. for child.										

A student specific sheet must be included in the class paperwork for any student that has a NR (Needed Remediation) for any section.

INSTRUCTOR AFFIRMS THAT ALL SKILLS TESTS WERE DONE ACCORDING TO AHA GUIDELINES		
Instructor Name:	Instructor Signature:	Date:

Heartsaver Multi-Student Checklist

Infant – CPR AED Skills



Insert P (Pass) NR (Needed Remediation).

Student Number	1	2	3	4	5	6	7	8	9	10
CRITICAL PERFORMANCE STEPS										
Verbalizes the scene is safe.										
Checks for response – tap and shout.										
Yells for help.										
Checks for no breathing or only gasping. Min. 5 seconds, max. 10 seconds.										
Locates hand placement for compressions. 2 fingers just below nipple line on breastbone.										
Delivers 1st set of compressions. 30 compressions in no less than 15 seconds and no more than 18 seconds.										
Gives 2 breaths w/ mask or barrier device. Min. 1 breath results in visible chest rise. Breaths given, compressions started within 10 seconds.										
Delivers 2nd set of compressions. Min. of 23 out of 30 compressions at correct chest location.										
Gives 2 breaths w/o mask. Min. 1 breath results in visible chest rise. Breaths given; compressions started within 10 seconds.										
Instructor says, <i>"You completed 5 sets of compressions and breaths."</i>										
Leaves to phone 911 and get an AED (for child only).										
Turns on the AED immediately after it arrives.										
The next step is done with a manikin with a feedback device designed to indicate when compressions are 2 inches deep (child) or more (adult) and/or indicate chest recoil is complete. If no device, STOP THE TEST.										
Delivers 3rd set of compressions of adequate depth. Min. of 23 out of 30 compressions indicate depth of at least 2 in. for adult or about 2 in. for child.										

A student specific sheet must be included in the class paperwork for any student that has a NR (Needed Remediation) for any section.

INSTRUCTOR AFFIRMS THAT ALL SKILLS TESTS WERE DONE ACCORDING TO AHA GUIDELINES		
Instructor Name:	Instructor Signature:	Date: