

## New Simplified Chemistry Class 9 ICSE Solutions Study of The First Element Hydrogen

July 13, 2018 by Phani Raju

## New Simplified Chemistry Class 9 ICSE Solutions Study of The First Element Hydrogen

ICSE Solutions Selina ICSE Solutions ML Aggarwal Solutions

Viraf J Dalal Chemistry Class 9 Solutions and Answers

Simplified ChemistryPhysicsChemistryBiologyMathsGeographyHistoryCivics

**Equation Worksheet** 

Complete and balance the equations Hydrogen

a. Preparation of hydrogen [General Methods Reactions of active metals - cold water 1. Potassium — K + H,O  $\rightarrow$  \_\_\_\_\_ + \_\_\_\_ [g] Sodium — Na +  $H_2 O \rightarrow$  \_\_\_\_\_ + \_\_\_\_ [g] 2. Calcium — Ca + H<sub>2</sub>O  $\rightarrow$  \_\_\_\_ + \_\_\_ [g] 3. Reactions of metals with steam 4. Magnesium — Mg +  $H_2O \rightarrow$  \_\_\_\_ + \_\_\_ [g] 5. Aluminium — Al + H,O  $\rightarrow$  \_\_\_\_\_ + \_\_\_\_ [g] 6.  $Zinc - Zn + H_0 \rightarrow - + - [g]$ Iron — Fe + H,O ⇒ \_\_\_\_ + \_\_\_ [g] 7. Reactions of metals with dilute acids Magnesium — Mg + HCl  $\rightarrow$  \_\_\_\_\_ + \_\_\_\_ [g] 8. 9. Aluminium — Al +  $H_2SO_4 \rightarrow$  \_\_\_\_\_ + \_\_\_\_ [g] 10. Zinc — Zn + HCl  $\rightarrow$  \_\_\_\_ + \_\_\_ [g] 11. Iron — Fe + HCl  $\rightarrow$  \_\_\_\_ + \_\_\_ [g] Reaction of metals - alkali [conc. soln.] 12. Zinc — Zn + NaOH  $\rightarrow$  \_\_\_\_\_ + \_\_\_\_ [g]  $Zn + KOH \rightarrow \underline{\qquad} + \underline{\qquad} [g]$ 13. Lead — Pb NaOH → \_\_\_\_ + \_\_\_\_ [g] 14. Aluminium — Al + NaOH +  $H_2O \rightarrow$  \_\_\_\_\_ + \_\_\_\_ [g] Al + KOH + H,O  $\rightarrow$  \_\_\_\_\_ + \_\_\_\_ [g] b. Preparation of hydrogen [Laboratory method] By action of dilute acid on zinc 15. Zinc — Zn + HCl  $\rightarrow$  \_\_\_\_ + \_\_\_ [g] Preparation of hydrogen [Industrial method - Bosch process] 16. Step I - Production of water gas - $C + H_0 \xrightarrow{1000^{\circ}C} [---+-] - \Delta$ 17. Step II - Reduction of steam to hydrogen by carbon monoxide  $CO + H_2 + H_2O \xrightarrow{450^\circ C} - + - [g]$ 18. Step III - Removal of unreacted carbon dioxide and carbon monoxide from the above mixture  $KOH + CO_2 \rightarrow \underline{\qquad} + \underline{\qquad}$ 

 $CuCl + CO + H_2O \rightarrow$ 

c. Tests and uses of hydrogen Conversion of hydrogen to -19. Water  $-H_1 + O_2 \rightarrow -$ 20. Hydrogen chloride — H, + Cl,  $\rightarrow$  \_\_\_\_\_ 21. Ammonia — N, + H, ⇒ \_\_\_\_ 22. Hydrogen sulphide —  $H_2 + S \rightarrow$  \_\_\_\_\_ Hydrogen in metallurgy - reduction of 23. Zinc oxide — ZnO + H<sub>2</sub>  $\rightarrow$  \_\_\_\_ + \_\_\_\_ 24. Iron [III] oxide — Fe<sub>2</sub>O<sub>3</sub> + H<sub>2</sub>  $\rightarrow$  \_\_\_\_\_ + . Answer: a. Preparation of hydrogen [General Methods] Reactions of active metals - cold water Potassium — 2K + 2H,O  $\rightarrow$  2KOH + H, [g] 1. Sodium — 2Na + 2H<sub>2</sub>O  $\rightarrow$  2NaOH + H<sub>2</sub> [g] 2. Calcium — Ca + 2H,O  $\rightarrow$  Ca[OH], + H, [g] 3. Reactions of metals with steam Magnesium — Mg + H,O  $\rightarrow$  MgO + H, [g] 4. Aluminium — 2Al + 3H,O  $\rightarrow$  Al,O, + 3H, [g] 5. 6.  $Zinc - Zn + HO \rightarrow ZnO + H$ , [g] Iron - 3Fe + 4H,O  $\rightleftharpoons$  Fe,O<sub>4</sub> + 4H, [g] 7. Reactions of metals with dilute acids Magnesium — Mg + 2HCl  $\rightarrow$  MgCl<sub>2</sub> + H<sub>2</sub> [g] 8. Aluminium — 2Al +  $3H_2SO_4 \rightarrow Al_2(SO_4)_3 + 3H_2$  [g] У. 10. Zinc — Zn + 2HCl  $\rightarrow$  ZnCl, + H, [g] 11. Iron — Fe + 2HCl  $\rightarrow$  FeCl, + H, [g] Reaction of metals - alkali [conc. soln.] 12. Zinc — Zn + 2NaOH  $\rightarrow$  Na,ZnO, + H, [g]  $Zn + 2KOH \rightarrow K,ZnO, + H, [g]$ 13. Lead — Pb + 2NaOH  $\rightarrow$  Na,PbO, + H, [g] 14. Aluminium — 2Al + 2NaOH + 2H,O  $\rightarrow$  2NaAlO, + 3H, [g] 2A + 2KOH + 2H<sub>2</sub>O  $\rightarrow$  2KAIO<sub>2</sub> + 3H<sub>2</sub> [g] b. Preparation of hydrogen [Laboratory method] By action of dilute acid on zinc 15. Zinc — Zn + 2HCl  $\rightarrow$  ZnCl, + H, [g] Preparation of hydrogen [Industrial method - Bosch process]

16. Step I - Production of water gas -

 $C + H_2O \xrightarrow{1000^{\circ}C} [CO + H_2] - \Delta$ 

vater gas

17. Step II - Reduction of steam to hydrogen by carbon monoxide

$$CO + H_2 + H_2O \xrightarrow{450C} CO_2 + 2H_2$$
 [g]

 Step III - Removal of unreacted carbon dioxide and carbon monoxide from the above mixture

 $KOH + CO_2 \rightarrow K_2CO_3 + H_2O$ 

 $CuCl + CO + 2H_{,O} \rightarrow CuCl.CO.2H_{,O}$ 

c. Tests and uses of hydrogen

#### Conversion of hydrogen to -

- 19. Water 2H<sub>2</sub> + O<sub>2</sub>  $\rightarrow$  2H<sub>2</sub>O
- 20. Hydrogen chloride H, + Cl, → 2HCl
- 21. Ammonia N, + 3H,  $\rightleftharpoons$  3NH,
- 22. Hydrogen sulphide H, + S  $\rightarrow$  H,S

#### Hydrogen in metallurgy - reduction of

- 23. Zinc oxide ZnO + H<sub>2</sub>  $\rightarrow$  Zn + H<sub>2</sub>O
- 24. Iron [III] oxide  $Fe_2O_3 + 3H_2 \rightarrow 2Fe + 3H_2$

#### Exercise

#### Question 1.(1984)

Name an element whsich reacts violently with water at room temperature.

#### Answer:

Element reacts with water violently at room temperature is potassium.

#### Question 2.(1984)

What do the following symbols [or formula] denote : 2H ; H<sub>2</sub> ; H<sup>+</sup>. [two atoms, molecule, ion]

#### Answer:

2H donotes — 2 atoms of hydrogen H<sub>2</sub> — a molecule of hydrogen H<sup>+</sup> — an ion

#### Question 3.(1984)

Write correctly balanced equation for the following "word equation" : calcium + water  $\rightarrow$  calcium hydroxide + hydrogen

#### Answer:

 $Ca + 2H_2O \rightarrow Ca[OH]_2 + H_2$ 

#### Question 4.(1984)

When steam is passed over red-hot iron, magnetic oxide of iron and hydrogen are obtained. "The

reaction between steam and red-hot iron is a Reversible Reaction." What is meant by this statement.

#### Answer:

Statement means magnetic oxide of iron and hydrogen recombine to form iron and steam.

## Question 5.(1984)

How can you obtain hydrogen from sodium hydroxide [not by electrolysis].

#### Answer:

....

When powdered zinc reacts with sodium hydroxide it produces hydrogen.

```
Zn + 2NaOH \rightarrow Na_2ZnO_2 + H_2
Sodium zincate
```

## Question 1.(1985)

Write balanced equation for the following reaction : magnesium + dil. hydrochloric acid  $\rightarrow$ 

#### Answer:

Mg + 2HCl (dil.)  $\rightarrow$  MgCl<sub>2</sub> + H<sub>2</sub>

## **Question 1.(1986)**

Name a gas which burns in air or oxygen forming water.

## Answer:

The gas that burns in oxygen to form water is hydrogen.

## Question 2.(1986)

Write correctly balanced equation for the following : When steam is passed over red hot iron.

## Answer:



## Question 3.(1986)

Explain the following : Two jars of H<sub>2</sub> are collected – "one burns quietly and the other does not".

## Answer:

'One bums quietly' is pure hydrogen and 'which does not bum quietly' is mixed hydrogen with air it explodes on burning.

## Question 1.(1987)

Write correctly the balanced equation for the following : 'When zinc filings are added to a concentrated solution of sodium hydroxide'.

## Answer:

 $Zn + 2NaOH \rightarrow Na_2ZnO_2 + H_2$ [Sodium zincate]

#### Question 2.(1987)

Describe one chemical test applied to the following gases, which would enable you to distinguish between them : carbon monoxide and hydrogen'.

#### Answer:

Carbon monoxide 2CO + O,  $\rightarrow$  2CO,

Turns lime water nulky

 $2H_2 + O_2 \xrightarrow{2000^{\circ}C} 2H_2O$  does not turn lime water milky. It is neutral. CO dissolves in Ammonical cuprous chloride when passed through it

 $CO + CuCl + 2H_2O \rightarrow CuCl.CO.2H_2O$ 

## **Question 1.(1988)**

Write down the "word equation" for the following reaction : sodium hydroxide solution + zinc  $\rightarrow$ 

#### Answer:

'Word equation'

Sodium hydroxide + zinc  $\rightarrow$  Sodium zincate + hydrogen

#### Question 2.(1988)

Explain briefly how hydrogen is manufactured on a large scale, from steam.

#### Answer:

#### Manufacture of H<sub>2</sub> from steam :

**From natural gas :** Natural gas is obtained from petroleum wells and consists mainly CH<sub>4</sub> (methane). It is mixed with steam at 30 atm. and passed over heated nickel 800°C, when water gas is formed.

 $CH_4 + H_2O$  (steam)  $\xrightarrow{Ni}$  [CO + 3H<sub>2</sub>]

800°C \_ (water gas)

**Separation of CO**: The gaseous mixture of [CO and  $H_2$ ] is passed through ammonical cuprous chloride solution in order to dissolve uncombined CO.

## CuCl + CO + $2H_2O \rightarrow CuCl.CO.2H_2O$

Thus hydrogen gas is left over.

## Question 1.(1989)

State the products of the reaction "when steam is passed over red-hot iron".

## Answer:

$$3Fe + 4H_2O \Longrightarrow Fe_3O_4 + 4H_2\uparrow$$

Taniferrie tetrexide

When steam is passed over red hot iron, teriferric tetroxide and hydrogen are the ; products formed.

#### **Question 1.(1990)**

How can you obtain hydrogen from a mixture of hydrogen and carbon monoxide.

#### Answer:

See Q.2. 1988. By dissolving the mixture in ammonical cuprous chloride. CO dissolves and H<sub>2</sub> is left over.

## Question 2.(1990)

What do you observe when a piece of sodium is dropped into cold water ?

## Answer:

When a piece of sodium metal dropped in cold water we observe : Sodium floats on water surface melts forming a silvery globule which darts about the surface of water catches fire and burns with golden yellow flame.

Bubbles of hydrogen evolve and solution is soapy, slightly warm (alkaline) hence turns red litmus blue.

#### Question 3.(1990)

Give reasons for the following : 'Though hydrogen is lighter than air, it is not collected by the downward displacement of air'.

#### Answer:

Though hydrogen is lighter than air it is not collected by displacement of air as it forms explosive mixture with air.

#### Question 4.(1990)

#### Complete the following word equations :

- 1. Sodium hydroxide + zinc  $\rightarrow$  hydrogen + \_\_\_\_
- 2. Calcium + water  $\rightarrow$  calcium hydroxide + \_\_\_\_\_

#### Answer:

- 1. Sodium hydroxide + zinc  $\rightarrow$  hydrogen + sodium zincate
- 2. Calcium + water  $\rightarrow$  calcium hydroxide + hydrogen

#### **Question 1.(1991)**

How would you obtain 'hydrogen from sodium hydroxide' solution other than by electrolysis ?

#### Answer:

By adding aluminium powder in cone, sodium hydroxide.

 $2AI + 6NaOH \rightarrow 2Na_1AIO_1 + 3H_2$ 

[Sodium aluminate]

#### Question 1.(1992)

Complete and balance the following equations :

AI + NaOH + \_\_\_\_ → \_\_\_\_ + \_\_\_\_

Answer:

 $2A1 + 2NaOH + 2H_2O \rightarrow 2NaAlO_2 + 3H_2$ (Sodium metal aluminate)

## Question 2.(1992)

What do the following symbols represent : 2H and  $H_2$ .

#### Answer:

 $2H \rightarrow$  represents  $\rightarrow 2$  atoms of hydrogen  $H_2 \rightarrow$  represents  $\rightarrow 1$  molecule of hydrogen

## Question 1.(1993)

Write balanced equation of the reaction in the preparation of : hydrogen from a solution of potassium hydroxide [other than by electrolysis].

## Answer:

Preparation of H<sub>2</sub> from potassium hydroxide

 $2AI + 2KOH + 2H_2O \rightarrow 2KAIO_2 + 3H_2$ 

[Pot. meta aluminate]

OR

 $Zn + 2KOH \rightarrow K_2ZnO_2 + H_2$ 

[Potassium zincate]

## Question 2.(1993)

Describe briefly, with equations, the Bosch Process for the large scale production of hydrogen.

## Answer:

Bosch process for large production of H<sub>2</sub>:

(i) Steam is passed over coke at 1000°C to convert it into water gas

 $C + H_2O \xrightarrow{1000°C} [CO + H_2] - \Delta$ 

Steam

Water gas

(ii) Water gas is mixed with excess of steam and passed over heated Fe<sub>2</sub>O<sub>3</sub> at 450°C in presence of Cr<sub>2</sub>O<sub>3</sub> as promotor

[CO + H<sub>2</sub>] + H<sub>2</sub>O \_\_\_\_\_\_ catalyst [Fe<sub>2</sub>O<sub>3</sub>]450°C , CO<sub>2</sub> + 2H<sub>2</sub> + Δ

Cr,0,

water gas

(iii) Separation of CO<sub>2</sub>: The above mixture passed through KOH sol. under pressure CO<sub>2</sub> dissolves leaving behind hydrogen.

 $2KOH + CO_2 \rightarrow K_2CO_3 + H_2O$ 

(iv) Separation of CO : As in Q. 2 1988

## Question 3.(1993)

## Account for the following facts :

- 1. Though lead is above hydrogen in the activity series, it does not react with dilute hydrochloric acid or dilute sulphuric acid.
- 2. Potassium and sodium are not used to react with dilute 'hydrochloric acid or dilute sulphuric acid in the laboratory preparation of hydrogen.

## Answer:

- 1. Pb (lead) is above hydrogen in reactivity series. With dil. HCl, Pb forms PbCl<sub>2</sub> and with dil. H<sub>2</sub>SO<sub>4</sub>, Pb forms PbSO<sub>4</sub> both PbCl<sub>2</sub> and PbSO<sub>4</sub> are insoluble and forms respective coating to stop further reaction.
- 2. Sodium and potassium with dil. HCl or dil. H<sub>2</sub>SO<sub>4</sub> but reaction is highly explosive and practically not-feasible.

## Question 1.(1994)

Place the metals calcium, iron, magnesium and sodium in order of their activity with water, placing the most active first. Write the equation for each of the above metals which react with Water.

## Answer:

Na Sodium 2Na +  $2H_2O \rightarrow 2NaOH + H_2$ Ca Calcium Ca +  $2H_2O \rightarrow Ca[OH]_2 + H_2$ Mg Magnesium Fe Iron Mg +  $H_2O \longrightarrow MgO + H_2$ (Boiling water) 3Fe +  $4H_2O$  (steam)  $\implies Fe_3O_4 + 4H_2$ 

#### Question 2.(1994)

Why is copper not used to prepare hydrogen by the action of dilute hydrochloric acid or dilute sulphuric acid on the metal, [copper [Cu] below hydrogen – no reaction]

#### Answer:

Cu is below hydrogen in reactivity series and cannot displace H<sub>2</sub> from acid and no-reaction takes place.

#### Additional Questions

#### Question 1.

State the electronic configuration of hydrogen [at. no. 1].e

Give a reason why hydrogen can be placed in group 1 [1A] and group 17 [VIIA] of the periodic table.

#### Answer:

Electronic configuration of hydrogen is 1 i.e. it has le, IP in nucleus. Hydrogen can be placed in group

1[1A] as it forms a positive ion as in HC1 like alkali metals H

 $- 1e^- \rightarrow H^{1*}$ 

 $Li - 1e^- \rightarrow Li^{1+} Na - 1e^- = Na^{1+}$ 

It can be placed in group 17 [VIIA]

As it can form a negative ion as in NaH like Halogens H + 1e<sup>-</sup>  $\rightarrow$  H<sup>1-</sup>

 $Cl + 1e^- \rightarrow Cl^{1-}$ 

#### Question 2.

Give the general group characteristics applied to hydrogen with respect to similarity in properties of hydrogen with –

(a) alkali metals of group 1 [IA]

(b) halogens of group 17 [VIIA].

with special reference to valency electrons & ion formation.

#### Answer:

General group characteristics of

(a) Alkali metals of group 1 [IA] : Alkali metals lose electron to become electro positive ion

 $Na - le^- \rightarrow Na^{1+}$ 

 $H - Ie^- \rightarrow H^{1+}$ 

(b) Hydrogen gains 1 electron like halogens to be come electronegative ion

 $Cl + le^- \rightarrow Cl^{1-}$ 

 $\rm H + le^- \rightarrow \rm H^{1-}$ 

## Question 3.

How did the name 'hydrogen' originate. How does hydrogen occur in the combined state.

#### Answer:

Hydrogen means in Greek – water former. Hydrogen initially called inflammable gass that it bums in air. It produces water. Lavoisier in 1783 established its name 'hydrogen' meaning water producer hydrogen in combined state : in a animal and plant tissues. As a constituent of : proteins, carbohydrates, fats, acids, alkalis, petrolium products and organic substances.

#### Question 4.

Give balanced equation for obtaining hydrogen from cold water using -

(a) A monovalent active metal

(b) A divalent active metal

#### Answer:

(a) Monovalent active metal Na :  $2Na + 2H_2O \rightarrow 2NaOH + H_2$ (b) Divalent active metal Ca :  $Ca + 2H_2O \rightarrow Ca[OH]_2 + H_2$ 

#### Question 5.

Give balanced equations for obtaining hydrogen from ?

(a) Boiling water using a divalent metal

(b) Steam using a trivalent metal

(c) Steam using a metal – and the reaction is reversible.

## Answer:

To obtain H<sub>2</sub> using boiling water and (a) A divalent metal Mg Mg + H<sub>2</sub>O  $\rightarrow$  MgO + H<sub>2</sub> (b) Steam and trivalent metal Al 2AI + 3H<sub>2</sub>O  $\rightarrow$  Al<sub>2</sub>O<sub>3</sub> + 3H<sub>2</sub> (c) Steam and a metal – a reaction is reversible 3Fe + 4H<sub>2</sub>O  $\implies$  Fe<sub>3</sub>O<sub>4</sub> + 4H,

#### Question 6.

State why hydrogen is not prepared in the laboratory by the action of -

(a) Sodium with cold water

(b) Calcium with dilute sulphuric acid

(c) Lead with dilute hydrochloric acid.

## Answer:

(a) As sodium is very reactive and reacts with water violently, darts on the surface of water and

collection of hydrogen becomes difficult.

(b) The reaction between calcium and dil. H<sub>2</sub>SO is highly explosive and practically not feasible.

(c) With lead dil. HCl forms PbCl<sub>2</sub> which is in soluble and forms coating and stops the further reaction.

#### Question 7.

Give balanced equations for the following conversions.

- (a) Sodium zincate from zinc
- (b) Sodium plumbite from lead
- (c) Sodium aluminate from aluminium.

#### Answer:

(a) Sodium zincate from zinc

 $Zn + 2NaOH \rightarrow Na_2 ZnO_2 + H_2$ Sodium zincate

(b) Sodium plumbite from lead

 $Pb + 2NaOH \rightarrow Na_2PO_2 + H_2$ 

Sodium plumbite

(c) Sodium aluminate from aluminium

$$2AI + 2NaOH + 2H_2O \rightarrow 2NaAlO_2 + 3H_2$$

```
Sodium aluminate
```

#### Question 8.

In the laboratory preparation of hydrogen from zinc and dil. acid. Give reasons for the following :

- (a) The complete apparatus is air-tight.
- (b) Dilute nitric acid is not preferred as the reactant acid.
- (c) The lower end of the thistle funnel should dip below the level of the acid in the flask.
- (d) Hydrogen is not collected over air.

#### Answer:

- (a) The gas is highly inflammable, any leakage can cause explosion.
- (b) Hydrogen produced is oxidised to water as nitric acid is powerful oxidizing agent.
- (c) Otherwise gas produced will escape through thistle funnel.
- (d) Air forms an explosive mixture with  $H_2$ .

#### Question 9.

'Magnesium reacts with very dilute nitric acid at low temperatures liberating hydrogen.' Give reasons.

#### Answer:

Magnesium reacts with dil.  $HNO_3$  at low temperature liberating  $H_2$ , since oxidising action of dil.  $HNO_3$  is much reduced due to dilution.

#### Question 10.

State the conditions and give balanced equations for the conversion of - (a) coke to water gas, (b) water gas to hydrogen - in the Bosch process.

#### Answer:

Conditions and balance equations for conversion of

(a) Coke to water gas :

Steam and hot coke at 1000°C

 $(CO + H_2) - \Delta$ H,O С

- water gas
- (b) Water gas to hydrogen :

steam

hot coke

Water gas should be mixed with excess of steam, catalyst  $\rightarrow$  Fe,O, promoter → Cr<sub>2</sub>O<sub>1</sub>at 450°C 15.75 470075

$$[CO + H_2] + H_2O \xrightarrow{H_2O, 450C} CO_2 + 2H_2 + \Delta$$
Steam

## Question 11.

How are the unreacted gases separated out in 'Bosch process' in the manufacture of hydrogen.

#### Answer:

See Q. 2 Step (iii) and (iv) 1993

CO2 is removed by dissolving mixture in water under pressure or in caustic potash solution to dissolve CO<sub>2</sub>. CO is removed by dissolving mixture in ammonical CuCl solution. CuCl + CO +  $2H_2O \rightarrow CuCl$ . C0.2H<sub>2</sub>O.

## Question 12.

Compare the combustibility of -

(a) pure hydrogen (b) hydrogen-air mixture.

#### Answer:

Combustibility of : (a) Pure hydrogen : Bums quietly in air with a pale blue flame forming water  $2H_2 + O_2 \rightarrow 2H_2O$ (b) Hydrogen air mixture : It explodes on burning.

## Question 13.

State the reactant added to hydrogen to obtain the respective product in each case.

(a) Ammonia (b) Hydrogen chloride (c) Water (d) Hydrogen sulphide

#### Answer:

Reactant added to obtain :

(a) Ammonia : Nitrogen and hydrogen.

(b) Hydrogen chloride : Hydrogen and chlorine.(c) Water : Hydrogen and oxygen.

(d) Hydrogen sulphide : Hydrogen and sulphur.

## Question 14.

State the use of hydrogen -

(a) As a fuel

(b) In hydrogenation of oil & coal

(c) In extraction of metals

## Answer:

## Use of hydrogen :

(a) As a fuel in the form of coal gas, water gas, liquid hydrogen.

## (b) In hydrogenation of oil & coal :

- 1. Vegetable oil [palm oil] turns to [vegetable ghee] semisolid fats by hydrogenation in presence of nickel catalyst at 170°C.
- 2. Passage of H<sub>2</sub> under high pressure in presence of catalyst and at suitable temperature produces a product similar to petroleum.

(c) In extraction of metals : by reducing oxides of metals.

## Question 15.

Explain the terms – oxidation and reduction in terms of addition and removal of oxygen/hydrogen with suitable examples.

## Answer:

**OXIDATION :** "Addition of oxygen or removal of hydrogen is called oxidation.

Carbon + oxygen ---- Carbon dioxide

 $C + O_2 \longrightarrow CO_2$ Here carbon is oxidised to  $CO_2$ 

 $H_2S + Cl_2 \longrightarrow 2HCl + S$ 

Here  $H_2S$  is oxidised to sulphur as removal of  $H_2$  takes place.

Reduction : Addition of hydrogen or removal of oxygen is called reduction.

 $CuO + H_2 \longrightarrow Cu + H_2O$ Copper oxide is reduced to Cu

$$H_2S + Cl_2 \longrightarrow 2HCl + S$$
  
Reduced

chlorine is reduced, as addition of hydrogen.

## Question 16.

Explain the term – redox reaction with an example involving – the reaction of hydrogen sulphide with chlorine.

## Answer:

**Redox Reaction :** "The reaction in which oxidation and reduction takes place simultaneously is called Redox Reaction."

$$\begin{array}{r} & Oxidised \\ H_2S + Cl_2 \longrightarrow 2HCl + S \\ \hline Reduce \end{array}$$

Removal of hydrogen is oxidation. Here  $H_2S$  is oxidised to sulphur whereas addition of hydrogen is reduction.

Here chlorine is being reduced to hydrogen chloride

## Question 17.

State what are – oxidising and reducing agents. Give examples of oxidising and reducing agents in the gaseous, liquid and solid form. Give two tests each generally answered by oxidising and reducing agents respectively.

## Answer:

OXIDISING AGENT : "The substance which gets reduced is the OXIDISING agent." REDUCING AGENT : "The substance which gets oxidised is REDUCING agent." OXIDISING AGENTS :

Solid		Liquid	Gaseous
Cu2+, Zn2+, MnO2		HCl, H <sub>2</sub> O <sub>2</sub>	SO,, Cl,, O,
REDUCING AGENTS :		•••	
Solid		Liquid	Gaseous
Zn, Na metals carbon	-	H <sub>2</sub> O <sub>2</sub>	H <sub>2</sub> S, H <sub>2</sub> , SO <sub>2</sub>

#### Test For An Oxidising Agent :

- 1. On heating strongly, oxidising agent liberates oxygen and to test oxygen : O<sub>2</sub> gas rekindles a glowing splinter.
- 2. On warming oxidising agent with cone. HCl, it liberates chlorine, that bleaches moist litmus paper.

## Test For A Reducing Agent :

- 1. When reducing agent is warmed with HNO<sub>3</sub>, BROWN FUMES of N02 are given out.
- 2. Reducing agent, decolourises the pink colour of (KMnO<sub>4</sub>) dil. potassium permanganate solution.

## Hydrogen – Unit Test Paper 6

# Q.1. Select from A to G the reactant added, to give the products 1 to 5, in the preparation of hydrogen gas.

- A : dilute acid
- B : dilute alkali
- C: cold water
- D: cone, alkali
- E: boiling water
- F: cone, acid
- G:steam

- 1.  $Ca(OH)_{2} + H_{2}$  2. MgO + H<sub>2</sub>
- 3. Fe,O, + II,
- 5. NaAlO<sub>2</sub> + H<sub>2</sub>

2. MgO +  $H_2$ 4. Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub> +  $H_2$ 

## Answer:

Reactant added to get the product :

- 1. Ca(OH), + H, C : Cold water
- 2. MgO + H<sub>2</sub> E : Boiling water
- 3. Fe<sub>3</sub>O<sub>4</sub> + H<sub>2</sub> G : Steam
- 4. Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub> + H<sub>2</sub> A : Dilute acid
- 5. NaAlO<sub>2</sub> + H<sub>2</sub> D : Conc. alkali

Q.2. Give balanced equations for the following conversions, 1 to 5.

1. MgCl,  $\leftarrow$  HCl  $\rightarrow$  FeCl,. 2. KAIO,  $\leftarrow$  KOH  $\rightarrow$  K,ZnO,. 3. ZnO  $\leftarrow$  H<sub>2</sub>O  $\rightarrow$  Fe<sub>2</sub>O<sub>4</sub> 4. CO + H<sub>2</sub>  $\leftarrow$  H<sub>2</sub>O  $\rightarrow$  CO<sub>2</sub> + H 5. NH,  $\leftarrow$  H<sub>2</sub>  $\rightarrow$  H,S Answer: 1. Mg + 2HCl  $\rightarrow$  MgCl, + H, Fe + 2HCl  $\rightarrow$  FeCl, + H, 2. 2AI + 2KOH + 2H,O  $\rightarrow$  2KAIO, + 3H,  $Zn + 2KOH \rightarrow K_2ZnO_2 + H_2$ 3.  $Zn + H,O \rightarrow ZnO + H$ , 3Fe + 4H,0 - Fe,0, + 4H, 4. C + H,O  $\rightarrow$  [CO + H,]  $[\text{CO} + \text{H}_{\text{A}}] + \text{H}_{\text{A}}\text{O} \rightarrow \text{CO}_{\text{A}} + 2\text{H}_{\text{A}}$ 5.  $N_2 + 3H_2 \implies 2NH_1$  $H, + S \rightarrow H, S$ 

## Q.3. Give reasons for the following.

- 1. Nitric acid in the dilute form is not used in the laboratory preparation of hydrogen from metals.
- 2. Granulated zinc is preferred to metallic zinc in the preparation of hydrogen using dilute acid.
- 3. Hydrogen and alkali metals of group 1 [IA] react with copper [II] oxide to give copper.
- Hydrogen is collected by the downward displacement of water and not air even though it is lighter than air.
- 5. A mixture of hydrogen and chlorine can be separated by passage through a porous pot.

## Answer:

1. Nitric acid is a strong oxidising agent and nascent oxygen formed oxidises hydrogen produced to water.

- 2. Zinc granules are preferred rather than pure zinc as impurity copper present in it has a catalysing effect and speeds up the rate of the reaction.
- 3. Hydrogen and alkali metals act as reducing agent and reduce CuO to Cu. CuO + H<sub>2</sub>  $\rightarrow$  Cu + H<sub>2</sub>O
- 4. H<sub>2</sub> is insoluble in water. Moreover H, forms explosive mixture with air.
- 5.  $H_2$  and  $Cl_2$  differ in densities  $H_2$  = 0.9 g/lit
  - Cl<sub>2</sub> = 35.5 g/lit

 $H_2$  diffuses faster than  $Cl_2$  and is separated.

## Q.4. Name the following.

- 1. A metal below iron but above copper in the activity series of metals which has no reaction with water.
- 2. A metal which cannot be used for the preparation of hydrogen using dilute acids.
- 3. The salt formed when aluminium reacts with potassium hydroxide, during the preparation of hydrogen from alkalis.
- 4. A gaseous reducing agent which is basic in nature.
- 5. A compound formed between hydrogen and an element from group 17 [VIIA] period 3.

## Answer:

1. Metal is lead

- 2. Copper
- 3. Potassium meta aluminate
- 4. Ammonia gas (NH<sub>3</sub>)

5. HCl

## Q.5. Select the correct answer from the symbols in bracket.

- 1. The element placed below hydrogen in group 1 [IA]. [Na, Li, K, F],
- 2. The element other than hydrogen, which forms a molecule containing a single covalent bond. [Cl, N, O]
- 3. The element, which like hydrogen has one valence electron. [He, Na, F, O]
- 4. The element, which like hydrogen is a strong reducing agent. [Pb, Na, S, Cl]
- 5. The element which forms a diatomic molecule. [C, Br, S, P]

## Answer:

- 1. Li
- Cl
   Na
- 4. Na
- 5. Br

# Q.6. The diagram represents the preparation & collection of hydrogen by a standard laboratory



- 1. State what is added through the thistle funnel 'Y'
- State what difference will be seen if pure zinc is added in the distillation flask 'X' instead of granulated zinc.
- 3. Name a solution which absorbs the impurity  $H_2S$ .
- 4. State why hydrogen is collected after all the air in the apparatus is allowed to escape.
- 5. Name a gas other than hydrogen collected by the same method.

#### Answer:

- 1. Dil. HCl
- 2. Rate of production of  $H_2$  will be slow.
- 3. Lead nitrate solution absorbs  $H_2S$ .
- 4. Air with H<sub>2</sub> forms explosive mixture.
- 5. Oxygen gas.

Filed Under: ICSE

## Share with your Friends if solutions are helpful to YOU

500+ Long and Short Essay Writing Topics

# **10 Lines on Topic**

# 200 + Paragraphs

**RS** Aggarwal Solutions

RS Aggarwal Solutions Class 10

**RS** Aggarwal Solutions Class 9

RS Aggarwal Solutions Class 8

RS Aggarwal Solutions Class 7

RS Aggarwal Solutions Class 6

**ICSE** Solutions

Selina ICSE Solutions

Concise Mathematics Class 10 ICSE Solutions

Concise Physics Class 10 ICSE Solutions

Concise Chemistry Class 10 ICSE Solutions

Concise Biology Class 10 ICSE Solutions

Concise Mathematics Class 9 ICSE Solutions

Concise Physics Class 9 ICSE Solutions

Concise Chemistry Class 9 ICSE Solutions

Concise Biology Class 9 ICSE Solutions

ML Aggarwal Solutions

ML Aggarwal Class 10 Solutions

ML Aggarwal Class 9 Solutions

ML Aggarwal Class 8 Solutions

ML Aggarwal Class 7 Solutions

ML Aggarwal Class 6 Solutions

**HSSLive Plus One** 

HSSLive Plus Two

Kerala SSLC

#### RECENT POSTS

EWS Certificate | Application Process, Documents Required, Format, How To Apply?

Analytical Essay | How to Write, What is and How to Choose a Topic for an Analytical Essay

Income Certificate | Application Procedure, Uses, Documents Required for Income Certificate

Death Certificate | How To Apply, Documents

Required and Late Fees for Death Certificate

How To Write A Memo Essay | Types, Steps and Format of a Memo Essay

Process Analysis Essay | How to Write, Format and Example of a Process Analysis Essay

How To Conclude An Essay | Steps and Format of How To Conclude An Essay?

How To Write A Book Title In An Essay | Steps, Types and Format of a Book Title Essay

How To Write An Informative Essay | Steps and Format of an Informative Essay

How To Write An Analytical Essay | Steps and Format of an Analytical Essay

Certificate | Certificate Online, What is a Certificate? Types of Certificates and Purposes

Search the site ...

RS Aggarwal Solutions **ICSE** Solutions RS Aggarwal Solutions Class 10 Selina ICSE Solutions RS Aggarwal Solutions Class 9 ML Aggarwal Solutions RS Aggarwal Solutions Class 8 **HSSLive Plus One** HSSLive Plus Two RS Aggarwal Solutions Class 7 RS Aggarwal Solutions Class 6 Kerala SSLC **Distance Education** English Speech Disclaimer **Privacy Policy** Area Volume Calculator Go Math Answer Key

