


Need and Functions of Operating Systems

Last Updated: 14-08-2019

Goal of an Operating System:

The fundamental goal of a Computer System is to execute user programs and to make tasks easier. Various application programs along with hardware system are used to perform this work. Operating System is a software which manages and control the entire set of resources and effectively utilize every part of a computer.

The figure shows how OS acts as a medium between hardware unit and application programs.



Need of Operating System:

- OS as a platform for Application programs: Operating system provides a platform, on top of which, other programs, called application programs can run. These application programs help the users to perform a specific task easily. It acts as an interface between the computer and the user. It is designed in such a manner that it operates, controls and executes various applications on the computer.
- Managing Input-Output unit: Operating System also allows the computer to manage its own resources such as memory, monitor, keyboard, printer etc. Management of these resources is required for an effective utilization. The operating system controls the various system input-output resources and allocates them to the users or programs as per their requirement.
- Consistent user interface: Operating System provides the user an easy-to-work user interface, so the user doesn't have to learn a different UI every time and can focus on the content and be productive as quickly as possible. Operating System provides templates, UI components to make the working of a computer, really easy for the user.
- **Multitasking:** Operating System manages memory and allow multiple programs to run in their own space and even communicate with each other through shared memory. Multitasking gives users a good experience as they can perform several tasks on a computer at a time.

Functions of an Operating System

An operating system has variety of functions to perform. Some of the prominent functions of an operating system can be broadly outlined as:

- **Processor Management:** This deals with management of the Central Processing Unit (CPU). The operating system takes care of the allotment of CPU time to different processes. When a process finishes its CPU processing after executing for the allotted time period, this is called scheduling. There are various type of scheduling techniques that are used by the operating systems:
 - 1. Shortest Job First(SJF): Process which need the shortest CPU time are scheduled first.
 - 2. Round Robin Scheduling: Each process is assigned a fixed CPU execution time in cyclic way.
 - 3. Priority Based scheduling (Non Preemptive): In this scheduling, processes are scheduled according to their

priorities, i.e., highest priority process is schedule first. If priorities of two processes match, then schedule according to arrival time

• Device Management:

The Operating System communicates with hardware and the attached devices and maintains a balance between them and the CPU. This is all the more important because the CPU processing speed is much higher than that of I/O devices. In order to optimize the CPU time, the operating system employs two techniques – Buffering and Spooling.

• Buffering:

In this technique, input and output data is temporarily stored in Input Buffer and Output Buffer. Once the signal for input or output is sent to or from the CPU respectively, the operating system through the device controller moves the data from the input device to the input buffer and for the output device to the output buffer. In case of input, if the buffer is full, the operating system sends a signal to the program which processes the data stored in the buffer. When the buffer becomes empty, the program informs the operating system which reloads the buffer and the input operation continues.

• Spooling (Simultaneous Peripheral Operation on Line):

This is a device management technique used for processing of different tasks on the same input/output device. When there are various users on a network sharing the same resource then it can be a possibility that more than one user might give it a command at the same point of time. So, the operating system temporarily stores the data of every user on the hard disk of the computer to which the resource is attached. The individual user need not wait for the execution process to be completed. Instead the operating system sends the data from the hard disk to the resource one by one.

Example: printer

• Memory management:

In a computer, both the CPU and the I/O devices interact with the memory. When a program needs to be executed it is loaded onto the main memory till the execution is completed. Thereafter that memory space is freed and is available for other programs. The common memory management techniques used by the operating system are Partitioning and Virtual Memory.

• Partitioning:

The total memory is divided into various partitions of same size or different sizes. This helps to accommodate number of programs in the memory. The partition can be fixed i.e. remains same for all the programs in the memory or variable i.e. memory is allocated when a program is loaded on to the memory. The later approach causes less wastage of memory but in due course of time, it may become fragmented.

Virtual Memory:

This is a technique used by the operating systems which allow the user can load the programs which are larger than the main memory of the computer. In this technique the program is executed even if the complete program can not be loaded inside the main memory leading to efficient memory utilization.

• File Management:

The operating System manages the files, folders and directory systems on a computer. Any data on a computer is stored in the form of files and the operating system keeps information about all of them using File Allocation Table (FAT). The FAT stores general information about files like filename, type (text or binary), size, starting address and access mode (sequential/indexed sequential/direct/relative). The file manager of the operating system helps to create, edit, copy, allocate memory to the files and also updates the FAT. The operating system also takes care that files are opened with proper access rights to read or edit them.

Attention reader! Don't stop learning now. Get hold of all the important CS Theory concepts for SDE interviews with the CS Theory Course at a student-friendly price and become industry ready.

Recommended Posts:

Types of Operating Systems


CBSE Class 11 | Mobile Operating Systems - Symbian, Andriod and iOS

Functions in C/C++


How arrays are passed to functions in C/C++

Commonly Used Operating System

Introduction of Operating System - Set 1 Count of nested polygons that can be drawn by joining vertices internally Find the speed of the stream from the speed of the man given in both upstream and downstream Find the area of rhombus from given Angle and Side length Python Program to Convert Celsius To Fahrenheit	
Rotate matrix by 45 degrees	
Move Constructors in C++ with Examples	
How to change cursor style using C	
Implementing a Contacts directory in Python	
aishwaryaagarwal2 Check out this Author's contributed articles.	
If you like GeeksforGeeks and would like to contribute, you can also write an article using contribute.geeksforgeek your article to contribute@geeksforgeeks.org. See your article appearing on the GeeksforGeeks main page and I Geeks.	•
Please Improve this article if you find anything incorrect by clicking on the "Improve Article" button below.	
Operating Systems CBSE - Class 11 school-programming Article Tags : Operating Systems Practice Tags :	
Be the First to upvote.	0
To-do Done	No votes yet.
Please write to us at contribute@geeksforgeeks.org to report any issue with the above content.	
Previous Free space management in Operating System	Novt
Process Synchronization Set 2	Next
Writing code in comment? Please use ide.geeksforgeeks.org, generate link and share the link here.	
Load Comments	



Most popular in Operating Systems
Difference between Binary Semaphore and Mutex
Difference between Linker and Loader
Different approaches or Structures of Operating Systems
Difference between UNIX and Windows Operating System
Difference between Buffering and Caching in OS
More related articles in Operating Systems
I/O scheduling in Operating Systems
Traps and System Calls in Operating System (OS)
Difference between Full Virtualization and Paravirtualization
Logical Clock in Distributed System
Mutual Exclusion in Synchronization



5th Floor, A-118,

Sector-136, Noida, Uttar Pradesh - 201305

feedback@geeksforgeeks.org











Company

About Us

Careers

Privacy Policy

Contact Us

Learn

Algorithms

Data Structures

Languages

CS Subjects

Video Tutorials

Practice

Courses

Company-wise

Topic-wise

How to begin?

Contribute

Write an Article

Write Interview Experience

Internships

Videos