

| Personality Disorders | | | | | | |
|-----------------------|--|--|--|---|--|--|
| | General Personality Disorder | Paranoid Personality Disorder | Schizoid Personality Disorder | Schizotypal Personality Disorder | Antisocial Personality Disorder | Borderline Personality Disorder |
| Phenomenology | <p>ENDURING PATTERN OF INNER EXPERIENCE, BEHAVIOR THAT DEVIATES FROM CULTURAL EXPECTATIONS (2+)</p> <ol style="list-style-type: none"> Cognition Affectivity Interpersonal functioning Impulse control | <p>DISTRUST/SUSPICIOUSNESS, MOTIVES OF OTHERS INTERPRETED AS MALEVOLENT (4+)</p> <ol style="list-style-type: none"> Suspects others exploiting, harming, deceiving them (insufficient basis) Doubts loyalty, trustworthiness of friends (unjustified) Reluctant to confide in others, unwarranted fear info will be used maliciously against them Reads hidden hostile meanings from benign remarks/events Bears grudges Perceives attacks on character, quick to react angrily or counterattack Suspects infidelity of partner (without justification) | <p>DETACHMENT FROM SOCIAL RELATIONSHIPS, RESTRICTED EMOTIONS INTERPERSONALLY (4+)</p> <ol style="list-style-type: none"> Does not desire/enjoy close relationships (nor family) Solitary activities (almost always) Little interest in sex with others Takes pleasure in few activities Lacks close friends/confidants Indifferent to praise/criticism Emotional coldness, detachment, flatness | <p>ACUTE DISCOMFORT/DECR CAPACITY FOR CLOSE RELATIONSHIPS, COGNITIVE OR PERCEPTUAL DISTURBANCES, ECCENTRICITIES OF BEHAVIOR (5+)</p> <ol style="list-style-type: none"> Odd behavior, appearance Odd thinking, speech Odd beliefs, magical thinking Inappropriate affect, constricted Paranoid ideation, suspiciousness Ideas of reference Perceptual experiences Lack of close friends Social anxiety (from paranoid fears) | <p>DISREGARD/VIOLATION OF RIGHTS OF OTHERS, SINCE AGE 15 (3+)</p> <ol style="list-style-type: none"> Failure to conform to social norms, unlawful behavior Deceitfulness Impulsivity Irritability, aggressiveness Reckless disregard for safety Consistent irresponsibility Lack of remorse | <p>UNSTABLE INTERPERSONAL RELATIONSHIPS, SELF-IMAGE, AFFECT + MARKED IMPULSIVITY (5+)</p> <ol style="list-style-type: none"> Frantically avoids abandonment Unstable/intense relationships Identity disturbance Self-damaging impulsivity Recurrent suicidality Affective instability/reactivity Chronic emptiness Inappropriate/intense anger Stress-related paranoia/dissociation |
| | <ul style="list-style-type: none"> Pattern is inflexible and pervasive Across broad range of situations | | | | | |
| Dur | <ul style="list-style-type: none"> Onset back to at least adolescence or early adulthood Stable, long duration | | | | <ul style="list-style-type: none"> Currently age >18 Conduct disorder before age 15 | |
| Fxn | <ul style="list-style-type: none"> Significant distress or impairment | | | | | |
| Excl | <ul style="list-style-type: none"> Not better explained by AMD Not due to substance or AMC | <ul style="list-style-type: none"> Not exclusively during psychosis | <ul style="list-style-type: none"> Not exclusively during psychosis | <ul style="list-style-type: none"> Not exclusively during psychosis | <ul style="list-style-type: none"> Not exclusively during schizophrenia or bipolar disorder | |
| Specifiers | None | <ul style="list-style-type: none"> Premorbid (prior to schizophrenia) | <ul style="list-style-type: none"> Premorbid (prior to schizophrenia) | <ul style="list-style-type: none"> Premorbid (prior to schizophrenia) | None | None |

| Personality Disorders | | | | | | |
|-----------------------|---|--|---|--|---|--|
| Phenomenology | Histrionic Personality Disorder | Narcissistic Personality Disorder | Avoidant Personality Disorder | Dependent Personality Disorder | Obsessive-Compulsive PD | |
| | EXCESSIVE EMOTIONALITY, ATTENTION SEEKING (5+): 1. Uncomfortable if NOT center of attention 2. Inappropriate sexually seductive or provocative behavior 3. Rapidly shifting, shallow emotions 4. Uses physical appearance to draw attention 5. Impressionistic speech, lacks detail 6. Dramatic, theatrical, exaggerated expression of emotion 7. Suggestible 8. Considers relationships to be more intimate that they actually are | GRANDIOSITY, NEED FOR ADMIRATION, LACK OF EMPATHY (5+): 1. Grandiose sense of self-importance 2. Fantasies of unlimited success 3. Believes is "special", should only assoc with other "special" people 4. Needs excessive admiration 5. Sense of entitlement 6. Interpersonally exploitative 7. Lacks empathy 8. Often envious, believes others envious of them 9. Arrogant attitude | SOCIAL INHIBITION, FEELINGS OF INADEQUACY, HYPERSENSITIVITY TO NEGATIVE EVALUATION (4+): 1. Avoids occupational activities 2. Unwilling to get involved with people, unless certain to be liked 3. Restraint in intimate relationships 4. Preoccupied with criticism/rejection in social situations 5. Inhibited in new social situations because of feelings of inadequacy 6. Views self as socially inept, socially inept, inferior 7. Reluctant to take risks, may prove embarrassing | NEED TO BE TAKEN CARE OF, SUBMISSIVE/CLINGING BEHAVIOR (5+): 1. Difficulty with everyday decisions 2. Needs others to assume responsibility for most major areas 3. Difficulty disagreeing (fear of loss of support) 4. Difficulty initiating, doing things independently (low self-confidence) 5. Excessive lengths to obtain nurturance (do unpleasant things) 6. Uncomfortable alone (fears unable to take care of self) 7. Urgently seeks new relationships when close one ends 8. Preoccupied with fears of being left to care for self | Preoccupation with perfection, orderliness and control (4+): 1. Preoccupied with details, rules, order (major point of activity lost) 2. Perfectionism, interferes with task 3. Excessive devotion to work (excluding leisure, friendships) 4. Inflexible about values/ethics 5. Unable to discard worthless objects (without sentimental value) 6. Reluctant to delegate, collaborate (unless exactly their way) 7. Miserly (spending to self/others) 8. Rigidity, stubbornness | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Specifiers | None | None | None | None | None | |

| Personality Disorders | | | | | | |
|-----------------------|--|---|--|--|--|--|
| | PD due to AMC | Other Specified PD | Unspecified PD | | | |
| Phenomenology | <ul style="list-style-type: none"> Persistent personality disturbance Change from previously personality In children, >1 year of change | <ul style="list-style-type: none"> Does not meet any full criteria Choose TO specify reason 1. Mixed personality features | <ul style="list-style-type: none"> Does not meet any full criteria Choose NOT to specify reason Insufficient information for dx | | | |
| | <ul style="list-style-type: none"> Direct pathophysiological consequence of AMC, as per evidence from Hx, P/E, labs | | | | | |
| Dur | | | | | | |
| Fxn | <ul style="list-style-type: none"> Significant distress or impairment | | | | | |
| Excl | <ul style="list-style-type: none"> Not due to AMD Not exclusively during delirium | | | | | |
| Specifiers | Specify type <ul style="list-style-type: none"> Labile type Disinhibited type Aggressive type Apathetic type Paranoid type Other type Combined type Unspecified type | | | | | |