Somatic Symptom and Related Disorders					
Somatic Symptom Disorder	Illness Anxiety Disorder	Conversion Disorder (FNSD)	Psychological Factors Affecting AMC	Factitious Disorder Imposed on Self	Factitious Disorder Imposed on Another
1+ somatic symptom Distressing/disruptive	Preoccupation with having/acquiring a serious illness NONE/MILD somatic symptoms If AMC present/at high risk, preoccup is excessive/disproportionate	(Functional Neurological Sx Disorder) 1 + symptom of altered voluntary motor or sensory function	Medical symptom/condition present Not mental disorder	Falsification of signs/sx, or Induction of injury/disease Identified deception	Falsification of signs/sx, or Induction of injury/disease Identified deception In another
EXCESSIVE THOUGHTS, FEELINGS OR BEHAVS RELATED TO SOMATIC SX (1+) 1. Disproportionate and persistent	High anxiety, easily alarmed about health	Evidence of incompatibility between symptom vs neurological/medical conditions, from clinical findings	medical ndings BY PSYCHOL/BEHAV FACTORS (1+) 1. Influenced course (development, exacerbation, delayed recovery), shown by close temporal assoc 2. Interferes with treatment 3. Additional health risks 4. Influences underlying pathophysiol (precipitating/exacerbating sx, necessitating medical attention)	Present self as ill/impaired/injured	Present another (victim) as ill/impaired/injured
thoughts about seriousness of sx 2. Persistent high anxiety abt health/sx 3. Excessive time/energy devoted to sx	Excessive health-related behaviors, or maladaptive avoidance			No obvious external rewards, but deceptive behavior evident	No obvious external rewards, but deceptive behavior evident
Persistently symptomatic >6 months Specific somatic sx may change	Illness preoccupation >6 months Specific feared illness may change	Cia dishara (ferral language)			
Exn		Sig distress/fxnal impairment, or warrants medical evaluation			
Excl	Not due to another mental disorder (SSD, panic, GAD, body dysmorphia, OCD, delusion disorder somatic type)	Not due to another mental disorder Not due to AMC	Not due to another mental disorder (panic, MDD, PTSD)	Not due to another mental disorder (delusional disorder, psychotic d/o)	Not due to another mental disorder (delusional disorder, psychotic d/o)
With predominant pain Persistent (>6 months) Severity Mild (1 of Criterion B) Moderate (2+ of Criterion B) Severe (2+ of Criterion B, multiple somatic sx/one very severe sx)	Care-seeking type Care-avoidant type	With weakness or paralysis With abnormal movement With swallowing symptoms With speech symptom With attacks or seizures With anesthesia or sensory loss With special sensory symptom With mixed symptoms Acute episode (<6 months) Persistent (>6 months) With psychological stressor (specify) Without psychological stressor	Severity Mild (increases medical risk) Moderate (aggravates condition) Severe (hospitalization/ER visit) Extreme (life-threatening risk)	Single episode Recurrent episodes	Single episode Recurrent episodes Perpetrator receives diagnosis

Somatic Symptom and Related Disorders			
Other Specified	Unspecified		
Does not meet any full criteriaChoose TO specify reason	Does not meet any full criteriaChoose NOT to specify		
Brief somatic symptom disorder Duration <6 months	Insufficient information for dx		
Brief illness anxiety disorder Duration <6 moths			
3. Illness anxiety disorder without excessive health-related behaviors - Criterion D not met			
4. Pseudocyesis - False belief of being pregnant - Objective signs, reported sx of pregnancy			
Dur			
ž			
Excl			
Specifiers			