



ATLANTIC BATTERY

ATLANTIC BATTERY COMPANY, INC.



BCI Battery Group Size Specification Sheet

Group	Length (in)	Width (in)	Height (in)	CCA Range @ 0°F	Reserve Capacity (min)	Notes
Group 1	9"	7"	8.75"	640	~50-70	Antique 6 Volt Battery
Group 2	10"	7"	8.75"	610	~55-75	Antique 6 Volt Battery
Group 2N	—	—	—	—	—	Antique 6 Volt battery, custom made
Group 17HF	—	—	—	—	—	Antique 6 Volt battery, custom made
Group 19L	8.5"	8.75"	7.5"	400	—	Antique 6 Volt battery, custom made
Group 22F	9.5"	6.875"	9"	450	45-90	Equipment
Group 24	7.20"	3.03'	6.69"	360	—	
Group 25	9.06"	6.875"	8.875"	490	45-90	Common in compact cars

Group 26	6.812"	6.812"	7.75"	550	50–80	Compact size
Group 26R	6.812"	6.812"	7.75"	550	60–80	"R" = reversed terminals
Group 27F	12.06"	6.812"	8.938"	1000	95–140	"F" = front terminal
Group 24MDC	10.75"	6.75"	9.375"	650	140	"M" = Marine
Group 27MDC	12.06"	6.81"	8.89"	750	165	Marine Dual Purpose Deep Cycle and Starting
Group 29NF	13"	5.5"	8.938"	350	95	Narrow footprint (NF)
Group 31MDC	13"	6.81"	9.44"	850	200	Marine Dual Purpose Deep Cycle and Starting
Group 31SDC	13"	6.81"	9.44"	850	200	
Group 34R	10.25"	6.812"	7.875"	600	110	"R" = reversed terminals
Group 34/78	10.25"	6.81"	7.81"	600	110	Dual Terminal Battery
Group 40R	10.938"	6.875"	6.875"	650	110–120	Lower height, "R" variant
Group 41	11.06"	6.875"	6.875"	650	65–95	Low-profile design
Group 42	9.5"	6.812"	6.812"	495	—	Compact low-profile
Group 51	9.375"	5.062"	8.812"	460	90	Common in Honda vehicles
Group 51R	9.375"	5.062"	8.812"	460	90	"R" = reversed terminals

Group 58	10.25"	7"	7.75"	500	70-90	Common in Ford Vehicles
Group 58R	10.25"	7"	7.75"	500	70-90	"R" = reversed terminals
Group 59	10.25"	7"	7.75"	590	90	Similar to Group 58 variant
Group 65	12"	7.375"	7.625"	850	150	Ford Application
Group 75	9.12"	7"	7.12"	630	90	GM Application
Group 85	9.06"	6.88"	8.75"	550	100	European/Asian vehicle fitment
Group 86	9.06"	6.88"	8.75"	550	100	Variant of Group 85
Group 90	9.56"	6.88"	6.88"	600	80	Low-profile
Group 91	9.56"	6.88"	6.88"	570	80	Variant of Group 90
Group 94R	12.4"	6.9"	7.5"	1000	150	High-performance/European cars
Group 95R	12.4"	6.9"	7.5"	1000	150	"R" variant, high CCA
Group 96R	9.5"	6.7"	7.5"	600	90	"R" variant
Group N100	10.25"	7.062"	7.375"	770	115	Asian Construction Equipment
Group	10"	5.563"	8.938"	450	—	

N120						
Group 121R	9.5"	6.7"	7.5"	550	90	"R" variant, similar to 96R
Group 140R	—	—	—	480	—	Specialized application
Group 4D	20.75"	8.75"	10.12"	1000	290	Generator / Equipment
Group 4DMF	20.75"	8.75"	9.8"	1000	295	Generator / Equipment
Group 8DHYR	20.75"	11.13"	9.812"	1400	465	Generator / Bus
Group 8DMF	20.75"	11.13"	9.812"	1400	—	Generator / Bus
Group GC HYR	10.32"	7.06"	10.87"	225	320	GC / Pallet Jack
Group GC8V	10.38"	7.187"	10.88"	155	—	"GC" = Golf Cart battery
Group GC12V	12.87"	7.09"	10.79"	150	—	
Group U1HYR	7.75"	5.12"	7.25"	350	—	Tractor Battery