
ACCESSORY

4-WAY AUXILIARY DISTRIBUTOR	293
REXROTH 4-WAY AUXILIARY CONTROL VALVE	
REXROTH 4-WAY AUXILIARY CONTROL VALVE	293.2
6-WAY AUXILIARY DISTRIBUTOR	294
REXROTH 6-WAY AUXILIARY CONTROL VALVE	
REXROTH 6-WAY AUXILIARY CONTROL VALVE	294.2
8-WAY AUXILIARY DISTRIBUTOR	295
REXROTH 8-WAY AUXILIARY CONTROL VALVE	295.1
REXROTH 8-WAY AUXILIARY CONTROL VALVE	295.2
AUXILIARY HYDRAULIC DISTRIBUTOR	296
4-WAY AUXILIARY DISTRIBUTOR	297
6-WAY DISTRIBUTOR EQUIPMENT	298
8-WAY DISTRIBUTOR EQUIPMENT	299
HYDRAULIC DISTRIBUTOR-PARTS	299.1
HYDRAULIC DISTRIBUTOR-PARTS	300
DISTRIBUTOR PARTS	300.1
DISTRIBUTOR PARTS	300.2
DISTRIBUTOR PARTS	
HYDRAULIC DISTRIBUTOR-PARTS	301
FREE OIL RETURN	301.1
FREE OIL RETURN	301.2
3 POINT HITCH	302
3 POINT HITCH	
3 POINT HITCH	303
3 POINT HITCH	
LIFTING ARM	306.4
LIFTING ARM	
LIFTING ARM	
3 POINT HITCH	
3 POINT HITCH	
CYLINDER PARTS	
3-POINT HITCH - ADJUSTABLE RH RODS	
3 POINT HITCH	
CYLINDER PARTS	
3 POINT HITCH	
STABILIZER	
STABILIZER	
TOWING BAR	
REAR TOWING HITCH	
REAR TOWING HITCH	
REAR OSCILLATING HITCH	309.2

REAR OSCILLATING HITCH	310
REAR TOWING HITCH	
REAR TOWING HITCH CAT: "C"	311.2
REAR TOWING HITCH CAT: "D"	
REAR TOWING HITCH	312
REAR TOWING HITCH	313
PICK-UP-HITCH	313.1
FRONT TOWING HITCH	314
FRONT PERMANENT TOWING HITCH	315
FRONT TOWING HITCH	
BALLAST	317
BALLAST	
FRONT SUPPORT	
BALLAST	
P.T.O. GUARD	
P.T.O. GUARD EXPORT GB	321
HYDRAULIC BREAKING FOR TRAILER - ITALY	322
HYDRAULIC BREAKING FOR TRAILER - ITALY	
HYDRAULIC BREAKING FOR TRAILER - EXPORT F	
PNEUMATIC TRAILER BRAKING	
PNEUMATIC TRAILER BRAKING	
PNEUMATIC TRAILER BRAKING	
COMPRESSOR-PARTS	
TOOL POUCH	327



Section: ACCESSORY Ref.: 293

4-WAY AUXILIARY DISTRIBUTOR

Fig.	Code	QTY	Name
1	2.3719.530.0	1	distributor 4 - float
2	2.1470.004.2	2	lock washer 8
3	2.0112.205.2	1	screw m 8 p.1.25x16
4	2.0112.221.2	1	screw m 8 p.1.25x60
5	2.1560.014.0	11	gasket 18.2x24x1.5
6	2.3339.341.2	1	pipe fitting m 18 p.1.5
8	2.9929.412.0	1	plate 1
9	2.9929.413.0	1	plate 2
10	2.9929.390.0/10	1	plate
11	0.008.9996.2/30	1	plate
12	0.008.9700.3/30	2	tube
13	0.008.9701.3/30	2	tube
14	2.3335.008.2	2	pipe union m 18 p.1.5X32
15	2.3339.585.2/10	2	pipe union
16	2.1549.089.2	2	spacer 18.6x25x30
17	2.1560.054.0	4	gasket 21x26
18	2.1410.015.1	8	circlip 38
19	0.98309.50.3/10	4	coupling
20	0.98309.52.0/10	4	plug tm 12

Section: ACCESSORY Ref.: 293.1


REXROTH 4-WAY AUXILIARY CONTROL VALVE


1 2.3719.860.0/40 1 distrib	nutor
© 30	
	R PREVIOUS VERSION-SEE
F 300	
	et 14.2x20
_	et 21x26
4 0.98309.50.3/10 4 coupl	
5 0.98309.52.0/10 4 plug t	
	vasher 10
	polt m 10 p.1.5-1.25x40
9 2.3339.931.2 2 pipe i	
• • • • • • • • • • • • • • • • • • • •	/ m 10 p.1.5x30
	er 22.5x30x32.5
·	union m 22 p.1.5X39
	et 27.3x31.9
14 2.9929.413.0 1 plate	
15 2.9929.412.0 1 plate	
	oolt m 10 p.1.5-1.25x80
17 2.1569.172.0 1 gaske	
18 2.3110.403.1 1 plug i	n 14 p.1.5
19 2.6859.030.0 2 clamp	
20 0.011.3936.3 2 tube	
21 0.98503.67.0 4 clamp	
22 2.1560.006.0 1 gaske	et 10.5
23 2.3110.401.1 1 plug i	n 10 P.1X8
24 0.011.3938.3 1 tube	
25 0.011.3973.3 1 tube	
26 2.1560.016.0 2 gaske	et 20.2x26
27 2.1560.018.0 14 gaske	et 22.2x29
28 0.011.5640.3/10 1 plate	
29 0.011.5736.3 1 tube	
() <	-
30 0.011.5736.3/10 1 tube	
-> (,
31 2.3335.055.2 1 pipe i	union m 18 p.1.5
2448	<- X SILVER 80
	<- X SILVER 90
	<- X SILVER 100.4
	<- X SILVER 100.6
· ·	union m 18 p.1.5x55
	49 X SILVER 80
	65 X SILVER 90
	93 X SILVER 100.4
-> 46	52 X SILVER 100.6

Section: ACCESSORY Ref.: 293.1

REXROTH 4-WAY AUXILIARY CONTROL VALVE

Fig.	Code	QTY	Name
32	2.1560.014.0	3	gasket 18.2x24x1.5
33	2.1410.015.1	8	circlip 38
34	2.1470.006.2	4	lock washer 10
35	2.3339.761.2	1	pipe union
36	2.9929.412.0	1	plate 1
37	2.9929.413.0	1	plate 2
38	2.9929.731.0	1	plate
39	2.3339.629.2	1	pipe union
41	2.1549.089.2	1	spacer 18.6x25x30
42	2.1560.014.0	3	gasket 18.2x24x1.5
43	2.3339.585.2/10	1	pipe union
44	0.011.6925.3	1	tube
			- FOR TYPES WITH MECHANICAL LIFTER
44	0.011.5721.3	1	tube
			- FOR TYPES WITH ELECTRONIC LIFTER
45	2.3339.634.2	1	pipe fitting m 22 p.1.5
46	2.1579.936.2	1	spacer 19x25x20
			-> 2449 X SILVER 80
			-> 4265 X SILVER 90
			-> 2393 X SILVER 100.4
			-> 4652 X SILVER 100.6
50	2.1011.421.2	4	nut M10x1.25





Section: ACCESSORY Ref.: 293.2

REXROTH 4-WAY AUXILIARY CONTROL VALVE

Fig.	Code	QTY	Name
1	0.011.5624.2/10	1	bracket
2	0.011.3698.2/10	2	lever
3	2.1559.253.0	4	sleeve
4	2.1671.305.2	2	pin 8x22
5	2.1311.006.2	2	flat washer 8
6	2.1690.206.2	2	split pin 2x16
7	0.011.3704.0	1	pin
8	2.1474.010.2	1	spring washer 10
9	2.1011.106.2	1	nut m 10 p.1.5
10	0.011.3976.0	1	shield
11	2.0112.319.2	2	screw m 10 p.1.5x50
12	2.1474.010.2	2	spring washer 10
13	2.0112.005.2	2	screw m 6 p.1x16
14	2.1310.002.2	2	flat washer 6.4x12.5
15	2.1549.439.2	2	spacer
16	2.1560.026.0	2	gasket 35.3x41
17	2.3339.907.2	1	pipe union
18	0.011.5649.2/10	1	tube
19	2.0112.207.2	1	screw m 8 p 1.25x20
			() <-
19	2.0112.007.2	1	screw m 6 p.1x20
			-> ()
20	2.1011.105.2	1	nut m 8 p.1.25
			() <-
20	2.1011.103.2	1	nut m 6 p.1
			-> ()
21	2.1474.009.2	2	spring washer 8
			() <-
21	2.1474.007.2	2	washer 6
			-> ()

-11

18

13

12

19 20

21 22

614 - 294

5 10

SILVER 90

Section: ACCESSORY Ref.: 294

6-WAY AUXILIARY DISTRIBUTOR

Fig.	Code	QTY	Name
1	0.009.2007.4/10	1	distributor
1	0.003.2007.4/10	ı	© 301
			F 301
2	2.1470.004.2	2	lock washer 8
3	2.0112.205.2	1	screw m 8 p.1.25x16
4	2.0112.221.2	1	screw m 8 p.1.25x60
5	2.1560.014.0	16	gasket 18.2x24x1.5
6	2.3339.341.2	1	pipe fitting m 18 p.1.5
8	2.3335.008.2	3	pipe union m 18 p.1.5X32
9	2.3339.585.2/10	3	pipe union
10	2.1549.089.2	3	spacer 18.6x25x30
11	0.008.9699.3/10	2	tube
12	0.008.9700.3/30	2	tube
13	0.008.9701.3/30	2	tube
14	2.9929.414.0	1	plate 3
15	2.9929.412.0	1	plate 1
16	2.9929.413.0	1	plate 2
17	2.9929.389.0/10	1	plate
18	0.008.9996.2/30	1	plate
19	2.1560.054.0	6	gasket 21x26
20	2.1410.015.1	12	circlip 38
21	0.98309.50.3/10	6	coupling
22	0.98309.52.0/10	6	plug tm 12

Section: ACCESSORY Ref.: 294.1


REXROTH 6-WAY AUXILIARY CONTROL VALVE


Fig.	Code	QTY	Name
1	2.3719.870.0/40	1	distributor
'	2.37 19.070.0740	'	© 300.2
			- FOR PREVIOUS VERSION-SEE
			F 300/2
2	2.1560.010.0	1	gasket 14.2x20
3	2.1560.054.0	6	gasket 21x26
4	0.98309.50.3/10	6	coupling
5	0.98309.52.0/10	6	plug tm 12
6	2.9929.414.0	1	plate 3
7	2.1470.006.2	4	lock washer 10
8	2.0432.161.7	2	stud bolt m 10 p.1.5-1.25x40
9	2.3339.931.2	3	pipe union
10	2.0312.310.2	3	screw m 10 p.1.5x30
11	2.1549.088.2/30	3	spacer 22.5x30x32.5
12	2.3335.009.2	3	pipe union m 22 p.1.5X39
13	2.1560.055.0	2	gasket 27.3x31.9
14	2.9929.413.0	1	plate 2
15	2.9929.412.0	1	plate 1
16	2.0432.171.7	2	stud bolt m 10 p.1.5-1.25x80
17	2.1569.172.0	1	gasket
18	2.3110.403.1	1	plug m 14 p.1.5
19	2.6859.030.0	2	clamp
20	0.011.3936.3	2	tube
21	0.98503.67.0	4	clamp
22	2.1560.006.0	1	gasket 10.5
23	0.011.3939.3	1	tube
24	0.011.3938.3	1	tube
25	0.011.3973.3	2	tube
26	2.1560.016.0	2	gasket 20.2x26
27	2.1560.018.0	19	gasket 22.2x29
28	0.011.5640.3/10	1 1	plate plug m 10 P.1X8
29 30	2.3110.401.1 2.3339.634.2	1	ping in 10 P. 126 pipe fitting m 22 p.1.5
31	2.3335.055.2	1	pipe inting in 22 p. 1.5 pipe union m 18 p.1.5
31	2.3333.033.2	'	2448 <- X SILVER 80
			4264 <- X SILVER 90
			2392 <- X SILVER 100.4
			4651 <- X SILVER 100.6
31	2.3339.485.2	1	pipe union m 18 p.1.5x55
01	2.0000.400.2	'	-> 2449 X SILVER 80
			-> 4265 X SILVER 90
			-> 2393 X SILVER 100.4
			> 4652 Y SILVED 100 6
32	2.1560.014.0	3	gasket 18.2x24x1.5

Section: ACCESSORY Ref.: 294.1

REXROTH 6-WAY AUXILIARY CONTROL VALVE

Fig.	Code	QTY	Name
33	2.1410.015.1	12	circlip 38
34	2.1470.006.2	4	lock washer 10
35	2.3339.761.2	1	
		1	pipe union
36	2.9929.412.0	-	plate 1
37	2.9929.413.0	1	plate 2
38	2.9929.414.0	1	plate 3
39	2.9929.730.0	1	plate
40	0.011.5736.3	1	tube
			() <-
41	0.011.5736.3/10	1	tube
			-> ()
43	2.1549.089.2	1	spacer 18.6x25x30
44	2.1560.014.0	3	gasket 18.2x24x1.5
45	2.3339.585.2/10	1	pipe union
46	0.011.6925.3	1	tube
			- FOR TYPES WITH MECHANICAL LIFTER
46	0.011.5721.3	1	tube
			- FOR TYPES WITH ELECTRONIC LIFTER
47	2.3339.629.2	1	pipe union
50	2.1011.421.2	4	nut M10x1.25
51	2.1579.936.2	1	spacer 19x25x20
			-> 2449 X SILVER 80
			-> 4265 X SILVER 90
			-> 2393 X SILVER 100.4
			-> 4652 X SILVER 100.6





Section: ACCESSORY Ref.: 294.2


REXROTH 6-WAY AUXILIARY CONTROL VALVE

Fig.	Code	QTY	Name
1	0.011.5624.2/10	1	bracket
2	0.011.3698.2/10	3	lever
3	2.1559.253.0	6	sleeve
4	2.1671.305.2		
		3	pin 8x22
5	2.1311.006.2	3	flat washer 8
6	2.1690.206.2	3	split pin 2x16
7	0.011.3704.0	1	pin
8	2.1474.010.2	1	spring washer 10
9	2.1011.106.2	1	nut m 10 p.1.5
10	0.011.3976.0	1	shield
11	2.0112.319.2	2	screw m 10 p.1.5x50
12	2.1474.010.2	2	spring washer 10
13	2.0112.005.2	2	screw m 6 p.1x16
14	2.1310.002.2	2	flat washer 6.4x12.5
15	2.1549.439.2	1	spacer
16	2.1560.026.0	2	gasket 35.3x41
17	2.3339.907.2	1	pipe union
18	0.011.5649.2/10	1	tube
19	2.0112.207.2	1	screw m 8 p 1.25x20
			() <-
19	2.0112.007.2	1	screw m 6 p.1x20
			-> ()
20	2.1011.105.2	1	nut m 8 p.1.25
			() <-
20	2.1011.103.2	1	nut m 6 p.1
			-> ()
21	2.1474.009.2	2	spring washer 8
			() <-
21	2.1474.007.2	2	washer 6
		_	-> ()
			\···/

Section: ACCESSORY Ref.: 295

8-WAY AUXILIARY DISTRIBUTOR

Fig.	Code	QTY	Name
1	2.3719.590.0/10	1	distributor
			☞ 299.1
			F 299/1
2	2.0112.223.2	1	screw m 8 p.1.25x70
3	2.1470.004.2	2	lock washer 8
4	2.1011.105.2	1	nut m 8 p.1.25
5	2.0112.221.2	1	screw m 8 p.1.25x60
6	2.9929.412.0	1	plate 1
7	2.9929.413.0	1	plate 2
8	2.9929.414.0	1	plate 3
9	2.9929.415.0	1	plate 4
10	0.008.9698.3/10	2	tube
11	0.008.9699.3/10	2	tube
12	0.008.9700.3/30	2	tube
13	0.008.9701.3/30	2	tube
14	2.1560.014.0	20	gasket 18.2x24x1.5
15	2.3335.008.2	4	pipe union m 18 p.1.5X32
16	2.3339.585.2/10	4	pipe union
17	2.1549.089.2	4	spacer 18.6x25x30
18	2.9929.388.0/10	1	plate
19	0.008.9996.2/30	1	plate
20	2.1560.054.0	8	gasket 21x26
21	2.1410.015.1	16	circlip 38
22	0.98309.50.3/10	8	coupling
23	0.98309.52.0/10	8	plug tm 12



Section: ACCESSORY Ref.: 295.1


REXROTH 8-WAY AUXILIARY CONTROL VALVE

Fig.	Code	QTY	Name
1	2.3719.970.0/10	1	distributor
•	2.07 10.07 0.07 10	•	₹ 300.3
			- FOR PREVIOUS VERSION-SEE
			F 300/3
2	2.1560.010.0	1	gasket 14.2x20
3	2.1560.054.0	8	gasket 21x26
4	0.98309.50.3/10	8	coupling
5	0.98309.52.0/10	8	plug tm 12
6	2.9929.415.0	1	plate 4
7	2.1470.006.2	4	lock washer 10
8	2.0432.161.7	2	stud bolt m 10 p.1.5-1.25x40
9	2.3339.931.2	4	pipe union
10	2.0312.310.2	3	screw m 10 p.1.5x30
11	2.1549.088.2/30	4	spacer 22.5x30x32.5
12	2.3335.009.2	4	pipe union m 22 p.1.5X39
13	2.1560.055.0	2	gasket 27.3x31.9
14	2.9929.414.0	1	plate 3
15	2.9929.413.0	1	plate 2
16	2.0432.171.7	2	stud bolt m 10 p.1.5-1.25x80
17	2.9929.412.0	1	plate 1
18	2.1569.172.0	1	gasket
19	2.3110.403.1	1	plug m 14 p.1.5
20	2.6859.030.0	2	clamp
21	0.011.3936.3	4	tube
22	0.98503.67.0	4	clamp
23	0.011.3939.3	1	tube
24	0.011.3938.3	1	tube
25	0.011.3973.3	2	tube
26	2.1560.016.0	2	gasket 20.2x26
27	2.1560.018.0	23	gasket 22.2x29
28 29	0.011.5640.3/10	1 1	plate
29 30	2.1560.006.0 2.3110.401.1	1	gasket 10.5 plug m 10 P.1X8
31	2.3335.055.2	1	pig III 10 F. 176 pipe union m 18 p.1.5
31	2.3333.033.2	ı	2448 <- X SILVER 80
			4264 <- X SILVER 90
			2392 <- X SILVER 100.4
			4651 <- X SILVER 100.6
31	2.3339.485.2	1	pipe union m 18 p.1.5x55
01	2.0000.700.2	'	-> 2449 X SILVER 80
			-> 4265 X SILVER 90
			-> 2393 X SILVER 100.4
			> 4652 Y SII VED 100 6
32	2.1560.014.0	3	gasket 18.2x24x1.5

Section: ACCESSORY Ref.: 295.1

REXROTH 8-WAY AUXILIARY CONTROL VALVE

Fig.	Code	QTY	Name
33	2.1410.015.1	16	circlip 38
34	2.1470.006.2	4	lock washer 10
35	2.3339.761.2	1	pipe union
36	2.9929.412.0	1	plate 1
37	2.9929.413.0	1	plate 2
38	2.9929.414.0	1	plate 3
39	2.9929.415.0	1	plate 4
10	2.9929.416.0	1	plate
l 1	0.011.5736.3	1	tube
			() <-
12	0.011.5736.3/10	1	tube
			-> ()
13	2.3339.634.2	1	pipe fitting m 22 p.1.5
1 5	2.1549.089.2	1	spacer 18.6x25x30
1 6	2.1560.014.0	-	gasket 18.2x24x1.5
17	2.3339.585.2/10	1	pipe union
18	0.011.6925.3	1	tube
			- FOR TYPES WITH MECHANICAL LIFTER
48	0.011.5721.3	1	tube
			- FOR TYPES WITH ELECTRONIC LIFTER
1 9	2.3339.629.2	1	pipe union
50	2.1011.421.2	4	nut M10x1.25
51	2.1579.936.2	1	spacer 19x25x20
			-> 2449 X SILVER 80
			-> 4265 X SILVER 90
			-> 2393 X SILVER 100.4
			-> 4652 X SILVER 100.6



Section: ACCESSORY Ref.: 295.2


REXROTH 8-WAY AUXILIARY CONTROL VALVE


Fig.	Code	QTY	Name
1	0.011.5624.2/10	1	bracket
2	0.011.3698.2/10	4	lever
3	2.1559.253.0	8	sleeve
4	2.1671.305.2	4	pin 8x22
5	2.1311.006.2	4	flat washer 8
6	2.1690.206.2	4	split pin 2x16
7	0.011.3704.0	1	pin
8	2.1474.010.2	1	spring washer 10
9	2.1011.106.2	1	nut m 10 p.1.5
10	0.011.3976.0	1	shield
11	2.0112.319.2	2	screw m 10 p.1.5x50
12	2.1474.010.2	2	spring washer 10
13	2.0112.005.2	2	screw m 6 p.1x16
14	2.1310.002.2	2	flat washer 6.4x12.5
16	2.1560.026.0	2	gasket 35.3x41
17	2.3339.907.2	1	pipe union
18	0.011.5649.2/10	1	tube
19	2.0112.207.2	1	screw m 8 p 1.25x20
			() <-
19	2.0112.007.2	1	screw m 6 p.1x20
			-> ()
20	2.1011.105.2	1	nut m 8 p.1.25
			() <-
20	2.1011.103.2	1	nut m 6 p.1
			-> ()
21	2.1474.009.2	2	spring washer 8
			() <-
21	2.1474.007.2	2	washer 6
			-> ()

Section: ACCESSORY Ref.: 296

AUXILIARY HYDRAULIC DISTRIBUTOR

Fig.	Code	QTY	Name
1	2.0112.209.2	2	screw m 8 p 1.25x25
2	0.008.9521.0/10	1	plate
3	2.1470.004.2	2	lock washer 8
4	2.1011.105.2	2	nut m 8 p.1.25
5	2.1560.014.0	9	gasket 18.2x24x1.5
6	2.3335.008.2	4	pipe union m 18 p.1.5X32
7	0.008.9703.3/20	1	tube
'	0.000.0700.0720	'	- X SILVER 80 - 90
7	0.009.9600.3/20	1	tube
'	0.000.0000.0/20	'	- X SILVER 100.4 - 100.6
8	2.3335.055.2	1	pipe union m 18 p.1.5
9	2.1569.158.0	1	gasket 18.2x24x6.5
10	0.008.9702.3/20	1	tube
10	0.000.0102.0/20	'	- X SILVER 80 - 90
10	0.009.9601.3/30	1	tube
10	0.000.0001.0/00	'	- X SILVER 100.4 - 100.6
11	0.008.9704.3/10	1	tube
	0.000.0707.0710	•	- FOR TYPES WITH MECHANICAL LIFTER
11	0.008.9705.3/10	1	tube
	0.000.07 00.07 10	•	- FOR TYPES WITH ELECTRONIC LIFTER
12	0.008.9706.3	1	tube
	0.000.0.00	•	- FOR TYPES WITH MECHANICAL LIFTER
12	0.008.9707.3	1	tube
-	0.000.0101.0	•	- FOR TYPES WITH ELECTRONIC LIFTER
14	2.6839.054.0	1	clamp 25/20
	2.0000.001.0	•	() <-
15	2.0112.207.2	1	screw m 8 p 1.25x20
16	2.1470.004.2	1	lock washer 8
17	2.1011.105.2	1	nut m 8 p.1.25
18	0.008.9697.0	1	bracket
.0	0.000.0001.0	•	() <-
19	2.0112.307.2	1	screw m 10 p.1.5x20
20	2.1470.006.2	1	lock washer 10
21	2.1549.089.2	1	spacer 18.6x25x30
		•	- FOR TYPES WITH MECHANICAL LIFTER
22	2.1560.014.0	3	gasket 18.2x24x1.5
		•	- FOR TYPES WITH MECHANICAL LIFTER
23	2.3339.585.2/10	1	pipe union
	5000.000.2,10	•	- FOR TYPES WITH MECHANICAL LIFTER






Section: ACCESSORY Ref.: 297

4-WAY AUXILIARY DISTRIBUTOR


Fig.	Code	QTY	Name
4	0.000.4005.0/40	4	lavian 4
1	0.009.1605.0/10	1	lever 1
2	0.009.1606.0/10	1	lever 2
4	0.009.0137.0	2	knob
5	0.009.0140.0	2	coupling
6	0.009.1749.0/10	4	lever
7	2.0112.005.2	4	screw m 6 p.1x16
8	0.009.1583.0/20	1	support
9	2.1549.036.2	1	spacer
10	2.0112.233.2	1	screw m 8 p.1.25x120
11	2.0112.205.2	4	screw m 8 p.1.25x16
12	2.1310.004.2	4	flat washer 8.4x16
13	2.0112.019.2	1	screw m 6 p.1x50
14	2.1470.002.2	1	lock washer 6
15	2.1011.103.2	1	nut m 6 p.1
16	2.1120.005.2	1	selflock nut m 8 p.1.25
17	0.009.1582.2/40	1	bracket
18	2.1470.004.2	2	lock washer 8
19	2.1011.105.2	2	nut m 8 p.1.25
20	2.0112.205.2	2	screw m 8 p.1.25x16
21	2.1470.004.2	2	lock washer 8
22	2.1142.005.2	2	insert m 8
23	0.011.0722.0/10	1	gasket
24	0.008.9322.3/70	2	rod
24	0.011.4037.3/20	2	rod
			- FOR TYPES WITH REXROTH CONTROL VALVE
25	2.0312.010.2	4	screw m 5 p.0.8x30
26	2.1474.006.2	4	spring washer 5
28	2.4049.160.2	2	spring
29	2.1011.105.2	2	nut m 8 p.1.25
30	2.1470.004.2	2	lock washer 8
31	0.009.1866.2	1	bracket
32	2.0112.205.2	1	screw m 8 p.1.25x16
33	2.1470.004.2	1	lock washer 8
34	0.009.2949.0	1	gasket
			2436 <- X SILVER 80
			4225 <- X SILVER 90
			2354 <- X SILVER 100.4
			4573 <- X SILVER 100.6
35	2.0312.006.2	2	screw m 5 p.0.8x20
36	2.9929.408.0	1	plate 1
37	2.9929.409.0	1	plate 2



Section: ACCESSORY Ref.: 298

6-WAY DISTRIBUTOR EQUIPMENT

Fig.	Code	QTY	Name
1	0.009.1607.0/10	1	lever 3
2	0.009.0137.0	1	knob
3	0.009.0140.0	1	coupling
4	2.0112.005.2	2	screw m 6 p.1x16
5	0.008.9322.3/70	1	rod
5	0.011.4037.3/20	1	rod
			- FOR TYPES WITH REXROTH CONTROL VALVE
6	2.0312.006.2	2	screw m 5 p.0.8x20
7	2.1474.006.2	2	spring washer 5
9	2.4049.160.2	1	spring
10	2.9929.410.0	1	plate 3



Section: ACCESSORY Ref.: 299


8-WAY DISTRIBUTOR EQUIPMENT


Fig.	Code	QTY	Name
1	0.009.1608.0/10	1	lever
2	0.009.0137.0	1	knob
3	0.009.0140.0	1	coupling
4	2.0112.005.2	2	screw m 6 p.1x16
5	0.008.9322.3/70	1	rod
5	0.011.4037.3/20	1	rod
			- FOR TYPES WITH REXROTH CONTROL VALVE
6	2.0312.006.1	2	screw m 5 p.0.8x20
7	2.1474.006.2	2	spring washer 5
9	2.4049.160.2	1	spring
10	2.9929.411.0	1	plate 4

Section: ACCESSORY Ref.: 299.1

HYDRAULIC DISTRIBUTOR-PARTS

Fig.	Code	QTY	Name	
1	2.3719.590.0/10	1	distributor	
2	0.010.2175.0	4	gasket set	
3	0.010.2175.1	1	valve	
4	0.010.2175.2	1	valve	
5	0.010.2176.0	1	shim	
6	0.010.2176.1	1	valve	
7	0.010.2176.2	2	valve	
8	0.98273.63.0	2	ball 13/32"	
9	0.010.2177.0	1	sleeve	
10	0.010.2177.1	1	sleeve	
11	0.010.2177.2	1	sleeve	
12	0.010.2178.0	1	sleeve	
13	0.010.2178.1	1	valve	
14	0.010.2178.2	1	plug	
15	0.000.0000.1	-	not serviceable	






Section: ACCESSORY Ref.: 300

HYDRAULIC DISTRIBUTOR-PARTS

Fig.	Code	QTY	Name	
1	2.3719.530.0	1	distributor 4 - float	
2	0.009.4460.0	1	nut m 6	
3	0.98282.76.0	1	washer	
4	0.009.4460.1	1	register m 6x30	
5	0.98281.90.0	1	cup	
6	0.009.4460.2	1	plug	
7	2.1560.015.0	1	gasket 20.2x24	
8	0.9032.081.0	1	washer	
9	0.9032.077.0	1	nut m 8	
10	0.98282.73.0	1	spacer	
11	0.9032.064.0	1	valve seat	
12	0.9032.063.0	1	valve seat	
13	0.9032.065.0	1	'o' ring	
14	0.009.4178.1	1	valve seat	
15	2.1530.019.0	1	'o' ring 9.25x1.78	
16	0.009.4179.1	1	valve seat	
17	0.009.4180.1	1	spring	
18	0.000.0000.1	-	not serviceable	
19	2.1530.038.0	4	'o' ring 15.54x2.62	
20	0.98282.62.0	2	'o' ring	
21	0.9032.061.0	2	washer	
22	0.9032.058.0	2	shim	
23	0.9032.056.0	3	cup	
24	0.009.4181.1	1	spring	
25	0.009.4186.1	2	shim	
26	2.1310.003.2	1	flat washer 7.4x14	
27	0.9032.055.0	1	screw m 7x16	
28	0.9032.054.0	1	cover	
29	2.1470.001.2	4	lock washer 5	
30	2.0312.006.1	4	screw m 5 p.0.8x20	
31	0.98281.89.0	1	spring	
32	0.98281.91.0	1	spacer	
33	0.009.4466.0	1	valve seat	
34	0.98281.95.0	1	screw m 7x40	
35	0.009.4466.1	1	sleeve	
36	2.2899.507.0	6	ball 3/16"	
37	0.98281.96.0	2	washer	
38	0.98281.85.0	1	sleeve	
39	0.98281.92.0	1	guide	
40	0.98281.88.0	1	spring	
41	0.98281.94.0	1	cup	
42	0.98282.60.0	1	circlip	
43	0.009.4185.1	1	reductions	1/2
44	0.98273.63.0	1	ball 13/32"	1/2




Section: ACCESSORY

HYDRAULIC DISTRIBUTOR-PARTS

Code	QTY	Name			
0.009.4462.2	1	shim			
2.1530.044.0	1	'o' ring 17.17x1.78			
0.009.4177.1	1	accessories			
	Code 0.009.4462.2 2.1530.044.0	Code QTY 0.009.4462.2 1 2.1530.044.0 1			

Ref.: 300




Section: ACCESSORY

DISTRIBUTOR PARTS

Fig.	Code	QTY	Name		
1	2.3719.860.0/30	1	distributor		
2	0.010.2508.0	4	distributor		
3	0.010.2508.1	1	seal ring kit		
4	0.010.2508.2	1	valve		
5	0.010.2509.0	1	pipe union		
6	0.010.2509.1	1	valve		
7	0.010.2509.2	1	small cover		
8	0.010.2510.0	1	seal ring kit		
9	0.010.2510.1	1	pipe union		
10	0.010.2516.0	1	accessories		

1/1

Ref.: 300.1




Section: ACCESSORY

DISTRIBUTOR PARTS

Fig.	Code	QTY	Name
1	2.3719.870.0/30	1	distributor
2	0.010.2508.0	4	distributor
3	0.010.2508.1	1	seal ring kit
4	0.010.2508.2	1	valve
5	0.010.2509.0	1	pipe union
6	0.010.2509.1	1	valve
7	0.010.2509.2	1	small cover
8	0.010.2510.0	1	seal ring kit
9	0.010.2510.1	1	pipe union
10	0.010.2511.0	1	accessories

1/1


Ref.: 300.2



Section: ACCESSORY DISTRIBUTOR PARTS

Ref.: 300.3


Fig.	Code	QTY	Name
ı ıg.	Oode	<u> </u>	Hame
1	2.3719.970.0	1	distributor
2	0.010.2508.0	4	distributor
3	0.010.2508.1	1	seal ring kit
4	0.010.2508.2	1	valve
5	0.010.2509.0	1	pipe union
6	0.010.2509.1	1	valve
7	0.010.2509.2	1	small cover
8	0.010.2510.0	1	seal ring kit
9	0.010.2510.1	1	pipe union
10	0.010.2510.2	1	accessories



Section: ACCESSORY Ref.: 301

HYDRAULIC DISTRIBUTOR-PARTS

		QTY	Name	
4	0.000.0007.4/40		disability and an	
1	0.009.2007.4/10	1	distributor	
2	0.009.4186.0	1	cap nut m 6	
3	0.009.4177.1	1	accessories	
4	0.009.4460.1	1	register m 6x30	
6	0.009.4460.2	1	plug	
7	2.1560.015.0	1	gasket 20.2x24	
8	0.9032.081.0	1	washer	
9	0.9032.077.0	1	nut m 8	
10	0.98282.73.0	1	spacer	
11	0.9032.064.0	1	valve seat	
12	0.9032.063.0	1	valve seat	
13	0.9032.065.0	1	'o' ring	
14	0.009.4178.1	1	valve seat	
15	2.1530.019.0	1	'o' ring 9.25x1.78	
16	0.009.4179.1	1	valve seat	
17	0.009.4180.1	1	spring	
18	0.000.0000.1	-	not serviceable	
19	2.1530.038.0	6	'o' ring 15.54x2.62	
20	0.98282.62.0	3	'o' ring	
21	0.9032.061.0	3	washer	
22	0.9032.058.0	3	shim	
23	0.9032.056.0	6	cup	
24	0.009.4181.1	1	spring	
26	2.1310.003.2	1	flat washer 7.4x14	
27	0.9032.055.0	1	screw m 7x16	
28	0.9032.054.0	1	cover	
29	2.1470.001.2	6	lock washer 5	
30	2.0312.006.1	6	screw m 5 p.0.8x20	
31	0.98281.89.0	2	spring	
32	0.009.4182.1	2	spacer	
33	0.009.4183.1	2	valve seat	
34	0.98281.95.0	2	screw m 7x40	
35	0.98282.76.0	1	washer	
36	2.2899.507.0	12	ball 3/16"	
37	0.98281.96.0	4	washer	
38	0.98281.85.0	2	sleeve	
39	0.98281.92.0	2	guide	
40	0.009.4186.1	4	shim	
41	0.98281.88.0	2	spring	
42	0.98281.94.0	2	cup	
43	0.98282.60.0	2	circlip	
44	0.009.4185.1	2	reductions	
45	0.98273.63.0	2	ball 13/32"	1/1
46	0.98281.83.0	2	sleeve	1/1



Ref.: 301.1

Section: ACCESSORY

FREE OIL RETURN

Fig.	Code	QTY	Name
1	0.009.3149.0	1	plug
2	0.98309.51.3	1	coupling
3	2.1560.054.0	1	gasket 21x26
4	2.1410.011.7	1	circlip 28
5	0.011.8189.0	1	square
6	2.3335.055.2	1	pipe union m 18 p.1.5
7	2.1560.014.0	1	gasket 18.2x24x1.5
8	0.011.4488.3	1	tube
			- X SILVER 80 - 90
8	0.011.4584.3	1	tube
-		-	- X SILVER 100.4 - 100.6
9	2.1569.158.0	1	gasket 18.2x24x6.5

Section: ACCESSORY


FREE OIL RETURN

Fig.	Code	QTY	Name


Notes:

- FOR TYPES WITH REXROTH CONTROL VALVE

1	0.009.3149.0	1	plug
2	0.98309.51.3	1	coupling
3	2.1560.054.0	1	gasket 21x26
4	2.1410.011.7	1	circlip 28
5	0.011.8189.0	1	square
6	2.3335.055.2	1	pipe union m 18 p.1.5
7	2.1560.014.0	1	gasket 18.2x24x1.5
8	0.011.4584.3	1	tube
9	2.1569.158.0	1	gasket 18.2x24x6.5



Ref.: 301.2




Section: ACCESSORY

3 POINT HITCH

Fig.	Code	QTY	Name
Notes:			
() <-	- FOR TYPES WITH M	ECHANICAI	LIFTER
()	TORTH LO WITH	2011/11410/11	
1	0.008.8469.2	2	pin
2	2.1470.007.2	2	lock washer 12
3	2.0112.409.2	2	screw m 12 p.1.75x25
4	2.1021.209.2	2	castellated nut m 20 p.1.5
5	2.1690.413.2	2	split pin 4x36
6	0.96001.65.0/10	2	snoulder 21x45x6
7	0.96001.64.0/10	2	snoulder 35x55x6
8	0.96065.30.4/30	1	complete box
9	0.96065.30.3/20	1	box
10	0.96065.32.0	1	shaft
11	0.96065.33.0	1	pinion
12	0.96065.34.0/10	1	crank
13	0.96065.50.0	1	spacer
14	2.4099.010.2	1	spring
15	2.1630.510.0	1	roll pin 5x20
16	2.1630.512.0	1	roll pin 5x28
17	2.2610.007.0	1	thrust bearing 30x47x11
18	2.3170.020.1	1	expansion plug 50
19	2.3820.105.2	1	lubricator m 10 p.1x7
20	0.007.7084.3	1	rod dx
21	2.3820.105.2	1	lubricator m 10 p.1x7
22	2.1599.678.2	8	washer 25x45x3
23	2.1669.014.2	2	pin 24x90x77
24	2.1699.374.2	4	split pin 6.3x40
25	0.96037.10.0/10	1	flange
26	0.96035.12.0	1	piston pin
27	2.0422.511.7	4	stud bolt m 14x40
28	2.1475.205.2	4	washer 14
29	2.1011.108.2	4	nut m 14 p.2
30	0.96001.70.3	1	pin
31	0.467.5857.0	1	spring
32	0.760.5740.0	1	bracket dx
32	0.760.5741.0	1	bracket sx
33	2.0433.415.7	6	stud bolt m 16 p.1.5x50
34	2.1475.206.2	6	spring washer 16
35	2.1012.409.7	6	nut m 16
36	2.1669.001.0	2	pin 19x110x98
37	2.1310.013.2	4	flat washer 21x37
38	2.1690.513.2	4	split pin 5x36
39	0.000.0000.1	-	not serviceable
			* 010.5219.4

Ref.: 302




Section: ACCESSORY

3	Ρ	O	11	٨.	Τ	Н		Т	С	H	
---	---	---	----	----	---	---	--	---	---	---	--

<u> </u>							
Fig.	Code	QTY	Name				
40	2.1011.412.2	2	nut m 24 p.2				
41	0.96037.51.0/40	2	pin				
42	2.1670.917.2	2	pin 20x65x59				
43	0.96001.44.0/10	2	fork				
44	2.1630.717.2	2	roll pin 8x50				
45	2.1120.214.2	2	selflock nut m 27 p.2				
46	0.96001.43.0/10	2	rod				
47	0.96001.57.4/10	2	chain				
48	0.009.7504.4	2	rod				
49	2.1690.513.2	2	split pin 5x36				
50	2.1311.012.2	2	flat washer 20				
51	0.96048.36.3/20	1	rod sx				
52	0.008.9709.3	1	rod				
53	2.3820.105.2	1	lubricator m 10 p.1x7				
54	0.008.8460.4/20	1	3 point hitch				
55	0.008.8462.3/10	1	rod sx				
56	0.001.5059.0	1	nut				
57	0.008.8465.3	1	sleeve				
58	0.008.8461.3/10	1	rod dx				

2/2

Ref.: 302




Ref.: 302.1

Section: ACCESSORY

3 POINT HITCH

Fig.	Code	QTY	Name	
Notes:				
-> ()	- FOR TYPES WITH M	ECHANICAI	LLIFTER	
()				
1	0.008.8469.2	2	pin	
2	2.1470.007.2	2	lock washer 12	
3	2.0112.409.2	2	screw m 12 p.1.75x25	
4	2.1021.209.2	2	castellated nut m 20 p.1.5	
5	2.1690.413.2	2	split pin 4x36	
6	0.96001.65.0/10	2	snoulder 21x45x6	
7	0.96001.64.0/10	2	snoulder 35x55x6	
8	0.010.4772.4	2	adjustable tensioner	
9	0.010.4773.3	2	rod	
10	2.3820.105.2	2	lubricator m 10 p.1x7	
11	0.010.4029.2	2	sleeve	
12	0.010.4363.2	2	crank	
13	0.010.4030.3	2	rod	
14	0.010.9322.4	4	pin	
17	0.010.9322.4	7	-> ()	
22	2.1599.678.2	4	washer 25x45x3	
23	2.1669.014.2/10	2	pin	
23	2.1009.014.2/10	2	рш * () <-	
			- N.1 - 010.9322.4	
24	2.1699.374.2	4		
24	2.1099.374.2	4	split pin 6.3x40	
25	0.00007.40.0/40	4	() <-	
25	0.96037.10.0/10	1	flange	
26	0.96035.12.0	1	piston pin	
27	2.0422.511.7	4	stud bolt m 14x40	
28	2.1475.205.2	4	washer 14	
29	2.1011.108.2	4	nut m 14 p.2	
30	0.96001.70.3	1	pin	
31	0.467.5857.0	1	spring	
32	0.760.5740.0	1	bracket dx	
			() <-	
32	0.010.6424.0/10	1	bracket dx	
			-> ()	
32	0.760.5741.0	1	bracket sx	
			() <-	
32	0.010.6425.0/10	1	bracket sx	
			-> ()	
33	2.0433.415.7	6	stud bolt m 16 p.1.5x50	
			() <-	
33	2.0433.416.7	6	stud bolt m 16 p.1.5x55	
			-> ()	1/2
34	2.1475.206.2	6	spring washer 16	1/2




Section: ACCESSORY

3 POINT HITCH

010							
Fig.	Code	QTY	Name				
35	2.1012.409.7	6	nut m 16				
36	2.1669.001.0	2	pin 19x110x98				
37	2.1310.013.2	4	flat washer 21x37				
38	2.1690.513.2	4	split pin 5x36				
39	0.010.5219.4	2	stabiliser				
40	2.1011.412.2	2	nut m 24 p.2				
41	0.96037.51.0/40	2	pin				
42	2.1670.917.2	2	pin 20x65x59				
43	0.010.0514.3/10	2	rod				
44	2.3820.105.2	2	lubricator m 10 p.1x7				
46	0.010.5223.2	2	tube				
47	0.96001.57.4/10	2	chain				
48	0.96014.14.3	2	rod				
49	2.1690.513.2	2	split pin 5x36				
50	2.1311.012.2	2	flat washer 20				
54	0.008.8460.4/20	1	3 point hitch				
55	0.008.8462.3/10	1	rod sx				
56	0.001.5059.0	1	nut				
57	0.008.8465.3	1	sleeve				
58	0.008.8461.3/10	1	rod dx				

2/2

Ref.: 302.1




Ref.: 303

Section: ACCESSORY

3 POINT HITCH

Fig.	Code	QTY	Name	
Notes:				
() <-	- FOR TYPES WITH E	LECTRONIC	CLIFTER	
()				
1	0.008.8469.2	2	pin	
2	2.1470.007.2	2	lock washer 12	
3	2.0112.409.2	2	screw m 12 p.1.75x25	
8	0.96065.30.4/30	1	complete box	
9	0.96065.30.3/20	1	box	
10	0.96065.32.0	1	shaft	
11	0.96065.33.0	1	pinion	
12	0.96065.34.0/10	1	crank	
13	0.96065.50.0	1	spacer	
14	2.4099.010.2	1	spring	
15	2.1630.510.0	1	roll pin 5x20	
16	2.1630.512.0	1	roll pin 5x28	
17	2.2610.007.0	1	thrust bearing 30x47x11	
18	2.3170.020.1	1	expansion plug 50	
19	2.3820.105.2	1	lubricator m 10 p.1x7	
20	0.007.7085.3	1	rod dx	
_0 21	2.3820.105.2	1	lubricator m 10 p.1x7	
22	2.1599.678.2	8	washer 25x45x3	
 23	2.1669.014.2	2	pin 24x90x77	
24	2.1699.374.2	4	split pin 6.3x40	
25	0.96037.10.0/10	1	flange	
26	0.96035.12.0	1	piston pin	
27	2.0422.511.7	4	stud bolt m 14x40	
 28	2.1475.205.2	4	washer 14	
29	2.1011.108.2	4	nut m 14 p.2	
30	0.96001.70.3	1	pin	
31	0.467.5857.0	1	spring	
32	0.760.5740.0	1	bracket dx	
32	0.760.5741.0	1	bracket sx	
33	2.0439.219.0	6	stud bolt m 16 p.1.5x90	
34	2.1475.206.2	6	spring washer 16	
35	2.1012.409.7	6	nut m 16	
36	2.1669.001.0	2	pin 19x110x98	
37	2.1310.013.2	4	flat washer 21x37	
38	2.1690.513.2	4	split pin 5x36	
39	0.009.3810.4	2	stabiliser	
		_	() <- A = mm 400	
39	0.000.0000.1	_	not serviceable	
			* -> () A = mm 392	
			010.5219.4	1 //
40	2.1011.412.2	2	nut m 24 p.2	1/2
-	· · · · · · · · · · · · · · · · · · ·	-	IF	




Section: ACCESSORY

3 POINT HITCH

<u> </u>							
Fig.	Code	QTY	Name				
41	0.96037.51.0/40	2	pin				
42	2.1670.917.2	2	pin 20x65x59				
43	0.96001.44.0/10	2	fork				
44	2.1630.717.2	2	roll pin 8x50				
45	2.1120.214.2	2	selflock nut m 27 p.2				
46	0.96001.43.0/10	2	rod				
47	0.96001.57.4/10	2	chain				
48	0.009.7505.4	2	rod				
			() <- A = mm 400				
48	0.009.7504.4	2	rod				
			-> () A = mm 392				
49	2.1690.513.2	2	split pin 5x36				
50	2.1311.012.2	2	flat washer 20				
51	0.96048.36.3/20	1	rod sx				
52	0.008.9710.3	1	rod				
53	2.3820.105.2	1	lubricator m 10 p.1x7				
54	0.008.8460.4/20	1	3 point hitch				
55	0.008.8462.3/10	1	rod sx				
56	0.001.5059.0	1	nut				
57	0.008.8465.3	1	sleeve				
58	0.008.8461.3/10	1	rod dx				
59	2.1579.942.2	8	spacer 19x50x45				

2/2

Ref.: 303




Ref.: 303.1

Section: ACCESSORY

3 POINT HITCH

Fig.	Code	QTY	Name	
Notes:				
-> ()	- FOR TYPES WITH E	LECTRONIC	CLIFTER	
1	0.008.8469.2	2	pin	
2	2.1470.007.2	2	lock washer 12	
3	2.0112.409.2	2	screw m 12 p.1.75x25	
8	0.010.4772.4	2	adjustable tensioner	
9	0.010.4773.3	2	rod	
10	2.3820.105.2	2	lubricator m 10 p.1x7	
11	0.010.4029.2	2	sleeve	
12	0.010.4363.2	2	crank	
13	0.010.4030.3	2	rod	
14	0.010.9322.4	4	pin	
			-> ()	
22	2.1599.678.2	4	washer 25x45x3	
23	2.1669.014.2/10	2	pin	
			* () <-	
			- N.1 - 010.9322.4	
24	2.1699.374.2	4	split pin 6.3x40	
			() <-	
25	0.96037.10.0/10	1	flange	
26	0.96035.12.0	1	piston pin	
27	2.0422.511.7	4	stud bolt m 14x40	
28	2.1475.205.2	4	washer 14	
29	2.1011.108.2	4	nut m 14 p.2	
30	0.96001.70.3	1	pin	
31	0.467.5857.0	1	spring	
32	0.760.5740.0	1	bracket dx	
			() <-	
32	0.010.6424.0/10	1	bracket dx	
			-> ()	
32	0.760.5741.0	1	bracket sx	
			() <-	
32	0.010.6425.0/10	1	bracket sx	
			-> ()	
33	2.0439.219.0	6	stud bolt m 16 p.1.5x90	
			() <-	
33	2.0433.416.7	6	stud bolt m 16 p.1.5x55	
			-> ()	
34	2.1475.206.2	6	spring washer 16	
35	2.1012.409.7	6	nut m 16	
36	2.1669.001.0	2	pin 19x110x98	
37	2.1310.013.2	4	flat washer 21x37	1 /2
38	2.1690.513.2	4	nat wacher 2 mar	1/2




Section: ACCESSORY

3 POINT HITCH

Fig.	Code	QTY	Name
39	0.010.5219.4	2	stabiliser
40	2.1011.412.2	2	nut m 24 p.2
41	0.96037.51.0/40	2	pin
42	2.1670.917.2	2	pin 20x65x59
43	0.010.0514.3/10	2	rod
44	2.3820.105.2	2	lubricator m 10 p.1x7
46	0.010.5223.2	2	tube
47	0.96001.57.4/10	2	chain
48	0.96014.14.3	2	rod
49	2.1690.513.2	2	split pin 5x36
50	2.1311.012.2	2	flat washer 20
54	0.008.8460.4/20	1	3 point hitch
55	0.008.8462.3/10	1	rod sx
56	0.001.5059.0	1	nut
57	0.008.8465.3	1	sleeve
58	0.008.8461.3/10	1	rod dx
59	2.1579.942.2	8	spacer 19x50x45
			() <-

2/2

Ref.: 303.1



623_306_4

SILVER 90


Section: ACCESSORY

LIFTING ARM

Fig.	Code	QTY	Name
1	0.96054.20.4/10	2	arm - X SILVER 80 - 90
1	0.009.9743.4	2	arm 2063 <- X SILVER 100.4
1	0.009.9638.4	2	arm -> 2064 X SILVER 100.4 - X SILVER 100.6
2	0.001.3041.4	2	chain

1/1

Ref.: 306.4




Ref.: 306.5

Section: ACCESSORY

LIFTING ARM

Fig.	Code	QTY	Name
Notes:			
	<- X SILVER 80 3735 <	- X SII VFR 90	2063 <- X SILVER 100.4 3935 <- X SILVER 100.6
	7.0.2.7.2.7.00	710.272.101	7 2000 7 0.272.1 100.1
2	0.760.2262.0	2	spring
3	0.760.2258.3	1	cable
4	0.008.8893.3/20	1	arm sx
			- X SILVER 80 - 90 - A = mm 30
			- FOR TYPES WITH ELECTRONIC LIFTER
1	0.009.9645.3/20	1	arm sx
-	2.000.00.00.00	•	- X SILVER 100.4 - 100.6 - A = mm 30
			- FOR TYPES WITH ELECTRONIC LIFTER
1	0.96066.21.3/80	1	arm sx
•	0.50000.21.0.00	•	- X SILVER 80 - 90 - A = mm 34
			- FOR TYPES WITH MECHANICAL LIFTER
1	0.009.9629.3/20	1	arm sx
•	0.000.0020.0/20	•	- X SILVER 100.4 - 100.6 - A = mm 34
			- FOR TYPES WITH MECHANICAL LIFTER
5	0.010.1702.3	1	automatic hook 2 cat WALTERSCHEID
,	0.010.1702.3	1	F 307/1
3	0.008.8892.3/20	1	arm dx
,	0.000.0032.3/20	ı	- X SILVER 80 - 90 - A = mm 30
			- FOR TYPES WITH ELECTRONIC LIFTER
3	0.009.9644.3/20	1	arm dx
,	0.009.9044.3/20	ı	- X SILVER 100.4 - 100.6 - A = mm 30
2	0.06066.00.0700	1	- FOR TYPES WITH ELECTRONIC LIFTER
3	0.96066.20.3/80	1	arm dx
			- X SILVER 80 - 90 - A = mm 34
	0.000.0000.0/00	4	- FOR TYPES WITH MECHANICAL LIFTER
5	0.009.9626.3/20	1	arm dx
			- X SILVER 100.4 - 100.6 - A = mm 34
_			- FOR TYPES WITH MECHANICAL LIFTER
7	0.010.1702.3	1	automatic hook 2 cat WALTERSCHEID
_		_	F 307/1
3	0.96066.53.4	2	сар
9	0.760.5951.3	2	pin 2 cat.
10	0.760.5952.0	2	cap mm 56

1/1




Ref.: 307

Section: ACCESSORY


LIFTING ARM

Fig.	Code	QTY	Name
Notes:			
-> 228	87 X SILVER 80 -> 3736	X SILVER 9	00 -> 2064 X SILVER 100.4 -> 3936 X SILVER 100.6
2	0.760.2262.0	2	spring
3	0.760.2258.3	1	cable
4	0.009.9645.3/20	1	arm sx - A = mm 30 - FOR TYPES WITH ELECTRONIC LIFTER
4	0.96066.21.3/80	1	arm sx - X SILVER 80 - 90 - A = mm 34 - FOR TYPES WITH MECHANICAL LIFTER
4	0.009.9629.3/20	1	arm sx - X SILVER 100.4 - 100.6 - A = mm 34 - FOR TYPES WITH MECHANICAL LIFTER
5	0.010.1702.3	1	automatic hook 2 cat WALTERSCHEID F 307/1
6	0.009.9644.3/20	1	arm dx - A = mm 30 - FOR TYPES WITH ELECTRONIC LIFTER
6	0.96066.20.3/80	1	arm dx - X SILVER 80 - 90 - A = mm 34 - FOR TYPES WITH MECHANICAL LIFTER
6	0.009.9626.3/20	1	arm dx - X SILVER 100.4 - 100.6 - A = mm 34 - FOR TYPES WITH MECHANICAL LIFTER
7	0.010.1702.3	1	automatic hook 2 cat WALTERSCHEID F 307/1
8	0.96066.53.4	2	сар
9 10	0.760.5951.3 0.760.5952.0	2 2	pin 2 cat. cap mm 56

1/1



0 614 _ 307 _ 1



SILVER 90

Section: ACCESSORY

3 POINT HITCH

Fig.	Code	QTY	Name
1	0.000.0000.1	-	not serviceable
3	0.009.4678.0	2	* () <- 010.1702.3 support
4	0.009.4676.1	2	support
5	0.009.4676.2	2	pin 10x45
6	0.009.4677.0	2	spring
7	0.009.4677.1	2	pin 10x32
8	0.009.4677.2	2	pin 6x28
9	0.009.4676.0	2	lever
10	0.000.0000.1	-	not serviceable
			-> ()
11	0.010.1702.3	2	automatic hook 2 cat WALTERSCHEID
12	0.010.2190.0	2	support
13	0.010.2191.0	2	stop
14	0.010.2192.0	2	support
15	0.010.2193.0	2	pin
16	0.010.2194.0	2	lever
17	0.010.2195.0	2	spring
18	0.009.4677.1	4	pin 10x32
19	0.009.4677.2	2	pin 6x28
20	0.000.0000.1	-	not serviceable

1/1

Ref.: 307.1

Section: ACCESSORY **3 POINT HITCH**

Ref.: 307.2




Fig.	Code	QTY	Name
1	0.010.0883.4/20	1	cylinder
			F 307/3
2	0.010.9143.3	2	tube
5	2.3335.007.2	2	pipe union m 16 p.1.5
6	2.1560.012.0	4	gasket 16.2x22
7	0.98309.51.3	2	coupling
8	2.1560.054.0	2	gasket 21x26
9	2.1474.009.2	4	spring washer 8
10	2.0112.205.2	4	screw m 8 p.1.25x16
11	0.009.3534.0	1	cable
12	0.010.9322.4	2	pin
13	2.1669.024.2	1	pin 25.4x133
14	0.96001.17.0	1	cap mm 50
15	0.011.2790.4/10	1	3 point hitch
16	0.010.1958.3	1	sleeve
17	0.010.1959.3	1	rod cat. 2
			F 307/4
18	0.008.8462.3/10	1	rod sx
19	0.001.5059.0	1	nut
20	0.009.3492.4/40	1	stop
21	2.1410.002.7	2	circlip 12
22	2.1699.386.2	1	pin

Section: ACCESSORY CYLINDER PARTS

Ref.: 307.3






Fig.	Code	QTY	Name
1	0.010.0883.4/20	1	cylinder
2	0.010.2600.2	1	clevis
3	0.010.2812.0	1	seal ring kit
4	0.010.2812.1	1	valve
5	0.010.2812.2	1	screw m 10 p.1.5x90
6	0.010.2813.0	1	nut
7	0.010.2813.1	1	handle
8	0.010.2813.2	1	circlip
9	0.010.2814.0	1	stem
10	0.000.0000.1	-	not serviceable
-			



010_0883_4_20



010.1959.3

Section: ACCESSORY

3-POINT HITCH - ADJUSTABLE RH RODS

Fig.	Code	QTY	Name
	0.040.4050.0	_	
1	0.010.1959.3	1	rod cat. 2
2	0.009.4731.1	1	spring
3	0.009.4677.2	3	pin 6x28
4	0.009.4731.2	1	spring
5	0.010.2786.2	1	lever
6	0.010.2787.0	1	spring
7	0.010.2787.1	1	pin
8	0.000.0000.1	-	not serviceable

Ref.: 307.4

Section: ACCESSORY **3 POINT HITCH**

Ref.: 307.5




777 _ 403

Fig.	Code	QTY	Name	
1	2.1560.054.0	2	gasket 21x26	
2	0.010.9143.3	2	tube	
3	0.011.1052.4	1	cylinder	
			- X SILVER 80 - 90	
			F 307/6	
3	0.011.1053.4	1	cylinder	
			- X SILVER 100.4 - 100.6	
			F 307/7	
4	0.98309.51.3	2	coupling	
5	2.3335.007.2	2	pipe union m 16 p.1.5	
6	2.1560.012.0	4	gasket 16.2x22	

Section: ACCESSORY CYLINDER PARTS


Ref.: 307.6


Fig.	Code	QTY	Name
1	0.011.1052.4	1	cylinder
2	0.010.2812.0	1	seal ring kit
3	0.010.2812.1	1	valve
4	0.010.2814.1	1	fork
5	0.010.2814.2	1	fork
6	0.010.2813.2	1	circlip
7	0.010.2815.0	1	stem
8	0.010.2815.1	1	nut m 30 p.2
9	0.000.0000.1	-	not serviceable




Section: ACCESSORY
3 POINT HITCH

Ref.: 307.8







777 _ 405



Section: ACCESSORY


STABILIZER





011_3850_4_10

Ref.: 307.9




Section: ACCESSORY

STABILIZER

Fig.	Code	QTY	Name	
1	0.011.3849.4/10	1	stabiliser	
2	0.010.2818.0	1	tube	
3	0.010.2818.1	1	rod	
4	0.010.2818.2	1	split pin	
5	0.010.2819.0	2	roll pin	
6	0.010.2819.1	1	pin	
7	0.010.2819.2	1	nut m 24	
8	0.010.2820.0	1	spring	

1/1

96721



SILVER 90

Section: ACCESSORY

TOWING BAR


Fig.	Code	QTY	Name		
1	0.96701.10.0/10	1	draw har 2 cat		


1/1

Ref.: 308.5

Section: ACCESSORY

REAR TOWING HITCH





110_228

SILVER 90

Section: ACCESSORY


REAR TOWING HITCH


Fig.	Code	QTY	Name
1	0.011.2006.4/10	1	clevis cat. D2
1	0.011.1999.4/10	1	clevis cat. D3

Ref.: 309.1

Section: ACCESSORY

REAR OSCILLATING HITCH






Ref.: 309.2


Section: ACCESSORY

Ref.: 310

REAR OSCILLATING HITCH


Fig.	Code	QTY	Name
1	0.008.0780.2	1	support
2	0.008.0782.0/10	1	draw bar
3	2.1679.067.2	1	pin 32x85
4	2.1699.072.2	1	pin
5	0.008.0784.3	1	plate
6	0.97306.30.3	1	pin
7	0.008.0778.2	1	sector
8	2.0432.413.7	6	stud bolt m 16 p.2-1.5x45
9	2.0432.411.7	4	stud bolt m 16 p.2-1.5x40
10	2.1499.019.6	10	conical washer 16.3x31.5
11	2.1011.409.1	10	nut m 16 p.1.5
12	2.0122.822.2	2	screw m 20 p.1.5x65
13	2.1475.108.2	2	spring washer 20
14	0.97303.24.3	2	pin





Section: ACCESSORY
REAR TOWING HITCH

Ref.: 311.1




KEAK TOWNS TITCH				
Code	QTY	Name		
0.011.3674.4	1	tow hook		
		- CATEGORY"C"		
		F 311/2		
2 0312 615 2	12			
		•		
2.1475.206.2	12	spring washer 16		
0.011.3676.4	1	tow hook cat. D		
		- CATEGORY"D"		
	Code 0.011.3674.4 2.0312.615.2 2.1475.206.2	Code QTY 0.011.3674.4 1 2.0312.615.2 12 2.1475.206.2 12	Code QTY Name 0.011.3674.4 1 tow hook - CATEGORY"C" F 311/2 2.0312.615.2 12 screw m 16 p.2x45 spring washer 16	

Section: ACCESSORY Ref.: 311.2


REAR TOWING HITCH CAT: "C"

Fig.	Code	QTY	Name	
1	0.011.3674.4	1	tow hook	
1 2		1	chassis frame	
3	0.010.2991.2	1		
	0.010.2992.0	· ·	shield	
4	0.010.2992.1	1	rod	
5 6	0.010.2835.2	4 3	screw m 16x40	
7	0.010.2836.0	_	screw m 8x45	
	0.010.2992.2	1	spring	
8	0.010.2993.0	1	guide dx	
9	0.010.2993.1	1	guide sx	
10	0.010.2993.2	1	support L = mm 320	
11	0.010.2994.0	1	support	
12	0.010.2837.2	1	tube	
13	0.010.2838.0	2	sleeve	
14	0.010.2838.1	1	stop	
15	0.010.2838.2	2	spring	
16	0.010.2989.1	1	pin 25	
17	0.010.2839.1	2	grain m 12x25 PP	
18	0.010.2839.2	2	nut m 12	
19	0.010.2840.0	2	lubricator m 10	
20	0.010.2840.1	2	pin 10x35	
21	0.010.2840.2	2	circlip 35	
22	0.010.2841.0	1	nut m 8	
23	0.010.2836.0	1	screw m 8x45	
24	0.010.2994.1	1	clevis	
25	0.010.2994.2	1	clevis	
26	0.010.2841.2	1	pin cat. C	
27	0.010.2995.0	4	screw m 14x70	
28	0.010.2995.1	4	nut m 14	



011_3674_4

1/1



Section: ACCESSORY


REAR TOWING HITCH CAT: "D"

Fig.	Code	QTY	Name
1	0.011.3676.4	1	tow hook cat. D
2	0.010.2986.0	1	pin
3	0.010.2985.1	1	piston pin
4	0.010.2842.1	4	nut m 18
5	0.010.2842.0	4	screw m 18x80
6	0.010.2996.2	1	clevis

1/1

Ref.: 311.3

523 - 212 - 1



SILVER 90

Section: ACCESSORY


REAR TOWING HITCH


Fig.	Code	QTY	Name
1	0.011.0796.4	1	tow hook
2	2.0312.616.1	10	screw m 16 p.2x50
3	2.1474.013.2	12	spring washer 16
4	2.0312.614.1	2	screw m 16 p.2x40

1/1

Section: ACCESSORY

REAR TOWING HITCH







0 614 _ 313

Ref.: 313.1

Section: ACCESSORY

PICK.	-UP-HITCH
Eia	Codo

39 30 31 31 32 31 32 33 33 34 34 34 34 34 34 34 34	1	
46 41 44 14 15 18 16 16 18 16 17 18 18 16 17 18 18 16 18 19 10 10 10 10 10 10 10 10 10 10	39 37 4 38 5 5 19 38 20 43 20 42	24 36 36 33 35 34 12 9 40
28 27 53 54 55 11 51 50 29 31	46 41 41 44 14 15 18 16	57 26 25 18 -47 -48
023 313 1	28 27 53 55 54	52 11 30 51 50

Fig.	Code	QTY	Name	
1	0.012.6020.4/10	1	clevis	
2	0.012.0020.4/10	1	chassis frame	
3	0.010.3153.1	1	bracket dx	
4	0.010.3153.1	1	bracket sx	
5	0.010.3133.2	2	washer	
6	0.010.3112.0	2	pin	
7	0.010.3121.2	4	spacer	
8	0.010.3122.0	1	lever	
9	0.010.3122.1	1	cable	
10	0.010.3105.2	1	clevis	
11	0.010.3122.2	2	pin	
12	0.010.3121.1	1	guard	
13	0.010.3107.1	3	screw m 16x30	
14	0.010.3108.1	2	screw m 6x50	
15	0.010.3108.2	2	nut m 6	
16	0.010.3123.0	6	screw m 16x50	
17	0.010.3123.1	4	stud bolt m 16x50	
18	0.010.3108.0	14	washer	
19	0.010.3112.1	2	split pin	
20	0.010.3123.2	2	roll pin	
21	0.010.3124.0	2	washer	
22	0.010.3124.1	2	screw m 8x25	
23	0.010.3124.2	2	nut m 8	
24	0.010.3125.0	2	washer	
25	0.010.3125.1	1	screw m 16x45	
26	0.010.3154.1	1	guard	
27	0.010.3113.1	1	rod	
28	0.010.3113.2	1	pin	
29	0.010.3126.0	1	bracket	
30	0.010.3126.1	2	screw m 12x35	
31	0.010.3110.1	2	washer	
32	0.010.3115.0	4	nut m 16	
33	0.010.3126.2	1	bracket	
34	0.010.3127.0	2	screw m 10x55	
35	0.010.3105.0	2	washer	
36	0.010.3114.2	2	nut m 10	
37	0.010.3111.2	4	spacer	
38	0.010.3113.0	2	spacer	
39	0.010.3112.2	2	spacer	
40	0.010.3115.1	1	grommet	
41	0.010.3117.0	2 8	nut	
42	0.010.3154.2		screw m 16x50	
43	0.010.3128.1	8 2	nut m 16	1/2
44	0.010.3117.1	2	pin	

Section: ACCESSORY PICK-UP-HITCH

Ref.: 313.1





Fig.	Code	QTY	Name			
45	0.010.3155.0	2	rod			
46	0.010.3128.2	2	rod			
47	2.0112.219.2	1	screw m 8 p.1.25x50			
48	0.010.3116.1	1	nut m 8			
49	0.010.3129.1	1	pin			
50	0.010.3129.2	1	screw m 8x30			
51	0.010.3125.0	1	washer			
52	0.010.3130.0	1	bushing			
53	0.010.3130.1	6	spring			
54	0.010.3130.2	1	screw m 8x45			
55	0.010.3116.1	1	nut m 8			
56	04418473	2	lubricator			
57	0.010.3131.2	1	chassis frame			




Section: ACCESSORY

FRONT TOWING HITCH

Code	QTY	Name	_
0.96301.20.4	1	tow hook	
0.002.9626.0	1	clevis	
0.009.1667.3	1	pin	
2.1470.008.2	4	lock washer 14	
2.0112.513.2	4	screw m 14 p.2x35	
	0.96301.20.4 0.002.9626.0 0.009.1667.3 2.1470.008.2	0.96301.20.4 1 0.002.9626.0 1 0.009.1667.3 1 2.1470.008.2 4	0.96301.20.4 1 tow hook 0.002.9626.0 1 clevis 0.009.1667.3 1 pin 2.1470.008.2 4 lock washer 14

1/1




Section: ACCESSORY

FRONT PERMANENT TOWING HITCH

Fig.	Code	QTY	Name
1	0.96309.51.3	1	pin
2	0.96309.20.0/20	1	tow hook
4	2.1470.008.2	4	lock washer 14
5	2.0112.519.2	4	screw m 14 p.2x50

1/1




Section: ACCESSORY

FRONT TOWING HITCH

Fig.	Code	QTY	Name
1	0.009.3108.2	1	support
2	2.1669.024.2	1	pin 25.4x133
3	0.010.9322.4	2	pin
4	0.96309.20.0/20	1	tow hook
5	2.0112.523.2	4	screw m 14 p.2x70
6	2.1310.009.2	4	flat washer 15x28
7	2.1011.108.2	4	nut m 14 p.2
8	2.1470.008.2	4	lock washer 14

1/1



Section: ACCESSORY

BALLAST


Fig.	Code	QTY	Name
1	0.008.9173.3/10	1	ballast
2	0.010.9322.4	1	pin
3	0.008.9287.0	1	rod
4	2.1699.084.2	2	roll pin 27
5	0.96309.51.3	1	pin

1/1

Section: ACCESSORY

BALLAST









Fig.	Code	QTY	Name
1	0.011.7376.2	1	support
2	2.1310.009.2	6	flat washer 15x28
3	2.0112.515.1	6	screw m 14 p.2x40
4	0.96928.51.2	1	pin
5	2.1699.084.2	2	roll pin 27
6	0.96929.40.0/10	8	ballast 40 Kg - lb 90
7	0.96916.50.0	4	small column m 14 p.2
8	0.96930.50.0	1	pin
9	2.1099.065.1	4	special nut m 14
10	0.96930.51.0/10	2	rod
			- FOR 6 BALLAST
10	0.008.8749.0/10	2	rod
			- FOR 8 BALLAST
12	0.96309.51.3	1	pin


Ref.: 318.1

Section: ACCESSORY

FRONT SUPPORT

Fig.	Code	QTY	Name
1	0.011.7082.2	1	support






Section: ACCESSORY

BALLAST

	_			
Fig.	Code	QTY	Name	
				_
1	0.135.5540.0	4	ballast 43 Kg	
2	2.0122.623.2	8	screw m 16 p.1.5x70	
3	2.1470.009.2	16	lock washer 16	
4	2.1011.309.1	8	nut m 16 p.1.5	
5	0.001.8527.0	8	small column	
6	0.135.5574.0	2	ballast 40 Kg	
7	2.0112.620.1	12	screw m 16 p.2x55	
8	2.1470.009.2	12	lock washer 16	
9	2.1011.409.2	12	nut m 16 p.1.5	

1/1




Section: ACCESSORY

P.T.O. GUARD

Fig.	Code	QTY	Name			
1	0.009.3274.2/10	1	small sump			
2	2.0112.307.2	2	screw m 10 p.1.5x20			
3	2.1470.006.2	2	lock washer 10			
4	2.1310.006.2	2	flat washer 10.5x20			

1/1




Section: ACCESSORY

P.T.O. GUARD EXPORT GB

Fig.	Code	QTY	Name
1	0.445.3650.0/50	1	small sump
2	0.255.3668.2/20	1	square
3	0.255.3669.2	2	square
4	2.0112.609.2	2	screw m 16 p.2x25
5	2.1699.180.2	3	pin
-		-	r ·

1/1



Section: ACCESSORY

HYDRAULIC BREAKING FOR TRAILER - ITALY -


Fig.	Code	QTY	Name
1	0.007.6244.4/10	1	valve
2	2.3719.760.0/20	1	valve
3	0.007.7661.3	1	tube sx
4	0.007.7666.3/10	1	tube dx
5	0.007.6736.3	1	tube
			- X SILVER 80 - 90 - 100.4
5	0.007.6737.3	1	tube
			- X SILVER 100.6
6	0.007.6740.3	1	tube
7	2.0112.025.2	1	screw m 6 p.1x80
•	2.0112.020.2	•	0010 W 111 0 p. 1700

1/1

Section: ACCESSORY

HYDRAULIC BREAKING FOR TRAILER - ITALY -

Fig.	Code	QTY	Name	
1	2.3719.410.0/10	1	valve	
1	0.009.4343.2	1	gasket set	
2		1	•	
	2.1560.006.0	-	gasket 10.5	
3	2.7099.430.0	1	pressure switch	
			2589 <- X SILVER 80	
			4866 <- X SILVER 90	
			2776 <- X SILVER 100.4	
_	0.7000.000.0		5308 <- X SILVER 100.6	
3	2.7099.960.0	1	pressure switch 11 Bar	
			-> 2590 X SILVER 80	
			-> 4867 X SILVER 90	
			-> 2777 X SILVER 100.4	
			-> 5309 X SILVER 100.6	
4	2.1560.017.0	6	gasket 22.2x27	
5	2.3335.009.2	3	pipe union m 22 p.1.5X39	
6	2.3261.013.2	1	pipe fitting m 22 p.1.5-1 1/16"	
7	2.1569.167.0	1	gasket 22.2x27x4.5	
8	0.008.9643.0	1	lever	
9	0.007.5561.0	1	knob	
10	0.007.5562.0	1	coupling	
11	2.0112.005.2	2	screw m 6 p.1x16	
12	2.1310.002.2	2	flat washer 6.4x12.5	
13	2.1470.002.2	2	lock washer 6	
14	2.0112.221.2	2	screw m 8 p.1.25x60	
15	2.1470.004.2	3	lock washer 8	
			2398 <- X SILVER 80	
			4068 <- X SILVER 90	
			2296 <- X SILVER 100.4	
			4429 <- X SILVER 100.6	
15	2.1470.004.2	2	lock washer 8	
			-> 2399 X SILVER 80	
			-> 4069 X SILVER 90	
			-> 2297 X SILVER 100.4	
			-> 4430 X SILVER 100.6	
16	2.1011.105.2	3	nut m 8 p.1.25	
. •		· ·	2398 <- X SILVER 80	
			4068 <- X SILVER 90	
			2296 <- X SILVER 100.4	
			4429 <- X SILVER 100.6	
16	2.1011.105.2	2	nut m 8 p.1.25	
.0	2.1011.100.2	-	-> 2399 X SILVER 80	
			-> 4069 X SILVER 90	
			-> 2297 X SILVER 100.4	
				1/3
			-> 4430 X SILVER 100.6	1/



Section: ACCESSORY Ref.: 323


HYDRAULIC BREAKING FOR TRAILER - ITALY -

Fig.	Code	QTY	Name	
17	2.1560.008.0	1	gasket 12.2x18	
18	2.3110.422.1	1	plug m 12 p.1.25x10	
19	0.008.9668.3/10	1	tube	
20	0.011.6280.3	1	tube	
			* 2348 <- X SILVER 80	
			* 3948 <- X SILVER 90	
			* 2171 <- X SILVER 100.4	
			* 4161 <- X SILVER 100.6	
			- N.1 011.6278.3	
21	0.009.3421.0	1	support	
			2398 <- X SILVER 80	
			4068 <- X SILVER 90	
			2296 <- X SILVER 100.4	
			4429 <- X SILVER 100.6	
22	2.0112.205.2	2	screw m 8 p.1.25x16	
			2398 <- X SILVER 80	
			4068 <- X SILVER 90	
			2296 <- X SILVER 100.4	
			4429 <- X SILVER 100.6	
22	2.0112.205.2	1	screw m 8 p.1.25x16	
			-> 2399 X SILVER 80	
			-> 4069 X SILVER 90	
			-> 2297 X SILVER 100.4	
			-> 4430 X SILVER 100.6	
23	0.97112.68.4	1	coupling	
24	0.008.9681.2/20	1	bracket	
			- X SILVER 80 - 90 - 100.4	
24	0.008.9641.2	1	bracket	
			- X SILVER 100.6	
25	2.0112.409.2	2	screw m 12 p.1.75x25	
26	2.1470.007.2	2	lock washer 12	
27	0.009.6468.3/10	1	tube	
			- X SILVER 80 - 90	
27	0.008.9673.3/20	1	tube	
			- X SILVER 100.4 - 100.6	
28	0.007.7627.3	1	tube	
			- X SILVER 80 - 90	
28	0.008.9669.3/10	1	tube	
			- X SILVER 100.4 - 100.6	
29	2.1560.014.0	1	gasket 18.2x24x1.5	
30	2.3339.485.2	1	pipe union m 18 p.1.5x55	
31	0.008.9659.0/10	1	cable	
32	2.1310.004.2	1	flat washer 8.4x16	2/3
33	2.1430.007.7	1	circlip 6	_, 0

Section: ACCESSORY

HYDRAULIC BREAKING FOR TRAILER - ITALY -


Fig.	Code	QTY	Name	
34	2.3339.682.2	1	pipe fitting m 22 p.1.5 - 7/8-14 jic	
			- X SILVER 100.4 - 100.6	
35	0.012.2103.3	1	wire	
			* 2589 <- X SILVER 80	
			* 4866 <- X SILVER 90	
			* 2776 <- X SILVER 100.4	
			* 5308 <- X SILVER 100.6	
			- N.1 - 2.7099.960.0	
36	0.011.6278.3	1	tube	
			* 2348 <- X SILVER 80	
			* 3948 <- X SILVER 90	
			* 2171 <- X SILVER 100.4	
			* 4161 <- X SILVER 100.6	
			- N.1 011.6280.3	



Section: ACCESSORY Ref.: 324

HYDRAULIC BREAKING FOR TRAILER - EXPORT F

HYDRAULIC BREAKING FOR TRAILER - EXPORT F				
Fig.	Code	QTY	Name	
1	2.3719.550.0/30	1	valve	
2	0.009.4709.6	1	gasket set	
3	2.1560.017.0	6	gasket 22.2x27	
4	2.3335.009.2	3	pipe union m 22 p.1.5X39	
5	0.008.9545.3/10	1	tube	
6	0.008.9668.3/10	1	tube	
6	0.011.6914.3	1	tube	
-	0.044.0000.0	4	- FOR TYPES WITH REXROTH CONTROL VALVE	
7	0.011.6280.3	1	tube	
			* 2348 <- X SILVER 80	
			* 3948 <- X SILVER 90	
			* 2171 <- X SILVER 100.4	
			* 4161 <- X SILVER 100.6	
•	0.000.0404.0	4	- N.1 011.6278.3	
8	0.009.3421.0	1	support	
			2398 <- X SILVER 80	
			4068 <- X SILVER 90	
			2296 <- X SILVER 100.4	
0	0.07440.00.4	4	4429 <- X SILVER 100.6	
9	0.97112.68.4	1 1	coupling	
10	2.0112.205.2	I	screw m 8 p.1.25x16	
			2398 <- X SILVER 80	
			4068 <- X SILVER 90 2296 <- X SILVER 100.4	
			4429 <- X SILVER 100.4 4429 <- X SILVER 100.6	
11	2.1470.004.2	3	lock washer 8	
11	2.1470.004.2	3	2398 <- X SILVER 80	
			4068 <- X SILVER 90	
			2296 <- X SILVER 100.4	
			4429 <- X SILVER 100.4	
11	2.1470.004.2	2	lock washer 8	
11	2.1470.004.2	2	-> 2399 X SILVER 80	
			-> 4069 X SILVER 90	
			-> 2297 X SILVER 100.4	
			-> 4430 X SILVER 100.6	
12	2.1011.105.2	3	nut m 8 p.1.25	
12	2.1011.105.2	3	2398 <- X SILVER 80	
			4068 <- X SILVER 90	
			2296 <- X SILVER 100.4	
			4429 <- X SILVER 100.6	
12	2.1011.105.2	2	nut m 8 p.1.25	
	10 11.100.2	_	-> 2399 X SILVER 80	
			> 4060 Y SII VED 00	
			-> 2297 X SILVER 100.4	
			LEGI // GILVLIV 100.1	



Section: ACCESSORY

YDRAULIC BREAKING FOR TRAILER - EXPORT F








Fig.	Code	QTY	Name	
			-> 4430 X SILVER 100.6	
13	2.0112.221.2	1	screw m 8 p.1.25x60	
14	2.1569.167.0	1	gasket 22.2x27x4.5	
 15	0.009.6468.3/10	1	tube	
. •	0.000.0.00.0.	•	- X SILVER 80 - 90	
15	0.008.9673.3/20	1	tube	
			- X SILVER 100.4 - 100.6	
16	0.007.7627.3	1	tube	
			- X SILVER 80 - 90	
16	0.008.9669.3/10	1	tube	
			- X SILVER 100.4 - 100.6	
17	2.3339.682.2	1	pipe fitting m 22 p.1.5 - 7/8-14 jic	
			- X SILVER 100.4 - 100.6	
18	0.008.9519.3/10	1	tube	
			- X SILVER 80 - 90 - 100.4	
18	0.008.9520.3/10	1	tube	
			- X SILVER 100.6	
19	0.008.9681.2/20	1	bracket	
			- X SILVER 80 - 90 - 100.4	
19	0.008.9641.2	1	bracket	
			- X SILVER 100.6	
20	2.1470.007.2	2	lock washer 12	
21	2.0112.409.2	2	screw m 12 p.1.75x25	
22	2.1560.014.0	1	gasket 18.2x24x1.5	
23	2.3339.485.2	1	pipe union m 18 p.1.5x55	
24	2.3261.013.2	1	pipe fitting m 22 p.1.5-1 1/16"	
25	0.011.6278.3	1	tube	
			* 2348 <- X SILVER 80	
			* 3948 <- X SILVER 90	
			* 2171 <- X SILVER 100.4	
			* 4161 <- X SILVER 100.6	
20	0.0440.045.0	4	- N.1 011.6280.3	
26	2.0112.215.2	1	screw m 8 p.1.25x40	



Section: ACCESSORY Ref.: 325

Fig.	Code	QTY	Name
Notes:			
	<- X SILVER 80 3356 <	- X SILVER	90 1983 <- X SILVER 100.4 3561 <- X SILVER 100.6
1	0.065.1966.0	2	gasket mm 0.1
2	2.0432.011.7	3	stud bolt m 8 p.1.25-1x40
3	2.1011.405.2	3	nut m 8 p.1
4	2.1310.004.2	3	flat washer 8.4x16
5	2.1651.506.0	2	cylindrical plug 6x14
6	0.011.0498.4	1	gear compressor
7	0.010.6858.3	1	tube
8	2.1560.008.0	3	gasket 12.2x18
9	2.3339.769.2	1	pipe union
10	2.3335.009.2	1	pipe union m 22 p.1.5X39
11	2.1560.018.0	2	gasket 22.2x29
12	0.010.6853.3	1	pipe fitting
13	0.010.6854.3/30	1	tube
			- X SILVER 80 - 90 - 100.4
13	0.010.7033.3/20	1	tube
			- X SILVER 100.6
14	0.010.6869.0	1	pipe union
15	2.1599.486.0	2	snoulder
16	2.1599.398.0	1	snoulder 21x32x3
17	2.1011.411.2	1	nut
18	2.6850.004.0	2	clamp 20-35
19	0.010.6852.0	1	tube
20	0.010.7030.4/10	1	valve
21	2.3335.009.2	1	pipe union m 22 p.1.5X39
22	2.1569.167.0	2	gasket 22.2x27x4.5
23	2.3335.009.2	1	pipe union m 22 p.1.5X39
24	2.1560.018.0	2	gasket 22.2x29
25	0.010.6847.0/20	1	bracket
26	2.0112.225.2	2	screw m 8 p.1.25x80
27	2.1310.004.2	4	flat washer 8.4x16
28	2.1120.005.2	2	selflock nut m 8 p.1.25
29	2.0112.511.2	1	screw m 14 p.2x30
30	2.1310.009.2	1	flat washer 15x28
31	2.1560.018.0	1	gasket 22.2x29
32	2.3339.766.2	1	reduction
33	2.1560.010.0	2	gasket 14.2x20
34	2.3339.767.2	1	reduction
35	2.3339.768.2	1	pipe union
36	2.1560.004.0	2	gasket 8.2x14
37	2.1560.010.0	1	gasket 14.2x20
38	2.3199.292.0	1	plug



Section: ACCESSORY


PNEUMATIC TRAILER BRAKING

Fig.	Code	QTY	Name
39	2.1480.014.2	1	washer
40	2.0313.214.2	1	screw
41	0.011.8026.0	1	shim



Section: ACCESSORY Ref.: 325.1


Fig.	Code	QTY	Name	
Notes:				
	91 X SILVER 80 -> 3357	X SILVER	90 -> 1984 X SILVER 100.4 -> 3562 X SILVER 1	00.6
1	0.065.1966.0	2	gasket mm 0.1	
			2408 <- X SILVER 80	
			4068 <- X SILVER 90 2296 <- X SILVER 100.4	
			4429 <- X SILVER 100.4	
2	2.0432.011.7	4	stud bolt m 8 p.1.25-1x40	
3	2.1011.405.2	4	nut m 8 p.1	
4	2.1310.004.2	3	flat washer 8.4x16	
5	2.1651.506.0	2	cylindrical plug 6x14	
6	0.012.1883.4	1	air compressor 90 cc	
Ü	0.012.1000.1	•	F 326/1	
7	0.010.6858.3	1	tube	
			2549 <- X SILVER 80	
			4695 <- X SILVER 90	
			2679 <- X SILVER 100.4	
			5112 <- X SILVER 100.6	
7	0.010.6858.3/10	1	tube	
			-> 2550 X SILVER 80	
			-> 4696 X SILVER 90	
			-> 2680 X SILVER 100.4	
			-> 5113 X SILVER 100.6	
8	2.1560.008.0	3	gasket 12.2x18	
9	2.3339.769.2	1	pipe union	
10	2.3335.009.2	1	pipe union m 22 p.1.5X39	
11	2.1560.018.0	2	gasket 22.2x29	
12	0.010.6853.3	1	pipe fitting	
13	0.010.6854.3/30	1	tube	
			2549 <- X SILVER 80	
			4695 <- X SILVER 90	
			2679 <- X SILVER 100.4	
			5112 <- X SILVER 100.6	
12	0.040.6954.3/40	1	- X SILVER 80 - 90 - 100.4	
13	0.010.6854.3/40	ı	tube -> 2550 X SILVER 80	
			-> 4696 X SILVER 90	
			-> 2680 X SILVER 100.4	
			-> 5113 X SILVER 100.4	
			- X SILVER 80 - 90 - 100.4	
13	0.010.7033.3/20	1	tube	
.0	0.010.7000.0720	1	2549 <- X SILVER 80	
			4695 <- X SILVER 90	




Ref.: 325.1

Section: ACCESSORY

Fig.	Code	QTY	Name	
			2679 <- X SILVER 100.4	
			5112 <- X SILVER 100.4	
			- X SILVER 100.6	
13	0.010.7033.3/30	1	tube	
13	0.010.7000.0700	'	-> 2550 X SILVER 80	
			-> 4696 X SILVER 90	
			-> 2680 X SILVER 100.4	
			-> 5113 X SILVER 100.6	
			- X SILVER 100.6	
14	0.010.6869.0	1	pipe union	
15	2.1599.486.0	2	snoulder	
16	2.1599.398.0	1	snoulder 21x32x3	
17	2.1011.411.2	1	nut	
18	2.6850.004.0	2	clamp 20-35	
19	0.010.6852.0	1	tube	
20	0.012.3379.0	1	valve	
			* 2549 <- X SILVER 80	
			* 4695 <- X SILVER 90	
			* 2679 <- X SILVER 100.4	
			* 5112 <- X SILVER 100.6	
			- N.1 - 012.3382.0	
21	2.3335.009.2	1	pipe union m 22 p.1.5X39	
22	2.1569.167.0	2	gasket 22.2x27x4.5	
23	2.3335.009.2	1	pipe union m 22 p.1.5X39	
24	2.1560.018.0	2	gasket 22.2x29	
25	0.010.6847.0/20	1	bracket	
26	2.0112.225.2	2 4	screw m 8 p.1.25x80	
27	2.1310.004.2	2	flat washer 8.4x16	
28 29	2.1120.005.2 2.0112.511.2	1	selflock nut m 8 p.1.25 screw m 14 p.2x30	
30	2.1310.009.2	1	flat washer 15x28	
31	2.1510.009.2	1	gasket 22.2x29	
32	2.3339.766.2	1	reduction	
33	2.1560.010.0	2	gasket 14.2x20	
34	2.3339.767.2	1	reduction	
35	2.3339.768.2	1	pipe union	
36	2.1560.004.0	2	gasket 8.2x14	
37	2.1560.010.0	1	gasket 14.2x20	
		•	() <-	
38	2.3199.292.0	1	plug	
-			() <-	
39	2.1480.014.2	1	washer	
40	2.0313.214.2	1	screw	2/3
41	0.011.8026.0	1	shim	2/3





Section: ACCESSORY Ref.: 325.1

Fig.	Code	QTY	Name	
42	0.012.3382.0	1	silencer	
			-> 2550 X SILVER 80	
			-> 4696 X SILVER 90	
			-> 2680 X SILVER 100.4	
			-> 5113 X SILVER 100.6	
43	2.3110.402.7	1	plug m 12 p.1.5	
			-> 2550 X SILVER 80	
			-> 4696 X SILVER 90	
			-> 2680 X SILVER 100.4	
			-> 5113 X SILVER 100.6	
44	2.1560.008.0	1	gasket 12.2x18	
			-> 2550 X SILVER 80	
			-> 4696 X SILVER 90	
			-> 2680 X SILVER 100.4	
			-> 5113 X SILVER 100.6	

Ref.: 326

Section: ACCESSORY


PNEUMATIC TRAILER BRAKING					
Fig.	Code	QTY	Name		
				_	
1	0.010.6855.3/10	1	tube		
2	0.010.6868.4	1	manometer		
3	2.6859.100.0	1	clamp		
4	0.010.6848.2	1	bracket		
5	2.0112.007.2	2	screw m 6 p.1x20		
6	2.1470.002.2	2	lock washer 6		
7	2.1310.002.2	2	flat washer 6.4x12.5		
8	2.1011.103.2	2	nut m 6 p.1		
9	2.6560.011.0	2	wire guide 16x2.5		
10	0.010.6861.3	1	tube		
11	0.010.6856.3/10	1	tube		
12	2.3332.004.2	2	pipe union m 14 p.1.5x27		
13	2.6859.101.0	2	clamp		
14	0.010.6851.4	1	accumulator		
15	0.011.3302.2	1	support		
16	2.0112.317.2	4	screw m 10 p.1.5x45		
17	2.1470.006.2	4	lock washer 10		
18	0.010.6857.3	1	tube		
19	2.3339.735.2	2	pipe union m 18 p.1.5x36		
20	2.1560.014.0	2	gasket 18.2x24x1.5		
21	0.010.4582.4	1	joint CUNA		
22	2.3332.003.2	2	pipe union m 12 p.1.25x23		
23	2.1560.008.0	4	gasket 12.2x18		
24	0.011.6336.4	1	distributor		
			* 2331 <- X SILVER 80		
			* 3854 <- X SILVER 90		
			* 2115 <- X SILVER 100.4		
			* 4053 <- X SILVER 100.6		
			- N.2 2.1560.014.0 - 2.3339.914.2		
25	2.3339.765.2	2	pipe union		
26	0.010.6860.3	1	tube		
27	0.010.6859.3	1	tube		
28	0.010.6846.2/10	1	support		
29	2.0112.409.2	2	screw m 12 p.1.75x25		
30	2.1470.007.2	2	lock washer 12		
31	2.1470.004.2	2	lock washer 8		
32	2.0112.205.2	2	screw m 8 p.1.25x16		
33	2.1011.105.2	2	nut m 8 p.1.25		
		_	2436 <- X SILVER 80		
			4225 <- X SILVER 90		
			2367 <- X SILVER 100.4		
			4590 <- X SILVER 100.6		
34	2.1311.007.2	6	flat washer 10		
35	2.0112.313.2	3	screw m 10 p.1.5x35	1/2	
55	2.0112.010.2	J	3010W 111 10 p. 1.0x03		


Section: ACCESSORY

PNEU	PNEUMATIC TRAILER BRAKING					
Fig.	Code	QTY	Name			
36	2.0432.415.7	1	stud bolt m 16 p.2-1.5x50			
37	0.011.4268.2	1	support			
38	2.1011.106.2	3	nut m 10 p.1.5			
39	2.1560.018.0	2	gasket 22.2x29			
40	2.3339.766.2	2	reduction			
41	2.1560.010.0	4	gasket 14.2x20			
42	2.3339.808.2	2	pipe union			
		_	2331 <- X SILVER 80			
			3854 <- X SILVER 90			
			2115 <- X SILVER 100.4			
			4053 <- X SILVER 100.6			
42	2.3339.914.2	2	pipe fitting m 18x1.5			
			-> 2332 X SILVER 80			
			-> 3855 X SILVER 90			
			-> 2116 X SILVER 100.4			
			-> 4054 X SILVER 100.6			
43	2.1560.012.0	2	gasket 16.2x22			
			2331 <- X SILVER 80			
			3854 <- X SILVER 90			
			2115 <- X SILVER 100.4			
			4053 <- X SILVER 100.6			
43	2.1560.014.0	2	gasket 18.2x24x1.5			
			-> 2332 X SILVER 80			
			-> 3855 X SILVER 90			
			-> 2116 X SILVER 100.4			
			-> 4054 X SILVER 100.6			
44	2.1560.008.0	4	gasket 12.2x18			
45	2.1579.896.2	4	spacer 11x24x8			
46	0.009.3109.0	2	shim			
47	2.1560.201.0	1	gasket			

Section: ACCESSORY COMPRESSOR-PARTS

Ref.: 326.1







Section: ACCESSORY

TOOL POUCH

	10021 00011					
Fig.	Code	QTY	Name			
1	9.62073.11.0	1	small tool box			
2	0.011.6506.3	1	lubricator			








4 728 _ 295

BODY WORK

HOOD	
HOOD	17
HOOD	17
DEFLECTORS AND SUPPORTS	17
DEFLECTORS AND SUPPORTS	17
SUPPORTS	
BATTERY HOUSING AND TOOL KIT	17
PNEUMATIC CAB SUSPENSION	
PNEUMATIC CAB SUSPENSION	177.
PNEUMATIC CAB SUSPENSION	177.
PNEUMATIC CAB SUSPENSION	177.
PEDAL SUPPORT	
DASHBOARD - FOR MODELS WITH PLATFORM	17
DASHBOARD - FOR MODELS WITH CAB	
DASHBOARD - STEERING COVER	
DASHBOARD - TRACTORMETER AND CHECK-PANEL	18
PLATES	
CONSOLE - INSTRUMENT PANEL	
THROTTLE	
ELECTRONIC ACCELERATOR CONTROL	
ELECTRONIC ACCELERATOR CONTROL	
2WD - FRONT MUDGUARDS	
4WD - FRONT MUDGUARDS	
4WD - SELF-ADJUSTING FRONT FENDERS	
4WD - SELF-ADJUSTING FRONT FENDERS	
4WD - FRONT MUDGUARDS	
PLATFORM	
MUDGUARDS EXTENSIONS	
SUPPORTS	
LADDER AND FENDERS	
CAB WITH SUSPENSION	
CAB WITH SUSPENSION	
PNEUMATIC CAB SUSPENSION	
PNEUMATIC CAB SUSPENSION	
PLATTFORM-CONSOLE	
PLATTFORM-CONSOLE	· · · · · · · · · · · · · · · · · · ·
INTERIOR TRIM	
LICENSE PLATE FRAME AND SUPPORT	
HOLDING DEVICE - WHEEL CHOCK	
SPEED LABEL - 40 KM/H	
BRACKET	196.


BRACKET	196.2
SEAT FOR 2ND OPERATOR	197
SAFETY ARCH	
FUEL SUPPLY SYSTEM	200
GUARD FOR EXPORT D	201
FUEL SUPPLY SYSTEM	
FUEL SUPPLY SYSTEM	
FUEL SUPPLY SYSTEM	203
AIR FILTER PARTS	
AIR FILTER PARTS	
PRE-FILTER - COMPONENTS	
SEAT	207.1
SEAT	
SEAT-COMPONENTS	_
SEAT SPRINGING	
SEAT SPRINGING	
SEAT SPRINGING	
SEAT SPRINGING	212.9



Section: BODY WORK

HOOD

Fig.	Code	QTY	Name	
1	0.008.9715.3/30	1	bonnet	
			- X SILVER 80 - 90 - 100.4	
1	0.008.9716.3/30	1	bonnet	
•	0.000.0007.7/40		- X SILVER 100.6	
2	0.008.9687.7/40	1	side panel dx	
2	0.008.9689.7/40	1	- X SILVER 80 - 90 - 100.4 side panel dx	
2	0.006.9069.7740	1	- X SILVER 100.6	
2	0.008.9688.7/40	1	side panel sx	
2	0.000.9000.7740	'	- X SILVER 80 - 90 - 100.4	
2	0.008.9690.7/40	1	side panel sx	
_	0.000.0000.7710	•	- X SILVER 100.6	
3	0.008.9685.0	1	grille dx	
3	0.008.9686.0	1	grille sx	
4	0.008.9844.0	1	plate sx	
			- X SILVER 80 - 90 - 100.4	
4	0.008.9846.0	1	plate sx	
			- X SILVER 100.6	
4	0.008.9843.0	1	plate dx	
			- X SILVER 80 - 90 - 100.4	
4	0.008.9845.0	1	plate dx	
			- X SILVER 100.6	
5	0.007.7962.0	1	shield dx	
6	2.1899.074.0	18	rivet 4.9x15.9x17.2	
7	2.1310.001.2	18	flat washer 5.3x10	
8	0.008.9683.2	1 1	grille/grid	
9 10	0.008.9684.0 0.008.9414.0	10	hose clip stop	
11	0.008.9373.2/20	10	frame	
12	2.1129.004.0	2	selflock nut m 4	
13	2.6999.045.0	6	special nut	
14	2.4019.080.1	6	spring 5x7x12	
15	2.1310.001.2	12	flat washer 5.3x10	
16	2.0356.358.6	6	screw 4.2x25	
17	0.008.9842.0	2	plate	
			- X SILVER 80 - 90 - 100.4	
17	0.008.9847.0	2	plate	
			- X SILVER 100.6	
18	0.009.7524.2	1	cover	
19	2.3199.163.0	2	plug 10	
20	0.007.2881.2/10	1	plug	
21	0.007.2882.0/10	1	plate	
22	2.1129.004.0	3	selflock nut m 4	1/1



Section: BODY WORK


HOOD


Fig.	Code	QTY	Name
1	0.008.9834.0/20	1	panel
2	0.007.6200.0	1	panel
			- X SILVER 80 - 90 - 100.4
2	0.007.6201.0	1	panel
			- X SILVER 100.6
3	0.007.6197.0	1	panel
4	0.008.9097.2	1	plate SAME
5	0.269.7287.2	2	plate SAME
6	0.009.9797.2	2	plate SILVER
7	0.009.0829.2	2	plate design giugiaro
8	0.008.9833.0/10	1	panel
9	0.009.9798.2	2	plate 80
10	0.009.9799.2	1	plate 90
11	0.009.9800.2	2	plate 100.4
12	0.009.9801.2	2	plate 100.6
13	0.008.9832.0/20	1	panel
			- X SILVER 90 - 100.4
14	0.010.0060.0	2	plate agroshift
15	0.008.9848.0/10	1	panel
			- X SILVER 100.6
16	0.010.7122.0	2	plate
17	0.010.4855.0	1	panel
			- X SILVER 100.6
18	0.010.4854.0	1	panel


1/1

Section: BODY WORK

HOOD








Section: BODY WORK

DEFLECTORS AND SUPPORTS

Fig.	Code	QTY	Name	
1	0.008.9836.3/60	1	division	
1	0.007.6805.3/40	1	division	
•	0.001.0000.0710	•	- FOR TRACTORS WITH AIR CONDITIONING	
2	2.0112.215.2	1	screw m 8 p.1.25x40	
3	0.008.9872.0	1	bracket	
4	2.0112.205.2	5	screw m 8 p.1.25x16	
5	2.1470.004.2	11	lock washer 8	
6	2.0112.307.2	2	screw m 10 p.1.5x20	
7	2.1470.006.2	5	lock washer 10	
8	2.1310.004.2	9	flat washer 8.4x16	
9	2.0312.104.2	1	screw m 6 p.1x16	
10	2.1470.002.2	5	lock washer 6	
11	2.1310.002.2	5	flat washer 6.4x12.5	
12	2.1011.103.2	3	nut m 6 p.1	
13	0.008.9882.0	1	gasket	
14	0.008.3434.0	2	gasket	
16	0.008.9891.0	2	bracket	
17	2.1310.006.2	6	flat washer 10.5x20	
18	2.0122.205.2	3	screw m 8 p.1x16	
19	2.0112.005.2	2	screw m 6 p.1x16	
20	0.008.9893.0/10	1	clamp	
21	2.0112.211.2	2	screw m 8 p.1.25x30	
22	2.0399.227.2	1	screw m 8x180	
23	2.1120.221.2	1	selflock nut m 10 p.1.25	
24	2.1599.599.2	1	washer 10.5x30x5	
25	0.010.0463.4/10	1	shield	
26	2.0169.016.2	2	screw m 10x130	
27	0.007.6810.3/10	1	support	
28	0.007.6809.0/10	1	plate	
00	0.0040.000.0	4	- FOR TRACTORS WITH AIR CONDITIONING	
29	2.0312.330.2	1	screw m 10 p.1.5x140 - FOR TRACTORS WITH AIR CONDITIONING	
30	0.007.6808.3/20	1	division	
30	0.007.0000.3/20	ı	- FOR TRACTORS WITH AIR CONDITIONING	
31	0.010.4406.4	1		
		1	pulley guide	
32 33	2.3199.089.0 2.1411.019.1	1	small cover circlip 47	
34	2.1410.006.1	1	circlip 47	
34	2.1410.000.1	1	2408 <- X SILVER 80	
			4113 <- X SILVER 90	
			2318 <- X SILVER 100.4	
			4458 <- X SILVER 100.4	
34	2.1410.010.1	1	circlip 25	
U 1	2.1710.010.1	ı	·	1/2
			-> 2409 X SILVER 80	




Section: BODY WORK

DEFLECTORS AND SUPPORTS

Fig.	Code	QTY	Name	
			-> 4114 X SILVER 90	
			-> 2319 X SILVER 100.4	
			-> 4459 X SILVER 100.6	
35	2.2041.008.0	1	ball bearing 20x47x14	
			2408 <- X SILVER 80	
			4113 <- X SILVER 90	
			2318 <- X SILVER 100.4	
			4458 <- X SILVER 100.6	
35	2.2999.330.0	1	ball bearing 25x47x12	
			-> 2409 X SILVER 80	
			-> 4114 X SILVER 90	
			-> 2319 X SILVER 100.4	
			-> 4459 X SILVER 100.6	
36	0.000.0000.1	-	not serviceable	
37	2.1011.105.2	1	nut m 8 p.1.25	
38	2.0422.201.7	1	stud bolt m 8x16	

2/2



Section: BODY WORK Ref.: 175

DEFLECTORS AND SUPPORTS

DEFL	DEFLECTORS AND SUPPORTS				
Fig.	Code	QTY	Name		
1	0.008.9838.2/50	1	division		
1	0.007.6806.3/30	1	division		
			- FOR TRACTORS WITH AIR CONDITIONING		
2	0.009.3743.0	2	support		
3	0.009.3744.0/10	2	block		
4	2.1310.006.2	2	flat washer 10.5x20		
5	2.1690.307.2	2	split pin 3.2x18		
6	2.1011.103.2	1	nut m 6 p.1		
7	2.0112.005.2	9	screw m 6 p.1x16		
8	2.1470.002.2	6	lock washer 6		
9	2.1310.002.2	9	flat washer 6.4x12.5		
10	2.0112.009.2	1	screw m 6 p.1x25		
11	0.008.9902.2/40	1	bracket		
12	0.467.7693.0	2	block		
13	2.1671.104.2	1	pin 6x20		
14	2.1690.104.2	2	split pin 1.6x10		
15	0.009.6700.0/10	1	square		
			- FOR MODELS WITH CAB		
16	0.009.7552.0/10	1	square		
17	2.0112.307.2	1	screw m 10 p.1.5x20		
18	2.1470.006.2	1	lock washer 10		
19	0.007.6821.4	1	spring		
20	2.1631.205.2	1	pin 3x12		
21	2.4019.625.2	1	spring		
22	0.007.6822.2/10	1	rod		
23	0.007.6821.0/10	1	tube		

10 9

© 4

4 623 _ 176 _ 1

14

15 7

16

SILVER 90

Ref.: 176.1 Section: BODY WORK


SUPPORTS

Fig.	Code	QTY	Name

Notes:

- FOR TYPES WITH PNEUMATI SUSPENSION

1	0.008.9055.2/70	1	battery support
2	0.008.9056.0/30	1	cover
3	0.008.9558.3	1	crosspiece
4	0.008.9024.2	3	knob
5	2.1310.004.2	7	flat washer 8.4x16
6	2.0112.207.2	4	screw m 8 p 1.25x20
7	2.1470.004.2	6	lock washer 8
8	2.0112.609.2	2	screw m 16 p.2x25
9	2.1470.009.2	2	lock washer 16
10	2.1310.010.2	2	flat washer 17x30
11	2.0112.409.2	1	screw m 12 p.1.75x25
12	2.1470.007.2	1	lock washer 12
13	2.1011.107.2	1	nut m 12 p.1.75
14	0.008.9595.0/30	1	division
15	2.0112.205.2	2	screw m 8 p.1.25x16
16	2.6560.004.0	1	wire guide 10x2.5




2 614 _ 177 1

SILVER 90

Section: BODY WORK

BATTERY HOUSING AND TOOL KIT


Fig.	Code	QTY	Name
	0.000.0070.0440	4	over the Late of the control of the
1	0.009.6878.3/10	1	metal toolbox
2	0.007.6104.0/10	2	spring
3	2.0112.205.2	2	screw m 8 p.1.25x16
4	2.1470.004.2	2	lock washer 8
5	0.007.6103.0	2	guard
6	0.009.6879.2/10	1	support
7	2.1470.006.2	4	lock washer 10
8	2.1310.006.2	4	flat washer 10.5x20
9	0.009.6246.0	1	gasket
10	0.008.9376.2/30	1	plate
11	0.167.8450.0/10	1	crosspiece
12	2.0112.207.2	2	screw m 8 p 1.25x20
13	2.1470.004.2	2	lock washer 8
14	2.1310.004.2	2	flat washer 8.4x16
15	2.0112.305.2	4	screw m 10 p.1.5x16
16	0.010.9876.2	1	bracket
17	0.467.7317.3/40	1	metal toolbox
18	2.0112.207.2	4	screw m 8 p 1.25x20
19	2.1470.004.2	8	lock washer 8
20	2.1312.004.2	4	washer 9x24
21	2.0112.611.2	2	screw m 16 p.2x30
22	2.1470.009.2	2	lock washer 16
23	2.1011.105.2	4	nut m 8 p.1.25



Section: BODY WORK Ref.: 177.1

PNEUMATIC CAB SUSPENSION

SILVER 100.6
SILVER 100.6
SILVER 100.6



Section: BODY WORK Ref.: 177.2


PNEUMATIC CAB SUSPENSION

Code	QTY	Name
10 0E00 × V CII VED 00	> 4504	4966 - V CII VED 00 - 2504 2754 - V CII VED 400 4
	-> 4501 -	4866 <- X SILVER 90 -> 2504 - 2751 <- X SILVER 100.4
- 5200 N- X SILVLN 100.0		
0.012.0231.4	1	gear compressor
0.012.0230.4	1	tank
0.011.9879.0	1	pipe fitting
0.011.3305.0	1	connection
0.011.3294.0	1	tube
0.011.3295.0	1	tube
0.011.3334.3/10	1	clamp
0.011.3333.3/10	1	clamp
2.0112.223.2	2	screw m 8 p.1.25x70
2.1310.004.2	4	flat washer 8.4x16
2.1011.105.2	2	nut m 8 p.1.25
2.0312.204.2	4	screw m 8 p.1.25x16
2.0332.307.2	4	screw m 5x20
2.1310.001.2	4	flat washer 5.3x10
0.011.3346.3	1	electrical system
0.011.3350.0	1	sheath
2.6839.035.2	3	bracket
2.1142.003.2	3	insert m 5
2.1310.001.2	3	flat washer 5.3x10
2.0312.006.2	3	screw m 5 p.0.8x20
0.010.4795.3/10	1	wire
0.012.2715.4	1	wire
0.011.9759.0	1	pressure switch
0.011.2977.0	1	connection
	0.012.0231.4 0.012.0231.4 0.012.0230.4 0.011.9879.0 0.011.3305.0 0.011.3294.0 0.011.3295.0 0.011.3334.3/10 0.011.3333.3/10 2.0112.223.2 2.1310.004.2 2.1011.105.2 2.0312.204.2 2.0312.204.2 2.0332.307.2 2.1310.001.2 0.011.3346.3 0.011.3350.0 2.6839.035.2 2.1142.003.2 2.1310.001.2 2.0312.006.2 0.010.4795.3/10 0.012.2715.4 0.011.9759.0	0.012.0231.4 1 0.012.0230.4 1 0.011.3305.0 1 0.011.3294.0 1 0.011.3333.3/10 1 0.011.3333.3/10 1 0.011.2223.2 2 2.1310.004.2 4 2.1011.105.2 2 2.0312.204.2 4 2.1032.307.2 4 2.1310.001.2 4 0.011.3350.0 1 0.011.3350.0 1 0.011.3350.0 1 0.011.3350.0 1 0.011.3350.0 1 2.6839.035.2 3 2.1142.003.2 3 2.0312.006.2 3 0.010.4795.3/10 1 0.012.2715.4 1 0.011.9759.0 1

Section: BODY WORK Ref.: 177.3

PNEUMATIC CAB SUSPENSION

Fig.	Code	QTY	Name
NI - 4			
Notes:	31 X SILVER 80 -> 4867	X SILVER 9	0 -> 2752 X SILVER 100.4 -> 5261 X SILVER 100.6
-> 200	TIX GIEVER OU -2 4007	X OIL VLIV 3	5 -> 2732 X GIEVER 100.4 -> 3201 X GIEVER 100.0
17	0.012.3483.4	1	tank
23	2.3339.951.2	1	reduction
24	0.011.3305.0	1	connection
26	0.011.3295.0	2	tube
28	0.011.3334.3/10	1	clamp
29	0.011.3333.3/10	1	clamp
30	2.0112.223.2	2	screw m 8 p.1.25x70
31	2.1310.004.2	4	flat washer 8.4x16
32	2.1011.105.2	2	nut m 8 p.1.25
33	2.0312.204.2	4	screw m 8 p.1.25x16
40	2.6839.035.2	3	bracket
41	2.1142.003.2	3	insert m 5
42	2.1310.001.2	3	flat washer 5.3x10
43	2.0312.006.2	3	screw m 5 p.0.8x20
47	0.011.2977.0	1	connection
48	0.012.3379.0	1	valve
49	0.011.2973.0	1	connection
50	2.3339.951.2	1	reduction
52	0.010.6869.0	1	pipe union
53	2.1599.486.0	2	snoulder
54	2.1599.398.0	1	snoulder 21x32x3
55	2.1011.411.2	1	nut
56	2.6850.004.0	2	clamp 20-35
57	0.010.6852.0	1	tube
58	0.010.6847.0/20	1	bracket
59	0.012.3382.0	1	silencer
60	2.0112.225.2	2	screw m 8 p.1.25x80
61	2.1310.004.2	4	flat washer 8.4x16
62	2.1120.005.2	2	selflock nut m 8 p.1.25
63	2.3110.402.7	1	plug m 12 p.1.5
64	2.1560.008.0	1	gasket 12.2x18
65	2.1569.167.0	2	gasket 22.2x27x4.5
66	2.3335.009.2	2	pipe union m 22 p.1.5X39
67	2.1560.018.0	3	gasket 22.2x29
68	2.0112.511.2	1	screw m 14 p.2x30
69	2.1310.009.2	1	flat washer 15x28
70	0.012.3383.0	1	valve
71	2.1690.306.2	1	split pin 3.2x16
72	2.1560.017.0	2	gasket 22.2x27



12 0 10 11 623_177_4

SILVER 90

Section: BODY WORK Ref.: 177.4

PNEUMATIC CAB SUSPENSION

Fig.	Code	QTY	Name

Notes:

-> 2581 X SILVER 80 \rightarrow 4867 X SILVER 90 \rightarrow 2752 X SILVER 100.4 \rightarrow 5261 X SILVER 100.6 \rightarrow FOR TYPES WITHOUT PNEUMATIC BRAKE

1	0.011.8026.0	1	shim
2	2.0432.011.7	4	stud bolt m 8 p.1.25-1x40
3	2.1011.405.2	4	nut m 8 p.1
4	2.1310.004.2	3	flat washer 8.4x16
5	2.1651.506.0	2	cylindrical plug 6x14
6	0.012.1883.4	1	air compressor 90 cc
			F 326/1
7	0.010.6858.3/10	1	tube
8	2.1560.008.0	3	gasket 12.2x18
9	2.3339.769.2	1	pipe union
10	2.1480.014.2	1	washer
11	2.0313.214.2	1	screw
12	0.010.6854.3/40	1	tube
			- X SILVER 80 - 90 - 100.4
12	0.010.7033.3/30	1	tube
			- X SILVER 100.6

Section: BODY WORK PEDAL SUPPORT






Fig.	Code	QTY	Name
1	0.008.9926.3/40	1	support
2	0.008.2198.0	1	gasket
3	0.008.2199.0/10	1	gasket
4	2.0112.209.2	10	screw m 8 p 1.25x25
5	2.1470.004.2	10	lock washer 8
6	2.1310.004.2	10	flat washer 8.4x16
7	2.0112.205.2	4	screw m 8 p.1.25x16
8	2.1470.004.2	4	lock washer 8
9	0.008.9829.3/10	1	bracket sx
10	0.009.2964.0	1	channel dx
11	0.009.0641.2/40	1	bracket dx
12	2.1310.002.2	2	flat washer 6.4x12.5
13	2.1579.726.2/10	2	spacer 8.4x11.5x6
14	2.1142.004.2	2	nut m 6x3
15	2.1140.024.2	4	special nut m 8 p.1.25
16	2.1140.023.2	6	special nut m 8 p.1.25
17	2.0112.011.2	2	screw m 6 p.1x30
18	0.467.8151.0	1	gasket
19	0.009.8175.0/10	1	guard



Section: BODY WORK Ref.: 179

DASHBOARD - FOR MODELS WITH PLATFORM


DAGINGARD TOR MODELS WITH LATTORM						
Fig.	Code	QTY	Name			
1	0.009.9789.0/10	1	spacer			
2	0.009.9788.0/10	1	instrument holder			
3	2.0322.407.3	5	screw m 6x20			
4	2.6999.003.2	2	nut m 8			
5	2.6999.031.2	3	special nut m 6			
6	2.0332.406.3	10	screw m 6x16			
7	2.1312.003.3	10	washer 6.6x18			
8	0.008.9258.0/20	1	dashboard			
8	0.011.6747.0	1	dashboard			
			- X HYDRIVE			
9	2.0322.407.6	8	screw m 6x20			
10	2.6999.003.2	4	nut m 8			
11	0.009.9837.0	1	cover sx			
12	0.009.9838.0	1	cover dx			
13	2.0332.407.3	2	screw m 6x20			
14	2.1310.002.3	2	flat washer 6.4x12x1.6			
15	2.6999.024.2	4	special nut m 6			
16	0.009.9942.0	2	plate			
17	0.008.2658.0	1	ash-try			
18	0.009.0740.0	4	knob			
19	2.6999.033.2	4	special nut m 5			
20	0.010.9714.0	2	plug			
21	0.011.6915.0	1	plug 27.8-28.6/30.9			
22	0.011.6746.0	1	small plate			
			- X HYDRIVE			
23	2.0350.253.6	2	screw m 3.5x9.5			



Section: BODY WORK Ref.: 180

DASHBOARD - FOR MODELS WITH CAB

Fig.	Code	QTY	Name
1	0.008.9258.0/20	1	dashboard
1	0.009.0322.0/70	1	dashboard
			- FOR MODELS WITH ELECTRONIC ENGINE
			GOVERNOR
			* () <- N.2 - 010.9714.0
2	2.0322.407.6	11	screw m 6x20
3	2.6999.003.2	7	nut m 8
4	2.0332.407.3	3	screw m 6x20
5	2.1310.002.3	3	flat washer 6.4x12x1.6
6	2.6999.024.2	4	special nut m 6
7	2.6999.031.2	3	special nut m 6
8	0.010.4742.0	1	frame
8	0.009.0498.0/20	1	frame
			- FOR MODELS WITH ELECTRONIC ENGINE
			GOVERNOR
9	0.009.0500.0	5	plug
10	0.008.9581.0/10	1	instrument holder
10	0.010.5411.0	1	instrument holder
			- X HYDRIVE
11	0.009.0323.0/20	1	cover sx
12	0.009.0324.0/20	1	cover dx
13	2.6999.033.2	4	special nut m 5
14	0.008.2658.0	1	ash-try
15	0.009.0740.0	4	knob
16	0.011.6915.0	1	plug 27.8-28.6/30.9



Section: BODY WORK Ref.: 181


DASHBOARD - STEERING COVER


Fig.	Code	QTY	Name
1	0.009.0759.0/20	1	cover
2	0.009.0758.2/10	1	cover
3	2.0339.007.3	2	screw m 5x40
4	2.0332.306.2	2	screw m 5x16
5	2.0339.008.3	2	screw m 5x50
6	2.1499.095.3	6	washer 5
7	2.3199.256.0	1	plug 28X30 - FOR MODELS WITH PLATFORM

Section: BODY WORK Ref.: 182

DASHBOARD - TRACTORMETER AND CHECK-PANEL

Fig.	Code	QTY	Name
1	2.7049.840.0/10	1	multimeter
			- 30 Km/h - FOR MODELS WITH CAB
1	2.7049.850.0/10	1	multimeter
			- 40 Km/h - FOR MODELS WITH CAB
2	2.8339.104.0/20	1	panel
			- FOR MODELS WITH CAB
3	0.008.9575.0/10	1	frame
5	2.1855.010.0	4	rivet 3.4
6	2.9919.966.0/20	1	plate
7	2.8339.216.0/10	1	multimeter
			F 182/2
			- FOR MODELS WITH PLATFORM
			* 2441 <- X SILVER 80
			* 4251 <- X SILVER 90
			* 2392 <- X SILVER 100.4
			* 4651 <- X SILVER 100.6
			- N.1 - 2.7099.830.0






Section: BODY WORK Ref.: 182.1

PLATES

/ ``	2.125						
Fig.	Code	QTY	Name				
1	2.9929.288.0	1	plate				
2	2.9929.289.0	1	plate				
3	2.9929.290.0	1	plate				
4	2.9929.281.0	1	plate				
5	2.9929.304.0	1	plate				
6	2.9929.305.0/10	1	plate				
7	2.9929.544.0	1	plate				
8	2.9929.282.0/10	1	plate				
9	2.9929.568.0	1	plate				
10	2.9929.684.0	1	plate				
11	2.9929.699.0	1	plate				
12	2.9929.754.0	1	plate				



2_8339_216_0_10

SILVER 90

Section: BODY WORK

CONSOLE - INSTRUMENT PANEL

Fig.	Code	QTY	Name
1	2.8339.216.0/10	1	multimeter
2	0.010.3119.0	1	multimeter


1/1


Ref.: 182.2


Ref.: 183

Section: BODY WORK

THROTTLE








Section: BODY WORK Ref.: 184

ELECTRONIC ACCELERATOR CONTROL

Fig. Code QTY Name 1 0.009.0602.2/30 1 lever 2 2.1470.002.2 2 lock washer 6 3 2.1011.103.2 2 nut m 6 p.1 4 2.0112.007.2 2 screw m 6 p.1x20 5 2.0119.141.2 1 screw m 6 p.1x35 6 0.009.1250.0/10 1 support 7 2.1311.008.2 1 flat washer 12 8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.00	
2 2.1470.002.2 2 lock washer 6 3 2.1011.103.2 2 nut m 6 p.1 4 2.0112.007.2 2 screw m 6 p.1x20 5 2.0119.141.2 1 screw m 6 p.1x35 6 0.009.1250.0/10 1 support 7 2.1311.008.2 1 flat washer 12 8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
2 2.1470.002.2 2 lock washer 6 3 2.1011.103.2 2 nut m 6 p.1 4 2.0112.007.2 2 screw m 6 p.1x20 5 2.0119.141.2 1 screw m 6 p.1x35 6 0.009.1250.0/10 1 support 7 2.1311.008.2 1 flat washer 12 8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
3 2.1011.103.2 2 nut m 6 p.1 4 2.0112.007.2 2 screw m 6 p.1x20 5 2.0119.141.2 1 screw m 6 p.1x35 6 0.009.1250.0/10 1 support 7 2.1311.008.2 1 flat washer 12 8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
4 2.0112.007.2 2 screw m 6 p.1x20 5 2.0119.141.2 1 screw m 6 p.1x35 6 0.009.1250.0/10 1 support 7 2.1311.008.2 1 flat washer 12 8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
5 2.0119.141.2 1 screw m 6 p.1x35 6 0.009.1250.0/10 1 support 7 2.1311.008.2 1 flat washer 12 8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
6 0.009.1250.0/10 1 support 7 2.1311.008.2 1 flat washer 12 8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
7 2.1311.008.2 1 flat washer 12 8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
8 2.1430.010.7 1 circlip 9 9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
9 0.009.0643.0/10 1 stop 10 2.1470.004.2 1 lock washer 8 11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
10	
11 0.009.0702.0/10 1 small plate 12 2.0112.007.2 1 screw m 6 p.1x20 13 2.1470.002.2 1 lock washer 6 14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
12	
13	
14 2.1579.938.2/10 1 spacer 7x12x3.5 15 2.1630.206.0 1 roll pin 3x12 16 0.008.2082.2/10 1 accel. pedal 17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
15	
16	
17 0.008.2080.0/10 1 cover 18 0.008.2081.2/10 1 lever 19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
18	
19 2.1630.612.0 1 roll pin 6x28 20 2.1559.213.0 2 bushing 15.2x20x15	
20 2.1559.213.0 2 bushing 15.2x20x15	
U	
21 2.1690.410.2 1 split pin 4x25	
22 2.4049.079.2 1 spring	
23 0.008.2193.2/20 1 rod	
24 0.008.2192.2/20 1 rod	
25 2.1099.011.2 1 special nut	
26 2.1011.103.2 1 nut m 6 p.1	
27 2.1311.010.2 2 flat washer 16	
28 0.255.6456.0/10 1 pin mm 13	
29 2.0112.007.2 1 screw m 6 p.1x20	
30 2.1120.005.2 2 selflock nut m 8 p.1.25	
31 0.255.6454.0 2 pin seat	
32 2.1559.214.0/20 1 bushing	
33 2.0112.205.2 1 screw m 8 p.1.25x16	
34 2.1310.004.2 1 flat washer 8.4x16	
35 0.009.2679.0 1 pin	




Ref.: 185

Section: BODY WORK

ELECTRONIC ACCELERATOR CONTROL

Fig.	Code	QTY	Name	
1	0.010.4165.4/30	1	electronic unit	
1	0.010.4105.4/50	1	() <-	
1	0.007.7969.4/80	1	control box	
1	0.007.7909.4700	1	-> ()	
1	0.010.1069.4/80	1	control box	
1	0.010.1009.4/00	1	- X 30 Km/h	
			2299 <- X SILVER 80	
			3775 <- X SILVER 90	
			2082 <- X SILVER 100.4	
			3974 <- X SILVER 100.4	
1	0.011.3154.4/10	1	electronic unit - 30 Km\h	
I	0.011.3134.4/10	ı	- 30 Km/h	
			- 30 KIMI -> 2300 X SILVER 80	
			-> 3776 X SILVER 90	
			-> 2083 X SILVER 100.4	
4	0.007.7969.4/80	1	-> 3975 X SILVER 100.6 control box	
1	0.007.7909.4780	ļ	- 40 Km/h	
			- WITH MULTIFUNCTION CONTROL UNIT	
			2299 <- X SILVER 80 3775 <- X SILVER 90	
			2082 <- X SILVER 100.4 3974 <- X SILVER 100.6	
1	0.044.2455.4/40	1		
1	0.011.3155.4/10	1	electronic unit - 40 Km\h	
			- 40 Km/h - WITH MULTIFUNCTION CONTROL UNIT	
			-> 2300 X SILVER 80 -> 3776 X SILVER 90	
			-> 2083 X SILVER 100.4	
2	0.000.7620.4	1	-> 3975 X SILVER 100.6	
2	0.009.7620.4 0.008.8199.3	1 1	push-button potentiometer	
4	2.0332.203.2	4	screw m 4x10	
5	2.1310.028.2	4	flat washer 4.3x9	
6	2.1579.996.2	1		
7	0.009.7681.4/20	1	spacer 8x14x12	
1	0.009.7001.4/20	ı	electrical system	
7	0.010.0404.4	1	() <-	
7	0.010.0404.4	1	electrical system - 30 Km/h	
			1840 <- X SILVER 80	
			2416 <- X SILVER 90	
			1607 <- X SILVER 100.4	
7	0.010.0404.4/20	4	2554 <- X SILVER 100.6	1/2
7	0.010.0404.4/20	1	electrical system	




Section: BODY WORK

ELECTRONIC ACCELERATOR CONTROL

Fig.	Code	QTY	Name
			- X 30 Km/h
			* () <- 010.6802.3
			-> 1841 - 2299 <- X SILVER 80
			-> 2417 - 3775 <- X SILVER 90
			-> 1608 - 2082 <- X SILVER 100.4
			-> 2555 - 3974 <- X SILVER 100.6
7	0.011.3210.4	1	electrical system
			-> 2300 X SILVER 80
			-> 3776 X SILVER 90
			-> 2083 X SILVER 100.4
			-> 3975 X SILVER 100.6
7	0.010.0181.4/10	1	electrical system
			- X 30 Km/h
			- WITH MULTIFUNCTION CONTROL UNIT
			1840 <- X SILVER 80
			2416 <- X SILVER 90
			1607 <- X SILVER 100.4
			2554 <- X SILVER 100.6
7	0.010.0405.4/20	1	electrical system
			- X 30 Km/h
			- WITH MULTIFUNCTION CONTROL UNIT
			* () <- 010.6802.3
			-> 1841 - 2299 <- X SILVER 80
			-> 2417 - 3775 <- X SILVER 90
			-> 1608 - 2082 <- X SILVER 100.4
			-> 2555 - 3974 <- X SILVER 100.6
7	0.011.3214.4	1	electrical system
			- WITH MULTIFUNCTION CONTROL UNIT
			-> 2300 X SILVER 80
			-> 3776 X SILVER 90
			-> 2083 X SILVER 100.4
_			-> 3975 X SILVER 100.6
8	2.1011.101.2	4	nut m 4
9	2.0332.203.3	4	screw m 4x10
10	2.0112.015.2	1	screw m 6 p.1x40
11	0.008.1961.0/10	1	bracket
12	2.0112.007.2	1	screw m 6 p.1x20
13	2.1310.002.2	2	flat washer 6.4x12.5

2/2




Section: BODY WORK

2WD - FRONT MUDGUARDS

Fig.	Code	QTY	Name
1	0.163.7630.0/10	2	fender mm 240 - X 7.50-18" - 7.50-20" - X SILVER 80 - 90
1	0.158.7662.0/10	2	fender mm 265 - X 9.00-16" - 10.0-16"
1	0.163.7632.0/10	2	fender mm 310 - X 11.00x16"
2	0.261.7630.4/10	1	support dx
2	0.261.7631.4/10	1	support sx
2	0.011.5870.2	1	support dx - X 11.00x16"
2	0.011.5874.2	1	support sx - X 11.00x16"
3	2.0029.503.6	12	screw m 8x25
4	2.1470.004.2	12	lock washer 8
5	2.1011.105.2	12	nut m 8 p.1.25
6	2.0112.311.2	2	screw m 10 p.1.5x30
7	2.1470.006.2	2	lock washer 10
8	2.0112.309.2	4	screw m 10 p.1.5x25
9	2.1470.006.2	4	lock washer 10

1/1



2 614 - 187 1


SILVER 90

Ref.: 187

Section: BODY WORK

4WD - FRONT MUDGUARDS

Fig.	Code	QTY	Name	
1	0.255.7632.0/10	2	fender mm 355	
1	0.233.7032.0/10	2	- X 11.6 R24"	
			- X 11.0 (24 - X SILVER 80	
2	0.290.7665.2	1	support sx	
2	0.007.6359.2	1	• •	
2	0.007.0359.2	'	support sx - FOR TYPES WITH "S.B.A. SYSTEM"	
2	0.290.7664.2	1	support dx	
3	2.0029.503.6	16	screw m 8x25	
4	2.0112.423.2	8	screw m 12 p.1.75x70	
4	2.0112.426.2	8	screw m 12 p.1.75x85 - FOR TYPES WITH "S.B.A. SYSTEM"	
5	2.1011.105.2	16	nut m 8 p.1.25	
6	2.1470.004.2	16	lock washer 8	
7	2.1579.984.2	8	spacer 13x30x25	
7	2.1549.260.2	4	spacer 13x30x43	
•		•	- FOR TYPES WITH "S.B.A. SYSTEM"	
8	0.202.7632.0/20	2	fender mm 400	
			- X 12.4 R28" - 14.9 R24" - 380/70 R28"	
9	0.290.7667.2	1	support sx	
9	0.007.6359.2	1	support sx	
			- FOR TYPES WITH "S.B.A. SYSTEM"	
9	0.290.7666.2	1	support dx	
10	2.0029.503.6	16	screw m 8x25	
11	2.0112.417.2	8	screw m 12 p.1.75x45	
11	2.0112.417.2	4	screw m 12 p.1.75x45	
			- FOR TYPES WITH "S.B.A. SYSTEM"	
11	2.0112.426.2	4	screw m 12 p.1.75x85	
			- FOR TYPES WITH "S.B.A. SYSTEM"	
12	2.1011.105.2	16	nut m 8 p.1.25	
13	2.1470.004.2	16	lock washer 8	
14	0.255.7632.0/10	2	fender mm 355	
			- X 13.6 R28"	
15	0.290.7667.2	1	support sx	
15	0.007.6359.2	1	support sx	
			- FOR TYPES WITH "S.B.A. SYSTEM"	
15	0.290.7666.2	1	support dx	
16	2.0029.503.6	16	screw m 8x25	
17	2.0112.417.2	8	screw m 12 p.1.75x45	
17	2.0112.417.2	4	screw m 12 p.1.75x45	
			- FOR TYPES WITH "S.B.A. SYSTEM"	
17	2.0112.426.2	4	screw m 12 p.1.75x85	
			- FOR TYPES WITH "S.B.A. SYSTEM"	
18	2.1011.105.2	16	nut m 8 p.1.25	1/2
19	2.1470.004.2	16	lock washer 8	-,-



2 614 - 187 1


SILVER 90

Section: BODY WORK

4WD - FRONT MUDGUARDS

Fig.	Code	QTY	Name
9.			
20	0.010.1729.0	2	fender mm 470
			- X 16.9 R24" - 420/70 R24"
21	0.290.7667.2	1	support sx
21	0.007.6359.2	1	support sx
			- FOR TYPES WITH "S.B.A. SYSTEM"
21	0.290.7666.2	1	support dx
22	2.0029.503.6	16	screw m 8x25
23	2.0112.417.2	8	screw m 12 p.1.75x45
23	2.0112.417.2	4	screw m 12 p.1.75x45
			- FOR TYPES WITH "S.B.A. SYSTEM"
23	2.0112.426.2	4	screw m 12 p.1.75x85
			- FOR TYPES WITH "S.B.A. SYSTEM"
24	2.1011.105.2	16	nut m 8 p.1.25
25	2.1470.004.2	16	lock washer 8
26	2.1599.484.2	8	spacer 13x26x4

2/2



Section: BODY WORK Ref.: 187.1

Name


QTY

4WD - SELF-ADJUSTING FRONT FENDERS

Fig.

Code

Notes: - FOR	R TYPES WITHOUT "S.B.A	SYSTEM	ı,	
1	0.011.3341.2	2	plate dx	
2	2.0112.415.2	6	screw m 12 p.1.75x40	
3	0.011.1416.3/10	1	bracket dx	
3	0.011.1428.3/10	1	bracket sx	
5	2.0112.313.2	2	screw m 10 p.1.5x35	
6	2.1011.106.2	2	nut m 10 p.1.5	
7	0.011.3409.0	2	bracket	
8	2.0112.411.2	4	screw m 12 p.1.75x30	
12	2.0112.311.2	8	screw m 10 p.1.5x30	
13	2.1475.203.2	8	spring washer 10	
14	0.011.3619.2	1	chassis frame dx	
			- X 12.4R28"	
14	0.011.3618.2	1	chassis frame sx	
			- X 12.4R28"	
14	0.011.3461.2	1	chassis frame dx	
			- X 16.9R24"	
			- X 380/70R28" - 420/70R24"	
14	0.011.3462.2	1	chassis frame sx	
			- X 16.9R24"	
			- X 380/70R28" - 420/70R24"	
14	0.011.3459.2/10	1	chassis frame dx	
			- X 13.6R24" - 14.9R24" - 13.6R28"	
14	0.011.3460.2/10	1	chassis frame sx	
40	0.0440.447.0	•	- X 13.6R24" - 14.9R24" - 13.6R28"	
16	2.0112.417.2	8	screw m 12 p.1.75x45	
17	2.1475.204.2	14	washer 12	
18	2.1011.107.2	4	nut m 12 p.1.75	
19	0.010.9844.0	4	plug	
20	0.163.7632.0/10	2	fender mm 310 - X 12.4 R28"	
20	0.010.1729.0	2	fender mm 470	
20	0.010.1729.0	2	- X 16.9R24"	
20	0.255.7632.0/10	2	fender mm 355	
20	0.200.7 002.0/10	2	- X 13.6R24" - 14.9R24" - 13.6R28"	
20	0.202.7632.0/20	2	fender mm 400	
	0.202 302.0,20	-	- X 380/70R28" - 420/70R24"	
21	0.010.9845.0/10	6	plate	
		-	- X 12.4 R28"	
21	0.011.3380.0	6	plate	
			- X 16.9R24"	1/2
21	0.011.1295.0/10	6	plate	1/2



Section: BODY WORK Ref.: 187.1

4WD - SELF-ADJUSTING FRONT FENDERS


- 13.6R28" R24"
R24"
- 13.6R28"
R24"




Section: BODY WORK Ref.: 187.2

4WD - SELF-ADJUSTING FRONT FENDERS

Fig.	Code	QTY	Name	
Notes:				
	R TYPES WITH "S.B.A. SY	STEM"		
1	0.011.3341.2	1	plate dx	
1	0.011.1390.2/10	1	plate sx	
2	2.0112.415.2	3	screw m 12 p.1.75x40	
3	0.011.1416.3/10	1	bracket dx	
4	0.011.1427.3/10	1	bracket sx	
5	2.0112.313.2	2	screw m 10 p.1.5x35	
6	2.1011.106.2	2	nut m 10 p.1.5	
7	0.011.3409.0	2	bracket	
8	2.0112.411.2	4	screw m 12 p.1.75x30	
9	2.0112.309.2	4	screw m 10 p.1.5x25	
10	2.1480.016.2	2	spring washer 12	
11	2.0312.420.2	3	screw m 12x70	
12	2.0112.311.2	4	screw m 10 p.1.5x30	
13	2.1475.203.2	8	spring washer 10	
14	0.011.3619.2	1	chassis frame dx	
			- X 12.4 R28"	
14	0.011.3618.2	1	chassis frame sx	
			- X 12.4 R28"	
14	0.011.3461.2	1	chassis frame dx	
			- X 16.9R24"	
			- X 380/70R28" - 420/70R24"	
14	0.011.3462.2	1	chassis frame sx	
			- X 16.9R24"	
	0.044.0450.0440		- X 380/70R28" - 420/70R24"	
14	0.011.3459.2/10	1	chassis frame dx	
4.4	0.044.0400.0440		- X 13.6R24" - 14.9R24" - 13.6R28"	
14	0.011.3460.2/10	1	chassis frame sx	
10	0.0440.447.0	0	- X 13.6R24" - 14.9R24" - 13.6R28"	
16	2.0112.417.2	8	screw m 12 p.1.75x45	
17	2.1599.584.2	24	snoulder 9x30x2	
17	2 1500 504 2	40	- X 16.9R24"	
17	2.1599.584.2	12	snoulder 9x30x2	
18	2.1011.107.2	4	nut m 12 p.1.75	
19	0.010.9844.0	4	plug	
20	0.163.7632.0/10	2	fender mm 310 - X 12.4 R28"	
20	0.010.1729.0	2	fender mm 470	
20	0.010.1720.0	_	- X 16.9R24"	
20	0.255.7632.0/10	2	fender mm 355	
20	3.200.7 302.0/10	_	- X 13.6R24" - 14.9R24" - 13.6R28"	1 /2
20	0.202.7632.0/20	2	fender mm 400	1/2
_0	3.202.1 302.0/20	_	ionadi ilili ioo	






Section: BODY WORK Ref.: 187.2

4WD - SELF-ADJUSTING FRONT FENDERS

Fig.	Code	QTY	Name
			- X 380/70R28" - 420/70R24"
21	0.010.9845.0/10	6	plate
			- X 12.4 R28"
21	0.011.3380.0	6	plate
			- X 16.9R24"
21	0.011.1295.0/10	6	plate
			- X 13.6R24" - 14.9R24" - 13.6R28"
			- X 380/70R28" - 420/70R24"
22	2.0112.307.2	6	screw m 10 p.1.5x20
23	2.1599.082.0	6	snoulder 11x35x3
24	2.0020.205.2	24	screw m 8 p.1.25x20
			- X 16.9R24"
24	2.0020.205.2	12	screw m 8 p.1.25x20
25	2.1470.004.2	24	lock washer 8
			- X 16.9R24"
25	2.1470.004.2	12	lock washer 8
26	2.1011.105.2	24	nut m 8 p.1.25
			- X 16.9R24"
26	2.1011.105.2	12	nut m 8 p.1.25
27	0.011.3407.0/10	2	small plate
28	0.011.3452.4/10	1	support dx
			F 187/3
28	0.011.3457.4/10	1	support sx F 187/3




Section: BODY WORK Ref.: 187.3

4WD - FRONT MUDGUARDS

	1112 1110111 111020071120			
Fig.	Code	QTY	Name	
1	0.011.3452.4/10	1	support dx	
1	0.011.3457.4/10	1	support sx	
2	0.000.0000.1	-	not serviceable	
3	2.1530.187.0	1	'o' ring	
4	2.2520.009.0	2	roller bearing 40x80x19.75	
5	2.3820.105.2	1	lubricator m 10 p.1x7	
6	2.1220.009.2	1	ring nut	
7	0.011.3445.0	1	small cover	
8	0.011.3446.0	2	pin	
9	2.4049.212.2	1	spring	
10	2.0112.313.2	1	screw m 10 p.1.5x35	
11	2.1011.106.2	1	nut m 10 p.1.5	
12	0.000.0000.1	-	not serviceable	
13	0.012.1972.0	1	stop	


1/1



Section: BODY WORK

PLATFORM

1	LATION			
Fig.	Code	QTY	Name	
1	0.010.4991.3/10	1	platform	
2	0.009.0336.0/10	1	fender dx	
2	0.009.0588.0/10	1	fender dx	
			- FOR TYPE WITH EXTENSION	
2	0.009.0337.0/10	1	fender sx	
2	0.009.0587.0/10	1	fender sx	
			- FOR TYPE WITH EXTENSION	
3	0.012.6424.0	1	gasket dx	
3	0.012.6439.0	1	gasket sx	
4	2.0112.209.2	16	screw m 8 p 1.25x25	
5	2.1310.004.2	32	flat washer 8.4x16	
6	2.1470.004.2	16	lock washer 8	
7	2.1011.105.2	16	nut m 8 p.1.25	
8	0.009.9784.0/10	1	baffle dx	
9	0.009.9785.0/10	1	baffle sx	
10	2.1140.018.2	4	nut 6 p.1	
11	2.1549.209.3	4	spacer	
12	2.1569.165.0	8	gasket 7x15	
13	2.1312.003.3	4	washer 6.6x18	
14	2.0332.413.3	4	screw m 6x50	
15	0.008.9097.2	2	plate SAME	
16	0.264.7226.2	2	plate SAME	
17	2.1129.004.0	10	selflock nut m 4	
18	2.9929.566.0	1	plate " CE "	
			•	



Section: BODY WORK


MUDGUARDS EXTENSIONS

Fig.	Code	QTY	Name
1	0.009.0674.0/10	1	extension sx
1	0.009.0675.0/10	1	extension dx
2	2.1579.774.2	22	spacer 8.4x12x6.5
3	0.009.0676.0	22	small block
4	0.009.0677.0/10	22	brace
5	2.0112.209.2	22	screw m 8 p 1.25x25
6	2.1011.105.2	22	nut m 8 p.1.25

1/1

Section: BODY WORK

SUPPORTS




- FOR SUSPENDED CAB - MECHANICAL

- FOR SUSPENDED CAB - PNEUMATIC

5—————————————————————————————————————	2
	-1 -3 -4
12	6——20
15 4 14	
13 4 16 2 614 <u>190 1</u>	18

Section: BODY WORK







LADDER AND FENDERS			
Fig.	Code	QTY	Name
1	0.009.0491.3/20	1	splash-guards sx
2	0.009.0492.3/20	1	splash-guards dx
3	0.009.0504.3/10	1	support sx
4	0.009.0506.3/10	1	support dx
5	2.0112.209.2	18	screw m 8 p 1.25x25
6	2.1470.004.2	28	lock washer 8
7	2.1011.105.2	18	nut m 8 p.1.25
8	2.1399.001.3	8	washer 8.4x17
9	2.0112.205.2	4	screw m 8 p.1.25x16
10	0.009.0688.0	2	gasket
11	2.6560.002.0	4	wire guide 8x1.5
12	0.010.1256.2	1	climbing steps dx
			* () <-
			- N.1 010.1258.2
			- N.1 2.0119.190.2
12	0.010.1257.2	1	climbing steps sx
			* () <-
			- N.1 010.1259.2
			- N.1 2.0119.190.2
13	0.010.1258.2	1	climbing steps dx
13	0.010.1259.2	1	climbing steps sx
14	0.008.9216.0/30	1	guard sx
15	0.008.9217.0/30	1	guard dx
16	2.0112.422.2	4	screw m 12 p.1.75x65
17	2.1310.007.2	8	flat washer 13x24
18	2.0112.207.2	4	screw m 8 p 1.25x20
19	2.1399.001.3	8	washer 8.4x17
20	0.009.0210.0/10	4	plug 30x38x9
21	0.007.6101.0	1	guard dx
22	0.007.6102.0	1	guard sx
23	2.1011.105.2	4	nut m 8 p.1.25
24	2.1470.004.2	4	lock washer 8
25	2.1470.007.2	4	lock washer 12
26	2.0119.190.2	2	screw m 16x60



Section: BODY WORK **CAB WITH SUSPENSION**





1/1

Ref.: 191.1


Section: BODY WORK Ref.: 191.2

CAB WITH SUSPENSION

Fig.	Code	QTY	Name		
Notes:					
- FOR	SUSPENDED (CAB - PNEUMATIC			

Notes: - FOF	R SUSPENDI
1	0.011.1
2	0.011.1
3	0.011.1
4	2.3339.
5	0.011.3
6	0.011.3
7	0.011.3
8	0.011.2
9	0.011.3
10	0.011.3
11	0.011.3
12	2.6839.
13	2.1470.
14	2.1011.
15	2.0112.
16	2.1470.
17	2.1011.
18	0.011.3
19	0.011.3
20	2.1310.
21	0.010.8
22	0.011.3

1	0.011.1188.2	1	support dx
2	0.011.1190.2	1	support sx
3	0.011.1154.4	1	valve
4	2.3339.853.2	2	reduction
5	0.011.3305.0	3	connection
6	0.011.3306.0	2	tube
7	0.011.3307.0	1	tube
8	0.011.2976.0	1	connection
9	0.011.3308.2	1	bracket
10	0.011.3296.0	1	rod
11	0.011.3351.0	2	sheath
12	2.6839.049.2	4	bracket
13	2.1470.007.2	2	lock washer 12
14	2.1011.107.2	2	nut m 12 p.1.75
15	2.0112.007.2	2	screw m 6 p.1x20
16	2.1470.002.2	2	lock washer 6
17	2.1011.103.2	7	nut m 6 p.1
18	0.011.3328.0	1	joint
19	0.011.3332.0	1	joint
20	2.1310.002.2	2	flat washer 6.4x12.5
21	0.010.8293.4	2	spring
22	0.011.3301.2	1	support
23	2.0112.317.2	2	screw m 10 p.1.5x45
24	2.1470.006.2	2	lock washer 10
25	2.1579.896.2	2	spacer 11x24x8



Section: BODY WORK Ref.: 191.3

PNEUMATIC CAB SUSPENSION


Fig.	Code	QTY	Name
		,	

Notes:

- FOR TYPES WITH AIR TRAILER BRAKING 2568 <- X SILVER 80 4780 <- X SILVER 90 2700 <- X SILVER 100.4 5182 <- X SILVER 100.6

1	0.010.6856.3/10	1	tube
2	2.1560.010.0	1	gasket 14.2x20
3	2.3339.280.1/10	1	pipe union m 14 p.1.5X42
4	2.3339.854.2/10	1	reduction

1/1



Section: BODY WORK Ref.: 191.4

PNEUMATIC CAB SUSPENSION


Fig.	Code	QTY	Name

Notes:

- FOR TYPES WITH AIR TRAILER BRAKING -> 2569 X SILVER 80 -> 4781 X SILVER 90 -> 2701 X SILVER 100.4 -> 5183 X SILVER 100.6

1	0.011.3305.0	2	connection
2	0.011.3307.0	1	tube
3	2.3339.911.2	1	pipe union

1/1




Section: BODY WORK

PLATTFORM-CONSOLE

Fig.	Code	QTY	Name
1	0.009.3701.3/20	1	radio consolle
2	0.009.9980.3/10	1	handle
3	0.009.9976.3/10	1	handle dx
4	2.0112.207.2	3	screw m 8 p 1.25x20
5	2.1470.004.2	5	lock washer 8
6	2.0112.211.2	2	screw m 8 p.1.25x30
7	2.0350.757.2	3	screw 6.3x22
8	0.257.7653.0	3	washer
9	2.6999.039.0/10	3	special nut
10	2.0399.170.3	8	screw m 5x25
11	2.6999.040.0	8	nut
12	2.1310.028.2	1	flat washer 4.3x9
13	2.6999.042.0	1	spring
14	2.0350.455.2	1	screw 4.2x16
15	2.1142.005.2	2	insert m 8
16	0.009.0500.0	1	plug
17	0.009.0213.0	1	stop 4
18	0.009.0214.0	1	stop 3
19	0.009.0215.0	1	stop 2
20	0.009.0216.0	1	stop 1
21	2.1660.117.2	4	pin 6x90x84
22	2.1690.106.2	4	split pin 1.6x16
23	0.009.0218.0	1	support
24	0.009.0219.0	1	panel
25	0.009.0226.0/10	1	push-button
26	2.1630.006.0	1	roll pin 2x12
27	2.1699.256.0	1	pin
28	0.009.0285.0/10	1	spring
29	0.010.0698.0	1	panel
30	0.009.0210.0/10	2	plug 30x38x9

1/1




Section: BODY WORK

PLATTFORM-CONSOLE

Fig.	Code	QTY	Name
1	0.009.6864.0	1	radio consolle
2	0.009.1670.0	1	brush
3	2.0350.253.0	2	screw 3.5x9.5
4	2.6999.042.0	11	spring
5	2.0352.407.3	11	screw 4.2x22
6	2.0350.757.2	5	screw 6.3x22
7	0.257.7653.0	5	washer
8	2.6999.039.0/10	5	special nut
9	2.6999.038.0	4	special nut 4.2
10	0.009.0724.3	1	handle
11	2.1470.004.2	2	lock washer 8
12	2.0112.207.2	2	screw m 8 p 1.25x20
13	0.009.3838.0	1	gasket
14	0.009.3837.0	1	channel
15	0.009.3834.0/10	1	cover
16	2.0332.306.2	7	screw m 5x16
17	2.1310.001.3	7	washer 5.3x10
18	2.6999.033.2	7	special nut m 5

1/1




Section: BODY WORK

INTERIOR TRIM

Fig.	Code	QTY	Name
1	0.012.1490.0	1	small carpet
2	0.009.9641.0	1	sound deadening sx
3	0.009.9642.0	1	sound deadening dx
4	0.009.0338.0/10	4	stop dx
5	0.009.0339.0/10	1	stop sx
6	2.0399.164.3	6	screw m 6x40
7	2.3199.219.0	4	plug 10x22.5x22
8	2.0112.207.2	6	screw m 8 p 1.25x20
9	2.1310.004.2	6	flat washer 8.4x16
10	0.170.6852.3	4	support
11	0.009.0480.0	3	gasket
12	2.1142.005.2	8	insert m 8
13	0.010.1327.0	1	metal strap

1/1




Section: BODY WORK Ref.: 195

LICENSE PLATE FRAME AND SUPPORT

Fig.	Code	QTY	Name
1	0.009.0512.3/10	1	plate holder
1	0.009.0513.3/10	1	plate holder - EXPORT F
2	2.0122.207.2	2	screw m 8 p.1x20
3	2.1470.004.2	2	lock washer 8
4	2.1011.405.2	2	nut m 8 p.1
5	0.146.8581.3	1	support
6	0.154.8562.0	1	u bolt
7	2.0099.014.0/20	4	screw m 6x20
8	2.1499.097.3	4	washer 6
9	2.1011.103.2	4	nut m 6 p.1
10	0.008.3438.2	1	support
11	2.0099.014.0/20	5	screw m 6x20
12	2.1499.097.3	5	washer 6
13	2.1011.103.2	5	nut m 6 p.1
14	0.008.8331.0	1	disc 40 Km/h

1/1



9_52676_10_0_0

SILVER 90

Section: BODY WORK Ref.: 195.1

HOLDING DEVICE - WHEEL CHOCK

Fig.	Code	QTY	Name

Notes: - EXPORT D

1 04415868 plate




623_196

SILVER 90

Section: BODY WORK

SPEED LABEL - 40 KM/H

Fig.	Code	QTY	Name	
Notes:	ALY -			
1	0.010.9969.0	1	disc 40 Km/h	



623_196_1


SILVER 90

Section: BODY WORK

BRACKET

Fig.	Code	QTY	Name
1	0.011.0006.2	1	support

Ref.: 196.1



Section: BODY WORK

BRACKET

Fig.	Code	QTY	Name
1	0.011.6973.0	1	bracket
2	2.0112.409.2	2	screw m 12 p.1.75x25
3	2.1475.204.6	4	washer
4	2.1011.107.2	2	nut m 12 p.1.75
5	2.0112.005.2	2	screw m 6 p.1x16
6	2.1470.002.2	4	lock washer 6
7	2.1011.103.2	2	nut m 6 p.1

623_196_2

1/1


Ref.: 196.2

Section: BODY WORK

Ref.: 197


SEAT FOR 2ND OPERATOR

Fig.	Code	QTY	Name
1	0.009.1141.3/20	1	seat
2	2.1559.227.0	1	
		1	bushing
3 4	0.009.1132.0	2	bushing
-	0.009.1128.2		hinge
5	0.009.1133.2	1	top link
6	0.009.1136.0/10	1	small block
7	0.009.1126.0/10	1	stop
8	0.009.1127.0	1	metal strap
9	2.1579.993.2	2	spacer 8x14x14
10	0.009.0765.2	1	backrest
11	2.1579.997.2	1	spacer 6.5x14x7.5
12	0.009.1158.0	1	knob
13	2.1399.003.3	1	washer 6.4x12.5
14	2.1499.097.3	1	washer 6
15	2.0119.162.3	1	screw m 6x30
16	2.1470.004.2	1	lock washer 8
17	2.1011.105.2	1	nut m 8 p.1.25
18	2.1310.002.2	1	flat washer 6.4x12.5
19	2.1120.006.2	1	nut m 10 p.1.5
20	2.1310.002.2	1	flat washer 6.4x12.5
21	2.1120.006.2	1	nut m 10 p.1.5
22	2.1310.002.2	4	flat washer 6.4x12.5
23	2.1011.103.2	4	nut m 6 p.1
24	2.1470.004.2	2	lock washer 8
25	2.1011.105.2	2	nut m 8 p.1.25
26	2.1312.004.3	1	washer 9x24
27	2.1140.019.2	1	nut m 6 p.1
28	2.0322.513.3	2	screw m 8x50
29	2.1420.002.0	1	circlip a 8
30	0.011.5415.4	1	backrest
31	0.011.5409.0	1	guard
32	2.1312.004.3	1	washer 9x24
33	0.011.5402.2	1	support
34	2.0112.211.2	1	screw m 8 p.1.25x30
35	2.1312.004.3	1	washer 9x24
36	0.011.5410.0/10	1	screw
50	0.011.0410.0/10	'	30.011



Section: BODY WORK






<u> </u>	2.1.7.1.0.1				
Fig.	Code	QTY	Name		
1	0.009.9764.3/40	1	safety frame		
2	2.1599.698.2	6	snoulder		
3	2.1475.206.2	6	spring washer 16		
4	2.0113.615.2	6	screw m 16 p.2x40		
5	0.009.6503.0	1	cover dx		
6	0.009.3936.0	1	cover sx		
7	2.1599.708.0	2	washer		
8	2.0332.403.3	2	screw m 6x1x10		
9	2.0332.409.3	8	screw 6x30		
10	2.0312.408.3	2	screw m 12 p.1.75x25		
11	2.1475.204.2	2	washer 12		
12	2.1310.007.3	2	flat washer 13x24		
13	2.1142.010.2	8	nut m 6X16.5		
14	0.9125.662.0	8	washer 6.4x12.5		
15	0.009.6506.0/10	1	cover dx		
16	0.009.6507.0/10	1	cover dx		
17	0.009.6505.0	1	cover sx		
18	0.009.6504.0/10	1	cover sx		
19	0.009.7547.4/10	1	rear view mirror sx		
19	0.007.6100.4	1	rear view mirror dx		
20	0.9233.183.3	1	rear view mirror		
22	2.0362.307.3	4	screw m 8x20		

Section: BODY WORK


Ref.: 200






	SUPPLY SYSTEM	QTY	Name	
Fig.	Code	QIT	Name	
1	0.008.9204.3/90	1	tank	
2	0.011.5133.0	1	plug m 12	
3	2.1530.056.0	1	'o' ring 21.82x3.53	
4	0.008.9280.4	1	pluq	
5	2.7059.700.0/20	1	float level	
5	2.7033.700.0/20	ı	2436 <- X SILVER 80	
			4224 <- X SILVER 90	
			2354 <- X SILVER 100.4	
			4573 <- X SILVER 100.6	
5	2.7059.996.0	1	float level	
5	2.7000.000.0	ı	-> 2437 X SILVER 80	
			-> 4225 X SILVER 90	
			-> 2355 X SILVER 100.4	
			-> 4574 X SILVER 100.6	
6	2.1011.101.6	6	nut m 4	
7	2.1311.002.2	6	flat washer 4	
8	0.007.6792.3	1	tube	
9	2.3332.004.1	1	pipe union m 14 p.1.5x27	
10	2.1560.010.0	2	gasket 14.2x20	
12	0.008.9765.0	1	tube	
13	0.98503.67.0	1	clamp	
14	2.6850.002.0	6	clamp 12-22	
15	0.008.9761.3/10	1	tube	
16	2.3339.035.1	1	pipe union	
17	2.1569.118.0	2	gasket 12.5x18x2.5	
18	2.0112.007.2	1	screw m 6 p.1x20	
19	0.154.6381.0	2	terminal	
20	2.1470.002.2	1	lock washer 6	
21	2.1011.103.2	1	nut m 6 p.1	
22	0.007.6764.3	1	bracket	
23	0.008.9209.0/10	2	gasket	
24	0.008.9208.2/20	1	hose clip	
25	2.0112.424.2	2	screw m 12 p.1.75x75	
26	2.1470.007.2	2	lock washer 12	
27	2.1310.007.2	2	flat washer 13x24	
28	2.0112.321.2	2	screw m 10 p.1.5x60	
29	2.1470.006.2	2	lock washer 10	
30	2.1310.006.2	2	flat washer 10.5x20	
31	0.007.6855.0/10	2	gasket	
32	0.007.6850.0	1	guard	
33	0.008.9207.2/20	1	hose clip	
34	2.3110.302.1	1	plug m 12 p.1.75x10	
			2267 <- X SILVER 80	1/2

3656 <- X SILVER 90




Section: BODY WORK FUEL SUPPLY SYSTEM		1		Ref.: 200	
Fig.	Code	QTY	Name		
. -	0.4500.000.0		2050 <- X SILVER 100.4 3845 <- X SILVER 100.6		
35	2.1560.008.0	1	gasket 12.2x18 2267 <- X SILVER 80 3656 <- X SILVER 90 2050 <- X SILVER 100.4 3845 <- X SILVER 100.6		



Section: BODY WORK

GUARD FOR EXPORT D

Fig.	Code	QTY	Name
1	0.008.9212.0/10	1	shield
2	0.008.9611.2/20	2	bracket
			- FOR TYPES WITH MECHANICAL LIFTER
4	2.0112.205.2	4	screw m 8 p.1.25x16
5	2.1470.004.2	5	lock washer 8
6	2.1599.352.2	5	washer 8.5x28x2
7	2.1011.105.2	1	nut m 8 p.1.25
8	2.0112.309.2	1	screw m 10 p.1.5x25
9	2.1470.006.2	1	lock washer 10
10	2.1310.006.2	1	flat washer 10.5x20



Section: BODY WORK FUEL SUPPLY SYSTEM

Fig.	Code	QTY	Name
		,	
1	2.4249.420.0	1	air filter 8"
			₽ 204
			F 204/1
2	0.293.8152.0	1	ring
3	2.6850.014.0	1	clamp 60-115
4	2.6519.029.0	1	cap
5	2.7099.320.0/10	1	pressure switch
6	0.164.8450.0	1	terminal
7	2.0112.207.2	7	screw m 8 p 1.25x20
8	2.1470.004.2	9	lock washer 8
9	2.1310.004.2	9	flat washer 8.4x16
10	2.6839.052.0	1	clamp 30/20
11	0.009.3997.2	1	square
12	2.0112.211.2	2	screw m 8 p.1.25x30
13	0.008.9410.2/10	1	support
14	0.008.9622.0	1	hose clip
15	0.258.8142.0/10	1	extension mm 310
16	0.200.8156.3	1	small cap
17	0.008.9487.0	1	gasket
18	2.6850.014.0	1	clamp 60-115
19	0.164.8157.3/10	1	clamp
20	0.445.8166.0	1	extension mm 600
21	2.4239.110.0	1	precleaner
			<i>№</i> 205
			F 205

Section: BODY WORK
FUEL SUPPLY SYSTEM

DI Y SYSTEM






Fig.	Code	QTY	Name
	0.000.0044.0	4	£14
1	0.009.6844.0	1	filter
			© 204.1
			F 204.1
4	0.293.8152.0	1	ring
5	2.6850.014.0	1	clamp 60-115
6	0.008.9410.2/10	1	support
7	0.008.9622.0	1	hose clip
8	2.0112.207.2	7	screw m 8 p 1.25x20
9	2.1470.004.2	9	lock washer 8
10	2.1310.004.2	9	flat washer 8.4x16
11	2.0112.211.2	2	screw m 8 p.1.25x30
12	2.6519.029.0	1	cap
13	2.7099.320.0/10	1	pressure switch
14	0.164.8450.0	1	terminal
15	0.009.3997.2	1	square
16	2.6839.052.0	1	clamp 30/20
17	2.6851.004.0	2	clamp 32-50
18	0.98503.67.0	1	clamp

Ref.: 202.1

Section: BODY WORK FUEL SUPPLY SYSTEM

к	e	t.	:	2	U	3	









Fig.	Code	QTY	Name
1	0.008.9694.2/30	1	sleeve
			* () <-
			- N.1 - 010.6509.0 - 2.6851.003.0
2	2.6850.012.0	1	clamp 60-80
3	0.008.9442.0	1	sleeve
4	2.6850.013.0	1	clamp 60-100
6	2.6850.012.0	2	clamp 60-80
7	0.008.9440.0	1	sleeve
9	2.6850.012.0	1	clamp 60-80
10	0.008.9441.0	1	sleeve
11	2.6850.013.0	1	clamp 60-100
12	2.6851.003.0	1	clamp 25-40
13	0.010.6509.0	1	cap



0 614 _ 204 2.4249.420.0


SILVER 90

Section: BODY WORK AIR FILTER PARTS

Fig.	Code	QTY	Name
1	2.4249.420.0	1	air filter 8"
2	2.4249.131.0	1	air filter element
3	2.4249.130.7	1	air filter element
4	0.009.4109.0	1	valve
5	0.000.0000.1	0	not serviceable
6	2.4249.320.1	1	wing nut


Section: BODY WORK

Ref.: 204.1



	II. BODT WORK	1.61 204.1				
AIR FILTER PARTS						
Fig.	Code	QTY	Name			
1	0.009.6844.0	1	filter			
2	0.000.0000.1	1	not serviceable			
3	0.010.2173.0	1	air filter element			
4	0.010.2173.1	1	air filter element			
5	2.4249.340.4	1	wing nut 7/16"			

009.6844.0 623 _ 204 _ 1



614 - 205 2.4239.110.0

SILVER 90


Section: BODY WORK


PRE-FILTER - COMPONENTS

Fig.	Code	QTY	Name			
1	2.4239.110.0	1	precleaner			
2	2.4239.110.1	1	cover			
3	2.4239.110.2	1	cup			
4	0.000.0000.1	-	not serviceable			

Section: BODY WORK

SEAT







Ref.: 205.1


Section: BODY WORK

SEAT





Ref.: 205.2




Section: BODY WORK

SEAT

Fig.	Code	QTY	Name
1	0.009.3762.4	1	seat
			- FOR MODELS WITHOUT CAB
2	0.010.2076.2	1	seat
			☞ 212.1
			F 212/1
3	0.009.4724.0	1	seat springs
			© 212.2
			F 212/2
4	2.1499.096.3	4	washer 8
5	0.008.9653.0/10	1	bracket dx
6	0.008.9654.0/10	1	bracket sx
7	0.264.7536.0/10	1	plate
8	2.0365.311.3	4	screw m 8x40
9	2.0119.164.3	4	screw m 8x20
10	2.1011.105.2	4	nut m 8 p.1.25
11	2.1499.096.3	4	washer 8
12	0.009.1755.4	1	safety belt
13	2.0365.311.3	4	screw m 8x40
14	2.0119.164.3	4	screw m 8x20

1/1




Section: BODY WORK

SEAT

<u> </u>			
Fig.	Code	QTY	Name
Notes: () <	-		
1	0.008.9584.4	1	seat
2	0.010.2076.1	1	seat
			<i>☞</i> 212.3 F 212/3
3	0.009.4724.0	1	seat springs
			<i>☞</i> 212.2 F 212/2
4	2.1499.096.3	4	washer 8
5	0.008.9653.0/10	1	bracket dx
6	0.008.9654.0/10	1	bracket sx
7	0.009.1755.4	1	safety belt
8	2.0365.311.3	4	screw m 8x40
9	2.0119.164.3	4	screw m 8x20

1/1




Section: BODY WORK

	SEAT			
Fig.	Code	QTY	Name	
Notes: -> ()			

•	•			
1	0.010.6541.4	1	seat GRAMMER DS85H90AR	
4	2.1499.096.3	4	washer 8	
5	0.008.9653.0/10	1	bracket dx	
6	0.008.9654.0/10	1	bracket sx	
7	0.009.1755.4	1	safety belt	
8	2.0365.311.3	4	screw m 8x40	
9	2.0119.164.3	4	screw m 8x20	

1/1

Ref.: 207.1




Section: BODY WORK

SEAT

Fig.	Code	QTY	Name
ı ıg.	- Code	<u> </u>	Name
Notes: () <-			
1	0.007.6786.4/10	1	seat
2	0.000.0000.1	-	- WITH MULTIFUNCTION CONTROL UNIT not serviceable © 212.4
3	0.009.4724.0	1	F 212/4 seat springs © 212.2 F 212/2
4	2.1499.096.3	4	washer 8
5	0.008.9653.0/10	1	bracket dx
6	0.008.9654.0/10	1	bracket sx
7	0.009.1755.4	1	safety belt
8	2.0365.311.3	4	screw m 8x40
9	2.0119.164.3	4	screw m 8x20

1/1




Section: BODY WORK

SEAT

Fig.	Code	QTY	Name
Notes: -> ()			
1	0.010.8588.4	1	seat - WITH MULTIFUNCTION CONTROL UNIT
4	2.1499.096.3	4	washer 8
5	0.008.9653.0/10	1	bracket dx
6	0.008.9654.0/10	1	bracket sx
7	0.009.1755.4	1	safety belt
8	2.0365.311.3	4	screw m 8x40
9	2.0119.164.3	4	screw m 8x20

1/1

Ref.: 208.1




Section: BODY WORK

SEAT

<u>JLAI</u>			
Fig.	Code	QTY	Name
Notes: () <-	-		
1	0.009.3431.4	1	seat
2	0.009.4361.0	1	seat <i>☞</i> 211
			F 211
3	0.009.4714.0	1	seat springs © 212
			F 212
4	2.0342.310.2	4	screw m 8 p.1.25x40
5	2.1470.004.2	4	lock washer 8
6	2.1011.105.2	4	nut m 8 p.1.25
7	0.009.1755.4	1	safety belt
8	0.009.1752.2/20	1	seat support dx
9	0.009.1753.2/20	1	seat support sx

1/1



Section: BODY WORK


SEAT

Code QTY Name

Fig.	Code	QTY	Name
Notes: -> ()			
1	0.010.6543.4	1	seat GRAMMER MSG95A/20 - WITH LONGITUDINAL SUSPENSIONS
2	0.000.0000.1	-	not serviceable ② 211.1 F 211/1
3	0.010.2270.0	1	seat springs © 211.2 F 211/2
4	2.0342.310.2	4	screw m 8 p.1.25x40
5	2.1470.004.2	4	lock washer 8
6	2.1011.105.2	4	nut m 8 p.1.25
7	0.009.1755.4	1	safety belt
8	0.009.1752.2/20	1	seat support dx
9	0.009.1753.2/20	1	seat support sx

1/1

Ref.: 209.1




Section: BODY WORK

SEAT

Code	OTY	Name
	<u> </u>	Hamo
0.007.6785.4/10	1	seat - WITH MULTIFUNCTION CONTROL UNIT
0.000.0000.1	-	not serviceable ☞ 212.5 F 212/5
0.009.4714.0	1	seat springs © 212 F 212
2.0342.310.2	4	screw m 8 p.1.25x40
2.1470.004.2	4	lock washer 8
2.1011.105.2	4	nut m 8 p.1.25
0.009.1755.4	1	safety belt
0.009.1752.2/20	1	seat support dx
0.009.1753.2/20	1	seat support sx
	0.007.6785.4/10 0.000.0000.1 0.009.4714.0 2.0342.310.2 2.1470.004.2 2.1011.105.2 0.009.1755.4 0.009.1752.2/20	0.007.6785.4/10 1 0.000.0000.1 - 0.009.4714.0 1 2.0342.310.2 4 2.1470.004.2 4 2.1011.105.2 4 0.009.1755.4 1 0.009.1752.2/20 1

1/1




Section: BODY WORK

SEAT

O — / \ \ \	0 2/(1					
Fig.	Code	QTY	Name			
Notes: -> (
1	0.010.6544.4	1	seat - WITH LONGITUDINAL SUSPENSIONS			
4	2.0342.310.2	4	screw m 8 p.1.25x40			
5	2.1470.004.2	4	lock washer 8			
6	2.1011.105.2	4	nut m 8 p.1.25			
7	0.009.1755.4	1	safety belt			
8	0.009.1752.2/20	1	seat support dx			
9	0.009.1753.2/20	1	seat support sx			

1/1

Ref.: 210.1




Section: BODY WORK

SEAT-COMPONENTS

OLAI	OLAT-OOMI ONLING					
Fig.	Code	QTY	Name			
1	0.009.4361.0	1	seat			
2	0.009.4361.1	1	seat			
3	0.009.4361.2	2	bushing			
5	0.009.4362.1	1	backrest			
6	0.009.4362.2	1	cover			
7	0.009.4363.0	1	plate			
8	0.009.4363.1	1	spring			
9	0.009.4711.0	1	bushing			
10	0.000.0000.1	-	not serviceable			
11	0.009.4711.1	2	screw			
12	0.009.4711.2	1	bushing			
13	0.009.4712.0	1	spacer			
14	0.009.4712.1	1	spacer			
18	0.009.4712.2	1	plate			
19	0.009.4366.2	1	cover			
21	0.009.4367.1	1	lever			
22	0.009.4367.2	1	spring			
23	0.009.4368.0	1	pin			
24	0.009.4713.0	1	washer			
25	0.009.4368.2	1	knob			
26	0.009.4369.0	1	cushion			
28	0.009.4713.1	1	support			
29	0.009.4370.0	1	spring			
30	0.009.4370.1	1	pin			
31	0.009.4370.2	1	lever			
32	0.009.4371.0	1	small arm dx			
33	0.009.4371.1	1	small arm sx			
34	0.009.4713.2	1	sub-assy parts			
35	0.009.4372.0	2	shim			
36	0.009.4372.1	1	seat guide			
37	0.009.4372.2	1	seat guide			
38	0.009.4373.0	1	grip			

1/1



Section: BODY WORK

SEAT-COMPONENTS

Fig.	Code	QTY	Name
1	0.000.0000.1	1	not serviceable
2	0.010.2268.0	1	safety belt
3	0.009.4722.0	1	embroiderhead
4	0.010.2268.1	1	safety belt
5	0.009.4361.2	2	bushing
6	0.000.0000.1	-	not serviceable
7	0.010.2268.2	1	knob
8	0.009.4363.0	1	plate
9	0.009.4363.1	1	spring
10	0.010.2269.0	1	bushing
11	0.009.4711.1	2	screw
12	0.009.4712.0	1	spacer
13	0.010.2269.1	1	spacer
14	0.009.4712.1	1	spacer
15	0.009.4712.2	1	plate
16	0.010.2076.0	1	lever
17	0.010.2075.1	1	cushion
18	0.010.2075.2	1	backrest
19	0.009.4366.2	1	cover
20	0.009.4371.0	1	small arm dx
21	0.009.4367.2	1	spring
22	0.009.4713.1	1	support
23	0.009.4370.0	1	spring
24	0.009.4370.1	1	pin
25	0.009.4370.2	1	lever
26	0.009.4713.2	1	sub-assy parts
27	0.009.4372.0	2	shim
28	0.010.2080.1	1	support
29	0.010.2080.2	1	pin
30	0.009.4371.1	1	small arm sx
31	0.010.2269.2	1	seat guide

1/1

Ref.: 211.1

Section: BODY WORK

GE	ΛТ_	റവ	MDC	JVIE	NTS
3L	~ ı -	\mathbf{c}		JINL	1 1 1 3

_4 (2(2x)-3-20(3x)-	SEAT	-COMPONENTS		
25 - 57 - 58 (2x) - 63 - 68 (6x) - 85)	Fig.	Code	QTY	Name
F75_0049 TAV.1			1	
	1	0.010.2270.0	1	seat springs
_2	2	0.000.0000.1	_	not serviceable
68———	3	0.000.0000.1	-	not serviceable
3	4	0.010.2270.1	1	lever
49	5	0.000.0000.1	_	not serviceable
31 5 6 (5-68 (6x) - 49)	6	0.010.2270.2	1	shoch.absorber
	8	0.010.2271.0	1	plate
80 -	10	0.010.2271.1	_	stop
28 (3x) - 31 (2x) - 33 -	11	0.000.0000.1	_	not serviceable
41 (2x) - 80 (2x) - 10	17	0.000.0000.1	_	not serviceable
33 68 (10x)) 68 (10x)	18	0.010.2271.2	2	stop
	19	0.000.0000.1	_	not serviceable
36	20	0.000.0000.1	_	not serviceable
95 — 18 (19 - 68 (4x)) 25 —	25	0.000.0000.1	_	not serviceable
94	26	0.010.2272.0	1	cable
	27	0.010.2272.1	1	cable
85 19 68 (4x) 68 (4x) 68 (4x) - 85)	28	0.000.0000.1	- -	not serviceable
11 19 -28	29	0.010.2272.2	_	lever
17 29 (28(3x)-30-68(4x)) 30	30	0.000.0000.1	_	not serviceable
40 41 49 g (28(3x)-30-68(4x)) T 30	31	0.000.0000.1	_	not serviceable
2 40 48	32	0.010.2273.0	1	support
31 — 87 (82(4x) - 48(2x))	33	0.000.0000.1	-	not serviceable
43	36	0.009.4711.1	2	screw
42 64 82 6	40	0.000.0000.1	-	not serviceable
51 20	41	0.000.0000.1	_	not serviceable
(2(2x)-10-19(2x)-20(4x)-31(2x)- 33-36(2x)-40(2x)-41(2x)-43(2x)-	42	0.000.0000.1	_	not serviceable
46(4x)-47(2x)-48(2x)-49-55-57(4x)-	43	0.000.0000.1	_	not serviceable
63-68(22x)-82)	46	0.000.0000.1	_	not serviceable
54 55 52 (20(2x)-47(2x)- 20 57 60	47	0.000.0000.1	_	not serviceable
() /Q-58-AR/RV) \	48	0.000.0000.1	_	not serviceable
90 63 68(12x)-78 58(4x)-68(12x)-78(2x	49	0.000.0000.1	_	not serviceable
- 30(12)	51	0.010.2273.1	1	arm
56 (20-53-54-55-	52	0.010.2273.2	-	spring
57(4x)-68(12x)- 78)	53	0.009.4382.2	1	shim
	54	0.010.2274.0	1	support
67 93 (49-68(6x)-	55	0.000.0000.1		not serviceable
67 (49-68(6x)-	56	0.010.2274.1	1	gear compressor
(20-31(2x)-42(2x)-43(2x)- 46(2x)-47-55-57-63-68(6x)- 46(2x)-47-55-57-63-68(6x)-	57	0.000.0000.1		not serviceable
92-93-2(2x))	58	0.000.0000.1	_	not serviceable
47	59	0.010.2274.2	1	cable
69 (68(22x))	60	0.010.2274.2	1	cable
68	63	0.000.0000.1	-	not serviceable
	64	0.010.2275.1	2	stop
	67	0.010.2275.1	1	-
	01	0.010.2210.2	ı	plate


Ref.: 211.2


1/2

Section: BODY WORK
SEAT-COMPONENTS



Fig.	Code	QTY	Name	
		,		
68	0.000.0000.1	-	not serviceable	
69	0.010.2276.0	1	guard	
78	0.009.4381.0	2	terminal	
80	0.000.0000.1	-	not serviceable	
82	0.000.0000.1	-	not serviceable	
85	0.000.0000.1	-	not serviceable	
87	0.010.2276.1	1	shoch.absorber	
89	0.000.0000.1	-	not serviceable	
90	0.000.0000.1	-	not serviceable	
91	0.009.4720.1	1	bushing	
92	0.000.0000.1	-	not serviceable	
93	0.010.2277.2	1	accessories	
94	0.010.2276.2	1	lever	
95	0.010.2277.0	2	spring	
96	0.010.2277.1	1	cover	
98	0.010.2077.2	1	knob	
99	0.009.4381.1	1	connection	






Ref.: 212

Section: BODY WORK

SEAT-COMPONENTS

Fig.	Code	QTY	Name	
1	0.009.4714.0	1	seat springs	
2	0.009.4373.2	1	shock abs.supp.	
3	0.009.4374.0	1	shock abs.supp.	
4	0.000.0000.1	-	not serviceable	
5	0.000.0000.1	-	not serviceable	
6	0.000.0000.1	-	not serviceable	
7	0.000.0000.1	-	not serviceable	
8	0.009.4374.1	1	stop	
9	0.009.4374.2	1	stop	
10	0.000.0000.1	-	not serviceable	
11	0.000.0000.1	-	not serviceable	
12	0.000.0000.1	-	not serviceable	
13	0.009.4375.0	1	pipe union	
14	0.000.0000.1	-	not serviceable	
15	0.000.0000.1	-	not serviceable	
16	0.000.0000.1	-	not serviceable	
17	0.000.0000.1	-	not serviceable	
18	0.009.4375.1	1	spring	
19	0.009.4375.2	1	register	
20	0.000.0000.1	-	not serviceable	
21	0.000.0000.1	-	not serviceable	
22	0.009.4714.1	1	arm	
23	0.000.0000.1	_	not serviceable	
24	0.009.4714.2	1	ratchet	
25	0.009.4715.0	1	ratchet	
26	0.009.4715.1	2	spacer	
27	0.009.4715.2	1	arm	
28	0.000.0000.1	-	not serviceable	
29	0.000.0000.1	-	not serviceable	
30	0.009.4378.0	1	dust guard	
31	0.000.0000.1	_	not serviceable	
32	0.000.0000.1	_	not serviceable	
33	0.009.4378.1	1	cable	
34	0.000.0000.1	_	not serviceable	
35	0.000.0000.1	_	not serviceable	
36	0.000.0000.1	_	not serviceable	
37	0.009.4716.0	1	ratchet	
38	0.009.4378.2	1	control quadrant	
39	0.000.0000.1	-	not serviceable	
40	0.000.0000.1	_	not serviceable	
41	0.000.0000.1	_	not serviceable	
42	0.000.0000.1	_	not serviceable	
43	0.009.4716.1	1	seat springs	
44	0.009.4716.2	1	seat springs	1/2
• •	0.000.17 10.2	•	oodt opinigo	




Section: BODY WORK

SEAT	-COMP	ONENT:
-------------	-------	--------

	-COMPONENTS		
Fig.	Code	QTY	Name
45	0.000.0000.1	-	not serviceable
46	0.009.4717.0	1	clevis
47	0.009.4717.1	2	rubber plug
48	0.000.0000.1	-	not serviceable
49	0.000.0000.1	-	not serviceable
50	0.009.4717.2	1	seat support
51	0.009.4718.0	1	seat support
52	0.000.0000.1	-	not serviceable
53	0.000.0000.1	-	not serviceable
54	0.009.4718.1	1	knob
55	0.000.0000.1	-	not serviceable
56	0.000.0000.1	-	not serviceable
57	0.000.0000.1	-	not serviceable
58	0.000.0000.1	-	not serviceable
59	0.009.4718.2	1	eccentric
60	0.009.4719.0	1	register
61	0.000.0000.1	-	not serviceable
62	0.000.0000.1	-	not serviceable
63	0.009.4719.1	1	eccentric
64	0.009.4719.2	1	shoch.absorber
65	0.000.0000.1	-	not serviceable
66	0.000.0000.1	-	not serviceable
68	0.000.0000.1	-	not serviceable
69	0.009.4380.1	1	shoch.absorber
70	0.000.0000.1	-	not serviceable
71	0.000.0000.1	-	not serviceable
72	0.009.4382.1	1	support
73	0.009.4380.2	1	flexible hose
74	0.009.4381.0	6	terminal
75	0.009.4381.2	1	air compressor
76	0.009.4720.1	1	bushing
77	0.009.4382.2	1	shim
78	0.009.4381.1	1	connection
79	0.000.0000.1	-	not serviceable
80	0.000.0000.1	-	not serviceable

2/2




Section: BODY WORK

SEAT-COMPONENTS


Fig.	Code	QTY	Name
<u>g.</u>			
1	0.010.2076.2	1	seat
2	0.010.2077.0	1	cushion
3	0.010.2077.1	1	backrest
5	0.000.0000.1	_	not serviceable
6	0.009.4362.2	1	cover
7	0.009.4363.0	1	plate
8	0.009.4361.2	2	bushing
10	0.009.4711.0	1	bushing
11	0.009.4363.1	1	spring
12	0.009.4711.2	1	bushing
13	0.009.4712.2	1	plate
14	0.009.4712.1	1	spacer
15	0.009.4367.2	1	spring
16	0.010.2076.0	1	lever
17	0.009.4366.2	1	cover
18	0.010.2074.0	1	seat guide
19	0.009.4723.0	1	seat guide
20	0.009.4371.0	1	small arm dx
21	0.009.4371.1	1	small arm sx
22	0.009.4712.0	1	spacer

1/1



Section: BODY WORK
SEAT-COMPONENTS

Fig.	Code	QTY	Name	
	0.000.470.4.0	4		
1	0.009.4724.0	1	seat springs	
2	0.000.0000.1	-	not serviceable	
3	0.010.2074.0	1	seat guide	
4	0.009.4723.0	1	seat guide	
5	0.009.4724.1	1	plate	
6	0.009.4724.2	1	cover	
7	0.009.4725.0	1	shoch.absorber	
8	0.009.4725.1	1	fork	
9	0.009.4725.2	1	plate	
10	0.009.4726.0	1	arm	
11	0.009.4726.1	4	roller	
12	0.009.4726.2	1	pin	
13	0.009.4715.1	4	spacer	
14	0.000.0000.1	-	not serviceable	
15	0.010.2074.1	1	pin	
16	0.010.2075.0	1	register	
17	0.010.2074.2	1	knob	
18	0.009.4727.2	1	support	
19	0.009.4728.0	2	spring	
20	0.000.0000.1	-	not serviceable	
21	0.009.4728.1	1	rod	
22	0.009.4498.2	1	spring	
23	0.009.4496.0	1	guide	
24	0.009.4496.1	1	roller	




Section: BODY WORK

SEAT-COMPONENTS

	COMM CITETION			
Fig.	Code	QTY	Name	
		,		
1	0.010.2076.1	1	seat	
2	0.010.2075.1	1	cushion	
3	0.010.2075.2	1	backrest	
5	0.000.0000.1	-	not serviceable	
6	0.009.4362.2	1	cover	
7	0.009.4363.0	1	plate	
8	0.009.4361.2	2	bushing	
10	0.009.4711.0	1	bushing	
11	0.009.4363.1	1	spring	
12	0.009.4711.2	1	bushing	
13	0.009.4712.2	1	plate	
14	0.009.4712.1	1	spacer	
15	0.009.4367.2	1	spring	
16	0.010.2076.0	1	lever	
17	0.009.4366.2	1	cover	
18	0.010.2074.0	1	seat guide	
19	0.009.4723.0	1	seat guide	
20	0.009.4371.0	1	small arm dx	
21	0.009.4371.1	1	small arm sx	
22	0.009.4712.0	1	spacer	

1/1




Section: BODY WORK **SEAT-COMPONENTS**

Ref.: 212.4

OLA:	-OOMI ONLINIO			
Fig.	Code	QTY	Name	
1	0.000.0000.1	-	not serviceable	
2	0.010.2075.1	1	cushion	
3	0.010.2075.2	1	backrest	
4	0.009.4371.1	1	small arm sx	
5	0.000.0000.1	-	not serviceable	
6	0.009.4712.0	1	spacer	
7	0.009.4363.0	1	plate	
8	0.009.4361.2	2	bushing	
9	0.009.4723.0	1	seat guide	
10	0.009.4711.0	1	bushing	
11	0.009.4363.1	1	spring	
12	0.009.4711.2	1	bushing	
13	0.009.4712.2	1	plate	
14	0.009.4712.1	1	spacer	
15	0.009.4367.2	1	spring	
16	0.010.2076.0	1	lever	
17	0.009.4366.2	1	cover	
18	0.010.2074.0	1	seat guide	
19	0.007.6787.0	1	cover	
20	0.007.6937.3	1	bracket	

1/1




Section: BODY WORK

SEA ^T	T-CO	MPO	NEN	NTS

Fig.	Code	QTY	Name
1	0.000.0000.1	-	not serviceable
2	0.009.4361.1	1	seat
3	0.009.4361.2	2	bushing
4	0.009.4372.1	1	seat guide
5	0.010.2079.0	1	cushion
6	0.009.4370.2	1	lever
7	0.009.4363.0	1	plate
8	0.009.4363.1	1	spring
9	0.009.4711.0	1	bushing
10	0.000.0000.1	-	not serviceable
11	0.009.4711.1	2	screw
12	0.009.4711.2	1	bushing
13	0.009.4712.0	1	spacer
14	0.009.4712.1	1	spacer
15	0.009.4713.2	1	sub-assy parts
16	0.009.4372.0	2	shim
17	0.009.4370.1	1	pin
18	0.009.4712.2	1	plate
19	0.009.4366.2	1	cover
20	0.009.4369.0	1	cushion
21	0.010.2079.1	1	lever
22	0.009.4367.2	1	spring
23	0.010.2080.1	1	support
24	0.010.2080.2	1	pin
25	0.009.4713.1	1	support
26	0.009.4370.0	1	spring
27	0.010.2080.0	1	guide
28	0.010.2079.2	1	lever
29	0.009.4371.1	1	small arm sx
30	0.007.6937.3	1	bracket
31	0.007.6787.0	1	cover

1/1




Section: BODY WORK

SEAT SPRINGING

Fig.	Code	QTY	Name
1	0.154.7532.4/20	1	seat springs
2	0.157.7551.0	1	stopper
3	0.201.7559.3	1	handle
4	0.164.7554.1	1	screw
5	0.163.7571.0	1	ring
6	0.163.7560.0	1	pointer
7	0.163.7561.0	1	plug
8	0.163.7558.0	1	plate
9	0.164.7553.1	1	plate
10	0.163.7562.0	2	stopper
11	0.164.7555.1	1	shoch.absorber
12	0.164.7556.1	2	pin
13	0.164.7557.1	2	circlip
14	0.000.0000.1	-	not serviceable

1/1





Section: BODY WORK

SEAT SPRINGING

OLAI	DEAT OF KINGING					
Fig.	Code	QTY	Name			
1	0.164.7534.4/20	1	seat springs			
2	0.163.7552.0	1	spring			
3	0.201.7564.0	1	rod			
4	0.255.7572.1	1	screw m 6 p.1x25			
5	0.163.7560.0	1	pointer			
6	0.163.7561.0	1	plug			
7	0.163.7558.0	1	plate			
8	0.164.7553.1	1	plate			
9	0.163.7571.0	1	ring			
10	0.201.7559.3	1	handle			
11	0.261.7553.1	1	slider			
12	0.261.7552.1	1	plate			
13	0.164.7554.1	1	screw			
14	0.164.7555.1	1	shoch.absorber			
15	0.164.7556.1	2	pin			
16	0.000.0000.1	-	not serviceable			
17	0.164.7557.1	2	circlip			
18	0.157.7551.0	1	stopper			
19	0.261.7554.1	1	guard			
20	0.261.7555.1	1	ring			
21	0.201.7563.0	10	stop			
22	0.261.7556.1	1	circlip			
23	0.163.7562.0	2	stopper			

1/1





2 566 _ 132 _ 1 010.5357.4


SILVER 90

Section: BODY WORK

SEAT SPRINGING

Fig.	Code	QTY	Name
1	0.010.5357.4	1	seat springs
2	0.010.2228.0	1	handle
3	0.010.2228.2	1	shoch.absorber
4	0.010.2229.0	1	stopper
5	0.010.2229.1	1	guard
6	0.000.0000.1	-	not serviceable

1/1



Section: BODY WORK

SEAT SPRINGING

Fig.	Code	QTY	Name
1	0.010.5356.4	1	seat springs
2	0.010.2228.0	1	handle
3	0.010.2228.1	1	accessories
4	0.010.2228.2	1	shoch.absorber
5	0.010.2229.0	1	stopper
6	0.010.2229.1	1	guard
7	0.000.0000.1	-	not serviceable

1/1

CAB

SINGLE-STRUCTURE CAB	
GLASSES AND SEALS	237
GLASSES AND SEALS	238
GLASSES AND SEALS	239
GLASSES AND SEALS	240
GLASSES AND SEALS	240.1
GLASSES AND SEALS	241
INTERIOR TRIM	242
INTERIOR TRIM	243
INTERIOR TRIM	244
INTERIOR TRIM	244.1
INTERIOR TRIM	245
CAB CUSTOMIZATION	246
WINDSHIELD WIPER SYSTEM	247
FRONT WINDSHIELD WIPER SYSTEM	248
REAR WIPER WIRING SYSTEM	249
ELECTRICAL SYSTEM	250
ELECTRICAL SYSTEM	251
ELECTRICAL SYSTEM	252
CAB AIR LINES	
CAB DUCTWORKS AND SOUNDPROOFING	
CAB DUCTWORKS AND SOUNDPROOFING	
CAB VENTILATION	
FAN PARTS	254.3
CAB VENTILATION	
AUXILIARY HEATING	
AUXILIARY HEATING	
HEATER PARTS	255.3
AUXILIARY HEATING	
AUXILIARY HEATING	
FAN PARTS	256
HEATER PARTS	256.1
VENTILATION-AIR CONDITIONING	257
FAN PARTS	
AIR CONDITIONER PARTS	257.2
VENTILATION-AIR CONDITIONING	258
VENTILATION-AIR CONDITIONING	
VENTILATION-AIR CONDITIONING	
VENTILATION-HEATING 65A	
VENTILATION-HEATING 65A	261.1
VENTILATION-HEATING 85A	262

VENTILATION-HEATING 85A	262.1
VENTILATION-HEATING 65A	
VENTILATION-HEATING 85A	
ALTERNATOR PARTS	
ALTERNATOR PARTS	
ALTERNATOR PARTS	
COMPRESSOR-PARTS	
HEATER PARTS	
HEATER PARTS	265.5


Section: CAB SINGLE-STRUCTURE CAB Ref.: 236

Fig.	Code	QTY	Name
4	0.040.4405.0/00		
1	0.010.1425.3/90	1	cab
2	0.010.0219.2/10	2	rubber plug
			* () <-
			- N.2 2.1011.105.6
			- N.2 010.1339.0
0	0.4474.000.0	4	- N.2 2.0312.214.2
3	2.1474.009.2	4	spring washer 8
4	2.1011.105.6	4	nut m 8 p.1.25
5	0.010.0585.3/10	2	lamp support
•	0.4400.044.4		-> ()
6	2.1480.014.1	4	washer 8
_			() <-
7	2.0362.307.3	4	screw m 8x20
			() <-
8	0.008.9744.2	1	climbing steps
9	2.1470.009.2	2	lock washer 16
10	2.0112.611.2	2	screw m 16 p.2x30
11	0.010.1339.0	4	spacer
12	2.0312.214.2	4	screw m 8 p.1.25x40
13	2.0312.314.3	4	screw
			-> ()
14	2.1480.015.1	4	washer 10
			-> ()
15	0.000.0000.1	-	not serviceable
			* () <-
			- N.1 010.0585.3/10
16	0.010.1180.3/10	1	lamp support
			- FOR TYPES WITH SIDE EXHAUST
17	0.010.1453.0	2	plug 22
18	2.0312.306.3	2	screw m 10 p.1.5x20
19	2.1480.015.1	2	washer 10
20	2.0312.202.3	1	screw m 8 p.1.25x12
21	2.1480.014.1	1	washer 8
22	2.1312.004.3	1	washer 9x24
23	0.009.8808.0	6	stopper
24	0.011.0716.0/10	2	stopper
25	2.3199.219.0	14	plug 10x22.5x22
26	0.011.0718.0	1	gasket
			•

17

Section: CAB


GLASSES AND SEALS



Section: CAB

Ref.: 237


Fig.	Code	QTY	Name	
			4000 V OII VED 00	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
•	0.000.0744.0		-> 2396 X SILVER 100.6	
3	0.008.3714.0	1	hinge sx	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
^	0.007.5000.0	4	2395 <- X SILVER 100.6	
3	0.007.5869.0	1	hinge sx	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
4	0.4600.040.0	4	-> 2396 X SILVER 100.6	
4 5	2.1630.210.2	4 4	roll pin 3x20	
-	2.1669.034.2/10	8	pin 10x80	
6 7	2.1559.147.0	1	bushing	
7	0.007.5951.0 0.007.5869.0	1	hinge dx	
8	0.007.5875.0/10	4	hinge sx	
9	0.007.5878.0	4	gasket plate	
10	0.007.5876.0	4	gasket	
11	2.1312.004.2	2	washer 9x24	
12	2.0312.204.3	2	screw m 8 p.1.25x16	
13	0.008.3707.0	2	spacer	
10	0.000.5707.0	2	1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.6	
14	2.0312.210.3	2	screw m 8 p.1.25x30	
15	0.007.5904.0/10	6	pin	
16	2.1599.551.2	6	washer 8	
17	0.007.5905.0	12	gasket	
18	2.1470.008.2	6	lock washer 14	
19	2.1011.408.2	6	nut m 14 p.1.5	
20	2.0399.175.3	10	screw 4.2x19	
21	2.6999.061.0	10	small spring	
22	0.009.6768.3/10	1	handle dx	
22	0.009.6769.3/10	1	handle sx	
23	0.009.6565.0/10	1	body dx	
23	0.009.6564.0/10	1	body sx	
24	0.009.0418.0	2	knob	
25	0.009.7738.4/10	2	shoch.absorber	2/4
26	0.009.8760.0	2	joint	2/4



Ref.: 237

Section: CAB

Fig.	Code	QTY	Name	
<u>g.</u>				
			() <-	
26	0.010.6184.0	2	joint	
			-> ()	
27	2.1480.014.1	2	washer 8	
28	0.007.6667.3	1	plate dx	
28	0.007.6666.3	1	plate sx	
29	0.009.6773.0	1	pin	
			() <-	
30	2.1670.014.2	2	pin 5x50x48	
31	2.1310.001.2	2	flat washer 5.3x10	
32	2.1690.104.2	2	split pin 1.6x10	
33	0.009.0406.0/10	2	spring	
34	0.009.1165.0	4	small spring	
35	0.9231.193.3	1	lock dx	
35	0.9231.194.3	1	lock sx	
36	2.1499.095.3	8	washer 5	
37	2.0399.166.3	8	screw m 5x10	
38	0.009.1163.0	2	rod	
39	2.0399.173.3/10	4	screw m 8 p.1.5x35	
40 40	0.9215.169.4	1 1	contact surface dx	
40 41	0.9215.170.4 0.9215.171.0	5	contact surface sx shim mm 1	
41	0.9215.171.0	5 5	shim mm 2	
43	0.008.3427.0	2	small plate	
43 44	0.008.5427.0	4	gasket	
45	0.007.3902.0	2	rod	
46	0.009.0414.0/20	1	push-button sx	
46	0.009.1161.0	1	push-button dx	
47	2.1011.102.2	2	nut m 5 p.0.7	
48	2.1099.125.2	2	special nut m 5	
49	2.1310.004.3	2	washer 8.4x17	
52	2.1310.004.2	2	flat washer 8.4x16	
-		_	() <-	
53	0.010.1502.0/10	2	sheath	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
			-> 2396 X SILVER 100.6	
54	2.1560.008.0	2	gasket 12.2x18	
55	0.010.5457.3/10	1	shock abs.supp. dx	
			-> ()	
55	0.010.5458.3/10	1	shock abs.supp. sx	
			-> ()	3/4
56	2.1474.009.2	2	spring washer 8	3/4



Section: CAB








Fig.	Code	QTY	Name
			-> ()
57	2.0312.204.3	2	screw m 8 p.1.25x16
			() <-
57	2.0112.205.2	2	screw m 8 p.1.25x16
			-> ()
58	2.0112.221.2	2	screw m 8 p.1.25x60
			-> ()
59	2.1312.004.3	2	washer 9x24
			() <-
59	2.1474.009.2	2	spring washer 8
			-> ()
60	0.163.7856.0	4	cap
61	2.1549.376.0	2	spacer 9.5X14X46
62	2.1549.374.0	2	spacer 22X40X3
			() <-
63	2.1549.375.0	2	spacer 16X40X3
			() <-



Section: CAB Ref.: 238

Fig.	Code	QTY	Name	
	0.007.5404.0/00			
1	0.007.5181.0/20	1	glass = A	
			= A 1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.4	
1	0.007.7338.0/10	1	glass	
Ī	0.007.7330.0/10	'	= B	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
			-> 2396 X SILVER 100.6	
2	0.009.0384.0/10	1	gasket	
			= A	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.6	
2	0.010.7759.0	-	gasket	
			= B	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
_		_	-> 2396 X SILVER 100.6	
3	0.007.5407.0	2	shoch.absorber	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
3	0.010.1579.0	2	2395 <- X SILVER 100.6 shoch.absorber	
3	0.010.1379.0	2	-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
			-> 2396 X SILVER 100.6	
4	0.007.5458.0	2	joint	
5	2.1499.096.3	4	washer 8	
6	2.1011.105.2	2	nut m 8 p.1.25	
7	0.009.0426.0	2	joint	
8	2.1599.528.2	2	washer 8	
9	0.009.0422.0	8	gasket	
10	2.1499.093.0	4	washer	
11	2.0342.308.3	2	screw m 8 p.1.25x30	
12	2.0342.308.3	2	screw m 8 p.1.25x30	1/3
13	0.007.5664.0/10	1	metal strap	1/3




Section: CAB


GLASSES AND SEALS

Fig.	Code	QTY	Name	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.4	
13	0.010.1495.0	1	plate	
13	0.010.1433.0	'	-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
			-> 2396 X SILVER 100.6	
14	0.007.5665.0/10	2	gasket	
	0.001.0000.07.10	_	1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.6	
14	0.010.1496.0	2	gasket	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
			-> 2396 X SILVER 100.6	
15	2.1470.002.2	5	lock washer 6	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.6	
16	2.1030.001.1	5	nut m 6	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
		_	2395 <- X SILVER 100.6	
16	2.1030.002.2	5	nut m 8	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
17	2 4600 207 2	2	-> 2396 X SILVER 100.6	
17	2.1690.307.2 2.1311.007.2	2	split pin 3.2x18	
18 19	2.1511.007.2	4 2	flat washer 10 bushing	
20	0.007.5497.0/20	1	5	
20	0.007.5496.0/20	1	hinge sx hinge dx	
21	2.1470.006.2	2	lock washer 10	
22	2.0312.310.2	2	screw m 10 p.1.5x30	
23	0.007.5666.0	5	rubber plug	
20	0.0001.0000.0	J	1681 <- X SILVER 80	
			2347 <- X SILVER 90	2/3
			ESTI - A SIEVER OU	

Section: CAB Ref.: 238


Fig.	Code	QTY	Name
_			
			1558 <- X SILVER 100.4
			2395 <- X SILVER 100.6
23	2.1549.324.0	5	spacer 9x13x6
			-> 1682 X SILVER 80
			-> 2348 X SILVER 90
			-> 1559 X SILVER 100.4
			-> 2396 X SILVER 100.6
24	0.9241.563.0	2	plug
25	2.3199.148.0	1	plug 8.5
26	0.009.0711.4/20	1	handle
27	0.009.0710.3/10	1	handle
28	0.009.0712.0/10	1	handle
29	0.009.0713.0	1	support dx
30	0.009.0705.0	1	support sx
31	2.1669.041.2/10	1	pin 8x174x164
32	2.1699.240.2	2	pin
33	2.4049.170.2	2	spring
34	0.009.0689.0	2	clevis
35	2.1430.007.7	2	circlip 6
36	2.1630.210.2	2	roll pin 3x20
37	2.1650.309.0	2	pin 4x20
38	2.0112.007.2	4	screw m 6 p.1x20
39	0.007.5540.3/10	1	small plate
			1681 <- X SILVER 80
			2347 <- X SILVER 90
			1558 <- X SILVER 100.4
00	0.040.4404.0	4	2395 <- X SILVER 100.6
39	0.010.1494.3	1	hinge
			-> 1682 X SILVER 80
			-> 2348 X SILVER 90
			-> 1559 X SILVER 100.4
40	0.4470.000.0	4	-> 2396 X SILVER 100.6
40	2.1470.002.2	4	lock washer 6
41	0.009.0700.0	2	clevis
42	2.1040.105.7	2	nut m 8
43	2.1142.012.2	8	nut m 10
44	0.010.7759.0	1	gasket
			-> 1682 X SILVER 80
			-> 2348 X SILVER 90
			-> 1559 X SILVER 100.4
			-> 2396 X SILVER 100.6





Section: CAB Ref.: 239


Fig.	Code	QTY	Name	
1	0.007.5312.0/20	1	glass	
2	0.007.5311.0	1	profile	
3	2.1140.023.2	2	special nut m 8 p.1.25	
5	2.1399.006.3	2	washer 9.4	
6	2.0119.156.3	2	screw m 8 p.1.25x25	
7	2.1430.007.2	12	circlip 6	
8	2.1699.270.0	2	pin	
9	0.007.5815.0	2	fork	
10	2.1630.107.0	4	pin 2.5x14	
11	0.007.5816.0/20	2	hinge	
12	2.1699.269.0	4	pin	
13	0.007.5817.0/20	2	hinge	
14	0.007.5842.0	2	hinge	
15	0.007.2858.0	4	gasket	
16	0.007.2857.0	2	small plate	
17	2.0342.208.3	4	screw m 6 p.1x30	
18	0.007.5106.0/20	2	glass	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.6	
18	0.007.7337.0/10	2	glass	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
			-> 2396 X SILVER 100.6	
19	0.009.0383.0/10	2	gasket	
			= A	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.6	
19	0.010.7759.0	_	gasket	
	0.010.1100.0		= B	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
			-> 2396 X SILVER 100.6	
20	0.007.5843.0	4	ring nut	
21	2.1569.143.0	4	gasket	
22	0.007.5845.0/10	4	gasket	
23	0.007.5846.0	4	hinge	
23 24	0.9231.257.0/20	4		
2 4 25	2.1699.241.2	4	hinge	1/2
20	2.1099.241.2	4	pin	



Section: CAB Ref.: 239

GLASSES AND SEALS

Fig.	Code	QTY	Name	
26	2.0342.305.2	8	screw m 8 p.1.25x20	
27	2.0342.308.3	4	screw m 8 p.1.25x30	
28	2.1579.450.2	4	spacer 8.5x14x12	
29	2.1011.103.2	4	nut m 6 p.1	
30	0.9234.246.0/10	1	profile	
31	2.1142.011.2	8	nut m 8x4	
32	0.9234.267.0	1	gasket	
			() <-	
33	0.009.3198.0	1	gasket	
34	0.010.1502.0/10	2	sheath	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
			-> 2396 X SILVER 100.6	



Section: CAB Ref.: 240


GLASSES AND SEALS


Fig.	Code	QTY	Name
6	0.008.2478.0	1	gasket
7	0.008.2479.0	1	gasket
8	0.009.0300.0	1	glass
			- OUGHENED GLASS
8	0.007.5161.0	1	glass
			- LAMINATED GLASS
9	0.008.8063.0	4	spacer
13	0.007.5180.0/10	1	glass sx
14	0.007.5179.0/10	1	glass dx
15	0.008.2480.0	1	gasket
16	0.008.2477.0	1	gasket
17	0.008.8064.0	1	gasket
18	0.009.1166.0	2	spacer
19	0.009.1167.0	2	spacer

Ref.: 240.1

Section: CAB


GLASSES AND SEALS






Section: CAB
GLASSES AND SEALS Ref.: 240.1

Fig.	Code	QTY	Name
16	2.0362.307.3	2	screw m 8x20
17	2.1310.004.2	2	flat washer 8.4x16
18	2.1470.004.2	2	lock washer 8
10	2.1470.004.2	2	2232 <- X SILVER 80
			3530 <- X SILVER 90
			2024 <- X SILVER 100.4
			3689 <- X SILVER 100.6
19	0.010.4537.4/10	1	rear view mirror sx
13	0.010.4337.4710		- FOR TYPES WITH SIDE EXHAUST
			2232 <- X SILVER 80
			3530 <- X SILVER 90
			2024 <- X SILVER 100.4
			3689 <- X SILVER 100.6
20	0.010.2141.1	1	guard
21	0.010.2141.2	1	knob
22	0.010.2141.0	1	rear view mirror
23	0.010.2142.0	1	grain m 6x10
24	0.011.0032.4/10	1	rear view mirror sx
			- SMAT -
			-> ()
24	0.011.0031.4/10	1	rear view mirror dx
			- SMAT -
			-> ()
25	0.010.3097.1	1	rear view mirror
26	0.010.3097.2	1	rod sx
26	0.010.3098.0	1	rod dx
27	0.010.4550.2	1	bracket
			2232 <- X SILVER 80
			3530 <- X SILVER 90
			2024 <- X SILVER 100.4
			3689 <- X SILVER 100.6
28	2.0362.307.3	4	screw m 8x20
29	2.1470.004.2	4	lock washer 8
30	2.1310.004.2	4	flat washer 8.4x16
31	2.1011.105.2	2	nut m 8 p.1.25
			-> 2233 X SILVER 80
			-> 3531 X SILVER 90
			-> 2025 X SILVER 100.4
			-> 3690 X SILVER 100.6






Section: CAB Ref.: 241

GLASSES AND SEALS


Fig.	Code	QTY	Name
	0.007.0000.0440	_	
1	0.007.6660.3/10	1	rod sx
1	0.007.6661.3/10	1	rod dx
2	2.1699.426.3/20	2	pin
3	2.1142.010.2	6	nut m 6X16.5
4	0.007.6884.0	2	gasket
5	2.1699.425.3/10	2	pin



Section: CAB Ref.: 242

INTERIOR TRIM


Fig.	Code	QTY	Name	
1	0.009.0213.0	1	stop 4	
2	0.009.0214.0	1	stop 3	
3	0.009.0215.0	1	stop 2	
4	0.009.0216.0	1	stop 1	
5	0.009.0218.0	1	support	
6	0.009.0219.0	1	panel	
7	0.009.0226.0/10	1	push-button	
8	0.009.0285.0/10	1	spring	
9	2.1699.256.0	1	pin	
10	2.1630.006.0	1	roll pin 2x12	
11	2.1660.117.2	4	pin 6x90x84	
12	2.1690.106.2	4	split pin 1.6x16	
13	0.010.0698.0	1	panel	
13	0.011.3982.0	1	panel	
			- FOR TYPES WITH REXROTH CONTROL VALV	E
14	2.0342.208.3	-	screw m 6 p.1x30	
15	2.1142.010.2	1	nut m 6X16.5	
16	2.0399.170.3	8	screw m 5x25	
17	2.6999.040.0	8	nut	
18	0.257.7653.0	5	washer	
19	2.6999.039.0/10	8	special nut	
20	2.0352.407.3	7	screw 4.2x22	
21	0.009.0273.0/10	1	cover	
22	0.009.0261.3	1	handle dx	
23	2.1470.004.2	2	lock washer 8	
24	2.0112.207.2	2	screw m 8 p 1.25x20	
25	2.6999.042.0	10	spring	
26	2.6999.038.0	4	special nut 4.2	
27	0.009.0274.3/50	1	radio consolle	
29	0.008.2888.6/20	1	radio consolle	
29	0.009.2927.6/20	1	radio consolle	
			- WITH MULTIFUNCTION CONTROL UNIT	
30	0.009.1670.0	1	brush	
31	2.0350.253.0	2	screw 3.5x9.5	
32	2.0352.757.3	5	screw 6.3x22	
33	0.009.0500.0	1	plug	
34	0.257.7653.0	3	washer	
35	2.0350.757.2	3	screw 6.3x22	
36	2.6999.039.0/10	5	special nut	
37	0.009.3015.2	1	small plate	
38	2.0350.153.3	4	screw 2.9x9.5	
39	2.0332.206.2	2	screw M4x0,7X16	
40	0.007.1921.0	1	sound deadening	1/2
41	0.007.1922.0/10	1	sound deadening	1,2



Section: CAB Ref.: 242

INTERIOR TRIM

Fig.	Code	QTY	Name
42	2.0332.211.3	1 3	screw m 4x40
43	2.0351.556.3		screw



Section: CAB Ref.: 243

INTERIOR TRIM

Fig.	Code	QTY	Name
1	0.009.0367.0/20	1	lining
2	0.009.0341.0/10	1	lining
3	2.0399.177.3	9	screw 4.2x25
4	2.1470.004.2	2	lock washer 8
5	2.0112.207.2	2	screw m 8 p 1.25x20
6	0.009.0360.0/50	1	lining sx
7	2.6999.038.0	9	special nut 4.2
8	2.9929.248.0	1	plate P.T.O.
9	0.012.1495.0/10	1	small carpet
10	0.009.0724.3	1	handle
11	2.3199.204.0	24	plug 10x22.5x22
12	2.1899.058.0	7	rivet
13	0.009.0340.0/10	1	guard
14	0.009.0393.0/60	1	sound deadening
15	0.009.0392.0/20	1	sound deadening
16	2.0399.164.3	6	screw m 6x40
17	0.009.0338.0/10	1	stop dx
17	0.009.0339.0/10	1	stop sx
18	2.1142.004.2	6	nut m 6x3
19	0.012.1494.0	1	small carpet
			- FOR ELEKTROHYDRAULIC DIFFERENTIAL LOCK
19	0.012.1494.0	1	small carpet
			- FOR MECHANICAL DIFFERENTIAL LOCK
20	0.009.0368.0/40	1	sound deadening
21	2.1140.021.2	1	nut m 8
27	0.009.0846.0	1	plate sx
27	0.009.0847.0	1	plate dx
28	0.009.0480.0	2	gasket
29	0.009.0481.0	2	plate
30	2.1310.004.2	4	flat washer 8.4x16
31	2.0112.205.2	4	screw m 8 p.1.25x16
32	0.009.0480.0	3	gasket
33	2.1142.005.2	6	insert m 8
34	0.170.6852.3	3	support
36	2.0112.205.2	6	screw m 8 p.1.25x16
37	2.1310.004.2	6	flat washer 8.4x16
39	0.009.1230.0/50	1	sound deadening
40	0.008.2656.0	1	plug
41	0.010.8458.0	1	sound deadening
42	0.009.0953.0	1	sound deadening dx
43	0.010.8457.0	1	sound deadening
44	0.009.0911.0	8	nut
45	0.000.0000.1	-	not serviceable 1/1


Section: CAB Ref.: 244

50 48 49 51-53 51-60	
25 27 25 27 27 21 28 28 28 28 20 43 44 31-32	
39 — 37 15-16 — 19 38 — 37 17-18 — 35 — 30 29 36 46 — 3 33-34 — 3 4 614 244 2	


INTER	RIOR TRIM			
Fig.	Code	QTY	Name	
1	0.009.0530.0	1	cover	
2	0.009.0344.0/50	1	inner cab roof panel	
3	0.009.0343.0	1	inner cab roof panel	
4	2.6999.028.2	2	special nut m 4	
5	0.9237.343.4/10	1	roll-up sun-shade	
6	2.0299.003.3	2	screw m 4x18	
7	0.009.0534.4	1	rod dx	
8	0.009.0535.4	1	rod sx	
10	2.0350.454.3	2	screw 4.2x13	
11	0.009.0532.0/20	1	terminal sx	
12	0.009.0533.0/20	1	terminal dx	
13	2.1310.002.2	2	flat washer 6.4x12.5	
14	2.0332.407.2	2	screw m 6x20	
15	0.009.0463.0/20	1	cover dx	
16	0.009.0462.0/20	1	cover sx	
17	0.009.6775.0/10	1	cover dx	
18	0.009.6795.0/10	1	cover sx	
19	2.3199.219.0	13	plug 10x22.5x22	
20	0.009.0365.0/30	1	lining dx	
21	0.009.0361.3/60	1	guard dx	
22	0.009.0362.0/30	1	cover sx	
23	0.009.0363.0/30	1	cover dx	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
			2395 <- X SILVER 100.6	
23	0.010.0136.0/50	1	cover	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	
			-> 1559 X SILVER 100.4	
0.4	0.000.0004.0/00	4	-> 2396 X SILVER 100.6	
24	0.009.0364.0/30	1	cover sx	
25	2.0399.174.3	4	screw 4.8x16	
26	2.0350.556.3	4	screw 4.8x19	
27	2.1599.573.0	8	washer	
28	0.009.0366.0/30	1	lining	
			1681 <- X SILVER 80	
			2347 <- X SILVER 90	
			1558 <- X SILVER 100.4	
20	0.040.0435.0740	4	2395 <- X SILVER 100.6	
28	0.010.0135.0/40	1	lining	
			-> 1682 X SILVER 80	
			-> 2348 X SILVER 90	1/2
			-> 1559 X SILVER 100.4	

Section: CAB
INTERIOR TRIM

Ref.: 244




-> 2396 X SILVER 100.6 29	
29 0.008.2592.0/10 2 cover 30 0.008.2593.0/10 2 cover 31 0.008.2574.0/20 1 cover sx 1681 <- X SILVER 80 2347 <- X SILVER 90	
30 0.008.2593.0/10 2 cover 31 0.008.2574.0/20 1 cover sx 1681 <- X SILVER 80 2347 <- X SILVER 90	
31 0.008.2574.0/20 1 cover sx 1681 <- X SILVER 80 2347 <- X SILVER 90	
1681 <- X SILVER 80 2347 <- X SILVER 90	
2347 <- X SILVER 90	
1000 · // CIEVER 100:1	
2395 <- X SILVER 100.6	
31 0.010.1249.0 1 shield sx	
-> 1682 X SILVER 80	
-> 2348 X SILVER 90	
-> 1559 X SILVER 100.4	
-> 2396 X SILVER 100.6	
32 0.008.2575.0/20 1 cover dx	
1681 <- X SILVER 80	
2347 <- X SILVER 90	
1558 <- X SILVER 100.4	
2395 <- X SILVER 100.6	
32 0.010.1251.0 1 shield dx	
-> 1682 X SILVER 80	
-> 2348 X SILVER 90 -> 1559 X SILVER 100.4	
-> 1939 X SILVER 100.4 -> 2396 X SILVER 100.6	
33 0.008.2573.0/20 1 cover sx	
34 0.008.2576.0/20 1 cover dx	
35 2.3199.126.0/10 6 plug	
36 2.0399.179.3 4 screw 4.8x32	
37 2.1142.010.2 12 nut m 6X16.5	
38 2.0312.108.2 12 screw m 6 p.1x25	
39 0.009.0541.0 12 plug	
40 0.9241.563.0 1 plug	
41 2.3199.174.0 1 plug	
42 0.007.1920.0 1 sound deadening	
43 2.0332.206.3 2 screw m 4 p.0.5x16	
44 0.010.1292.0 2 small disc	
45 2.6569.045.0 1 rubber plug	
46 0.010.1453.0 2 plug 22 47 0.009.3195.0 2 plug	
47 0.009.3195.0 2 plug 48 0.011.2218.0 1 small plate	
49 2.0332.306.3 2 screw m 5x0.8x16	
50 0.011.2617.3 1 bracket	
51 2.3199.126.0/10 2 plug	
52 2.1470.002.2 2 lock washer 6	2/2
53 2.0112.007.2 2 screw m 6 p.1x20	2/2



Section: CAB Ref.: 244.1

INTERIOR TRIM


Fig.	Code	QTY	Name	
Notes:	682 X SILVER 80 -> 2348	Y SII V/ED	90 -> 1559 X SILVER 100.4	-> 2396 X SILVER 100.6
-> 10	002 A SILVLIN 00 -> 2040	X SILVLIX	90 -> 1339 X SIEVER 100.4	-> 2330 X SIEVEIX 100.0
1	2.0112.007.2	2	screw m 6 p.1x20	
2	2.1470.002.2	2	lock washer 6	
3	2.1142.010.2	2	nut m 6X16.5	
4	0.010.0147.0/10	1	support	
5	0.010.0148.0/20	1	cover	
6	0.010.0149.0/20	1	lining	
7	0.010.0150.0/20	1	lining	
8	0.010.0151.0/10	1	push-button	
9	2.4019.631.2	1	spring	
10	2.1630.106.1	1	pin 2.5x12	
11	2.1699.438.3/10	1	pin	
12	2.1430.006.2	1	circlip 5	
13	0.010.5174.0/10	1	gasket	
14	0.011.0715.0	1	gasket	
15	0.011.3281.0	1	gasket	



Section: CAB Ref.: 245

INTERIOR TRIM

114 1 [INTERIOR TRIM					
Fig.	Code	QTY	Name			
1	0.9234.367.3/30	1	cover			
2	0.009.0400.2	1	lining			
3	0.9234.379.0/20	1	gasket			
4	0.9234.373.4	2	shoch.absorber			
5	2.1410.063.1	2	circlip 8			
6	0.9234.371.0	2	small block			
7	2.0322.408.6	4	screw m 6x25			
8	2.1312.003.2	4	washer 6.6x18			
9	2.1120.003.2	4	selflock nut m 6			
10	0.9234.375.3	2	square			
11	2.1470.002.2	4	lock washer 6			
12	2.0112.005.2	4	screw m 6 p.1x16			
13	0.9234.384.3/10	1	handle			
14	2.1630.111.0	1	roll pin 2.5x24			
15	2.1599.478.0	1	snoulder 13x28x1			
16	2.0350.505.2	10	screw 4.8x16			
17	2.1599.573.0	10	washer			
18	0.9234.370.0	2	hinge			
19	2.1660.324.2	2	pin 8x125x119			
20	2.1310.004.2	4	flat washer 8.4x16			
21	2.1690.206.2	4	split pin 2x16			
22	2.0322.508.2	4	screw m 8x25			
23	0.009.0845.0/10	1	hose clip			
24	0.008.2742.0	1	contact surface			
25	2.0322.404.2	2	screw m 6x12			
26	2.1699.285.2/20	2	pin			
27	0.008.3071.3/10	1	escpae hatch			
28	0.008.3072.0/20	1	escpae hatch			
29	2.0112.211.2	3	screw m 8 p.1.25x30			
30	2.1470.004.2	4	lock washer 8			
31	2.1312.004.2	4	washer 9x24			
32	2.0112.411.2	3	screw m 12 p.1.75x30			
33	2.1470.007.2	4	lock washer 12			
34	2.1311.012.1	1	flat washer 20			
35	2.1312.006.2	3	washer 14x36			
36	0.008.3255.0/10	6	screw m 8			
37	0.98706.79.2/10	1	gasket			
38	0.9237.354.0	1	gasket			
39	2.1142.005.2	4	insert m 8			
40	2.1599.706.0/10	4	washer			
41	2.0112.413.2	1	screw m 12 p.1.75x35			
42	2.0112.215.2	1	screw m 8 p.1.25x40			




0 614 _ 246 1

SILVER 90

Section: CAB Ref.: 246

CAB CUSTOMIZATION


Fig.	Code	QTY	Name
1	0.008.9277.0/20	1	guard dx
1	0.008.9276.0/30	1	guard sx
2	2.0350.454.3	6	screw 4.2x13
3	2.0322.307.2	4	screw m 5x20
4	0.009.1778.3/20	1	body sx
4	0.009.1779.3/20	1	body dx
5	0.008.3721.2	2	plate
			() <-
6	0.007.5961.0	2	cup
7	0.008.2765.4	2	push-button
8	2.7439.013.2	2	key
9	0.007.5899.0	2	small plate
10	0.008.9279.0/30	1	guard dx
10	0.008.9278.0/30	1	guard sx
11	0.264.7226.2	2	plate SAME
12	2.1129.004.0	10	selflock nut m 4
13	0.009.1768.0	1	guard sx
13	0.009.1769.0	1	guard dx
14	0.008.3161.0	2	gasket
15	2.1220.005.2	2	ring nut 20 p.1
16	2.1011.102.2	6	nut m 5 p.0.7
17	2.0350.456.3	10	screw 4.2x19
18	2.6999.042.0	4	spring
19	0.269.7287.2	1	plate SAME
20	2.6999.063.0	12	small spring
21	0.008.2774.0	2	spring



Section: CAB Ref.: 247

WINDSHIELD WIPER SYSTEM


Fig.	Code	QTY	Name
1	0.9234.558.4/10	1	tank
			- FOR FRONT WINDSHIEL WIPER
2	0.9234.560.1	1	gasket
3	0.9234.561.1	1	plug
4	2.1470.002.2	4	lock washer 6
5	2.1142.010.2	3	nut m 6X16.5
6	2.1470.001.2	4	lock washer 5
7	2.1011.102.2	4	nut m 5 p.0.7
8	0.009.0895.0/10	1	tube mm 1020
9	0.9234.553.0	1	pipe fitting
10	0.9234.554.0/10	2	tube
11	0.9234.550.0	2	windscreen washer
12	0.008.9566.0/10	1	bracket
13	2.0112.007.2	3	screw m 6 p.1x20
14	0.9234.554.0/10	1	tube
15	0.9231.559.0	1	pipe fitting
16	0.008.9817.4	1	cup
			- FOR FRONT AND BACK WINDSHIELD WIPER
17	0.9241.568.1	1	gasket
18	0.9241.567.1	1	plug
19	2.6839.037.2	2	clamp
20	2.1011.103.2	1	nut m 6 p.1



Section: CAB Ref.: 248

FRONT WINDSHIELD WIPER SYSTEM


FRON	FRONT WINDSHIELD WIPER SYSTEM					
Fig.	Code	QTY	Name			
1	0.009.0277.4/40	1	windscreen wiper			
2	2.1472.003.2	3	washer 6			
3	0.009.0278.3	1	arm			
4	0.9233.585.3	1	wiper blade			
5	0.9233.578.2	1	crank			
6	0.009.0280.2	1	connecting rod			
8	0.008.8110.2	1	sleeve			
9	0.008.8111.3	1	pin			
10	0.9233.591.1	1	special nut			
11	0.9233.574.0	1	spacer			
12	2.1549.083.0	1	spacer			
13	0.9233.589.1	1	screw m 4x25			
14	0.9233.590.1	1	selflock nut m 4			
15	2.1011.103.2	1	nut m 6 p.1			
16	2.1472.003.2	1	washer 6			
17	0.9233.587.1	1	cap			
18	0.9233.588.1	1	cap			
19	0.009.0283.1	1	special nut m 18			
20	0.009.0276.2	1	support			
21	2.0112.005.2	3	screw m 6 p.1x16			
22	2.9019.070.0/10	1	wiper motor			
23	2.9019.070.1	1	intermitent switch			
24	2.1599.153.0	3	snoulder 6.4x17x2			
25	2.6999.003.2	3	nut m 8			
26	2.1142.005.2	1	insert m 8			
27	2.0112.007.2	3	screw m 6 p.1x20			



Section: CAB Ref.: 249


REAR WIPER WIRING SYSTEM

Fi	OTV. Name					
Fig.	Code	QTY	Name			
1	0.9241.557.4/20	1	wiper motor			
2	0.9241.556.0/20	1	guard			
3	0.9200.177.0	1	guard			
4	0.9231.556.4	1	cooling nozzle			
5	0.008.9797.2/20	1	tube			
6	0.9241.560.0	1	small plate			
7	0.9241.561.0	1	rubber plug			
8	0.9241.562.0	1	spacer			
9	2.1579.826.2	1	spacer 9x14x17			
10	2.1579.909.2	1	spacer 12.6x17x17			
11	0.008.3834.4	1	windscreen wiper			
12	2.1856.304.0	2	rivet mm 4			
13	2.7659.072.0	1	push-button			
14	2.6569.018.0	1	wire guide 20x8x15			
15	0.008.9818.0	2	tube			
16	0.9231.559.0	1	pipe fitting			
17	0.008.9819.0	1	tube			
18	2.6861.003.2	2	clamp			



Section: CAB
ELECTRICAL SYSTEM Ref.: 250

Fig.	Code	QTY	Name
1	2.8029.730.0	2	headlight
2	2.6569.018.0	2	wire guide 20x8x15
3	2.7659.078.0	1	switch
			- FOR FRONT HEAD LIGHTS
4	2.8029.730.0	2	headlight
5	2.6569.018.0	2	wire guide 20x8x15
6	2.7659.079.0	1	switch
			- FOR BACK LIGHTS
7	0.008.1298.3	1	wire
8	0.008.0400.3/20	1	electrical system
9	2.9389.002.0	1	digital chronometers
10	2.6039.010.0	4	guard
11	2.8339.097.0	1	interior light
12	2.8339.094.0/10	1	interior light
13	2.7659.081.0	1	switch
14	2.1011.105.2	1	nut m 8 p.1.25
15	2.8319.002.0	4	lamp 12V-55W
16	2.1470.004.2	1	lock washer 8
17	2.0350.154.2	2	screw 2.9x13
18	2.0399.190.3	2	screw 3.5x16
19	0.011.0730.4	1	wire




Section: CAB

ELECTRICAL SYSTEM

Fig.	Code	QTY	Name
1	2.8029.730.0	2	headlight
2	0.009.6783.0	2	square
3	2.0112.205.2	2	screw m 8 p.1.25x16
4	2.1310.004.2	2	flat washer 8.4x16
5	2.1011.105.2	2	nut m 8 p.1.25
6	0.009.6889.3	1	wire
			() <-
7	2.6039.010.0	2	guard
8	2.7659.107.0	1	relay 12V-30A
9	2.7659.132.0	1	push-button
10	2.8319.002.0	2	lamp 12V-55W

1/1

Ref.: 251



Section: CAB Ref.: 252

ELECTRICAL SYSTEM

	LEEG I RIGAE GI GI EM				
Fig.	Code	QTY	Name		
1	0.009.7127.3/10	1	square		
2	0.009.7131.3	1	coupling		
3	2.6039.017.0	1	socket		
4	0.009.6650.0	1	cap		
5	0.007.6169.3	1	wire		
6	2.4019.611.2	1	spring		
7	2.1310.006.2	2	flat washer 10.5x20		
8	2.1120.006.2	1	nut m 10 p.1.5		
9	0.154.6761.0	1	rubber plug		
10	2.7659.126.0	1	switch		
11	0.009.7132.0	1	tube		
12	2.6819.025.2	2	bracket		
13	2.6569.042.0	1	wire guide 20x10x15		
14	2.1310.006.2	1	flat washer 10.5x20		

Section: CAB Ref.: 253






Fig.	Code	QTY	Name	
		_		
1	2.0399.178.3	2	screw 4.2x19	
2	2.6999.061.0	2	small spring	
3	0.98706.51.2	1	air filter	
3	0.009.4303.0	1	air filter	
4	0.98706.54.2/10	2	- ACTIVE CARBON knob	
5	0.98706.53.2/10	1	knob	
6	0.008.8023.3/20	1	duct	
7	0.98706.78.0/40	1	gasket	
8	0.98706.76.0/10	2	gasket	
9	0.98706.77.0/20	1	gasket	
10	0.98706.57.3	1	crosspiece	
11	0.009.0440.0	2	belt	
12	0.009.0455.4	4	blower	
13	2.1699.251.0/10	2	pin	
14	2.1899.080.0	4	rivet	
15	2.0399.169.3	2	screw m 5x25	
16	0.98706.87.0	1	gasket	
10	0.00700.07.0	•	2568 <- X SILVER 80	
			4780 <- X SILVER 90	
			2720 <- X SILVER 100.4	
			5182 <- X SILVER 100.6	
17	2.1630.005.0	2	pin 2x10	
18	0.009.0347.0/30	1	front grille	
19	0.009.0346.0	1	cover	
20	0.009.0510.4	2	tongue	
21	2.0119.164.3	6	screw m 8x20	
22	2.1470.004.2	6	lock washer 8	
23	2.1310.004.2	6	flat washer 8.4x16	
24	2.1311.012.2	1	flat washer 20	
25	2.0119.157.3	4	screw m 8 p.1.25x50	
26	2.1470.004.2	4	lock washer 8	
27	2.0112.209.2	2	screw m 8 p 1.25x25	
28	2.1470.004.2	2	lock washer 8	
29	2.1310.004.2	4	flat washer 8.4x16	
30	2.1011.105.2	2	nut m 8 p.1.25	
31	2.0322.307.2	5	screw m 5x20	
32	2.1142.004.2	2	nut m 6x3	
33	0.98706.88.0/10	1	panel	
34	0.98706.89.0/10	1	panel	
35	2.1310.002.2	5	flat washer 6.4x12.5	
36	2.0399.160.3	1	screw m 6x50	
37	2.0399.161.3	4	screw m 6x70	1 /0
38	2.0112.005.2	2	screw m 6 p.1x16	1/2

Section: CAB
CAB AIR LINES Ref.: 253




GAB AIR LINES Fig. Code QTY Name				
Code	QTY	Name		
2.1470.002.2	2	lock washer 6		
2.1310.002.2		flat washer 6.4x12.5		
2.6999.033.2	2	special nut m 5		
0.008.1979.0	1	front grille		
0.98706.72.4/20	1	grille		
0.9030.664.0/10		knob		
2.1011.103.2	3	nut m 6 p.1		
2.1310.002.2	5	flat washer 6.4x12.5		
2.1120.003.2	6	selflock nut m 6		
2.1599.283.0	4	snoulder 8.5x25x1.6		
2.4019.318.2	2	spring		
0.98706.80.2	1	air filter		
0.98706.71.2/20	1	grille		
2.1142.011.2	6	nut m 8x4		
2.1142.004.2	4	nut m 6x3		
2.1142.010.2	1	nut m 6X16.5		
2.1579.931.0	2	spacer 9x20x4		
0.011.6200.0	1	gasket		
		-> 2569 X SILVER 80		
		-> 4781 X SILVER 90		
		-> 2721 X SILVER 100.4		
		-> 5183 X SILVER 100.6		
0.011.6199.0	2	gasket		
		-> 2569 X SILVER 80		
		-> 4781 X SILVER 90		
		-> 2721 X SILVER 100.4		
		-> 5183 X SILVER 100.6		
	2.1470.002.2 2.1310.002.2 2.6999.033.2 0.008.1979.0 0.98706.72.4/20 0.9030.664.0/10 2.1011.103.2 2.1310.002.2 2.1120.003.2 2.1599.283.0 2.4019.318.2 0.98706.80.2 0.98706.71.2/20 2.1142.011.2 2.1142.010.2 2.1142.010.2 2.1579.931.0 0.011.6200.0	Code QTY 2.1470.002.2 2 2.1310.002.2 2 2.6999.033.2 2 0.008.1979.0 1 0.98706.72.4/20 1 0.9030.664.0/10 3 2.1011.103.2 3 2.1310.002.2 5 2.1120.003.2 6 2.1599.283.0 4 2.4019.318.2 2 0.98706.80.2 1 0.98706.71.2/20 1 2.1142.011.2 6 2.1142.004.2 4 2.1142.010.2 1 2.1579.931.0 2 0.011.6200.0 1		



Section: CAB Ref.: 254

CAB DUCTWORKS AND SOUNDPROOFING

Fig.	Code	QTY	Name	
1	0.009.0325.0/50	1	duct	
2	2.6999.003.2	6	nut m 8	
3	2.1310.002.2	6	flat washer 6.4x12.5	
4		6		
	2.0112.005.2		screw m 6 p.1x16	
5	0.009.0471.0/20	1 1	switch	
6	0.009.3643.3	' - '	hinge dx	
7	0.009.0396.0/20	1	cover	
8	2.0350.757.2	3	screw 6.3x22	
9	2.1310.002.2	4	flat washer 6.4x12.5	
10	2.0112.007.2	8	screw m 6 p.1x20	
11	2.1310.001.2	1	flat washer 5.3x10	
13	0.009.0472.0/20	1	bracket	
14	2.0322.407.6	2	screw m 6x20	
15	2.1310.002.2	2	flat washer 6.4x12.5	
16	2.1011.103.2	2	nut m 6 p.1	
17	0.009.0473.0/30	1	rod	
18	0.98551.51.0	2	small spring	
19	2.0350.454.2	2	screw 4.2x13	
20	2.1690.106.2	1	split pin 1.6x16	
21	0.009.3646.0/10	1	gasket dx	
22	0.009.9816.3	1	pin	
23	0.009.3647.0/10	1	gasket sx	
24	0.009.3645.0/10	1	gasket	
25	0.009.3644.0/10	1	gasket	
26	2.1599.526.0	2	washer	
27	2.1220.005.2	1	ring nut 20 p.1	
28	2.1559.216.2/10	1	bushing	
29	2.1899.048.0	2	rivet mm 4.8	
30	0.009.3648.0/10	1	bracket	
31	2.1310.002.2	8	flat washer 6.4x12.5	
32	2.6999.003.2	8	nut m 8	
33	2.1311.003.2	4	flat washer 5	
34	0.009.0964.0	1	knob	
35	2.0220.007.2	1	screw m 3x0.5x10	
36	0.009.0650.0/20	1	plate	
37	0.009.3643.0	1	pin	
38	2.1559.217.0/10	2	bushing 5x8x5.5	
39	0.009.9868.0	2	small spring	
40	0.009.0394.0	1	division	
41	0.009.0394.0	1	division	
42	2.0350.760.6	1	screw 6.3x38	
42		1		
	2.1579.879.2	2	spacer 12x20x19	
44 45	2.1499.139.0		washer 10	1/1
45	2.1410.001.1	1	circlip 10	




2 623 _ 254 _ 1


SILVER 90

Section: CAB Ref.: 254.1

CAB DUCTWORKS AND SOUNDPROOFING

Fig.	Code	QTY	Name
1	0.010.9669.0	1	sleeve
2	2.6851.005.0	6	clamp 40-60
3	0.010.9668.0/10	2	sleeve
4	0.010.9724.4/10	2	tongue
5	0.010.9736.0/10	1	tube
6	0.010.9696.0/10	1	tube
7	0.010.9697.0/10	1	tube






Section: CAB

CAB VENTILATION


Fig.	Code	QTY	Name
	0.00744.50.4/00	_	
1	0.98711.50.4/20	1	fan
			₽ 256
			F 254/3
			- FOR PREVIOUS VERSION-SEE
			F 256
2	0.009.0456.4/10	1	switch
3	2.1019.081.0	1	nut m 11 p.1.25
4	0.009.0698.0/10	1	plate
5	2.0599.073.1	1	screw m 4x8
6	2.3199.107.0	1	plug 14
7	0.009.0950.0/10	1	knob
8	2.1142.005.2	2	insert m 8

1/1

Ref.: 254.2



98711_50_4_20



SILVER 90

Section: CAB Ref.: 254.3


FΔN	PARTS

Fig.	Code	QTY	Name
1	0.98711.50.4/20	1	fan
2	0.98710.81.1	1	bracket
3	0.98710.82.1	6	special nut
4	0.98710.71.4	1	fan motor
5	2.1019.081.0	1	nut m 11 p.1.25
6	2.7649.110.0	1	switch
7	0.011.2696.0	1	box
8	0.98710.73.3	1	resistance
9	0.98711.53.1	1	wire
10	0.98706.67.0	2	cover
11	0.98706.68.0	1	cover
12	0.98710.72.0/10	1	lining

Section: CAB Ref.: 255

CAB VENTILATION


Fig.	Code	QTY	Name
Notes:			
- FOF	R COLD CLIMATES		
1	0.011.2336.4	1	fan
2	0.009.0456.4/10	1	switch
3	2.1019.081.0	1	nut m 11 p.1.25
4	0.009.0698.0/10	1	plate
5	2.0599.073.1	1	screw m 4x8
6	2.3199.107.0	1	plug 14
7	0.009.0950.0/10	1	knob
8	2.1142.005.2	2	insert m 8
9	2.6850.002.0	4	clamp 12-22
10	0.011.6179.0	2	tube
11	0.011.6180.0	2	tube
12	0.011.6181.0	2	pipe fitting
13	0.011.6177.3	2	tube
15	0.011.6199.0	2	gasket
16	0.011.6200.0	1	gasket



Section: CAB Ref.: 255.1

AUXILIARY HEATING


Fig.	Code	QTY	Name
N - 4			
Notes:	R COLD CLIMATES		
-101	COLD CLIMATES		
1	0.011.2155.0	1	tube
2	0.009.1830.4/10	1	valve
3	0.009.1354.0	1	gasket -> ()
4	0.011.2156.0	2	tube
5	0.011.2152.3	1	pipe fitting
6	0.011.2132.0	1	tube
7	0.011.2201.0	1	tube
10	0.011.2153.0	2	pipe fitting
11	2.6850.002.0	_ 10	clamp 12-22
12	0.011.2127.0	1	small plate
13	2.0332.306.3	2	screw m 5x0.8x16
14	2.0112.005.2	2	screw m 6 p.1x16
15	2.1475.201.2	2	washer 6.4x12
16	0.98503.67.0	10	clamp
17	0.009.3109.0	3	shim
			2291 <- X SILVER 80
			3745 <- X SILVER 90
			2064 <- X SILVER 100.4
			3943 <- X SILVER 100.6
17	0.009.1354.0	1	gasket
			-> 2292 X SILVER 80
			-> 3746 X SILVER 90
			-> 2065 X SILVER 100.4
			-> 3944 X SILVER 100.6
18	2.1011.105.2	1	nut m 8 p.1.25
19	0.011.7238.3	1	support
20	2.1470.004.2	1	lock washer 8



Section: CAB Ref.: 255.2


AUXILIARY HEATING


Fig.	Code	QTY	Name
Notes:			
	COLD CLIMATES		
. 0.	COLD CLIMITATES		
1	0.008.0402.3/10	1	electrical system
2	0.98707.55.0	9	block
3	0.98707.56.0/10	9	small plate
4	2.1470.002.2	9	lock washer 6
5	2.0112.015.2	9	screw m 6 p.1x40
6	2.3199.126.0/10	2	plug
7	2.7659.075.0	1	push-button
8	2.6999.003.2	9	nut m 8
9	0.98707.62.2/20	1	gasket
10	2.0350.761.2	1	screw 6.3x45
11	2.1310.002.2	1	flat washer 6.4x12.5
12	2.1579.879.2	1	spacer 12x20x19
13	2.0350.454.2	1	screw 4.2x13
14	0.98551.51.0	1	small spring
15	0.009.0482.0/20	1	rod
16	2.1690.106.2	1	split pin 1.6x16
17	2.1310.001.2	1	flat washer 5.3x10
18	0.009.9818.3	1	pin
19	2.1599.526.0	2	washer
20	2.1499.139.0	2	washer 10
21	2.1220.005.2	1	ring nut 20 p.1
22	2.1559.216.2/10	1	bushing
23	2.1410.001.1	1	circlip 10
24	0.009.0652.0/20	1	plate
25	0.009.0964.0	1	knob
26	2.0332.103.2	1	screw m 3x10
27	0.98708.51.4/40	1	cab heating
			F 256/1
28	2.1475.012.2	1	washer 5.3x11
29	0.011.2191.0	1	spacer
30	2.3332.001.2	1	pipe union
31	2.1560.003.0	2	gasket 8.2x12
32	2.3339.033.2/10	1	pipe fitting
33	2.3339.859.2	1	pipe fitting




Section: CAB **HEATER PARTS** Ref.: 255.3


Fig.	Code	QTY	Name	
Notes:				
	R COLD CLIMATES			
1	0.011.2134.4	1	cab heating	
2	0.010.2593.0	1	panel	
3	0.010.2593.1	1	accessories	
4	0.010.2593.2	1	feed pump	
5	0.010.2594.0	1	tube	
6	0.010.2594.1	1	tube	
7	0.010.2594.2	1	clamp	
8	0.010.2595.0	1	terminal	
9	0.010.2595.1	1	terminal	
10	0.010.2595.2	1	tube	
11	0.010.2596.0	3	screw	
12	0.010.2596.1	4	sleeve	
13	0.010.2596.2	8	clamp	
14	0.010.2597.0	1	fan	
15	0.010.2597.1	1	water pump	
16	0.010.2597.2	1	ventilator body	
17	0.010.2598.0	1	body	
18	0.010.2598.1	1	heat exchanger	











Section: CAB
AUXILIARY HEATING Ref.: 255.4

Fig.	Code	QTY	Name
Notes: - FOR	COLD CLIMATES		
1	0.011.2031.4	1	electrical system
2	0.011.2023.4	1	electrical system
3	2.7659.189.0	1	switch

Section: CAB Ref.: 255.5

AUXILIARY HEATING


Fig.	Code	QTY	Name	
Notes:				
	R COLD CLIMATES			
1	0.011.2782.3	1	support	
2	0.011.2964.3/20	1	tank	
3	0.011.2965.0	1	cover	
4	0.008.9024.2	3	knob	
5	0.011.2153.0	1	pipe fitting	
6	0.011.2968.3	1	bracket	
7	2.1310.004.2	12	flat washer 8.4x16	
8	0.011.2969.0/10	1	tube	
9	0.011.2970.0/10	1	bracket	
10	0.011.5398.3	1	plug	
11	2.0112.609.2	2	screw m 16 p.2x25	
12	2.1470.009.2	2	lock washer 16	
13	2.1310.010.2	2	flat washer 17x30	
14	0.007.5060.2/10	3	silent-block	
15	2.1312.007.2	6	washer 16x42	
			2291 <- X SILVER 80	
			3745 <- X SILVER 90	
			2064 <- X SILVER 100.4	
			3943 <- X SILVER 100.6	
15	2.1312.006.2	9	washer 14x36	
			-> 2292 X SILVER 80	
			-> 3746 X SILVER 90	
			-> 2065 X SILVER 100.4	
			-> 3944 X SILVER 100.6	
16	2.6851.004.0	2	clamp 32-50	
17	2.0112.209.2	7	screw m 8 p 1.25x25	
18	2.1011.105.2	2	nut m 8 p.1.25	
			2291 <- X SILVER 80	
			3745 <- X SILVER 90	
			2064 <- X SILVER 100.4	
			3943 <- X SILVER 100.6	
18	2.1071.004.0	3	special nut m 8 p.1.25	
			-> 2292 X SILVER 80	
			-> 3746 X SILVER 90	
			-> 2065 X SILVER 100.4	
			-> 3944 X SILVER 100.6	
19	2.1011.107.2	1	nut m 12 p.1.75	
20	2.1470.007.2	1	lock washer 12	
21	2.0112.409.2	1	screw m 12 p.1.75x25	
22	2.1579.291.0	3	spacer 9x11x3.5	1/2
23	2.6850.009.0	1	clamp 32-50	1,2


30 31 74 7 7 30 TO 10 TO 10 7 30 TO 10 TO 1	
9 0 15 7	
27 28	
33— 25— (b) 14 7 7 15 36 7 17 34 18— 35	

Section: CAB Ref.: 255.5


AUXILIARY HEATING

Fig.	Code	QTY	Name	
24	2.6560.011.0	2	wire guide 16x2.5	
25	2.6569.026.0	1	grommet	
26	0.011.3463.0	1	tube	
27	0.011.3464.0	1	tube	
28	2.6851.002.0	8	clamp 20-32	
29	0.007.0663.0/30	1	tube	
30	2.6850.001.0	1	clamp 8-16	
31	0.011.3549.0	1	tube	
32	0.011.2154.0	1	tube	
33	0.98503.67.0	10	clamp	
34	2.6839.052.0	4	clamp 30/20	
35	0.136.7387.0	3	rubber plug 15x27x5	
36	2.1579.988.2	2	spacer 8.8x12x7	





98711.50.4/10




SILVER 90

Section: CAB Ref.: 256

FAN PARTS

Fig.	Code	QTY	Name	
Notes:				
	<- X SILVER 80 4068	<- X SILVER	90 2295 <- X SILVER 100.4	4406 <- X SILVER 100.6
1	0.000.0000.1	-	not serviceable	
2	0.98710.81.1	1	bracket	
3	0.98710.82.1	6	special nut	
4	0.98710.71.4	1	fan motor	
5	2.1019.081.0	1	nut m 11 p.1.25	
6	2.7649.110.0	1	switch	
7	0.98706.50.0/10	1	box	
8	0.98710.73.3	1	resistance	
9	0.98711.53.1	1	wire	
10	0.98706.67.0	2	cover	
11	0.98706.68.0	1	cover	
12	0.98710.72.0/10	1	lining	



Section: CAB Ref.: 256.1


HEATER PARTS


Fig.	Code	QTY	Name
1	0.98708.51.4/40	1	cab heating
2	0.98707.71.1	4	screw
3	0.98707.85.1	1	gasket
4	0.98707.72.1	1	bracket
5	0.98708.58.1	1	fan motor
6	0.98707.74.1	1	nut
7	0.98538.71.1	4	spacer
8	0.98707.79.1	8	rubber plug
9	0.98708.59.1	1	radiator
10	0.98707.51.0/20	1	box
11	0.98708.60.1	1	spacer
12	0.98708.61.1	1	nut
13	0.98708.62.1	2	clamp
14	0.98708.63.1	1	tube
15	0.98708.64.1	1	bracket
16	0.98708.65.1	1	cock or tap
17	0.98708.66.1	1	wire
18	0.98708.67.1	1	screw
19	0.98708.68.1	1	screw
20	0.98707.83.1	1	resistance
21	0.98707.86.1	2	small spring
22	0.98707.50.0/10	1	box

Section: CAB Ref.: 257

VENTILATION-AIR CONDITIONING

Fig.	Code	QTY	Name
1	0.007.6840.4/20	1	conditioner
			☞ 257.1
			F 257/2
			- FOR PREVIOUS VERSION-SEE
			F 257/1
1	0.011.2335.4	1	conditioner
			₽ 257.1
			- FOR COLD CLIMATES
2	0.009.0457.4/10	1	control grp.
3	0.009.0697.0/10	1	plate
4	2.1019.081.0	1	nut m 11 p.1.25
5	2.1019.088.0	1	special nut m 11x0,75
6	0.98503.67.0	2	clamp
7	0.007.7976.3	1	tube size 6
8	0.007.7977.3/20	1	tube
9	0.011.6177.3	2	tube
10	0.011.6179.0	2	tube
11	2.6850.002.0	4	clamp 12-22
12	0.009.0950.0/10	2	knob
13	2.0599.073.1	2	screw m 4x8
14	2.1142.005.2	2	insert m 8
15	0.011.6199.0	2	gasket
16	0.011.6200.0	1	gasket
17	0.011.6180.0	2	tube
18	0.011.6181.0	2	pipe fitting





Section: CAB FAN PARTS Ref.: 257.1

Fig.	Code	QTY	Name	
Notes:				
	<- X SILVER 80 4	068 <- X SILVER 9	0 2295 <- X SILVER 100.4	4406 <- X SILVER 100.6
1	0.000.0000.1	-	not serviceable	
2	0.98710.81.1	1	bracket	
3	0.98710.82.1	6	special nut	
4	0.98710.71.4	1	fan motor	
5	0.98710.83.1	1	gasket	
6	0.98710.72.0/1	0 1	lining	
7	2.7649.120.0	1	thermostat	
8	2.7649.110.0	1	switch	
9	0.98706.50.0/1	0 1	box	
10	0.98710.84.1	1	guard	
11	0.98710.73.3	1	resistance	
12	0.98710.85.1	1	wire	
13	0.98706.67.0	2	cover	
14	0.98706.68.0	1	cover	
15	2.6850.003.0	1	clamp 16-25	
16	0.010.1713.4	1	radiator	
17	2.1533.503.0	1	'o' ring	
18	0.010.1714.3	1	valve R 134	
19	2.1533.012.0	1	'o' ring	
20	0.010.1739.0	1	flange	

16 20 18 12-007_6840_4_20 10 11

SILVER 90

Section: CAB Ref.: 257.2


AIR CONDITIONER PARTS


	ONDITIONER PAR		
Fig.	Code	QTY	Name
1	0.007.6840.4/20	1	conditioner
2	0.98710.81.1	1	bracket
3	0.98710.82.1	6	special nut
4	0.98710.71.4	1	fan motor
5	0.98710.83.1	1	gasket
6	0.98710.72.0/10	1	lining
7	2.7649.120.0	1	thermostat
8	2.7649.110.0	1	switch
9	0.011.2696.0	1	box
10	0.98710.84.1	1	guard
11	0.98710.73.3	1	resistance
12	0.98710.85.1	1	wire
13	0.98706.67.0	2	cover
14	0.98706.68.0	1	cover
15	2.6850.003.0	1	clamp 16-25
16	0.010.1713.4	1	radiator
17	2.1533.503.0	1	'o' ring
18	0.010.1714.3	1	valve R 134
19	2.1533.012.0	1	'o' ring
20	0.010.1739.0	1	flange

Section: CAB Ref.: 258

VENTILATION-AIR CONDITIONING

A E IA I	VENTILATION-AIR CONDITIONING			
Fig.	Code	QTY	Name	
1	0.008.9342.3/20	1	condenser	
2	0.008.9576.0	4	small plate	
3	0.007.5260.4	1	fan	
4	2.0112.005.2	9	screw m 6 p.1x16	
5	2.1310.002.2	16	flat washer 6.4x12.5	
6	2.0020.103.2	4	screw m 6 p.1x16	
7	0.009.1345.0	4	support	
8	2.1310.004.2	4	flat washer 8.4x16	
9	2.1121.003.2	4	selflock nut m 6 p.1	
10	0.008.9880.2	1	rod	
11	2.1011.105.2	2	nut m 8 p.1.25	
12	2.1312.004.2	2	washer 9x24	
13	0.021.1560.0	2	rubber plug	
14	2.1579.730.2	1	spacer 8.4x12x12	
15	0.008.9881.0	1	bracket	
16	2.0112.205.2	3	screw m 8 p.1.25x16	
17	2.1470.004.2	3	lock washer 8	
18	0.98503.59.0	4	small spring	
19	0.009.2659.0	2	support	
20	0.008.9879.0/10	1	chassis frame	
21	2.1470.002.2	3	lock washer 6	
22	2.1011.103.2	3	nut m 6 p.1	
23	2.0112.307.2	2	screw m 10 p.1.5x20	
24	2.1470.006.2	2	lock washer 10	
25	0.008.9420.3/20	1	tube	
26	0.008.9604.4/10	1	filter	
27	0.010.2140.0	1	pressure switch	
28	0.009.2996.3	1	clamp	
29	2.7659.107.0	1	relay 12V-30A	
30	0.008.9617.0	1	square	






Section: CAB Ref.: 259

VENTILATION-AIR CONDITIONING

Fig.	Code	QTY	Name
_	0.000.7000.4	4	
1	0.009.7660.4	1	gear compressor R 134a
			© 265.3
0	0.4044.405.0	0	F 265/3
2	2.1011.105.2	2	nut m 8 p.1.25
3	2.1310.004.2	2	flat washer 8.4x16
4	0.007.6798.0	1	support
5	0.007.7925.3/10	1	shield
6	2.0112.223.2	2	screw m 8 p.1.25x70
7	2.1470.004.2	4	lock washer 8
8	2.0169.011.2/10	1	screw
9	0.009.3852.0/30	1	spacer
10	2.1470.006.2	5	lock washer 10
11	2.1011.106.2	2	nut m 10 p.1.5
12	0.007.9804.2	1	tensioner
13	2.0312.306.2	1	screw m 10 p.1.5x20
14	2.1310.006.2	2	flat washer 10.5x20
15	2.1579.116.2	1	spacer 11x20x11
16	2.0399.223.2	1	screw m 10x42
17	2.0399.225.2	1	screw m 8x85
18	0.010.0444.4/10	1	shield
19	2.0112.209.2	2	screw m 8 p 1.25x25
20	2.4119.149.0/10	1	belt mm 1262
21	0.008.9589.0/10	1	bracket
22	0.009.7202.4/10	1	connection 1-1/4"-18UN
23	0.009.0111.0	1	adapter 7/8"-14UNF1-1/4"-18NEF
24	0.009.7203.4/10	1	connection 7/8"-20UN
25	0.009.0112.0	1	pipe fitting 5/8"
26	2.1312.006.2	2	washer 14x36
27	2.1470.007.2	2	lock washer 12
28	2.0432.263.7	2	stud bolt m 12 p.1.75-1.25x45
29	2.1011.422.6	2	nut m 12 p.1.25
30	0.008.9591.3/30	1	pipe fitting
31	0.007.7895.3	1	valve m 15 p.1
			() <-
32	0.008.9592.3/30	1	pipe fitting
33	0.007.7896.3	1	valve m 13 p.1
			() <-
34	0.010.6845.0	1	small plate



Section: CAB Ref.: 260

VENTILATION-AIR CONDITIONING

Fig.	Code	QTY	Name
1	0.007.7924.3/10	1	tube
			- X SILVER 80 - 100.6
1	0.008.9421.3/40	1	tube
			- X SILVER 90 - 100.4
2	0.008.9755.3/30	1	tube
			- X SILVER 80 - 90 - 100.4
2	0.008.9757.3/30	1	tube
			- X SILVER 100.6
3	2.6839.057.0	1	clamp 30/25
4	2.1579.961.2	1	spacer 11x20x27
			- X SILVER 80 - 90 - 100.4
4	2.1579.184.0	1	spacer 11x20x35
			- X SILVER 100.6
5	0.008.9422.3/20	1	tube
			- X SILVER 80 - 90 - 100.4
5	0.008.9423.3/20	1	tube
			- X SILVER 100.6
6	2.0112.209.2	1	screw m 8 p 1.25x25
7	2.1470.004.2	1	lock washer 8
8	2.1011.105.2	1	nut m 8 p.1.25
9	0.008.9691.0/10	1	bracket
10	2.6859.035.2/10	1	clamp
11	2.0112.005.2	2	screw m 6 p.1x16
12	2.1470.002.2	2	lock washer 6
13	2.1011.103.2	2	nut m 6 p.1
14	2.1310.002.2	1	flat washer 6.4x12.5


11 10 27 13-- 15 16 -25 -21 19 20 -26 -28 4 614 _ 261 1

SILVER 90

Section: CAB Ref.: 261

VENTILATION-HEATING 65A


Fig.	Code	QTY	Name	
Notes:				
Notes:	<- X SILVER 80 4882 <-	X SILVER	90 2777 <- X SILVER 100.4	5336 <- X SILVER 100.6
2391	~- X SILVLK 00 4002 ~-	A SILVLIN	90 2111 V- X SIEVEN 100.4	3330 N- X SIEVEN 100.0
1	0.98707.50.4/50	1	fan	
,	0.30707.30.4730	'	© 261.1	
			F 265/5	
2	0.98707.62.2/20	1	gasket	
3	0.98707.55.0	9	block	
4	0.98707.56.0/10	9	small plate	
5	2.0112.015.2	9	screw m 6 p.1x40	
6	2.1470.002.2	9	lock washer 6	
7	0.98707.67.3	1	potentiometer	
8	0.009.0483.0/10	1	knob	
9	2.0220.007.2	1	screw m 3x0.5x10	
10	0.009.0484.0/10	1	bushing	
11	2.0599.074.2	1	grain m 3x5	
12	2.7659.075.0	1	push-button	
13	0.008.0403.3/20	1	electrical system	
14	0.008.0404.3	1	wire	
15	0.009.0651.0/20	1	plate	
16	2.6999.003.2	9	nut m 8	
17	2.1559.229.0	1	bushing	
18	0.007.7182.0	2	spacer	
19	2.1011.103.2	2	nut m 6 p.1	
20	2.1310.002.2	4	flat washer 6.4x12.5	
21	0.9241.563.0	1	plug	
22	2.0350.761.2	1	screw 6.3x45	
23	2.1310.002.2	1	flat washer 6.4x12.5	
24	2.1579.879.2	1	spacer 12x20x19	
25	2.3199.114.0	1	plug mm 14.5	
26	2.1470.002.2	8	lock washer 6	
27	2.6839.057.0	1	clamp 30/25	
28	2.1121.003.2	4	selflock nut m 6 p.1	



Section: CAB Ref.: 261.1

VENTILATION-HEATING 65A

Fig.	Code	QTY	Name	
Notes:				
	92 X SILVER 80 -> 4883	X SILVER	90 -> 2778 X SILVER 100.4	-> 5337 X SILVER 100.6
1	0.98707.50.4/60	1	cab heating	
2	0.98707.62.2/20	1	gasket	
3	0.98707.55.0	9	block	
4	0.98707.56.0/10	9	small plate	
5	2.0112.015.2	9	screw m 6 p.1x40	
6	2.1470.002.2	9	lock washer 6	
7	0.98707.67.3	1	potentiometer	
8	0.009.0483.0/10	1	knob	
9	2.0220.007.2	1	screw m 3x0.5x10	
10	0.009.0484.0/10	1	bushing	
11	2.0599.074.2	1	grain m 3x5	
12	2.7659.075.0	1	push-button	
13	0.008.0403.3/20	1	electrical system	
14	0.008.0404.3/10	1	electrical system	
15	0.009.0651.0/20	1	plate	
16	2.6999.003.2	9	nut m 8	
17	2.1559.229.0	1	bushing	
18	0.012.3751.0	1	bracket	
19	2.0020.105.2	2	screw m 6 p.1x20	
20	2.1312.003.2	2	washer 6.6x18	
21	0.9241.563.0	1	plug	
22	2.0350.761.2	1	screw 6.3x45	
23	2.1310.002.2	1	flat washer 6.4x12.5	
24	2.1579.879.2	1	spacer 12x20x19	
25	2.3199.114.0	1	plug mm 14.5	
26	2.1579.997.2	2	spacer 6.5x14x7.5	
27	2.6839.057.0	1	clamp 30/25	
28	2.1121.003.2	4	selflock nut m 6 p.1	
29	2.1470.002.2	2	lock washer 6	
30	2.1011.103.2	2	nut m 6 p.1	
31	2.0112.015.2	1	screw m 6 p.1x40	
32	2.1599.241.0	1	snoulder 6x31x2	
33	2.1120.003.2	1	selflock nut m 6	




Section: CAB Ref.: 262

VENTILATION-HEATING 85A

Fig.	Code	QTY	Name	
N - 4				
Notes		X SILVER 9	00 2777 <- X SILVER 100.4	5336 <- X SILVER 100.6
259	11 \- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	A SILVLIN S	00 2111 <- X SIEVER 100.4	3330 N- X SILVEN 100.0
1	0.008.0420.4	1	cab heating	
•	0.000.0120.1	•	© 265.4	
			F 265/4	
2	0.98707.62.2/20	1	gasket	
3	0.98707.55.0	9	block	
4	0.98707.56.0/10	9	small plate	
5	2.0112.015.2	9	screw m 6 p.1x40	
6	2.1470.002.2	9	lock washer 6	
7	0.98707.67.3	1	potentiometer	
8	0.009.0483.0/10	1	knob	
9	2.0220.007.2	1	screw m 3x0.5x10	
10	0.009.0484.0/10	1	bushing	
11	2.0599.074.2	1	grain m 3x5	
12	2.7659.075.0	1	push-button	
13	2.6519.029.0	1	cap	
14	0.007.6873.3	1	electrical system	
15	0.009.0651.0/20	1	plate	
16	2.6999.003.2	9	nut m 8	
17	2.1559.229.0	1	bushing	
18	0.007.7182.0	2	spacer	
19	2.1011.103.2	2	nut m 6 p.1	
20	2.1310.002.2	4	flat washer 6.4x12.5	
21	0.9241.563.0	1	plug	
22	2.0350.761.2	1	screw 6.3x45	
23	2.1310.002.2	1	flat washer 6.4x12.5	
24	2.1579.879.2	1	spacer 12x20x19	
25	2.3199.114.0	1	plug mm 14.5	
26	2.1470.002.2	8	lock washer 6	
27	2.6839.057.0	1	clamp 30/25	
28	2.7659.102.0	1	push-button	
29	0.007.6872.4/10	1	electrical system	
30	0.009.4350.0	1	relay 20/10 a	
31	2.7659.107.0	1	relay 12V-30A	
32	0.010.2145.0	1	connection	
33	0.010.4922.0	1	bracket	
34	2.1121.003.2	4	selflock nut m 6 p.1	





Section: CAB Ref.: 262.1

VENTILATION-HEATING 85A


Fig.	Code	QTY	Name	
Notes:				
	2 X SILVER 80 -> 4	1883 X SILVER 9	0 -> 2778 X SILVER 100.4	-> 5337 X SILVER 100.6
1	0.008.0420.4/10	1	cab heating	
2	0.98707.62.2/20	1	gasket	
3	0.98707.55.0	9	block	
4	0.98707.56.0/10	9	small plate	
5	2.0112.015.2	9	screw m 6 p.1x40	
6	2.1470.002.2	9	lock washer 6	
7	0.98707.67.3	1	potentiometer	
8	0.009.0483.0/10	1	knob	
9	2.0220.007.2	1	screw m 3x0.5x10	
10	0.009.0484.0/10	1	bushing	
11	2.0599.074.2	1	grain m 3x5	
12	2.7659.075.0	1	push-button	
13	2.6519.029.0	1	cap	
14	0.007.6873.3/10	1	electrical system	
15	0.009.0651.0/20	1	plate	
16	2.6999.003.2	9	nut m 8	
17	2.1559.229.0	1	bushing	
18	0.012.3751.0	1	bracket	
19	2.0020.105.2	2	screw m 6 p.1x20	
20	2.1312.003.2	2	washer 6.6x18	
21	0.9241.563.0	1	plug	
22	2.0350.761.2	1	screw 6.3x45	
23	2.1310.002.2	1	flat washer 6.4x12.5	
24	2.1579.879.2	1	spacer 12x20x19	
25	2.3199.114.0	1	plug mm 14.5	
26	2.1579.997.2	2	spacer 6.5x14x7.5	
27	2.6839.057.0	1	clamp 30/25	
28	2.7659.102.0	1	push-button	
29	0.007.6872.4/10	1	electrical system	
30	0.009.4350.0	1	relay 20/10 a	
31	2.7659.107.0	1	relay 12V-30A	
32	0.010.2145.0	1	connection	
33	0.010.4922.0	1	bracket	
34	2.1121.003.2	4	selflock nut m 6 p.1	
35	2.1470.002.2	2	lock washer 6	
36	2.1011.103.2	2	nut m 6 p.1	
37	2.0112.015.2	1	screw m 6 p.1x40	
38	2.1599.241.0	1	snoulder 6x31x2	
39	2.1120.003.2	1	selflock nut m 6	




Section: CAB Ref.: 263

VENTILATION-HEATING 65A

Fig.	Code	QTY	Name
4	0.000.0450.0/40	4	realist.
1	0.008.9452.0/10	1	gasket
2	0.008.9451.0	1	gasket
3	2.9439.480.0	1	alternator 65A MARELLI
			© 265
0	0.0400.400.0	4	F 265
3	2.9439.490.0	1	alternator 65A ISKRA
			© 265.2
4	0.00540.54.0/40	4	F 265/2 rotor blade
4	0.98549.51.0/10	1	
5	2.4119.147.0 0.007.6819.0	1	belt
6		1	pulley
7	2.0399.222.2	1	screw m 10x35
8	2.1310.006.2	5	flat washer 10.5x20
9	2.1011.106.2	1	nut m 10 p.1.5
10	0.007.6796.0/10	1	support
11	0.007.6802.2/30	1	bracket
12	0.98525.64.0	4	register mm 1
13	2.1470.006.2	5	lock washer 10
14	2.0112.311.2	3	screw m 10 p.1.5x30
15	2.1470.007.2	1	lock washer 12
16	2.0122.484.2	1	screw m 12 p.1.25x125
17	2.1549.267.2/10	1	spacer
18	2.0112.313.2	1	screw m 10 p.1.5x35
19	2.1310.007.2	1	flat washer 13x24
20	2.0399.221.2	1	screw m 8x95
21	0.008.9453.0	2	block






Section: CAB Ref.: 264

VENTILATION-HEATING 85A


Fig.	Code	QTY	Name
1	0.008.9452.0/10	1	gasket
2	0.008.9451.0	1	gasket
3	2.9439.470.0/10	1	alternator 14V 70A
			- FOR PREVIOUS VERSION-SEE REF.265.1
5	2.4119.150.0	1	belt
6	0.007.6820.0/10	1	pulley
7	2.0399.216.2/10	1	screw m 8x50
8	2.1470.004.2	2	lock washer 8
9	2.0112.313.2	1	screw m 10 p.1.5x35
10	0.007.6797.0/10	1	support
11	0.007.6803.2/10	1	bracket
12	2.0399.221.2	1	screw m 8x95
13	2.1470.006.2	4	lock washer 10
14	2.0112.311.2	3	screw m 10 p.1.5x30
15	2.1310.004.2	2	flat washer 8.4x16
16	2.0112.229.2	1	screw m 8 p.1.25x100
17	2.1559.358.2/10	1	bushing
18	0.98525.64.0	4	register mm 1
19	2.1011.105.2	1	nut m 8 p.1.25



Section: CAB Ref.: 265

ALTERNATOR PARTS


Fig.	Code	QTY	Name
1	2.9439.480.0	1	alternator 65A MARELLI
2	2.9439.290.2	1	support
3	2.9439.290.3	1	rotor
4	2.9439.290.5	1	field winding
5	2.9439.290.6	1	support
6	2.9439.150.7	1	brush holder
7	2.9439.290.7	1	rectifier
8	2.9439.290.8	1	guard
9	0.000.0000.1	-	not serviceable
10	2.9439.290.1	1	spacer



Section: CAB Ref.: 265.1

ALTERNATOR PARTS


AL 1 L	INITAL OIL LAILIO			
Fig.	Code	QTY	Name	
1	0.000.0000.1	-	not serviceable	
2	0.010.2069.0	1	cover	
3	0.010.2069.1	1	bearing	
4	0.010.2070.0	2	screw	
5	0.010.2070.1	1	armature	
6	0.010.2070.2	1	bearing	
7	0.010.2072.2	1	rectifier	
8	0.010.2071.1	1	cover	
9	0.010.2073.0	1	guard	
10	0.010.2073.1	1	regulator	
11	0.009.4335.1	2	brush set	
12	0.000.0000.1	-	not serviceable	
13	0.010.2072.1	1	field winding	



Section: CAB Ref.: 265.2

ALTERNATOR PARTS


Fig.	Code	QTY	Name
4	2 0420 400 0	4	alternator CEA ICICDA
1	2.9439.490.0	1	alternator 65A ISKRA
2	0.009.4331.1	1	cover
3	0.010.2066.1	1	bearing
4	0.010.2066.2	1	field winding
5	0.010.2067.0	4	screw
6	0.010.2084.0	1	rotor
7	0.010.2067.2	1	bearing
8	0.010.2084.1	1	accessories
9	0.010.2084.2	1	rectifier
10	0.010.2085.0	1	cover
11	0.010.2085.1	1	guard
12	0.010.2085.2	1	regulator
13	0.000.0000.1	-	not serviceable
14	0.000.0000.1	-	not serviceable



Section: CAB Ref.: 265.3

COMPRESSOR-PARTS


Fig.	Code	QTY	Name
1	0.009.7660.4	1	gear compressor R 134a
2	0.010.2132.0	1	circlip
3	0.010.2132.1	1	accessories
4	0.010.2132.2	1	key
5	0.000.0000.1	-	not serviceable
6	0.010.2133.0	6	screw
7	0.010.2133.1	1	head
8	0.010.2133.2	1	valve
9	0.010.2134.0	1	pulley
10	0.010.2134.1	1	electromagnet
11	0.010.2134.2	1	electromagnet
12	0.010.2135.0	1	gasket set



Section: CAB Ref.: 265.4

HEATER PARTS

HEATERTARTO				
Fig.	Code	QTY	Name	
1	0.008.0420.4	1	cab heating	
2	0.98707.71.1	2	screw	
3	0.98707.72.1	1	bracket	
4	0.98707.73.1	1	fan motor	
5	0.98707.74.1	1	nut	
6	0.98707.75.1	4	nut	
7	0.98707.76.1	4	screw	
8	0.98707.77.1	4	spacer	
9	0.98707.78.1	4	washer	
10	0.98538.71.1	4	spacer	
11	0.98707.79.1	8	rubber plug	
12	0.98707.80.1	2	screw	
13	0.009.7797.0	1	resistance	
14	0.009.4705.0	1	bracket	
15	0.009.4704.0	1	switch	
16	0.009.4703.0	1	switch	
17	0.98707.51.0/20	1	box	
18	0.98707.83.1	1	resistance	
19	0.009.4706.0	1	wire	
20	0.98707.85.1	1	gasket	
21	0.98707.86.1	2	small spring	
22	0.98707.50.0/10	1	box	



Section: CAB Ref.: 265.5

HEATER PARTS

Fig.	Code	QTY	Name
1	0.98707.50.4/50	1	fan
2	0.98707.71.1	2	screw
3	0.98707.72.1	1	bracket
4	0.98707.73.1	1	fan motor
5	0.98707.74.1	1	nut
6	0.98707.75.1	4	nut
7	0.98707.76.1	4	screw
8	0.98707.77.1	4	spacer
9	0.98707.78.1	4	washer
10	0.98538.71.1	4	spacer
11	0.98707.79.1	8	rubber plug
12	0.98707.80.1	2	screw
13	0.009.7797.0	1	resistance
14	0.98707.82.1	1	bracket
15	0.98538.77.1	1	casing
16	0.98538.61.1	1	small spring
17	0.98707.51.0/20	1	box
18	0.98707.83.1	1	resistance
19	0.98707.69.1	1	printed circuit
20	0.98707.85.1	1	gasket
21	0.98707.86.1	2	small spring
22	0.98707.70.1	1	box

ENGINE

CRANKCASE	
TIMING CASE	
TIMING CASE	
CRANKSHAFT	
ENGINE SHAFT - PULLEYS	
COUNTERWEIGHTS	
CAMSHAFT	
CYLINDER HEAD	12
LUBRICATION	14
LUBRICATION	
LUBRICATION	17
LUBRICATION	2 ²
LUBRICATION	22.2
OIL VAPORS SEDIMENT BOWL PARTS	23
FUEL SUPPLY SYSTEM	25
FUEL SUPPLY SYSTEM	27
FUEL SUPPLY ELECTRONIC GOVERNOR	29
FUEL SUPPLY ELECTRONIC GOVERNOR	29.1
THERMO STARTER	
GOVERNOR PARTS	
GOVERNOR PARTS	
INJECTION PUMP PARTS	
INJECTION PUMP PARTS	
INJECTION PUMP PARTS	
INJECTOR NOZZLE HOLDER COMPONENTS	
FUEL FILTER PARTS	
FUEL PUMP PARTS	
PRE-FILTER - COMPONENTS	
COOLING	
COOLING	
INTAKE AND EXHAUST	
EXHAUST SILENCER	
SIDE EXHAUST SILENCER	
EXHAUST SILENCER	
FXHAUST SILFNCFR	53.2



Section: ENGINE CRANKCASE




Fig.	Code	QTY	Name
1	0.087.0050.6/10	-	gasket set
			- X SILVER 80 - 90 - 100.4
			- FOR ENGINE MOUNTING
1	0.334.0050.6/10	-	gasket set
			- X SILVER 100.4
			- ASSEMBLY OF ENGINE WITH MECHANICAL
			GOVERNOR
8	2.1099.108.2	4	special nut m 10 p.1
9	2.1560.006.0	8	gasket 10.5
10	0.086.1550.2	4	cooling nozzle
11	0.065.1160.3/20	4	valve
12	2.1532.072.0	1	ring 26.70x1.78
13	2.3199.405.2	1	plug m 28 p.1.5
16	2.0432.003.7	12	stud bolt m 8 p.1.25-1x20
19	2.1539.130.0/10	4	'o' ring 117.07x3.53
20	0.007.0762.0/50	4	engine cylinder
25	0.066.1152.0/10	4	gasket
26	0.007.1140.6/10	1	crankcase
27	0.065.1112.7	1	support
28	2.1699.165.0	1	sleeve 12.3x15x16
29	0.065.1116.3	1	support
30	2.1699.165.0	1	sleeve 12.3x15x16
31	0.066.1151.0	1	pin
32	0.065.1141.0	1	bushing 59X55X30
33	0.065.1140.0	4	bushing 59X55X20
34	2.3179.012.0	1	plug 60
35	2.3130.001.1	11	plug 1/8 gas
36	2.3130.002.1	2	plug 1/4 gas
37	2.3130.003.1	7	plug 3/8 gas
38	2.3199.092.0	4	plug 8x12
39	0.065.1114.0/10	3	support
40	0.065.1117.0	10	screw
41	2.1324.011.0	1	plug m 14 p.1.5
42	2.0112.511.1	8	screw m 14 p.2x30
43	0.007.1655.0	1	flange
44	2.1651.912.0	2	cylindrical plug 12x28
45	2.1651.917.0	1	cylindrical plug 12x40
46	2.0432.257.7	1	stud bolt m 12 p.1.75-1.25x30
47	2.0439.250.7	1	stud bolt m 12-m 10x30
48	0.011.9294.0/10	1	sleeve
52	2.1560.017.0	1	gasket 22.2x27
			- X SILVER 80
53	2.3120.002.4	1	plug m 22 p.1.5
			- X SILVER 80


33011_02_0_0 0 0

SILVER 90

Section: ENGINE TIMING CASE

NE Ref.: 3


Fig.	Code	QTY	Name
1	0.007.1262.3/50	1	sump
2	0.007.1202.3/30	1	small column
3	0.007.1272.0/10	2	small column
5	2.1310.004.2	3	flat washer 8.4x16
7	2.0112.205.2	3	screw m 8 p.1.25x16




Section: ENGINE TIMING CASE Ref.: 4

Fig.	Code	QTY	Name
1	0.065.1132.0/60	1	sump
2	0.065.1150.0/30	1	gasket
3	0.065.1152.0	1	gasket
4	0.065.1151.0	1	cover
5	2.1470.004.2	4	lock washer 8
6	2.0112.205.2	2	screw m 8 p.1.25x16
7	2.0432.005.7	2	stud bolt m 8 p.1.25-1x25
8	2.1011.405.2	2	nut m 8 p.1
9	2.0312.208.2	8	screw m 8 p.1.25x25
10	2.1480.014.1	15	washer 8
11	2.0432.003.7	2	stud bolt m 8 p.1.25-1x20
13	2.0312.219.2	4	screw m 8 p.1.25x65
14	2.1529.141.0	1	'o' ring
15	2.0312.214.2	3	screw m 8 p.1.25x40
10	2.0012.214.2	3	3016W 111 0 p. 1.20x40

Section: ENGINE CRANKSHAFT



1 0.086.1210.3/30 1 crank shaft 2 0.065.1211.0/10 1 crown wheel	
2 0.065.1211.0/10 1 crown wheel	
3 2.1630.608.0 1 roll pin 6x16	
4 2.3130.001.1 4 plug 1/8 gas	
5 0.078.1220.3/30 4 engine connect.rod	
6 2.0399.213.0 2 screw m 12 p.1.25x61.5	
7 2.1559.114.0/10 4 bushing 35x39x35	
8 2.0139.022.2 6 screw m 12 p.1.25x55	
8 2.0119.174.0/10 6 screw m 12 p.1.25x45 - X HYDRIVE	
9 0.008.4049.3 1 flywheel mm 373	
2073 <- X SILVER 80	
2963 <- X SILVER 90	
1874 <- X SILVER 100.4	
9 0.007.1702.3/30 1 flywheel	
-> 2074 X SILVER 80	
-> 2964 X SILVER 90	
-> 1875 X SILVER 100.4	
9 0.010.7223.3/10 1 flywheel	
2139 <- X SILVER 80 HYDRIVE	
3042 <- X SILVER 90 HYDRIVE	
1879 <- X SILVER 100.4 HYDRIVE	
9 0.010.8727.3 1 flywheel	
-> 2140 X SILVER 80 HYDRIVE	
-> 3043 X SILVER 90 HYDRIVE	
-> 1880 X SILVER 100.4 HYDRIVE	
10 0.065.1242.0 1 crown wheel z=123	
11 0.086.0060.6/30 4 complete piston	
- X SILVER 80 11 0.379.0060.6 4 complete piston	
11 0.379.0060.6 4 complete piston - X SILVER 80 - EXPORT U.S.A.	
11 0.338.0060.6/20 4 complete piston	
- X SILVER 90 - 100.4	
11 0.381.0060.6 4 complete piston	
- X SILVER 90 - 100.4 - EXPORT U.S.A.	
12 0.086.0052.6/10 1 piston ring set	
- X SILVER 80	
12 0.338.0052.6/10 1 piston ring set	
- X SILVER 90 - 100.4	
13 2.1411.014.1 8 circlip 35	
14 0.078.1236.0 4 piston pin	
15 2.1720.006.0 1 key 4x6.5	
16 0.008.5543.0 1 flange	1/2
17 2.1652.915.0 1 cylindrical plug 12x35	



614 - 5

18 19 22 20 21

12

15

14 13


24 25

26

SILVER 90

Section: ENGINE Ref.: 5
CRANKSHAFT


Fig.	Code	QTY	Name		
·					
18	0.065.1254.0/20	1	gasket		
19	0.007.1711.0/10	1	cover		
20	2.1529.073.0	1	'o' ring 110x130x13		
21	2.0112.207.2	9	screw m 8 p 1.25x20		
22	2.1475.002.3	9	washer 8		
23	0.065.1225.0	8	con.rod half bushing		
23	0.065.1225.7	-	con.rod half bushing - mm 0.25		
23	0.065.1225.8	-	con.rod half bushing - mm 0.50		
24	0.065.1215.0	5	main half bushing		
24	0.065.1215.7	-	main half bushing - mm 0.25		
24	0.065.1215.8	-	main half bushing - mm 0.50		
25	0.065.1216.0	5	main half bushing		
25	0.065.1216.7	-	main half bushing - mm 0.25		
25	0.065.1216.8	-	main half bushing - mm 0.50		
26	0.065.1218.0	4	shim		
26	0.065.1218.7	-	shim - mm 0.25		
26	0.065.1218.8	-	shim - mm 0.50		



Section: ENGINE

ENGINE SHAFT - PULLEYS

Fig.	Code	QTY	Name
1	0.007.6161.0	1	pulley
•	0.001.0101.0	•	* 1097 <= X SILVER 80
			* 1159 <= X SILVER 90
			* 1069 <= X SILVER 100.4
			- N.1 - 007.6816.0
2	2.1589.136.0	2	shim 71x110x0.5
2	2.1589.137.0	2	shim 71x110x1
3	2.1470.006.2	6	lock washer 10
4	2.0112.322.2	6	screw m 10 p.1.5x65
5	2.0399.144.7/10	1	screw m 20 p.1.5x51
6	0.007.1645.0	1	spacer
			2299 <- X SILVER 80
			3775 <- X SILVER 90
			2076 <- X SILVER 100.4
7	0.011.3512.0/10	1	gear wheel
8	2.1720.006.0	1	key 4x6.5
9	2.1599.524.7	2	washer 21x60x12
10	2.1019.094.7	1	nut m 20 p.1.5
11	2.0439.195.7	1	stud bolt m 20 p.1.5x80
12	2.1579.865.0	1	snoulder 45.2x51.8x10
13	0.065.1256.0	2	ring
15	0.011.3510.0/10	1	hub
16	0.007.6161.0	1	pulley
			- FOR ACCESSORIES



Section: ENGINE

COUNTERWEIGHTS

				
Fig.	Code	QTY	Name	
1	0.086.1233.3/30	1	mass	
2	2.1559.115.0	2	bushing 26x30x30	
3	2.1652.302.0	1	roll pin 4x6	
4	0.000.0000.1	-	not serviceable	
5	0.065.1233.3/30	1	mass	
6	2.1410.018.1	1	circlip 45	
7	2.1652.302.0	1	roll pin 4x6	
8	2.1559.115.0	2	bushing 26x30x30	
9	0.000.0000.1	-	not serviceable	
10	2.1589.185.0	4	shim 26.1x34x1	
11	2.1631.717.0	2	roll pin 8x40	
12	0.086.1231.0/10	1	box	
13	2.3130.001.1	4	plug 1/8 gas	
14	2.0139.028.2	4	screw m 12	
15	2.1589.048.0	1	shim 16.5x26x0.3	
15	2.1579.628.0	3	shim 16.5x26x0.1	
16	2.1589.049.0	2	shim 12.5x26x0.3	
16	2.1579.629.0	4	shim 12.5x26x0.1	
17	2.1579.626.0	2	spacer 13.2x16x11	
18	2.1589.139.0	1	shim mm 0.3	
19	2.1589.140.0	3	shim mm 0.1	
20	2.1699.191.0	1	sleeve 7x10x16	
21	0.065.1234.0/10	2	shaft	
22	2.3130.001.1	1	plug 1/8 gas	

Section: ENGINE
CAMSHAFT




Fig.	Code	QTY	Name
1	0.066.1310.3/40	1	camshaft
1	0.007.1712.3/10	1	camshaft
			- EXPORT U.S.A.
2	0.065.1324.0/10	1	gear z=32
3	2.0312.206.2	2	screw m 8 p.1.25x20
4	2.1480.014.1	2	washer 8
5	0.065.1323.0/30	1	gear z=29
6	0.007.1177.3/10	1	gear z = 57
			- WITH RED IDENTIFICATION STAMP
6	0.007.1178.3/10	-	gear z = 57
			- WITH YELLOW IDENTIFICATION STAMP
6	0.007.1179.3/10	-	gear z = 57
			- WITH GREEN IDENTIFICATION STAMP
7	2.1559.185.0/10	1	bushing
8	0.065.1352.0	1	shim
9	2.1410.016.1	1	circlip 40x1.75
10	0.065.1354.0/20	1	gear z=58
11	0.065.1350.0	1	small disc
12	2.0132.207.2	4	screw m 10 p.1x25
13	0.065.1330.0	8	tappets
14	2.1569.114.0/10	16	gasket 14x18.5x8
15	2.1599.437.0	8	snoulder 14.5x18x1.5
16	2.4019.300.1/10	8	spring 18.5x52x2
17	0.065.1332.0	8	sleeve
18	0.065.1331.2	8	rod
19	0.065.1353.0	1	small plate
20	0.065.1351.0	2	snoulder
21	2.1559.398.0	1	bushing 10.5x13x12

Section: ENGINE

CYLINDER HEAD





Fig.	Code	QTY	Name	
1	2 0200 420 2/40	4	oorow m 9v26v44	
2	2.0399.130.2/10	4 4	screw m 8x36x44	
	2.1569.170.0/10		gasket 8.2x14	
3	0.007.1139.0/10	4	small cap	
4	0.065.1450.0/30	1	gasket	
5	2.1011.421.2	8	nut M10x1.25	
6	2.0432.163.7	8	stud bolt m 10 p.1.5-1.25x45	
7	0.066.1430.0/10	4	support	
8	0.066.1432.3	8	rocker	
9	2.1559.021.0/40	8	bushing 19x22x14	
10	2.1410.055.1	8	circlip 19	
11	2.1011.405.2	8	nut m 8 p.1	
12	0.021.1434.0	8	screw	
13	0.074.1423.0	16	conical valve cotter	
14	0.066.1425.0	8	cup	
15	2.4019.287.0	8	spring 35.5x53.6x3.9	
16	0.007.1122.0/10	4	sleeve	
17	2.0432.161.7	4	stud bolt m 10 p.1.5-1.25x40	
18	0.065.1443.0/20	16	screw	
20	2.0432.007.2	8	stud bolt m 8 p.1.25-1x30	
21	0.085.1450.0	-	gasket mm 0.5 -A-	
21	0.085.1451.0	-	gasket mm 0.7 -B-	
21	0.085.1452.0	-	gasket mm 1.0 -C-	
21	0.085.1453.0	-	gasket mm 0.8 -D-	
22	0.066.1421.0	4	exhaust valve	
			- X SILVER 80	
			- X SILVER 90 - 100.4 () <- = A	
22	0.010.6022.0	4	exhaust valve	
			- X SILVER 90 - 100.4 -> () = B	
23	0.010.6016.0	4	inlet valve	
			- X SILVER 80	
23	0.081.1420.0	4	inlet valve	
			- X SILVER 90 - 100.4 () <- = A	
23	0.010.6017.0	4	inlet valve	
			- X SILVER 90 - 100.4 -> () = B	
24	0.007.1110.3/50	4	engine head	
			- X SILVER 80	
			- X SILVER 90 - 100.4 () <- = A	
24	0.007.1359.3/50	4	engine head	
-	3.2.2.1.2.200.0.00	•	- X SILVER 90 - 100.4 -> () = B	
25	0.066.1427.0	4	valve seat mm 40.653	
26	0.078.1426.0	4	valve seat mm 45	
27	0.007.1779.0/10	8	valve guide	
		_	Taite gaide	
28	0.066.1431.0	4	pin	1/2


Section: ENGINE


CYLINDER HEAD






Section: ENGINE Ref.: 14







Section: ENGINE LUBRICATION

Fig.	Code	QTY	Name
1	0.008.9090.3/10	1	tube
2	0.008.9091.3/20	1	tube
3	0.052.1557.0	1	gasket
4	0.052.1558.0/10	1	gasket
5	2.0112.215.2	2	screw m 8 p.1.25x40
6	2.0112.207.2	2	screw m 8 p 1.25x20
7	2.1470.004.2	2	lock washer 8
8	2.1470.004.2	2	lock washer 8
9	2.3339.673.0/10	1	pipe fitting
			* () <=
			- N.1 2.1019.129.2/10 - 2.1530.038.0
10	2.3264.021.2	1	pipe fitting m 22 p.1.5 - 1" 1/16
11	2.3110.403.1	1	plug m 14 p.1.5
12	2.1560.010.0	1	gasket 14.2x20
13	2.1011.510.2	1	nut m 18 p.1.5
			() <=
13	2.1019.129.2/10	1	nut m 18 p.1.5x12
			=> ()
14	2.1530.038.0	1	'o' ring 15.54x2.62
15	0.007.1317.4	1	bracket

Ref.: 17

Section: ENGINE

LUBRICATION





Fig.	Code	QTY	Name
		1	
1	2.0312.206.2	2	screw m 8 p.1.25x20
2	2.1480.014.1	2	washer 8
3	0.041.1135.4	1	plug
4	2.1569.072.0	1	gasket 32x39.5x2
5	0.065.1565.0/10	1	pipe union
6	0.010.5441.4/10	1	oil pump
7	0.065.1567.0/10	1	filter
8	2.1539.042.0	1	'o' ring 47.35x1.78
9	2.1651.711.0	2	pin 8x14
10	2.0169.005.2	2	screw m 6 p.1x12
11	0.065.1569.0/40	1	shaft
12	2.1470.006.2	2	lock washer 10
13	2.0112.324.2	2	screw m 10 p.i.5x75
14	0.065.1560.0/20	2	gasket
15	0.065.1562.0/10	1	joint
16	0.075.1551.4/20	1	support
17	2.2020.001.0	1	ball bearing 15x32x8
18	2.2725.016.0	1	roller cage 15x21x12
19	2.2680.020.0	1	snoulder 12x15x12
20	2.0399.128.2/10	1	screw m 8 p.1
21	2.2030.002.0	1	ball bearing 12x28x8
22	2.1219.025.2/10	1	ring nut m 36 p.1.5
23	2.1589.148.0	1	shim 28.2x31.8x0.5
23	2.1589.150.0	2	shim 28.2x31.8x0.1
23	2.1589.151.0	2	shim 28.2x31.8x0.15
24	0.075.1551.3/30	1	support
25	2.1589.153.0	1	shim 15.2x19x1
25	2.1589.147.0	2	shim 15.2x19x0.1
25	2.1589.146.0	2	shim 15.2x19x0.15
26	2.1410.057.1	1	circlip 15
27	2.0342.007.2	1	screw m 4 p.0.7x25
28	0.065.1558.6/10	1	bevel gear
29	0.065.1559.0	1	sleeve
30	2.1560.010.0	1	gasket 14.2x20
31	2.3110.403.1	1	plug m 14 p.1.5
32	0.065.1581.4/20	1	valve
33	2.1539.048.0	1	'o' ring 20.35x1.78
34	2.1539.072.0	1	'o' ring 23.52x1.78
35	2.1480.014.1	2	washer 8
36	2.0312.215.1	2	screw m 8 p.1.25x45





Section: ENGINE LUBRICATION

Fig.	Code	QTY	Name
1	0.066.1552.4/10	1	sediment bowl 23 F 23
2	2.1532.014.0	1	'o' ring 7.65x1.78
3	2.1539.072.0	2	'o' ring 23.52x1.78
4	0.066.1558.0	1	sleeve
5	2.0312.221.2	2	screw m 8 p.1.25x75
6	2.1480.014.1	2	washer 8
7	2.6859.073.2	1	clamp
8	0.066.1557.2	1	tube
9	0.066.1559.0	1	tube
10	0.075.1151.0	1	bracket
11	2.3350.003.1	1	nosepiece 8
12	2.3339.418.1	1	pipe fitting m 12 p.1
13	0.066.1556.0	1	tube
14	0.075.1552.2	1	bracket
15	0.075.1552.0	1	bracket
16	2.1011.103.2	1	nut m 6 p.1
17	2.1470.002.2	1	lock washer 6

Section: ENGINE LUBRICATION Ref.: 22.2

Fig.	Code	QTY	Name
Notes: - EXPO	RT U.S.A.		
1	2.6850.004.0	4	clamp 20-35
3	0.011.4129.0	1	tube
4	0.010.6507.0	1	valve
5	0.011.4131.0	1	tube
6	0.011.1030.4	1	sediment bowl
7	0.011.1028.3	1	cover
8	0.066.1554.0/10	1	gasket
9	2.0351.203.6	4	screw 3.5x9.5
10	0.011.1030.0	1	sediment bowl






Section: ENGINE Ref.: 23

OIL VAPORS SEDIMENT BOWL PARTS

_		_	
Fig.	Code	QTY	Name
	0.000.4550.0		
1	0.066.1552.0	1	sediment bowl
2	0.066.1555.0	1	tube
3	0.066.1554.0/10	1	gasket
4	0.066.1553.0	1	cover
5	2.0351.203.2	4	screw 3.5x9.5




Section: ENGINE

FUEL SUPPLY SYSTEM

Fig.	Code	QTY	Name
		-	
1	2.1011.421.2	4	nut M10x1.25
2	2.1599.454.0	4	snoulder 10.5x17x7.5
3	0.011.5275.0/20	4	bracket
4	2.4719.200.0/10	4	injector BOSCH
4	2.4719.320.0/10	4	injector BOSCH
			- EXPORT U.S.A.
5	2.4719.190.0	4	nozzle holder BOSCH
			₽ 37
			F 37
6	2.4729.100.0	4	nozzle BOSCH
6	2.4729.170.0/10	4	nozzle BOSCH
			- EXPORT U.S.A.
7	0.007.1717.3/20	1	tube
8	2.3339.001.2	4	pipe union
9	2.1560.005.0	8	gasket 10.2x14
10	2.4619.050.0/30	4	injector pump - 542 - BOSCH
			F 36 - 36/1
10	2.4619.030.0/10	4	injector pump - 555 - BOSCH
			- EXPORT U.S.A.
4.4	0.4044.405.0	40	F 36/2
14 15	2.1011.405.2	12 12	nut m 8 p.1 snoulder 8.4x18x2
15 16	2.1599.458.0/10	4	tube
17	0.065.1650.3 2.0112.207.2	2	screw m 8 p 1.25x20
17	2.1310.004.2	2	flat washer 8.4x16
19	0.065.1693.0/20	2	support
20	2.1530.072.0	2	'o' ring 26.70x1.78
21	0.065.1660.0	2	roller
22	2.1652.507.0	2	pin 6x16
23	2.4019.314.1/20	1	spring 21.5x76x1
24	0.065.1659.0	1	stop
25	0.065.1613.3/20	1	rod
27	0.065.1655.0/10	4	shim mm 0.1
27	0.065.1656.0/10	16	shim mm 0.2
28	2.3119.024.2	4	plug m 6
29	2.1560.001.0	4	gasket 6.2x10
30	2.0512.102.7	4	grain m 6 p.1x8
			() <-
30	2.3199.270.0	4	plug 5.9x7.8
			-> ()

1/1

Section: ENGINE




FUEL SUPPLY SYSTEM				1.0 2.
Fig.	Code	QTY	Name	
1	2.3339.118.1	6	pipe union m 12 p.1.5	
2	2.1560.008.0	12	gasket 12.2x18	
3	0.007.1716.3	1	tube	
4	2.3332.004.1	3	pipe union m 14 p.1.5x27	
5	2.1560.010.0	4	gasket 14.2x20	
6	2.0112.307.2	2	screw m 10 p.1.5x20	
7	2.1561.007.0	8	gasket 14,8x22.2	
8	2.7099.790.0	1	pick-up	
9	2.1480.011.2	2	spring washer 5	
10	2.0312.004.2	1	screw m 5 p.0.8x10	
12	2.4319.230.0	1	fuel filter	
			₹ 38	
			F 38	
13	0.011.1207.0	1	shim mm 0.2	
16	2.1011.405.2	2	nut m 8 p.1	
17	2.1470.004.2	2	lock washer 8	
18	2.6850.003.0	2	clamp 16-25	
19	2.4519.300.0	1	feed pump	
			# 40	
00	0.4500.045.0	4	F 40	
20	2.1539.045.0	1	'o' ring 37.77x2.62	
25	2.0399.103.2	2	screw	
26	2.1480.014.1	2	washer 8	
27	0.085.1650.4/50	1	regulator	
			- X SILVER 80 - 90	
27	0.007.0724.4/00	4	F 32 - 33	
27	0.007.0721.4/90	1	regulator - X SILVER 100.4	
			F 34 - 35	
28	0.009.3880.0/20	1	gasket	
29	0.009.3880.0/20	1	tube	
31	2.3339.357.2/10	2	pipe union m 14 p.1.5x28	
33	0.007.1473.3/10	1	tube	
34	2.3119.025.2	1	plug m 18 p.1.5	
35	2.1310.006.2	2	flat washer 10.5x20	
36	2.1470.006.2	2	lock washer 10	
50	0.008.1528.3	1	tube mm 300	
51	0.009.3754.3/10	1	tube	
52	2.3339.040.2	1	pipe union m 14 p.1.5x45	
53	2.4319.220.0	1	precleaner	
			₽ 41	
			F 41	
54	0.008.1530.0	1	support	1/2
55	2.1470.007.2	1	lock washer 12	1/2

Section: ENGINE


Ref.: 27





16 17 19 20

Fig.	Code	QTY	Name			
56	2.1011.107.2	1	nut m 12 p.1.75			
57	0.009.3939.2	1	bracket			
58	0.200.8152.0	1	small plate			
59	2.0112.005.2	1	screw m 6 p.1x16			
60	2.1470.002.2	4	lock washer 6			
61	2.1011.103.2	4	nut m 6 p.1			
62	2.6839.057.0	2	clamp 30/25			
63	0.226.6658.2	2	small plate			
64	2.0112.309.2	2	screw m 10 p.1.5x25			
65	2.1470.006.2	2	lock washer 10			
66	2.1011.106.2	2	nut m 10 p.1.5			
70	0.070.1655.0	1	cap			




Section: ENGINE Ref.: 29

FUEL SUPPLY ELECTRONIC GOVERNOR

Fig.	Code	QTY	Name	
Notes:	. V OII VED 00 0	775 . V OU VED	00 0000 1 1/01/150 100 1	0074 - 3/ 011 3/50 400 0
2299	<= X SILVER 80 37	//5 <= X SILVER	90 2082 <= X SILVER 100.4	3974 <= X SILVER 100.6
1	0.007.0992.4/60) 1	regulator 12 V	
			* () <- 010.6803.3	
2	0.009.3880.0/20) 1	gasket	
3	0.007.0870.0	1	small plate	
4	2.3170.003.1	1	expansion plug 10	
5	2.0432.007.2	2	stud bolt m 8 p.1.25-1x30	
6	2.1475.202.2	2	washer 8.4x16	
7	2.1011.405.2	2	nut m 8 p.1	
8	0.007.0740.0/40) 1	pick-up	
9	0.007.1199.3/20) 1	flange	
			- X SILVER 100.6	
10	2.1630.415.0	1	pin 4x40	
11	2.0169.005.2	2	screw m 6 p.1x12	
			- X SILVER 100.6	
12	0.065.1560.0/20) 1	gasket	
			- X SILVER 100.6	
13	2.1651.711.0	1	pin 8x14	
			- X SILVER 100.6	
14	0.007.1356.0	1	cover	
			() <=	
15	2.1830.008.0	1	rivet 2.5x5	
16	2.1579.205.2	1	spacer 17x22x14	
17	2.1539.087.0	1	'o' ring 11.91x2.62	
			- X SILVER 100.6	

1/1



Section: ENGINE Ref.: 29.1


FUEL SUPPLY ELECTRONIC GOVERNOR

Fig.	Code	QTY	Name	
Notes:				
	00 X SILVER 80 => 3776	X SILVER	90 => 2083 X SILVER 100.4	=> 3975 X SILVER 100.6
- 200	O A GIEVER GO F GITO	X OIL VLIX	2000 X OIL VEIX 100.4	2 0070 X 012 V 21 C 100.0
1	0.007.0992.4/60	1	regulator 12 V	
2	0.007.0332.4/00	1	gasket	
3	0.003.3660.0720	1	small plate	
4	2.3170.003.1	1	expansion plug 10	
5	2.0432.007.2	2	stud bolt m 8 p.1.25-1x30	
	2.1475.202.2	2	washer 8.4x16	
6				
7	2.1011.405.2	2	nut m 8 p.1	
8	2.7099.790.0	1	pick-up	
9	2.0312.004.2	1	screw m 5 p.0.8x10	
10	2.1480.011.2	1	spring washer 5	
11	2.6839.044.2	1	clamp	
12	0.011.2030.0	1	tube	
13	2.6569.001.0	1	ring	
14	2.1310.001.2	1	flat washer 5.3x10	
15	0.007.1199.3/20	1	flange	
			- X SILVER 100.6	
16	2.1630.415.0	1	pin 4x40	
17	2.1651.711.0	1	pin 8x14	
			- X SILVER 100.6	
18	2.0169.005.2	2	screw m 6 p.1x12	
			- X SILVER 100.6	
19	0.065.1560.0/20	1	gasket	
			- X SILVER 100.6	
20	2.1539.087.0	1	'o' ring 11.91x2.62	
			- X SILVER 100.6	
21	0.011.1207.0	1	shim mm 0.2	
		•		

Section: ENGINE Ref.: 30

THERMO STARTER


Fig.	Code	QTY	Name
1	2.3339.040.2	1	pipe union m 14 p.1.5x45
2	2.1560.010.0	2	gasket 14.2x20
3	0.007.1724.3/10	1	tube
4	2.0112.002.2	2	screw m 6 p.1x10
5	2.1470.002.2	2	lock washer 6
6	0.081.1652.0	1	square - X SILVER 80
7	2.3339.074.1	2	pipe union m 10 p.1x19
8	2.1560.005.0	4	gasket 10.2x14
9	2.9219.130.0	1	electro valve 12V
10	2.7659.103.0/10	1	thermo-start
11	0.007.1725.3/10	1	tube - X SILVER 80
11	0.009.6634.3	1	tube - X SILVER 90 - 100.4
12	2.3360.002.2	1	nut m 10
13	2.3350.002.1	1	nosepiece 6
14	2.1560.016.0	1	gasket 20.2x26
15	0.066.1663.0	1	square - X SILVER 90 - 100.4



Section: ENGINE

GOVERNOR PARTS

Fig.	Code	QTY	Name	
1	2 1520 022 0	1	lol ring 0.00v2.60	
1 2	2.1530.022.0 2.1011.103.2	1	'o' ring 9.92x2.62 nut m 6 p.1	
3	2.0599.063.2	1	screw m 6x35	
4	2.1120.103.1	1	nut m 6	
5	2.1099.105.2	1	cap nut m 12 p.1.25	
6	2.1560.008.0	2	gasket 12.2x18	
7	2.0312.112.2	2	screw m 6 p.1x35	
8	2.1560.001.0	1	gasket 6.2x10	
9	2.1480.012.1	2	washer 6	
10	0.065.1651.0	1	cover	
11	0.065.1673.0/10	1	gasket	
12	0.065.1685.0/10	1	sleeve	
13	2.4019.368.7	1	spring 30.7x68x4.1	
14	2.4019.367.7	1	spring 6.8x18.5x0.8	
15	2.1099.121.2/10	1	cap nut m 8 p.1	
16	2.1011.505.2	1	nut m 8 p.1	
17	2.1560.003.0	2	gasket 8.2x12	
18	2.0399.147.2	1	screw m 8 p.1x58	
19	0.065.1684.0/10	1	sleeve	
20	2.4019.317.0	1	spring 25.4x24.5x1.4	
21	0.065.1670.0/10	1	sleeve	
22	2.2030.002.0	1	ball bearing 12x28x8	
23	0.065.1618.0	1	sleeve	
24	2.1631.311.0	1	roll pin 3x24	
25	0.065.1615.0/10	1	support	
26	0.065.1616.0	2	adjust.rocker	
27	2.1655.312.0	2	pin a 6x40	
28	0.065.1682.0	2	pin	
29	0.065.1683.0	2	small plate	
30	2.1589.160.0	2	shim 12.5x18x0.5	
31	0.065.1652.0/10	1	governor housing	
32	2.1241.003.1	1	lock-nut 15	
33	2.1211.003.2	1	ring nut 15 mc	
34	0.066.1664.0	1	lever	
35	2.1599.457.2	2	snoulder 6.2x16x1	
36	2.0399.101.7	1	screw m 6x30	
37	2.1589.161.0	4	shim 12.5x18x0.2	
38	0.065.1681.0/10	2	pin	
39	2.1530.003.0	1	'o' ring 2.90x1.78	
40	0.065.1671.3/10	1	shaft	
41	2.1411.014.1	1	circlip 35	
42	2.2040.003.0	1	ball bearing iso 15 bc 02	
43	2.0399.111.2	1	screw m 6x26	1/2
44	2.1019.086.2	1	nut m 12 p.1.25	1/2



-12 38 35 36 39 -40 -19 31-18 34 35 30-₂₆ 28 37-23-24 642 - 18 29 -32

-33

SILVER 90


Section: ENGINE


GOVERNOR PARTS


GOVE	GOVERNOR PARTS			
Fig.	Code	QTY	Name	
45	0.066.1665.0	1	screw	
46	2.1555.005.0	2	bushing 10x12x10	
47	2.1579.728.7	1	sleeve 10x12x10	
48	2.1579.729.7	1	sleeve 10x12x18	
49	0.065.1677.0/10	1	pipe fitting	
50	0.065.1678.0/10	1	tube	
51	2.1555.005.0	1	bushing 10x12x10	
52	2.1099.096.2	1	nut m 18 p.1.5	

Section: ENGINE Ref.: 33

GOVERNOR PARTS








Section: ENGINE

INJECTION PUMP PARTS


Fig.	Code	QTY	Name
Notes: () <	-		
1	2.4619.050.0/20	1	injector pump - 542 - BOSCH
2	2.4619.010.2	1	valve
3	2.4629.150.6	1	gasket
4	0.009.4303.2	1	spring
5	0.009.4304.0	1	gasket
6	2.4619.010.3	1	pipe fitting
7	2.4619.010.4	1	sleeve mm 16.88
8	2.4629.151.6	1	stop
9	2.4639.090.5	1	spring
10	2.4619.010.5	1	cap-washer
11	2.4619.010.6	1	tappets
12	0.009.4304.1	1	rod
14	2.4649.280.8	1	'o' ring
15	2.4649.280.7	1	pin
16	2.4649.280.9	1	plug
17	2.4619.010.8	1	pin
18	2.4619.010.9	1	circlip
19	0.000.0000.1	-	not serviceable
20	0.009.4303.1	1	pumping element



Section: ENGINE Ref.: 36.1

INJECTION PUMP PARTS

Fig.	Code	QTY	Name
Notes:			
-> ())		
1	2.4619.050.0/30	1	injector pump - 542 - BOSCH
2	0.010.2630.0	1	valve
3	2.4629.150.6	1	gasket
4	0.010.2630.1	1	spring
5	0.009.4304.0	1	gasket
6	0.010.2630.2	1	pipe fitting
7	2.4619.010.4	1	sleeve mm 16.88
7	0.010.2631.0	1	sleeve mm 16.53
8	2.4639.112.0	1	cap-washer
9	2.4639.090.5	1	spring
10	2.4619.010.5	1	cap-washer
11	2.4619.010.6	1	tappets
12	0.010.2631.1	1	rod
14	2.4649.280.8	1	'o' ring
15	2.4649.280.7	1	pin
16	2.4649.280.9	1	plug
17	2.4619.010.8	1	pin
18	2.4619.010.9	1	circlip
19	0.000.0000.1	-	not serviceable
20	0.009.4303.1	1	pumping element



15 000 ้ 13—[็ 14 12 19 --17 18 2_4619_030_0_10


16

11-

SILVER 90

Section: ENGINE INJECTION PUMP PARTS Ref.: 36.2

		QTY	Name
1	2.4619.030.0/10	1	injector pump - 555 - BOSCH
2	2.4619.010.2	1	valve
3	2.4629.150.6	1	gasket
-	0.002.1710.0	1	•
4		1	spring
5	2.4669.070.7	1	gasket
6	2.4619.010.3	1	pipe fitting
7	2.4619.010.4	1	sleeve mm 16.88
8	2.4639.112.0	1	cap-washer
9	2.4639.090.5	1	spring
10	2.4619.010.5	1	cap-washer
11	2.4619.010.6	1	tappets
12	2.4619.010.7	1	rod
13	2.4629.151.8	2	pin
14	2.4649.280.8	1	'o' ring
15	2.4649.280.7	1	pin
16	2.4649.280.9	1	plug
17	2.4619.010.8	1	pin
18	2.4619.010.9	1	circlip
19	0.000.0000.1	_	not serviceable
20	2.4619.030.1	1	pumping element




Section: ENGINE Ref.: 37

INJECTOR NOZZLE HOLDER COMPONENTS

Fig.	Code	QTY	Name
1	2.4719.190.0	1	nozzle holder BOSCH
2	2.4719.170.1	1	shim
3	2.4719.150.1	1	ring nut
4	2.4719.172.0	2	roll pin
5	2.4719.171.9	2	roll pin
6	2.4719.171.8	1	pad
7	2.4719.171.7	1	pin
8	2.4719.171.6	1	spring
9	0.000.0000.1	-	not serviceable

1/1




Section: ENGINE

FUEL FILTER PARTS

Fig.	Code	QTY	Name	
1	2.4319.230.0	1	fuel filter	
2	0.009.4687.2	1	washer	
3	0.000.0000.1	-	not serviceable	
4	0.009.4687.0	1	fuel filter element	
5	0.009.4687.1	1	screw	

1/1




Section: ENGINE

FUEL PUMP PARTS

Fig.	Code	QTY	Name	
4	2.4540.200.0	4	food numer	
1	2.4519.300.0	1	feed pump - X SILVER 80 - 90 - 100.4	
1	2.4519.310.0	1	feed pump	
			- X SILVER 100.6	
2	2.4519.269.0	1	accessories	
3	2.4519.190.2	1	fuel filter element	
4	2.1560.322.0	1	gasket 28.3x36	
5	0.000.0000.1	-	not serviceable	

1/1



Section: ENGINE Ref.: 41

PRE-FILTER - COMPONENTS

Fig.	Code	QTY	Name
1	2.4319.220.0	1	precleaner
2	0.000.0000.1	-	not serviceable
3	2.4319.220.2	1	gasket
4	2.4319.220.3	1	fuel filter element
5	2.4319.220.4	1	cup
6	2.4319.220.5	1	bracket

1/1

Section: ENGINE Ref.: 42
COOLING






Fig.	Code	QTY	Name
1	0.007.1715.2/20	1	duct
			- X SILVER 80 - 90
1	0.007.6241.2	1	duct
			- X SILVER 100.4
2	0.007.1640.2/20	1	division
			- X SILVER 80 - 90
2	0.007.1834.2/70	1	division
			- X SILVER 100.4
3	0.007.7945.2	1	division
4	0.010.4918.3	1	division
5	2.0112.305.2	4	screw m 10 p.1.5x16
6	2.1310.006.2	4	flat washer 10.5x20
7	2.0312.101.2	2	screw m 6 p.1x10
8	2.1310.002.2	6	flat washer 6.4x12.5
9	0.007.1171.2	3	baffle
10	0.065.1761.0	3	bracket
11	0.065.1762.0	3	support m8 x 67
12	2.0312.201.2	2	screw m 8 p.1.25x10
13	2.1310.004.2	7	flat washer 8.4x16
14	2.0112.231.2	2	screw m 8 p.1.25x110
15	2.0312.102.2	2	screw m 6 p.1x12
16	2.1579.825.2	2	spacer 8.3x13.5x13
17	2.0112.205.2	3	screw m 8 p.1.25x16
18	0.007.1649.0/20	1	duct
19	0.065.1755.0/10	1	pin
20	2.3199.093.2/10	2	plug 8x31
21	0.065.1756.2/20	2	knob
22	2.0112.002.2	2	screw m 6 p.1x10
23	0.009.7870.0/30	1	baffle
24	2.6569.043.0	1	wire guide
0=	0.000 7000 0	4	- X SILVER 100.4
25	0.009.7683.0	1	profile
26	2.0112.205.2	3	screw m 8 p.1.25x16
27	2.1310.004.2	3	flat washer 8.4x16
28	0.065.1764.0/40	1	guard
29	0.066.1762.0/50	1	guard
30	0.052.1864.0	1	gasket

Section: ENGINE Ref.: 46

COOLING






14


15


10


Section: ENGINE Ref.: 48

INTAKE AND EXHAUST









Section: ENGINE Ref.: 52


EXHAUST SILENCER


Fig.	Code	QTY	Name	_
3-				_
1	0.008.9693.3/20	1	silencer	
2	0.007.6514.0/20	1	exhaust	
3	2.0112.325.2	1	screw m 10 p.1.5x80	
4	0.008.0501.0/10	1	clamp	
5	0.007.1769.2/20	1	bracket	
6	0.008.9853.0	1	bracket	
7	0.009.3876.0/10	1	flange	
8	0.008.8127.0	1	sleeve	
9	0.007.0987.0/10	2	gasket	
10	0.001.2934.0	1	piston ring	
11	0.008.1603.4	1	complete cover	
12	2.1011.106.2	1	nut m 10 p.1.5	
13	2.1470.006.2	1	lock washer 10	
14	2.1310.006.2	2	flat washer 10.5x20	
15	2.0112.209.2	2	screw m 8 p 1.25x25	
16	2.1474.009.2	12	spring washer 8	
17	2.1011.105.2	2	nut m 8 p.1.25	
18	2.0112.310.2	1	screw m 10 p.1.5x28	
19	2.1475.203.2	3	spring washer 10	
20	2.1474.010.2	2	spring washer 10	
21	2.1019.033.0	8	special nut m 8 p.1	
22	2.0119.195.0	3	screw m 10x26x35	
23	2.0112.308.2	1	screw m 10 p.1.5x22	

1/1

Section: ENGINE
SIDE EXHAUST SILENCER Ref.: 52.1

SIDL	SIDE EXTINUST SILENCER				
Fig.	Code	QTY	Name		
1	0.010.1067.3/10	1	silencer		
2	0.010.1068.2	1	tube		
3	2.1019.033.0	8	special nut m 8 p.1		
4	2.0119.196.0	3	screw m 10 p.1.25x26x40		
5	0.008.9853.0	1	bracket		
7	0.008.8129.0/10	1	support		
8	0.008.8127.0	1	sleeve		
9	0.007.0987.0/10	2	gasket		
10	0.001.2934.0	1	piston ring		
11	2.0112.327.2	1	screw m 10 p.1.5x90		
12	2.1011.106.2	1	nut m 10 p.1.5		
13	2.1470.006.2	1	lock washer 10		
14	2.1310.006.2	2	flat washer 10.5x20		
15	2.0112.209.2	2	screw m 8 p 1.25x25		
16	2.1474.009.2	12	spring washer 8		
17	2.1011.105.2	2	nut m 8 p.1.25		
18	0.010.5018.0	1	clamp		
19	2.1475.203.2	3	spring washer 10		
20	2.1019.071.0	3	special nut m 10 p 1.25		
21	2.1474.010.2	2	spring washer 10		
22	2.0112.308.2	1	screw m 10 p.1.5x22		
23	2.0112.310.2	1	screw m 10 p.1.5x28		
24	0.007.1769.2/20	1	bracket		






Section: ENGINE Ref.: 52.2

EXHAUST SILENCER

Fig.	Code	QTY	Name
		1	
1	0.008.9693.3/20	1	silencer
2	0.009.7769.2/20	1	exhaust
3	0.009.7778.0/10	1	clamp
4	2.0112.019.2	1	screw m 6 p.1x50
5	2.1011.103.2	1	nut m 6 p.1
6	0.008.9853.0	1	bracket
7	0.009.3876.0/10	1	flange
8	0.008.8127.0	1	sleeve
9	0.007.0987.0/10	2	gasket
10	0.001.2934.0	1	piston ring
11	0.010.4150.4	1	cover
12	2.1011.106.2	1	nut m 10 p.1.5
13	2.1470.006.2	1	lock washer 10
14	2.1310.006.2	2	flat washer 10.5x20
15	2.0112.209.2	2	screw m 8 p 1.25x25
16	2.1474.009.2	12	spring washer 8
17	2.1011.105.2	2	nut m 8 p.1.25
18	2.1310.002.2	2	flat washer 6.4x12.5
19	2.1475.203.2	3	spring washer 10
20	2.1470.002.2	1	lock washer 6
21	2.1019.033.0	8	special nut m 8 p.1
22	2.0119.195.0	3	screw m 10x26x35
23	0.009.7580.0/10	1	tube
25	0.009.7779.0/10	1	sleeve
26	2.0112.325.2	1	screw m 10 p.1.5x80
27	0.008.0501.0/10	1	clamp
28	2.1474.010.2	2	spring washer 10
29	2.0112.308.2	1	screw m 10 p.1.5x22
30	2.0112.310.2	1	screw m 10 p.1.5x28
31	0.007.1769.2/20	1	bracket

1/1



Section: ENGINE Ref.: 53.2

EXHAUST SILENCER

Fig.	Code	QTY	Name	
1	0.011.9144.4	1	tube	
2	0.000.0000.1	1		
		-	not serviceable	
3	2.0332.403.3	8	screw m 6x1x10	
4	2.6999.050.2	8	nut m 6	
5	0.010.1054.2	1	support	
6	0.010.1055.0/20	1	shield	
7	0.010.1056.0/20	1	shield	
8	2.1470.002.2	8	lock washer 6	
12	0.010.5018.0	1	clamp	
13	2.0112.327.2	1	screw m 10 p.1.5x90	
14	2.1310.006.2	2	flat washer 10.5x20	
15	2.1480.015.1	1	washer 10	
16	2.1011.106.2	1	nut m 10 p.1.5	
17	2.6999.050.2	2	nut m 6	
19	2.1470.002.2	8	lock washer 6	
22	2.0332.403.3	8	screw m 6x1x10	
25	0.007.2881.2/10	1	plug	
26	0.007.2882.0/10	1	plate	
27	2.1129.004.0	3	selflock nut m 4	
28	0.010.1101.3	1	shield	
29	0.010.1102.3	1	shield	

1/1

FRONT AND REAR P.T.O.


P.T.O. FRONT	133
P.T.O. FRONT	134
P.T.O. FRONT	135
P.T.O. FRONT - GUARD	136
P.T.O CLUTCH TRANSMISSION SHAFT	137
P.T.O HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS	138
P.T.O HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS	139
P.T.O HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS	140
P.T.O ELECTROHYDRAULICALLY CONTROLLED HYDRAULIC CLUTCH	141
P.T.O ELECTROHYDRAULICALLY CONTROLLED HYDRAULIC CLUTCH	142
P.T.O HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS	143
P.T.O HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS	. 143.1
P.T.O PUMP CONTROL	144
P.T.O ECONOMICAL 4 SPEED	145
P.T.O ECONOMICAL 4 SPEED	147
P.T.O FIXED END SHAFT	149
P.T.O WITH INSERTED END SHAFTS	150
P.T.O ECONOMICAL CONTROL	151
P.T.OSYNCHRONIZED	152
P.T.O SYNCHRONIZED CONTROL	153

Ref.: 133

Section: FRONT AND REAR P.T.O.

P.T.O. FRONT


Fig.	Code	QTY	Name	
1	0.008.9639.0	1	support	
2	0.008.9616.2	1	cover	
3	0.008.9167.0/20	1	p.t.o.shaft	
4	0.154.6381.0	2	terminal	
5	2.0312.321.2	6	screw m 10 p.1.5x75	
6	2.1480.015.1	6	washer 10	
7	2.1560.010.0	2	gasket 14.2x20	
8	2.1560.012.0	3	gasket 16.2x22	
9	2.3332.005.1	1	pipe union m 16 p.1.5	
10	0.008.9296.3/10	1	tube	
11	2.0112.207.2	2	screw m 8 p 1.25x20	
12	2.1470.004.2	2	lock washer 8	
13	0.008.3065.0/30	1	head	
14	2.4419.450.0	1	oil filter	
15	2.0112.207.2	4	screw m 8 p 1.25x20	
16	2.1470.004.2	4	lock washer 8	
17	0.008.9297.3/10	1	tube	
18	0.009.0315.0	1	plug	
19	2.3339.537.0	2	pipe fitting m 14 p.1.5	
20	2.1530.024.0	2	'o' ring 10.78x2.62	
21	2.0112.309.2	1	screw m 10 p.1.5x25	
22	2.1470.006.2	8	lock washer 10	
23	2.1310.006.2	6	flat washer 10.5x20	
24	2.0112.320.2	6	screw m 10 p.1.5x55	
25	0.052.1558.0/10	2	gasket	
26	0.154.3655.0/10	1	guard	
27	2.1470.006.2	3	lock washer 10	
28	2.3120.002.4	1	plug m 22 p.1.5	
29	2.1560.017.0	1	gasket 22.2x27	
30	0.007.5317.0/40	1	box	
31	2.1120.006.2	3	nut m 10 p.1.5	
32	0.009.1758.0/40	1	flange	
33	2.0112.005.2	1	screw m 6 p.1x16	
34	0.008.8342.0	1	flange	
35	0.008.8341.0/10	1	filex coupling	
36	2.3335.054.2	1	pipe union m 16 p.1.5	
37	0.008.9789.3/20	1	tube	
38	0.008.9788.3/20	1	tube	
39	2.1569.154.0	1	gasket 16.2x22x6	
40	2.1630.615.0	1	roll pin 6x40	
41	2.1470.002.2	1	lock washer 6	
42	2.1011.103.2	1	nut m 6 p.1	
43	2.0112.523.2	2	screw m 14 p.2x70	1/2
44	2.1470.008.2	2	lock washer 14	





Section: FRONT AND REAR P.T.O.

P.T.O. FRONT

F.1.C	. I KON I			
Fig.	Code	QTY	Name	
45	2.0112.526.2	2	screw m 14 p.2x85	
46	2.1470.008.2	2	lock washer 14	
47	2.1549.174.2	2	spacer 16x32x20	
48	2.0112.325.2	2	screw m 10 p.1.5x80	
49	2.1470.006.2	2	lock washer 10	
50	2.1549.173.2	2	spacer 12x25x60	
51	2.0112.311.2	7	screw m 10 p.1.5x30	







Section: FRONT AND REAR P.T.O.

P.T.O. FRONT


Fig.	Code	QTY	Name	
1	2.1569.109.0	3	gasket 46x50x2	
2	0.275.3910.0/50	1	body	
3	2.1539.067.0	1	'o' ring 44.12x2.72	
4	2.1539.064.0	1	'o' ring 120.33x2.62	
5	0.255.3938.0/40	1	piston	
6	2.4019.373.1	1	spring 79.5x61.5x6.5	
7	0.255.3933.0	1	disc	
8	2.1419.027.1	2	circlip 48	
9	2.1599.415.0	1	snoulder 35x52x1	
10	0.255.3936.0	4	disc	
11	0.255.3970.2	4	disc	
12	0.255.3969.0/10	1	disc	
13	2.1419.035.1	1	circlip 127	
14	0.008.8806.0/20	1	hub	
15	2.1410.009.1	1	circlip 24	
16	0.008.2669.0/20	1	cover	
18	2.1480.012.1	6	washer 6	
19	2.0312.106.2	6	screw m 6 p.1x20	
20	2.1652.507.0	2	pin 6x16	
21	0.008.1363.0/10	1	pinion $z = 25 z = 30$	
22	0.008.1362.0/10	1	crown wheel z = 31	
23	0.008.1361.0/10	1	pump casing	
24	2.1420.016.0	1	circlip a 40	
25	2.2030.009.0	1	ball bearing 40x68x15	
26	0.008.8346.0/30	1	shaft	
27	2.1520.229.0	1	'o' ring 55x80x10	
28	0.146.4632.4/10	1	universal joint	
29	2.1499.012.1/10	4	circlip	
30	0.009.1757.0/10	1	sleeve	
-	-			

1/1

Section: FRONT AND REAR P.T.O.


PTO FRONT


P.T.O.	FRONT			
Fig.	Code	QTY	Name	
1	0.007.5325.0/10	1	cover	
2	2.0432.001.7	6	stud bolt m 8 p.1.25-1x16	
3	2.1470.004.2	6	lock washer 8	
4	2.1011.405.2	6	nut m 8 p.1	
5	2.1520.220.0	1	'o' ring 40x60x10	
6	2.2040.012.0	2	ball bearing iso 40 bc 02	
7	0.007.5327.0/10	1	gear z = 36	
8	0.007.5328.0/20	1	shaft	
9	0.007.5343.3/20	1	shaft $z = 15 z = 17$	
10	2.1559.023.0/10	1	bushing 15.8x19x20	
11	0.255.3926.0/10	1	cover	
12	2.0342.305.2	4	screw m 8 p.1.25x20	
13	0.255.3924.2	1	disc	
14	0.255.3922.0/20	1	piston	
15	2.1532.503.0	1	'o' ring 82.14x2.62	
16	2.1419.027.1	1	circlip 48	
17	2.1599.416.0	1	snoulder 50x58x1	
18 19	2.1532.133.0	1 1	'o' ring 53.64x2.62	
20	0.007.5329.3/30	2	distributor	
21	2.3199.179.0 2.1652.506.0	1	plug	
22	2.1560.010.0	1	cylindrical plug 6x14 gasket 14.2x20	
23	0.008.0913.3	1	connection	
24	0.164.8274.0/10	1	cylinder	
25	0.164.8275.0/10	1	piston	
26	2.1530.072.0	1	'o' ring 26.70x1.78	
27	2.4019.174.1	1	spring 23.5x90x3.5	
28	2.1599.241.0	1	snoulder 6x31x2	
29	2.1411.013.1	1	circlip 32	
30	2.1530.014.0	3	'o' ring 7.66x1.78	
31	0.007.5340.0/10	3	tube	
32	2.1530.019.0	3	'o' ring 9.25x1.78	
33	2.1530.062.0	2	'o' ring 23.81x2.62	
34	2.3729.400.0	1	electro valve	
35	0.007.5338.0/20	1	body	
36	2.0312.112.2	2	screw m 6 p.1x35	
37	2.1560.027.0	1	gasket 38.3x44	
38	2.3199.182.2	1	plug	
39	2.3110.401.1	2	plug m 10 P.1X8	
40	2.4019.321.0	2	spring 7.3x54.5x1.2	
41	0.241.8254.0/10	2	ferrule	
42	2.0599.061.0	1	grain m 6x6	
43	2.0119.154.2	2	screw m 12 p.1.75x58	1/2
44	2.1560.008.0	2	gasket 12.2x18	1/2




Section: FRONT AND REAR P.T.O.

P.T.O. FRONT







Section: FRONT AND REAR P.T.O.

P.T.O. FRONT - GUARD


Fig.	Code	QTY	Name	
1	0.008.9294.2/10	1	guard	
2	2.0112.507.2	1	screw m 14 p.2x20	
3	2.1475.205.2	1	washer 14	
4	2.0112.207.2	2	screw m 8 p 1.25x20	
5	2.1310.004.2	2	flat washer 8.4x16	
6	0.008.8135.0	1	bracket	
7	2.1470.004.2	2	lock washer 8	
8	2.1011.105.2	2	nut m 8 p.1.25	
9	0.008.8133.2	1	rod	
10	0.009.1354.0	2	gasket	


1/1

Section: FRONT AND REAR P.T.O.

P.T.O. - CLUTCH TRANSMISSION SHAFT

	. OLOTOITIIIAII	OLOTOTI TIVATOMICOTOTI OTIALI				
Fig.	Code	QTY	Name			
1	2.1410.016.1	1	circlip 40x1.75			
2	2.1411.029.1	1	circlip 72 () <-			
2	2.1411.027.1	1	circlip 68			
3	2.2999.306.0/10	1	bearing 40x68x15			
4	2.1549.056.0	1	spacer 68x72x12 () <-			
5	2.1410.009.1	1	circlip 24			
6	2.1519.086.0	1	'o' ring 25x33x6			
7	0.010.7190.3	1	shaft			
7	0.010.5258.3/10	1	shaft 2139 <- X SILVER 80 HYDRIVE 3042 <- X SILVER 90 HYDRIVE 1879 <- X SILVER 100.4 HYDRIVE 3233 <- X SILVER 100.6 HYDRIVE			
7	0.010.8526.3/10	1	shaft -> 2140 X SILVER 80 HYDRIVE -> 3043 X SILVER 90 HYDRIVE -> 1880 X SILVER 100.4 HYDRIVE -> 3234 X SILVER 100.6 HYDRIVE			
8	0.255.2550.0	1	ring			






Ref.: 138

Section: FRONT AND REAR P.T.O.

P.T.O. - HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS


Fig.	Code	QTY	Name	
<u> 3</u> -				
1	0.010.9111.4/20	1	hydraulic pto clutch	
2	2.1599.415.0	1	snoulder 35x52x1	
3	2.1419.027.1	2	circlip 48	
4	0.255.3933.0	1	disc	
5	2.4019.373.1	1	spring 79.5x61.5x6.5	
6	2.1419.035.1	1	circlip 127	
7	0.255.3969.0/10	1	disc	
8	0.255.3936.0	5	disc	
9	0.255.3970.2	5	disc	
10	0.255.3938.0/40	1	piston	
11	2.1539.064.0	1	'o' ring 120.33x2.62	
12	2.1539.067.0	1	'o' ring 44.12x2.72	
13	0.008.4043.0/30	1	box	
14	2.1569.109.0	3	gasket 46x50x2	
15	2.1599.416.0	1	snoulder 50x58x1	
16	2.1651.506.0	2	cylindrical plug 6x14	
17	2.1532.133.0	1	'o' ring 53.64x2.62	
18	0.255.3922.0/20	1	piston	
19	2.1532.503.0	1	'o' ring 82.14x2.62	
20	0.255.3924.2	1	disc	
21	0.255.3926.0/10	1	cover	
22	2.0342.305.2	4	screw m 8 p.1.25x20	
23	2.1411.013.1	1	circlip 32	
			() <-	
24	2.1599.241.0	1	snoulder 6x31x2	
			() <-	
25	2.4019.174.1	1	spring 23.5x90x3.5	
			() <-	
26	2.1530.072.0	1	'o' ring 26.70x1.78	
			() <-	
27	0.164.8275.0/10	1	piston	
			() <-	
28	0.164.8274.0/10	1	cylinder	
			() <-	
29	2.1560.010.0	1	gasket 14.2x20	
30	2.1530.062.0	1	'o' ring 23.81x2.62	
31	0.010.4838.6	1	distributor	
32	2.0512.102.1	2	screw m 6 p.1x8	
33	2.3339.453.2	1	pipe fitting m 12 p.1.25-1/2"	
34	2.1560.008.0	1	gasket 12.2x18	
35	2.1421.004.1	1	circlip b 12	
36	2.4019.606.1	1	spring 14.4x73x0.9	
37	0.445.3952.0	1	cup	1/2
38	0.010.8496.4	1	stem	1,2





43

Section: FRONT AND REAR P.T.O.

P.T.O. - HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS








Section: FRONT AND REAR P.T.O.

P.T.O. - HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS

Fig.	Code	QTY	Name
1	2.1470.004.2	2	lock washer 8
2	2.0112.207.2	2	screw m 8 p 1.25x20
3	2.0112.205.2	1	screw m 8 p.1.25x16
4	2.1470.004.2	1	lock washer 8
5	2.0119.070.6	2	screw m 4x16
6	2.1310.028.2	2	flat washer 4.3x9
7	0.008.9816.0	1	bracket
8	0.009.3469.3/20	1	tube
8	0.010.6060.3	1	tube
			- X HYDRIVE
9	0.052.1558.0/10	1	gasket
10	0.445.3958.4/30	1	valve
			- X SILVER 80 - 90
13	0.008.3750.0	1	tube
14	2.1531.024.0	1	ring 10.77x2.62
15	0.445.3953.2/10	1	tube
16	0.007.3547.0	1	manifold
			- FOR MODELS WITH 3 RANGES
16	0.007.3550.0	1	manifold
			- FOR MODELS WITH 4 RANGES
17	2.1579.911.0	1	spacer 40x48x16
			- FOR MODELS WITH 3 RANGES
18	2.1530.028.0	1	'o' ring 11.91x2.62
19	0.008.9522.2	1	lever
20	2.3110.422.1	1	plug m 12 p.1.25x10
21	2.1560.008.0	1	gasket 12.2x18
22	2.3339.453.2	1	pipe fitting m 12 p.1.25-1/2"
23	2.1560.008.0	1	gasket 12.2x18
24	2.7659.096.0/10	1	switch
•		•	



Section: FRONT AND REAR P.T.O.

P.T.O. - HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS


Fig.	Code	QTY	Name
1	2.1530.029.0	1	'o' ring 12.37x2.62
2	2.1531.048.0	1	ring 18.72x2.62
3	0.008.2926.3/20	1	pipe fitting
4	2.1470.006.2	1	lock washer 10
5	2.0112.407.2	1	screw m 12 p.1.75x20
6	2.1560.010.0	2	gasket 14.2x20
7	2.3339.411.2	1	pipe union m 14 p.1.5
8	0.009.3472.3/20	1	tube

1/1

Section: FRONT AND REAR P.T.O. Ref.: 141

P.T.O. - ELECTROHYDRAULICALLY CONTROLLED HYDRAULIC CLUTCH


1 0.008.4740.4/90 1 hydraulic pto clutch 2 2.1599.415.0 1 snoulder 35x52x1 3 2.1419.027.1 2 circlip 48 4 0.255.3933.0 1 disc 5 2.4019.373.1 1 spring 79.5x61.5x6.5 6 2.1419.035.1 1 circlip 127 7 0.255.3969.0/10 1 disc 8 0.255.3936.0 5 disc	
2 2.1599.415.0 1 snoulder 35x52x1 3 2.1419.027.1 2 circlip 48 4 0.255.3933.0 1 disc 5 2.4019.373.1 1 spring 79.5x61.5x6.5 6 2.1419.035.1 1 circlip 127 7 0.255.3969.0/10 1 disc	
3 2.1419.027.1 2 circlip 48 4 0.255.3933.0 1 disc 5 2.4019.373.1 1 spring 79.5x61.5x6.5 6 2.1419.035.1 1 circlip 127 7 0.255.3969.0/10 1 disc	
4 0.255.3933.0 1 disc 5 2.4019.373.1 1 spring 79.5x61.5x6.5 6 2.1419.035.1 1 circlip 127 7 0.255.3969.0/10 1 disc	
5 2.4019.373.1 1 spring 79.5x61.5x6.5 6 2.1419.035.1 1 circlip 127 7 0.255.3969.0/10 1 disc	
6 2.1419.035.1 1 circlip 127 7 0.255.3969.0/10 1 disc	
7 0.255.3969.0/10 1 disc	
8 0.255.3936.0 5 disc	
9 0.255.3970.2 5 disc	
10 0.255.3938.0/40 1 piston	
11 2.1539.064.0 1 'o' ring 120.33x2.62	
12 2.1539.067.0 1 'o' ring 44.12x2.72	
13 0.008.4043.0/30 1 box	
14 2.1569.109.0 3 gasket 46x50x2	
15 2.1599.416.0 1 snoulder 50x58x1	
16 2.1652.506.0 2 cylindrical plug 6x14	
17 2.1532.133.0 1 'o' ring 53.64x2.62	
18 0.255.3922.0/20 1 piston	
19 2.1532.503.0 1 'o' ring 82.14x2.62	
20 0.255.3924.2 1 disc	
21 0.255.3926.0/10 1 cover	
22 2.0342.305.2 4 screw m 8 p.1.25x20	
23 2.1411.013.1 1 circlip 32	
() <-	
24 2.1599.241.0 1 snoulder 6x31x2	
2.1399.241.0 1 SHoulder 0x31x2 () <-	
i, 9	
() <-	
26 2.1530.072.0 1 'o' ring 26.70x1.78	
() <-	
27 0.164.8275.0/10 1 piston	
() <-	
28 0.164.8274.0/10 1 cylinder	
() <-	
29 2.1560.010.0 1 gasket 14.2x20	
30 2.3110.428.1 1 plug m 8 p1x10	
31 2.1560.003.0 1 gasket 8.2x12	
32 2.1599.499.0 1 snoulder 110x126.5x1.2	
33 0.008.3063.6/60 1 distributor	
34 2.0512.202.1 1 screw m 8 p.1.25x8	
35 2.1560.005.0 1 gasket 10.2x14	
36 0.009.2445.4/20 1 valve	
41 2.1560.008.0 1 gasket 12.2x18	1/2
42 2.3339.453.2 1 pipe fitting m 12 p.1.25-1.	/2"




Section: FRONT AND REAR P.T.O.

P.T.O. - ELECTROHYDRAULICALLY CONTROLLED HYDRAULIC CLUTCH

Fig.	Code	QTY	Name
43	0.010.0526.4/10	1	accumulator
			-> ()
44	0.000.0000.1	-	not serviceable
45	0.010.0525.0	1	piston
46	2.1411.013.7	1	ring 32
47	2.1599.241.0	1	snoulder 6x31x2
48	2.4019.636.1	1	spring
49	2.4019.638.1	1	spring
50	0.008.8806.0/20	1	hub
51	2.2043.009.0	1	ball bearing 30x62x16
52	2.1410.009.1	1	circlip 24
53	0.445.3930.0	1	shaft



15 14 13 23 3 4 5 7 18 16 19 17 6 8




SILVER 90

Section: FRONT AND REAR P.T.O.

P.T.O. - ELECTROHYDRAULICALLY CONTROLLED HYDRAULIC CLUTCH

Fig.	Code	QTY	Name
4	0.0440.444.0	4	
1	2.0112.411.2	1	screw m 12 p.1.75x30
2	2.1310.007.2	1	flat washer 13x24
3	0.006.6168.0/30	1	flange
4	0.008.2726.0/20	1	tube
5	2.1530.066.0	1	'o' ring 25.07x2.62
6	2.1530.048.0	1	'o' ring 18.72x2.62
7	2.1530.043.0	1	'o' ring 17.13x2.62
8	2.1530.012.0	2	'o' ring 6.75x1.78
9	0.008.2727.0/40	1	tube
10	2.3339.453.2	1	pipe fitting m 12 p.1.25-1/2"
11	2.1560.008.0	1	gasket 12.2x18
13	0.010.1827.0/10	1	ferrule
14	2.3249.026.2/10	1	pipe fitting m 14x1.5 - 1/2"-20jic
15	0.008.3880.2/10	1	tube
16	2.1560.008.0	1	gasket 12.2x18
17	2.0599.023.1/10	1	grain
18	2.3339.497.2/10	1	pipe fitting m 12x1.25 - 1/2"-20jic
19	0.008.3881.2/10	1	tube
20	0.445.3953.2/10	1	tube
21	0.007.3547.0	1	manifold
			- FOR MODELS WITH 3 RANGES
21	0.007.3550.0	1	manifold
			- FOR MODELS WITH 4 RANGES
23	2.1560.010.0	1	gasket 14.2x20
24	2.1579.911.0	1	spacer 40x48x16
	2.1070.011.0	•	- FOR MODELS WITH 3 RANGES




Section: FRONT AND REAR P.T.O. Ref.: 143

P.T.O. - HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS

Fig.	Code	QTY	Name	
Notes:				
	<- X SILVER 80 4386 <-	X SILVER	90 2443 <- X SILVER 100.4	4796 <- X SILVER 100.6
1	0.007.6148.0	1	cap	
2	0.009.9885.0/10	1	knob	
3	2.1630.511.0	1	roll pin 5x24	
4	2.0112.207.2	2	screw m 8 p 1.25x20	
5	2.1470.004.2	3	lock washer 8	
6	0.008.9531.3/20	1	lever	
7	0.008.9508.0/10	1	guide	
8	0.009.6678.0	1	pin	
9	0.008.9532.2	1	lever	
10	0.008.9238.4/20	1	rod	
11	2.1410.004.1	1	circlip 16	
12	2.1310.010.2	1	flat washer 17x30	
13	2.1651.511.2	1	pin 6x24	
14	0.008.9510.0	1	spacer	
15	2.1559.326.0	1	bushing	
16	2.1559.325.0	1	bushing	
17	2.4049.197.1	1	spring	
18	0.008.9237.3/30	1	rod	
19	2.1310.004.2	2	flat washer 8.4x16	
20	2.1690.205.2	2	split pin 2x12	

1/1



Section: FRONT AND REAR P.T.O.

P.T.O. - HYDRAULIC CLUTCH WITH MECHANICAL CONTROLS


Fig.	Code	QTY	Name
Notes:			
-> 24	77 X SILVER 80 -> 438	7 X SILVER	90 -> 2444 X SILVER 100.4 -> 4797 X SILVER 100.6
_			
1	0.007.6148.0	1	cap
2	0.009.9885.0/10	1	knob
3	2.1630.511.0	1	roll pin 5x24
4	2.0112.207.2	2	screw m 8 p 1.25x20
5	2.1470.004.2	2	lock washer 8
7	0.011.8596.0/10	1	guide
9	0.011.9109.2	1	lever
10	0.011.9102.4	1	rod
13	2.1630.612.0	1	roll pin 6x28
14	0.008.9510.0	1	spacer
15	2.1559.326.0	1	bushing
16	2.1559.325.0	1	bushing
18	0.011.9118.4	1	rod
19	2.1310.004.2	2	flat washer 8.4x16
20	2.1690.205.2	2	split pin 2x12


1/1


Ref.: 143.1

Section: FRONT AND REAR P.T.O.

P.T.O. - PUMP CONTROL








Section: FRONT AND REAR P.T.O.

Ref.: 145

P.T.O. - ECONOMICAL 4 SPEED

Fig.	Code	QTY	Name
1	2.1410.012.1	1	circlip 30
2	0.007.3473.3/10	1	shaft
3	2.1559.023.0/10	1	bushing 15.8x19x20
4	2.1552.101.0	1	bushing 12x14x15
5	0.008.4423.0/10	1	sleeve
6	0.008.4424.0	1	gear 540/1000
7	2.2999.198.0	1	roller cage 25x37x20
8	2.2999.208.0	2	roller cage 20x26x8.8
9	2.2999.229.0	1	roller cage 25x42x2
10	2.1420.009.1	1	circlip a 22
11	0.007.3469.0	1	gear z = 23
12	2.1410.010.1	1	circlip 25
13	2.2999.235.0	1	bearing 35x80x21
14	2.2043.014.0	1	ball bearing 50x90x20
15	2.1410.020.1	1	circlip 50
16	0.008.5685.3/10	1	lever
17	2.1549.152.2	1	spacer
18	2.1631.415.2	1	roll pin 5x32
19	2.0512.216.1	2	screw m 8 p.1.25x40
20	2.1011.105.2	2	nut m 8 p.1.25
21	2.3171.007.4	1	plug 18
22	2.0399.019.1	1	screw m 8 p.1x16
23	2.1530.033.0	1	'o' ring 13.10x2.62
24	0.007.3492.0	1	small lever
25	0.001.5945.0/10	1	shoe
26	0.008.4425.0	1	crown wheel
27	0.007.3472.0/30	1	small shaft
28	2.1579.958.0	1	spacer 25x44x3




Section: FRONT AND REAR P.T.O.

Ref.: 147

P.T.O. - ECONOMICAL 4 SPEED

	11.0 ECONOMICAL 4 SPEED				
Fig.	Code	QTY	Name		
1	0.007.3471.0/10	1	bushing		
2	0.007.3477.0	1	gear z = 57		
3	0.007.3470.0	1	gear 1000		
4	2.2770.073.0	2	roller cage 40x47x18		
5	2.1599.567.0	1	thrust plate 40.1x48x2		
6	0.008.8279.0/20	1	small plate		
7	2.1470.004.2	2	lock washer 8		
8	2.0312.204.2	2	screw m 8 p.1.25x16		
9	2.7659.096.0/10	2	switch		
10	2.1310.028.2	4	flat washer 4.3x9		
11	2.0119.070.6	4	screw m 4x16		
12	0.007.3487.0	1	fork		
13	2.0512.108.1	1	screw m 6 p.1x20		
14	2.1530.038.0	1	'o' ring 15.54x2.62		
15	2.1711.011.0	1	dowel 5x3x36		
16	0.008.4560.3/50	1	lever		
17	0.007.3555.0	1	plate		
18	0.255.6463.0	2	shoe		
19	2.1410.014.1	1	circlip 35		
20	0.255.3661.0	1	ring nut m 35x1.5		
21	2.2060.011.0	1	ball bearing 35x80x21		
22	0.255.3455.0	1	hub z=19		
23	0.255.3438.0/20	1	sleeve		
24	2.1499.034.1	1	circlip 40x1.75		
25	2.2062.012.0	1	ball bearing 40x90x23		
26	2.1579.952.2	4	spacer 15x4.5x3		
27	2.9929.704.0	1	plate		





Section: FRONT AND REAR P.T.O.

Ref.: 149

P.T.O. - FIXED END SHAFT

Fig.	Code	QTY	Name
1	0.255.3130.0/30	1	flange
2	0.007.3475.0	1	shaft
3	2.1529.079.0	1	'o' ring 50x68x10
			- STANDARD
3	2.1529.101.0	1	'o' ring 50x68x12.5
			- WATER PROOF
4	0.154.3655.0/10	1	guard
5	2.0432.161.7	6	stud bolt m 10 p.1.5-1.25x40
6	2.1560.010.0	1	gasket 14.2x20
7	2.3110.403.1	1	plug m 14 p.1.5
8	0.009.6964.3/10	1	tube
9	2.1560.010.0	2	gasket 14.2x20
10	2.3335.006.2	1	pipe union m 14 p.1.5
11	2.1560.014.0	2	gasket 18.2x24x1.5
12	2.3335.008.2	1	pipe union m 18 p.1.5X32
			• • •






Ref.: 150

Section: FRONT AND REAR P.T.O.

P.T.O. - WITH INSERTED END SHAFTS


Fig.	Code	QTY	Name
_	0.007.0474.0	4	-L-# D.T.O
1	0.007.3474.0	1	shaft P.T.O. - X SILVER 80 - 90
1	0.008.4060.0/50	1	shaft
1	0.000.4000.0/50	ı	* 1485 <- X SILVER 100.4
			* 2151 <- X SILVER 100.6
			- N.1 - 008.4058.0/30 - 2.1412.017.7 - 2.1589.323.2
2	0.167.3660.0/30	1	p.t.o.shaft 1" 3/8 z=6
3	2.1520.043.0	1	'o' ring 85x110x12
_			- STANDARD
3	2.1529.120.0	1	'o' ring 85x110x13
			- WATER PROOF
4	2.0432.155.7	6	stud bolt m 10 p.1.5-1.25x25
			- X SILVER 80 - 90
4	2.0433.155.7	6	stud bolt m 10 p.1.25x25
			- X SILVER 100.4 - 100.6
5	2.1470.006.2	6	lock washer 10
6	2.1011.421.2	6	nut M10x1.25
7	0.255.3153.0/10	1	flange
_			- X SILVER 80 - 90
7	0.008.4061.0/20	1	cover
0	0.445.0454.0	4	- X SILVER 100.4 - 100.6
8	0.445.3151.0	1 1	flange
9 10	0.008.0757.0	6	guard
10	2.0432.161.7	O	stud bolt m 10 p.1.5-1.25x40 - X SILVER 80 - 90
10	2.0432.163.7	6	stud bolt m 10 p.1.5-1.25x45
10	2.0402.100.7	U	- X SILVER 100.4 - 100.6
11	2.1470.006.2	6	lock washer 10
12	2.1011.421.2	6	nut M10x1.25
13	2.1653.811.0	2	pin 10x24
14	2.3110.403.1	1	plug m 14 p.1.5
			- X SILVER 100.4 - 100.6
15	2.1560.010.0	1	gasket 14.2x20
16	0.009.6964.3/10	1	tube
			- X SILVER 80 - 90
16	0.009.6965.3/10	1	tube
			- X SILVER 100.4 - 100.6
17	2.1560.010.0	2	gasket 14.2x20
18	2.3335.006.2	1	pipe union m 14 p.1.5
19	2.3335.008.2	1	pipe union m 18 p.1.5X32
4.0	0.0005.000	,	- X SILVER 80 - 90
19	2.3335.009.2	1	pipe union m 22 p.1.5X39
00	0.4500.044.0	•	- X SILVER 100.4 - 100.6
20	2.1560.014.0	2	gasket 18.2x24x1.5



Section: FRONT AND REAR P.T.O.

P.T.O. - WITH INSERTED END SHAFTS

THE THE PERSON AND TH			na io
Fig.	Code	QTY	Name
			- X SILVER 80 - 90
20	2.1560.017.0	2	gasket 22.2x27
			- X SILVER 100.4 - 100.6
21	0.255.3131.0	1	flange
			- FOR TYPES WITHOUT SYNCHRONIZED P.T.O.
22	2.0432.155.7	4	stud bolt m 10 p.1.5-1.25x25
23	2.3171.007.4	1	plug 18
20	2.0171.007.4		plag 10



Section: FRONT AND REAR P.T.O.


P.T.O. - ECONOMICAL CONTROL

Fig.	Code	QTY	Name
1	0.008.9472.3/20	1	support
			- X SILVER 80 - 90
1	0.008.9075.3	1	support
			- X SILVER 100.4 - 100.6
2	2.1311.010.2	2	flat washer 16
3	2.1410.004.1	2	circlip 16
4	0.008.9475.3	1	lever
5	2.1470.006.2	2	lock washer 10
6	2.0112.307.2	2	screw m 10 p.1.5x20
7	2.4049.139.1/10	1	spring
8	2.1310.006.2	3	flat washer 10.5x20
9	2.1410.001.1	1	circlip 10
10	0.008.3659.3	1	lever
11	2.1631.412.0	1	roll pin 5x26
12	0.008.9033.3/30	1	rod
13	2.1011.105.2	1	nut m 8 p.1.25
14	2.3519.014.2/10	1	fork
15	2.1671.407.2	1	pin 10x28
16	2.1690.307.2	1	split pin 3.2x18
17	0.007.6147.0	1	cap
18	2.7659.202.0	1	switch
19	2.1310.028.2	2	flat washer 4.3x9
20	2.1470.052.2	2	lock washer 4
21	2.0119.070.6	2	screw m 4x16
22	0.009.9885.0/10	1	knob
23	2.1630.511.0	1	roll pin 5x24
24	0.008.9035.0/20	1	rod


1/1


Section: FRONT AND REAR P.T.O.

P.T.O.-SYNCHRONIZED



- X SILVER 80 - 90






Section: FRONT AND REAR P.T.O.

Ref.: 153


P.T.O. - SYNCHRONIZED CONTROL

Fig.	Code	QTY	Name
1	0.008.9474.2/10	1	lever
1	0.000.9474.2/10	1	- X SILVER 80 - 90
1	0.008.9077.2	1	lever
•	0.000.0077.2	•	- X SILVER 100.4 - 100.6
2	2.1310.006.2	1	flat washer 10.5x20
3	2.1430.008.7	1	circlip 7
4	2.1311.010.2	2	flat washer 16
5	0.008.3656.3	1	lever
6	2.1310.006.2	1	flat washer 10.5x20
7	2.1410.001.1	1	circlip 10
8	2.4049.139.1/10	1	spring
9	2.1631.412.0	1	roll pin 5x26
10	0.008.9486.2/20	1	rod
			- X SILVER 80 - 90
10	0.008.9076.2/10	1	rod
			- X SILVER 100.4 - 100.6
11	2.1439.003.0	1	circlip 6
12	0.009.9887.0	1	cap
13	2.7659.096.0/10	1	switch
14	2.1310.028.2	2	flat washer 4.3x9
15	2.1470.052.2	2	lock washer 4
16	2.0119.070.6	2	screw m 4x16
17	0.009.9885.0/10	1	knob
18	0.170.6852.3	1	support
19	0.009.0480.0	1	gasket
20	2.0112.205.2	2	screw m 8 p.1.25x16
21	2.1310.004.2	2	flat washer 8.4x16
22	0.008.9037.0/20	1	rod
23	2.1631.511.0	1	pin 6x24



FRONT AXEL	
FRONT SUPPORT	
FRONT SUPPORT	
JUNCTION CASE	109
JUNCTION CASE WITH HYDRIVE	
2WD - EXTENDIBLE AXLE	111
2WD - EXTENDIBLE AXLE	111.1
2WD - FRONT BRAKING SYSTEM	


2WD - POWER STEERING CYLINDER......112 SBA SENSOR 115 4WD-FRONT DIFFERENTIAL LOCK - S.B.A. MODEL 121.1 4WD - AXI FSHAFTS 122 4WD - AXLESHAFTS 122.1 DIFFERENTIAL LOCK CONTROL-MECHANICAL 125



Section: FRONT AXEL

FRONT SUPPORT


Fig.	Code	QTY	Name	
1	0.008.9321.0/70	1	front support	
			- 2WD	
1	0.008.9281.0/60	1	front support	
			- 4WD	
1	0.008.9288.0/60	1	front support	
			- 4WD - FOR MODELS WITH FRONT LIFT	
			- FOR P.T.O. FRONT	
2	2.1699.035.0	2	pin 14x35	
3	0.008.8586.0/10	4	shim mm 0.2	
4	0.008.8587.0/10	8	shim mm 0.5	
5	2.0432.519.7	4	stud bolt m 18 p.2.5-1.5x70	
6	2.1475.107.2	8	washer 19.4x36	
7	2.1011.410.1	4	nut m 18 p.1.5	
8	2.0112.724.2	2	screw m 18 p.2.5x75	
9	2.6839.057.0	2	clamp 30/25	
10	2.1470.006.2	2	lock washer 10	
11	2.0112.307.2	2	screw m 10 p.1.5x20	
12	2.0439.201.0	3	stud bolt m 18 p.1.5x70	
13	2.1019.060.2	4	special nut m 18 p.1.5	
14	2.1475.107.2	7	washer 19.4x36	
15	0.008.9062.0/10	1	sump	
16	2.0112.215.2	2	screw m 8 p.1.25x40	
17	2.1312.004.2	4	washer 9x24	
18	2.1470.004.2	2	lock washer 8	
19	2.1011.105.2	2	nut m 8 p.1.25	
20	0.146.5232.3	1	support	
21	2.1552.529.0	1	bushing 50x55x40	
22	2.1599.003.0	1	snoulder 61x80x4	
23	2.3820.105.2	1	lubricator m 10 p.1x7	
24	2.0433.419.7	2	stud bolt m 16 p.2-1.5x70	
25	2.1559.030.0	2	bushing 16.5x22x35	
26	2.1599.029.0	2	snoulder 17x30x6	
27	2.1475.206.7	2	washer 17x32	
28	2.1012.409.7	2	nut m 16	
29	0.146.5233.3/10	1	support	
30	0.146.5250.0	1	bushing 99.3x106.3x40	
31	2.3821.103.2	1	lubricator m 10 p.1	
32	2.1599.004.0	1	snoulder 101x125x4	
33	2.1530.205.0	1	'o' ring 101.2x5.34	
34	2.0439.201.0	2	stud bolt m 18 p.1.5x70	
35	2.1559.010.0	2	bushing 18.5x24x35	
36	2.1599.030.0	2	snoulder 19x35x6	
37	2.1475.107.7	2	washer 18x36	1/2
38	2.1019.060.2	2	special nut m 18 p.1.5	



Section: FRONT AXEL

FRONT SUPPORT

Fig.	Code	QTY	Name	
39	2.1475.204.7	1	washer 12x3.2	
40	2.0112.722.1	2	screw m 18 p.2.5x65	
41	2.0439.228.7	1	stud bolt m 18-m12x1.25x70	
42	2.1549.284.2	1	washer 12.5x30x8	
43	2.1012.422.7	1	nut m 12	




Section: FRONT AXEL

FRONT SUPPORT

Fig.	Code	QTY	Name	
1	2.0439.228.7	1	stud bolt m 18-m12x1.25x70	
2	2.1549.284.2	1	washer 12.5x30x8	
3	2.1475.204.7	1	washer 12x3.2	
4	2.1012.422.7	1	nut m 12	
5	0.010.0965.2	1	shield	
6	2.1310.006.2	1	flat washer 10.5x20	
7	2.0112.303.2	3	screw m 10 p.1.5x12	
8	0.010.0966.2	2	plug	
9	0.010.0967.0	2	small plate	
10	2.1470.004.2	2	lock washer 8	
11	2.1011.105.2	2	nut m 8 p.1.25	
12	2.0112.307.2	2	screw m 10 p.1.5x20	
13	2.1470.006.2	4	lock washer 10	
14	2.6839.057.0	2	clamp 30/25	
15	2.0112.511.2	2	screw m 14 p.2x30	
16	2.1470.008.2	2	lock washer 14	

1/1

Ref.: 108.1



Ref.: 109

Section: FRONT AXEL


JUNCTION CASE

Fig.	Code	QTY	Name	
1	0.009.7933.0/30	1	clutch housing	
2	2.1475.204.2	18	clutch housing washer 12	
3	2.0112.417.2	5	screw m 12 p.1.75x45	
4	2.1475.205.2	22	washer 14	
5	2.0112.513.2	5	screw m 14 p.2x35	
6	0.008.5534.2	1	flange	
O	0.000.0004.2	'	2073 <- X SILVER 80	
			2963 <- X SILVER 90	
			1874 <- X SILVER 100.4	
6	0.255.5220.2/20	1	flange	
J	0.200.0220.2/20	•	-> 2074 X SILVER 80	
			-> 2964 X SILVER 90	
			-> 1875 X SILVER 100.4	
7	2.1310.004.2	5	flat washer 8.4x16	
8	2.0112.207.2	3	screw m 8 p 1.25x20	
9	2.3199.002.2	1	plug 1 gas	
10	2.0432.272.7	1	stud bolt m 12 p.1.75-1.25x85	
11	2.0112.525.2	1	screw m 14 p.2x80	
12	2.1011.422.1	1	nut m 12 p.1.25	
13	2.0112.522.2	2	screw m 14 P.2x65	
14	2.0112.421.2	4	screw m 12 p.1.75x60	
15	2.1011.105.2	2	nut m 8 p.1.25	
16	0.007.3546.0	1	plug	
17	2.0112.519.2	12	screw m 14 p.2x50	
18	2.0112.427.2	7	screw m 12 p.1.75x90	
19	0.007.3545.2	1	bracket	
20	2.1653.911.0	2	cylindrical plug 12x25	
21	0.009.7801.0/40	1	clutch housing	
22	2.3131.003.4	1	plug m 16 p.1.5	
23	2.1560.026.0	1	gasket 35.3x41	
24	0.445.5250.0/50	1	pin	
25	2.1470.004.2	3	lock washer 8	
26	0.007.3565.2	1	bracket	
27	0.007.3564.0	1	gasket - FOR TYPES WITHOUT AGROSHIFT	
27	0.009.7686.0	1	gasket - FOR AGROSHIFT TYPES	
28	2.0122.613.2	1	screw m 16 p.1.5x35 - FOR MODELS WITH MECHANICAL ACCELERATORS	
29	2.1560.012.0	1	gasket 16.2x22	
30	0.007.3562.3	1	cover	
31	2.0114.521.2	2	screw m 14 p.2x70	1/1
32	2.0112.431.2	1	screw m 12 p.1.75x110	1/1

Section: FRONT AXEL Ref.: 109.1

JUNCTION CASE WITH HYDRIVE


Fig.	Code	QTY	Name
	0.040.4404.0440	_	
1	0.010.4161.0/40	1	clutch housing
2	2.0112.519.2	6	screw m 14 p.2x50
3	0.011.8605.0/10	1	clutch housing *
			- N.1 - 2.1560.019.0 - 2.1560.025.0
			- N.1 - 2.3110.423.2 - 2.3120.004.4
4	2.0112.427.2	8	screw m 12 p.1.75x90
5	2.1475.205.2	30	washer 14
6	2.0112.519.2	11	screw m 14 p.2x50
7	2.0112.522.2	2	screw m 14 P.2x65
8	2.1475.204.2	12	washer 12
9	2.0112.519.2	8	screw m 14 p.2x50
10	2.1651.911.0	2	cylindrical plug 12x24
11	2.3131.003.4	1	plug m 16 p.1.5
12	2.0112.525.2	1	screw m 14 p.2x80
13	2.1011.422.1	1	nut m 12 p.1.25
14	2.0432.272.7	1	stud bolt m 12 p.1.75-1.25x85
15	2.0112.421.2	4	screw m 12 p.1.75x60
16	2.1011.408.2	2	nut m 14 p.1.5
18	2.0432.311.7	2	stud bolt m 14x40
19	2.0112.520.2	6	screw m 14 p.2x55
20	2.1560.019.0	1	gasket 24.3x30
21	2.3110.423.2	1	plug m 24 p.1.5x18.5
22	2.1560.025.0	1	gasket
23	2.3120.004.4	1	plug m 32
25	2.0422.202.1	2	stud bolt m 8x18
26	2.0422.213.1	1	stud bolt
27	2.3110.302.2	1	plug m 12 p.1.75x10
28	2.1560.008.0	1	gasket 12.2x18
29	2.0114.521.2	2	screw m 14 p.2x70
30	2.0112.431.2	1	screw m 12 p.1.75x110
31	2.1411.022.1	1	circlip 55 - 2WD
32	2.3199.095.0	1	plug 55x10 - 2WD



Section: FRONT AXEL Ref.: 111

2WD - EXTENDIBLE AXLE


Fig.	Code	QTY	Name	
1	0.261.4210.3/40	1	central axle	
2	2.1559.077.0	2	bushing 40x46x60	
3	2.3820.105.2	4	lubricator m 10 p.1x7	
4	0.261.4212.3/20	1	counter shaft sx	
5	2.1559.077.0	2	bushing 40x46x60	
6	0.261.4211.3/20	1	counter shaft dx	
7	2.1559.077.0	2	bushing 40x46x60	
8	0.146.4282.0/10	6	pin	
9	2.1310.011.2	6	flat washer 19x34	
10	2.1470.010.2	6	lock washer 18	
11	2.1011.410.2	6	nut m 18 p.1.5	
12	2.1599.010.0	2	snoulder 41x63x4	
13	2.1579.004.0	1	spacer 40x60x48	
14	0.261.4213.3	1	pin	
15	2.0112.411.2	2	screw m 12 p.1.75x30	
16	2.1470.007.2	2	lock washer 12	
17	0.135.4259.0	8	shim	
18	2.1569.001.0	2	gasket 40x52x6	
19	0.261.4243.0/10	2	lever	
20	2.0122.524.2	2	screw m 14 p.1.5x75	
21	2.1470.008.2	2	lock washer 14	
22	2.1011.408.1	2	nut m 14 p.1.5	
23	2.1021.510.2	1	castellated nut m 24 p.1.5	
24	2.1690.516.2	1	split pin 5x50	
25	0.135.4266.0	1	small cover	
26	2.2520.004.0	1	roller bearing 25x52x16.25	
27	0.261.4235.0	2	tube	
28	0.137.4238.0	4	terminal	
29	2.0122.367.2	4	screw m 10 p.1.25x45	
30	2.1470.006.2	4	lock washer 10	
31	2.1011.421.2	4	nut M10x1.25	
32	0.261.4234.0	2	rod	
33	2.1019.003.1	4	nut m 22 p.1.5	
34	0.261.4231.0/20	1	lever	
35	0.135.4264.2	1	disc	
36	2.2520.006.0	1	roller bearing 30x62x17.25	
37	2.1530.138.0	1	'o' ring 55.56x3.53	
40	0.010.0487.4	4	ball joint	
41	2.1690.412.0	2	split pin 4x30	
42	2.2610.009.0	2	thrust bearing 40x60x13	
43	2.1530.134.0	2	'o' ring 53.98x3.53	
44	0.261.4254.3	1	axle shaft sx	
44	0.261.4253.3	1	axle shaft dx	1/2
47	2.1529.024.0	2	'o' ring 65x90x13	1/2



Section: FRONT AXEL Ref.: 111

2WD - EXTENDIBLE AXLE


Fig.	Code	QTY	Name	
49	0.154.4257.0	2	spacer	
50	2.2045.013.0	2	bearing 45x85x19	
51	0.154.4224.0	2	wheel hub	
52	2.2040.011.0	2	ball bearing iso 35 bc 02	
53	2.1599.094.0	2	snoulder 32x48x5	
54	2.1029.001.1	2	nut m 30 p.1.5	
55	2.1690.516.2	2	split pin 5x50	
56	0.001.2921.0	2	gasket	
57	0.001.2920.0	2	small cover	
58	2.1470.004.2	8	lock washer 8	
59	2.0112.205.2	8	screw m 8 p.1.25x16	
60	0.148.4737.0/10	12	small column m 20x58	
61	2.0599.094.2/10	2	pin m 14 p.2x60	
62	2.1011.108.2	2	nut m 14 p.2	



Section: FRONT AXEL

2WD - EXTENDIBLE AXLE

Fig.	Code	QTY	Name	
1	2.0112.205.2	8	2070W m 9 n 1 25v16	
2	2.1470.004.2	10	screw m 8 p.1.25x16 lock washer 8	
3	0.001.2920.0	2	small cover	
4	0.001.2920.0	2		
5		2	gasket	
6	2.1690.516.2 2.1029.001.1	2	split pin 5x50	
7		2	nut m 30 p.1.5 snoulder 32x48x5	
8	2.1599.094.0	2		
9	2.2520.008.0		roller bearing 35x72x18,25 hub	
	0.010.8382.3	2	11000	
10 11	2.2520.010.0 0.007.7754.0/20	2 2	roller bearing 45x85x20.75 cover	
12	2.1529.056.0/10	2	'o' ring 110x140x13	
	2.0132.211.7	∠ 16		
13 14	0.007.3191.0/10	4	screw m 10 p.1.25x45 brake disc	
15 16	0.275.4351.0 0.009.8420.0/10	4 2	disc	
17		2	piston	
18	2.1539.178.0	2	'o' ring 221.84x3.53	
_	2.1539.177.0		'o' ring 171.04x3.53 axle shaft dx	
19 19	0.010.8372.3	1	axle shaft sx	
21	0.010.8373.3 2.3130.002.1	1 4		
			plug 1/4 gas	
22 23	2.0139.030.2	4	screw m 10 p.1.25x65	
_	0.010.1304.3/10	1	plate dx	
23	0.010.1305.3/10	1	plate sx	
25 26	2.1470.006.2	4 1	lock washer 10 tube dx	
	0.010.1211.3		13.5 5 3.1	
26	0.010.1212.3	1	tube sx	
28	0.008.9082.0	2	small plate	
29	2.1310.004.2	2	flat washer 8.4x16	
30	2.1011.105.2	2	nut m 8 p.1.25	
31	2.1470.006.2	4	lock washer 10	
32	2.1011.421.2	4	nut M10x1.25	





Ref.: 111.1

Section: FRONT AXEL Ref.: 111.2

2WD - FRONT BRAKING SYSTEM

Fig.	Code	QTY	Name
1	0.011.6946.3	2	tube
2	0.170.5455.0	2	fuse
3	2.3199.039.0	2	plug 6.5x7.25
4	0.135.4363.3/10	2	valve
5	2.0112.205.2	2	screw m 8 p.1.25x16
6	2.1310.004.2	2	flat washer 8.4x16
7	0.010.1309.0	2	small plate
8	0.98503.67.0	2	clamp
9	0.009.8818.0	2	quard
10	0.011.6940.2	1	sump
11	2.0112.305.2	1	screw m 10 p.1.5x16
12	2.1474.010.2	1	spring washer 10
13	0.011.6941.2	1	guard
14	2.0432.001.2	1	stud bolt m 8 p.1x16
15	2.1011.105.2	1	nut m 8 p.1.25
16	2.1474.009.2	1	spring washer 8
17	0.154.6381.0	2	terminal
18	2.0112.009.2	1	screw m 6 p.1x25
19	2.1312.003.2	1	washer 6.6x18
20	2.1470.002.2	1	lock washer 6
21	2.1011.103.2	1	nut m 6 p.1
22	2.1011.103.2	1	nut m 6 p.1
23	2.1011.103.2	1	nut m 6 p.1
24	2.1470.002.2	1	lock washer 6
25	2.0112.011.2	1	screw m 6 p.1x30
26	0.011.8707.0	1	bracket






Section: FRONT AXEL

2WD - POWER STEERING CYLINDER

Fig.	Code	QTY	Name
_	0.055.0040.4	0	in al.
1	0.255.6342.4	2	jack
			☞ 113
			F 113
2	0.255.6365.0/10	2	pin
3	2.1569.125.0	8	gasket 23x35x6
4	2.1599.272.0	4	snoulder 21x34.5x2
5	2.1410.006.1	4	circlip 20
6	2.3821.301.2	4	lubricator m 6 p.1
7	2.1120.210.2	2	selflock nut m 18 p.1.5



Section: FRONT AXEL Ref.: 113

2WD - POWER STEERING CYLINDER - PARTS

Fig.	Code	QTY	Name
1	0.255.6342.4	1	jack
2	2.1423.026.7	4	snoulder 35x1.5
3	0.176.6371.0	2	cap
4	0.261.6374.1	1	seal ring kit
5	0.000.0000.1	-	not serviceable
6	0.261.6373.1	1	arm

1/1

Section: FRONT AXEL

4WD - FRONT DRIVE AXLE

2.0433.155.7


Fig. Code QTY Name 1 0.275.4356.0/80 1 front axle * 2436 <- X SILVER 80 * 4225 <- X SILVER 90 * 2367 <- X SILVER 100.4 * 4597 <- X SILVER 100.6 N.2 2.1529.112.0 2 2.3199.021.2 plug 1/2 gas 3 2.1560.054.0 1 gasket 21x26 4 2.0432.309.7 stud bolt m 14 p.2-1.5x35 5 2.1379.004.0/10 shim 15x15x62x1.5 6 2.1379.003.0/10 4 shim 15x15x62x0.12 7 0.146.4320.0/10 1 pin 8 2.1475.205.2 washer 14 9 2.1011.408.2 nut m 14 p.1.5 10 0.007.6383.0/30 fork sx 10 1 fork dx 0.007.6382.0/30 11 2 0.169.4337.0/10 pin 12 2.1599.260.0 4 snoulder 43x71x1 13 4 2.1519.045.0 'o' ring 41x73x9 14 2 2.2550.007.0 roller bearing 30x72x28.75 2 15 2.2530.007.0 roller bearing 30x72x20.75 16 8 0.463.4352.0 shim mm 0.15 8 16 0.463.4350.0 shim mm 0.2 16 8 shim mm 0.5 0.463.4351.0 2 17 0.255.4335.0/10 pin * 2606 <- X SILVER 80 * 4998 <- X SILVER 90 * 2868 <- X SILVER 100.4 * 5477 <- X SILVER 100.6 - N.1 - 2.3821.102.2 2.1470.007.2 12 18 lock washer 12 19 2.0112.411.1 12 screw m 12 p.1.75x30 20 2.3821.103.2 2 lubricator m 10 p.1 2606 <- X SILVER 80 4998 <- X SILVER 90 2868 <- X SILVER 100.4 5477 <- X SILVER 100.6 20 2.3821.102.2 2 lubricator m 8 p.1 -> 2607 X SILVER 80 -> 4999 X SILVER 90 -> 2869 X SILVER 100.4 -> 5478 X SILVER 100.6 21 2.1652.811.0 4 cylindrical plug 10x25 1/3 22 20

stud bolt m 10 p.1.25x25

Section: FRONT AXEL

4WD - FRONT DRIVE AXI F


Fig.	Code	QTY	Name	
23	2.1549.318.0	1	chacor	
24	2.0432.257.7	11	spacer stud bolt m 12 p.1.75-1.25x30	
2 4 25	2.3199.125.0	3	plug 1/8 gas	
26	2.1652.915.0	2	cylindrical plug 12x35	
20 27	0.007.3499.0/70	1	flange	
21	0.007.3499.0/70	ı	- FOR MECHANICAL LOCKING TYPES	
			* () <-	
			- N.1 2.1549.318.0	
27	0.007.7063.0	1	flange	
21	0.007.7000.0	Ī	1441 <- X SILVER 80	
			1829 <- X SILVER 90	
			1335 <- X SILVER 100.4	
			1547 <- X SILVER 100.6	
			- FOR ELEKTROHYDRAULIC LOCKING TYPES	
27	0.007.7063.0/30	1	flange	
21	0.007.7003.0/30	ı	-> 1442 X SILVER 80	
			-> 1830 X SILVER 90	
			-> 1336 X SILVER 100.4	
			-> 1530 X SILVER 100.4 -> 1548 X SILVER 100.6	
			- FOR ELEKTROHYDRAULIC LOCKING TYPES	
27	0.009.7638.0/10	1	flange	
21	0.003.7030.0/10	Ī	1441 <- X SILVER 80	
			1829 <- X SILVER 90	
			1335 <- X SILVER 100.4	
			1547 <- X SILVER 100.6	
			- FOR DIFFERENTIAL LOCK WIYH S.B.A.	
27	0.009.7638.0/30	1	flange	
21	0.003.7030.0/30	Ī	-> 1442 X SILVER 80	
			-> 1830 X SILVER 90	
			-> 1336 X SILVER 100.4	
			-> 1530 X SILVER 100.4 -> 1548 X SILVER 100.6	
			- FOR DIFFERENTIAL LOCK WIYH S.B.A.	
28	2.1470.007.2	13	lock washer 12	
29	2.1011.322.1	13	nut m 12 p.1.25	
30	0.135.4363.3/10	3	valve	
31	0.270.4355.0	2	guard	
32	2.1560.054.0	5	gasket 21x26	
33	2.3199.021.2	2	plug 1/2 gas	
34	2.3199.001.2	3	plug 1/2 gas plug 1/2 gas	
35	2.1560.010.0	1	gasket 14.2x20	
36	2.3110.003.1	1	plug m 14 p.2x12	
30 37	2.3171.003.1	1	plug 11 14 p.2x12 plug 18	
38	0.275.4344.0/20	1	rod	
39	2.1099.020.1	2		2/3
Ja	2.1033.020.1	2	special nut m 24 p.1.5	



Section: FRONT AXEL

4WD - FRONT DRIVE AXLE

Code	QTY	Name
0.148.6126.4		ball joint
2.1690.412.0	2	split pin 4x30
2.1529.134.0	2	'o' ring 65x90x17.5
		- STANDARD
2.1529.102.0	2	'o' ring 65x90x17
		- WATER PROOF
2.1589.124.0		shim mm 0.2
2.1589.126.0	8	shim mm 0.15
2.1310.006.2	2	flat washer 10.5x20
2.0112.305.2	2	screw m 10 p.1.5x16
2.0119.213.2	2	screw m 14 p.2x60
2.1011.108.2	2	nut m 14 p.2
2.1579.147.2	2	spacer 12.5x22x3
2.1699.434.0	2	pin
		- FOR DIFFERENTIAL LOCK WIYH S.B.A.
2.1475.204.2	13	washer 12
2.0113.415.2	11	screw m 12 p.1.75x40
2.0113.413.2	2	screw m 12 p.1.75x35
2.0432.259.7	2	stud bolt m 12 p.1.75-1.25x35
2.0119.228.2	2	screw m 14 p.2x40
2.1011.108.2	2	nut m 14 p.2
0.010.8798.0	2	spacer
2.3820.105.2	2	lubricator m 10 p.1x7
	0.148.6126.4 2.1690.412.0 2.1529.134.0 2.1529.102.0 2.1589.124.0 2.1589.126.0 2.1310.006.2 2.0112.305.2 2.0119.213.2 2.1011.108.2 2.1579.147.2 2.1699.434.0 2.1475.204.2 2.0113.415.2 2.0113.415.2 2.0432.259.7 2.0119.228.2 2.1011.108.2 0.010.8798.0	0.148.6126.4 2 2.1690.412.0 2 2.1529.134.0 2 2.1529.102.0 2 2.1589.124.0 8 2.1589.126.0 8 2.1310.006.2 2 2.0112.305.2 2 2.0119.213.2 2 2.1579.147.2 2 2.1699.434.0 2 2.1475.204.2 13 2.0113.415.2 11 2.0432.259.7 2 2.0111.108.2 2 2.0111.108.2 2 0.010.8798.0 2



Ref.: 115


Section: FRONT AXEL

SBA SENSOR

Fig.	Code	QTY	Name
Notes:			
	X SILVER 80	4162 <- X SILVER 9	0 2328 <- X SILVER 100.4 4494 <- X SILVER 100.6
1	2.0112.423.2	4	screw m 12 p.1.75x70
2	2.1470.007.2	5	lock washer 12
3	0.009.7985.0	/10 1	cover
			() <-
4	2.3821.102.2	1	lubricator m 8 p.1
5	0.000.0000.1	-	not serviceable
			* () <-
			- N.1 - 010.4353.0/10 - 010.4355.0/10
			010.4627.0/10 - 010.4865.3 - 2.1549.341.2
			2.6839.066.0/10 - 2.0112.009.2
			2.0112.411.2 - 2.1470.002.2
			- N.2 - 2.0312.206.2 - 2.1310.007.2
			2.1470.004.2
6	2.2520.008.0	1	roller bearing 35x72x18,25
7	0.010.0008.2	1	joint
8	2.1530.024.0	1	'o' ring 10.78x2.62
9	0.010.0010.0	1	cap-washer
10	0.009.7983.4	1	position sensor
11	2.0332.206.2	2	screw M4x0,7X16
12	2.1470.052.2	2	lock washer 4
13	0.007.6847.3	/20 1	wire
			- A = mm 1450
			1840 <- X SILVER 80
			2502 <- X SILVER 90
			1635 <- X SILVER 100.4
			2554 <- X SILVER 100.6
13	0.010.4865.3	1	wire
			- A = mm 1900
			-> 1841 X SILVER 80
			-> 2503 X SILVER 90
			-> 1636 X SILVER 100.4
			-> 2555 X SILVER 100.6
14	2.1310.007.2	2	flat washer 13x24
15	0.010.4355.0		cover
			-> ()
16	0.010.4627.0	/10 1	guard
			-> ()
17	2.0312.206.2	2	screw m 8 p.1.25x20
18	2.1470.004.2	2	lock washer 8
19	2.0112.411.2	1	screw m 12 p.1.75x30

Section: FRONT AXEL SBA SENSOR

ODA	OBA CENCON					
Fig.	Code	QTY	Name			
21	2.1470.002.2	1	lock washer 6			
22	2.6839.066.0/10	1	clamp 16			
23	2.1549.341.2	1	spacer			
24	0.010.4353.0/20	1	pin			
			-> ()			



-19

9 10

1 12

121 _ 067

23

24

22

13-

15-

16-

17-


SILVER 90

Section: FRONT AXEL

SBA SENSOR

Fig.	Code	QTY	Name
Notes:			
	122 X SII VFR 80 -> 4163	X SII VFR	90 -> 2329 X SILVER 100.4 -> 4495 X SILVER 100.6
	7 4 100	X OIL VLIX	00 - 2020 X GIEVER 100.4 - 5 4400 X GIEVER 100.0
1	2.0112.423.2	4	screw m 12 p.1.75x70
2	2.1470.007.2	5	lock washer 12
3	0.010.4355.0/10	1	cover
4	2.0312.206.2	2	screw m 8 p.1.25x20
5	2.1470.004.2	2	lock washer 8
6	0.010.4627.0/10	1	guard
7	2.0112.411.2	1	screw m 12 p.1.75x30
9	2.0112.009.2	1	screw m 6 p.1x25
10	2.1470.002.2	1	lock washer 6
11	2.6839.066.0/10	1	clamp 16
12	2.1549.341.2	1	spacer
13	2.3821.102.2	1	lubricator m 8 p.1
14	0.011.2308.0/10	1	pin
15	0.010.0008.2	1	joint
16	2.2520.008.0	1	roller bearing 35x72x18,25
17	2.1530.024.0	1	'o' ring 10.78x2.62
18	0.011.2252.0	1	cap-washer
19	2.1310.007.2	2	flat washer 13x24
20	2.0332.211.3	2	screw m 4x40
21	2.1470.052.2	2	lock washer 4
22	2.7099.740.0	1	position sensor
23	0.011.3797.3	1	wire
24	0.98503.67.0	10	clamp

Ref.: 115.1



Section: FRONT AXEL

4WD - FRONT BRAKES


Fig.	Code	QTY	Name
1	0.275.4254.0/20	2	gooket 193 6v400 4v3 4
1	0.275.4354.0/20	2	gasket 183.6x190.4x3.4
2	0.275.4353.0/20	2	gasket 215.6x222.4x3.4
3	0.275.4350.0	2	piston
4	0.275.4351.0	2	disc
5	0.154.5459.0/10	2	brake disc
6	0.275.4352.0/10	2	flange
7	2.0139.025.1	24	screw m 10 p.1.25x25

1/1

Section: FRONT AXEL Ref.: 117

4WD - FRONT BRAKING SYSTEM

Fig.	Code	QTY	Name	
1	0.008.9730.3/30	1	tube	
•	0.000.0700.0700	•	- X SILVER 80 - 90 - 100.4	
1	0.008.9731.3/30	1	tube mm 1860	
-		•	- X SILVER 100.6	
2	0.008.9731.3/30	1	tube mm 1860	
			- X SILVER 80 - 90 - 100.4	
2	0.008.9733.3/30	1	tube	
			- X SILVER 100.6	
3	0.008.9734.2	1	channel	
			- X SILVER 80 - 90 - 100.4	
3	0.008.9735.2/30	1	channel	
			- X SILVER 100.6	
4	2.0112.209.2	1	screw m 8 p 1.25x25	
			- X SILVER 100.6	
5	2.1470.004.2	1	lock washer 8	
			- X SILVER 100.6	
6	2.0112.205.2	3	screw m 8 p.1.25x16	
7	2.1470.004.2	5	lock washer 8	
8	2.3339.361.2/10	2	pipe union m 12 p.1,25x28	
9	2.1560.008.0	6	gasket 12.2x18	
10	2.1579.765.2/10	2	spacer 12.5x18x8	
11	2.3199.039.0	2	plug 6.5x7.25	
12	0.170.5455.0	2	fuse	
13	2.0112.211.2	2	screw m 8 p.1.25x30	
14	0.008.9854.0	2	bracket	
15	2.1579.840.2	2	spacer	
16	2.0112.015.2	2	screw m 6 p.1x40	
17	2.1470.002.2	5	lock washer 6	
18	2.6839.053.0	2	clamp 17/15	
19	2.1011.103.2	5	nut m 6 p.1	
20	2.0112.307.2	1	screw m 10 p.1.5x20	
21	2.1470.006.2	1	lock washer 10	
22	0.008.9676.2	1	bracket	
23	2.0112.009.2	1	screw m 6 p.1x25	
24	0.154.6377.0	1	terminal	
25	0.002.8816.0	2	small plate	
26	2.0112.007.2	1	screw m 6 p.1x20	
27	0.009.3100.0	1	plate	
28	0.008.9729.0	1	square	
29	2.0112.009.2	2	screw m 6 p.1x25	
30	0.007.6741.3	1	tube dx	
31	0.008.9728.3	1	tube sx	
32	2.1470.004.2	2	lock washer 8	1/1




Section: FRONT AXEL

4WD - POWER STEERING CYLINDER

Fig.	Code	QTY	Name
		_	
1	0.448.6342.4	2	jack
			₽ 119
			F 119
2	0.270.6350.2/30	2	pin
3	2.1579.739.0	8	spacer 21x25x10
4	0.270.6351.0	8	gasket
5	2.3820.105.2	2	lubricator m 10 p.1x7
6	2.0112.207.2	2	screw m 8 p 1.25x20
7	2.1470.004.2	2	lock washer 8
8	2.3821.303.2	2	lubricator m 10 p.1
9	0.008.5388.0/10	2	piston pin
10	2.0399.050.2	2	screw m 10 p.1x30
11	2.1011.406.1	2	nut m 10 p.1

1/1



Section: FRONT AXEL Ref.: 119

4WD - POWER STEERING CYLINDER - COMPONENTS


Fig.	Code	QTY	Name
1	0.448.6342.4	1	jack
2	2.1423.026.7	4	snoulder 35x1.5
3	0.176.6371.0	2	cap
4	0.273.6363.4	1	seal ring kit
5	0.000.0000.1	-	not serviceable
6	0.448.6350.1	1	stem

1/1

Section: FRONT AXEL Ref.: 120

4WD - FRONT DIFFERENTIAL LOCK

Fig.	Code	QTY	Name	
Notes:				
	<- X SILVER 80 1829 <	- X SILVER	90 1335 <- X SILVER 100.4 1547 <- X SILVER 100.6	i
1	0.445.4620.3/30	1	bevel gear z=10 z=38 - 30 Km/h	
1	0.445.4653.3/20	1	bevel gear z=11 z=32 - 40 Km/h	
3	0.275.4610.0	1	differential carrier	
4	0.255.4615.0	1	flange	
5	2.1631.415.0	1	roll pin 5x32	
6	2.1599.431.0	2	snoulder 42x66x2	
7	0.010.0856.0/10	1	pin	
8	0.275.4622.3/10	1	crown wheel	
11	0.255.4629.0	2	snoulder 15.5x36x2	
12	2.0132.207.2	8	screw m 10 p.1x25	
14	0.255.4652.0/20	1	flange	
15	0.146.4653.0/10	4	shim 96x127x0.2	
16	0.146.4654.0/10	4	shim 96x127x0.5	
17	0.467.4650.0/30	1	flange	
18	2.2540.005.0	1	roller bearing 45x85x24.75	
19	2.2520.011.0	1	roller bearing 50x90x21.75	
20	2.0139.002.1	10	screw m 10 p.1.25x20	
21	2.0139.025.1	10	screw m 10 p.1.25x25	
22	2.2560.006.0	1	roller bearing 40x90x25.25	
 23	2.1580.301.0	2	shim 76x89x0.2	
24	2.1580.302.0	2	shim 76x89x0.5	
25	0.008.0389.0	1	spacer mm 37	
26	2.1580.101.0	2	shim 36x43x0.2	
27	2.1580.102.0	2	shim 36x43x0.5	
28	2.2560.005.0	1	roller bearing 35x80x22.75	
29	2.1529.007.0/10	1	'o' ring 58x80x13	
			- STANDARD	
29	2.1529.100.0	1	'o' ring 58x80x15 - WATER PROOF	
30	0.255.4650.0	1	spacer 35x58x19	
31	2.1219.018.2	1	ring nut m 35 p.1.5	
32	2.2810.006.0	17	ball mm 9.525	
33	0.255.4618.0/10	1	sleeve	
34	0.255.4617.0	1	sleeve	
35	2.1599.317.0	2	snoulder 38.5x44.50x1.5	
36	2.1580.130.0	4	shim 38.5x44.50x0.5	
37	2.1580.131.0	4	shim 38.5x44.50x0.2	
38	0.255.4619.0	1	spacer	
39	2.1410.015.1	1	circlip 38	1



Section: FRONT AXEL

Ref.: 120

4WD - FRONT DIFFERENTIAL LOCK

Fig.	Code	QTY	Name
40	0.445.4655.0/10	2	shim 92x127x0.5
41	0.445.4656.0/10		shim 92x127x0.2

7 5 11 6 8	29 30 31
21	25 26 27 28 4 19
14 41 40 18	15 16 17
614 - 120	32 ————————————————————————————————————

SILVER 90

Section: FRONT AXEL Ref.: 120.1

4WD - FRONT DIFFERENTIAL LOCK

Fig. Code QTY Name

Fig.	Code	QTY	Name	
Notes: -> 14	42 X SILVER 80 -> 1830	X SILVER	90 -> 1336 X SILVER 100.4	-> 1548 X SILVER 100.6
1	0.010.0972.3	1	bevel gear - 30 Km/h	
1	0.010.0970.3	1	bevel gear - 40 Km/h	
3	0.275.4610.0	1	differential carrier	
4	0.255.4615.0	1	flange	
5	2.1631.415.0	1	roll pin 5x32	
6	2.1599.431.0	2	snoulder 42x66x2	
7	0.010.0856.0/10	1	pin	
8	0.275.4622.3/10	1	crown wheel	
4.4	0.055.4000.0	•		

x2 0.255.4629.0 2 snoulder 15.5x36x2 11 12 2.0132.207.2 8 screw m 10 p.1x25 13 2.1589.356.0 shim 73x89.5x0.6 13 2.1589.357.0 shim 73x89.5x0.7 13 2.1589.358.0 shim 73x89.5x0.8 13 2.1589.359.0 shim 73x89.5x0.9 13 shim 73x89.5x1.65 2.1589.360.0 13 2.1589.361.0 shim 73x89.5x1.75

13

14

15

16

17

18

19

20

21

22

25

26

27

27

28

29

29

 2.1589.362.0
 shim 73x89.5x1.85

 0.255.4652.0/20
 1
 flange

 0.146.4653.0/10
 4
 shim 96x127x0.2

 0.146.4654.0/10
 4
 shim 96x127x0.5

0.467.4650.0/30 1 flange 2.2540.005.0 1 roller bearing 45x85x24.75

 2.2520.011.0
 1
 roller bearing 50x90x21.75

 2.0139.002.1
 10
 screw m 10 p.1.25x20

 2.0139.025.1
 10
 screw m 10 p.1.25x25

 2.2560.006.0
 1
 roller bearing 40x90x25.25

2.2560.006.0 1 roller bearing 40x90 0.010.1045.0 1 spacer mm 37 2.1580.101.0 2 shim 36x43x0.2 2.1580.102.0 2 shim 36x43x0.5

 2.1580.109.0
 2
 shim 36x43x0.15

 2.2560.005.0
 1
 roller bearing 35x80x22.75

2.1529.007.0/10 1 'o' ring 58x80x13 - STANDARD 2.1529.149.0 1 'o' ring 55X80X12.5

- WATER PROOF

* 2436 <- X SILVER 80

* 4225 <- X SILVER 90 * 2354 <- X SILVER 100.4


* 4573 <- X SILVER 100.6

37

Section: FRONT AXEL Ref.: 120.1

4WD - FRONT DIFFERENTIAL LOCK

Fig.	Code	QTY	Name
			N.1 2.1549.459.0
30	0.255.4650.0	1	spacer 35x58x19
			- STANDARD
30	2.1549.459.0	1	spacer 35x55x19
			- WATER PROOF
			* 2436 <- X SILVER 80
			* 4225 <- X SILVER 90
			* 2354 <- X SILVER 100.4
			* 4573 <- X SILVER 100.6
			N.1 2.1529.149.0
31	2.1219.018.2	1	ring nut m 35 p.1.5
32	2.2810.006.0	17	ball mm 9.525
33	0.255.4618.0/10	1	sleeve
34	0.255.4617.0	1	sleeve
35	2.1599.317.0	2	snoulder 38.5x44.50x1.5
36	2.1580.130.0	4	shim 38.5x44.50x0.5
37	2.1580.131.0	4	shim 38.5x44.50x0.2
38	0.255.4619.0	1	spacer
39	2.1410.015.1	1	circlip 38
40	0.445.4655.0/10	2	shim 92x127x0.5
41	0.445.4656.0/10	2	shim 92x127x0.2



35



Ref.: 121 Section: FRONT AXEL 4WD-FRONT DIFFERENTIAL LOCK - S.B.A. MODEL

E' O I				
Fig. Code QTY N	ig.	Code	QTY	Name

34

35

36

37

0.009.7632.0/30

2.2999.335.0/10

0.009.7637.0/10

			CK - S.B.A. MODEL	_
Fig.	Code	QTY	Name	
Natae.				
Notes:	<- X SILVER 80 1829 <-	- X SILVER 9	90 1335 <- X SILVER 100.4 1547 <- X SILVER 100.	6
1441	- X SILVLIX 00 1029 V	- X SILVLIX	50 1333 - X SIEVER 100.4 1347 - X SIEVER 100.	U
1	0.445.4620.3/30	1	bevel gear z=10 z=38	
1	0.445.4020.5/50	1	- 30 Km/h	
1	0.445.4653.3/20	1	bevel gear z=11 z=32	
ı	0.440.4000.0/20	'	- 40 Km/h	
2	0.275.4610.0	1	differential carrier	
3	2.2999.315.0	1	roller bearing	
4	2.2540.005.0	1	roller bearing 45x85x24.75	
5	0.146.4653.0/10	4	shim 96x127x0.2	
6	0.146.4654.0/10	4	shim 96x127x0.5	
7	0.255.4652.0/20	1	flange	
8	2.0132.207.2	8	screw m 10 p.1x25	
9	2.0139.025.1	10	screw m 10 p.1.25x25	
10	2.2560.006.0	1	roller bearing 40x90x25.25	
11	2.1580.302.0	2	shim 76x89x0.5	
11	2.1580.301.0	2	shim 76x89x0.2	
12	2.0139.002.1	10	screw m 10 p.1.25x20	
13	0.008.0389.0	1	spacer mm 37	
14	2.1580.101.0	2	shim 36x43x0.2	
15	2.1580.102.0	3	shim 36x43x0.5	
16	2.2560.005.0	1	roller bearing 35x80x22.75	
17	2.1529.007.0/10	1	'o' ring 58x80x13	
18	0.255.4650.0	1	spacer 35x58x19	
19	2.1219.018.2	1	ring nut m 35 p.1.5	
20	0.009.7641.3/20	1	crown wheel	
21	0.010.0856.0/10	1	pin	
22	0.255.4629.0	2	snoulder 15.5x36x2	
23	2.1599.431.0	1	snoulder 42x66x2	
24	2.1631.415.2	1	roll pin 5x32	
25	0.009.7642.0/10	1	flange	
26	2.1530.018.0	1	'o' ring 9.19x2.62	
27	0.009.7633.3/10	1	flange	
28	2.1539.171.0	1	'o' ring 75.87x2.62	
29	2.1532.246.0	1	'o' ring 142.47x3.53	
30 31	2.4019.614.1	4 1	spring	
32	0.009.7630.0/40 2.0119.199.2	4	piston screw	
33	2.1532.014.0	4	'o' ring 7.65x1.78	
34	0.009.7635.0/40	1	ring nut	
35	0.009.7033.0/40	1	huh	

hub


bearing

drum

1

1

7 6 5 4	4 9 1	17 18 19
		10 11 15
20 22	2 614 _ 12	
<u> </u>	21 24 25 27 12	2 3 33 32 0 29 31
23 ——22	26	
		28 30 39 40 41
34 35 36	37 38	



38

37

SILVER 90

Section: FRONT AXEL Ref.: 121

4WD-FRONT DIFFERENTIAL LOCK - S.B.A. MODEL

Fig.	Code	QTY	Name
-	0.000.7000.0		
38	0.009.7636.3	1	clutch assy
39	0.009.7631.0/10	1	hub
40	0.009.7634.0/10	2	thrust plate
41	2.0312.102.2	2	screw m 6 p.1x12

SILVER 90 Section: FRONT AXEL Ref.: 121.1 **4WD-FRONT DIFFERENTIAL LOCK - S.B.A. MODEL** Fig. Code QTY Name Notes: -> 1442 X SILVER 80 -> 1830 X SILVER 90 -> 1336 X SILVER 100.4 -> 1548 X SILVER 100.6 0.010.0972.3 bevel gear 1 - 30 Km/h 0.010.0970.3 bevel gear 1 - 40 Km/h differential carrier 0.275.4610.0 1

1 1 2 3 2.2999.315.0 1 roller bearing 4 2.2540.005.0 1 roller bearing 45x85x24.75 5 4 shim 96x127x0.2 0.146.4653.0/10 6 4 shim 96x127x0.5 0.146.4654.0/10 7 0.255.4652.0/20 1 flange 8 4 screw m 10 p.1x25 2.0132.207.2 9 2.0139.025.1 10 screw m 10 p.1.25x25 10 2.2560.006.0 1 roller bearing 40x90x25.25 11 2.1589.356.0 shim 73x89.5x0.6 11 2.1589.357.0 shim 73x89.5x0.7 11 2.1589.358.0 shim 73x89.5x0.8 11 2.1589.359.0 shim 73x89.5x0.9 11 shim 73x89.5x1.65 2.1589.360.0 11 shim 73x89.5x1.75 2.1589.361.0 11 2.1589.362.0 shim 73x89.5x1.85 12 2.0139.002.1 10 screw m 10 p.1.25x20 13 0.010.1045.0 1 spacer mm 37 2 14 2.1580.101.0 shim 36x43x0.2 15 2.1580.102.0 3 shim 36x43x0.5 16 1 roller bearing 35x80x22.75 2.2560.005.0 17 2.1529.007.0/10 1 'o' ring 58x80x13 - STANDARD 17 'o' ring 55X80X12.5 2.1529.149.0 1 - WATER PROOF * 2436 <- X SILVER 80 * 4225 <- X SILVER 90 * 2354 <- X SILVER 100.4 * 4573 <- X SILVER 100.6 N.1 2.1549.459.0 18 0.255.4650.0 1 spacer 35x58x19 - STANDARD 18 2.1549.459.0 1 spacer 35x55x19 - WATER PROOF * 2436 <- X SILVER 80

* 4225 <- X SILVER 90


* 2354 <- X SILVER 100.4

7 6 5 4 9 1	17 18 19
	11 15
20 22 2 2 614_121_1 1	
21 24 25 27 33 32 29 29 20 29	31
26 28 30 42 30 34 35 36	39 40 41
37	

Section: FRONT AXEL Ref.: 121.1

4WD-FRONT DIFFERENTIAL LOCK - S.B.A. MODEL

Fig.	Code	QTY	Name
			* 4573 <- X SILVER 100.6
			N.1 2.1529.149.0
19	2.1219.018.2	1	ring nut m 35 p.1.5
20	0.009.7641.3/20	1	crown wheel
			() <-
20	0.009.7641.3/30	1	crown wheel
			-> ()
21	0.010.0856.0/10	1	pin
22	0.255.4629.0	2	snoulder 15.5x36x2
23	2.1599.431.0	1	snoulder 42x66x2
24	2.1631.415.2	1	roll pin 5x32
25	0.009.7642.0/10	1	flange
26	2.1530.018.0	1	'o' ring 9.19x2.62
27	0.009.7633.3/10	1	flange
28	2.1539.171.0	1	'o' ring 75.87x2.62
29	2.1532.246.0	1	'o' ring 142.47x3.53
30	2.4019.614.1	4	spring
31	0.009.7630.0/40	1	piston
32	2.0119.199.2	4	screw
33	2.1532.014.0	4	'o' ring 7.65x1.78
34	0.009.7635.0/40	1	ring nut
35	0.009.7632.0/30	1	hub
36	2.2999.335.0/10	1	bearing
37	0.009.7637.0/10	1	drum
38	0.009.7636.3	1	clutch assy
			() <-
39	0.009.7631.0/10	1	hub
40	0.009.7634.0/10	2	thrust plate
41	2.0312.102.2	2	screw m 6 p.1x12
42	0.010.4526.3	1	clutch assy
			-> ()
43	2.1580.109.0	2	shim 36x43x0.15



Section: FRONT AXEL

4WD - AXLESHAFTS


4WD -	AXLESHAF	15			
Fig.	Code		QTY	Name	
Notes:					
2286 <	- X SILVER 80	3701 <- X s	SILVER 9	0 2056 <- X SILVER 100.4	3912 <- X SILVER 100.6
1	2.1411.025.	1	4	circlip 62	
2	2.2999.164.0	0	2	bearing 38x62x25	
3	2.1579.731.0	0	2	spacer 56x62x7	
4	2.1529.085.0	0	2	'o' ring 45x62x16 - STANDARD	
4	2.1529.103.0	0	2	'o' ring 45x62x16 - WATER PROOF	
5	0.275.4630.0	0/10	2	half-shaft	
6	0.150.4632.0	6/20	4	universal joint	
7	2.1499.001.0	0/10	16	circlip	
8	0.150.4633.0	0/10	2	fork	
9	0.275.4634.0	0/30	2	axle shaft	
10	2.1499.528.	1	2	circlip 30	
11	0.275.4650.0	0	2	flange	
12	0.275.4651.0	0	5	shim 135x189x0.15	
13	0.275.4652.0	0	3	shim 135x189x0.20	
13	0.275.4654.0	0	2	shim 135x189x0.5	
14	2.0139.002.	1	18	screw m 10 p.1.25x20	
16	2.1530.308.0	0	2	'o' ring 253.6x3.53	
17	0.445.4657.3	3	2	crown wheel	
18	2.1475.203.	7	20	washer 10.5x20	
19	2.1012.421.	7	20	nut m 10	
20	2.1529.070.0	0/10	2	'o' ring 210x240x25 - STANDARD	
20	2.1529.104.0	0	2	'o' ring - WATER PROOF	
21	0.275.4642.3	3/20	2	spider	
22	2.1559.067.0		2	bushing 44.1x50.1x25	
23	2.1411.022.		4	circlip 55	
24	2.2030.007.0		2	ball bearing 30x55x13	
25	2.1530.134.0		2	'o' ring 53.98x3.53	
26	0.275.4653.0		2	small cover	
27	2.3199.101.0		2	small cover SAME	
28	0.198.4643.0		6	pin	
29	2.2999.002.0		6	roller cage 25x35x30	
30	0.255.4644.0		6	planet gear z=27	

- WATER PROOF

614_122_1 **4WD - AXLESHAFTS** Fig. Code QTY Name Notes: -> 2287 X SILVER 80 -> 3702 X SILVER 90 -> 2057 X SILVER 100.4 -> 3913 X SILVER 100.6 1 2.1411.025.1 4 circlip 62 2 2.2999.415.0 2 roller bearing 43.8x62x17 3 2.1579.731.0 spacer 56x62x7 2436 <- X SILVER 80 4225 <- X SILVER 90 10 2367 <- X SILVER 100.4 11 12 13 4597 <- X SILVER 100.6 2.1529.085.0 4 2 'o' ring 45x62x16 - STANDARD 2436 <- X SILVER 80 20 4225 <- X SILVER 90 2367 <- X SILVER 100.4 4597 <- X SILVER 100.6 4 2.1529.103.0 2 'o' ring 45x62x16 - WATER PROOF 2436 <- X SILVER 80 4225 <- X SILVER 90 2367 <- X SILVER 100.4 4597 <- X SILVER 100.6 4 2.1529.112.0 2 'o' ring 45x65x18.5 -> 2437 X SILVER 80 28 30 -> 4226 X SILVER 90 -> 2368 X SILVER 100.4 -> 4598 X SILVER 100.6 5 2 0.010.5413.4/10 half-shaft **O** 19 **₽ 122.2** F 122/2 18 10 2.1499.528.1 2 circlip 30 11 0.275.4650.0 2 flange 25 26 27 22 5 12 0.275.4651.0 shim 135x189x0.15 13 3 shim 135x189x0.20 0.275.4652.0 21< 13 0.275.4654.0 2 shim 135x189x0.5 14 18 2.0139.002.1 screw m 10 p.1.25x20 2 16 2.1530.308.0 'o' ring 253.6x3.53 17 0.445.4657.3 2 crown wheel 20 18 2.1475.203.7 washer 10.5x20 19 2.1012.421.7 20 nut m 10 20 2.1529.070.0/10 'o' ring 210x240x25 - STANDARD 20 2.1529.104.0 2 'o' rina

Section: FRONT AXEL

Ref.: 122.1



Section: FRONT AXEL


4WD - AXLESHAFTS


Fig.	Code	QTY	Name	
21	0.275.4642.3/20	2	spider	
22	2.1559.067.0	2	bushing 44.1x50.1x25	
23	2.1411.022.1	4	circlip 55	
24	2.2030.007.0	2	ball bearing 30x55x13	
25	2.1530.134.0	2	'o' ring 53.98x3.53	
26	0.275.4653.0	2	small cover	
27	2.3199.101.0	2	small cover SAME	
28	0.198.4643.0	6	pin	
29	2.2999.002.0	6	roller cage 25x35x30	
30	0.255.4644.0/10	6	planet gear z=27	

Ref.: 122.1


Section: FRONT AXEL **4WD - AXLESHAFTS**

Ref.: 122.2






GKN



Section: FRONT AXEL

4WD - FRONT DIFFERENTIAL LOCK


Fig.	Code	QTY	Name	
1	0.007.2705.2/10	1	lever	
2	2.3510.003.2	1	fork m 6	
3	2.1690.205.2	1	split pin 2x12	
4	2.1310.002.3	1	flat washer 6.4x12x1.6	
5	2.1671.103.2	1	pin 6x18	
6	2.1630.511.0	1	roll pin 5x24	
7	0.467.4657.0/10	1	fork	
8	0.467.4660.0	2	shoe	
9	2.4049.184.2	1	spring 12.4x18x2.8x56	
10	0.008.0583.0	1	small lever	
11	2.1011.103.2	1	nut m 6 p.1	
12	0.272.4651.0	2	spacer	
13	2.4019.397.2	1	spring	
14	0.467.4659.0/10	1	ferrule	
15	2.1530.043.0	2	'o' ring 17.13x2.62	
16	0.008.0889.0	1	piston	
18	2.1579.090.2	1	spacer 10.1x15x18	
19	2 0399 232 2	1	screw	




Section: FRONT AXEL Ref.: 124

ELECTROHYDRAULIC FRONT DIFFERENTIAL LOCK CONTROL

Fig.	Code	QTY	Name
1	0.007.2705.2/10	1	lever
2	2.3510.003.2	1	fork m 6
3	2.1690.205.2	1	split pin 2x12
4	2.1310.002.2	1	flat washer 6.4x12.5
5	2.1671.103.2	1	pin 6x18
6	2.1630.511.0	1	roll pin 5x24
7	0.467.4657.0/10	1	fork
8	0.467.4660.0	2	shoe
9	2.4049.184.2	1	spring 12.4x18x2.8x56
10	2.1530.062.0	1	'o' ring 23.81x2.62
11	2.1011.103.2	1	nut m 6 p.1
12	0.272.4651.0	2	spacer
13	2.4019.397.2	1	spring
14	0.467.4659.0/10	1	ferrule
15	2.1530.043.0	1	'o' ring 17.13x2.62
16	0.007.6282.0/30	1	piston
18	0.009.7877.0/10	1	small plate
19	2.1470.002.2	2	lock washer 6
20	2.0112.005.2	2	screw m 6 p.1x16






Section: FRONT AXEL Ref.: 125

DIFFERENTIAL LOCK CONTROL-MECHANICAL

Fig.	Code	QTY	Name
1	0.255.6866.2/50	1	lever
2	2.1011.105.2	2	nut m 8 p.1.25
4	2.1670.305.2	1	pin 8x22x19
5	2.1310.004.2	2	flat washer 8.4x16
6	2.1690.206.2	2	split pin 2x16
7	0.255.6875.3	1	rod
8	2.3519.014.2/10	1	fork
9	0.255.6880.0	1	tip
10	0.008.9830.0	1	bracket
11	0.255.6858.0/10	1	rubber plug 18x5
12	0.008.9563.2/40	1	rod
			- X SILVER 80 - 90 - 100.4
12	0.008.9564.2/30	1	rod
			- X SILVER 100.6



Section: FRONT AXEL Ref.: 126

DIFFERENTIAL LOCK CONTROL-ELECTROHYDRAUDLIC

Fig.	Code	QTY	Name
1	0.009.3583.3/20	1	tube - X SILVER 80 - 90 - 100.4
1	0.009.3471.3/30	1	tube - X SILVER 100.6
2	2.3339.431.2/10	1	pipe union m 12 p.1.25
3	2.1560.010.0	5	gasket 14.2x20
4	0.009.3582.3	1	tube
5	2.3339.280.1/10	1	pipe union m 14 p.1.5X42

614 - 127 12 11 5

SILVER 90

Section: FRONT AXEL Ref.: 127


4WD - TRANSMISSION SHAFT

Fig.	Code	QTY	Name
1	0.008.9958.0/10	1	transmission shaft - X SILVER 80 - 90 - 100.4
1	0.008.5547.0/30	1	transmission shaft 3651 <- X SILVER 100.6
1	0.011.0842.2	1	transmission shaft -> 3652 X SILVER 100.6
2	2.1631.718.0	2	roll pin 8x45
3	2.1579.987.2	2	spacer 8.5x16x8
4	0.255.2617.0	2	sleeve
5	2.1310.004.2	2	flat washer 8.4x16
6	2.1410.012.1	2	circlip 30
7	2.1411.022.1	2	circlip 55
8	2.2021.010.0	1	ball bearing 30x55x13
9	0.255.2616.0/20	1	transmission shaft mm 932.5
10	0.008.9954.2/10	1	small sump - X SILVER 80 - 90 - 100.4
10	0.008.0201.2/40	1	small sump - X SILVER 100.6
11	2.1470.004.2	4	lock washer 8
12	2.0112.205.2	2	screw m 8 p.1.25x16
13	2.0112.209.2	2	screw m 8 p 1.25x25
14	2.1529.106.0/10	1	'o' ring 30x55x12 - WATER PROOF


Section: FRONT AXEL Ref.: 127.1

HYDRIVE - 4WD - ARBRE DE TRANSMISSION

Code	QTY	Name	
0.008.5547.0/30	1	transmission shaft	
		2224 <- X SILVER 80	
		3410 <- X SILVER 90	
		2006 <- X SILVER 100.4	
0.011.0842.2	1	transmission shaft	
		-> 2225 X SILVER 80	
		-> 3411 X SILVER 90	
		-> 2007 X SILVER 100.4	
2.1631.718.0	2	roll pin 8x45	
0.255.2617.0	2	sleeve	
2.1410.012.1	2	circlip 30	
2.1411.022.1	2	circlip 55	
2.2021.010.0	1	ball bearing 30x55x13	
0.010.4869.0/10	1	transmission shaft	
2.1529.068.0	1	'o' ring 30x55x10	
0.010.6111.2	1	guard	
2.0112.209.2	2	screw m 8 p 1.25x25	
2.1470.004.2	2	lock washer 8	
2.1579.987.2	2	spacer 8.5x16x8	
2.1011.408.2	2	nut m 14 p.1.5	
2.1475.205.2	2	washer 14	
	0.008.5547.0/30 0.011.0842.2 2.1631.718.0 0.255.2617.0 2.1410.012.1 2.1411.022.1 2.2021.010.0 0.010.4869.0/10 2.1529.068.0 0.010.6111.2 2.0112.209.2 2.1470.004.2 2.1579.987.2 2.1011.408.2	0.008.5547.0/30 1 0.011.0842.2 1 2.1631.718.0 2 0.255.2617.0 2 2.1410.012.1 2 2.1411.022.1 2 2.2021.010.0 1 0.010.4869.0/10 1 2.1529.068.0 1 0.010.6111.2 1 2.0112.209.2 2 2.1470.004.2 2 2.1579.987.2 2 2.1011.408.2 2	0.008.5547.0/30 1 transmission shaft 2224 <- X SILVER 80 3410 <- X SILVER 90 2006 <- X SILVER 100.4 0.011.0842.2 1 transmission shaft -> 2225 X SILVER 80 -> 3411 X SILVER 90 -> 2007 X SILVER 100.4 2.1631.718.0 2 roll pin 8x45 0.255.2617.0 2 sleeve 2.1410.012.1 2 circlip 30 2.1411.022.1 2 circlip 55 2.2021.010.0 1 ball bearing 30x55x13 0.010.4869.0/10 1 transmission shaft 2.1529.068.0 1 'o' ring 30x55x10 0.010.6111.2 1 guard 2.0112.209.2 2 screw m 8 p 1.25x25 2.1470.004.2 2 lock washer 8 2.1579.987.2 2 spacer 8.5x16x8 2.1011.408.2 2 nut m 14 p.1.5




14 13 12



Section: FRONT AXEL Ref.: 128

4WD - ENGAGEMENT CONTROL

Fig.	Code	QTY	Name
1	0.255.3821.0/10	1	sleeve
2	0.255.3825.0/10	1	sleeve
3	0.007.7159.3/10	1	lever
4	0.255.3844.0	1	lever
5	0.001.5945.0/10	1	shoe
6	2.0399.002.1	1	screw m 10 p.1x24
7	2.0439.002.1	2	stud bolt m 8 p.1.25x20
8	2.1410.024.1	1	circlip 60
9	2.1411.038.1	2	circlip 95
10	2.1530.033.0	1	'o' ring 13.10x2.62
11	2.2030.013.0	1	ball bearing 60x95x18
12	2.3171.012.4	1	plug 30
13	0.008.4624.0	1	'o' ring 60x95x10



Section: FRONT AXEL Ref.: 129


4WD - ENGAGEMENT CONTROL


7110	LITOAGEMENT	001111101	-
Fig.	Code	QTY	Name
		-	
1	0.009.9886.0	1	сар
2	0.009.9885.0/10	1	knob
3	2.0112.205.2	2	screw m 8 p.1.25x16
4	2.1310.004.2	4	flat washer 8.4x16
5	0.170.6852.3	1	support
6	0.009.0480.0	1	gasket
7	0.008.9041.0/20	1	rod
8	2.1630.511.0	1	roll pin 5x24
9	2.1310.006.2	2	flat washer 10.5x20
10	2.1410.001.1	1	circlip 10
11	0.008.9042.3/10	1	lever
12	2.4049.202.2	1	spring
14	2.1410.004.1	1	circlip 16
15	0.008.9412.3	1	support
16	0.009.6527.2/10	1	small shaft
17	2.1631.412.0	1	roll pin 5x26
18	0.009.3782.2	1	rod
19	2.1310.004.2	1	flat washer 8.4x16
20	2.1690.206.2	1	split pin 2x16
21	2.1670.306.2	1	pin 8x25x22
22	2.1671.407.2	1	pin 10x28
23	2.1310.006.2	1	flat washer 10.5x20
24	2.1690.307.2	1	split pin 3.2x18
25	2.1555.309.0	2	bushing 16x18x20
26	2.1011.105.2	2	nut m 8 p.1.25
27	2.0710.304.1	1	rod
28	2.1470.004.2	1	lock washer 8
29	2.1011.105.2	2	nut m 8 p.1.25

Section: FRONT AXEL Ref.: 130

4WD-ENGAGEMENT CONTROL - S.B.A. MODEL


4WD-	4WD-ENGAGEMENT CONTROL - S.B.A. MODEL					
Fig.	Code	QTY	Name			
1	2.1410.024.1	1	circlip 60			
2	2.2030.013.0	1	ball bearing 60x95x18			
3	2.1411.038.1	2	circlip 95			
4	0.008.4298.0/20	1	hub			
5	0.008.4299.0	1	small shaft			
6	2.1410.015.1	1	circlip 38			
7	2.1599.533.0	1	shim			
8	2.4019.426.1	1	spring			
9	2.1499.082.0	1	ring 107			
10	0.008.0945.0	1	disc			
11	0.008.4303.0	9	disc			
			1739 <- X SILVER 80			
			2347 <- X SILVER 90			
			1587 <- X SILVER 100.4			
			2395 <- X SILVER 100.6			
11	0.007.7102.0	9	disc mm 1.5			
			-> 1740 X SILVER 80			
			-> 2348 X SILVER 90			
			-> 1588 X SILVER 100.4			
			-> 2396 X SILVER 100.6			
12	0.008.4302.0	9	clutch disc			
			1739 <- X SILVER 80			
			2347 <- X SILVER 90			
			1587 <- X SILVER 100.4			
			2395 <- X SILVER 100.6			
12	0.008.9946.2	9	clutch disc			
			-> 1740 X SILVER 80			
			-> 2348 X SILVER 90			
			-> 1588 X SILVER 100.4			
			-> 2396 X SILVER 100.6			
13	0.008.4305.0/40	1	piston			
14	2.1539.098.0	1	ring 94.92x2.62			
15	2.1539.093.0	1	'o' ring 39.34x2.62			
16	0.008.4308.3/30	1	chassis			
17	2.0512.102.1	1	screw m 6 p.1x8			
18	0.008.4309.0/10	1	manifold			
19	2.1599.532.0	1	snoulder 50x60x1			
20	2.1410.020.1	1	circlip 50			
21	2.1530.019.0	1	'o' ring 9.25x1.78			
22		1	•			
	0.008.4311.2/10		cover			
23	2.1569.109.0	2	gasket 46x50x2			
24	2.1579.944.2	2	spacer 9x15x42			
25	2.1310.004.2	2	flat washer 8.4x16	1/2		
26	2.0112.223.2	2	screw m 8 p.1.25x70			





SILVER 90 Section: FRONT AXEL 4WD-ENGAGEMENT CONTROL - S.B.A. MC


4WD-	4WD-ENGAGEMENT CONTROL - S.B.A. MODEL						
Fig.	Code	QTY	Name	_			
27	0.008.4624.0	1	'o' ring 60x95x10				



Section: FRONT AXEL Ref.: 131

4WD - ENGAGEMENT CONTROL

Fig.	Code	QTY	Name	
1	2.0112.207.2	2	screw m 8 p 1.25x20	
2	2.1470.004.2	2	lock washer 8	
3	0.008.2602.0/10	1	bottom	
4	2.1530.083.0	1	'o' ring 31.42x2.62	
5	0.008.2600.0/10	1	cylinder	
6	2.1530.066.0	1	'o' ring 25.07x2.62	
7	2.1515.006.0	1	'o' ring 25x33x7	
8	2.1420.010.1	1	circlip a 25	
9	0.008.8032.0/10	1	piston	
10	0.008.8044.0	1	rod	
11	2.1670.307.2	1	pin 8x28x25	
12	2.1310.004.2	1	flat washer 8.4x16	
13	2.1690.206.2	1	split pin 2x16	
14	2.1011.105.2	1	nut m 8 p.1.25	
15	2.3519.014.2/10	1	fork	
16	2.4049.162.2	1	spring	
17	2.1470.004.2	2	lock washer 8	
18	2.0112.221.2	2	screw m 8 p.1.25x60	
19	2.3729.240.0/20	1	electro valve 13V - 20W	
20	0.010.2831.1	1	coil 13V - 20W	
21	2.3332.003.1	1	pipe union m 12 p.1.25	
22	0.009.3577.3	1	tube	
			2373 <- X SILVER 80	
			3981 <- X SILVER 90	
			2171 <- X SILVER 100.4	
22	0.010.0770.3	1	tube	
			-> 2374 X SILVER 80	
			-> 3982 X SILVER 90	
			-> 2172 X SILVER 100.4	
			- X SILVER 100.6	
23	2.3261.005.2	1	pipe fitting m 14 p.1.5-1/2"	
			2373 <- X SILVER 80	
			3981 <- X SILVER 90	
			2171 <- X SILVER 100.4	
23	2.3261.006.2	1	pipe fitting m 14 p.1.5-9/16"	
			-> 2374 X SILVER 80	
			-> 3982 X SILVER 90	
			-> 2172 X SILVER 100.4	
			- X SILVER 100.6	
24	2.1560.010.0	1	gasket 14.2x20	
25	0.008.3551.0	1	small plate	
			() <-	
26	2.1470.002.2	2	lock washer 6	1/2
27	2.0112.005.2	2	screw m 6 p.1x16	1/2





Section: FRONT AXEL

Ref.: 131

4WD - ENGAGEMENT CONTROL

Fig.	Code	QTY	Name		
28	2 1560 008 0	2	naskat 12 2v18		





Section: FRONT AXEL Ref.: 132

4WD-ENGAGEMENT CONTROL - S.B.A. MODEL

Fig.	Code	QTY	Name
1	2 2720 270 0/20	1	alantra valva
1	2.3729.270.0/20	1	electro valve
2	0.010.2831.1	1	coil 13V - 20W
3	2.1560.010.0	4	gasket 14.2x20
4	2.3335.006.2	2	pipe union m 14 p.1.5
5	0.010.5301.3/10	1	tube
6	2.3261.005.2	1	pipe fitting m 14 p.1.5-1/2" () <-
7	2.6839.051.0	1	clamp 20/20
			- A = mm 20
			1840 <- X SILVER 80
			2502 <- X SILVER 90
			1635 <- X SILVER 100.4
			2554 <- X SILVER 100.6
7	2.6839.064.0	1	clamp 27/20
			- A = mm 27
			-> 1841 X SILVER 80
			-> 2503 X SILVER 90
			-> 1636 X SILVER 100.4
			-> 2555 X SILVER 100.6
8	2.0112.015.2	1	screw m 6 p.1x40
9	2.1310.002.3	2	flat washer 6.4x12x1.6
10	2.1470.002.2	1	lock washer 6
11	2.1011.103.2	1	nut m 6 p.1
12	2.6859.099.0	10	clamp
	2.3000.000.0	10	- X SILVER 80 - 90 - 100.4
13	0.007.7899.3	1	electrical system
			() <-


FRO	NT	HYDR	AULIC	POWER-	LIFT
			$\neg \circ \vdash \vdash \circ$		

FRONT HYDRAULIC POWER-LIFT	
FRONT HYDRAULIC POWER-LIFT	
FRONT HYDRAULIC POWER-LIFT	267.1
FRONT HYDRAULIC POWER-LIFT	

Section: FRONT HYDRAULIC POWER-LIFT

FRONT HYDRAULIC POWER-LIFT

	Code	QTY		
Fig.	Code	QII	Name	
1	0.008.9310.3/30	1	support	
2	2.1559.077.0	2	bushing 40x46x60	
3	2.1599.010.0	2	snoulder 41x63x4	
4	0.009.0644.0/40	1	support dx	
5	0.009.0645.0/40	1	support sx	
6	0.760.5952.0	2	cap mm 56	
7	0.008.9300.0	1	shaft	
8	2.0599.079.2	1	screw m 12x1.25x50	
9	2.1011.422.2	1	nut m 12 p.1.25	
10	0.008.9165.0	2	pin	
11	2.1310.014.2	2	flat washer 23x39	
12	2.1690.513.2	2	split pin 5x36	
13	0.008.9610.4/10	2	cylinder	
14	0.009.4329.2	1	seal ring kit	
15	2.0112.724.2	4	screw m 18 p.2.5x75	
16	2.1475.107.2	4	washer 19.4x36	
17	0.008.9609.2	2	pin	
18	2.1470.004.2	2	lock washer 8	
19	2.0112.205.2	2	screw m 8 p.1.25x16	
20	2.1019.123.2	4	nut m 22 p.1.5x10	
21	2.0129.058.2	4	screw m 22	
22	0.009.7077.2	2	pin	
23	2.1470.006.2	4	lock washer 10	
24	2.0112.309.2	4	screw m 10 p.1.5x25	
25	0.007.6122.4/10	1	arm sx	
25	0.007.6121.4/10	1	arm dx	
26	2.1310.004.2	2	flat washer 8.4x16	
27	2.1470.005.2	2	lock washer 9	
28	2.0112.207.2	2	screw m 8 p 1.25x20	
29	0.009.8357.3/20	2	clevis	
30	0.008.9293.2/20	1	plate	
31	2.1310.009.2	6	flat washer 15x28	
32	2.1470.008.2	6	lock washer 14	
33	2.0112.515.2	6	screw m 14 p.2x40	
34	2.1669.024.2	1	pin 25.4x133	
35	0.010.9322.4	1	pin	
36	0.007.2760.4/10	1	3 point hitch	
37 39	0.96057.14.3	1 1	rod dx	
38 30	0.96057.15.3	1	rod sx sleeve	
39 40	0.96003.13.2 0.001.5059.0	1		
40 41	0.010.9322.4	2	nut nin	
41 42	2.3820.105.2	1	pin lubricator m 10 p.1x7	
42 44	2.1669.024.2	1	•	1/2
44	2.1003.024.2	'	pin 25.4x133	




Section: FRONT HYDRAULIC POWER-LIFT

Ref.: 266

FRONT HYDRAULIC POWER-LIFT


FROI	DNI HIDRAULIC FOWER-LIFT		
Fig.	Code	QTY	Name
45	2.1311.012.2	6	flat washer 20
46	2.0112.846.1	4	screw m 20 P.2.5x200
47	2.1011.411.1	2	nut m 20 p.1.5
48	2.0432.615.7	2	stud bolt m 20 p.2.5-1.5x50
49	0.008.9583.3	1	rod
50	0.010.0966.2	2	plug
			* () <-
			- N.1 010.0967.0
			- N.1 2.1470.004.2
			- N.1 2.1011.105.2
51	0.010.0085.0	1	small cover
			- FOR MODELS WITHOUT FRONT P.T.O.
52	0.010.0086.0	1	bracket
53	0.008.8133.2	1	rod
54	2.1470.004.2	2	lock washer 8
55	2.0112.207.2	2	screw m 8 p 1.25x20
56	0.010.0967.0	2	small plate
57	2.1470.004.2	2	lock washer 8
58	2.1011.105.2	2	nut m 8 p.1.25
59	0.007.7989.0	2	'o' ring
60	0.008.9613.0/10	2	support



Section: FRONT HYDRAULIC POWER-LIFT

FRONT HYDRAULIC POWER-LIFT

Fig.	Code	QTY	Name	
1	2.3339.109.1	1	pipe union	
2	2.1549.191.2	1	spacer 18.6x25x52	
3		1	gasket 18.2x24x1.5	
	2.1560.014.0		<u> </u>	
4	2.1569.160.0	2	gasket 18.2x22x3.5	
5	2.3339.485.2	1	pipe union m 18 p.1.5x55	
6	0.008.9556.3/10	1	tube	
7	2.1560.053.0	5	gasket 17x21	
8	2.3339.063.0	2	pipe union	
9	0.009.3152.3/10	1	valve	
10	0.008.9680.2	1	clamp	
11	2.1470.002.2	1	lock washer 6	
12	2.0112.005.2	1	screw m 6 p.1x16	
13	0.008.9559.3/40	1	tube	
14	0.009.0375.4/10	1	valve	
15	2.3335.008.2	2	pipe union m 18 p.1.5X32	
16	0.008.9557.3/10	1	tube	
17	2.1560.011.0	4	gasket 16.2x20	
18	2.3332.005.1	2	pipe union m 16 p.1.5	
19	0.008.9753.0	1	bracket	
19	0.010.0052.0	1	bracket	
			- FOR MODELS WITHOUT FRONT P.T.O.	
20	0.008.9785.3/20	1	tube	
			- X SILVER 80 - 90 - 100.4	
20	0.008.9786.3/20	1	tube	
			- X SILVER 100.6	
21	2.6839.051.0	1	clamp 20/20	
22	0.226.6658.2	2	small plate	
	0.220.0000.2	_	() <-	
23	2.6839.052.0	2	clamp 30/20	
24	2.1310.004.2	2	flat washer 8.4x16	
25	2.1470.002.2	2	lock washer 6	
26	2.1011.103.2	2	nut m 6 p.1	
27	2.0112.307.2	2	screw m 10 p.1.5x20	
28	2.1470.006.2	2	lock washer 10	
29	2.1011.106.2	2	nut m 10 p.1.5	
30		2		
31	2.0112.526.2		screw m 14 p.2x85	
32	2.1470.008.2	4 2	lock washer 14	
32	2.1549.126.2	2	spacer 15x30x60 - FOR MODELS WITHOUT FRONT P.T.O.	
33	2.0112.325.2	2	screw m 10 p.1.5x80	
34	2.1470.006.2	2	lock washer 10	
35	2.1549.173.2	2	spacer 12x25x60 - FOR MODELS WITHOUT FRONT P.T.O.	4 /4
36	2.6859.030.0	2	clamp	1/1



Section: FRONT HYDRAULIC POWER-LIFT

FRONT HYDRAULIC POWER-LIFT

Fig.	Code	QTY	Name				
Notes: - FOR	TYPES WITH REX	ROTH CONTROL	VALVE				

- FOI	R TYPES WITH REXROTH	CONTRO	L VALVE
1	2.1569.172.0	1	gasket
2	2.6859.030.0	2	clamp
3	2.1560.014.0	1	gasket 18.2x24x1.5
4	2.1569.160.0	1	gasket 18.2x22x3.5
5	0.011.6784.3	1	tube
·	0.01.1101.0110	•	() <-
6	0.011.6784.3/10	1	tube
-		-	-> ()
7	2.1560.053.0	3	gasket 17x21
8	2.3339.063.0	1	pipe union
9	0.009.3152.3/10	1	valve
10	0.008.9680.2	1	clamp
11	2.1470.002.2	1	lock washer 6
12	2.0112.005.2	1	screw m 6 p.1x16
13	0.008.9559.3/40	1	tube
14	0.009.0375.4/10	1	valve
15	2.3335.008.2	2	pipe union m 18 p.1.5X32
16	0.008.9557.3/10	1	tube
17	2.1560.011.0	4	gasket 16.2x20
18	2.3332.005.1	2	pipe union m 16 p.1.5
19	0.008.9753.0	1	bracket
19	0.010.0052.0	1	bracket
			- FOR MODELS WITHOUT FRONT P.T.O.
20	0.008.9785.3/20	1	tube
			- X SILVER 80 - 90 - 100.4
20	0.008.9786.3/20	1	tube
			- X SILVER 100.6
21	2.6839.058.0	2	clamp 17-20
22	2.1310.004.2	2	flat washer 8.4x16
23	2.6839.052.0	2	clamp 30/20
24	2.1310.004.2	2	flat washer 8.4x16
25	2.1470.002.2	2	lock washer 6
26	2.1011.103.2	2	nut m 6 p.1
27	2.0112.307.2	2	screw m 10 p.1.5x20
28	2.1470.006.2	2	lock washer 10
29	2.1011.106.2	2	nut m 10 p.1.5
30	2.0112.526.2	2	screw m 14 p.2x85
31	2.1470.008.2	2	lock washer 14
32	2.1549.126.2	2	spacer 15x30x60
20	0.0440.005.0	•	- FOR MODELS WITHOUT FRONT P.T.O.
33	2.0112.325.2	2	screw m 10 p.1.5x80


27————————————————————————————————————	8 7 13		9 38		36 37
29	24 25 26 16 2	20		—30	1 39
	17 18 15 3 17 18	33 34 35	4 3	31 -32	4 623 _ 268 _ 1

Ref.: 267.1

Section: FRONT HYDRAULIC POWER-LIFT

FRONT HYDRAULIC POWER-LIFT

Fig.	Code	QTY	Name
34	2.1470.006.2	2	lock washer 10
35	2.1549.173.2	2	spacer 12x25x60
			- FOR MODELS WITHOUT FRONT P.T.O.
36	2.1560.053.0	2	gasket 17x21
			() <-
37	2.3339.063.0	1	pipe union
			() <-
38	2.3261.112.2	1	pipe fitting 3/8 gas-3/4"
			-> ()
39	2.3339.899.2	1	pipe union



Ref.: 267.1

12 **⋒**—3 18 19 20 13 4 141_312

SILVER 90

Section: FRONT HYDRAULIC POWER-LIFT


FRONT HYDRAULIC POWER-LIFT

Fig.	Code	QTY	Name
	0.040.0407.0440	_	
1	0.010.0427.0/10	1	accumulator
2	0.010.0702.4	1	clamp
3	2.1011.105.2	3	nut m 8 p.1.25
4	0.008.9640.2/10	1	support
4	0.010.0048.2/10	1	support
			- FOR MODELS WITHOUT FRONT P.T.O.
5	2.1470.004.2	3	lock washer 8
6	2.0112.207.2	2	screw m 8 p 1.25x20
7	2.0112.311.2	2	screw m 10 p.1.5x30
7	2.0112.511.2	2	screw m 14 p.2x30
			- FOR MODELS WITHOUT FRONT P.T.O.
8	2.1470.008.2	2	lock washer 14
9	2.1560.014.0	2	gasket 18.2x24x1.5
11	0.009.2022.0/30	1	valve body
12	2.3313.007.1	1	pipe fitting m 18 p.1.5-3/4 jic
13	2.2810.003.0	1	ball mm 7.144
14	2.0112.221.2	1	screw m 8 p.1.25x60
15	2.3110.427.1	1	plug m 6 p.1x10
16	2.1560.002.0	1	gasket 6.12x12
17	0.009.2038.4/10	1	valve
18	2.3199.151.2	1	plug
19	2.1560.006.0	1	gasket 10.5
20	2.4019.378.1	1	spring 7.1x15x0.4
	≥. ₹0 10.01 0. 1		opining 7.17.1070.

GEAR

CLUTCH	54
CLUTCH - EXPORT U.S.A	54.1
CLUTCH CONTROL	
CLUTCH CONTROL WITH HYDRIVE	55.1
CLUTCH CONTROL WITH HYDRIVE	55.2
CLUTCH CONTROL	56
CYLINDER PARTS	
PUMP-COMPONENTS	
GEARBOX	
HYDRIVE - GEAR BOX OIL FEED PIPES	
HYDRIVE - GEAR BOX OIL FEED PIPES	
GEARBOX	
4 SPEED GEARBOX	
5 SPEED GEARBOX - WITHOUT AGROSHIFT	
5 SPEED GEARBOX WITH HYDRIVE - WITHOUT AGROSHIFT	
5 SPEED GEARBOX - WITH AGROSHIFT	
5 SPEED GEARBOX - WITH AGROSHIFT	
5 SPEED GEARBOX WITH HYDRIVE AND AGROSHIFT	
5 SPEED GEARBOX - WITH AGROSHIFT	65
5 SPEED GEARBOX WITH HYDRIVE AND AGROSHIFT	
5 SPEED GEARBOX - WITH AGROSHIFT	
HYDRIVE	
4 SPEED GEARBOX - WITHOUT MINI REDUCTION GEAR	
4 SPEED GEARBOX WITH MINI REDUCTION GEAR	
MAIN SHAFT AND REVERSING GEAR FOR FIVE SPEED GEARBOX	
MAIN SHAFT AND REVERSING GEAR FOR FIVE SPEED GEARBOXTRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITHOUT AGROSHIFT	
TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITHOUT AGROSHIFT	
TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITHOUT AGROSHIFT	
TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITH AGROSHIFT	
SPEED RANGE REDUCTION GEAR UNIT	
SPEED RANGE REDUCTION GEAR UNIT	
3-RANGE BOX	
3-RANGE BOX	
SYNCHROMESH 3-RANGE BOX	
4-RANGE BOX	
T-IVAINOL DOX	/ C


4-RANGE BOX	78.1
SYNCHRONISED 4-RANGE BOX	
SPEED RANGE REDUCTION GEAR SHAFT	
INTERNAL GEARBOX AND REVERSE GEAR CONTROLS	80
HYDRIVE - GEARSHIFT LEVER	
4 SPEED GEARBOX WITH MINI REDUCTION GEAR	81
TRANSMISSION CONTROL LEVERS	
5TH GEAR WITH AGROSHIFT-CONTROLS	83
5TH GEAR WITH HYDRIVE-CONTROLS	
MULTIFUNCTION CONTROL UNIT	84
MULTIFUNCTION CONTROL UNIT	85
MULTIFUNCTION CONTROL UNIT	85.1
GEARSHIFT LEVER	
REVERSING GEAR UNIT CONTROLS	
REDUCTION GEAR UNIT CONTROLS	
REDUCTION GEAR UNIT CONTROLS	
REDUCTION GEAR UNIT CONTROLS	
SYNCHROMESH RANGE BOX - CONTROLS	
DIFFERENTIAL	
DIFFERENTIAL - S.B.A. MODEL	
DIFFERENTIAL BEVEL GEAR PAIR	
DIFFERENTIAL LOCK CONTROL-ELECTROHYDRAUDLIC	
DIFFERENTIAL LOCK CONTROL-MECHANICAL	94
DIFFERENTIAL LOCK CONTROL	94.1



713 - 24

Section: GEAR CLUTCH

	Code	QTY	Name	
1	0.008.4184.3	1	clutch assy 13"	
ı	0.006.4164.3	ı	2073 <- X SILVER 80	
			2963 <- X SILVER 90	
			1874 <- X SILVER 100.4	
			3222 <- X SILVER 100.6	
1	0.010.6912.3	1	clutch assy 14"	
•	0.0.0.00.2.0	·	-> 2074 X SILVER 80	
			-> 2964 X SILVER 90	
			-> 1875 X SILVER 100.4	
			-> 3223 X SILVER 100.6	
2	0.008.9937.3	1	clutch disc 13"	
			2073 <- X SILVER 80	
			2963 <- X SILVER 90	
			1874 <- X SILVER 100.4	
2	0.007.7928.3	1	clutch disc 13"	
			-> 2074 X SILVER 80	
			-> 2964 X SILVER 90	
			-> 1875 X SILVER 100.4	
2	0.009.6533.3	1	clutch disc 13"	
			3222 <- X SILVER 100.6	
2	0.007.7929.3/10	1	clutch disc 14"	
			-> 3223 X SILVER 100.6	
3	2.1699.173.0	2	pin 7.9x18	
			2073 <- X SILVER 80	
			2963 <- X SILVER 90	
			1874 <- X SILVER 100.4	
0	0.4000.470.0	•	3222 <- X SILVER 100.6	
3	2.1699.173.0	3	pin 7.9x18	
			-> 2074 X SILVER 80	
			-> 2964 X SILVER 90	
			-> 1875 X SILVER 100.4 -> 3223 X SILVER 100.6	
4	2.0112.309.2	8	screw m 10 p.1.5x25	
7	2.0112.309.2	O	2073 <- X SILVER 80	
			2963 <- X SILVER 90	
			1874 <- X SILVER 100.4	
			3222 <- X SILVER 100.6	
4	2.0313.206.7	9	screw m 8 p.1.25x20	
•	2.0010.200.1	Ü	-> 2074 X SILVER 80	
			-> 2964 X SILVER 90	
			-> 1875 X SILVER 100.4	
			-> 3223 X SILVER 100.6	
5	2.1470.006.2	8	lock washer 10	1 /0
			2073 <- X SILVER 80	1/2




713 - 24


Section: GEAR CLUTCH

Fig.	Code	QTY	Name
5	2.1480.014.1	9	2963 <- X SILVER 90 1874 <- X SILVER 100.4 3222 <- X SILVER 100.6 washer 8 -> 2074 X SILVER 80 -> 2964 X SILVER 90 -> 1875 X SILVER 100.4 -> 3223 X SILVER 100.6

Section: GEAR


CLUTCH - EXPORT U.S.A.





545 _ 49 _ 1

Ref.: 54.1




Section: GEAR
CLUTCH - EXPORT U.S.A.

Fig.	Code	QTY	Name
5	2.1480.014.1	9	3222 <- X SILVER 100.6 washer 8 -> 2074 X SILVER 80 -> 2964 X SILVER 90 -> 1875 X SILVER 100.4 -> 3223 X SILVER 100.6

545 _ 49 _ 1

Ref.: 54.1



Section: GEAR Ref.: 55

CLUTCH CONTROL

Fig.	Code	QTY	Name
1	0.008.2753.4/10	1	pump
•			© 58
			F 58
2	0.273.6650.3	1	tube
3	0.255.6537.4/60	1	cylinder
			<i>₽</i> 57
			F 57
4	0.008.2754.0	1	small plate
5	2.0112.205.2	1	screw m 8 p.1.25x16
6	2.1470.004.2	4	lock washer 8
7	2.1671.407.2	1	pin 10x28
8	2.1310.006.2	1	flat washer 10.5x20
9	2.1690.307.2	1	split pin 3.2x18
10	2.1599.268.0	1	snoulder 30.2x45x2
11	0.008.9831.3/10	1	pedal
12	2.1559.117.0/20	2	bushing 30x34x20
13	0.169.6557.0	1	cover
14	2.6850.002.0	2	clamp 12-22
15	2.0112.215.2	2	screw m 8 p.1.25x40
16	0.008.9724.3	1	tube
17	2.1599.546.0	1	washer 30.5x50x12
18	2.4049.093.2	1	spring
19	2.1410.012.1	1	circlip 30
20	2.3199.039.0	1	plug 6.5x7.25
21	0.255.6556.0/10	1	square
22	2.1410.004.1	1	circlip 16
23	2.1690.205.2	1	split pin 2x12
24	2.1310.002.2	1	flat washer 6.4x12.5
25	0.009.3398.0	1	tube
26	2.0112.211.2	1	screw m 8 p.1.25x30

SILVER 90


Section: GEAR
CLUTCH CONTROL WITH HYDRIVE Ref.: 55.1


Code		QTY	Name	
	0500			0770
' <- X SILVER 80	3592 <- X S	SILVER 9	0 2042 <- X SILVER 100.4	3773 <- X SILVER 100.6
0.010.5311.3		1	pedal	
2.1559.117.0	/20	2	bushing 30x34x20	
		1		
2.1410.012.1		1	circlip 30	
2.4049.185.2		1		
2.1599.546.0		1	washer 30.5x50x12	
2.1555.005.0		1	bushing 10x12x10	
2.1410.001.1		2	circlip 10	
0.010.5383.0		1	small cover	
2.0112.205.2		4	screw m 8 p.1.25x16	
2.1470.004.2		6	lock washer 8	
2.1011.105.2		3	nut m 8 p.1.25	
0.010.6106.0		1	stop	
		1	nut m 8 p.1.25	
0.010.5342.3		1	support	
2.0399.241.2	/10	1	screw	
2.0112.207.2		1	screw m 8 p 1.25x20	
0.010.5343.2	/10	1	small lever	
0.010.4745.2	/20	1	joint	
2.0332.211.3		2	screw m 4x40	
2.1470.052.2		2	lock washer 4	
2.1310.028.2		2	flat washer 4.3x9	
2.0512.214.1		1	grain m 8 p.1.25x35	
2.1310.004.2		1	flat washer 8.4x16	
2.9929.567.0		1	plate	
0.009.0480.0		1	gasket	
0.009.0481.0		1	plate	
0.169.6557.0		1	cover	
	7 <- X SILVER 80 0.010.5311.3 2.1559.117.0 2.1599.268.0 2.1410.012.1 2.4049.185.2 2.1599.546.0 2.1555.005.0 2.1410.001.1 0.010.5383.0 2.0112.205.2 2.1470.004.2 2.1011.105.2 0.010.6106.0 2.1011.105.2 0.010.5342.3 2.0399.241.2 2.0112.207.2 0.010.5343.2 0.010.4745.2 2.0332.211.3 2.1470.052.2 2.1310.028.2 2.0512.214.1 2.1310.004.2 2.9929.567.0 0.009.0480.0 0.009.0481.0	7 <- X SILVER 80 3592 <- X S 0.010.5311.3 2.1559.117.0/20 2.1599.268.0 2.1410.012.1 2.4049.185.2 2.1599.546.0 2.1555.005.0 2.1410.001.1 0.010.5383.0 2.0112.205.2 2.1470.004.2 2.1011.105.2 0.010.6106.0 2.1011.105.2 0.010.5342.3 2.0399.241.2/10 2.0112.207.2 0.010.5343.2/10 0.010.4745.2/20 2.0332.211.3 2.1470.052.2 2.1310.028.2 2.0512.214.1 2.1310.004.2 2.9929.567.0 0.009.0480.0 0.009.0481.0	0.010.5311.3 1 2.1559.117.0/20 2 2.1599.268.0 1 2.1410.012.1 1 2.4049.185.2 1 2.1559.546.0 1 2.1450.001.1 2 0.010.5383.0 1 2.0112.205.2 4 2.1470.004.2 6 2.1011.105.2 3 0.010.6106.0 1 2.1011.105.2 1 0.010.5342.3 1 2.0399.241.2/10 1 2.0112.207.2 1 0.010.5343.2/10 1 0.010.4745.2/20 1 2.0332.211.3 2 2.1470.052.2 2 2.1310.028.2 2 2.0512.214.1 1 2.1310.004.2 1 2.9929.567.0 1 0.009.0480.0 1 0.009.0481.0 1	7 <- X SILVER 80


Section: GEAR Ref.: 55.2

CLUTCH CONTROL WITH HYDRIVE


Fig.	Code	QTY	Name	
Notes:				
	8 X SILVER 80 -> 3593	X SILVER 9	0 -> 2043 X SILVER 100.4	-> 3774 X SILVER 100.6
1	0.010.5311.3	1	pedal	
2	2.1559.117.0/20	2	bushing 30x34x20	
3	2.1599.268.0	1	snoulder 30.2x45x2	
4	2.1410.012.1	1	circlip 30	
5	2.4049.185.2	1	spring 42x32.4x97x4.8	
6	2.1599.546.0	1	washer 30.5x50x12	
7	0.169.6557.0	1	cover	
9	0.010.5383.0	1	small cover	
10	2.0112.205.2	4	screw m 8 p.1.25x16	
11	2.1470.004.2	6	lock washer 8	
12	2.1011.105.2	3	nut m 8 p.1.25	
14	2.1011.105.2	1	nut m 8 p.1.25	
15	0.010.5342.3	1	support	
17	2.0112.207.2	1	screw m 8 p 1.25x20	
21	2.1470.052.2	2	lock washer 4	
22	2.1310.028.2	2	flat washer 4.3x9	
23	2.0512.214.1	1	grain m 8 p.1.25x35	
27	2.9929.567.0	1	plate	
28	0.009.0480.0	1	gasket	
29	0.009.0481.0	1	plate	
30	2.0112.207.2	1	screw m 8 p 1.25x20	
31	2.0399.257.2	1	screw	
32	2.1312.004.2	1	washer 9x24	
33	2.1470.004.2	1	lock washer 8	
34	2.1011.105.2	1	nut m 8 p.1.25	
35	0.011.3791.0	1	small spring	
36	2.1699.520.2	1	pin	
37	0.011.3789.0	1	bushing	
38	2.1630.207.2	2	pin 2x14	
39	2.4099.124.2	1	spring	
40	2.1549.436.2	1	spacer	
41	0.011.3790.0	1	lever	
42	2.1312.001.2	1	washer 4.3	
43	2.1470.052.2	1	lock washer 4	
44	2.0332.206.3	1	screw m 4 p.0.5x16	
45	2.0312.717.2	2	screw m 4x55	







29



713_26

SILVER 90


Ref.: 56

Section: GEAR

CLUTCH CONTROL

Fig.	Code	QTY	Name
1	0.008.4050.0/10	1	fork
•	0.000.1000.0/10	•	2073 <- X SILVER 80
			2963 <- X SILVER 90
			1874 <- X SILVER 100.4
			3222 <- X SILVER 100.6
1	0.255.6532.0/10	1	fork
		•	-> 2074 X SILVER 80
			-> 2964 X SILVER 90
			-> 1875 X SILVER 100.4
			-> 3223 X SILVER 100.6
2	0.008.4052.0/10	1	support
			2073 <- X SILVER 80
			2963 <- X SILVER 90
			1874 <- X SILVER 100.4
			3222 <- X SILVER 100.6
2	0.255.6533.0/30	1	support
			-> 2074 X SILVER 80
			-> 2964 X SILVER 90
			-> 1875 X SILVER 100.4
			-> 3223 X SILVER 100.6
3	2.2999.207.0	1	bearing
			2073 <- X SILVER 80
			2963 <- X SILVER 90
			1874 <- X SILVER 100.4
			3222 <- X SILVER 100.6
3	2.2999.193.0	1	bearing 55x90.5x25
			-> 2074 X SILVER 80
			-> 2964 X SILVER 90
			-> 1875 X SILVER 100.4
	0.4000.000.0		-> 3223 X SILVER 100.6
4	2.1699.223.0	1	pin 8x45
			2557 <- X SILVER 80
			4736 <- X SILVER 90 2700 <- X SILVER 100.4
			5148 <- X SILVER 100.4
5	2.1599.496.0/10	4	snoulder 8x40x5
5 6	2.1690.206.2	1 1	split pin 2x16
U	2.1090.200.2	1	Spiit pii i ZX IV

1/1




Section: GEAR

CYLINDER PARTS

	- · - · · · · · · · · · · · · · · · · ·					
Fig.	Code	QTY	Name			
1	0.255.6537.4/60	1	cylinder			
2	2.3199.081.2	1	plug			
3	0.000.0000.1	-	not serviceable			
4	0.009.4891.1	1	quard			

1/1

Ref.: 57



Section: GEAR

PUMP-COMPONENTS

Fig.	Code	QTY	Name
1	0.008.2753.4/10	1	pump
2	0.009.4673.0	1	accessories
3	0.000.0000.1	-	not serviceable
4	0.009.4672.1	1	connection

1/1

Ref.: 58

Ref.: 59

Section: GEAR









Fig.	Code	QTY	Name	
1	0.008.5682.0/50	1	gear box	
			- N.1 - 2.3110.405.2 - 2.1560.014.0	
1	0.008.5600.0/60	1	gear box	
			- FOR TYPES WITH ELECTRONIC LIFTER	
			* 1441 <- X SILVER 80 * 1829 <- X SILVER 90	
			- N.1 011.2302.4 - 2.3199.287.2	
			- N.1 2.1579.228.0 - 2.1560.014.0	
1	0.010.5194.0/20	1	gear box	
•	0.010.0101.0/20	•	- X HYDRIVE	
1	0.010.5195.0/20	1	gear box	
			- X HYDRIVE	
			- FOR TYPES WITH ELECTRONIC LIFTER	
			* 2247 <- X SILVER 80	
			* 3592 <- X SILVER 90	
			- N.1 011.2302.4 - 2.3199.287.2	
2	2.1560.008.0	1	gasket 12.2x18	
3	0.445.3121.3/20	1	cover	
4	2.1470.006.2	20	lock washer 10	
5	2.0112.307.2	16	screw m 10 p.1.5x20	
6 7	0.255.3128.0/10 2.0432.265.7	1 2	cover	
8	0.255.3134.0	1	stud bolt m 12 p.1.75-1.25x50 cover	
9	2.1481.007.1	4	washer 8	
10	2.0112.207.2	4	screw m 8 p 1.25x20	
11	2.3110.402.1	1	plug m 12 p.1.5x10	
12	2.3199.121.0	1	plug 95x10	
14	2.1411.038.1	1	circlip 95	
15	2.1653.811.0	1	pin 10x24	
16	2.0422.318.7	1	stud bolt m 10x65	
17	2.1560.010.0	1	gasket 14.2x20	
18	2.0312.412.1	3	screw m 12 p.1.75x35	
19	2.1560.020.0	2	gasket 24.3x32	
20	2.3199.083.2	2	plug m 24 p.1.5	
21	2.1560.026.0	1	gasket 35.3x41	
22	2.3199.002.2	1	plug 1 gas	
23	2.3171.007.4	3	plug 18	
23	2.3171.007.4	2	plug 18 - 2WD	
24	2.3171.006.4	1	plug 16	
25	2.1653.911.0	1	cylindrical plug 12x25	
26	2.0432.259.7	5	stud bolt m 12 p.1.75-1.25x35	4 /6
27	0.445.3150.4	1	filter	1/2
	3.110.0100.1	•		

Section: GEAR Ref.: 59







Section: GEAR Ref.: 60.1

HYDRIVE - GEAR BOX OIL FEED PIPES

Fig.	Code	QTY	Name
1	2.6850.008.0	2	clamp 25-47
2	0.010.5079.3	1	tube
3	2.1560.008.0	2	gasket 12.2x18
4	0.010.5274.3	1	tube
5	2.3339.755.2	1	pipe union
6	0.010.5083.3/20	1	tube
7	2.0112.319.2	4	screw m 10 p.1.5x50
8	2.1470.006.2	5	lock washer 10
9	2.1530.091.0	2	'o' ring 34.60x2.62
10	0.010.7476.0	1	sleeve
11	0.010.5081.0	1	valve
12	0.011.9936.2/10	1	tube
13	2.1011.106.2	1	nut m 10 p.1.5

1/1


1 614 _ 60 _ 4

SILVER 90

Section: GEAR Ref.: 60.2

HYDRIVE - GEAR BOX OIL FEED PIPES

Fig.	Code	QTY	Name
1	0.010.6897.3	1	tube
2	0.010.6896.3/10	1	dipstick
3	0.010.1627.0	1	gasket
4	2.1560.008.0	2	gasket 12.2x18
5	0.009.9693.0	1	small column
6	2.1549.124.2	1	spacer 13x25x6
7	2.1011.422.2	1	nut m 12 p.1.25
8	2.3139.016.2	1	plug
9	2.1560.023.0	1	gasket 30.3x36
10	2.3339.472.2	1	pipe union m 12 p.1.25x26



Section: GEAR **GEARBOX**

Fig.	Code	QTY	Name	
_				
1	2.1499.019.6	14	conical washer 16.3x31.5	
2	2.0112.615.1	14	screw m 16 p.2x40	
3	2.1669.055.2	2	pin 32x252	
4	0.010.9322.4	4	pin	
5	0.008.9773.0/10	1	support dx	
6	0.008.9774.0/10	1	support sx	


1/1


Ref.: 61


Section: GEAR

4 SPEED GEARBOX









17 10 11 4 508 _ 39

SILVER 90

Section: GEAR Ref.: 63

5 SPEED GEARBOX - WITHOUT AGROSHIFT


12


Fig.	Code	QTY	Name
1	0.007.3461.0/40	1	flange
2	2.0112.317.2	2	screw m 10 p.1.5x45
			- X SILVER 80 - 90
2	2.0112.317.2	3	screw m 10 p.1.5x45
			- X SILVER 100.4 - 100.6
3	2.1652.807.0	2	pin 10x16
4	0.255.3357.0/30	1	cover
•	0.200.0001.0700	•	* () <- N.1 - 2.3171.007.4
5	2.1481.058.1	11	washer 10
6	2.0112.311.2	3	screw m 10 p.1.5x30
7	0.255.3356.0/10	1	gasket
8	2.1470.006.2	3	lock washer 10
9	2.1529.079.0	1	'o' ring 50x68x10
-			
10	0.255.2510.3	1	shaft
11	2.1555.214.0	1	bushing 25x28x15
12	2.1530.091.0	1	'o' ring 34.60x2.62
13	2.0112.321.2	4	screw m 10 p.1.5x60
14	2.0112.325.2	3	screw m 10 p.1.5x80
15	2.0112.319.2	1	screw m 10 p.1.5x50
16	2.3171.007.4	1	plug 18
17	0.255.2515.0	1	sleeve

Section: GEAR Ref.: 63.1

5 SPEED GEARBOX WITH HYDRIVE - WITHOUT AGROSHIFT

Fig.	Code	QTY	Name
_	0.007.0404.0440		
1	0.007.3461.0/40	1	flange
2	2.0112.317.2	2	screw m 10 p.1.5x45
3	2.1651.807.0	2	pin 10x16
4	0.255.3357.0/30	1	cover
			* () <- N.1 - 2.3171.007.4
5	2.1481.058.1	11	washer 10
6	2.0112.311.2	3	screw m 10 p.1.5x30
7	0.255.3356.0/10	1	gasket
8	0.010.8423.0	1	sleeve
9	2.1529.079.0	1	'o' ring 50x68x10
10 0.007.7340.0/10	0.007.7340.0/10	1	shaft
			2139 <- X SILVER 80
			3042 <- X SILVER 90
			1879 <- X SILVER 100.4
			3233 <- X SILVER 100.6
10	0.010.8681.0/10	1	shaft
			-> 2140 X SILVER 80
			-> 3043 X SILVER 90
			-> 1880 X SILVER 100.4
			-> 3234 X SILVER 100.6
11	0.255.2515.0	1	sleeve
12	2.1531.123.0	1	ring 49.20x3.53
13	2.0112.321.2	4	screw m 10 p.1.5x60
14	2.0112.325.2	3	screw m 10 p.1.5x80
15	2.0112.319.2	1	screw m 10 p.1.5x50
16	2.1410.020.1	3	circlip 50
17	2.1531.123.0	1	ring 49.20x3.53
18	2.3171.007.4	1	plug 18






Section: GEAR Ref.: 64

5 SPEED GEARBOX - WITH AGROSHIFT

Fig.	Code	QTY	Name	
	2.0440.040.0		-	
1	2.0119.218.2	3	SCIEW	
2	2.0312.218.2	5	screw m 8 p.1.25x60	
3	2.0312.212.2	6 14	screw m 8 p.1.25x35 washer 8.4x16	
4 5	2.1475.202.2 0.008.5669.0/30	14		
6	2.1532.256.0	1	piston 'o' ring 152x3.53	
7	2.1532.194.0	1	'o' ring 91.67x3.53	
8	0.007.6198.0/20	1	cover	
O	0.007.0100.0720	'	* 1281 <- X SILVER 80	
			* 1395 <- X SILVER 90	
			* 1147 <- X SILVER 100.4	
			* 1296 <- X SILVER 100.6	
			- N.1 2.3110.403.1	
			- N.1 2.1560.009.0	
9	0.007.6745.3/40	1	box	
10	2.1651.706.0	2	pin 8x14	
11	2.1560.008.0	1	gasket 12.2x18	
			1281 <- X SILVER 80	
			1395 <- X SILVER 90	
			1147 <- X SILVER 100.4	
			1296 <- X SILVER 100.6	
12	2.1411.046.7	2	circlip 130	
13	2.1499.133.0	3	spring 45.5x70	
14	0.008.5670.0/30	1	piston	
15	2.1532.215.0	1	'o' ring 113.89x3.53	
16	0.007.6744.3/50	1	body	
17	2.1499.127.0	2	spring	
18	0.009.7650.0/10	1	spacer	
19	0.008.0209.0/10	2	disc	
20	0.008.5634.3/10	1	clutch assy	
21	2.1532.138.0	1 1	'o' ring 55.56x3.53	
22	2.1599.568.0/10	1	shim 45.5x60x2	
23	2.1410.016.1	'	circlip 40x1.75 - X SILVER 80 - 90	
23	2.1410.018.7	1	circlip 45	
23	2.1410.010.7	'	- X SILVER 100.4 - 100.6	
24	0.008.5632.2/10	2	clutch disc mm 2.5	
25	0.000.3032.2710	1	disc mm 1.4	
26	2.3110.302.1	1	plug m 12 p.1.75x10	
	2.0110.002.1	•	1281 <- X SILVER 80	
			1395 <- X SILVER 90	
			1147 <- X SILVER 100.4	
			1296 <- X SILVER 100.6	4 /4
			- '	1/1



Section: GEAR Ref.: 64.1


5 SPEED GEARBOX - WITH AGROSHIFT

Fig.	Code	QIY	Name
Notes:		396 X SILVER	90 -> 1148 X SILVER 100.4 -> 1297 X SILVER 100.6
12	.02 X SILVLK 00 -> 1.	DSO X SILVLIN	90 -> 1140 X 31LVLN 100.4 -> 1291 X 31LVLN 100.0
1	0.010.1278.3	1	tube
2	2.1560.011.0	1	gasket 16.2x20
3	0.010.1244.0	1	tube
4	0.010.1252.3	1	tube
6	2.1560.010.0	1	gasket 14.2x20
7	2.3261.006.2	1	pipe fitting m 14 p.1.5-9/16"

Section: GEAR Ref.: 64.2

5 SPEED GEARBOX WITH HYDRIVE AND AGROSHIFT


Fig.	Code	QTY	Name
1	2.0112.233.2	3	screw m 8 p.1.25x120
3	2.0312.212.2	11	screw m 8 p.1.25x35
4	2.1475.202.2	14	washer 8.4x16
5	0.008.5669.0/30	1	piston
6	2.1532.256.0	1	'o' ring 152x3.53
7	2.1532.194.0	1	'o' ring 91.67x3.53
9	0.007.6745.3/40	1	box
10	2.1651.706.0	2	pin 8x14
12	2.1411.046.7	2	circlip 130
13	2.1499.133.0	3	spring 45.5x70
14	0.008.5670.0/30	1	piston
15	2.1532.215.0	1	o' ring 113.89x3.53
16	0.007.6744.3/50	1	body
17	2.1499.127.0	2	spring
18	0.009.7650.0/10	1	spacer
19	0.008.0209.0/10	2	disc
20	0.008.5634.3/10	1	clutch assy
21	2.1532.138.0	1	'o' ring 55.56x3.53
22	2.1599.568.0/10	1	shim 45.5x60x2
23	2.1419.034.1	1	circlip 44
24	0.008.5632.2/10	2	clutch disc mm 2.5
25	0.007.7714.0	1	disc mm 1.4
27	0.010.0357.0	1	flange
28	2.0312.206.2	2	screw m 8 p.1.25x20
29	2.1532.014.0	4	'o' ring 7.65x1.78
30	0.010.0356.0/20	4	tube
31	2.1532.019.0	4	ring 9.25x1.78 () <-
31	2.1532.016.0	4	ring 8.74x1.78 -> ()



Section: GEAR Ref.: 65

5 SPEED GEARBOX - WITH AGROSHIFT

Fig.	Code	QTY	Name
1	0.007.6743.3/30	1	box
			* 1281 <- X SILVER 80
			* 1395 <- X SILVER 90
			* 1147 <- X SILVER 100.4
			* 1296 <- X SILVER 100.6
			- N.1 2.3110.404.1
			- N.1 2.1560.011.0
2	2.1652.807.0	2	pin 10x16
3	0.008.4623.0	1	'o' ring
7	2.1532.016.0	5	ring 8.74x1.78
8	2.1652.807.0	1	pin 10x16
9	2.0112.311.2	3	screw m 10 p.1.5x30
10	2.0112.321.2	3	screw m 10 p.1.5x60
11	2.1470.006.2	14	lock washer 10
12	2.0112.317.2	3	screw m 10 p.1.5x45
14	0.255.3356.0/10	1	gasket
16	0.007.7307.0/50	1	flange
20	2.1560.017.0	1	gasket 22.2x27
21	2.3199.001.2	1	plug 1/2 gas
23	2.1011.421.2	5	nut M10x1.25
24	2.0432.165.7	1	stud bolt m 10 p.1.5-1.25x50
25	2.0432.171.7	4	stud bolt m 10 p.1.5-1.25x80
30	0.007.3433.3	1	shaft
31	2.1555.214.0	1	bushing 25x28x15
32	2.1419.044.0	1	circlip 38.8x1.5
33	2.1410.020.1	1	circlip 50
34	0.007.3432.0	1	sleeve



23 11 25

24


21


20

Section: GEAR Ref.: 65.1

5 SPEED GEARBOX WITH HYDRIVE AND AGROSHIFT

Fig.	Code	QTY	Name
1	0.007.6743.3/30	1	box
2	2.1652.807.0	2	pin 10x16
3	0.008.4623.0	1	'o' ring
4	2.1410.020.1	1	circlip 50
5	0.010.8423.0	1	sleeve
6	2.1531.123.0	2	ring 49.20x3.53
7	2.1532.016.0	5	ring 8.74x1.78
8	2.1652.807.0	1	pin 10x16
9	2.0112.311.2	3	screw m 10 p.1.5x30
10	2.0112.321.2	3	screw m 10 p.1.5x60
11	2.1470.006.2	14	lock washer 10
12	2.0112.317.2	3	screw m 10 p.1.5x45
14	0.010.6687.0	1	lamination
16	0.007.7307.0/50	1	flange
20	2.1560.017.0	1	gasket 22.2x27
21	2.3199.001.2	1	plug 1/2 gas
23	2.1011.421.2	5	nut M10x1.25
24	2.0432.165.7	1	stud bolt m 10 p.1.5-1.25x50
25	2.0432.171.7	4	stud bolt m 10 p.1.5-1.25x80
30	0.007.7340.0/10	1	shaft
			() <- L = mm 472
30	0.010.8681.0/10	1	shaft
			-> () L = mm 452
31	0.007.3432.0	1	sleeve
32	2.1419.044.0	1	circlip 38.8x1.5
33	2.1410.020.1	1	circlip 50





23 11 25

21

20


623_65_1


24


Section: GEAR Ref.: 66

5 SPEED GEARBOX - WITH AGROSHIFT

Fig.	Code	QTY	Name	
	0.4400.400.0/40			
1	2.1499.126.0/10	2	'o' ring	
2	0.008.0270.3/70	1	chassis	
3	2.1532.138.0	1	'o' ring 55.56x3.53	
4	2.1532.215.0	1	'o' ring 113.89x3.53	
5	0.008.5670.0/30	1	piston	
6	2.1499.133.0	5	spring 45.5x70	
7	0.007.7714.0	2	disc mm 1.4	
8	0.008.5632.2/10	2	clutch disc mm 2.5	
9	0.008.5681.0/10	1	disc mm 4	
10	2.1411.046.7	1	circlip 130	
11	0.008.5677.0/20	1	spider	
12	2.1599.724.0/10	-	thrust plate 25x42x2	
12	2.1599.725.0/10	-	thrust plate 25x42x2.2	
12	2.1599.726.0/10	-	thrust plate 25x42x2.4	
12	2.1599.727.0/10	-	thrust plate 25x42x2.6	
12	2.1599.728.0/10	-	thrust plate 25x42x2.8	
12	2.1599.729.0/10	-	thrust plate 25x42x3	
12	2.1599.730.0/10	-	thrust plate 25x42x3.2	
12	2.1599.731.0/10	-	thrust plate 25x42x3.4	
12	2.1599.732.0/10	-	thrust plate 25x42x3.6	
12	2.1599.733.0/10	-	thrust plate 25x42x3.8	
12	2.1599.734.0/10	-	thrust plate 25x42x4	
13	2.2819.005.0	3	ball mm 4	
14	0.008.5661.3	3	pin	
15	2.3199.179.0	3	plug	
16	2.2999.275.0	6	roller cage	
17	2.1589.252.0	6	shim	
18	2.1410.018.7	1	circlip 45	
19	0.008.5660.3/10	1	planet gear nr.3	
20	2.1549.151.0	3	spacer 19.1x23x4	
21	2.1410.055.7	3	circlip 19	
22	0.009.7645.0/10	1	crown wheel	
22	0.011.2728.0	1	crown wheel	
			- X HYDRIVE	
23	2.1410.015.7	1	ring 38	
24	0.009.7649.0/10	1	hub	
25	2.1411.027.7	1	circlip 68	
26	2.2020.007.0	1	ball bearing 40x68x9	
27	2.1599.723.0/20	1	lamination	
28	0.007.6149.0/30	1	shaft	
29	2.1410.011.7	2	circlip 28	
30	0.008.0213.0	1	hub	
31	0.003.0213.0	1	shaft	
32	2.1552.113.0	1	bushing 24x27x15	1/2
JZ	2.1002.110.0	1	Dustiling 24X2/X10	








Section: GEAR Ref.: 66

5 SPEED GEARBOX - WITH AGROSHIFT

Fig.	Code	QTY	Name
33 34	2.2999.310.0 2.1423.024.7	1 1	roller cage snoulder 33x1.5 - X SILVER 100.4 - 100.6
35	2.2999.312.0	1	roller cage



11

35

0 614 _ 66 1

Section: GEAR Ref.: 67

Name


QTY

HYDRIVE

Code

Fig.


Notes: 2139 <	- X SILVER 80 3042 <	X SILVER	90 1879 <- X SILVER 100.4	3233 <- X SILVER 100.6
1	2.1514.035.0	1	'o' ring	
2	0.010.5612.0	1	speed sensor	
3	2.1560.014.0	1	gasket 18.2x24x1.5	
4	2.1532.026.0	3	ring 11.10x1.78	
5	2.1532.024.0	3	ring	
6	2.1560.016.0	3	gasket 20.2x26	
7	0.010.4864.0/10	3	bushing	
8	2.0312.318.2	7	screw m 10x60	
9	2.1480.015.1	7	washer 10	
10	2.1519.116.0/10	1	'o' ring	
11	2.1411.034.1	1	circlip 85	
12	2.1580.218.0	1	shim 74x84x0.2	
13	2.1580.219.0	1	shim 74x84x0.5	
14	2.1580.220.0	1	shim 74x84x0.05	
15	2.2999.272.0	1	bearing 60x85x13	
16	0.010.1128.0/10	1	cover	
17	0.010.4454.0	1	crown wheel	
18	0.007.7131.3/30	1	box	
19	2.1011.106.2	2	nut m 10 p.1.5	
20	2.1475.203.2	2	spring washer 10	
21	2.0422.316.2	2	stud bolt	
22	2.0312.214.2	3	screw m 8 p.1.25x40	
23	2.1480.014.1	3	washer 8	
24	2.1410.010.1	6	circlip 25	
25	0.007.7138.3/30	6	pin	
26	2.2819.003.0	6	ball	
27	0.010.5629.0	6	thrust plate	
28	2.2999.331.0	6	roller cage	
29	0.010.4442.0/30	6	planet gear	
30	2.0312.219.2	6	screw m 8 p.1.25x65	
31	2.1480.014.1	6	washer 8	
32	2.2999.304.0	2	bearing 100x130x16.5	
33	0.010.4431.0/40	1	spider	
34	0.007.7141.0/30	1	clutch housing	
35	2.3171.020.4	1	plug	
36	0.007.7465.0/30	3	tube	
37	0.010.0231.4/30	1	filex coupling - X SILVER 80 - 90 - 100.4	4
37	0.010.4977.4/10	1	filex coupling - X SILVER 100.6	1/
38	2.1475.203.2	6	spring washer 10	1/




1/2



Section: GEAR Ref.: 67
HYDRIVE







Ref.: 67.1 Section: GEAR

HYDRIVE

Fig.	Code	QTY	Name	
Notes:		·		
	<- X SILVER 80 3042 <	- X SILVER 9	90 1879 <- X SILVER 100.4	3233 <- X SILVER 100.6
1	2.3170.010.1	1	expansion plug	
2	2.1421.009.7	1	ring 24.3x2	
3	0.010.5643.3/20	1	gear	
4	2.2021.013.0	2	bearing 45x75x16	
5	2.1412.017.7	2	circlip 45	
6	2.1422.035.7	2	circlip 49.8x2.3	
7	2.1539.173.0	2	ring .	
8	2.1532.120.0	1	ring 47.29x2.62	
9	0.007.7144.3/60	1	shaft	
10	2.1499.146.0	4	'o' ring	
11	2.2030.012.0	1	ball bearing 55x90x18	
12	2.1412.021.7	1	ring	
13	2.1410.022.1	1	circlip 55	
14	2.1429.048.7	2	circlip 128x2.5	
15	0.010.5583.0/40	1	hub	
16	2.1429.047.7	2	circlip 113x2.5	
17	0.010.5586.0	2	disc	
18	0.010.4824.3/10	1	clutch assy	
19	0.010.4824.2/10	6	clutch disc	
20	0.010.8971.0	3	disc	
21	0.010.8970.0	3	disc	
22	0.010.8791.3	1	clutch assy	
23	0.010.4824.2/10	6	clutch disc	
24	0.010.8971.0	3	disc	
25	0.010.8970.0	2	disc	
26	0.010.5585.0/10	1	piston	
27	0.010.7116.0	1	disc	
28	2.1422.039.7	2	ring 62.6x2.3	
29	2.4099.102.1/20	10	spring	
30	0.007.7133.0/30	2	thrust plate	
31	0.007.7134.0/10	2	flange	
32	0.010.5584.0/20	1	hub	
33	2.1532.194.0	2	'o' ring 91.67x3.53	






Section: GEAR Ref.: 68


HYDRIVE

Fig.	Code	QTY	Name			
Notes:						
	40 Y SII VED 80 - 3043	Y QII VED	90 -> 1880 X SILVER 100.4	-> 3234 X SILVER 100.6		
-/ 214	40 A SILVER 80 -> 3043	A SILVER	90 -> 1000 X SILVER 100.4	-> 3234 X SILVER 100.0		
4	0.044.2040.4	4	files equaling			
1	0.011.3942.4	1	filex coupling			
2	2.1475.203.2	12	spring washer 10			
3	2.0112.309.2	12	screw m 10 p.1.5x25			
4	0.010.8523.3	1	cover			
			() <-			
4	0.010.8523.3/50	1	cover			
			-> ()			
5	0.010.8524.0/10	1	cover			
6	2.1475.203.2	6	spring washer 10			
7	2.0112.320.2	6	screw m 10 p.1.5x55			
8	2.1475.202.2	8	washer 8.4x16			
9	2.0112.211.2	3	screw m 8 p.1.25x30			
10	2.0312.320.2	3	screw m 10x70			
11	2.1651.811.0	2	cylindrical plug 10x25			
12	2.1560.016.0	3	gasket 20.2x26			
13	0.010.4864.0/20	3	bushing			
14	2.1532.024.0	3	ring			
15	0.010.8525.0	3	tube			
16	2.1532.026.0	3	ring 11.10x1.78			
			<u> </u>			
17	2.3171.020.4	3	plug			

Section: GEAR **HYDRIVE** Ref.: 68.1

Fig.	Code	QTY	Name
Notes:			
	40 X SILVER 80 -> 3043	X SILVER 9	90 -> 1880 X SILVER 100.4 -> 3234 X SILVER 100.6
1	2.3170.016.2	1	plug 40
2	2.1411.013.1	1	circlip 32
3	2.1421.009.7	1	ring 24.3x2
4	0.010.9944.0	1	sleeve
5	2.1519.127.0/10	1	'o' ring
6	2.1580.305.0	1	shim 97x108x0.2
7	2.1580.305.0	1	shim 97x108x0.2
, 8	2.1580.312.0	1	shim 97x108x0.05
9	2.2030.015.0	1	ball bearing 110x70x20
10	0.010.8510.0/20	1	gear
11	0.010.8515.0	1	cover
12	2.1655.508.0	2	pin 10x24
13	2.0312.208.2	8	screw m 8 p.1.25x25
14	0.010.8516.0	1	cover
15	0.010.8517.0/10	1	gear
16	2.0312.206.2	8	screw m 8 p.1.25x20
17	2.2999.378.0	1	roller cage
18	2.1549.392.0/10	1	spacer
19	2.1412.017.7	1	circlip 45
20	2.2030.010.0	1	ball bearing 45x75x16
21	2.2020.010.0	1	bearing 90x55x11
22	2.1411.036.1	1	circlip 90
23	2.2030.012.0	2	ball bearing 55x90x18
24	2.1410.022.1	2	circlip 55
25	0.010.8512.3	1	shaft
			() <-
25	0.010.8512.3/10	1	shaft
			-> ()
26	2.1499.167.0	4	ring
27	2.1531.123.0	1	ring 49.20x3.53
	2.1560.014.0	1	gasket 18.2x24x1.5
28 29	0.010.5612.0	1	speed sensor





Section: GEAR Ref.: 68.2

HYDRIVE

Code	QTY	Name	
S:	'		
2140 X SILVER 80 -> 3043	3 X SILVER 9	90 -> 1880 X SILVER 100.4 -> 3234 X SILVER 100.6	
0.040.0540.0	4	1 1 54 400 54 55	
	· ·		
2.1429.047.7	2	circlip 113x2.5	
2.1429.048.7	2	circlip 128x2.5	
0.010.8518.0	2	disc	
0.010.8529.3	2	clutch assy	
2.1422.039.7	2	ring 62.6x2.3	
2.4099.102.1/20	10	spring	
0.007.7133.0/30	2	thrust plate	
0.007.7134.0/20	2	flange	
2.1532.194.0	2	'o' ring 91.67x3.53	
2.1422.035.7	2	circlip 49.8x2.3	
0.010.8519.0/10	1	piston	
2.1539.173.0	2	ring	
2.1532.120.0	1	ring 47.29x2.62	
0.010.8514.0	1	hub mm 61x122x52.5	
	0.010.8513.0 2.1429.047.7 2.1429.048.7 0.010.8518.0 0.010.8529.3 2.1422.039.7 2.4099.102.1/20 0.007.7133.0/30 0.007.7134.0/20 2.1532.194.0 2.1422.035.7 0.010.8519.0/10 2.1539.173.0 2.1532.120.0	0.010.8513.0 1 2.1429.047.7 2 2.1429.048.7 2 0.010.8518.0 2 0.010.8529.3 2 2.1422.039.7 2 2.4099.102.1/20 10 0.007.7133.0/30 2 0.007.7134.0/20 2 2.1532.194.0 2 2.1422.035.7 2 0.010.8519.0/10 1 2.1539.173.0 2 2.1532.120.0 1	5: 2140 X SILVER 80 -> 3043 X SILVER 90 -> 1880 X SILVER 100.4 -> 3234 X SILVER 100.6 0.010.8513.0

Section: GEAR Ref.: 68.3


HYDRIVE

Fig.	Code	QTY	Name	
••				

Notes:

-> 2140 X SILVER 80 -> 3043 X SILVER 90 -> 1880 X SILVER 100.4 -> 3234 X SILVER 100.6

1	0.010.8521.0/20	1	pin
2	2.0112.207.2	5	screw m 8 p 1.25x20
3	2.1475.202.2	5	washer 8.4x16
4	2.1532.071.0	1	'o' ring 26.64x2.62
5	2.2999.377.0	1	bearing
6	0.010.8520.0/30	1	shaft
			* 2144 <- X SILVER 80
			* 3043 <- X SILVER 90
			* 1887 <- X SILVER 100.4
			* 3411 <- X SILVER 100.6
			- N.1 - 010.8521.0/20 - 2.2999.377.0
7	2.2063.009.0	1	bearing 72x30x19
8	2.1410.012.1	1	circlip 30
9	2.1499.124.1/10	2	circlip 68x1.7
10	0.010.8522.0	1	small cover
			() <- A = mm 20
10	0.010.8522.0/10	1	small cover
			-> () A = mm 22
11	2.1411.029.1	1	circlip 72
12	2.3170.013.2	1	expansion plug 32
13	0.010.8511.0/10	1	gear z = 39
14	2.2999.358.0	2	bearing
15	2.1411.027.7	1	circlip 68
16	2.1549.396.0/10	1	spacer
17	0.010.7756.0	1	pin
18	2.2819.005.0	1	ball mm 4




614_68_3





Section: GEAR Ref.: 69


4 SPEED GEARBOX - WITHOUT MINI REDUCTION GEAR

4 SPE	ED GEARBOX -	WITHOUT	MINI REDUCTION GEAR	
Fig.	Code	QTY	Name	
		'		
1	2.1410.016.1	2	circlip 40x1.75	
2	2.1599.414.0	3	snoulder 40x50x3	
2	2.1599.423.0	2	snoulder 40x50x2.9	
2	2.1599.424.0	2	snoulder 40x50x2.8	
2	2.1599.425.0	2	snoulder 40x50x2.7	
3	2.2042.012.0	1	ball bearing 40x80x18	
4	2.1499.052.1/10	1	circlip 80	
6	0.009.9594.0	1	gear z = 34	
7	2.1499.152.7	1	circlip 41x1.8	
8	0.008.9994.4/20	1	lock synchronizer mm 82	
9	0.009.4324.0	2	ring	
10	0.008.4228.3	1	shaft	
11	2.1555.214.0	1	bushing 25x28x15	
13	0.255.3372.0	3	thrust plate	
14	2.1419.034.1	2	circlip 44	
15	2.1599.414.0	2	snoulder 40x50x3	
15	2.1599.423.0	2	snoulder 40x50x2.9	
15	2.1599.424.0	2	snoulder 40x50x2.8	
15	2.1599.425.0	2	snoulder 40x50x2.7	
16	2.2063.012.0	2	ball bearing 40x90x23	
17	2.1499.037.1	1	circlip 90	
18	0.009.7558.0	1	output shaft	
20	2.2060.011.0	1	ball bearing 35x80x21	
21	2.1599.421.0	1	snoulder 35x45x3	
22	2.1410.014.1	1	circlip 35	
23	2.1499.037.1	1	circlip 90	
24	2.1410.016.1	1	circlip 40x1.75	
25	0.255.3450.0	1	snoulder 40x60x3.5	
26	2.2999.218.0	1	roller cage 40x45x30	
27	0.445.3358.0/20	1	gear z = 54	
28	0.007.7646.4	2	lock synchronizer 68	
29	0.255.3339.0	2	ring	
30	0.445.3360.0/10	1	gear z = 40	
31	0.445.3332.3/10	1	gear z = 34	
32	2.1410.022.1	1	circlip 55	
33	2.1599.422.0	1	snoulder 44	
34	2.2999.125.0	1	bearing 55x100x21	
36	0.008.5978.0/20	1	shaft	
			1441 <- X SILVER 80	
			1829 <- X SILVER 90	
36	0.010.0887.0	1	shaft	
			-> 1442 - 2164 <- X SILVER 80	
		_	-> 1830 - 3245 <- X SILVER 90	1/2
36	0.010.9181.0	1	shaft	









Section: GEAR Ref.: 69

4 SPEED GEARBOX - WITHOUT MINI REDUCTION GEAR

Fig.	Code	QTY	Name
			FOR TYPES WITH SYMOUROMESU PANCES
			- FOR TYPES WITH SYNCHROMESH RANGES
			-> 2165 X SILVER 80
			-> 3246 X SILVER 90
36	0.010.0887.0	1	shaft
			- FOR TYPES WITHOUT SYNCHROMESH RANGES
			-> 2165 X SILVER 80
			-> 3246 X SILVER 90
37	2.2999.282.0	1	roller cage 28x38x25.5
38	2.1423.028.7	1	ring 38x1.5
39	2.1499.153.7	5	circlip 41x1.5
40	0.010.0006.0/20	1	gear z = 46
41	0.009.9595.0/10	1	gear z = 37

Section: GEAR Ref.: 70


4 SPEED GEARBOX WITH MINI REDUCTION GEAR

4 5Pt	ED GEARBOX WI	I H MINI	REDUCTION GEAR	
Fig.	Code	QTY	Name	
1	2.1410.016.1	2	circlip 40x1.75	
2	2.1599.414.0	3	snoulder 40x50x3	
2	2.1599.423.0	2	snoulder 40x50x2.9	
2	2.1599.424.0	2	snoulder 40x50x2.8	
2	2.1599.425.0	2	snoulder 40x50x2.7	
3	2.2042.012.0	1	ball bearing 40x80x18	
4	2.1499.052.1/10	1	circlip 80	
6	0.009.9594.0	1	gear z = 34	
7	2.1499.152.7	1	circlip 41x1.8	
8	0.008.9994.4/20	1	lock synchronizer mm 82	
9	0.009.4324.0	2	ring	
10	0.008.4243.3	1	shaft	
11	2.1555.214.0	1	bushing 25x28x15	
12	0.255.3372.0	3	thrust plate	
13	2.1419.034.1	2	circlip 44	
14	0.255.3372.0	1	thrust plate	
15	0.445.3354.3	1	gear z = 35	
16	2.1499.153.7	1	circlip 41x1.5	
17	0.007.7647.4	1	lock synchronizer 68	
18	0.255.3339.0	1	ring	
19	2.1419.034.1	1	circlip 44	
20	2.1599.414.0	1	snoulder 40x50x3	
20	2.1599.423.0	1	snoulder 40x50x2.9	
20	2.1599.424.0	1	snoulder 40x50x2.8	
20	2.1599.425.0	1	snoulder 40x50x2.7	
21	2.2063.012.0	2	ball bearing 40x90x23	
22	2.1499.037.1	1	circlip 90	
23	0.009.9596.0	1	output shaft	
24	0.445.3356.0	1	gear z = 38-44	
25	2.2060.011.0	1	ball bearing 35x80x21	
26	2.1599.421.0	1	snoulder 35x45x3	
27	2.1410.014.1	1	circlip 35	
28	2.1499.037.1	1	circlip 90	
29	2.1410.016.1	1	circlip 40x1.75	
30	0.255.3450.0	1	snoulder 40x60x3.5	
31	2.2999.218.0	1	roller cage 40x45x30	
32	0.445.3358.0/20	1	gear z = 54	
33	0.007.7646.4	2	lock synchronizer 68	
34	0.255.3339.0	2	ring	
35	0.445.3362.0	1	gear z=42	
36	0.445.3332.3/10	1	gear z = 34	
37	2.1410.022.1	1	circlip 55	
38	2.1599.422.0	1	snoulder 44	1/2
39	2.2999.125.0	1	bearing 55x100x21	1/2
			-	

Section: GEAR Ref.: 70

4 SPEED GEARBOX WITH MINI REDUCTION GEAR

Fig.	Code	QTY	Name
41	0.008.5978.0/20	1	shaft 1441 <- X SILVER 80
41	0.010.0887.0	1	1829 <- X SILVER 90 shaft -> 1442 - 2164 <- X SILVER 80 -> 1830 - 3245 <- X SILVER 90
41	0.010.9181.0	1	shaft - FOR TYPES WITH SYNCHROMESH RANGES -> 2165 X SILVER 80 -> 3246 X SILVER 90
41	0.010.0887.0	1	shaft - FOR TYPES WITHOUT SYNCHROMESH RANGES -> 2165 X SILVER 80 -> 3246 X SILVER 90
42 43	2.2999.282.0 2.1423.028.7	1 1	roller cage 28x38x25.5 ring 38x1.5
44 45 46	2.1499.153.7 0.255.3361.0 0.010.0006.0/20	5 1 1	circlip 41x1.5 snoulder gear z = 46
47	0.009.9595.0/10	1	gear z = 37





Section: GEAR Ref.: 73

MAIN SHAFT AND REVERSING GEAR FOR FIVE SPEED GEARBOX


Fig.	Code	QTY	Name


Notes:














Section: GEAR Ref.: 73.1

MAIN SHAFT AND REVERSING GEAR FOR FIVE SPEED GEARBOX

Fig.	Code	QTY	Name
Notes:			
	R TYPES WITH HYDRIVE		
101	CTT EO WITH THE BRIVE		
1	2.1410.016.1	2	circlip 40x1.75
2	2.1599.414.0	3	snoulder 40x50x3
2	2.1599.423.0	2	snoulder 40x50x2.9
2	2.1599.424.0	2	snoulder 40x50x2.8
2	2.1599.425.0	2	snoulder 40x50x2.7
3	2.2042.012.0	1	ball bearing 40x80x18
4	2.1499.052.1/10	1	circlip 80
6	0.007.7457.0	1	gear z = 37
7	2.1499.034.1	2	circlip 40x1.75
10	0.007.7339.0	1	shaft
			() <- A = mm 41
10	0.010.7442.0/20	1	shaft
			-> () A = mm 51
			* 2181 <- X SILVER 80
			* 3301 <- X SILVER 90
			- N.1 - 2.1423.020.7 - 2.2770.182.0
15	0.255.3366.0	1	gear z = 18
16	2.2999.367.0	1	ball bearing 40x90x23
17	2.1411.036.1	1	circlip 90
18	0.009.7559.0	1	output shaft
20	2.2060.011.0	1	ball bearing 35x80x21
21	2.1599.421.0	1	snoulder 35x45x3
22	2.1410.014.1	1	circlip 35
23	2.2770.182.0	1	roller cage
			-> 2182 X SILVER 80
			-> 3302 X SILVER 90
24	2.1423.020.7	1	ring
			-> 2182 X SILVER 80
			-> 3302 X SILVER 90

Section: GEAR Ref.: 75 TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITHOUT


QTY Name

AGROSHIFT

Fig.

Code

<u>. 19.</u>	Ooue	Q I I	Name	
Notes:				
	R TYPES WITHOUT HYDR	IVE		
1	2.0132.408.1	1	screw m 10 p.1.25x30	
2	0.255.3369.0/20	1	shoulder	
3	2.1530.141.0	1	'o' ring 57.15x3.53	
4	0.007.7647.4	1	lock synchronizer 68	
5	0.009.4324.1	1	ring	
6	0.255.3368.0/10	1	bushing	
7	0.007.7986.3/10	1	gear z = 48	
8	0.255.3450.0	2	snoulder 40x60x3.5	
9	2.2063.012.0	1	ball bearing 40x90x23	
10	2.1499.037.1	1	circlip 90	
11	2.2999.218.0	1	roller cage 40x45x30	
12	0.445.3358.0/20	1	gear z = 54	
13	2.1499.153.7	4	circlip 41x1.5	
14	0.007.7646.4	1	lock synchronizer 68	
15	0.009.4324.1	2	ring	
16	0.255.3372.0	2	thrust plate	
17	0.445.3360.0/10	1	gear z = 40	
18	0.445.3332.3/10	1	gear z = 34	
19	2.1410.022.1	1	circlip 55	
20	2.1599.422.0	1	snoulder 44	
			- X SILVER 80 - 90	
21	2.2999.125.0	1	bearing 55x100x21	
			- X SILVER 80 - 90	
22	2.1559.239.0/10	1	bushing 55x60x16.5	
			- X SILVER 100.4 - 100.6	
23	0.008.5979.0/20	1	shaft	
			1441 <- X SILVER 80	
			1829 <- X SILVER 90	
			1335 <- X SILVER 100.4	
			1547 <- X SILVER 100.6	
23	0.010.0886.0	1	shaft	
			-> 1442 - 2164 <- X SILVER 80	
			-> 1830 - 3245 <- X SILVER 90	
			-> 1336 - 1954 <- X SILVER 100.4	
			-> 1548 - 3454 <- X SILVER 100.6	
23	0.010.9180.0	1	shaft	
			- FOR TYPES WITH SYNCHROMESH RANGES	
			-> 2165 X SILVER 80	
			-> 3246 X SILVER 90	1/2



23

2 614 _ 75 1


25 26

19 20

Section: GEAR Ref.: 75
TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITHOUT

AGROSHIFT


Fig.	Code	QTY	Name
			-> 1955 X SILVER 100.4
			-> 3455 X SILVER 100.6
23	0.010.0886.0	1	shaft
			- FOR TYPES WITHOUT SYNCHROMESH RANGES
			-> 2165 X SILVER 80
			-> 3246 X SILVER 90
			-> 1955 X SILVER 100.4
			-> 3455 X SILVER 100.6
24	2.1419.034.1	1	circlip 44
25	2.2999.282.0	1	roller cage 28x38x25.5
26	2.1423.028.7	1	ring 38x1.5
27	2.1599.535.0	1	thrust plate 55x78x6
			- X SILVER 100.4 - 100.6
28	2.2999.082.0/10	1	bearing 60x110x22
			- X SILVER 100.4 - 100.6
29	2.1499.153.7	2	circlip 41x1.5
30	0.010.0006.0/20	1	gear z = 46
31	2.1589.399.0	-	shim 60x80x10
			() <-
31	2.1589.400.0	-	shim 60x80x1.2
			() <-
31	2.1589.401.0	-	shim 60x80x1.4
			() <-
31	2.1589.402.0	-	shim 620x80x1.6
			() <-
31	2.1589.403.0	-	shim 60x80x1.8
			() <-
32	0.007.7646.4	1	lock synchronizer 68
33	0.009.4324.1	2	ring
49	2.1475.204.2	1	washer 12



Ref.: 75.1 Section: GEAR TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITHOUT

AGROSHIFT

Fig.	Code	QTY	Name	
Notes:				
- FOF	R TYPES WITH HYDRIVE			
1	2.0132.408.1	1	screw m 10 p.1.25x30	
2	0.010.5631.0	1	snoulder	
3	2.1530.141.0	1	'o' ring 57.15x3.53	
4	0.010.8862.4	1	lock synchronizer 68/72.5	
5	0.010.2256.0	1	ring	
6	0.255.3368.0/10	1	bushing	
7	0.010.9394.0/10	1	gear z = 48	
8	0.255.3450.0	2	snoulder 40x60x3.5	
9	2.2063.012.0	1	ball bearing 40x90x23	
10	2.1499.037.1	1	circlip 90	
11	2.2999.218.0	1	roller cage 40x45x30	
12	0.010.9395.0/10	1	gear z = 54	
13	2.1499.153.7	4	circlip 41x1.5	
14	0.010.8861.4	1	lock synchronizer 68/72.5	
15	0.010.2256.0	2	ring	
16	0.255.3372.0	2	thrust plate	
17	0.010.9397.0/10	1	gear z = 40	
18	0.010.9399.3/10	1	gear z = 34	
19	2.1410.022.1	1	circlip 55	
20	2.1599.422.0	1	snoulder 44	
			- X SILVER 80 - 90	
21	2.2999.125.0	1	bearing 55x100x21	
			- X SILVER 80 - 90	
22	2.1559.239.0/10	1	bushing 55x60x16.5	
			- X SILVER 100.4 - 100.6	
23	0.010.0886.0	1	shaft	
			2139 <- X SILVER 80	
			3042 <- X SILVER 90	
			1879 <- X SILVER 100.4	
			3233 <- X SILVER 100.6	
23	0.010.9180.0	1	shaft	
			-> 2140 X SILVER 80	
			-> 3043 X SILVER 90	
			-> 1880 X SILVER 100.4	
0.4	0.4440.004.4	,	-> 3234 X SILVER 100.6	
24	2.1419.034.1	1	circlip 44	
25	2.2999.282.0	1	roller cage 28x38x25.5	
26	2.1423.028.7	1	ring 38x1.5	
27	2.1599.535.0	1	thrust plate 55x78x6	1/2



614_75_1

32 13 24 16 17 13 33 13 16 15 28 22 31 19 20 21 23 25 26

614_75_1

SILVER 90

Section: GEAR Ref.: 75.1

TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITHOUT AGROSHIFT

Fig.	Code	QTY	Name
			- X SILVER 100.4 - 100.6
28	2.2999.082.0/10	1	bearing 60x110x22
			- X SILVER 100.4 - 100.6
29	2.1499.153.7	2	circlip 41x1.5
30	0.010.9396.0/10	1	gear z = 46
31	2.1589.399.0	-	shim 60x80x10
			() <-
31	2.1589.400.0	-	shim 60x80x1.2
			() <-
31	2.1589.401.0	-	shim 60x80x1.4
			() <-
31	2.1589.402.0	-	shim 620x80x1.6
			() <-
31	2.1589.403.0	-	shim 60x80x1.8
			() <-
32	0.010.8863.4	1	lock synchronizer 68/72.5
33	0.010.2256.0	2	ring
49	2.1475.204.2	1	washer 12

Section: GEAR Ref: 76 TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITH AGROSHIFT Fig. Code OTY Name Notes: - FOR TYPES WITHOUT HYDRIVE 2.1499.153.7 2 circlip 41x1.5 2 2.1580.304.0 shim 78x89x0.5 2 2.1580.303.0 shim 78x89x0.2 2 2.1580.310.0 shim 78x89x0.05 small cover 0.007.7308.0 2.1559.333.0 bushing 44.7x50x19 2.1499.037.1 circlip 90 3 2.0312.208.2 screw m 8 p.1.25x25 lock synchronizer 68 0.007.7647.4 8 0.009.4324.1 1 ring 9 thrust plate 0.255.3372.0 10 2.1419.034.1 circlip 44 11 2.1599.737.0 snoulder 45.5x60x2.15 11 snoulder 45.5x60x2.3 2.1599.738.0 11 2.1599.739.0 snoulder 45.5x60x2.45 11 2.1599.740.0 snoulder 45.5x60x2.6 12 2.2999.203.0 ball bearing 50x90x20 13 2.1599.571.0 thrust plate 42x60x3.5 14 2.2999.218.0 roller cage 40x45x30 15 0.445.3358.0/20 gear z = 5416 2.1499.153.7 4 circlip 41x1.5 17 0.007.7646.4 lock synchronizer 68 2 18 0.009.4324.1 ring 19 0.255.3372.0 2 thrust plate 20 circlip 44 2.1419.034.1 21 0.445.3360.0/10 gear z = 4022 0.445.3332.3/10 gear z = 3423 0.009.7643.3/30 shaft 24 2.1559.365.0 bushing 25 spacer 31.5x34.9x10 2.1579.948.0 26 3 2.1480.014.1 washer 8 27 2.1410.022.1 1 circlip 55 28 2.1599.534.0 thrust plate 55x78x3 - X SILVER 100.4 - 100.6 29 2.2999.125.0 1 bearing 55x100x21 - X SILVER 80 - 90 29 2.2999.082.0/10 1 bearing 60x110x22 - X SILVER 100.4 - 100.6

> bushing 55x60x16.5 - X SILVER 100.4 - 100.6

countershaft

1/2

3

4

5

6

7

30


31

2.1559.239.0/10


0.009.7644.0/20


1

1



Section: GEAR Ref.: 76
TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITH AGROSHIFT





SILVER 90 Section: GEAR Ref.: 76.1 TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITH AGROSHIFT Code OTY Name Notes: - FOR TYPES WITH HYDRIVE 2.1499.153.7 2 circlip 41x1.5 2.1580.304.0 shim 78x89x0.5 2.1580.303.0 shim 78x89x0.2 2.1580.310.0 shim 78x89x0.05 small cover 0.007.7308.0 2.1559.333.0 bushing 44.7x50x19 2.1499.037.1 circlip 90 3 2.0312.208.2 screw m 8 p.1.25x25 lock synchronizer 68/72.5 0.010.8862.4 0.010.2256.0 1 rina thrust plate 0.255.3372.0 2.1419.034.1 circlip 44 2.1599.737.0 snoulder 45.5x60x2.15 snoulder 45.5x60x2.3 2.1599.738.0 2.1599.739.0 snoulder 45.5x60x2.45 2.1599.740.0 snoulder 45.5x60x2.6 2.2999.203.0 ball bearing 50x90x20

- X SILVER 100.4 - 100.6

reduction shaft

3 4 5 6 7 8 9 10 11 11 11 11 12 13 2.1599.787.0 thrust plate 14 2.2999.218.0 roller cage 40x45x30 15 0.010.9395.0/10 gear z = 5416 2.1499.153.7 4 circlip 41x1.5 17 0.010.8861.4 lock synchronizer 68/72.5 2 18 0.010.2256.0 ring 19 0.255.3372.0 2 thrust plate 20 circlip 44 2.1419.034.1 21 0.010.9397.0/10 gear z = 4022 0.010.9399.3/10 gear z = 3423 0.009.7643.3/30 shaft 24 2.1559.365.0 bushing 25 spacer 31.5x34.9x10 2.1579.948.0 26 3 2.1480.014.1 washer 8 27 2.1410.022.1 1 circlip 55 28 2.1599.534.0 thrust plate 55x78x3 - X SILVER 100.4 - 100.6 29 2.2999.125.0 1 bearing 55x100x21 - X SILVER 80 - 90 29 2.2999.082.0/10 1 bearing 60x110x22 - X SILVER 100.4 - 100.6 30 2.1559.239.0/10 1 bushing 55x60x16.5

1

Fig.


2


2

2

31

0.010.0847.0/10






16

22


16




Section: GEAR Ref.: 76.1

TRANSMISSION SHAFT FOR FIVE SPEED GEARBOX WITH AGROSHIFT

Fig.	Code	QTY	Name
			2164 <- X SILVER 80
			3245 <- X SILVER 90
			1954 <- X SILVER 100.4
			3454 <- X SILVER 100.6
31	0.010.9175.0/10	1	reduction shaft
			-> 2165 X SILVER 80
			-> 3246 X SILVER 90
			-> 1955 X SILVER 100.4
			-> 3455 X SILVER 100.6
32	2.2999.282.0	1	roller cage 28x38x25.5
33	2.1423.028.7	1	ring 38x1.5
34	0.008.4356.0	1	thrust bearing
35	2.1599.574.0	2	thrust plate 17x30x1
36	0.010.9394.0/10	1	gear z = 48
37	0.010.9396.0/10	1	gear z = 46
38	2.2999.308.0	2	roller cage 30x35x27
39	2.1589.393.0	-	shim 30x45x1.3
39	2.1589.394.0	-	shim 30x45x1.8
39	2.1589.395.0	-	shim 30x45x2.3
39	2.1589.396.0	-	shim 30x45x2.8
39	2.1589.397.0	-	shim 30x45x3.3
39	2.1589.398.0	-	shim 30x45x3.8
40	0.010.8863.4	1	lock synchronizer 68/72.5
41	0.010.2256.0	2	ring





2 623 _ 77



SILVER 90

Section: GEAR Ref.: 77


SPEED RANGE REDUCTION GEAR UNIT

Fig.	Code	QTY	Name
Notes:			
	<- X SILVER 80 3245 <-	X SILVER	90 1954 <- X SILVER 100.4 3454 <- X SILVER 100.6
2	2.1419.067.0	1	circlip 35x1.5
3	0.255.3455.0	1	hub z=19
4	0.255.3438.0/20	2	sleeve
7	2.1219.052.7/10	1	ring nut m 45 p.1.5
8	0.445.3436.0	1	gear z = 39
Ū	0.110.0100.0		1100 <- X SILVER 80
			1163 <- X SILVER 90
			1069 <- X SILVER 100.4
			1196 <- X SILVER 100.6
8	0.010.0761.0	1	gear z = 39
•	3.010.0701.0	'	-> 1101 - 1041 <- X SILVER 80
			-> 1164 1829 <- X SILVER 90
			-> 1070 - 1335 <- X SILVER 100.4
			-> 1197 1547 <- X SILVER 100.4
8	0.010.0843.0/10	1	gear z = 33
O	0.010.0043.0/10	ı	-> 1442 X SILVER 80
			-> 1830 X SILVER 90
			-> 1336 X SILVER 100.4
0	0.000.4404.0	4	-> 1548 X SILVER 100.6
9	0.008.4481.0	1	ring
10	0.255.3450.0	1	snoulder 40x60x3.5
11	2.1411.036.1	2	circlip 90
12	2.2999.367.0	1	ball bearing 40x90x23
13	2.1499.034.1	1	circlip 40x1.75
14	0.008.5587.3/20	1	gear z=58 z=19
			1441 <- X SILVER 80
			1829 <- X SILVER 90
			1335 <- X SILVER 100.4
	0.040.0040.0		1547 <- X SILVER 100.6
14	0.010.0846.3	1	gear z=48 z=19
			-> 1442 X SILVER 80
			-> 1830 X SILVER 90
			-> 1336 X SILVER 100.4
		_	-> 1548 X SILVER 100.6
15	2.1559.176.0	2	bushing 40x44x25
16	2.2060.011.0	1	ball bearing 35x80x21
			- X SILVER 80 - 90
16	2.2999.175.0	1	bearing
			- X SILVER 100.4 - 100.6
17	2.1410.014.1	1	circlip 35
18	0.008.5607.0/20	1	thrust plate

Section: GEAR Ref.: 77.1


SPEED RANGE REDUCTION GEAR UNIT


Fig.	Code	QTY	Name
Notes:			
	35 X SILVER 80 -> 3246	X SILVER	90 -> 1955 X SILVER 100.4 -> 3455 X SILVER 100.6
- 210	50 X GIEVER 60	// OIL VEIC	00 7 1000 X GIEVEIX 100.4 7 0400 X GIEVEIX 100.0
1	2.1599.538.0	1	snoulder 80x89.5x3
2	2.1419.067.0	1	circlip 35x1.5
3	0.255.3455.0	1	hub z=19
4	0.255.3438.0/20	1	sleeve
7	2.1219.052.7/10	1	ring nut m 45 p.1.5
8	0.010.0843.0/10	1	gear z = 33
9	0.008.4481.0	1	ring
10	2.1589.323.0	1	shim 45x65x4
11	2.1411.036.1	2	circlip 90
12	2.2999.203.0	1	ball bearing 50x90x20
13	2.1412.017.7	1	circlip 45
14	0.010.9178.0/10	1	gear z=48 z=22
			2224 <- X SILVER 80
			3409 <- X SILVER 90
			2006 <- X SILVER 100.4
			3652 <- X SILVER 100.6
14	0.010.8998.0/20	1	gear z=48 z=22
			-> 2225 X SILVER 80
			-> 3410 X SILVER 90
			-> 2007 X SILVER 100.4
			-> 3653 X SILVER 100.6
15	2.2999.366.0	2	roller cage
16	2.2060.011.0	1	ball bearing 35x80x21
			- X SILVER 80 - 90
16	2.2999.175.0	1	bearing
			- X SILVER 100.4 - 100.6
17	2.1410.014.1	1	circlip 35
18	0.008.5607.0/20	1	thrust plate
19	2.1549.399.0/10	1	spacer
20	0.010.9009.0	1	sleeve z = 22
			-> 2225 X SILVER 80
			-> 3410 X SILVER 90
			-> 2007 X SILVER 100.4
			-> 3653 X SILVER 100.6
21	2.1549.413.0	1	spacer 47x52.8x4



Section: GEAR Ref.: 77.2


3-RANGE BOX





Section: GEAR **3-RANGE BOX** Ref.: 77.3

Fig.	Code		QTY	Name	
Note: ->	s: 2165 X SILVER 80	-> 3246	X SILVER 9	90 -> 1955 X SILVER 100.4	-> 3455 X SILVER 100.6
1	0.010.9014.0)/10	1	gear z=56 z=19	
2	0.445.3450.0)	1	snoulder	
3	0.010.9007.0)/10	1	gear z=28 z=22	




MAAAAAAA 29 AAAAAAA 614 _ 77 _4

Section: GEAR SYNCHROMESH 3-RANGE BOX

Fig.	Code	QTY	Name	
Notes:				
-> 21	65 X SILVER 80 -> 3246	3 X SILVER 9	90 -> 1955 X SILVER 100.4	-> 3455 X SILVER 100.6
1	0.010.9176.0/10	1	gear Z = 56	
2	0.445.3450.0	1	snoulder	
3	0.010.9006.0/10	1	gear z = 28	
	0.0.00000.0.10	•	2224 <- X SILVER 80	
			3409 <- X SILVER 90	
			2006 <- X SILVER 100.4	
			3652 <- X SILVER 100.6	
4	0.010.9293.4	1	lock synchronizer	
			2224 <- X SILVER 80	
			3409 <- X SILVER 90	
			2006 <- X SILVER 100.4	
			3652 <- X SILVER 100.6	
5	0.010.9297.0/10	1	spacer	
			2224 <- X SILVER 80	
			3409 <- X SILVER 90	
			2006 <- X SILVER 100.4	
			3652 <- X SILVER 100.6	
6	0.011.3781.4	1	lock synchronizer	
7	2.1419.067.0	1	circlip 35x1.5	
8	0.010.9007.0/10	1	gear z=28 z=22	
			-> 2225 X SILVER 80	
			-> 3410 X SILVER 90	
			-> 2007 X SILVER 100.4	
			-> 3653 X SILVER 100.6	


Ref.: 77.4



Section: GEAR Ref.: 78

Section: GEAR
4-RANGE BOX

Fig.	Code	QTY	Name
Notes:		'	
	<- X SILVER 80 3245 <- 3	X SII VER 0	00 1954 <- X SILVER 100.4 3454 <- X SILVER 100.6
2104	- X SILVLIX 00 - 3243 X-	X SILVLIX 3	1934 1- X SIEVER 100.4
1	0.008.5588.3	1	gear z=59 z=26 z=19
'	0.000.0000.0	'	1441 <- X SILVER 80
			1829 <- X SILVER 90
			1335 <- X SILVER 100.4
			1547 <- X SILVER 100.6
1	0.010.0862.3	1	gear z=58 z=26 z=19
			-> 1442 X SILVER 80
			-> 1830 X SILVER 90
			-> 1336 X SILVER 100.4
			-> 1548 X SILVER 100.6
2	2.1559.176.0	2	bushing 40x44x25
3	0.255.3455.0	1	hub z=19
4	0.445.3455.0/20	1	bushing
5	0.445.3453.0/10	1	gear z=75 z=19
6	0.445.3454.0	1	gear z =40
			1100 <- X SILVER 80
			1163 <- X SILVER 90
			1069 <- X SILVER 100.4
			1196 <- X SILVER 100.6
6	0.010.0754.0	1	gear z = 40
•	0.0.0.0.0.0.0	•	-> 1101 - 1041 <- X SILVER 80
			-> 1164 1829 <- X SILVER 90
			-> 1070 - 1335 <- X SILVER 100.4
			-> 1197 1547 <- X SILVER 100.6
6	0.010.0844.0/10	1	gear z = 28
U	0.010.0844.0/10	'	-> 1442 X SILVER 80
			-> 1830 X SILVER 90
			-> 1336 X SILVER 100.4
			-> 1548 X SILVER 100.6




Section: GEAR
4-RANGE BOX Ref.: 78.1


Fig.	Code		QTY	Name	
Notes: -> 2165	X SILVER 80	-> 3246 X	SILVER 9	0 -> 1955 X SILVER 100.4	-> 3455 X SILVER 100.6
1	0.010.9013.	3/10	1	gear z=56 z=26 z=19	
2	2.1559.176.	0	2	bushing 40x44x25	
3	0.010.9008.	0	1	hub $z = 22$	
4	0.010.9004.	0/20	1	bushing	
5	0.010.9003.	0	1	gear z=75 z=22	
6	0.010.9006.	0/10	1	gear z = 28	


Section: GEAR Ref.: 78.2

SYNCHRONISED 4-RANGE BOX

Fig.	Code	QTY	Name	
Notes:				
-> 216	65 X SILVER 80 -> 3246	3 X SILVER 9	00 -> 1955 X SILVER 100.4	-> 3455 X SILVER 100.6
1	0.010.9177.3/10	1	gear z=56 z=26 z=46	
2	2.1559.176.0	2	bushing 40x44x25	
3	0.010.9294.4	_ 1	lock synchronizer	
	0.0.0.020	•	2224 <- X SILVER 80	
			3409 <- X SILVER 90	
			2006 <- X SILVER 100.4	
			3652 <- X SILVER 100.6	
4	0.010.9004.0/20	1	bushing	
5	0.010.9179.0	1	gear z=75 z=50	
			2224 <- X SILVER 80	
			3409 <- X SILVER 90	
			2006 <- X SILVER 100.4	
			3652 <- X SILVER 100.6	
5	0.010.9003.0	1	gear z=75 z=22	
			-> 2225 X SILVER 80	
			-> 3410 X SILVER 90	
			-> 2007 X SILVER 100.4	
•	0.040.0000.0440	_	-> 3653 X SILVER 100.6	
6	0.010.9006.0/10	1	gear z = 28	
7	0.011.3781.4	1 1	lock synchronizer	
8 9	2.1419.067.0 0.010.9008.0	1	circlip $35x1.5$ hub z = 22	
9	0.010.9006.0	ı	-> 2225 X SILVER 80	
			-> 3410 X SILVER 90	
			-> 2007 X SILVER 100.4	
			-> 3653 X SILVER 100.4	
			- 3000 X GIEVER 100.0	







Section: GEAR Ref.: 79

SPEED RANGE REDUCTION GEAR SHAFT

Fig.	Code	QTY	Name
1	0.008.5606.0	1	reduction shaft
			- FOR TYPES WITHOUT "S.B.A. SYSTEM"
			2164 <- X SILVER 80
			3245 <- X SILVER 90
			1954 <- X SILVER 100.4
			3454 <- X SILVER 100.6
1	0.010.8996.0/10	-	reduction shaft
			- FOR TYPES WITHOUT "S.B.A. SYSTEM"
			-> 2165 X SILVER 80
			-> 3246 X SILVER 90
			-> 1955 X SILVER 100.4
			-> 3455 X SILVER 100.6
2	0.009.7705.0/10	1	reduction shaft
			- FOR TYPES WITH "S.B.A. SYSTEM"
			2164 <- X SILVER 80
			3245 <- X SILVER 90
			1954 <- X SILVER 100.4
			3454 <- X SILVER 100.6
2	0.010.8997.0/10	1	reduction shaft
			- FOR TYPES WITH "S.B.A. SYSTEM"
			-> 2165 X SILVER 80
			-> 3246 X SILVER 90
			-> 1955 X SILVER 100.4
			-> 3455 X SILVER 100.6
			0.00 / 0.00 / 0.00

Section: GEAR Ref.: 80


INTERNAL GEARBOX AND REVERSE GEAR CONTROLS

Fig.	Code	QTY	Name	
1	2.2999.156.0	3	ball 10	
2	2.4019.622.1	3	spring 6.3x9.5x1.6x22.4	
3	2.3199.164.2/20	3	plug	
4	2.1560.008.0	3	gasket 12.2x18	
5	2.3199.263.2	1	plug m 16 p.2x16x22	
6	2.1560.012.0	1	gasket 16.2x22	
7	2.1699.160.0	1	pin 8x15	
8	2.0399.019.1	3	screw m 8 p.1x16	
9	2.1530.033.0	2	'o' ring 13.10x2.62	
10	0.010.0200.0/10	1	fork	
11	2.0112.215.2	2	screw m 8 p.1.25x40	
4.4	0.0440.044.0	•	- X SILVER 80 - 90	
11	2.0112.211.2	2	screw m 8 p.1.25x30	
40	0.4470.004.0	•	- X SILVER 100.4 - 100.6	
12	2.1470.004.2	2 1	lock washer 8	
13 14	0.009.9859.3	1	lever	
	2.1520.006.0	1	'o' ring 20x30x7	
15 16	0.009.9860.0/10 0.008.5405.0	2	support	
17		1	ring	
18	2.4019.565.1/10 0.009.9861.0	1	spring	
20	0.009.9862.0/10	1	support lever	
21	0.445.6421.0	1	rod	
22	0.010.0205.0/10	1	fork	
23	2.1699.159.0	1	pin 10x14.1	
24	0.445.6420.0	1	rod	
25	0.010.0191.0/10	1	fork	
26	0.445.3457.0/10	1	rod	
27	2.3171.007.4	1	plug 18	
28	2.1630.611.0	1	roll pin 6x24	
20	2.1000.011.0	•	- FOR FOUR GEAR VERSION	
29	0.010.0209.0/10	1	fork	
30	2.0399.019.1	1	screw m 8 p.1x16	
31	2.1560.008.0	1	gasket 12.2x18	
32	0.445.6454.0	1	rod	
33	2.3199.164.2/20	1	plug	
34	2.4019.622.1	1	spring 6.3x9.5x1.6x22.4	
35	2.2999.156.0	1	ball 10	
36	2.1699.159.0	1	pin 10x14.1	
37	2.3131.001.4	1	plug m 12 p.1.5	
38	2.0399.050.2	1	screw m 10 p.1x30	
39	2.1011.406.2	1	nut m 10 p.1	
40	2.1549.232.2	1	spacer	1/2
			- FOR FOUR GEAR VERSION	1/2

Section: GEAR Ref.: 80

INTERN	AL	GEARBOX AND	REVE	RSE	GEAR CONTROLS


Fig.	Code	QTY	Name	
41	2 3110 422 1	1	nlug m 12 n 1 25x10	




Section: GEAR Ref.: 80.1

HYDRIVE - GEARSHIFT LEVER

Fig.	Code	QTY	Name
1	2.2999.156.0	3	ball 10
2	2.4019.622.1	3	spring 6.3x9.5x1.6x22.4
3	2.3199.164.2/20	5	plug
4	2.1560.008.0	5	gasket 12.2x18
5	2.3199.263.2	1	plug m 16 p.2x16x22
6	2.1560.012.0	1	gasket 16.2x22
7	2.3131.001.4	1	plug m 12 p.1.5
8	2.0399.019.1	3	screw m 8 p.1x16
9	0.010.0209.0/10	1	fork
10	0.445.6454.0	1	rod
11	2.0112.211.2	2	screw m 8 p.1.25x30
12	2.1470.004.2	2	lock washer 8
13	0.009.9859.3	1	lever
14	2.1520.006.0	1	'o' ring 20x30x7
15	0.009.9860.0/10	1	support
16	0.008.5405.0	2	ring
17	2.4019.565.1/10	1	spring
18	0.009.9861.0	1	support
19	2.0399.050.2	1	screw m 10 p.1x30
20	0.009.9862.0/10	1	lever
21	0.445.6421.0	1	rod
22	0.010.0205.0/10	1	fork
23	2.1699.159.0	2	pin 10x14.1
24	0.445.6420.0	1	rod
25	0.010.0191.0/10	1	fork
26	2.1011.406.2	1	nut m 10 p.1
27	2.3171.007.4	1	plug 18
28	0.010.5635.0	1	cover - FOR TYPES WITHOUT AGROSHIFT
29	2.3110.422.1	1	plug m 12 p.1.25x10
30	2.0112.207.2	3	screw m 8 p 1.25x20
31	2.1470.004.2	3	lock washer 8






Section: GEAR Ref.: 81

4 SPEED GEARBOX WITH MINI REDUCTION GEAR


Fig.	Code	QTY	Name	
4	0.040.0000.0/40	4	£l.	
1	0.010.0202.0/10	1	fork	
2	2.0399.019.1	1	screw m 8 p.1x16	
3	2.4019.622.1	1	spring 6.3x9.5x1.6x22.4	
4	2.2999.156.0	1	ball 10	
5	2.1631.514.0	1	roll pin 6x30	
6	0.255.3463.0	1	rod-head	
7	2.1530.033.0	2	'o' ring 13.10x2.62	
8	0.445.3456.0/10	1	rod	
9	2.1699.160.0	2	pin 8x15	
11	2.0119.193.2	1	screw	
12	2.0112.221.2	1	screw m 8 p.1.25x60	
13	2.1470.006.2	1	lock washer 10	
14	2.1470.004.2	3	lock washer 8	
15	2.0312.202.2	1	screw m 8 p.1.25x12	
16	0.255.3464.0/10	1	plate	
17	0.255.3467.0/20	1	small block	
18	2.1121.005.2	1	selflock nut m 8 p.1.25	
19	0.255.3465.0	1	cam	
20	2.4099.035.1/10	1	spring	
21	2.0119.112.2/20	1	screw m 8x33	
22	0.008.4409.2	1	small lever	
23	2.4019.329.1	1	spring	
24	2.0399.019.1	1	screw m 8 p.1x16	
25	2.9919.881.0	1	plate	
26	2.1549.226.0	2	spacer 10.5x20x35	



Section: GEAR Ref.: 82

TRANSMISSION CONTROL LEVERS


Fig.	Code	QTY	Name	
1	0.008.2975.0	1	cover	
2	0.008.2826.0	2	guard	
3	0.008.2912.0	1	guard	
4	0.009.0239.3/10	1	lever	
5	0.009.0237.3/20	1	lever	
6	0.009.0235.3/10	1	lever	
7	0.009.0241.0	1	knob	
8	0.008.2837.0/10	1	knob	
9	2.0112.211.2	3	screw m 8 p.1.25x30	
10	2.1470.004.2	3	lock washer 8	
11	2.0351.459.3	5	screw 4.2x32	
12	0.008.2935.0	1	cap	
13	0.008.2837.0/10	1	knob	
14	0.008.2940.0	1	cap	
			2232 <- X SILVER 80	
			3530 <- X SILVER 90	
			2020 <- X SILVER 100.4	
			3689 <- X SILVER 100.6	
14	0.008.0961.0	1	cap	
			-> 2233 X SILVER 80	
			-> 3531 X SILVER 90	
			-> 2021 X SILVER 100.4	
			-> 3690 X SILVER 100.6	
15	0.008.2937.0	1	cap	
			2232 <- X SILVER 80	
			3530 <- X SILVER 90	
			2020 <- X SILVER 100.4	
			3689 <- X SILVER 100.6	
15	0.008.0959.0	1	cap	
			-> 2233 X SILVER 80	
			-> 3531 X SILVER 90	
			-> 2021 X SILVER 100.4	
			-> 3690 X SILVER 100.6	
16	0.008.9720.0/10	1	cap	
			2232 <- X SILVER 80	
			3530 <- X SILVER 90	
			2020 <- X SILVER 100.4	
			3689 <- X SILVER 100.6	
16	0.011.3496.0/10	1	cap	
			-> 2233 X SILVER 80	
			-> 3531 X SILVER 90	
			-> 2021 X SILVER 100.4	
			-> 3690 X SILVER 100.6	1/2
17	0.008.9717.0/10	1	cap	1/2



Section: GEAR Ref.: 82

TRANSMISSION CONTROL LEVERS


Fig.	Code	QTY	Name
	·		
			2232 <- X SILVER 80
			3530 <- X SILVER 90
			2020 <- X SILVER 100.4
			3689 <- X SILVER 100.6
17	0.011.3491.0/10	1	сар
			-> 2233 X SILVER 80
			-> 3531 X SILVER 90
			-> 2021 X SILVER 100.4
			-> 3690 X SILVER 100.6
18	0.008.2936.0	1	cap
19	2.1631.415.2	3	roll pin 5x32
		_	·
20	0.010.6236.0/10	1	plug
			- X HYDRIVE



Section: GEAR Ref.: 83

5TH GEAR WITH AGROSHIFT-CONTROLS


Fig.	Code	QTY	Name
4	0.000.0000.040	4	Land
1	0.008.2809.2/10	1	knob
2	0.007.6793.0	1	cap
3	0.008.2811.0	1	push-button
4	2.7659.085.0	1	switch
5	2.0350.456.2	2	screw 4.2x19
6	0.008.0395.3	1	wire
7	2.0169.009.0	3	screw



Section: GEAR Ref.: 83.1


5TH GEAR WITH HYDRIVE-CONTROLS

Fig.	Code	QTY	Name
1	0.010.8647.4/20	1	lever
•	0.010.0017.1720	•	- FOR TYPES WITHOUT AGROSHIFT
1	0.010.8660.4/20	1	lever
			- FOR AGROSHIFT TYPES
2	0.010.6680.4/10	1	knob
			- FOR TYPES WITHOUT AGROSHIFT
2	0.010.6670.4/10	1	knob
			- FOR AGROSHIFT TYPES
3	0.010.7193.0/20	1	spacer
4	0.008.2826.0	1	guard
5	0.000.0000.1	-	not serviceable
6	0.010.5341.4	1	connection
7	2.8339.159.0	1	warning light
			- FOR TYPES WITHOUT HML-AGROSHIFT AND
			WITH CAB
7	2.8339.222.0	1	warning light
			- FOR TYPES WITHOUT AGROSHIFT AND WITH
			PLATFORM
7	2.8339.156.0/10	1	warning light
_			- FOR TYPES WITH AGROSHIFT AND WITH CAB
7	2.8339.221.0	1	warning light
			- FOR TYPES WITH AGROSHIFT AND WITH
•	0.0440.444.0		PLATFORM
8	2.0112.411.2	4	screw m 12 p.1.75x30
9	2.1470.007.2	4	lock washer 12




Section: GEAR Ref.: 84

Fig.	Code	QTY	Name	
1	0.007.6838.4/30	1	control grp.	
			₽ 85	
			2421 <- X SILVER 80	
			4162 <- X SILVER 90	
			2328 <- X SILVER 100.4 4494 <- X SILVER 100.6	
			F 85	
1	0.011.5846.4	1	control grp.	
•	0.011.0010.1	•	© 85.1	
			-> 2422 X SILVER 80	
			-> 4163 X SILVER 90	
			-> 2329 X SILVER 100.4	
			-> 4495 X SILVER 100.6	
			F 85/1	
1	0.010.5694.4/20	1	controle panel	
			© 85.1	
			2421 <- X SILVER 80	
			4162 <- X SILVER 90 2328 <- X SILVER 100.4	
			4494 <- X SILVER 100.4	
			F 85 - X HYDRIVE	
1	0.010.5694.4/30	1	controle panel	
•	0.0.0.000	•	© 85.1	
			-> 2422 X SILVER 80	
			-> 4163 X SILVER 90	
			-> 2329 X SILVER 100.4	
			-> 4495 X SILVER 100.6	
			F 85/1 - X HYDRIVE	
2	2.0312.004.2	2	screw m 5 p.0.8x10	
3 4	2.1480.011.2 0.007.6756.3/20	4 1	spring washer 5 small arm	
5	2.0312.206.2	2	smail arm screw m 8 p.1.25x20	
6	0.007.6777.3/10	1	guide	
7	2.4049.206.2	1	spring	
8	0.007.6782.0	1	knob	
9	0.007.6778.0/10	1	guide	
10	2.0112.202.2	2	screw m 8 p.1.25x10	
11	0.007.7670.0	1	cover	
12	2.1499.145.2	1	spring	
13	0.007.7721.3/10	1	bracket	
14	2.1499.144.0	1	washer	
15 16	2.1499.143.0	1 1	washer 16.5x30x2	
16 17	2.1559.361.2	1	bushing 10x15x8.5 washer 11x30	1/2
17	2.1312.005.2	1	Magnet 11x30	




Section: GEAR Ref.: 84

Fig.	Code	QTY	Name
18	2.1475.203.2	1	spring washer 10
19	2.1120.321.2	1	nut m 10 p.1.25
20	2.4019.624.2	1	spring
21	0.007.6941.3	1	knob
22	2.0312.006.2	2	screw m 5 p.0.8x20
23	0.007.6940.0	1	cover
24	2.0322.202.3	3	screw m 4x8
25	0.007.6825.0	1	plate
26	0.007.6824.0	1	plate
27	0.009.3809.0	1	cover
28	0.009.3756.0	2	block
29	0.009.3757.0	2	block
30	0.007.7723.3/10	1	bracket
31	2.1549.277.2	2	spacer 8.5x13x13x4
32	0.007.7725.0/10	1	pin
33	0.007.7726.0/20	1	lever
34	0.007.7727.0/10	1	knob
35	2.1475.202.2	1	washer 8.4x16
36	2.1120.105.2	2	selflock nut m 8 p.1.25
37	2.1630.106.1	1	pin 2.5x12




Section: GEAR Ref.: 85

Fig.	Code	QTY	Name
1	0.007.6838.4/30	1	control grp.
1	0.010.5694.4/20	1	controle panel - X HYDRIVE
2	0.007.6269.4	1	printed circuit
2	0.010.9555.0	1	printed circuit - X HYDRIVE
3	2.0332.002.6	10	screw m 2.5x8
4	0.007.6762.0/10	1	plate
4	0.010.9554.0	1	plate - X HYDRIVE
5	0.007.6267.0	1	cover
6	2.0361.307.2	4	screw 3.5x12
7	0.007.6834.0	7	actuator
8	0.007.6748.0/10	1	support
9	0.007.6268.0	1	shim
10	0.007.6747.0/10	1	wire guide
11	2.0332.103.6	1	screw m 3x10
12	0.007.6849.0	1	switch
13	0.000.0000.1	-	not serviceable
14	0.007.6266.0	1	support



Section: GEAR Ref.: 85.1


Fig.	Code	QTY	Name
1	0.011.5846.4	1	control grp.
1	0.010.5694.4/30	1	controle panel - X HYDRIVE
2	0.011.5846.0	1	printed circuit
3	2.0332.002.6	10	screw m 2.5x8
4	0.007.6762.0/10	1	plate
4	0.010.9554.0	1	plate - X HYDRIVE
5	0.007.6267.0	1	cover
6	2.0361.307.2	4	screw 3.5x12
7	0.007.6834.0	7	actuator
8	0.007.6748.0/10	1	support
9	0.007.6268.0	1	shim
10	0.007.6747.0/10	1	wire guide
11	2.0332.103.6	1	screw m 3x10
12	0.007.6849.0	1	switch
13	0.000.0000.1	-	not serviceable
14	0.007.6266.0	1	support



Section: GEAR Ref.: 86

Section: GEAR GEARSHIFT LEVER


Fig.	Code	QTY	Name
1	0.008.9112.0/60	1	support
2	0.009.9855.2/10	1	bracket
3	2.0112.311.2	3	screw m 10 p.1.5x30
4	2.1470.006.2	5	lock washer 10
5	0.255.6466.0/10	1	guard
6	2.1470.007.2	4	lock washer 12
7	2.0112.411.2	4	screw m 12 p.1.75x30
8	0.008.4446.0	1	ball
9	2.1699.184.0	1	pin 6x52
10	0.255.6465.0	1	cup
11	2.4019.309.1/10	1	spring 51x40x4
12	0.159.6450.0	1	support
13	2.1579.964.2/10	1	spacer
14	0.255.6451.0/10	1	cap
15	0.009.9958.0/20	1	lever
16	0.009.9857.3/20	1	rod
17	2.1555.107.0	1	bushing 14x16x12
18	2.0112.215.2	1	screw m 8 p.1.25x40
19	2.1579.965.2	1	spacer
20	2.1120.006.2	1	nut m 10 p.1.5
21	2.1011.105.2	3	nut m 8 p.1.25
22	2.0112.209.2	3	screw m 8 p 1.25x25
23	2.1470.004.2	3	lock washer 8
24	0.467.6412.0	1	support
25	0.009.0603.0	1	guard
26	0.009.9819.2/10	1	support
27	0.255.6454.0	2	pin seat
28	0.009.9856.2/10	1	connecting rod
29	2.0112.305.2	2	screw m 10 p.1.5x16
30	2.1120.005.2	1	selflock nut m 8 p.1.25
31	2.0112.205.2	4	screw m 8 p.1.25x16 - X HYDRIVE
32	2.1549.117.0	1	spacer - X HYDRIVE



Section: GEAR Ref.: 87

REVERSING GEAR UNIT CONTROLS


ig.	Code	QTY	Name
	0.008.9150.2/40	1	support
	2.1555.211.0	1	bushing 20x23x15
	0.255.6466.0/10	1	guard
	0.008.4446.0	1	ball
	2.1699.184.0	1	pin 6x52
	0.255.6465.0	1	cup
	2.4019.309.1/10	1	spring 51x40x4
	0.467.6412.0	1	support
	0.159.6450.0	1	support
0	0.255.6451.0/10	1	cap
1	2.1470.004.2	8	lock washer 8
2	2.0112.205.2	5	screw m 8 p.1.25x16
3	2.1520.006.0	1	'o' ring 20x30x7
4	0.008.9195.0/30	1	lever
5	0.009.9959.2/20	1	rod
6	2.1579.964.2/10	1	spacer
7	2.0112.209.2	3	screw m 8 p 1.25x25
8	0.009.9960.0/20	1	support
9	2.1549.117.0	2	spacer
			- FOR TRANSMISSION WITHOUT MINI REDUCTION
_			GEAR
0	2.1011.105.2	3	nut m 8 p.1.25
1	2.1599.006.2	1	snoulder 8.4x25x2
2	0.009.9961.0	1	lever
3	2.0399.050.2	1	screw m 10 p.1x30
4	2.1011.406.2	1	nut m 10 p.1
5	2.1555.311.0	2	bushing 20x23x20
			-> 2225 X SILVER 80
			-> 3411 X SILVER 90 -> 2007 X SILVER 100.4 -> 3652 X SILVER 100.6



Section: GEAR Ref.: 88

REDUCTION GEAR UNIT CONTROLS


KEDU	REDUCTION GEAR UNIT CONTROLS								
Fig.	Code	QTY	Name						
1	2.1555.107.0	2	bushing 14x16x12						
2	2.1470.006.2	4	lock washer 10						
3	2.1011.106.2	3	nut m 10 p.1.5						
4	0.009.9821.0/10	1	lever						
5	0.255.6466.0/10	1	guard						
6	0.009.9858.2/10	1	fork						
7	0.009.9957.0	1	pin						
8	0.008.4446.0	1	ball						
9	2.1699.184.0	1	pin 6x52						
10	0.255.6465.0	1	cup						
11	2.4019.309.1/10	1	spring 51x40x4						
12	0.159.6450.0	1	support						
13	2.1579.964.2/10	1	spacer						
14	0.255.6451.0/10	1	cap						
15	0.009.9823.0/20	1	lever						
16	0.009.9822.3/10	1	rod						
17	2.1555.107.0	1	bushing 14x16x12						
18	2.0112.215.2	1	screw m 8 p.1.25x40						
19	2.1579.965.2	1	spacer						
20	2.4049.025.1	1	spring 17.1x116x2.1						
21	2.1011.105.2	3	nut m 8 p.1.25						
22	2.0112.209.2	3	screw m 8 p 1.25x25						
23	2.1470.004.2	3	lock washer 8						
24	0.467.6412.0	1	support						
25	2.1579.520.0	1	washer						
27	0.255.6454.0	2	pin seat						
28	0.009.9856.2/10	1	connecting rod						
30	2.1120.005.2	1	selflock nut m 8 p.1.25						



Section: GEAR Ref.: 89

REDUCTION GEAR UNIT CONTROLS

Fig.	Code	QTY	Name
N - 4			
Notes:	<- X SILVER 80 3245 <-	- X SILVER	90 1954 <- X SILVER 100.4 3454 <- X SILVER 100.6
2104	~- X SILVLIX 00 3245 ~	- X OILVLIX	90 1934 V- X SIEVER 100.4 3434 V- X SIEVER 100.0
1	0.007.2633.0/30	1	rod
•	0.007.2000.0700	•	- X SILVER 80 - 90 - 100.4
1	0.008.5703.0/10	1	rod
•	0.000.0.00.0.0.0.0.0	•	- X SILVER 100.6
2	0.007.2634.0/20	1	rod
			- X SILVER 80 - 90 - 100.4
2	0.008.5702.0/10	1	rod
			- X SILVER 100.6
3	0.255.6436.0/60	1	cover
			- X SILVER 80 - 90 - 100.4
4	0.008.5550.2	1	fork
5	0.255.6439.2/10	1	fork
6	2.1530.040.0	2	'o' ring 15.88x2.62
7	0.008.4316.0/30	1	hub
8	0.007.2630.0	1	hub
			- X SILVER 80 - 90 - 100.4
8	0.008.5704.0	1	hub
			- X SILVER 100.6
9	2.0399.019.1	2	screw m 8 p.1x16
10	2.1699.267.0	1	pin 8x18
11	0.255.6463.0	4	shoe
12	0.007.2631.0	1	plug
13	2.0112.215.2	9	screw m 8 p.1.25x40
15	2.1481.007.1	9	washer 8
16	2.1499.054.1	1	circlip 42
18	2.1599.429.0	1	snoulder 28x41.5
20	2.1653.709.0	2	pin 8x20
21	2.1699.159.0	3	pin 10x14.1
22	2.0342.305.1	3	screw m 8 p.1.25x20
			- X SILVER 80 - 90 - 100.4
23	0.255.3919.0/10	1	plate
			- X SILVER 80 - 90 - 100.4
24	2.4019.622.1	2	spring 6.3x9.5x1.6x22.4
25	2.1555.309.0	1	bushing 16x18x20
27	2.3131.001.4	1	plug m 12 p.1.5
29	0.009.9820.0/20	1	support
30	2.0312.208.2	3	screw m 8 p.1.25x25
31	0.008.5705.0	1	cover
			- X SILVER 100.6
32	2.1530.045.0	2	'o' ring 17.86x2.62
			- X SILVER 100.6



Section: GEAR Ref.: 89.1

REDUCTION GEAR UNIT CONTROLS

Fig.	Code	QTY	Name
Notes:			
	65 X SILVER 80 -> 3246	X SILVER	90 -> 1955 X SILVER 100.4 -> 3455 X SILVER 100.6
1	0.007.2633.0/30	1	rod
ı	0.007.2033.0/30	ı	- X SILVER 80 - 90 - 100.4
1	0.008.5703.0/10	1	rod
			- X SILVER 100.6
2	0.007.2634.0/20	1	rod
_			- X SILVER 80 - 90 - 100.4
2	0.008.5702.0/10	1	rod
3	0.255.6426.0/60	1	- X SILVER 100.6
3	0.255.6436.0/60	I	cover - X SILVER 80 - 90 - 100.4
4	0.008.5550.2	1	fork
5	0.010.9033.2	1	fork
6	2.1530.040.0	2	'o' ring 15.88x2.62
7	0.008.4316.0/30	1	hub
8	0.007.2630.0	1	hub
			- X SILVER 80 - 90 - 100.4
8	0.008.5704.0	1	hub
			- X SILVER 100.6
9	2.0399.019.1	2	screw m 8 p.1x16
10	2.1699.267.0	1	pin 8x18
11	0.255.6463.0	2	shoe
12	0.007.2631.0	1	plug
13	2.0112.215.2	9	screw m 8 p.1.25x40
15	2.1481.007.1	9	washer 8
16	2.1499.054.1	1	circlip 42
18	2.1599.429.0	1	snoulder 28x41.5
20	2.1651.709.0	2	pin 8x20
21	2.1699.159.0	6	pin 10x14.1
22	2.0342.305.1	3	screw m 8 p.1.25x20
23	0.255.3919.0/10	1	- X SILVER 80 - 90 - 100.4 plate
23	0.255.5919.0/10	ı	- X SILVER 80 - 90 - 100.4
24	2.4019.622.1	2	spring 6.3x9.5x1.6x22.4
27	2.3131.001.4	1	plug m 12 p.1.5
29	0.009.9820.0/20	1	support
30	2.0312.208.2	3	screw m 8 p.1.25x25
31	0.008.5705.0	1	cover
J.	2.000.0.00.0	•	- X SILVER 100.6
32	2.1530.045.0	2	'o' ring 17.86x2.62
		-	- X SILVER 100.6
33	0.010.9031.0	1	fork


32 13 15 20 23 22 21 24 11 2 623 _ 89 _ 1 34

SILVER 90

Section: GEAR Ref.: 89.1

REDUCTION GEAR UNIT CONTROLS

Fig.	Code	QTY	Name
24	0.040.0022.0/40	0	ah a a
34	0.010.9032.0/10	2	shoe
35	2.1410.001.1	2	circlip 10
36	0.010.9030.0	1	pin
37	2.1560.020.0	1	gasket 24.3x32
38	2.0399.050.2	1	screw m 10 p.1x30
39	2.1011.406.2	1	nut m 10 p.1



Section: GEAR Ref.: 89.2

QTY Name

SYNCHROMESH RANGE BOX - CONTROLS

Fig.

Code

<u>. 19.</u>	0040	α	
Notes: -> 216	35 X SILVER 80 -> 324	6 X SII VER	90 -> 1955 X SILVER 100.4 -> 3455 X SILVER 100.6
- 210	SO A GIEVEI (GO	O A OIL VEIC	500 7 1000 X GIEVER 100.4 7 0400 X GIEVER 100.0
1	0.007.2633.0/30	1	rod
			- X SILVER 80 - 90 - 100.4
1	0.008.5703.0/10	1	rod
			- X SILVER 100.6
2	0.007.2634.0/20	1	rod
			- X SILVER 80 - 90 - 100.4
2	0.008.5702.0/10	1	rod
			- X SILVER 100.6
3	0.255.6436.0/60	1	cover
			- X SILVER 80 - 90 - 100.4
4	0.010.9301.2/20	1	fork
5	0.010.9033.2	1	fork
6	2.1530.040.0	2	'o' ring 15.88x2.62
7	0.008.4316.0/30	1	hub
8	0.007.2630.0	1	hub
0	0.000 5704.0	4	- X SILVER 80 - 90 - 100.4
8	0.008.5704.0	1	hub
9	2.0399.019.1	2	- X SILVER 100.6 screw m 8 p.1x16
9 10	2.1699.267.0	1	pin 8x18
12	0.007.2631.0	1	plug
13	2.0112.215.2	9	screw m 8 p.1.25x40
15	2.1481.007.1	9	washer 8
16	2.1499.054.1	1	circlip 42
18	2.1599.429.0	1	snoulder 28x41.5
20	2.1651.709.0	2	pin 8x20
21	2.1699.159.0	6	pin 10x14.1
22	2.0342.305.1	3	screw m 8 p.1.25x20
	2.00 (2.000.)	J	- X SILVER 80 - 90 - 100.4
23	0.255.3919.0/10	1	plate
		•	- X SILVER 80 - 90 - 100.4
24	2.4019.622.1	2	spring 6.3x9.5x1.6x22.4
27	2.3131.001.4	1	plug m 12 p.1.5
29	0.009.9820.0/20	1	support
30	2.0312.208.2	3	screw m 8 p.1.25x25
31	0.008.5705.0	1	cover
			- X SILVER 100.6
32	2.1530.045.0	2	'o' ring 17.86x2.62
			- X SILVER 100.6
33	2.1011.406.2	2	nut m 10 p.1
34	2.0399.050.2	2	screw m 10 p.1x30

32 13 15 20 23 22 30 21 24 38 **36** 2 623 _ 89 _ 2

SILVER 90

Section: GEAR Ref.: 89.2

SYNCHROMESH RANGE BOX - CONTROLS

Fig.	Code	QTY	Name
		_	
35	0.010.9031.0	2	fork
36	0.010.9032.0/10	4	shoe
37	2.1410.001.1	4	circlip 10
38	2.1560.020.0	2	gasket 24.3x32
39	0.010.9030.0	1	pin
40	0.010.9300.0	1	pin

13 16 12 -19 21 10 614 - 90 20 18

SILVER 90

Section: GEAR


DIFFERENTIAL

Fig.	Code	QTY	Name	
1	2.2999.196.0	1	roller bearing	
2	2.1599.543.0	1	spacer 86x98x5	
			- X SILVER 100.6	
3	2.0112.313.2	10	screw m 10 p.1.5x35	
			() <-	
3	2.0119.311.2	2	screw m 10x40	
			() <-	
3	2.0312.314.2	12	screw m 10 p.1.5x40	
			-> ()	
4	2.1480.015.1	14	washer 10	
5	2.1011.106.2	2	nut m 10 p.1.5	
6	0.255.3513.0/10	1	support sx	
			1074 <- X SILVER 80	
			1109 <- X SILVER 90	
			1155 <- X SILVER 100.4	
			1163 <- X SILVER 100.6	
6	0.009.6541.0/20	1	support sx	
			-> 1075 X SILVER 80	
			-> 1110 X SILVER 90	
			-> 1156 X SILVER 100.4	
			-> 1164 X SILVER 100.6	
7	2.1580.319.0	2	shim 86x98x0.5	
7	2.1580.320.0	4	shim 86x98x0.2	
7	2.1580.321.0	2	shim 86x98x0.15	
8	0.255.3512.0/10	1	support dx	
			1074 <- X SILVER 80	
			1109 <- X SILVER 90	
			1155 <- X SILVER 100.4	
			1163 <- X SILVER 100.6	
8	0.009.6540.0/20	1	support dx	
			-> 1075 X SILVER 80	
			-> 1110 X SILVER 90	
			-> 1156 X SILVER 100.4	
			-> 1164 X SILVER 100.6	
9	2.2999.281.0	2	bearing 55x100x22.75	
10	0.445.3510.0	1	differential carrier	
11	2.0129.028.1	12	screw m 12 p.1.25x30	
12	0.157.3550.0	2	snoulder	
13	0.445.3522.3/20	1	crown wheel	
14	2.1631.519.0	1	roll pin 6x50	
15	2.1599.427.0/10	2	snoulder 42x64x0.3	
16	0.135.3527.3/20	1	sleeve	
17	0.135.3550.0/10	12	pin	1 /0
18	2.1499.061.1	1	circlip 120x3.4	1/2
-			1	

Ref.: 90

Section: GEAR Ref.: 90

	_	_			-	_			-	
)	ı	F	F	Ε	R	Ε	Ν	T	IΑ	L
1	-	-	-	_		_				_




20

18

Section: GEAR Ref.: 91

DIFFERENTIAL - S.B.A. MODEL

1 /2
1/3



31

15

29

26

1'7


18

42

Section: GEAR Ref.: 91

DIFFERENTIAL - S.B.A. MODEL


Fig.	Code	QTY	Name	
			1155 - V SII VED 100 4	
			1155 <- X SILVER 100.4 1163 <- X SILVER 100.6	
15	0.009.6541.0/20	1	support sx	
15	0.009.0041.0/20	ı	-> 1075 X SILVER 80	
			-> 1110 X SILVER 90	
			-> 1156 X SILVER 100.4	
			-> 1164 X SILVER 100.4	
16	2.1580.319.0	2	shim 86x98x0.5	
16	2.1580.320.0	2	shim 86x98x0.2	
16	2.1580.321.0	2	shim 86x98x0.15	
17	2.2999.196.0	1	roller bearing	
18	2.1499.061.1	1	circlip 120x3.4	
18	2.1499.062.1	1	circlip 120x3.5	
18	2.1499.063.1	1	circlip 120x3.6	
18	2.1499.064.1	1	circlip 120x3.7	
18	2.1499.065.1	1	circlip 120x3.8	
18	2.1499.066.1	1	circlip 120x3.9	
18	2.1499.067.1	1	circlip 120x4	
18	2.1499.068.1	1	circlip 120x4.1	
20	2.2520.012.0	1	roller bearing 55x100x22.75	
21	0.008.5612.0/20	1	flange dx	
			* 1074 <- X SILVER 80	
			* 1109 <- X SILVER 90	
			* 1155 <- X SILVER 100.4	
			* 1163 <- X SILVER 100.6	
			- N.12 2.0312.314.2	
			- N.14 2.1480.015.2	
22	2.1580.305.0	2	shim 97x108x0.2	
22	2.1580.306.0	2	shim 97x108x0.5	
22	2.1580.312.0	2	shim 97x108x0.05	
23	2.3339.488.2/10	1	pipe fitting	
			- X SILVER 80 - 90 - 100.4	
24	2.1560.023.0	1	gasket 30.3x36	
			- X SILVER 80 - 90 - 100.4	
25	2.2520.013.0	1	roller bearing 60x110x23.75	
26	2.0112.313.2	12	screw m 10 p.1.5x35	
28	2.1579.350.2	2	spacer 10.5x20x6	
29	2.1480.015.1	14	washer 10	
30	2.1011.106.2	2	nut m 10 p.1.5	
31	2.0129.028.1	12	screw m 12 p.1.25x30	
32	0.008.5741.0/10	1	differential carrier	
			1739 <- X SILVER 80	
			2347 <- X SILVER 90	2/3
			1587 <- X SILVER 100.4	,,-



Section: GEAR Ref.: 91

DIFFERENTIAL - S.B.A. MODEL

Fig.	Code	QTY	Name
			2395 <- X SILVER 100.6
32	0.008.5741.0/20	1	differential carrier
			-> 1740 X SILVER 80
			-> 2348 X SILVER 90
			-> 1588 X SILVER 100.4
			-> 2396 X SILVER 100.6
33	0.008.5909.3	1	cover
			1739 <- X SILVER 80
			2347 <- X SILVER 90
			1587 <- X SILVER 100.4
			2395 <- X SILVER 100.6
33	0.008.5909.3/20	1	cover
			-> 1740 X SILVER 80
			-> 2348 X SILVER 90
			-> 1588 X SILVER 100.4
	0.0440.000.0	•	-> 2396 X SILVER 100.6
34	2.0112.309.2	8	screw m 10 p.1.5x25
35	2.1470.006.2	8	lock washer 10
36	0.164.3646.0	2	piston ring
37	2.3261.003.2	1	pipe fitting m 10 p.1.25-1/2"
38	2.1560.006.0	1	gasket 10.5
39 40	0.008.4348.3/20	1	tube
40 41	2.3330.003.1	1 2	pipe union m 12 p.1.5
41 42	2.1560.008.0 2.1589.167.0	1	gasket 12.2x18 shim 105x112x0.15
42 42	2.1589.167.0	1	shim 105x112x0.15 shim 105x112x0.1
42 42	2.1589.169.0	1	shim 105x112x0.1 shim 105x112x0.5
42 43	0.008.5903.0/20	1	pipe union
70	0.000.0900.0/20	1	- X SILVER 100.6
44	0.008.5904.0/10	1	plug
7-7	0.000.0007.0/10	1	- X SILVER 100.6
45	2.1530.058.0	1	'o' ring 22.22x2.62
.5	2.1000.000.0	•	- X SILVER 100.6
			/ CIL T L




31

15

29

26

42 17 18




Section: GEAR Ref.: 92

DIFFERENTIAL BEVEL GEAR PAIR

Fig.	Code	QTY	Name
1	0.008.5555.3/40	1	bevel gear 30 Km/h - X SILVER 80 - 90 - 100.4
1	0.008.5598.3/40	1	bevel gear 30 Km/h - X SILVER 100.6
1	0.008.5554.3/30	1	bevel gear 40 Km/h - X SILVER 80 - 90 - 100.4
1	0.010.0132.3	1	bevel gear 40 Km/h - X SILVER 100.6

1/1



Section: GEAR Ref.: 93


DIFFERENTIAL LOCK CONTROL-ELECTROHYDRAUDLIC


Fig.	Code	QTY	Name
		'	
1	2.3110.405.1	1	plug m 18 p.1.5x15
2	2.1560.014.0	1	gasket 18.2x24x1.5
3	2.4019.225.1	1	spring 28x79x4.5
4	0.008.5636.0	1	rod
			- X SILVER 80 - 90 - 100.4
5	0.445.3541.0	1	fork
6	0.190.6858.0	1	stop
7	2.1631.415.2	1	roll pin 5x32
8	2.4019.339.1	1	spring 32x56.5x3.5
10	0.008.5650.0/10	1	piston
11	2.1560.023.0	1	gasket 30.3x36
12	2.3199.176.0	1	plug m 30 p.1.5-14 p.1.5
			- X SILVER 80 - 90 - 100.4
12	2.3199.245.2/10	1	plug
			- X SILVER 100.6
13	2.1549.146.0	1	spacer 16.5X36X12
14	0.009.3480.3	1	tube
			- X SILVER 80 - 90 - 100.4
14	0.009.3579.3/10	1	tube
			- X SILVER 100.6
15	0.008.5643.0	1	rod
			- X SILVER 100.6
16	0.008.5642.0	1	rod
			- X SILVER 100.6

Section: GEAR Ref.: 94

DIFFERENTIAL LOCK CONTROL-MECHANICAL

Fig.	Code	QTY	Name
1	2 2110 405 4	4	plug m 19 p 1 5y15
1 2	2.3110.405.1	1 1	plug m 18 p.1.5x15 gasket 18.2x24x1.5
	2.1560.014.0		
3	2.4019.225.1	1	spring 28x79x4.5
4	0.008.5024.0	1	rod mm 295 - X SILVER 80 - 90 - 100.4
5	0.445.3541.0	1	fork
6	0.190.6858.0	1	stop
7	2.1631.415.2	1	roll pin 5x32
8	2.4019.339.1	1	spring 32x56.5x3.5
9	2.1549.146.0	1	spacer 16.5X36X12
10	0.008.5643.0	1	rod
10	0.000.3043.0	ı	- X SILVER 100.6
11	0.008.5642.0	1	rod
''	0.000.3042.0		- X SILVER 100.6
12	2.3199.247.2	1	plug
12	2.3199.241.2	ı	- X SILVER 80 - 90 - 100.4
13	0.135.6813.0/10	1	small lever
13	0.133.0613.0/10	ı	- X SILVER 80 - 90 - 100.4
14	2.1430.008.7	1	circlip 7
15	2.1530.028.0	1	'o' ring 11.91x2.62
16	2.1699.213.2	1	pin
10	2.1000.210.2	•	- X SILVER 80 - 90 - 100.4
17	2.1430.010.7	1	circlip 9
18	2.1555.306.0	1	bushing 12x14x20
10	2.1000.000.0	•	- X SILVER 100.6
19	0.008.0125.3/10	1	lever
10	0.000.0120.0/10	•	- X SILVER 100.6
20	2.3199.246.2/10	1	plug
20	2.0100.240.2/10	•	- X SILVER 100.6
21	2.1699.370.2	1	pin
			- X SILVER 100.6
22	2.1470.006.2	1	lock washer 10
23	2.1530.026.0	1	'o' ring 11.11x1.78
24	2.1699.371.0/10	1	pin 14x36
			- X SILVER 100.6
25	2.1560.010.0	1	gasket 14.2x20
26	2.3110.403.1	1	plug m 14 p.1.5
			- X SILVER 100.6
27	2.1560.023.0	1	gasket 30.3x36
,		-	- X SILVER 100.6
28	0.008.5650.0/10	1	piston
-		-	- X SILVER 100.6






Section: GEAR Ref.: 94.1

DIFFERENTIAL LOCK CONTROL

Fig.	Code	QTY	Name
1	0.008.9242.0/40	1	rod
2	0.009.9640.2	1	rod
_	0.000.0010.2	•	- X SILVER 80 - 90 - 100.4
2	0.008.9541.2	1	rod
_	0.000.0011.2	•	- X SILVER 100.6
4	0.255.6865.0/10	1	bracket
5	0.255.6870.2/20	1	lever
6	2.1559.128.0	1	bushing 16x20x20
7	0.169.6557.0	1	cover
9	2.0112.205.2	1	screw m 8 p.1.25x16
12	2.0112.415.2	1	screw m 12 p.1.75x40
13	2.0119.070.6	2	screw m 4x16
14	2.1011.105.2	1	nut m 8 p.1.25
15	2.1310.004.2	3	flat washer 8.4x16
18	2.1310.007.2	1	flat washer 13x24
19	2.1470.004.2	2	lock washer 8
20	2.1310.028.2	2	flat washer 4.3x9
21	2.1470.007.2	1	lock washer 12
22	2.1579.828.0/10	1	spacer 12x16x22.5
23	2.1670.305.2	1	pin 8x22x19
24	2.1690.206.2	3	split pin 2x16
27	0.170.6852.3	1	support
28	2.1470.004.2	2	lock washer 8
29	2.1011.105.2	2	nut m 8 p.1.25
30	0.255.6864.0/10	1	top link
31	2.0112.219.2	2	screw m 8 p.1.25x50
32	2.1470.004.2	2	lock washer 8
33	2.1579.795.2	2	spacer 11.4x17.2x30
34	2.3519.013.2	1	fork
35	2.1142.005.2	2	insert m 8
36	0.008.9242.4/20	1	top link
37	2.1631.409.0	1	pin 5x20
38	2.7659.096.0/10	1	switch

1/1

LIGHTING SYSTEM ELECTRIC LIGHTING SYSTEM 213 ELECTRIC STARTING SYSTEM 222 FLECTRICAL SYSTEM FOR TYPE WITH CAB 224 ELECTRIC STARTING SYSTEM 225 ELECTRICAL SYSTEM 225.3 ELECTRIC STARTING SYSTEM 226 POWER-LIFT ELECTRONIC SYSTEM 229




Ref.: 213

Section: LIGHTING SYSTEM

ELECTRIC LIGHTING SYSTEM

Fig.	Code	QTY	Name	
_	0.0040.000.0/00	4	1	
1	2.8019.980.0/20	1	lamp dx	
			© 218	
4	2 0040 000 0/20	4	F 218	
1	2.8019.990.0/20	1	lamp sx	
			<i>☞</i> 218 F 218	
2	2.8019.970.0	1	side lamp dx	
2	2.0019.970.0	!	© 218	
			F 218	
2	2.8019.960.0	1	side lamp sx	
_	2.0010.000.0	'	© 218	
			F 218	
3	2.1470.001.2	4	lock washer 5	
4	2.1011.102.2	4	nut m 5 p.0.7	
5	0.261.7658.0	1	plug	
-			- EXPORT CH	
6	2.6819.004.2	3	clamp	
7	2.6839.024.2	1	clamp	
8	2.0350.454.2	2	screw 4.2x13	
9	2.8029.240.0/10	1	side lamp	
			<i>ௐ</i> 218	
			F 218	
10	2.0332.207.3	2	screw m 4x20	
11	2.1310.028.2	2	flat washer 4.3x9	
12	2.1011.101.2	2	nut m 4	
13	0.255.8454.3/20	1	wire	
14	2.6569.015.0	2	rubber plug	
15	2.0332.306.3	2	screw m 5x0.8x16	
16	0.008.0760.0/10	1	lamp support	
17	2.1011.103.2	8	nut m 6 p.1	
18	2.1470.002.2	8	lock washer 6	
19	2.1310.002.2	8	flat washer 6.4x12.5	
20	2.6569.018.0	2	wire guide 20x8x15	
21	2.6560.024.0	1	grommet 28x5	
22	0.009.7474.0	2	gasket	
23	2.8029.760.0/30	2	lamp - FOR RIGHT-HAND DRIVE	
24	2.8212.002.0	2		
24	2.0212.002.0	2	lamp 12V-45/40W	
24	0.010.2251.0	2	() <- lamp 60/55W - HALOGEN -	
2 4	0.010.2251.0	2	•	
25	2.8029.770.0/30	2	-> () lamp	
20	2.0020.110.0100	_	- FOR LEFT-HAND DRIVE	
26	2.8212.002.0	2	lamp 12V-45/40W	1/2
20	2.02 12.002.0	_	14111P 12 V-70/70 VV	



Section: LIGHTING SYSTEM

ELECTRIC LIGHTING SYSTEM

Fig.	Code	QTY	Name	
			() <-	
26	0.010.2251.0	2	()	
			-> ()	
27	2.1011.103.2	4	nut m 6 p.1	
28	0.007.7018.0	2	plate	
29	2.8349.008.0/20	2	reflector mm 80	
30	0.009.6758.4/10	1	headlight	
31	2.0112.007.2	4	screw m 6 p.1x20	
32	2.1470.002.2	4	lock washer 6	
33	2.1310.002.2	4	flat washer 6.4x12.5	

2/2

Section: LIGHTING SYSTEM

ELECTRICAL EQUIPMENT REAR








Fig.	Code	QTY	Name
1	0.008.0379.4/80	1	electrical system - FOR MECHANICAL CONTROLS * () <-
	0.000.0040.4/00		- N.1 - 2.7659.096.0/10 - 2.7659.202.0 - N.1 - 010.2146.0 - 2.7099.660.0/10 - 2.7099.750.0/10
1	0.008.0613.4/90	1	electrical system - FOR ELECTROHYDRAULIC CONTROLS * () < N.1 - 2.7659.096.0/10 - 2.7659.202.0
			- N.1 - 2.7659.096.070 - 2.7659.202.0 - N.1 - 010.2146.0 - 2.7099.660.0/10 - 2.7099.750.0/10
1	0.010.5254.4/30	1	electrical system
			- X HYDRIVE - FOR MODELS WITH CAB
			* () <-
			- N.1 - 2.7659.096.0/10 - 2.7659.202.0
1	0.011.6715.4/10	1	electrical system
			- X HYDRIVE - FOR MODELS WITH PLATFORM
2	0.010.2146.0	1	wire
_	0.010.2110.0	•	() <- A = mm 250
2	0.010.4758.0	1	mass
			-> () A = mm 300
3	0.008.0918.0	1	clamp
5	0.008.0916.0	1	clamp
6	2.1310.009.2	1	flat washer 15x28
7	2.0112.309.2	1	screw m 10 p.1.5x25
8	2.1310.006.2	1	flat washer 10.5x20
9	2.1474.012.2	1	washer 14
10	2.1474.010.2	1	spring washer 10
11	2.7099.640.0/10	1	tempe guage
12	2.1011.408.2	1	nut m 14 p.1.5



Section: LIGHTING SYSTEM Ref.: 215

ELECTRIC LIGHTING SYSTEM FOR TYPE WITH PLATFORM

Fig.	Code	QTY	Name
1	2.8029.730.0	2	headlight
2	2.6839.060.0	2	clamp 40/25
3	2.6560.018.0	1	rubber plug 22x5
4	2.7659.109.0	1	push-button
5	0.009.6742.4/10	1	coupling
6	0.009.6934.3/10	1	wire
7	2.6039.010.0	2	guard
8	2.7659.118.0	1	push-button
9	2.8319.002.0	2	lamp 12V-55W




Section: LIGHTING SYSTEM Ref.: 216

ELECTRIC LIGHTING SYSTEM FOR TYPE WITH PLATFORM

Fig.	Code	QTY	Name
	0.000.0550.4		
1	0.009.6558.4	1	lamp dx
2	0.009.6559.4	1	lamp sx
3	2.7659.111.0	1	push-button
4	0.009.6887.3	1	wire
5	2.7659.107.0	1	relay 12V-30A
6	2.6039.010.0	2	guard

1/1



Section: LIGHTING SYSTEM Ref.: 217

ELECTRIC LIGHTING SYSTEM FOR TYPE WITH PLATFORM

1

13

14

0.010.0083.0


0.010.0062.0


Fig.	Code	QTY	Name
Notes: - FOR	TYPES WITHOUT SAFE	TY FRAME	
1	2.8019.970.0	1	side lamp dx © 218 F 218
2	2.8019.960.0	1	side lamp sx ☞ 218 F 218
3	0.009.7474.0	2	gasket
4	2.1470.001.2	4	lock washer 5
5	2.1011.102.2	4	nut m 5 p.0.7
6	2.6569.018.0	2	wire guide 20x8x15
7	2.3199.174.0	4	plug
8	0.010.0051.3/10	1	support dx
9	0.010.0050.3/10	1	support sx
10	2.1549.282.2	4	spacer
11	2.1011.105.2	4	nut m 8 p.1.25

plug

plug

1/1






Section: LIGHTING SYSTEM

HEADLAMP COMPONENTS

Fig.	Code	QTY	Name
1	2.8019.980.0/20	1	lamp dx
2	2.8019.980.1	1	light body dx
3	2.8313.001.0	2	lamp 12V 21W
4	2.8311.005.0	1	lamp 12V-5W
5	2.8019.480.2	1	cap
6	0.000.0000.1	-	not serviceable
7	2.8019.990.0/20	1	lamp sx
8	2.8019.990.1	1	light body sx
9	2.8313.001.0	2	lamp 12V 21W
10	2.8311.005.0	1	lamp 12V-5W
11	2.8019.480.2	1	cap
12	0.000.0000.1	-	not serviceable
13	2.8019.960.0	1	side lamp sx
13	2.8019.970.0	1	side lamp dx
14	2.8019.200.1	1	glass
15	2.8313.001.0	1	lamp 12V 21W
16	2.8311.005.0	1	lamp 12V-5W
17	0.000.0000.1	-	not serviceable
18	2.8029.240.0/10	1	side lamp
19	2.8313.005.0	1	lamp 12V-5W
20	0.000.0000.1	-	not serviceable

1/1




Ref.: 219

Section: LIGHTING SYSTEM

ELECTRIC STARTING SYSTEM 65A


Fig.	Code	QTY	Name	
1	2.9439.540.0	1	alternator 65 A - ISKRA - ☞ 220.4	
			F 220/5 - ISKRA	
2	2.0114.315.2	1	screw m 10 p.1.5x40	
3	2.6839.054.0	3	clamp 25/20	
4	2.0112.209.2	1	screw m 8 p 1.25x25	
5	2.1011.105.2	1	nut m 8 p.1.25	
6	2.0112.205.2	1	screw m 8 p.1.25x16	
7	2.0112.207.2	1	screw m 8 p 1.25x20	
8	0.007.6794.0/10	1	support	
9	0.007.6799.0/10	1	bracket	
10	2.1549.267.2/10	1	spacer	
11	0.98525.64.0	4	register mm 1	
12	2.0399.222.2	1	screw m 10x35	
13	2.0399.221.2	1	screw m 8x95	
14	2.0112.311.2	1	screw m 10 p.1.5x30	
15	2.0112.317.2	1	screw m 10 p.1.5x45	
16	2.0122.483.2	1	screw m 12x120	
17	2.1310.006.2	1	flat washer 10.5x20	
18	2.1310.007.2	1	flat washer 13x24	
19	2.1011.106.2	2	nut m 10 p.1.5	
20	2.1470.006.2	5	lock washer 10	
21	2.1470.007.2	1	lock washer 12	
22	2.4119.146.0/10	1	belt mm 835	
23	0.007.7974.2/10	1	shield	
24	0.007.7975.0	1	gasket 145x20x5	
25	2.9619.390.0	1	starter motor BOSCH 3 KW	
			☞ 220.1	
			☞ 220.2	
			₽ 220.3	
			- FOR PREVIOUS VERSION-SEE	
			F 220/1 - MARELLI -	
			F 220/2 - BOSCH	
			F 220/3 - ISKRA	
			F 220/4 - ISKRA	
26	0.008.0391.0	1	cover	
27	2.6519.024.0	1	cap	
28	2.1011.422.2	1	nut m 12 p.1.25	
29	2.1470.006.2	1	lock washer 10	
30	2.1011.422.2	1	nut m 12 p.1.25	
31	2.1474.011.2	2	spring washer 12	
32	2.8419.003.0	1	horn	
33	2.1499.057.1	1	washer 8.2x23	1/2
34	2.1011.105.2	1	nut m 8 p.1.25	-/ -



Section: LIGHTING SYSTEM

ELECTRIC STARTING SYSTEM 65A


Fig.	Code	QTY	Name
35	0.007.6816.0	1	pulley - FOR MODELS WITH PLATFORM * 1097 <- X SILVER 80 * 1159 <- X SILVER 90 * 1069 <- X SILVER 100.4 * 1165 <- X SILVER 100.6 - N.1 - 007.6161.0
35	0.007.6816.0	1	pulley



Section: LIGHTING SYSTEM

ELECTRIC STARTING SYSTEM 85A

V
ON-SEE
1/2
1,2




Section: LIGHTING SYSTEM

ELECTRIC STARTING SYSTEM 85A

Fig.	Code	QTY N	Name

F 220/4 - ISKRA




Section: LIGHTING SYSTEM

STARTER PARTS

Fig.	Code	QTY	Name		
1	0.000.0000.1	-	not serviceable		
			- MARELLI - (2.9619.340.0)		
2	0.009.4274.1	1	coupling		
3	2.9619.160.2	1	support		
4	2.9619.270.1	1	electromagnet		
5	0.009.4274.0	1	field winding		
6	0.009.4273.2	1	armature		
7	0.009.4273.1	1	brush holder		
8	0.009.4272.2	1	support		
9	0.000.0000.1	-	not serviceable		
10	0.009.4273.0	1	support		

1/1




Section: LIGHTING SYSTEM

STARTER PARTS

Fig.	Code	QTY	Name
1	0.000.0000.1	-	not serviceable
			- BOSCH - (2.9619.290.0/10)
2	2.9619.181.2	1	support
3	2.9619.080.3	1	sleeve
4	2.9619.180.2	1	support
5	0.009.4475.0	1	bushing
6	0.000.0000.1	-	not serviceable
7	2.9619.180.7	1	field winding
8	2.9619.080.4	1	lever
9	0.009.4476.2	1	screw
10	2.9619.181.0	1	brush holder
11	0.009.4476.0	1	support
12	2.9619.090.7	1	sleeve
13	2.9619.083.6	1	cover
14	2.9619.180.1	1	armature
15	2.9619.230.1	1	pinion z=9
16	0.010.2063.0	2	bushing
17	2.9619.180.6	2	rod
18	0.009.4476.1	1	brush set
19	2.9619.180.8	4	spring
20	2.9619.110.8	1	switch
21	2.9619.021.9	1	accessories
22	0.009.4475.1	1	washer
23	2.1011.105.2	1	nut m 8 p.1.25
24	2.1011.103.2	2	nut m 6 p.1
25	2.0220.309.2	2	screw m 5x0.8x14
26	0.000.0000.1	-	not serviceable
27	0.000.0000.1	-	not serviceable
28	2.9619.090.6	1	small plate
29	2.0230.204.2	1	screw m 4x6
30	2.1310.002.3	2	flat washer 6.4x12x1.6
31	0.000.0000.1	-	not serviceable
32	0.009.4475.2	3	screw

1/1




Section: LIGHTING SYSTEM

STARTER PARTS

Fig.	Code	QTY	Name	
4	0.000.0000.4		not considerable	
Ţ	0.000.0000.1	-	not serviceable - ISKRA - (2.9619.350.0)	
2	0.009.4260.1	1	support	
3	0.009.4260.2	1	bushing	
4	0.009.4261.0	1	support	
5	0.000.0000.1	-	not serviceable	
6	0.009.4261.1	1	field winding	
7	0.009.4261.2	1	accessories	
8	0.009.4258.0	1	lever	
9	0.009.4262.0	1	armature	
10	0.009.4262.1	1	brush holder	
11	0.009.4262.2	1	support	
12	0.009.4259.1	-	bushing	
13	0.009.4263.0	1	pinion z = 9	
14	0.009.4263.1	1	brush set	
15	0.009.4256.2	1	switch	

1/1




Section: LIGHTING SYSTEM


STARTER PARTS

Fig.	Code	QTY	Name
1	0.000.0000.1	-	not serviceable
			- ISKRA - (2.9619.380.0)
2	0.009.4260.1	1	support
3	0.010.2576.1	1	bushing
4	0.009.4257.0	1	support
5	0.000.0000.1	-	not serviceable
6	0.010.2576.2	1	field winding
7	0.010.2577.2	1	accessories
8	0.009.4258.0	1	lever
9	0.009.4262.0	1	armature
10	0.010.2577.0	1	brush holder
11	0.009.4749.0	1	support
12	0.009.4884.2	1	bushing
13	0.009.4263.0	1	pinion $z = 9$
14	0.010.2577.1	1	brush set
15	0.010.2576.0	1	switch


Section: LIGHTING SYSTEM

ALTERNATOR PARTS





2_9439_540_0



Section: LIGHTING SYSTEM


ALTERNATOR PARTS


ALTERNATOR FARTS				
Code	QTY	Name		
2.9439.450.0/10	1	alternator 85A ISKRA		
0.010.2069.0	1	cover		
0.010.2069.1	1	bearing		
0.010.2069.2	4	field winding		
0.010.2070.0	1	screw		
0.010.2070.1	1	armature		
0.010.2226.2	1	accessories		
0.010.2070.2	1	bearing		
0.010.2071.0	1	rectifier		
0.010.2071.1	1	cover		
0.010.2071.2	1	guard		
0.010.2072.0	1	regulator		
0.009.4335.1	2	brush set		
0.000.0000.1	-	not serviceable		
	2.9439.450.0/10 0.010.2069.0 0.010.2069.1 0.010.2069.2 0.010.2070.0 0.010.2070.1 0.010.2226.2 0.010.2070.2 0.010.2071.0 0.010.2071.1 0.010.2071.2 0.010.2071.2 0.010.2072.0 0.009.4335.1	Code QTY 2.9439.450.0/10 1 0.010.2069.0 1 0.010.2069.1 1 0.010.2069.2 4 0.010.2070.0 1 0.010.2070.1 1 0.010.2226.2 1 0.010.2070.2 1 0.010.2071.0 1 0.010.2071.1 1 0.010.2071.2 1 0.010.2072.0 1 0.009.4335.1 2	Code QTY Name 2.9439.450.0/10 1 alternator 85A ISKRA 0.010.2069.0 1 cover 0.010.2069.1 1 bearing 0.010.2069.2 4 field winding 0.010.2070.0 1 screw 0.010.2070.1 1 armature 0.010.2226.2 1 accessories 0.010.2070.2 1 bearing 0.010.2071.0 1 rectifier 0.010.2071.1 1 cover 0.010.2071.2 1 guard 0.010.2072.0 1 regulator 0.009.4335.1 2 brush set	

1/1


Section: LIGHTING SYSTEM

ELECTRIC STARTING SYSTEM - BATTERY





2 614 _ 221 1




Section: LIGHTING SYSTEM

ELECTRIC STARTING SYSTEM

Fig.	Code	QTY	Name
1	2.7099.360.0/10	1	pressure switch
			() <- = A
1	2.7099.680.0/10	1	pressure switch 0.4 - 0.7 BAR
			-> () = B
2	2.1579.952.2	4	spacer 15x4.5x3
4	0.008.0616.0	1	pipe fitting
5	0.008.0378.0	1	cover
6	2.7659.107.0	1	relay 12V-30A
7	0.008.0618.4/20	1	control box
8	0.008.0390.2/40	1	square
9	2.0112.005.2	2	screw m 6 p.1x16
10	2.1310.002.2	2	flat washer 6.4x12.5
11	2.1470.002.2	2	lock washer 6
12	2.7659.096.0/10	2	switch
			- X P.T.O X SILVER 100.4 - 100.6
13	2.0119.070.6	4	screw m 4x16
14	2.1310.028.2	4	flat washer 4.3x9
15	2.7659.096.0/10	1	switch
			- 4WD
16	2.0332.206.2	2	screw M4x0,7X16
17	2.1310.028.2	2	flat washer 4.3x9
18	2.1470.052.2	2	lock washer 4
19	0.010.1027.4	1	electronic unit
20	0.010.4581.0	1	square
21	2.0112.007.2	1	screw m 6 p.1x20
22	2.1310.002.2	1	flat washer 6.4x12.5
23	2.1470.002.2	1	lock washer 6
24	2.1011.103.2	1	nut m 6 p.1
25	0.010.1214.4	1	pick-up
26	2.1310.001.2	2	flat washer 5.3x10
27	2.0312.004.2	2	screw m 5 p.0.8x10

1/1



Section: LIGHTING SYSTEM

AUXILIARY HEATING


Fig.	Code	QTY	Name

Notes: - FOR COLD CLIMATES

1	0.011.3716.4	1	control box
2	0.008.0390.2/40	1	square
3	2.0112.005.2	2	screw m 6 p.1x16
4	2.1310.002.2	2	flat washer 6.4x12.5
5	2.1470.002.2	2	lock washer 6
6	2.7659.107.0	1	relay 12V-30A
7	0.011.3684.0/10	1	support
8	2.7099.640.0/10	1	tempe guage
9	0.98503.67.0	10	clamp
10	0.011.3717.3	1	electrical system
11	2.1560.010.0	1	gasket 14.2x20

1/1

Ref.: 222.1



623_222_2

SILVER 90

Section: LIGHTING SYSTEM

OIL PREHEATING FOR ARTIC CONDITIONS

Fig.	Code	QTY	Name
1	0.012.4374.4	1	wire
2	2.7659.236.0	1	switch
3	0.010.4795.3/10	-	wire

1/1


Ref.: 222.2

Ref.: 223

Section: LIGHTING SYSTEM

ELECTRICAL SYSTEM FOR TYPE WITH PLATFORM

Fig.	Code	QTY	Name
1	0.009.7140.2/10	1	small cover
2	2.1549.009.2	2	spacer 7x11x5.5
3	2.7659.110.0	1	push-button
4	2.1011.103.2	4	nut m 6 p.1
5	2.1310.002.2	4	flat washer 6.4x12.5
6	2.6839.051.0	4	clamp 20/20
7	2.6032.011.0	1	socket 2
8	2.1310.001.3	2	washer 5.3x10
9	2.0399.167.3	2	screw m 5 p.0.8x14
10	2.6032.021.0	1	socket
11	2.8639.007.0	1	intermitent switch
12	2.7659.127.0	1	switch
13	0.009.7118.0	1	plate
14	2.7439.017.0/10	2	ignition key
15	0.98503.67.0	10	clamp
16	0.009.7621.3	1	switch
17	2.0119.160.3	2	screw m 6 p.1x14
18	2.1499.097.3	2	washer 6
19	2.0399.175.3	4	screw 4.2x19
20	2.0112.005.2	3	screw m 6 p.1x16
21	2.1310.002.2	3	flat washer 6.4x12.5
22	2.6999.031.2	1	special nut m 6
23	0.009.1906.2/10	1	bracket
24	0.009.1905.2	1	bracket
25	2.1310.002.2	4	flat washer 6.4x12.5
26	2.1011.103.2	4	nut m 6 p.1
27	2.7659.096.0/10	1	switch
			2398 <- X SILVER 80
			4068 <- X SILVER 90
			2296 <- X SILVER 100.4
			4385 <- X SILVER 100.6
27	2.7659.202.0	1	switch
			-> 2399 X SILVER 80
			-> 4069 X SILVER 90
			-> 2297 X SILVER 100.4
			-> 4386 X SILVER 100.6
28	2.7659.097.0	1	switch
29	2.0332.207.2	4	screw m 4x20
30	2.1310.001.2	4	flat washer 5.3x10
31	2.1470.052.2	4	lock washer 4
32	2.1011.101.2	2	nut m 4
33	0.008.0385.0	1	plastic bag
34	2.0312.015.2	3	screw m 5 p.0.8x45
35	2.6030.011.0	1	socket




Section: LIGHTING SYSTEM

Ref.: 223

ELECTRICAL SYSTEM FOR TYPE WITH PLATFORM


Fig.	Code	QTY	Name
36	2.1142.003.2	3	insert m 5
37	2.6560.008.0	2	wire guide 14x2.5
38	2.1470.004.2	1	lock washer 8
39	2.1011.105.2	1	nut m 8 p.1.25
40	2.6560.009.0	2	wire guide 14x5
42	2.7099.640.0/10	1	tempe guage
			2441 <- X SILVER 80
			4251 <- X SILVER 90
			2392 <- X SILVER 100.4
			4651 <- X SILVER 100.6
42	2.7099.830.0	1	tempe guage
			-> 2442 X SILVER 80
			-> 4252 X SILVER 90
			-> 2393 X SILVER 100.4
			-> 4652 X SILVER 100.6
43	0.010.1214.4	1	pick-up
44	2.1310.001.2	2	flat washer 5.3x10
45	2.0312.004.2	2	screw m 5 p.0.8x10
46	2.1560.010.0	1	gasket 14.2x20



Section: LIGHTING SYSTEM

ELECTRICAL SYSTEM FOR TYPE WITH CAB

Fig.	Code	QTY	Name	
4	0.000.4005.0	4	laced in diaptan	
1	0.008.1305.0	1	level indicator	
2	0.009.1735.0/10	1	tempe guage	
3	2.7659.080.0	1	switch	
4	2.1011.103.2	1	nut m 6 p.1	
5	2.1310.002.2	1	flat washer 6.4x12.5	
6	2.6839.051.0	1	clamp 20/20	
7	2.6032.011.0	1	socket 2	
			() <-	
8	2.1310.001.3	2	washer 5.3x10	
9	2.0399.167.3	2	screw m 5 p.0.8x14	
10	2.6032.021.0	1	socket	
11	2.8639.007.0	1	intermitent switch	
12	2.7659.071.0/30	1	switch	
13	0.009.7118.0	1	plate	
14	2.7439.017.0/10	2	ignition key	
15	0.98503.67.0	10	clamp	
16	0.008.0392.4/10	1	switch	
17	2.0119.160.3	2	screw m 6 p.1x14	
18	2.1499.097.3	2	washer 6	
19	2.0399.175.3	4	screw 4.2x19	
20	2.0112.005.2	3	screw m 6 p.1x16	
21	2.1310.002.2	3	flat washer 6.4x12.5	
22	2.6999.031.2	1	special nut m 6	
23	0.009.1906.2/10	1	bracket	
24	0.009.1905.2	1	bracket	
25	2.1310.002.2	4	flat washer 6.4x12.5	
26	2.1011.103.2	4	nut m 6 p.1	
27	0.269.8454.0	1	plug	
28	2.7659.097.0	2	switch	
29	2.0332.207.2	4	screw m 4x20	
30	2.1310.001.2	4	flat washer 5.3x10	
31	2.1470.052.2	4	lock washer 4	
32	2.1011.101.2	2	nut m 4	
33	0.008.0385.0	1	plastic bag	
34	2.0312.015.2	3	screw m 5 p.0.8x45	
35	2.6030.011.0	1	socket	
36	2.1142.003.2	3	insert m 5	
37	2.6569.034.0	2	grommet 24x13x13.5	
38	2.1470.004.2	1	lock washer 8	
39	2.1011.105.2	1	nut m 8 p.1.25	
41	2.7099.640.0/10	1	tempe guage	
42	0.010.1214.4	1	pick-up	
43	2.1310.001.2	2	flat washer 5.3x10	
44	2.0312.004.2	2	screw m 5 p.0.8x10	1/2
77	2.0012.007.2	_	30,544 III 0 p.0.0X 10	



Section: LIGHTING SYSTEM

ELECTRICAL SYSTEM FOR TYPE WITH CAB

ELECTRICAL SYSTEM FOR TYPE WITH CAB					
Fig.	Code	QTY	Name		
45	2.1560.010.0	1	gasket 14.2x20		
46	2.7099.770.0	1	cigar lighter		

41-45-	5 6
42 43 44	7 10 8 9
28	12 13 14
32 31 30 29	
23 25 26 38 39	11 33
20 21 24 15	36 35 34

Section: LIGHTING SYSTEM

ELECTRIC STARTING SYSTEM






Fig.	Code	QTY	Name
1	0.009.6886.4/40	1	electrical system - FOR MECHANICAL CONTROLS WITH PLATFORM
1	0.007.6829.4/40	1	electrical system - FOR ELECTROHYDRAULIC CONTROLS WITH PLATFORM
1	0.008.0612.4/80	1	electrical system - FOR MODELS WITH CAB
1	0.007.6831.4/30	1	electrical system - FOR CAB WITH ELECTRONIC LIFT DEVICE AND TYPE WITH MULTI-FUNCTIONAL COMMAND 1840 <- X SILVER 80 2416 <- X SILVER 90 1607 <- X SILVER 100.4 2554 <- X SILVER 100.6
1	0.007.6831.4/60	1	electrical system - FOR CAB WITH ELECTRONIC LIFT DEVICE AND TYPE WITH MULTI-FUNCTIONAL COMMAND -> 1841 X SILVER 80 -> 2417 X SILVER 90 -> 1608 X SILVER 100.4 -> 2555 X SILVER 100.6
2	2.0112.209.2	1	screw m 8 p 1.25x25
3	2.1142.005.2	1	insert m 8
4	2.6839.064.0	1	clamp 27/20

Section: LIGHTING SYSTEM

HYDRIVE - ELECTRICAL SYSTEM







Fig.	Code	QTY	Name
1	0.010.5255.4/10	1	electrical system - FOR MODELS WITH CAB 2286 <- X SILVER 80 3701 <- X SILVER 90 2050 <- X SILVER 100.4 3878 <- X SILVER 100.6
1	0.010.5255.4/20	1	electrical system - FOR MODELS WITH CAB -> 2287 - 2299 <- X SILVER 80 -> 3702 - 3775 <- X SILVER 90 -> 2051 - 2064 <- X SILVER 100.4 -> 3879 - 3974 <- X SILVER 100.6
1	0.010.5255.4/50	1	electrical system - FOR MODELS WITH CAB -> 2300 X SILVER 80 -> 3776 X SILVER 90 -> 2065 X SILVER 100.4 -> 3975 X SILVER 100.6
1	0.011.6718.4	1	electrical system - FOR MODELS WITH PLATFORM
2	2.0112.209.2	1	screw m 8 p 1.25x25
3	2.1142.005.2	1	insert m 8
4	2.6839.064.0	1	clamp 27/20
5	2.7659.191.0	1	switch



Section: LIGHTING SYSTEM

HYDRIVE - ELECTRICAL SYSTEM

Fig.	Code	QTY	Name
	0.7000.740.0		
2	2.7099.740.0	1	position sensor
3	0.010.4069.4/20	1	control box
			2286 <- X SILVER 80
			3701 <- X SILVER 90
			2050 <- X SILVER 100.4
			3878 <- X SILVER 100.6
3	0.011.3818.4/30	1	control box
			-> 2287 X SILVER 80
			-> 3702 X SILVER 90
			-> 2051 X SILVER 100.4
			-> 3879 X SILVER 100.6
4	0.010.6238.0	1	bracket
			2286 <- X SILVER 80
			3701 <- X SILVER 90
			2050 <- X SILVER 100.4
			3878 <- X SILVER 100.6
4	0.011.3816.0	1	bracket
			-> 2287 X SILVER 80
			-> 3702 X SILVER 90
			-> 2051 X SILVER 100.4
			-> 3879 X SILVER 100.6
5	2.0112.202.2	4	screw m 8 p.1.25x10
6	2.1470.004.2	4	lock washer 8
7	2.1142.005.2	2	insert m 8
8	2.0332.303.3	4	screw m 5x10
9	2.1470.001.2	4	lock washer 5
10	0.010.6392.4/20	1	lever
11	2.0112.007.2	2	screw m 6 p.1x20
12	2.1470.002.2	2	lock washer 6
13	2.1011.103.2	2	nut m 6 p.1
14	2.1310.004.2	4	flat washer 8.4x16
15	2.1011.105.2	2	nut m 8 p.1.25

1/1

Ref.: 225.2

Section: LIGHTING SYSTEM


ELECTRICAL SYSTEM

Fig. Code QTY Name

Notes:

- X S.B.A. - FOR MODELS WITH MECHANICAL ENGINE GOVERNOR

1 0.010.6156.3/10 electrical system





Ref.: 225.3


Section: LIGHTING SYSTEM

SBA - ELECTRICAL CONTROLS


Fig.	Code	QTY	Name
Notes:	TVDEQ MITH MEG		
- FOR	TYPES WITH MECHANIC	CAL LIFTER	
1	0.010.5669.3	1	wire 2421 <- X SILVER 80 4162 <- X SILVER 90 2328 <- X SILVER 100.4 4494 <- X SILVER 100.6
1	0.011.8517.4	1	wire -> 2422 X SILVER 80 -> 4163 X SILVER 90 -> 2329 X SILVER 100.4 -> 4495 X SILVER 100.6
2 3	0.007.6830.3/10 0.010.5670.4	1 1	wire control box 2421 <- X SILVER 80 4162 <- X SILVER 90 2328 <- X SILVER 100.4 4494 <- X SILVER 100.6
3	0.011.8519.4	1	control box -> 2422 X SILVER 80 -> 4163 X SILVER 90 -> 2329 X SILVER 100.4 -> 4495 X SILVER 100.6
4	0.008.1277.0	1	switch
5	0.009.0703.0/20	1	bracket
6 7 8	2.7649.100.0 2.1011.101.2 2.1470.052.2	2 2 2	switch nut m 4 lock washer 4
9 10 11 12 13	2.1310.001.2 2.0332.207.2 0.010.6239.0 2.1579.916.2 2.0112.023.2	2 2 1 2	flat washer 5.3x10 screw m 4x20 square spacer
14 15 16	2.0112.023.2 2.1310.002.2 2.1470.002.2 2.1011.103.2	2 2 2 1	screw m 6 p.1x70 flat washer 6.4x12.5 lock washer 6 nut m 6 p.1













Ref.: 225.4

Section: LIGHTING SYSTEM




ELEC	LECTRIC STARTING SYSTEM					
Fig.	Code	QTY	Name			
1	0.009.6885.4/30	1	electrical system - FOR MODELS WITH PLATFORM			
			2398 <- X SILVER 80 4068 <- X SILVER 90 2296 <- X SILVER 100.4 4385 <- X SILVER 100.6			
1	0.009.6885.4/40	1	electrical system - FOR MODELS WITH PLATFORM -> 2399 X SILVER 80			
			-> 4069 X SILVER 90 -> 2297 X SILVER 100.4 -> 4386 X SILVER 100.6			
1	0.008.0610.4/30	1	electrical system - FOR MODELS WITH CAB 1649 <- X SILVER 80 2185 <- X SILVER 90 1527 <- X SILVER 100.4 2309 <- X SILVER 100.6			
1	0.008.0610.4/80	1	electrical system - FOR MODELS WITH CAB -> 1650 X SILVER 80 -> 2186 X SILVER 90 -> 1528 X SILVER 100.4 -> 2310 X SILVER 100.6			
2	0.009.0914.0	1	rubber plug			
3	0.008.0611.4/60	1	electrical system - 65A * () <- N.1 2.7099.680.0/10			
3	0.007.7668.4/40	1	electrical system - 85A * () <- N.1 2.7099.680.0/10			
4	2.6999.022.0	2	small spring			
5	2.1310.001.2	2	flat washer 5.3x10			
6	2.0350.455.2	2	screw 4.2x16			
7	2.6039.020.0	1	socket -> ()			
8	2.1011.105.2	1	nut m 8 p.1.25			
9	2.1310.004.2	1	flat washer 8.4x16			
10	2.1470.004.2	1	lock washer 8			



Section: LIGHTING SYSTEM **ELECTRICAL CONTROLS**

Fig.	Code	QTY	Name
1	0.008.1335.0	1	switch - DIFFERENTIAL LOCKING CONTROL
2	0.007.5945.0/20	1	switch 4wd - 4WD ENGAGEMENT CONTROL
3	2.7659.108.0/10	1	push-button P.T.O. - FOR REAR P.T.O.
4	2.7659.108.0/10	1	push-button P.T.O. - FOR P.T.O. FRONT



Section: LIGHTING SYSTEM

AGROSHIFT - ELECTRICAL SYSTEM

Fig.	Code	QTY	Name
1	0.008.1450.0	1	electronic unit p.s.
2	0.000.1430.0	1	wire
3	0.009.0998.2	1	square
4	2.1120.003.2	2	selflock nut m 6
5	2.0112.207.2	1	screw m 8 p 1.25x20

1/1

Section: LIGHTING SYSTEM

POWER-LIFT ELECTRONIC SYSTEM





Fig.	Code	QTY	Name	
1	0.009.7712.4/40	1	electrical system	
1	0.009.77 12.4/40	'	1840 <- X SILVER 80	
			2416 <- X SILVER 90	
			1607 <- X SILVER 100.4	
			2554 <- X SILVER 100.6	
			* 1140 <- X SILVER 80	
			* 1748 <- X SILVER 90	
			* 1306 <- X SILVER 100.4	
			* 1702 <- X SILVER 100.6	
			- N.1 009.2887.0	
			- N.4 2.7659.141.0	
1	0.009.7712.4/50	1	electrical system	
			-> 1841 - 2421 <- X SILVER 80	
			-> 2417 - 4162 <- X SILVER 90	
			-> 1608 - 2328 <- X SILVER 100.4	
			-> 2555 - 4494 <- X SILVER 100.6	
1	0.011.7600.4	1	electrical system	
			-> 2422 X SILVER 80	
			-> 4163 X SILVER 90	
			-> 2329 X SILVER 100.4	
0	0.000.0040.0	0	-> 4495 X SILVER 100.6	
2	0.008.8049.0	2	push-button	
			1140 <- X SILVER 80	
			1748 <- X SILVER 90 1306 <- X SILVER 100.4	
			1702 <- X SILVER 100.4	
3	2.6519.025.0	2	quard	
3	2.0519.025.0	2	1140 <- X SILVER 80	
			1748 <- X SILVER 90	
			1306 <- X SILVER 100.4	
			1702 <- X SILVER 100.6	
4	0.009.0210.0/10	7	plug 30x38x9	
-		•	1140 <- X SILVER 80	
			1748 <- X SILVER 90	
			1306 <- X SILVER 100.4	
			1702 <- X SILVER 100.6	
5	2.6569.039.0	1	wire guide 21.5x48x12	
6	0.009.3954.0	1	position sensor	
			2247 <- X SILVER 80	
			3592 <- X SILVER 90	
			2033 <- X SILVER 100.4	
			3773 <- X SILVER 100.6	
6	0.009.2194.4	1	position sensor	1/2
			-> 2248 X SILVER 80	1/2

Section: LIGHTING SYSTEM


Ref.: 229

POWER-LIFT ELECTRONIC SYSTEM

Fig.	Code	QTY	Name	
			-> 3593 X SILVER 90	
			-> 2034 X SILVER 90 -> 2034 X SILVER 100.4	
7	0.000.0007.0	4	-> 3774 X SILVER 100.6	
7	0.009.3937.3	1	wire	
			2247 <- X SILVER 80	
			3592 <- X SILVER 90	
			2033 <- X SILVER 100.4	
-	0.000.0007.0/40	4	3773 <- X SILVER 100.6	
7	0.009.3937.3/10	1	wire	
			-> 2248 X SILVER 80	
			-> 3593 X SILVER 90	
			-> 2034 X SILVER 100.4	
•	0.000.0007.0	0	-> 3774 X SILVER 100.6	
8	0.009.2887.0	2	guard	
			-> 1141 X SILVER 80	
			-> 1749 X SILVER 90	
			-> 1307 X SILVER 100.4	
0	0.7050.440.0	4	-> 1703 X SILVER 100.6	
9	2.7659.119.0	1	switch	
			-> 1141 X SILVER 80	
			-> 1749 X SILVER 90	
			-> 1307 X SILVER 100.4	
40	0.7050.444.0	4	-> 1703 X SILVER 100.6	
10	2.7659.141.0	4	switch	
			-> 1141 X SILVER 80	
			-> 1749 X SILVER 90	
			-> 1307 X SILVER 100.4	
44	0.4040.400.4	4		
11	2.1019.106.1	1	nut m 24x1.5x10	
11	2.1019.106.1	1	-> 1703 X SILVER 100.6 nut m 24x1.5x10	



Section: LIGHTING SYSTEM




	ER-LIFT ELECTRO		
Fig.	Code	QTY	Name
1	0.009.7679.4/20	1	control box
			- FOR TYPES WITH "S.B.A. SYSTEM"
			2247 <- X SILVER 80
			3592 <- X SILVER 90
			2033 <- X SILVER 100.4
			3773 <- X SILVER 100.6
1	0.011.2027.4	1	electronic unit
			- FOR TYPES WITH "S.B.A. SYSTEM"
			-> 2248 - 2421 <- X SILVER 80
			-> 3593 - 4162 <- X SILVER 90
			-> 2034 - 2328 <- X SILVER 100.4
			-> 3774 - 4494 <- X SILVER 100.6
1	0.009.7678.4/20	1	electronic unit
			- FOR TYPES WITHOUT "S.B.A. SYSTEM"
			2247 <- X SILVER 80
			3592 <- X SILVER 90
			2033 <- X SILVER 100.4
			3773 <- X SILVER 100.6
1	0.011.2026.4	1	electronic unit
			- FOR TYPES WITHOUT "S.B.A. SYSTEM"
			-> 2248 - 2421 <- X SILVER 80
			-> 3593 - 4162 <- X SILVER 90
			-> 2034 - 2328 <- X SILVER 100.4
			-> 3774 - 4494 <- X SILVER 100.6
2	0.010.4612.0	1	guard
3	0.007.6830.3/10	1	wire
4	0.009.0703.0/20	1	bracket
5	2.0332.207.2	2	screw m 4x20
6	2.1310.001.2	2	flat washer 5.3x10
7	2.1011.101.2	2	nut m 4
8	2.7649.100.0	2	switch
9	2.1470.052.2	2	lock washer 4
10	2.0313.121.1	4	screw m 6 p.1x75
			2421 <- X SILVER 80
			4162 <- X SILVER 90
			2319 <- X SILVER 100.4
			4479 <- X SILVER 100.6
10	2.0313.126.7	4	screw m 6 p.1x100
			-> 2422 X SILVER 80
			-> 4163 X SILVER 90
			-> 2320 X SILVER 100.4
			-> 4480 X SILVER 100.6
11	2.1310.002.3	4	flat washer 6.4x12x1.6
12	0.008.9821.2/10	1	bracket


Section: LIGHTING SYSTEM

		Sectio	III. LIOITTINO STOTE	IVI		1161 200
414 020 2	\sim	POW	ER-LIFT ELECTRO	NIC SYS	STEM	
<u> 614 _ 230 3 </u>		Fig.	Code	QTY	Name	
				_		
on continue to		13	2.0112.307.2	2	screw m 10 p.1.5x20	
	15—	14	2.1470.006.2	1	lock washer 10	
		15	0.008.1277.0	1	switch	
		16	0.008.1646.0	1	speed sensor	
					1840 <- X SILVER 80	
	3-				2416 <- X SILVER 90	
21 20					1607 <- X SILVER 100.4	
	\ \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				2554 <- X SILVER 100.6	
		16	0.010.5612.0	1	speed sensor	
					-> 1841 X SILVER 80	
					-> 2417 X SILVER 90	
					-> 1608 X SILVER 100.4	
					-> 2555 X SILVER 100.6	
		17	2.1560.014.0	1	gasket 18.2x24x1.5	
	27 22	18	0.008.8048.4/10	1	radar "dickey-john"	
		18	0.010.7172.4	1	radar "dickey-john"	
					- EXPORT GB	
_ 0	/0 0//	19	0.008.9671.3	8	plate	
l l	25				- X RADAR " DICKEY-JOHN "	
					* 2421 <- X SILVER 80	
	26				* 4162 <- X SILVER 90	
	23-4 4-24				* 2319 <- X SILVER 100.4	
	23-0 0-24				* 4479 <- X SILVER 100.6	
4 📗 🗒					N.4 2.1579.830.0 - 2.0313.126.7	
6 9		20	0.009.7680.4/30	1	monitor	
		21	0.010.0839.4	1	plug	
	-19	22	0.011.7415.2/10	1	bracket	
7 9 6 5			0.01110.2710	•	- X RADAR " VANSCO "	
30					() <-	
		23	2.0313.108.7	4	screw m 6x25	
		24	2.0313.104.7	4	screw m 6x16	
		25	2.1310.002.2	8	flat washer 6.4x12.5	
		26	2.1470.002.2	8	lock washer 6	
i		27	0.011.4400.4/10	1	electronic unit	
		21	0.011.4400.4/10	1	F 230/1	
					-> 2422 X SILVER 80	
,					-> 2422 X SILVER 60 -> 4163 X SILVER 90	
ا ا					-> 2329 X SILVER 100.4	
14 13	18 11 10				-> 2329 X SILVER 100.4 -> 4495 X SILVER 100.6	
0	18 11 10	30	2.1579.830.0	1		
Wanter O	\\	30	Z. 137 9.03U.U	4	spacer 8.3X13.5X22	
\times)]				-> 2422 X SILVER 80 -> 4163 X SILVER 90	
16 17					-> 2320 X SILVER 100.4	2/2
	_				-> 4480 X SILVER 100.6	

Section: LIGHTING SYSTEM

ELECTRONICS BOX






1/1

Ref.: 230.1

POWER STEERING - HYDRAULIC SYSTEM

STEERING CONTROL	15-
STEERING CONTROL	
POWER STEERING	
HYDR. STEERING DISTRIBUTOR PARTS	15
2WD - POWER STEERING	
4WD - POWER STEERING	
EXHAUSTER POWER FOR ARTIC CONDITIONS	
GEARBOX OIL COOLER	
PUMP FILTER SUCTION	
PUMP FILTER SUCTION	164
PUMP FILTER SUCTION 22.5 CC	164. ·
OIL FLOW CONTROL VALVE CASING - MECHANICAL CONTROLS	
OIL FLOW CONTROL VALVE CASING - ELECTROHYDR. CONTROLS	
OIL FLOW CONTROL VALVE CASING	
OIL FLOW CONTROL VALVE CASING	
HYDRIVE - REVERSING GEAR UNIT CONTROLS WITHOUT AGROSHIFT	
HYDRIVE - HYDRAULIC CONTROL WITH AGROSHIFT	
GUARD FOR ELECTRO VALVES	
AGROSHIFT - HYDRAULIC CONTROL	
AGROSHIFT - HYDRAULIC CONTROL WITH HYDRIVE	
HYDRAULIC PUMP PARTS	
HYDRAULIC PUMP PARTS	
HYDRAULIC PUMP PARTS	
DELIVERY EILTER FOR AGROSHIFT AND HYDRIVE	170




Section: POWER STEERING - HYDRAULIC SYSTEM

STEERING CONTROL

	MINO CONTINUE		
Fig.	Code	QTY	Name
1	0.008.2247.4/90	1	steering column
2	0.008.2248.2/40	1	column
3	0.008.2249.3/50	1	column
4	2.2021.009.0	1	bearing 25x47x12
5	0.008.2250.3/50	1	shaft
6	0.008.2251.0/20	1	shaft
7	2.2021.008.0	1	bearing 20x42x12
8	0.007.5051.3/40	1	shaft
9	2.1410.006.1	2	circlip 20
10	2.1630.410.0	1	roll pin 4x20
11	2.1410.010.1	1	circlip 25
13	0.009.0350.2	1	knob
14	2.1599.529.0	1	washer 12.5x32x3
15	2.0112.207.2	4	screw m 8 p 1.25x20
16	2.1470.004.2	4	lock washer 8
17	0.009.0486.2/30	1	steering wheel
18	2.1011.411.2	1	nut
19	2.1470.011.2	1	lock washer 20
20	0.009.0539.3	1	plug SAME
21	0.009.7210.0	1	plug

1/1




Section: POWER STEERING - HYDRAULIC SYSTEM

STEERING CONTROL

KING CONTROL		
Code	QTY	Name
0.007.5053.3/10	1	bracket
0.007.5055.0	2	support
2.1569.148.0	2	gasket
2.0112.207.2	4	screw m 8 p 1.25x20
2.1470.004.2	4	lock washer 8
0.007.5056.2/20	1	lever
0.007.5057.0	1	pin
0.011.3774.0	1	gasket
2.1430.012.7	1	circlip 12
0.009.0137.0	1	knob
0.009.0140.0	1	coupling
0.007.5058.0	1	plate
0.007.5059.0/20	1	gasket
0.007.5060.2/10	4	silent-block
2.1011.105.2	4	nut m 8 p.1.25
2.1470.004.2	4	lock washer 8
2.1899.058.0	2	rivet
2.0112.307.2	4	screw m 10 p.1.5x20
2.1470.006.2	4	lock washer 10
	0.007.5053.3/10 0.007.5055.0 2.1569.148.0 2.0112.207.2 2.1470.004.2 0.007.5056.2/20 0.007.5057.0 0.011.3774.0 2.1430.012.7 0.009.0137.0 0.009.0140.0 0.007.5058.0 0.007.5059.0/20 0.007.5060.2/10 2.1011.105.2 2.1470.004.2 2.1899.058.0 2.0112.307.2	Code QTY 0.007.5053.3/10 1 0.007.5055.0 2 2.1569.148.0 2 2.0112.207.2 4 2.1470.004.2 4 0.007.5056.2/20 1 0.007.5057.0 1 0.011.3774.0 1 2.1430.012.7 1 0.009.0137.0 1 0.009.0140.0 1 0.007.5058.0 1 0.007.5059.0/20 1 0.007.5060.2/10 4 2.1470.004.2 4 2.1899.058.0 2 2.0112.307.2 4

1/1




Section: POWER STEERING - HYDRAULIC SYSTEM

POWER STEERING

POVVI	SWER STEERING				
Fig.	Code	QTY	Name		
1	0.290.6310.4/10	1	hydrosteering DANFOSS - 80 CC ## 157 () <- F 157		
1	0.011.8457.4	1	hydrosteering -> ()		
2	2.1560.014.0	4	gasket 18.2x24x1.5		
3	2.3261.009.2	4	pipe fitting m 18 p.1.5-3/4"		
4	0.008.9468.3/30	1	tube dx		
6	0.008.9469.3/20	1	tube 2054 <- X SILVER 80 2922 <- X SILVER 90 1842 <- X SILVER 100.4 3222 <- X SILVER 100.6		
6	0.010.9042.3	1	tube -> 2055 X SILVER 80 -> 2923 X SILVER 90 -> 1843 X SILVER 100.4 -> 3223 X SILVER 100.6		
7	0.008.9749.3/20	1	tube sx		
9	0.008.9470.3/50	1	tube		

1/1




Section: POWER STEERING - HYDRAULIC SYSTEM

HYDR. STEERING DISTRIBUTOR PARTS

Fig.	Code	QTY	Name
1	0.290.6310.4/10	1	hydrosteering DANFOSS - 80 CC
2	0.000.0000.1		not serviceable
3	0.009.4012.1	1	ball mm 8.5
4	0.009.4014.1	1	plug
5	0.193.6378.0	1	roller bearing
6	0.009.4015.1	1	ring
7	0.009.4016.1	1	pin
8	0.009.4017.1	1	spacer
9	0.000.0000.1	-	not serviceable
10	0.009.4021.1	1	spring
11	0.009.4022.1	1	plate
12	0.009.4023.1	1	rotor
13	0.009.4024.1	1	cover
14	0.009.4025.1	1	pin
15	0.009.4026.1	1	screw L = 63
16	0.009.4027.1	6	screw L = 35
17	0.009.4028.1	1	small disc
18	0.009.4029.1	2	screw
19	0.009.4030.1	1	valve
20	0.290.6374.1	1	spring 110-155 bar
21	0.193.6380.4	2	valve
22	0.009.4019.1	2	ball mm 3
23	0.009.4020.1	2	pin
24	0.003.5059.3	1	seal ring kit

Ref.: 157

1/1



Section: POWER STEERING - HYDRAULIC SYSTEM


2WD - POWER STEERING


Fig.	Code	QTY	Name
1	0.009.7465.3/10	1	tube dx
1	0.009.7467.3/10	1	- X SILVER 80 - 90 - 100.4 tube
			- X SILVER 100.6
2	0.008.0684.0	1	plate "s"
3	0.009.7414.3	1	tube dx
4	0.009.7413.3	1	tube sx
5	2.3339.210.1	2	pipe union m 14
6	2.1560.010.0	4	gasket 14.2x20
7	2.6850.011.0	2	clamp 50-70
8	2.6839.051.0	5	clamp 20/20
9	2.1470.004.2	3	lock washer 8
10	2.1011.105.2	3	nut m 8 p.1.25
11	0.009.7464.3/10	1	tube sx
			- X SILVER 80 - 90 - 100.4
11	0.009.7466.3/10	1	tube
			- X SILVER 100.6
12	0.009.6663.0	1	plate "D"

Section: POWER STEERING - HYDRAULIC SYSTEM

4WD - POWER STEERING

Fig.	Code	QTY	Name
1	0.008.9745.3/30	1	tube dx
			- X SILVER 80 - 90 - 100.4
1	0.008.9747.3/30	1	tube dx
			- X SILVER 100.6
3	0.008.9746.3/30	1	tube sx
			- X SILVER 80 - 90 - 100.4
3	0.008.9748.3/30	1	tube sx
			- X SILVER 100.6
5	2.1470.002.2	2	lock washer 6
6	2.6839.051.0	5	clamp 20/20
7	2.1011.103.2	2	nut m 6 p.1
8	2.3339.210.1	2	pipe union m 14
9	2.1560.010.0	4	gasket 14.2x20
10	0.008.9674.2/20	1	bracket sx
11	0.008.9663.2/10	1	bracket dx
			- X SILVER 80 - 90 - 100.4
12	2.0112.211.2	1	screw m 8 p.1.25x30
13	2.1470.004.2	2	lock washer 8
14	2.1011.105.2	1	nut m 8 p.1.25
15	2.0422.213.2	1	stud bolt m 8x45
			- X SILVER 100.6
16	2.1579.842.2	1	spacer
			- X SILVER 100.6
17	2.6839.051.0	1	clamp 20/20
18	2.1470.004.2	2	lock washer 8
19	2.1011.105.2	2	nut m 8 p.1.25





623_60_4

SILVER 90

Ref.: 159.1

Section: POWER STEERING - HYDRAULIC SYSTEM

EXHAUSTER POWER FOR ARTIC CONDITIONS


Fig.	Code	QTY	Name
1	2.3729.640.0	1	valve 45 bar
2	0.012.5626.0	1	bracket
3	2.3261.116.2	3	pipe fitting 1/2 gas-7/8"
4	2.3261.110.2	1	pipe fitting 1/2 gas-9/16"
5	2.1560.054.0	4	gasket 21x26
6	2.0312.220.2	2	screw m 8 p.1.25x70
7	2.1011.105.2	2	nut m 8 p.1.25
8	2.1470.004.2	2	lock washer 8
9	2.3263.015.2	1	pipe fitting
10	2.3339.957.2	1	pipe fitting
11	2.3339.998.2	1	pipe fitting m 12 p.1.5
12	2.1560.053.0	1	gasket 17x21
13	0.012.5782.3	1	tube
14	0.012.5783.3	1	tube
15	0.012.5784.3	1	tube
16	0.012.5785.3	1	tube
17	0.012.5786.3	1	tube
18	2.3339.999.2	1	pipe fitting m 12 p.1.25-1/2"-20JIC
19	0.445.6388.3/10	1	valve
20	0.012.5787.2	1	guard
21	2.0112.413.2	2	screw m 12 p.1.75x35


1/1

SILVER 90

Section: POWER STEERING - HYDRAULIC SYSTEM

GEAF	GEARBOX OIL COOLER			
Fig.	Code	QTY	Name	
1	0.008.9780.3/20	2	tube	
2	0.98503.67.0	2	clamp	
3	0.008.9887.0/10	1	shield	
4	0.008.9888.0/10	2	clamp	
5	2.0112.007.2	4	screw m 6 p.1x20	
6	2.1470.002.2	6	lock washer 6	
7	2.1011.103.2	6	nut m 6 p.1	
8	2.0112.205.2	1	screw m 8 p.1.25x16	
9	2.1470.004.2	1	lock washer 8	
10	2.1310.004.2	1	flat washer 8.4x16	
11	0.008.9885.0	1	bracket	
12	2.1310.002.2	2	flat washer 6.4x12.5	
13	0.008.9884.2/20	1	support	
14	0.008.9781.2/20	1	oil cooler	
			- FOR MODELS WITHOUT FRONT P.T.O.	
15	0.008.9782.2/20	1	oil cooler	
			- FOR MODELS EQUIPPED WITH FRONT P.T.O.	
15	0.011.0533.2	1	oil cooler	
			- X HYDRIVE	
16	0.009.3468.3/20	1	tube	
			() <- X SILVER 80	
			2767 <- X SILVER 90	
16	0.010.8493.3	1	tube	
			-> () X SILVER 80	
			-> 2768 X SILVER 90	
17	0.009.7290.0	1	plate	
18	2.1310.006.2	1	flat washer 10.5x20	
19	2.0112.305.2	1	screw m 10 p.1.5x16	
20	2.6839.039.2	1	clamp 20	
			2360 <- X SILVER 80	
			3948 <- X SILVER 90	
21	0.010.8486.2	1	plate	
			-> () - 2054 <- X SILVER 80	
			-> 2768 - 2922 <- X SILVER 90	
22	2.3199.284.2	1	plug 3/4" - 16JIC	
			-> () X SILVER 80	
			-> 2768 X SILVER 90	
25	2.6839.054.0	1	clamp 25/20	
26	0.011.4580.3	1	square	
27	2.1011.105.2	1	nut m 8 p.1.25	
28	2.1470.004.2	1	lock washer 8	
29	2.6859.030.0	2	clamp	





Section: POWER STEERING - HYDRAULIC SYSTEM

PUMP FILTER SUCTION

22 <- X SILVER 100.6

1/1


Ref.: 163.1




Section: POWER STEERING - HYDRAULIC SYSTEM

PUMP FILTER SUCTION

Fig.	Code	QTY	Name
Notes:			
	55 X SILVER 80 -> 2923	3 X SILVER	90 -> 1843 X SILVER 100.4 -> 3223 X SILVER 100.6
1	0.010.9041.3	1	tube
2	2.1560.014.0	2	gasket 18.2x24x1.5
3	0.164.8157.3/10	2	clamp
4	0.009.2860.0/10	1	flange
5	2.3261.010.2	2	pipe fitting M18x1,5 7/8" 14
6	0.010.8872.0/10	1	vibration damper
8	2.1011.108.2	2	nut m 14 p.2
9	2.1475.205.2	2	washer 14
11	0.010.9040.2/10	1	bracket
			2360 <- X SILVER 80
			3948 <- X SILVER 90
			2171 <- X SILVER 100.4
			4174 <- X SILVER 100.6
11	0.010.9040.2/20	1	bracket
			-> 2361 X SILVER 80
			-> 3949 X SILVER 90
			-> 2172 X SILVER 100.4
			-> 4175 X SILVER 100.6
13	2.1480.012.1	4	washer 6
14	2.0312.115.1	2	screw m 6 p.1x45
15	2.0312.108.2	2	screw m 6 p.1x25
16	2.1530.052.0	1	'o' ring 20.24x2.62
17	0.9104.250.0/10	1	gasket
18	2.1530.062.0	1	'o' ring 23.81x2.62
19	2.4529.950.0	1	hydraulic pump - BOSCH -
			F 170/2 - BOSCH
19	2.4529.960.0	1	hydraulic pump - SAUER -
			© 170.3
			F 170/3 - SAUER
19	2.4529.920.0	1	hydraulic pump - SAUER -
			© 170.4
			F 170/4
			- X HYDRIVE
19	2.4539.310.0	1	hydraulic pump - BOSCH -
-		•	© 170.4
			- X HYDRIVE
20	2.0312.327.2	2	screw m 10 p.1.5x110
20	2.0312.328.2	2	screw m 10 p.1.5x120
21	2.1474.010.2	2	
	2	_	spring washer 10 1/1





SILVER 90


Section: POWER STEERING - HYDRAULIC SYSTEM

PUMP FILTER SUCTION 22.5 CC.

Fig.	Code	QTY	Name
1	2.0312.105.2	4	screw m 6 p.1x18
2	2.1480.012.1	4	washer 6
3	0.008.9621.2/10	1	tube
4	2.6850.008.0	2	clamp 25-47
5	0.008.9618.0/10	1	sleeve 32x24x80
6	2.0312.206.2	2	screw m 8 p.1.25x20
7	2.1480.014.1	2	washer 8
8	0.008.9620.3	1	tube
9	2.1530.091.0	2	'o' ring 34.60x2.62
10	2.4419.350.1/40	1	head
11	2.4419.280.0	1	hydr.oil filter elem FT 4948
12	2.7099.180.0/10	1	pressure switch
			() <- = A
12	2.7099.660.0/10	1	pressure switch 0.5-0.4 BAR
			-> () = B
13	2.0422.207.2	2	stud bolt m 8x30
14	2.1470.004.2	4	lock washer 8
15	2.1011.105.2	4	nut m 8 p.1.25
16	0.008.9608.0	1	bracket
17	0.008.5918.3/10	1	tube
18	2.0112.611.2	1	screw m 16 p.2x30
			- X SILVER 100.6
19	2.1470.009.2	1	lock washer 16
			- X SILVER 100.6

1/1

Ref.: 164.1



Section: POWER STEERING - HYDRAULIC SYSTEM Ref.: 165

OIL FLOW CONTROL VALVE CASING - MECHANICAL CONTROLS

Fig.	Code	QTY	Name
1	0.009.3456.4/70	1	valve
I	0.009.3430.4/10	ı	© 166.1
			F 166/1
17	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14
17	2.3201.010.2	ı	- FOR TYPES WITHOUT HYDRIVE
18	2.1531.033.0	1	ring 13.11x2.62
19	2.1531.033.0	1	ring 13.11X2.02
20	0.007.7433.0/10	1	small block
21	2.1560.008.0	2	gasket 12.2x18
22	2.3110.402.1	1	plug m 12 p.1.5x10
23	2.1560.010.0	1	gasket 14.2x20
24	2.3261.005.2	3	pipe fitting m 14 p.1.5-1/2"
25	2.1579.959.2	1	spacer 8.5x20x16
26	2.7099.390.0/10	1	pressure switch
20	2.7099.390.0/10	'	() <- = A
26	2.7099.750.0/10	1	pressure switch
20	2.7000.700.0710	'	-> () = B
27	0.007.7434.0	1	square
28	2.0112.205.2	1	screw m 8 p.1.25x16
29	2.1470.004.2	2	lock washer 8
30	2.1549.272.2	1	spacer 8.5x18x31
31	2.0112.219.2	1	screw m 8 p.1.25x50
32	2.0312.226.2	1	screw m 8 p.1.25x100
33	2.1480.014.1	1	washer 8
34	2.3339.668.2	1	pipe fitting
35	2.1531.033.0	1	ring 13.11x2.62
36	2.1560.014.0	4	gasket 18.2x24x1.5
37	0.010.5310.3	1	tube
38	2.3335.008.2	1	pipe union m 18 p.1.5X32
39	2.1560.014.0	1	gasket 18.2x24x1.5

1/1


SILVER 90


Section: POWER STEERING - HYDRAULIC SYSTEM

Ref.: 166

OIL FLOW CONTROL VALVE CASING - ELECTROHYDR. CONTROLS

Fig.	Code	QTY	Name
1	0.009.3456.4/70	1	valve
ı	0.009.3430.4/70	I	vaive
			F 166/1
17	2 2264 040 2	4	
17	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14
18	2 2440 402 4	4	- FOR TYPES WITHOUT HYDRIVE
-	2.3110.402.1	1	plug m 12 p.1.5x10
19	2.1560.008.0	2	gasket 12.2x18
20	2.3261.005.2	2	pipe fitting m 14 p.1.5-1/2"
21	2.1560.010.0	6	gasket 14.2x20
22	2.7099.390.0/10	1	pressure switch
00	0.7000.750.0/40	4	() <- = A
22	2.7099.750.0/10	1	pressure switch
00	0.4570.050.0	•	-> () = B
23	2.1579.959.2	2	spacer 8.5x20x16
24	2.1480.014.1	2	washer 8
25	2.0312.212.2	1	screw m 8 p.1.25x35
26	2.0312.220.2	1	screw m 8 p.1.25x70
27	2.3729.250.0/20	1	electro valve
28	0.010.2831.1	1	coil 13V - 20W
29	2.3729.240.0/20	1	electro valve 13V - 20W
30	0.010.2831.1	1	coil 13V - 20W
31	2.3335.006.2	2	pipe union m 14 p.1.5
32	0.009.3457.3/50	1	valve body
33	2.0599.056.0	1	grain m 6x8 mm 1.2
34	2.3339.668.2	1	pipe fitting
35	2.1531.033.0	1	ring 13.11x2.62
36	2.1560.014.0	4	gasket 18.2x24x1.5
37	0.010.5310.3	1	tube
38	2.3335.008.2	1	pipe union m 18 p.1.5X32
39	2.0312.226.2	1	screw m 8 p.1.25x100
40	2.1480.014.1	1	washer 8
41	2.3199.171.1	1	plug m 8 p.1
42	2.1560.014.0	1	gasket 18.2x24x1.5
43	2.1531.012.0	1	ring 6.75x1.78
44	2.1531.033.0	2	ring 13.11x2.62






Section: POWER STEERING - HYDRAULIC SYSTEM

OIL FLOW CONTROL VALVE CASING

Fig.	Code	QTY	Name
1	0.009.3456.4/70	1	valve
2	2.3110.403.1	1	plug m 14 p.1.5
3	2.1560.010.0	1	gasket 14.2x20
4	0.009.3401.0	1	slider
5	2.4019.431.1/30	1	spring 6.9x11.3x2.2x64
6	0.000.0000.1	-	not serviceable
7	2.1560.008.0	1	gasket 12.2x18
8	2.3110.422.1	1	plug m 12 p.1.25x10
9	0.008.3365.0/10	1	valve
10	0.008.3371.0	1	spring
11	2.3199.251.2/10	1	plug
12	2.1560.014.0	2	gasket 18.2x24x1.5
13	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14
14	2.2810.002.0	2	ball mm 6.350
15	2.1560.005.0	2	gasket 10.2x14
16	2.3199.252.2	2	plug m 10 p.1.5

1/1

Ref.: 166.1



Section: POWER STEERING - HYDRAULIC SYSTEM

OIL FLOW CONTROL VALVE CASING

Fig.	Code	QTY	Name
Notes:	T /750 0115		
- FOF	R TYPES 2WD		
1	0.006.6161.4	1	plug
2	2.1530.048.0	1	'o' ring 18.72x2.62
3	2.1530.035.0	1	'o' ring 14.00x1.78
4	2.1560.010.0	3	gasket 14.2x20
5	2.3110.403.1	1	plug m 14 p.1.5
6	2.3335.006.2	1	pipe union m 14 p.1.5

1/1

Section: POWER STEERING - HYDRAULIC SYSTEM Ref.: 167.1

HYDRIVE - REVERSING GEAR UNIT CONTROLS WITHOUT AGROSHIFT


21	HYDRIVE - REVERSING GEAR UNIT CONTROLS WITHOUT AGRE			
25	Fig.	Code	QTY	Name
23-10	1	0.010.6220.3/20	4	hady
	=		1	body
	2	2.3729.310.0/20	1	electro valve 13V - 20W
12	3	0.010.4260.3/20	1	tube
	4	0.010.4261.3/20	1	tube
24	5	0.010.9044.3	1	tube
	6	0.010.8645.3	1	tube
				* () <-
8 1 5 8 28				- N.1 - 2.3339.598.2
				() <- X SILVER 80
				2767 <- X SILVER 90
29 30				1773 <- X SILVER 100.4
				3037 <- X SILVER 100.6
	6	0.010.8495.3	1	tube
				-> () - 2331 <- X SILVER 80
				-> 2768 - 3812 <- X SILVER 90
				-> 1774 - 2100 <- X SILVER 100.4
3 / 17/				-> 3038 - 4053 <- X SILVRE 100.6
	7	2.3335.006.2	2	pipe union m 14 p.1.5
	8	2.1560.010.0	10	gasket 14.2x20
13 15 16	9	2.3339.688.2/10	1	pipe union
	10	2.1560.012.0	1	gasket 16.2x22
	11	2.1531.049.0	1	ring 18.77x1.78
	12	0.010.6058.3/10	1	tube
				2054 <- X SILVER 80
				2922 <- X SILVER 90
				1842 <- X SILVER 100.4
				3222 <- X SILVER 100.6
	13	2.1560.014.0	4	gasket 18.2x24x1.5
18 19	14	0.008.0931.3	2	cable
	15	0.010.4648.3/20	1	filter
				2360 <- X SILVER 80
10 9 25				3948 <- X SILVER 90
				2146 <- X SILVER 100.4
35 36 7				4174 <- X SILVER 100.6
37	16	2.3339.739.2/20	1	pipe union m 18 p.1.5X34
	. •		•	2360 <- X SILVER 80
				3948 <- X SILVER 90
26				2146 <- X SILVER 100.4
20 27				4174 <- X SILVER 100.6
4 614 167 1 2	16	2.3335.008.2	1	pipe union m 18 p.1.5X32
4 614 167 1 2		0000.000.2	•	-> 2361 X SILVER 80
				-> 3949 X SILVER 90
32 33 34				- 0447 V OIL VED 400 4
				-> 2147 X SILVER 100.4 -> 4175 X SILVER 100.6
				THO A GILVEIT 100.0

SILVER 90


Section: POWER STEERING - HYDRAULIC SYSTEM

HYDRIVE - REVERSING GEAR UNIT CONTROLS WITHOUT AGROSHIFT

Fig.	Code	QTY	Name
47	0.0740.750.0/40	4	ala stra contra
17	2.3719.750.0/10	1	electro valve
18	2.1560.008.0	1	gasket 12.2x18
19	2.7099.690.0/10	1	pressure switch
20	2.3110.403.1	1	plug m 14 p.1.5
21	2.3339.598.2	1	pipe union t 7/8
			() <- X SILVER 80
			2767 <- X SILVER 90
			1773 <- X SILVER 100.4
00	0.0000 750 0/40		3037 <- X SILVER 100.6
23	2.3339.752.2/10	1	pipe fitting m 18 - 3/4" - 16 JIC
24	0.176.6359.0	1	small plate
25	2.1011.103.2	2	nut m 6 p.1
26	0.154.6377.3	1	terminal
27	0.154.6381.0	1	terminal
28	2.3335.006.2	2	pipe union m 14 p.1.5
			2232 <- X SILVER 80
			3530 <- X SILVER 90
			2024 <- X SILVER 100.4
		_	3688 <- X SILVER 100.6
28	2.3339.860.2/20	3	pipe union
			-> 2233 X SILVER 80
			-> 3531 X SILVER 90
			-> 2025 X SILVER 100.4
			-> 3689 X SILVER 100.6
29	2.1560.008.0	3	gasket 12.2x18
30	2.3199.164.2/20	3	plug
31	0.010.5379.2/10	1	shield
32	2.1011.103.2	2	nut m 6 p.1
33	2.1470.002.2	2	lock washer 6
34	2.0112.007.2	2	screw m 6 p.1x20
35	2.1470.004.2	1	lock washer 8
36	2.1310.004.2	1	flat washer 8.4x16
37	2.0112.207.2	1	screw m 8 p 1.25x20



Ref.: 167.1




Ref.: 167.2

Section: POWER STEERING - HYDRAULIC SYSTEM

HYDRIVE - HYDRAULIC CONTROL WITH AGROSHIFT

Fig.	Code	QTY	Name	
1	0.011.0427.2/10	4	valva hadv	
1	0.011.0437.3/10	1 1	valve body	
2	2.3729.310.0/20	1	electro valve 13V - 20W	
			* 2190 <- X SILVER 80	
			* 3356 <- X SILVER 90	
			* 1983 <- X SILVER 100.4	
			* 3615 <- X SILVER 100.6	
•	0.040.4000.0/00		- N.1 011.0437.3	
3	0.010.4260.3/20	1	tube	
4	0.010.4261.3/20	1	tube	
5	0.010.4262.3/20	1	tube	
6	0.010.4259.3/20	1	tube	
7	2.3335.006.2	2	pipe union m 14 p.1.5	
8	2.1560.010.0	10	gasket 14.2x20	
9	2.3339.688.2/10	1	pipe union	
10	2.1560.012.0	1	gasket 16.2x22	
11	2.1531.049.0	1	ring 18.77x1.78	
12	2.3339.487.2/10	1	pipe union m 18 p.1.5x55	
13	2.1560.014.0	6	gasket 18.2x24x1.5	
14	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14	
15	0.010.4648.3/20	1	filter	
			2360 <- X SILVER 80	
			3948 <- X SILVER 90	
			2146 <- X SILVER 100.4	
			4174 <- X SILVER 100.6	
16	2.3339.739.2/20	1	pipe union m 18 p.1.5X34	
			2360 <- X SILVER 80	
			3948 <- X SILVER 90	
			2146 <- X SILVER 100.4	
			4174 <- X SILVER 100.6	
16	2.3335.008.2	1	pipe union m 18 p.1.5X32	
			-> 2361 X SILVER 80	
			-> 3949 X SILVER 90	
			-> 2147 X SILVER 100.4	
			-> 4175 X SILVER 100.6	
17	2.3729.250.0/20	1	electro valve	
18	0.010.2831.1	1	coil 13V - 20W	
19	2.7099.690.0/10	1	pressure switch	
20	2.3335.006.2	3	pipe union m 14 p.1.5	
			2232 <- X SILVER 80	
			3530 <- X SILVER 90	
			2024 <- X SILVER 100.4	
			3688 <- X SILVER 100.6	
20	2.3339.860.2/20	3	pipe union	1/2




Section: POWER STEERING - HYDRAULIC SYSTEM

HYDRIVE - HYDRAULIC CONTROL WITH AGROSHIFT

	TIBRACE CONTROL WITH AGREEMING					
Fig.	Code	QTY	Name			
			-> 3531 X SILVER 90			
			-> 2025 X SILVER 100.4			
			-> 3689 X SILVER 100.6			
21	2.1560.008.0	3	gasket 12.2x18			
22	2.3199.164.2/20	3	plug			
23	2.1560.008.0	1	gasket 12.2x18			

2/2

Ref.: 167.2



Section: POWER STEERING - HYDRAULIC SYSTEM

GUARD FOR ELECTRO VALVES

Fig.	Code	QTY	Name
1	0.008.9810.2/50	1	sump
2	0.008.9811.2/30	1	shield
3	2.1011.105.2	2	
			nut m 8 p.1.25
4	2.1470.004.2	5	lock washer 8
5	2.0112.205.2	2	screw m 8 p.1.25x16
6	2.0112.407.2	1	screw m 12 p.1.75x20
7	2.1470.007.2	1	lock washer 12
8	2.1011.107.2	1	nut m 12 p.1.75
9	2.6569.021.0	1	rubber plug
10	2.1312.004.2	1	washer 9x24
11	2.0112.209.2	1	screw m 8 p 1.25x25
12	2.1579.895.2	1	spacer 9x15x9
13	0.009.3586.2	1	square
			2373 <- X SILVER 80
			3981 <- X SILVER 90
			2171 <- X SILVER 100.4
14	0.200.8152.0	1	small plate
1-7	0.200.0102.0	•	2373 <- X SILVER 80
			3981 <- X SILVER 90
4.5	0.4470.000.0	4	2171 <- X SILVER 100.4
15	2.1470.002.2	1	lock washer 6
16	2.1011.103.2	1	nut m 6 p.1

1/1




Ref.: 170

Section: POWER STEERING - HYDRAULIC SYSTEM

AGROSHIFT - HYDRAULIC CONTROL

Fig.	Code	QTY	Name	
1	0.009.7713.3/30	1	valve body	
2	2.1531.025.0	1	ring 10.82x1.78	
3	0.010.0322.4/10	1	valve	
4	2.3729.240.0/20	2	electro valve 13V - 20W	
5	0.010.2831.1	1	coil 13V - 20W	
6	2.3261.008.2	1	pipe fitting m 16 p.1.5-3/4"	
8	2.1532.016.0	4	ring 8.74x1.78	
9	2.0432.019.2	2	stud bolt m 8 p.1.25-1x70	
10	2.1470.004.2	2	lock washer 8	
11	2.1011.405.2	2	nut m 8 p.1	
12	0.010.8645.3	1	tube	
12	0.010.0040.0	'	* () <-	
			- N.1 - 2.3339.598.2	
			() <- X SILVER 80	
			2767 <- X SILVER 90	
			1773 <- X SILVER 100.4	
			3037 <- X SILVER 100.6	
12	0.010.8494.3	1	tube	
			-> () - 2331 <- X SILVER 80	
			-> 2768 - 3812 <- X SILVER 90	
			-> 1774 - 2100 <- X SILVER 100.4	
			-> 3038 - 4053 <- X SILVRE 100.6	
13	2.1560.014.0	2	gasket 18.2x24x1.5	
14	2.3335.008.2	1	pipe union m 18 p.1.5X32	
15	2.3261.006.2	1	pipe fitting m 14 p.1.5-9/16"	
			() <-	
16	2.1560.010.0	1	gasket 14.2x20	
17	0.010.9043.3	1	tube	
18	2.3339.595.2	1	pipe fitting m 12	
19	2.1560.010.0	2	gasket 14.2x20	
20	0.007.7150.0	1	guard	
21	2.1470.002.2	2	lock washer 6	
22	2.0112.005.2	2	screw m 6 p.1x16	
23	0.007.7996.0/30	1	small piston	
24	2.1411.001.1	1	circlip 10	
25	2.3335.005.2	2	pipe union m 12 p.1.5x24	
26	2.3339.598.2	1	pipe union t 7/8	
			() <- X SILVER 80	
			2767 <- X SILVER 90	
			1773 <- X SILVER 100.4	
			3037 <- X SILVER 100.6	
27	2.3110.403.1	1	plug m 14 p.1.5	
			-> ()	1/2
28	0.176.6359.0	1	small plate	1/2



22 21

20

2 614 170 3

29 15 16 27 16 10 11

28

2 614 170 3

19

25

17

13

22 21

20

14

SILVER 90

Section: POWER STEERING - HYDRAULIC SYSTEM


AGROSHIFT - HYDRAULIC CONTROL

Fig.	Code	QTY	Name	
			2360 <- X SILVER 80 3948 <- X SILVER 90	
			2171 <- X SILVER 100.4 4174 <- X SILVER 100.6	
29	2.1011.103.2	1	nut m 6 p.1 2360 <- X SILVER 80 3948 <- X SILVER 90 2171 <- X SILVER 100.4 4174 <- X SILVER 100.6	
30	2.1560.012.0	1	gasket 16.2x22	

Section: POWER STEERING - HYDRAULIC SYSTEM

AGROSHIET - HYDRAULIC CONTROL WITH HYDRIVE


Fig.	Code	QTY	Name	
1	0.010.4257.3/30	1	valve body	
2	2.3729.240.0/20	3	electro valve 13V - 20W	
3	0.010.2831.1	1	coil 13V - 20W	
4	0.010.6058.3/10	1	tube	
5	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14	
6	2.1560.014.0	3	gasket 18.2x24x1.5	
8	2.3110.403.1	1	plug m 14 p.1.5	
9	0.176.6359.0	1	small plate	
			2360 <- X SILVER 80	
			3948 <- X SILVER 90	
			2171 <- X SILVER 100.4	
			4174 <- X SILVER 100.6	
10	2.1011.405.2	3	nut m 8 p.1	
11	2.1470.004.2	3	lock washer 8	
12	2.1011.103.2	1	nut m 6 p.1	
			2360 <- X SILVER 80	
			3948 <- X SILVER 90	
			2171 <- X SILVER 100.4	
			4174 <- X SILVER 100.6	
13	2.1560.012.0	1	gasket 16.2x22	
14	0.010.5379.2/10	1	shield	
15	2.1011.103.2	2	nut m 6 p.1	
16	2.1470.002.2	2	lock washer 6	
17	2.0112.007.2	2	screw m 6 p.1x20	
18 19	2.1470.004.2	1 1	lock washer 8	
20	2.1310.004.2	1	flat washer 8.4x16	
21	2.0112.207.2 2.3339.741.2/20	1	screw m 8 p 1.25x20	
22	0.010.4776.0/10	1	pipe union grain	
23	2.1411.058.7	1	circlip 8	
23 24	2.3339.752.2/10	1	pipe fitting m 18 - 3/4" - 16 JIC	
25	2.1560.010.0	1	gasket 14.2x20	
26	2.3339.598.2	1	pipe union t 7/8	
20	2.0000.000.2	'	() <- X SILVER 80	
			2767 <- X SILVER 90	
			1773 <- X SILVER 100.4	
			3037 <- X SILVER 100.6	
27	0.010.8645.3	1	tube	
	0.010.0010.0	•	* () <-	
			- N.1 - 2.3339.598.2	
			() <- X SILVER 80	
			2767 <- X SILVER 90	
			1773 <- X SILVER 100.4	1/2
				1/2




Section: POWER STEERING - HYDRAULIC SYSTEM

AGROSHIFT - HYDRAULIC CONTROL WITH HYDRIVE

Fig.	Code	QTY	Name
27	0.010.8493.3	1	tube -> () - 2331 <- X SILVER 80 -> 2768 - 3812 <- X SILVER 90 -> 1774 - 2100 <- X SILVER 100.4 -> 3038 - 4053 <- X SILVER 100.6






Section: POWER STEERING - HYDRAULIC SYSTEM

HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name
1	2.4529.950.0	1	hydraulic pump - BOSCH - - BOSCH -
2	0.009.4046.1	1	'o' ring
3	2.1411.012.1	1	circlip 30x1.2
4	0.000.0000.1	-	not serviceable
5	0.000.0000.1	-	not serviceable
6	0.000.0000.1	-	not serviceable
7	2.4529.330.1/10	1	seal ring kit

1/1




Section: POWER STEERING - HYDRAULIC SYSTEM

HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name	
1	2.4529.960.0	1	hydraulic pump - SAUER -	
2	0.009.4129.1	1	- TUROLLA - circlip	
3	0.000.0000.1	-	not serviceable	
4	0.009.4130.1	4	roller	
5	0.009.4128.1	1	seal ring kit	

1/1




Section: POWER STEERING - HYDRAULIC SYSTEM

HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name
	0.4500.000.0	4	L. L. P OALIED
1	2.4529.920.0	1	hydraulic pump - SAUER -
2	0.009.4129.1	1	circlip
3	0.000.0000.1	1	not serviceable
4	0.009.4130.1	1	roller
5	0.009.4128.1	1	seal ring kit

1/1

Ref.: 170.4



Section: POWER STEERING - HYDRAULIC SYSTEM


DELIVERY FILTER FOR AGROSHIFT AND HYDRIVE

Fig.	Code	QTY	Name
Notes:			
	2 X SILVER 80 -> 3813	X SILVER	90 -> 2101 X SILVER 100.4
1	0.011.5571.3	2	tube
2	0.011.8174.3	1	head
			* 2448 <- X SILVER 80
			* 4298 <- X SILVER 90
			* 2407 <- X SILVER 100.4
			N.1 2.4419.750.0
3	2.3339.810.2/10	1	pipe fitting m 18x1.5 - m32x2
4	2.1560.014.0	3	gasket 18.2x24x1.5
5	2.3335.008.2	1	pipe union m 18 p.1.5X32
6	2.3261.009.2	1	pipe fitting m 18 p.1.5-3/4"
7	0.011.5570.0	1	bracket
8	2.4419.690.0	1	filter
			2448 <- X SILVER 80
			4298 <- X SILVER 90
0	0.4440.750.0	4	2407 <- X SILVER 100.4
8	2.4419.750.0	1	filter
			-> 2449 X SILVER 80 -> 4299 X SILVER 90
			-> 4299 X SILVER 90 -> 2408 X SILVER 100.4
10	2.0112.207.2	2	screw m 8 p 1.25x20
11	2.1470.004.2	2	lock washer 8
12	2.7099.750.0/10	1	pressure switch
23	2.1599.055.0	1	snoulder 14.3x28.5x5
24	2.6859.030.0	24	clamp
	=:0000.000.0		4.2h

Ref.: 170.5

REAR AXEL

REAR AXLE	9
REAR REDUCTION GEARS AND AXLE SHAFTS	
REAR BRAKES	_
HAND BRAKE	10
BRAKE CONTROLS	10
MASTER CYLINDER PARTS	10
BRAKE CONTROLS	10
HAND BRAKE	10



0 614 _ 95 1

SILVER 90

Section: REAR AXEL


REAR AXLE


Fig.	Code	QTY	Name
- 3			
1	0.445.4410.0/30	2	wheel support
2	0.255.4450.0	2	cup
3	2.1475.204.2	24	washer 12
4	2.0112.431.1	18	screw m 12 p.1.75x110
5	2.1569.104.0	2	'o' ring 80x118.2x12
			- STANDARD
5	2.1529.105.0/10	2	'o' ring
			- WATER PROOF
6	2.3821.103.2	2	lubricator m 10 p.1
7	2.0422.426.7	4	stud bolt m 12x110
9	2.1011.107.1	4	nut m 12 p.1.75
10	2.1470.006.2	6	lock washer 10
11	2.0112.325.2	5	screw m 10 p.1.5x80
12	0.445.4450.0	2	cup
13	0.257.7667.2	1	brake support
14	2.0112.320.2	2	screw m 10 p.1.5x55
15	2.1470.006.2	2	lock washer 10
16	2.1579.795.2	2	spacer 11.4x17.2x30
17	2.1142.006.2	2	nut m 10
18	2.0112.433.1	2	screw m 12 p.1.75x120
19	2.0112.327.2	1	screw m 10 p.1.5x90

Section: REAR AXEL Ref.: 97

REAR REDUCTION GEARS AND AXLE SHAFTS

Fig.	Code	QTY	Name	
				_
1	0.445.4734.3/10	2	half-shaft	
2	0.148.4737.0/10	16	small column m 20x58	
3	0.445.4750.0	2	spacer	
4	2.1510.331.0	2	'o' ring 60x85x10	
5	2.1410.045.1	2	circlip 125	
6	2.2520.013.0	4	roller bearing 60x110x23.75	
7	0.008.5581.0	2	spider	
8	2.1589.106.0	6	shim 14.5x41x1	
8	2.1589.107.0	2	shim 14.5x41x0.5	
8	2.1589.108.0	2	shim 14.5x41x0.2	
8	2.1589.109.0	2	shim 14.5x41x0.1	
8	2.1589.246.0	2	shim 14.5x41x0.15	
9	0.255.4745.0	2	spacer	
10	0.255.4750.0/10	2	washer	
11	2.0139.014.1	2	screw m 14 p.1.5x33	
12	0.445.4730.0	1	reduction shaft dx	
12	0.445.4731.0	1	reduction shaft sx	
13	2.1589.170.0	12	shim 35x58x1	
14	0.008.5582.0	6	planet gear	
15	2.2999.197.0	6	roller cage	
16	0.445.4725.0	6	pin	
17	0.445.4440.0	2	crown wheel	
18	2.1549.138.0	6	spacer	






Section: REAR AXEL

REAR BRAKES

Fig.	Code	QTY	Name
1	0.009.7067.2	2	brake disc
			- X SILVER 80 - 90
1	0.011.3765.2	2	brake disc
			- X SILVER 100.4
2	0.255.5448.0/20	2	piston
3	2.1539.179.0	2	'o' ring 279x3.53
4	2.1539.180.0	2	'o' ring 228x3.53
5	0.008.5031.3/20	2	box
6	2.1699.190.0	4	pin 14x28




Section: REAR AXEL

HAND BRAKE

Fig.	Code	QTY	Name
		_	
1	0.445.5450.0	2	small column
2	2.1410.006.1	1	circlip 20
3	0.008.4287.0	1	brake lever
4	0.008.4286.2/10	1	h/brake lever
5	0.188.5459.0/20	1	plate - X SILVER 80 - 90
5	0.008.4240.0/20	1	plate - X SILVER 100.4 - 100.6
6	0.171.5451.2	2	sector
7	0.255.5452.0	3	brake disc 150 - X SILVER 80 - 90
7	0.008.4255.0	3	brake disc 145 - X SILVER 100.4 - 100.6
8	0.171.5459.2	2	sector
9	2.1530.034.0	1	'o' ring 13.95x2.62
10	2.1530.043.0	1	'o' ring 17.13x2.62
11	0.445.5451.0	1	small plate - X SILVER 80 - 90
11	0.255.5453.0	1	small plate - X SILVER 100.4 - 100.6
12	2.1470.004.2	1	lock washer 8
13	2.0112.209.2	1	screw m 8 p 1.25x25
14	2.1410.022.1	1	circlip 55
15	2.1549.015.0	1	spacer 9x20x14.5
16	0.008.9813.2/10	1	support
17	0.008.9815.2/20	1	sump
18	2.1011.105.2	1	nut m 8 p.1.25
19	2.1470.004.2	1	lock washer 8
20	2.0112.005.2	3	screw m 6 p.1x16
21	2.1470.002.2	3	lock washer 6
22	0.011.5484.0	1	shim mm 1
23	0.011.5486.0	1	shim mm 2

1/1




Ref.: 102

Section: REAR AXEL

BRAKE CONTROLS

Fig.	Code	QTY	Name	
rig.	Code	QII	Name	
1	0.007.5913.3/30	1	pedal dx	
2	2.1559.117.0/20	2	bushing 30x34x20	
3	2.1599.268.0	2	snoulder 30.2x45x2	
4	2.1410.012.1	1	circlip 30	
5	0.169.6557.0	2	cover	
6	0.008.2171.2/10	1	spring	
7	0.009.0496.0	1	clevis	
8	2.1630.210.2	1	roll pin 3x20	
9	2.0112.205.2	4	screw m 8 p.1.25x16	
10	2.1470.004.2	4	lock washer 8	
11	0.009.0495.3	1	tube	
12	2.1671.407.2	2	pin 10x28	
13	2.1310.006.2	2	flat washer 10.5x20	
14	2.1690.308.2	2	split pin 3.2x20	
15	2.1599.546.0	1	washer 30.5x50x12	
16	0.008.2190.4/20	2	brake cylinder	
			☞ 103	
			F 103	
17	0.010.0058.3	1	tube dx	
18	0.010.0059.3	1	tube sx	
19	0.021.1668.0	1	small block	
20	0.002.8816.0	1	small plate	
21	2.0112.011.2	1	screw m 6 p.1x30	
22	2.1310.002.2	1	flat washer 6.4x12.5	
23	2.1470.002.2	1	lock washer 6	
24	2.1011.103.2	1	nut m 6 p.1	
25	0.008.9752.3/10	2	tube	
26	2.1410.004.2	2	circlip 16	
30	2.1470.002.2	5	lock washer 6	
31	2.1011.103.2	4	nut m 6 p.1	
32	0.257.6654.4/10	1	tank	
32	0.009.1780.4	1	tank	
			- X HYDRIVE	
33	0.257.6654.3	1	plug	
34	0.257.6662.2	1	clamp	
35	2.0112.005.2	1	screw m 6 p.1x16	
36	0.008.9496.0/10	1	tube dx	
37	0.008.9495.0/10	1	tube sx	
38	2.6850.002.0	4	clamp 12-22	
39	0.226.6658.2	1	small plate	
40	0.002.8816.0	3	small plate	
41	0.008.9712.0	1	square	
42	2.0112.007.2	1	screw m 6 p.1x20	1/2
43	2.1011.103.2	2	nut m 6 p.1	- -




Section: REAR AXEL

BRAKE CONTROLS

Fig.	Code	QTY	Name
44	2.3130.001.1	1	plug 1/8 gas
45	2.1011.105.2	2	nut m 8 p.1.25
46	2.1470.004.2	2	lock washer 8
47	2.0112.209.2	2	screw m 8 p 1.25x25
48	2.0112.307.2	1	screw m 10 p.1.5x20
49	2.1470.006.2	1	lock washer 10
50	0.445.6676.0/10	1	small block
			- FOR TYPES WITHOUT FRONT BRAKES
51	2.3339.447.2/10	2	pipe fitting m 12 p.1.25
52	2.1560.008.0	2	gasket 12.2x18
53	2.6569.040.0	1	rubber plug
54	2.0112.019.2	2	screw m 6 p.1x50
55	0.445.4351.4/30	1	valve
			- FOR TYPES WITH FRONT BRAKES
56	2.1470.002.2	2	lock washer 6
57	0.007.5914.3/30	1	pedal sx
58	2.1559.117.0/20	2	bushing 30x34x20

2/2




Section: REAR AXEL

MASTER CYLINDER PARTS

Fig.	Code	QTY	Name
1	0.008.2190.4/20	1	brake cylinder
2	0.009.4673.2	1	accessories
3	0.000.0000.1	-	not serviceable
4	0.009.4672.1	1	connection

1/1



Section: REAR AXEL

BRAKE CONTROLS

Fig. Code QTY Name 2.1011.422.2 1 1 nut m 12 p.1.25 2 0.009.9839.0/30 bracket 3 2.0432.265.7 1 stud bolt m 12 p.1.75-1.25x50 0.277.4354.0/10 4 pipe fitting 5 circlip 16 2.1410.004.1 1 6 2 0.170.5455.0 fuse 7 2 2.3199.039.0 plug 6.5x7.25 8 1 0.008.9506.3/10 tube dx - X SILVER 80 - 90 - 100.4 8 0.007.6738.3 1 tube dx - X SILVER 80 - 90 - 100.4 ITALY 8 0.008.9507.3/10 1 tube dx - X SILVER 100.6 8 0.007.6739.3 1 tube dx - X SILVER 100.6 ITALY 9 0.009.3702.3 1 tube - X SILVER 80 - 90 9 0.008.9514.3/20 1 tube - X SILVER 100.4 9 0.008.9515.3/20 1 tube - X SILVER 100.6 10 0.008.9503.3/10 1 tube - X SILVER 80 - 90 - 100.4 - WITHOUT BREAKING FOR TRAILER 10 0.008.9504.3/10 1 tube - X SILVER 100.6


- WITHOUT BREAKING FOR TRAILER

1/1

Section: REAR AXEL

HAND BRAKE

Fig.	Code	QTY	Name	
1	0.009.0672.0/10	1	lining	
2	0.009.0072.0/10	1	support	
3	2.0112.207.2	4	screw m 8 p 1.25x20	
4		4	lock washer 8	
	2.1470.004.2	4		
5 6	2.1142.005.2	1	insert m 8	
7	2.1470.002.2		lock washer 6	
	2.1011.103.2	1	nut m 6 p.1	
8	2.1699.265.2	1	pin	
9	2.1579.972.2	1	spacer	
10	2.0112.011.2	1	screw m 6 p.1x30	
11	0.009.0141.0/10	1	toothed sector	
12	2.1670.406.2	1	pin 10x25x21.5	
13	2.1690.307.2	1	split pin 3.2x18	
14	0.008.9044.4	1	rod	
15	2.1410.003.1	2	circlip 14	
16	2.1011.107.2	1	nut m 12 p.1.75	
17	2.7659.133.0	1	switch	
18	2.3519.056.0	1	fork	
19	2.1670.409.2	1	pin 10x32x28.5	
20	0.264.6655.0/10	1	small block	
21	2.0357.353.6	1	screw 3.9x9.5	
22	2.1579.973.2	2	spacer 15x30x7.5	
23	0.009.0670.4/10	1	h/brake lever	
24	2.1690.206.2	1	split pin 2x16	
25	0.009.0668.0	1	push-button	
26	2.4019.555.2	1	spring 14x130x1.3	
27	0.171.6621.0	1	rod	
28	0.200.6623.0	1	ratchet	
29	2.1670.305.2	1	pin 8x22x19	
30	2.1310.004.2	1	flat washer 8.4x16	
31	2.1011.108.2	1	nut m 14 p.2	
32	2.3199.259.0	1	plug	
33	2.1310.007.2	1	flat washer 13x24	
34	2.1690.307.2	1	split pin 3.2x18	
35	2.0112.207.2	1	screw m 8 p 1.25x20	
36	2.1470.004.2	1	lock washer 8	
37	0.007.6765.2/20	1	plate	
38	2.1470.008.2	1	lock washer 14	



S.A.C.

POWER-LIFT CASE	269
PUMP FILTER SUCTION 16 CC	271
PUMP FILTER SUCTION 22.5 CC	272
HYDRAULIC PUMP PARTS	
HYDRAULIC PUMP PARTS	
HYDRAULIC PUMP PARTS	
HYDRAULIC PUMP PARTS	275.1
PUMP FILTER SUCTION	276
LIFTING	077
LIFTING WITH ELECTRONIC CONTROL	279
HYDRAULIC CYLINDERS	281
REGULATING DISTRIBUTOR	282
REGULATING DISTRIBUTOR WITH ELECTRONIC CONTROL	283
VALVE ASSEMBLY PARTS	284
INTERNAL AND EXTERNAL CONTROLS	285
CONTROL TIE RODS AND LEVERS	286
CONTROL TIE RODS AND LEVERS	287
S.A.C. GROUND CONTROL	
S.A.C. GROUND CONTROL	288.1
SENSITIVE ELEMENTS	289
SENSING ELEMENTS WITH ELECTRONIC CONTROL	292

Section: S.A.C.





Fig.	Code	QTY	Name	
1	0.009.3412.3/20	1	hydraulics housing	
			- FOR TYPES WITH MECHANICAL LIFTER	
			* () <-	
1	0 000 2244 2/20	1	- N.1 - 2.1560.010.0 - 2.3110.403.1	
1	0.009.3244.3/20	ı	hydraulics housing - FOR TYPES WITH ELECTRONIC LIFTER	
			* () <-	
			- N.1 - 2.1560.010.0 - 2.3110.403.1	
2	2.3131.004.2	2	plug m 18 p.1.5	
_	2.0101.001.2	_	- FOR TYPES WITH MECHANICAL LIFTER	
2	2.3131.002.2	1	plug m 14 p.1.5	
_		•	() <-	
			- FOR TYPES WITH ELECTRONIC LIFTER	
2	2.3131.004.2	1	plug m 18 p.1.5	
			-> ()	
			- FÒR TYPES WITH ELECTRONIC LIFTER	
3	2.1555.621.0	2	bushing 60x65x40	
4	2.1555.620.0	2	bushing 55x60x40	
5	0.001.3659.0	3	bushing	
6	2.0599.007.1/10	1	screw m 10 p.1.5	
7	0.9131.150.0	1	tube	
8	0.9107.150.0	1	gasket	
			() <-	
9	2.0112.311.2	6	screw m 10 p.1.5x30	
10	2.1470.006.2	12	lock washer 10	
11	0.9107.114.0	1	cover	
12	2.1470.007.2	10	lock washer 12	
13	2.1011.422.2	2	nut m 12 p.1.25	
14	2.0112.413.1	5	screw m 12 p.1.75x35	
15	2.1560.014.0	2	gasket 18.2x24x1.5	
15	2.1560.010.0	1	() <-	
15	2.1300.010.0	ı	gasket 14.2x20 -> ()	
16	2.3110.405.1	1	() plug m 18 p.1.5x15	
10	2.3110.403.1	!	() <-	
16	2.3110.403.1	1	plug m 14 p.1.5	
10	2.3110.403.1	!	-> ()	
17	2.0312.412.1	3	screw m 12 p.1.75x35	
19	0.009.3854.2/10	1	guard	
20	2.0122.452.2	1	screw m 12 p.1.25x10	
21	2.1311.008.2	1	flat washer 12	
22	2.1099.059.2	1	special nut m 12 p.1.25x27	
23	2.3110.516.1	1	plug 1 gas	1/2
	0.007.6099.0	1	tube	1/2


Section: S.A.C.

Ref.: 269

POWER-LIFT CASE

Fig.	Code	QTY	Name	
25	2.1560.056.0	2	gasket 33x39	
26	2.0112.317.2	6	screw m 10 p.1.5x45	
27	0.445.3150.4	1	filter -> ()	
28	2.3110.405.0	1	plug -> ()	
29	2.1560.014.0	1	gasket 18.2x24x1.5 -> ()	
30	2.1560.010.0	1	gasket 14.2x20 -> ()	






Section: S.A.C. Ref.: 271

PUMP FILTER SUCTION 16 CC.


Fig.	Code	QTY	Name
1	2.4539.560.0	1	hydraulic pump - BOSCH -
•	2.4000.000.0	'	© 274
			F 274/1
			- FOR PREVIOUS VERSION-SEE
			F 274
1	2.4539.570.0	1	pump - SAUER -
-		•	© 274
2	2.1530.062.0	1	'o' ring 23.81x2.62
3	0.007.6783.3	1	tube
4	2.1480.012.1	10	washer 6
5	2.0312.112.2	3	screw m 6 p.1x35
6	2.0312.327.2	2	screw m 10 p.1.5x110
6	2.0312.328.2	2	screw m 10 p.1.5x120
7	2.1470.006.2	2	lock washer 10
8	2.1579.350.2	2	spacer 10.5x20x6
			· () <-
9	0.9104.250.0/10	1	gasket
10	2.1530.052.0	1	o' ring 20.24x2.62
11	2.0312.106.2	2	screw m 6 p.1x20
12	0.255.8235.0/10	1	flange
13	0.255.8254.0/40	1	gasket
14	2.1470.004.2	4	lock washer 8
15	2.1011.105.2	4	nut m 8 p.1.25
16	0.255.8237.3/40	1	support
17	2.4419.280.0	1	hydr.oil filter elem FT 4948
18	2.4419.350.0	1	hydr.oil filter elem FT 4944
19	0.255.8239.0	1	flange
20	0.255.8253.0/40	2	gasket
21	0.255.8236.0	1	flange
22	0.007.6784.3	1	tube
23	2.0312.110.2	3	screw m 6 p.1x30
24	0.011.2363.3/10	1	tube
24	0.011.5715.3/10	1	tube
			- FOR TYPES WITH REXROTH CONTROL VALVE
25	2.0312.114.2	2	screw m 6 p.1x40
26	0.011.2362.3/10	1	tube



Section: S.A.C. Ref.: 272

PUMP FILTER SUCTION 22.5 CC.

Fig.	Code	QTY	Name
	0.4500.000.0	_	00.5
1	2.4539.630.0	1	pump 22.5 cc - SAUER
			© 275
			F 275
1	2.4539.620.0	1	pump 22.5 cc - BOSCH
			© 275.1
•	0.4500.000.0	4	F 275/1
2	2.1530.062.0	1	'o' ring 23.81x2.62
3	0.006.6401.3	1	tube
4	2.1480.012.1	7	washer 6
5	2.0312.114.2	3	screw m 6 p.1x40
6	2.0169.019.2	2	screw m 10x135
7	2.1470.006.2	2	lock washer 10
8	2.1579.350.2	2	spacer 10.5x20x6
^	0.0404.050.0/40	4	() <-
9	0.9104.250.0/10	1	gasket
10	2.1530.052.0	1	'o' ring 20.24x2.62
11	2.0312.106.2	2	screw m 6 p.1x20
12	0.9107.253.0	1	flange
13	0.255.8255.0/40	1	gasket
14	2.1011.105.2	2	nut m 8 p.1.25 lock washer 8
15	2.1470.004.2	2 1	
16	0.9107.227.3/20		head
17	2.4419.280.0	2	hydr.oil filter elem FT 4948
18	0.9107.254.0	1	flange
19	0.011.2363.3/10	1	tube
19	0.011.5715.3/10	1	tube
20	2 0242 444 2	2	- FOR TYPES WITH REXROTH CONTROL VALVE
20	2.0312.114.2	2	screw m 6 p.1x40
21	0.011.2362.3/10	1	tube



Section: S.A.C. Ref.: 274


HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name
1	0.000.0000.1	1	not serviceable - BOSCH -
2	0.009.4046.1	1	'o' ring
3	2.1411.012.1	1	circlip 30x1.2
4	0.000.0000.1	-	not serviceable
5	0.000.0000.1	-	not serviceable
6	0.000.0000.1	-	not serviceable
7	2.4529.330.1	1	seal ring kit


Section: S.A.C. Ref.: 274.1

HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name	
1	2.4539.560.0	1	hydraulic pump - BOSCH -	
2	0.009.4046.1	1	'o' ring	
3	2.1411.012.1	1	circlip 30x1.2	
4	0.000.0000.1	-	not serviceable	
5	2.4529.330.1/10	1	seal ring kit	




2_4539_560_0



Section: S.A.C. Ref.: 275

HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name
1	2.4539.630.0	1	numn 22 F. og CALIED
I .		!	pump 22.5 cc - SAUER
2	0.009.4129.1	1	circlip
3	0.000.0000.1	-	not serviceable
4	0.009.4130.1	4	roller
5	0.009.4128.1	1	seal ring kit



Section: S.A.C. Ref.: 275.1

HYDRAULIC PUMP PARTS


Fig.	Code	QTY	Name
4	2.4520.020.0	4	numan 22 F on POCCII
ı	2.4539.620.0	ı	pump 22.5 cc - BOSCH
2	0.009.4046.1	1	'o' ring
3	2.1411.012.1	1	circlip 30x1.2
4	0.000.0000.1	-	not serviceable
5	0.000.0000.1	-	not serviceable
6	0.000.0000.1	-	not serviceable
7	2.4529.330.1/10	1	seal ring kit



Ref.: 276

Section: S.A.C.


MD EILTED SLICTION




PUMP	PUMP FILTER SUCTION			
Fig.	Code	QTY	Name	
1	0.008.4375.0/20	1	plate	
2	2.1579.931.0	2	spacer 9x20x4	
3	2.0342.307.2	2	screw m 8 p.1.25x25	
4	2.1481.007.1	6	washer 8	
5	2.0312.208.2	2	screw m 8 p.1.25x25	
6	2.7099.180.0/10	1	pressure switch	
			() <- = A	
6	2.7099.660.0/10	1	pressure switch 0.5-0.4 BAR	
			-> () = B	
7	0.255.8255.0/40	2	gasket	
8	2.0112.209.2	4	screw m 8 p 1.25x25	
9	0.010.1007.4	1	tube	
•	0.0.0	•	- X SILVER 80 - 90	
			2056 <- X SILVER 100.4	
9	0.010.0992.4	1	tube	
0	0.010.0002.4	'	- X SILVER 100.6	
			-> 2057 X SILVER 100.4	
10	0.008.4713.0	1	flange	
10	0.000.47 13.0		- X SILVER 80 - 90	
			2056 <- X SILVER 100.4	
10	0.008.5645.0/20	1		
10	0.006.3043.0/20	ı	flange - X SILVER 100.6	
4.4	0.0440.007.0	4	-> 2057 X SILVER 100.4	
11	2.0112.007.2	4	screw m 6 p.1x20	
12	2.1470.002.2	4	lock washer 6	
13	0.255.8257.0/20	1	support	
			- X SILVER 80 - 90	
			2056 <- X SILVER 100.4	
13	0.008.5630.0/30	1	support	
			- X SILVER 100.6	
			-> 2057 X SILVER 100.4	
15	0.255.8260.0	1	tube	
16	0.255.8253.0/40	1	gasket	
17	2.0112.209.2	2	screw m 8 p 1.25x25	
18	2.0112.219.2	2	screw m 8 p.1.25x50	
			- X SILVER 80 - 90	
			2056 <- X SILVER 100.4	
18	2.0112.223.2	1	screw m 8 p.1.25x70	
			- X SILVER 100.6	
			-> 2057 X SILVER 100.4	
19	0.008.5758.2/20	1	division	
20	0.009.6671.0	1	tube	
21	2.1549.231.0	1	spacer 28.5x42x2	1 /2
22	2.4019.609.1	1	spring 33x38x2.5x40	1/2
		-	- p	

Section: S.A.C. PUMP FILTER SUCTION

PUMP	PUMP FILTER SUCTION				
Fig.	Code	QTY	Name		
23	0.009.6670.2/20	1	tube - X SILVER 80 - 90		
23	0.007.7035.2	1	tube - X SILVER 100.4		
23	0.007.7035.2	1	tube - X SILVER 100.6		
24	2.1599.210.0/10	2	spacer 10.5x19x4		
25	0.007.6754.0	1	tube - WITH 16 CM3/CYCLE PUMP		






Section: S.A.C. Ref.: 277

LIFTING


LII TING				
Code	QTY	Name		
	1	lift lever dx		
0.009.7880.0	1	shaft		
2.1410.022.1	2	circlip 55		
0.007.1952.0/10	1	lever		
0.9131.313.0	1	connecting rod		
0.9131.311.0/10	1	piston		
2.1530.256.0	1	'o' ring 152x3.5		
2.1530.029.0	1	'o' ring 12.37x2.62		
0.9131.310.0	1	cylinder		
2.0122.620.2	4	screw m 16 p.1.5x55		
2.1560.008.0	1	gasket 12.2x18		
2.3110.422.1	1	plug m 12 p.1.25x10		
0.007.1953.3	1	lift lever sx		
2.3110.405.1	1	plug m 18 p.1.5x15		
2.1560.014.0	1	gasket 18.2x24x1.5		
2.1520.329.0	2	'o' ring 55x72x10		
2.1599.696.2	2	snoulder 55x88x5		
0.009.3672.0	1	spacer		
2.0522.312.7	1	screw m 10 p.1.5x30		
2.1011.106.2	1	nut m 10 p.1.5		
2.0522.110.1	1	screw m 6 p.1x25		
2.1011.103.2	1	nut m 6 p.1		
2.1410.025.1	1	circlip 62		
2.1631.922.0	1	roll pin 12x65		
2.1518.125.0	1	'o' ring 90x110x12.5		
	0.007.1954.3 0.009.7880.0 2.1410.022.1 0.007.1952.0/10 0.9131.313.0 0.9131.311.0/10 2.1530.256.0 2.1530.029.0 0.9131.310.0 2.0122.620.2 2.1560.008.0 2.3110.422.1 0.007.1953.3 2.3110.405.1 2.1560.014.0 2.1520.329.0 2.1599.696.2 0.009.3672.0 2.0522.312.7 2.1011.106.2 2.0522.110.1 2.1011.103.2 2.1410.025.1 2.1631.922.0	Code QTY 0.007.1954.3 1 0.009.7880.0 1 2.1410.022.1 2 0.007.1952.0/10 1 0.9131.313.0 1 0.9131.311.0/10 1 2.1530.256.0 1 2.1530.029.0 1 0.9131.310.0 1 2.0122.620.2 4 2.1560.008.0 1 2.3110.422.1 1 0.007.1953.3 1 2.3110.405.1 1 2.1550.014.0 1 2.1520.329.0 2 2.1599.696.2 2 0.009.3672.0 1 2.0522.312.7 1 2.0522.110.1 1 2.1011.106.2 1 2.1410.025.1 1 2.1631.922.0 1		



Section: S.A.C. Ref.: 279

LIFTING WITH ELECTRONIC CONTROL

Fig.	Code	QTY	Name	
1	0.007.1954.3	1	lift lever dx	
2	0.007.1954.5	1	shaft	
3		2		
	2.1410.022.1	2	circlip 55	
4	2.1310.028.2		flat washer 4.3x9	
5	2.0332.207.3	2	screw m 4x20	
			2421 <- X SILVER 80	
_	0.0000.044.0	•	4162 <- X SILVER 90	
5	2.0332.211.3	2	screw m 4x40	
			-> 2422 X SILVER 80	
•	0.000 7000 4		-> 4163 X SILVER 90	
6	0.009.7983.4	1	position sensor	
			2421 <- X SILVER 80	
_		_	4162 <- X SILVER 90	
7	2.0332.306.2	2	screw m 5x16	
8	2.1559.363.2	2	sleeve	
9	0.007.6992.0/10	1	joint	
10	0.007.1952.0/10	1	lever	
11	2.1631.922.0	1	roll pin 12x65	
12	0.9131.313.0	1	connecting rod	
13	2.1518.125.0	1	'o' ring 90x110x12.5	
14	0.9131.311.0/10	1	piston	
15	2.1530.256.0	1	'o' ring 152x3.5	
16	2.1530.029.0	1	'o' ring 12.37x2.62	
			() <-	
16	2.1531.037.0	1	'o' ring 15.08x2.62	
			-> ()	
17	0.009.2606.0/40	1	cylinder	
			* () <-	
			2.1531.037.0	
18	2.0122.620.2	4	screw m 16 p.1.5x55	
19	2.1011.106.2	1	nut m 10 p.1.5	
20	2.0522.312.7	1	screw m 10 p.1.5x30	
21	0.007.1953.3	1	lift lever sx	
22	2.1520.329.0	2	'o' ring 55x72x10	
23	2.1599.696.2	2	snoulder 55x88x5	
24	2.3339.235.2	1	pipe fitting M 18 x 1" 1/16-12jic	
25	2.1560.014.0	1	gasket 18.2x24x1.5	
26	2.3131.002.2	2	plug m 14 p.1.5	
27	2.1310.004.2	2	flat washer 8.4x16	
28	2.0112.207.2	2	screw m 8 p 1.25x20	
29	0.009.3526.3/50	1	bracket	
			2421 <- X SILVER 80	
			4162 <- X SILVER 90	1 /2
29	0.011.3853.3/10	1	bracket	1/2
20	0.011.0000.0/10		DIGONOL	




Section: S.A.C. Ref.: 279

LIFTING WITH ELECTRONIC CONTROL

Fig.	Code	QTY	Name
31	2.7099.740.0	1	-> 2422 X SILVER 80 -> 4163 X SILVER 90 position sensor -> 2422 X SILVER 80 -> 4163 X SILVER 90

Section: S.A.C.







Fig.	Code	QTY	Name
1	0.009.3536.3/10	1	tube
			- FOR TYPES WITH MECHANICAL LIFTER
1	0.009.3537.3	1	tube
			- FOR TYPES WITH ELECTRONIC LIFTER
2	0.009.3535.4	2	jack
3	0.009.4325.2	1	gasket set
4	2.3335.008.2	1	pipe union m 18 p.1.5X32
5	2.1011.107.2	8	nut m 12 p.1.75
6	2.1699.372.0/30	2	pin 22x59
7	2.1559.076.0	2	bushing 22.05x26.05x23
8	2.1690.616.2	2	split pin 6.3x50
9	0.98614.51.3	1	bracket dx
9	0.98614.50.3	1	bracket sx
10	2.3332.005.1	2	pipe union m 16 p.1.5
11	2.0422.427.7	8	stud bolt m 12x120
12	2.0112.327.2	2	screw m 10 p.1.5x90
13	2.1311.013.2	4	flat washer 22
14	2.1690.713.2	2	split pin 8x36
15	2.1560.011.0	4	gasket 16.2x20
16	2.1599.656.2	2	washer 22x30x3
17	2.1560.014.0	1	gasket 18.2x24x1.5



Section: S.A.C. Ref.: 282


REGULATING DISTRIBUTOR


Fig.	Code	QTY	Name	
		'		
1	0.006.6463.0	1	body	
3	0.9087.427.0	1	bracket	
4	0.9087.456.0	1	washer	
5	2.1420.002.0	1	circlip a 8	
6	0.9087.455.0	1	ring	
7	2.4099.032.1/10	1	spring	
8	2.1530.026.0	2	'o' ring 11.11x1.78	
9	2.1530.009.0	1	'o' ring 5.28x1.78	
10	2.1530.033.0	3	'o' ring 13.10x2.62	
11	0.9087.457.0/10	1	valve	
12	2.4019.256.1	1	spring 7.8x54x1.4	
13	2.1699.155.0	1	pin 5x11.5	
14	2.4019.258.1	1	spring 7.8x25.5x0.9	
15	2.4019.259.1/10	1	spring 10.3x111.5x1.1	
16	2.3199.061.0/10	1	plug m 10 p.1	
17	0.9087.451.0/20	1	small piston	
18	2.4019.257.1	1	spring 8.8x25x1.1	
19	0.9087.420.6/40	1	distributor	
20	0.9087.452.3/10	1	valve	
23	2.4019.257.1	1	spring 8.8x25x1.1	
24	2.1560.011.0	1	gasket 16.2x20	
25	2.3199.062.0/10	1	plug m 16 p.1.5	
26	2.1560.005.0	1	gasket 10.2x14	
27	2.3110.401.1	1	plug m 10 P.1X8	
28	0.9087.450.0/10	1	stem	
29	2.0112.001.1	4	screw m 6 p.1x8	
30	0.009.2171.0	1	small piston	
			- X SILVER 80 - 90	
30	0.9107.452.0	1	small piston	
			- X SILVER 100.4 - 100.6	
31	0.9107.453.0	1	pin	
32	2.4019.306.0	1	spring 9.5x57.3x1.2	
33	2.1560.015.0	1	gasket 20.2x24	
34	0.9107.454.0	1	plug	
35	0.9087.460.0	1	pin	
36	2.1470.006.2	2	lock washer 10	
37	2.0112.323.1	1	screw m 10 p.1.5x70	
40	2.1470.004.2	3	lock washer 8	
41	2.0112.225.2	3	screw m 8 p.1.25x80	
43	2.1430.008.7	5	circlip 7	
44	0.001.3702.0	1	roller	
45	0.9131.437.3	1	fork	
46	2.0119.019.1	1	screw m 8x40	4 /2
47	2.1011.405.2	1	nut m 8 p.1	1/2
• •	=::0::::00:=	•	p	

Section: S.A.C. Ref.: 282

REGULATING DISTRIBUTOR

	REGULATING DISTRIBUTOR					
Fig.	Code	QTY	Name			
48	0.9107.430.0/10	1	lever			
49	0.9107.451.0	1	pin			
50	2.1630.208.0	3	roll pin 3x16			
51	0.9087.429.0	1	lever			
52	0.9087.461.0	1	pin			
53	0.9107.438.0	1	lever			
54	0.9087.462.0	1	pin			
55	0.9011.436.3	1	lever			
56	0.9011.435.3/10	1	lever			
57	0.9000.459.0	1	pin			
58	0.9087.454.0	2	small plate			
59	0.9087.459.0	1	roller			
60	2.1670.105.2	1	pin 6x22x19			
61	2.1690.206.2	1	split pin 2x16			
62	2.0512.101.1	1	grain m 6 p.1x6			
63	2.4049.115.1/10	1	spring			
64	2.1560.010.0	1	gasket 14.2x20			
65	0.9087.464.3	1	valve			
66	2.1631.307.0	1	roll pin 4x16			
67	2.1470.002.2	1	lock washer 6			
68	2.0112.021.1	1	screw m 6 p.1x60			
69	2.1569.095.0	1	gasket 10.4x14x1.2			
70	0.9087.463.3/20	1	screw			
			- X SILVER 80 - 90			
70	0.9107.450.3/10	1	screw			
			- X SILVER 100.4 - 100.6			
71	2.1560.003.0	1	gasket 8.2x12			
72	2.0112.317.1	1	screw m 10 p.1.5x45			
73	2.1589.096.0/10	2	shim 5.5x17.5x1.2			
74	2.1560.002.0	4	gasket 6.12x12			
75	2.1560.008.0	5	gasket 12.2x18			
76	2.3110.422.1	5	plug m 12 p.1.25x10			






Section: S.A.C. Ref.: 283

REGULATING DISTRIBUTOR WITH ELECTRONIC CONTROL


Fig.	Code	QTY	Name
1	0.009.2180.4/20	1	valve © 284 F 284
2 3	2.0312.221.2 2.1470.004.2	3 3	screw m 8 p.1.25x75 lock washer 8



Section: S.A.C. Ref.: 284

VALVE ASSEMBLY PARTS


Fig.	Code	QTY	Name
1	0.009.2180.4/20	1	valve
2	0.009.4171.1	2	cap
3	0.009.4146.1	1	piston pin
			- FOR BLACK CABLE
4	0.009.4145.1	1	piston pin
			- FOR YELLOW CABLE
5	0.009.4342.0	3	'o' ring 18x2.5
6	0.009.4173.1	3	'o' ring
7	0.009.4342.2	1	seal ring kit
8	0.000.0000.1	-	not serviceable
9	0.009.4342.1	1	'o' ring
10	0.010.2180.0	2	electro valve



Section: S.A.C. Ref.: 285

INTERNAL AND EXTERNAL CONTROLS


Fig.	Code	QTY	Name	
	0.000.0500.0			
1	0.009.3523.3	1	lever	
2	0.009.3522.3/10	1	lever	
3	2.0112.011.2	3	screw m 6 p.1x30	
4	2.1470.002.2	3	lock washer 6	
5	2.1011.103.2	3	nut m 6 p.1	
6	2.1530.034.0	3	'o' ring 13.95x2.62	
7	0.009.9956.0	1	lever	
			1773 <- X SILVER 100.4	
			3037 <- X SILVER 100.6	
7	0.9107.521.0	1	lever	
			- X SILVER 80 - 90	
			-> 1774 X SILVER 100.4	
			-> 3038 X SILVRE 100.6	
8	0.9131.512.3	1	lever	
9	0.9131.524.3	1	lever	
10	0.9131.526.3/10	1	lever	
11	2.1720.005.0	3	key 4x5	
12	0.9011.553.0	1	pin	
13	2.1630.208.0	1	roll pin 3x16	
14	2.1430.008.7	9	circlip 7	
15	0.006.6383.3	1	lever	
10	0.000.0000.0	•	1773 <- X SILVER 100.4	
			3037 <- X SILVER 100.6	
15	0.9087.551.3/10	1	lever	
13	0.9007.551.5/10	1	- X SILVER 80 - 90	
			- > 1774 X SILVER 100.4	
			-> 1774 X SILVER 100.4 -> 3038 X SILVRE 100.6	
10	0.000.0004.0	4		
16	0.006.6381.0	1	rod	
			1773 <- X SILVER 100.4	
			3037 <- X SILVER 100.6	
16	0.9000.434.0/10	1	rod	
			- X SILVER 80 - 90	
			-> 1774 X SILVER 100.4	
			-> 3038 X SILVRE 100.6	
17	0.9023.527.0	1	rod	
18	2.4049.161.1	1	spring	
19	0.9000.562.0	1	pin	
20	0.9107.527.0/10	1	rod	
21	0.007.1951.3/10	1	lever	
			- X SILVER 80 - 90	
21	0.008.3220.3/40	1	lever	
			- X SILVER 100.4 - 100.6	
			* 1773 <- X SILVER 100.4	1 /2
			* 3037 <- X SILVER 100.6	1/2



Section: S.A.C. Ref.: 285

INTERNAL AND EXTERNAL CONTROLS


Fig.	Code	QTY	Name
			- N.1 - 9000.434.0/10 - 9087.551.3/10 - 9107.521.0
22	0.9011.557.0	1	tip m 6 P.1 sx
23	2.1019.007.1	1	special nut m 6 p.1
24	0.9011.558.0	1	register m 6 p.1
25	2.1011.103.2	1	nut m 6 p.1
26	0.002.1484.0	1	tip



Section: S.A.C. Ref.: 286

CONTROL TIE RODS AND LEVERS


Fig.	Code	QTY	Name
	0.000.0040.0/00		
1	0.008.9919.3/60	1	support
			- FOR MODELS WITH MECHANICAL ENGINE
			GOVERNOR
1	0.009.2960.3/50	1	support
			- FOR MODELS WITH ELECTRONIC ENGINE
			GOVERNOR
2	0.009.2983.2	1	pin
3	2.0112.007.2	1	screw m 6 p.1x20
4	2.1470.002.2	3	lock washer 6
5	0.008.9912.3/20	1	lever
			- FOR MODELS WITH MECHANICAL ENGINE
			GOVERNOR
5	0.008.3272.3/40	1	lever
			- FOR MODELS WITH ELECTRONIC ENGINE
			GOVERNOR
6	0.008.9922.0/20	1	panel
			- FOR TYPES WITH MECHANICAL LIFTER
6	0.008.9804.0/30	1	panel
			- FOR TYPES WITH ELECTRONIC LIFTER + S.B.A
			SYSTEM
6	0.008.9995.0/20	1	panel
			- FOR TYPES WITH ELECTRONIC LIFTER WITH
			CAB
7	2.1011.105.2	4	nut m 8 p.1.25
8	2.0112.215.2	2	screw m 8 p.1.25x40
9	2.4099.053.7	8	spring 8.2x23x0.7
10	0.012.4240.0	4	friction ring 8.5x32x3
11	2.1599.245.0	4	snoulder 8.5x32x2
12	2.1011.105.2	2	nut m 8 p.1.25
13	0.008.9913.3/20	1	lever
			- FOR MODELS WITH MECHANICAL ENGINE
			GOVERNOR
13	0.008.3270.3/40	1	lever
			- FOR MODELS WITH ELECTRONIC ENGINE
			GOVERNOR
14	0.9107.626.0	1	rod
15	0.257.6757.0	4	spring
16	2.0112.209.2	3	screw m 8 p 1.25x25
17	2.1470.004.2	4	lock washer 8
18	2.1430.007.2	2	circlip 6
19	2.0322.405.6	2	screw m 6x14
20	0.009.0257.0/10	1	plug
/U			Pina
20 21	0.009.0136.0	2	slider



Section: S.A.C. Ref.: 286

CONTROL TIE RODS AND LEVERS


Fig.	Code	QTY	Name
		_	
23	2.1310.004.2	3	flat washer 8.4x16
24	0.9107.636.0	1	rod
25	0.009.0380.0	1	knob
26	0.009.0381.0	1	knob
27	2.1579.766.2	1	spacer 8.5x16x10
28	2.1579.987.2	1	spacer 8.5x16x8
29	2.1011.105.2	1	nut m 8 p.1.25
30	0.008.8383.0	1	coupling
31	0.008.8384.0	1	coupling
32	0.009.0210.0/10	3	plug 30x38x9
			- FOR TYPES WITH MECHANICAL LIFTER
33	2.1899.083.0	4	rivet
34	0.009.0210.0/10	6	plug 30x38x9
			- FOR TYPES WITH ELECTRONIC LIFTER



Section: S.A.C. Ref.: 287

CONTROL TIE RODS AND LEVERS

Fig.	Code	QTY	Name
		,	
1	2.3619.003.2	1	tip
2	2.1011.106.2	1	nut m 10 p.1.5
3	0.9107.662.0	1	pin
4	2.1470.002.2	2	lock washer 6
5	0.9107.658.3	1	lever
6	0.9107.659.3	1	lever
7	0.008.9549.2/10	1	rod
			- X SILVER 80 - 90
7	0.009.9602.2/10	1	rod
			- X SILVER 100.4 - 100.6
8	2.0112.015.2	1	screw m 6 p.1x40
9	2.0112.011.2	1	screw m 6 p.1x30
10	2.1310.009.2	1	flat washer 15x28
11	2.1310.006.2	1	flat washer 10.5x20
12	2.1690.308.2	1	split pin 3.2x20
13	0.257.6757.0	2	spring
14	2.1430.008.7	2	circlip 7
15	0.008.9253.0/20	1	rod
16	0.008.9517.3/10	1	shaft
17	0.008.9516.3/10	1	shaft
			2420 <- X SILVER 80
			4161 <- X SILVER 90
			2328 <- X SILVER 100.4
			4535 <- X SILVER 100.6
17	0.008.9516.3/30	1	shaft
			-> 2421 X SILVER 80
			-> 4162 X SILVER 90
			-> 2329 X SILVER 100.4
			-> 4536 X SILVER 100.6
18	0.9107.664.0	1	cap
19	2.1720.005.0	2	key 4x5
20	2.1011.103.2	2	nut m 6 p.1
21	2.4019.162.1/20	1	spring 17.2x46x1.8
22	0.467.6663.0	1	sleeve
23	2.1011.105.2	1	nut m 8 p.1.25
24	0.008.9518.2	1	rod
			- X SILVER 80 - 90
24	0.009.9603.2	1	rod
			- X SILVER 100.4 - 100.6
25	2.3199.259.0	2	plug
27	2.1019.018.2	1	special nut m 10 speciale




Section: S.A.C.
S.A.C. GROUND CONTROL Ref.: 288


Fig.	Code	QTY	Name	
Notes:				
	<- X SILVER 80 4161 <-	X SILVER	90 2328 <- X SILVER 100.4	4535 <- X SILVER 100.6
4	0.000.0552.2/40	4	a h a ff	
1	0.008.9553.3/10	1	shaft	
2	0.136.7387.0	1	rubber plug 15x27x5	
3	0.008.2614.3/10	1	lever	
4	2.1630.608.0	1	roll pin 6x16	
5	0.257.6413.0	1	grip	
6	0.008.2919.0	1	cap	
7	0.008.9552.0/20	1	rod	
8	0.257.6757.0	2	spring	
9	0.008.2619.0/10	4	small block	
10	2.1559.237.2	4	sleeve	
11	2.1312.004.2	4	washer 9x24	
12	2.1310.004.2	4	flat washer 8.4x16	
13	2.1470.004.2	4	lock washer 8	
14	2.1011.105.2	4	nut m 8 p.1.25	
15	2.0112.221.2	4	screw m 8 p.1.25x60	
16	2.1419.042.0	1	circlip	

Section: S.A.C. Ref.: 288.1

S.A.C. GROUND CONTROL

Fig.	Code	QTY	Name	
Notes:	21 X SILVER 80 -> 4162	X SILVER	90 -> 2329 X SILVER 100.4 -> 4536 X SILVER 100.6	
-> 24	21 A SILVER 00 -> 4102	A SILVER	90 -> 2329 X SILVER 100.4 -> 4536 X SILVER 100.6	
4	0.011.7416.4	4	lever	
1 2	0.257.6413.0	1		
		1	grip	
3	0.011.7625.0/10	1	cap	
4	0.011.7454.0/10	1	cover	
5	0.011.7500.0/10	1	brace	
6	0.011.7436.3/10	1	hydraulic controles	
7	0.008.2619.0/10	6	small block	
8	2.0112.223.2	6	screw m 8 p.1.25x70	
9	2.1312.004.2	6	washer 9x24	
10	2.1559.237.2	6	sleeve	
11	2.1310.004.2	6	flat washer 8.4x16	
12	2.1470.004.2	6	lock washer 8	
13	2.1011.105.2	6	nut m 8 p.1.25	
14	2.0332.406.3	4	screw m 6x16	
15	2.1310.002.2	4	flat washer 6.4x12.5	
			() <-	
16	0.136.7387.0	1	rubber plug 15x27x5	
17	2.1419.042.0	1	circlip	
18	0.257.6757.0	2	spring	
19	0.011.7672.0/10	1	rod	
20	0.009.0210.0/10	4	plug 30x38x9	
30	2.0112.005.2	1	screw m 6 p.1x16	
31	2.1011.103.2	1	nut m 6 p.1	
32	0.011.9215.0	1	rod	
33	2.1011.106.2	1	nut m 10 p.1.5	
34	0.467.6663.0	1	sleeve	
35	2.1019.018.2	1	special nut m 10 speciale	
	2.1010.010.2	•	oposiai nat in 10 oposiaio	





Section: S.A.C. Ref.: 289


SENSITIVE ELEMENTS


SLING	HIVE ELLINEINIS		
Fig.	Code	QTY	Name
1	0.9000.720.0/10	1	shaft
2	2.1514.053.0	2	'o' ring 45x55x4
3	2.0122.525.2	2	screw m 14 p.1.5x80
4	2.1470.008.2	2	lock washer 14
5	2.1011.308.1	2	nut m 14 p.1.5
6	0.9131.721.6/10	1	lever
7	2.1559.014.0	1	bushing
8	2.1021.209.1	1	castellated nut m 20 p.1.5
9	2.1310.009.2	1	flat washer 15x28
10	2.1690.411.2	1	split pin 4x28
11	0.9045.730.4/20	1	spring housing
12	2.1011.103.2	1	nut m 6 p.1
13	2.1470.002.2	1	lock washer 6
14	2.0112.005.2	1	screw m 6 p.1x16
15	0.9000.737.3/10	1	fork
16	0.9000.730.2/30	1	spring housing
17	0.9000.731.0	1	plug 40x1.5x45
18	2.1699.034.0	1	pin
19	0.9045.733.0	1	spacer
20	2.4019.215.1	1	spring 37x142x8
21	2.1599.295.0	1	snoulder 19x37x4
22	2.4019.216.1	1	spring 37x39x6
23	0.9045.734.0	1	spacer
24	0.9000.735.0/10	1	snoulder
25	2.1549.153.2	1	spacer 14.1x21.3x16
26	2.1011.107.1	1	nut m 12 p.1.75
27	0.009.9693.0	2	small column
28	2.1475.204.2	2	washer 12
29	2.1011.422.1	2	nut m 12 p.1.25
30	2.1670.610.2	1	pin 14x35x31

Section: S.A.C. Ref.: 292

SENSING ELEMENTS WITH ELECTRONIC CONTROL

Fig.	Code	QTY	Name	
1	0.009.3184.0	1	rod	
ı	0.003.3104.0	į.	- X SILVER 80 - 90	
1	0.008.8882.0	1	rod	
'	0.000.0002.0	'	- X SILVER 100.4 - 100.6	
2	2.1599.646.0	2	ring 53x70x7	
_	2.1000.040.0	_	- X SILVER 80 - 90	
3	0.009.3197.0	2	sleeve	
4	2.3820.102.2	2	lubricator m 8 p.1x7	
5	0.008.8878.0	2	joint	
6	0.9069.753.0	2	spring	
7	0.008.8879.0	2	limiter	
8	0.9069.754.0	2	guard	
9	2.1630.817.0	2	roll pin 10x50	
10	0.088880.0	2	ring	
11	0.009.3871.2/20	1	guard	
12	2.1579.896.2	1	spacer 11x24x8	
13	2.1470.006.2	3	lock washer 10	
14	2.0112.307.2	1	screw m 10 p.1.5x20	
15	2.0432.163.7	2	stud bolt m 10 p.1.5-1.25x45	
16	2.1011.421.2	2	nut M10x1.25	
17	0.008.9666.2/30	1	guard	
			- X SILVER 80 - 90	
17	0.008.9665.2/30	1	guard	
			- X SILVER 100.4 - 100.6	
18	0.009.3270.0	1	hub	
			2247 <- X SILVER 80	
			3592 <- X SILVER 90	
			2033 <- X SILVER 100.4	
40	0.000.0050.4440	4	3773 <- X SILVER 100.6	
19	0.009.3650.4/10	1	control grp.	
			2247 <- X SILVER 80	
			3592 <- X SILVER 90	
			2033 <- X SILVER 100.4	
20	0.000.0050.0/40	4	3773 <- X SILVER 100.6	
20	0.009.3652.0/10	1	pin */ \ \ c	
			* () <- N 1 000 2651 0/10	
21	0.000.2654.0/40	1	- N.1 009.3651.0/10	
∠ I	0.009.3651.0/10	1	pin * () <-	
			() <- - N.1 009.3652.0/10	
22	2.1579.019.0	2	spacer 11x20x15	
~~	2.1018.018.0	4	WITHOUT ROAD P.T.O. SHAFT	
23	0.011.2699.3	_	sleeve	
_0	0.011. 2 000.0			1/2
			-> 2248 X SILVER 80	







Section: S.A.C. Ref.: 292

SENSING ELEMENTS WITH ELECTRONIC CONTROL

Fig.	Code	QTY	Name
			-> 3593 X SILVER 90
			-> 2034 X SILVER 100.4
			-> 3774 X SILVER 100.6
24	0.011.2700.0/10	1	pin
			-> 2248 X SILVER 80
			-> 3593 X SILVER 90
			-> 2034 X SILVER 100.4
			-> 3774 X SILVER 100.6
25	2.1579.896.2	2	spacer 11x24x8
			WITH ROAD P.T.O. SHAFT





WHEELS	
FRONT WHEEL	_S
REAR WHEELS	3

54 53 52

40 39 38

33 32 31

26 25 24

19 18 17

614 - 232

SILVER 90

Section: WHEELS Ref.: 232

FRONT WHEELS


Fig.	Code	QTY	Name	
1	2 4940 000 0		turo 7 50v10" pr 0	
1	2.4810.022.0	2	tyre 7.50x18" pr 8	
1	2.4819.094.0	2	tyre 7.50x18" pr 10	
1	2.4810.026.0	2	tyre 9.00x16" pr 10	
2	2.4820.015.0	2	air chamber	
3	0.012.3111.3	2	rim 5.50F X 18"	
4	2.4810.018.0	2	tyre 7.50x20" pr 6	
5	2.4820.018.0	2	air chamber	
6	0.012.3112.3	2	rim 5.50F X 20"	
7	2.4810.020.0	2	tyre 9.00x16" pr 6	
7	2.4810.026.0	2	tyre 9.00x16" pr 10	
8	2.4829.013.0	2	air chamber	
9	0.012.3118.3	2	rim W 8x16"	
10	2.4819.065.0	2	tyre 10.00x16" pr 6	
10	2.4810.028.0	2	tyre 11.00x16" pr 10	
11	2.4829.028.0	2	air chamber	
12	0.012.3114.3	2	rim W 8x16"	
13	2.4819.124.0	2	tyre 420/70x24" a8	
14	2.4820.035.0	2	air chamber	
			() <-	
15	0.012.3047.3	2	rim W 12x24" C/ST	
			() <-	
15	0.012.2924.3	2	rim W 14Lx24" C/ST	
			-> ()	
16	0.010.9752.0	2	flange	
17	2.0099.005.6	12	screw m 16 p.1.5	
18	2.1499.019.6	12	conical washer 16.3x31.5	
19	2.1011.309.6	12	nut m 16 p.1.5	
20	2.4811.063.0	2	tyre 13.6R-24" a8	
21	2.4820.085.0	2	air chamber	
			() <-	
22	0.012.3047.3	2	rim W 12x24" C/ST	
23	0.010.9752.0	2	flange	
24	2.0099.005.6	12	screw m 16 p.1.5	
25	2.1499.019.6	12	conical washer 16.3x31.5	
26	2.1011.309.6	12	nut m 16 p.1.5	
27	2.4811.072.0	2	tyre 14.9R-24" a8	
28	2.4820.035.0	2	air chamber	
			() <-	
29	0.012.3047.3	2	rim W 12x24" C/ST	
30	0.010.9752.0	2	flange	
31	2.0099.005.6	12	screw m 16 p.1.5	
	2.1499.019.6	12	conical washer 16.3x31.5	
32	2.1433.013.0			
32 33	2.1011.309.6	12	nut m 16 p.1.5	1/2

Section: WHEELS Ref.: 232

FRONT WHEELS

Code	QTY	Name	
2.4820.084.0	2	air chamber	
		() <-	
0.012.3061.3	2	rim W 14Lx24" C/ST	
0.010.9752.0	2	flange	
2.0099.005.6	12	screw m 16 p.1.5	
2.1499.019.6	12	conical washer 16.3x31.5	
2.1011.309.6	12	nut m 16 p.1.5	
2.4811.060.0	2	tyre 12.4R-28" a8	
2.4820.029.0	2	air chamber	
		() <-	
0.190.5557.3	2	rim W 10x28" C/ST.	
0.255.5559.0/20	2	rim center flange	
2.0399.030.6	12	screw m 18 p.1.5x45	
2.1499.018.6	12	conical washer 18x35.5	
2.1011.310.6	12	nut m 18 p.1.5	
2.4811.047.0	2	tyre 13.6R-28" a8	
2.4820.033.0	2	air chamber	
		() <-	
0.012.3010.3	2	rim W 11X28" C/ST.	
0.255.5559.0/20	2	rim center flange	
2.0399.030.6	12	screw m 18 p.1.5x45	
2.1499.018.6	12	conical washer 18x35.5	
2.1011.310.6	12	nut m 18 p.1.5	
2.1099.101.6	12	nut m 20 p.1.5	
2.0399.129.6	16	screw m 18 p.1.5x38	
2.1599.501.6/10	16	washer 19x40x7.5	
0.011.7040.0	1	valve	
		-> ()	
	2.4820.084.0 0.012.3061.3 0.010.9752.0 2.0099.005.6 2.1499.019.6 2.1011.309.6 2.4811.060.0 2.4820.029.0 0.190.5557.3 0.255.5559.0/20 2.0399.030.6 2.1499.018.6 2.1011.310.6 2.4811.047.0 2.4820.033.0 0.012.3010.3 0.255.5559.0/20 2.0399.030.6 2.1499.018.6 2.1011.310.6 2.1011.310.6 2.1011.310.6 2.1099.101.6 2.0399.129.6 2.1599.501.6/10	2.4820.084.0 2 0.012.3061.3 2 0.010.9752.0 2 2.0099.005.6 12 2.1499.019.6 12 2.1011.309.6 12 2.4811.060.0 2 2.4820.029.0 2 0.190.5557.3 2 0.255.5559.0/20 2 2.0399.030.6 12 2.1499.018.6 12 2.4820.033.0 2 0.012.3010.3 2 0.255.5559.0/20 2 2.0399.030.6 12 2.1499.018.6 12 2.1011.310.6 12 2.1099.101.6 12 2.0399.129.6 16 2.1599.501.6/10 16	2.4820.084.0 2 air chamber () <- 0.012.3061.3 2 rim W 14Lx24" C/ST 0.010.9752.0 2 flange 2.0099.005.6 12 screw m 16 p.1.5 2.1499.019.6 12 conical washer 16.3x31.5 2.1011.309.6 12 nut m 16 p.1.5 2.4811.060.0 2 tyre 12.4R-28" a8 2.4820.029.0 2 air chamber () <- 0.190.5557.3 2 rim W 10x28" C/ST. 0.255.5559.0/20 2 rim center flange 2.0399.030.6 12 screw m 18 p.1.5x45 2.1499.018.6 12 conical washer 18x35.5 2.1011.310.6 12 nut m 18 p.1.5 2.4811.047.0 2 tyre 13.6R-28" a8 2.4820.033.0 2 air chamber () <- 0.012.3010.3 2 rim W 11X28" C/ST. 0.255.5559.0/20 2 rim center flange 2.0399.030.6 12 screw m 18 p.1.5x45 2.1499.018.6 12 conical washer 18x35.5 2.1011.310.6 12 rim W 11X28" C/ST. 0.255.5559.0/20 2 rim center flange 2.0399.030.6 12 screw m 18 p.1.5x45 2.1499.018.6 12 conical washer 18x35.5 2.1011.310.6 12 nut m 18 p.1.5 2.1099.101.6 12 nut m 18 p.1.5 2.1099.101.6 12 nut m 20 p.1.5 2.0399.129.6 16 screw m 18 p.1.5x38 2.1599.501.6/10 16 washer 19x40x7.5 0.011.7040.0 1 valve

· (...)




45 56 55 44 49 48 34 33 32 27 26 20 19 13 12 0 614 _ 234 1

SILVER 90

Section: WHEELS

REAR WHEELS

Fig.	Code	QTY	Name	
		_		
1	2.4811.064.0	2	tyre 18.4R-30" a8	
2	2.4820.080.0	2	air chamber	
			() <-	
3	0.224.5550.3	2	rim DW 16x30"	
3	0.012.2930.3	2	rim DWW 16Lx30" C/ST	
4	0.135.5526.0/20	2	rim center flange	
5	2.0399.030.6	16	screw m 18 p.1.5x45	
_			- X DW 16x30"	
5	2.0399.204.6/10	-	screw m 18 p.1.5x80	
•	0.4400.040.0	40	- X DWW 16Lx30"C/ST	
6	2.1499.018.6	16	conical washer 18x35.5	
7	2.1011.310.6	16	nut m 18 p.1.5	
8	2.4811.158.0	2	tyre 480/70R34"	
9	2.4820.041.0	2	air chamber	
40	0.040.0040.0	0	() <-	
10	0.012.2948.3	2	rim DWW 14LX34" C/ST.	
10	0.044.0400.0440	•	() <-	
10	0.011.8129.3/10	2	rim DWW 16Lx34" C/ST.	
11	0.455 5552 0/20	2	-> ()	
11 12	0.155.5553.0/20 2.0399.204.6/10	2 16	rim center flange screw m 18 p.1.5x80	
12	2.0399.204.0/10	10	() <-	
12	2.0099.005.6	16	screw m 16 p.1.5	
12	2.0099.005.0	10	-> ()	
13	2.1499.018.6	16	conical washer 18x35.5	
14	2.1011.310.6	16	nut m 18 p.1.5	
15	2.4811.062.0	2	tyre 16.9R-34" a8	
16	2.4820.041.0	2	air chamber	
10	2.4020.041.0	2	() <-	
17	0.012.2948.3	2	rim DWW 14LX34" C/ST.	
18	0.155.5553.0/20	2	rim center flange	
19	2.0399.204.6/10	16	screw m 18 p.1.5x80	
20	2.1499.018.6	16	conical washer 18x35.5	
21	2.1011.310.6	16	nut m 18 p.1.5	
22	2.4811.065.0	2	tyre 18.4r34" a8	
22	2.4819.123.0	2	tyre 520/70x34"	
23	2.4829.002.0	2	air chamber	
	2.1020.002.0	_	() <-	
24	0.158.5561.3	2	rim DW 16x34"	
	2	_	2299 <- X SILVER 80	
			3775 <- X SILVER 90	
24	0.011.8129.3/10	2	rim DWW 16Lx34" C/ST.	
		-	-> 2300 X SILVER 80	1 /0
			-> 3776 X SILVER 90	1/3



Section: WHEELS

REAR WHEELS

Fig.	Code	QTY	Name	
<u>. 19.</u>		<u> </u>	Nume	
25	0.155.5553.0/20	2	rim center flange	
26	2.0399.204.6/10	<u>-</u> 16	screw m 18 p.1.5x80	
27	2.1499.018.6	16	conical washer 18x35.5	
28	2.1011.310.6	16	nut m 18 p.1.5	
29	2.4811.061.0	2	tyre 13.6R-38" a8	
30	2.4820.034.0	2	air chamber	
00	2. 1020.00 1.0	_	() <-	
31	0.148.5553.3/10	2	rim	
•	01.1.010000107.10	_	() <-	
31	0.012.2881.3	2	rim DWW 12X38" C/ST	
•	0.0.12.2000	_	-> ()	
32	0.163.5526.0/10	2	rim center flange	
33	2.0399.030.6	16	screw m 18 p.1.5x45	
34	2.1499.018.6	16	conical washer 18x35.5	
35	2.1011.310.6	16	nut m 18 p.1.5	
36	2.4811.144.0	2	tyre 14.9R-38"	
37	2.4820.034.0	2	air chamber	
			() <-	
38	0.148.5553.3/10	2	rim	
39	0.163.5526.0/10	2	rim center flange	
40	2.0399.030.6	16	screw m 18 p.1.5x45	
41	2.1499.018.6	16	conical washer 18x35.5	
42	2.1011.310.6	16	nut m 18 p.1.5	
43	2.1099.083.0/20	16	special nut m 20 p.1.5	
44	2.4811.071.0	2	tyre 16.9r38" a8	
45	2.4820.083.0	2	air chamber	
			() <-	
46	0.154.5552.3	2	rim DW 14x38"	
			- X SILVER 80	
			3775 <- X SILVER 90	
46	0.012.2909.3	2	rim DWW 14LX38" C/ST.	
			-> 3776 X SILVER 90	
47	0.163.5526.0/10	2	rim center flange	
48	2.0399.204.6/10	16	screw m 18 p.1.5x80	
49	2.1499.018.6	16	conical washer 18x35.5	
50	2.1011.310.6	16	nut m 18 p.1.5	
51	2.4811.062.0	2	tyre 16.9R-34" a8	
52	2.4820.041.0	2	air chamber	
			() <-	
53	0.011.8127.3	2	rim DWW 15LX34" C/ST.	
54	0.155.5553.0/20	2	rim center flange	
55	2.0399.006.6	16	screw m 18 p.1.5x75	
56	2.1499.018.6	16	conical washer 18x35.5	2/3
57	2.1011.310.6	16	nut m 18 p.1.5	2/3

Section: WHEELS

REAR WHEELS

Fig.	Code	QTY	Name
60	0.011.7040.0	1	valve
			-> ()

