

EXPLORER 95 TB

ENGINE

CRANKCASE.....	1
TIMING CASE.....	2
GUARD PLATE.....	3
CASING COVER.....	5
MONOBLOC ENGINE-GEARBOX CONNECTING FLANGE.....	6
PLUG.....	9
CRANKSHAFT.....	11
CYLINDER - PISTON - CONNECTING ROD.....	13
CRANKSHAFT PULLEY.....	14
ENGINE FLYWHEEL.....	16
COUNTERWEIGHTS.....	17
CAMSHAFT.....	19
CYLINDER HEAD.....	21
OIL PAN.....	25
LUBRICATING OIL INTAKE LINE.....	26
LUBRIC. OIL FILTER.....	29
LUBRICATION.....	32
LUBRICATION.....	35
OIL PIPES FOR TURBOCHARGER.....	37
LUBRIC. OIL COOLER.....	38
MECHANICAL ENGINE GOVERNOR.....	40
PLUG FOR MECHANICAL REGULATOR.....	41
FUEL FEED PUMP.....	42
INJECTION PUMP - INJECTOR.....	44
FUEL PIPES.....	45
FUEL FILTER.....	46
THERMO STARTER.....	49
WATER COOLING.....	51
COOLING WATER PUMP.....	54
WATER COOLING.....	56
COOLING WATER PUMP - V-GROOVED PULLEY.....	58
COOLANT PUMP DRIVEBELT.....	60
WATER COOLING.....	63
WATER COOLING.....	64
WATER COOLING -SEALING.....	65
INTAKE AND EXHAUST.....	72
INTAKE AND EXHAUST MANIFOLD GASKETS.....	73
PLUG.....	77
EXHAUST SILENCER.....	80
EXHAUST SILENCER.....	81
SIDE EXHAUST SILENCER.....	82

Section: ENGINE

CRANKCASE

9_M8211_00_0_A





Fig.	Code	QTY	Name
3	2.3199.312.2/10	1	plug
5	2.0439.273.7	8	stud bolt m 8
6	2.1559.188.2	4	sleeve
7	2.1539.193.0	8	ring 107.62x2.62
8	2.1560.010.0	1	gasket 14.2x20
9	2.3199.292.0	1	plug
10	0.013.0489.4/30	1	crankcase
10.1	2.3130.001.1	10	plug 1/8 gas
10.2	2.3130.002.1	2	plug 1/4 gas
10.3	2.3130.003.1	6	plug 3/8 gas
10.4	0.000.0000.1	0	not serviceable
10.4.1	0.065.1112.7	1	support
10.4.1.2	2.1699.165.0	1	sleeve 12.3x15x16
10.4.2	0.065.1114.0/10	3	support
10.4.3	0.065.1116.3	1	support
10.4.3.2	2.1699.165.0	1	sleeve 12.3x15x16
10.4.5	0.065.1140.0	4	bushing 59X55X20
10.4.6	0.065.1141.0	1	bushing 59X55X30
10.4.7	0.066.1151.0	1	pin
10.4.8	0.065.1117.0	10	screw
10.5	2.3179.012.0	1	plug 60
11	0.066.1152.0/10	4	gasket
13	2.1549.154.2	4	sleeve 4.8x5.8x16
25	0.013.4946.0/10	1	cooling nozzle
26	2.3120.101.0	1	plug m 18 p.1.5
28	2.1560.014.0	1	gasket 18.2x24x1.5

Section: ENGINE

TIMING CASE


Fig.	Code	QTY	Name
4	2.0432.009.7	1	stud bolt m 8 p.1.25-1x35
15	2.0432.003.7	1	stud bolt m 8 p.1.25-1x20
16	2.0312.214.2	7	screw m 8 p.1.25x40
17	2.1480.014.1	15	washer 8
18	0.013.4981.0	1	sump
19	0.065.1150.0/30	1	gasket
20	2.1470.004.2	4	lock washer 8
21	2.1011.405.2	2	nut m 8 p.1
22	2.0312.208.2	8	screw m 8 p.1.25x25
23	2.1529.167.0	1	'o' ring



Section: ENGINE


GUARD PLATE

Fig.	Code	QTY	Name
1	0.007.1262.3/50	1	sump
2	0.007.1271.0/10	1	small column
3	0.007.1272.0/10	2	small column
5	2.1310.004.2	3	flat washer 8.4x16
7	2.0112.203.2	3	screw m 8 p.1.25x12




Section: ENGINE
CASING COVER

Fig.	Code	QTY	Name
30	0.065.1152.0	1	gasket
31	0.013.6374.2	1	cover
32	0.013.6368.0/10	4	stud bolt
34	2.1310.004.2	8	flat washer 8.4x16
35	2.1011.405.2	4	nut m 8 p.1



MONOBLOC ENGINE-GEARBOX CONNECTING FLANGE


Fig.	Code	QTY	Name
6	2.0439.250.7	1	stud bolt m 12-m 10x30
7	0.011.9294.0/10	1	sleeve
25	0.066.1130.0/20	1	flange
26	2.0112.511.2	8	screw m 14 p.2x30
27	2.1651.912.0	2	cylindrical plug 12x28
28	2.1651.917.0	1	cylindrical plug 12x40
29	2.0432.257.7	1	stud bolt m 12 p.1.75-1.25x30



Section: ENGINE
PLUG

Ref.: 9

Fig.	Code	QTY	Name
1	2.3130.003.1	1	plug 3/8 gas



9_34311_06_0_0

Section: ENGINE

CRANKSHAFT

9_33212_00_0_0





Fig.	Code	QTY	Name
1	2.1720.006.0	1	key 4x6.5
2	0.086.1210.3/30	1	crank shaft
2.1	0.065.1211.0/10	1	crown wheel
2.3	2.1630.608.0	1	roll pin 6x16
3	2.1651.915.0	1	pin 12x35
4	0.065.1215.0	5	main half bushing
4	0.065.1215.7	0	main half bushing - mm 0.25
4	0.065.1215.8	0	main half bushing - mm 0.50
5	0.065.1216.0	5	main half bushing
5	0.065.1216.7	0	main half bushing - mm 0.25
5	0.065.1216.8	0	main half bushing - mm 0.50
6	0.065.1218.0	4	shim
6	0.065.1218.7	0	shim - mm 0.25
6	0.065.1218.8	0	shim - mm 0.50
8	2.1599.524.7	1	washer 21x60x12
9	2.1589.189.0	2	shim mm 1
11	2.1529.073.0	1	'o' ring 110x130x13
14	0.065.1254.0/20	1	gasket
15	0.007.1711.0/10	1	cover
16	2.1475.002.2	9	conical washer 8.4x16
17	2.0112.207.2	9	screw m 8 p 1.25x20
18	2.3130.001.1	4	plug 1/8 gas

Section: ENGINE

CYLINDER - PISTON - CONNECTING ROD


Fig.	Code	QTY	Name
1	0.099.0065.A	4	piston cyl.assembly "A" - CLASS A
1	0.099.0065.B	4	piston cyl.assembly "B" - CLASS B
1.2	0.A12.2675.0	1	engine cylinder "A" - CLASS A
1.2	0.B12.2675.0	1	engine cylinder "B" - CLASS B
1.3	0.099.0060.A	1	complete piston "A" - CLASS A
1.3	0.099.0060.B	1	complete piston "B" - CLASS B
1.3.1	0.081.0090.6/10	1	piston ring set
1.3.2	2.1411.014.1	2	circlip 35
1.3.3	0.078.1236.0	1	piston pin
2	0.078.1220.3/30	4	engine connect.rod
2.1	2.1559.114.0/10	1	bushing 35x39x35
2.2	2.0399.213.0	2	screw m 12 p.1.25x61.5
3	0.065.1225.0	8	con.rod half bushing
3	0.065.1225.7	8	con.rod half bushing - mm 0.25
3	0.065.1225.8	8	con.rod half bushing - mm 0.50



Section: ENGINE

CRANKSHAFT PULLEY

Fig.	Code	QTY	Name
3	0.007.1457.0/30	1	pulley
5	0.085.1248.0/20	1	hub
6	2.0399.144.7/10	1	screw m 20 p.1.5x51
8	2.1720.006.0	1	key 4x6.5




9_33312_02_0_0

Section: ENGINE

ENGINE FLYWHEEL



Fig.	Code	QTY	Name
1	0.007.1702.3/30	1	flywheel
1.2	0.065.1242.0	1	crown wheel z=123
2	0.008.5543.0	1	flange
3	2.0139.022.2	6	screw m 12 p.1.25x55



9_32512_03_0_0

Section: ENGINE
COUNTERWEIGHTS

Fig.	Code	QTY	Name
25	2.1589.139.0	1	shim mm 0.3
26	2.1589.140.0	3	shim mm 0.1
29	2.1579.628.0	3	shim 16.5x26x0.1
33	2.1579.629.0	6	shim 12.5x26x0.1
34	2.1589.048.0	1	shim 16.5x26x0.3
35	2.1589.049.0	1	shim 12.5x26x0.3
40	0.086.1233.3/30	1	mass
40.2	2.1559.115.0	2	bushing 26x30x30
40.3	0.000.0000.1	0	not serviceable
40.4	2.1651.302.0	1	pin 4x6
41	0.065.1233.3/30	1	mass
41.2	2.1559.115.0	2	bushing 26x30x30
41.3	0.000.0000.1	0	not serviceable
41.99	0.000.0000.1	0	not serviceable
41.99.4	2.1651.302.0	1	pin 4x6
41.99.5	2.1410.018.7	1	circlip 45
42	0.000.0000.1	0	not serviceable
42.1	0.086.1231.0/10	1	box
42.2	2.3130.001.1	4	plug 1/8 gas
43	2.1631.717.0	2	roll pin 8x40
44	2.1579.626.0	2	spacer 13.2x16x11
45	2.0139.028.2	4	screw m 12
46	2.1699.191.0	1	sleeve 7x10x16
47	0.000.0000.1	0	not serviceable
47.1	0.065.1234.0/10	1	shaft
47.2	2.3130.001.1	1	plug 1/8 gas
48	2.1589.185.0	4	shim 26.1x34x1




9_33212_03_0_0

Section: ENGINE

CAMSHAFT

Fig.	Code	QTY	Name
1	0.065.1331.2	8	rod
2	0.012.6558.3/10	1	camshaft
2.2	0.065.1324.0/10	1	gear z=32
3	0.065.1330.0	8	tappets
4	2.1559.398.0	1	bushing 10.5x13x12
5	0.013.5017.0	1	gear z=58
6	0.065.1350.0	1	small disc
7	2.0132.207.2	4	screw m 10 p.1x25
8	2.1410.016.1	1	circlip 40x1.75
9	0.065.1352.0	1	shim
10	0.065.1351.0	2	snoulder
11	0.065.1323.0/30	1	gear z=29
12	0.007.1177.3/20	0	gear z = 57 - WITH RED IDENTIFICATION STAMP
12.2	2.1559.185.0/10	1	bushing
13	0.007.1178.3/20	0	gear z = 57 - WITH YELLOW IDENTIFICATION STAMP
13.2	2.1559.185.0/10	1	bushing
14	0.007.1179.3/20	0	gear z = 57 - WITH GREEN IDENTIFICATION STAMP
14.2	2.1559.185.0/10	1	bushing
15	2.0312.205.2	2	screw m 8 p.1.25x18
16	2.1480.014.1	2	washer 8
17	0.065.1353.0	1	small plate



9_M5213_00_0_0

Section: ENGINE
CYLINDER HEAD





Fig.	Code	QTY	Name
1	2.0399.288.2/10	4	screw m 8x36x46
2	2.1539.151.0	4	'o' ring 9.19x2.62
3	0.007.1139.0/10	4	small cap
4	0.065.1450.0/30	1	gasket
7	2.1011.421.2	8	nut M10x1.25
9	0.000.0000.1	0	not serviceable
9.1	0.066.1431.0	1	pin
9.2	0.021.1434.0	2	screw
9.10	0.000.0000.1	0	not serviceable
9.10.3	2.1011.405.2	2	nut m 8 p.1
9.10.4	0.066.1432.3	2	rocker
9.10.4.2	2.1559.021.0/40	1	bushing 19x22x14
9.10.5	2.1410.055.7	2	circlip 19
9.10.6	0.000.0000.1	0	not serviceable
9.10.6.2	0.066.1430.0/10	1	support
9.10.7	2.1599.432.0	2	snoulder 19.5x31x1.5
16	2.1532.507.0	4	'o' ring
17	0.012.2673.0	16	screw m 14 p.2x141
18	0.000.0000.1	0	not serviceable
18.1	0.013.0412.3/60	1	engine head
18.1.2	0.078.1426.0	1	valve seat mm 45
18.1.3	0.066.1427.0	1	valve seat mm 40.653
18.1.4	0.007.1779.0/20	2	valve guide
18.1.5	0.012.9984.0/20	1	sleeve
18.1.6	2.3170.012.1	2	expansion plug 30
18.2	0.010.6022.0	1	exhaust valve
18.3	0.010.6017.0	1	inlet valve
18.4	0.066.1425.0	2	cup
18.5	0.074.1423.0	4	conical valve cotter
18.6	2.4019.287.0	2	spring 35.5x53.6x3.9
18.7	2.1519.117.0	2	cap
18.8	2.0432.161.7	1	stud bolt m 10 p.1.5-1.25x40
18.9	2.0432.163.7	2	stud bolt m 10 p.1.5-1.25x45
20	2.0432.011.7	4	stud bolt m 8 p.1.25-1x40
21	2.0432.005.7	4	stud bolt m 8 p.1.25-1x25
24	0.013.1887.0	0	gasket
25	0.013.1888.0	3	gasket
26	0.013.1889.0	0	gasket

Section: ENGINE


OIL PAN

Fig.	Code	QTY	Name
90	0.065.1550.0/10	1	gasket
91	2.3199.001.2	2	plug 1/2 gas
92	2.1560.054.0	2	gasket 21x26
93	0.007.1277.0/40	1	oil pan
94	2.1470.004.2	26	lock washer 8
95	2.0112.226.2	4	screw m 8 p.1.25x85
97	2.0112.215.2	17	screw m 8 p.1.25x40
98	2.0112.239.2	2	screw m 8 p.1.25x150
99	2.0112.235.2	3	screw m 8 p.1.25x130




LUBRICATING OIL INTAKE LINE

Fig.	Code	QTY	Name
82	2.1579.766.2	1	spacer 8.5x16x10
83	2.1470.004.2	1	lock washer 8
84	2.0112.209.2	1	screw m 8 p 1.25x25
85	0.065.1531.3/30	1	tube
86	0.066.1556.0	1	tube



LUBRIC. OIL FILTER

Fig.	Code	QTY	Name
10	2.4419.340.0	1	oil filter element



Section: ENGINE

LUBRICATION




Fig.	Code	QTY	Name
2	0.041.1135.4	1	plug
2.2	2.1569.072.0	1	gasket 32x39.5x2
3	2.0312.205.2	2	screw m 8 p.1.25x18
4	2.1480.014.1	2	washer 8
5	0.013.0942.0/10	1	pipe union
6	0.013.1387.0	1	small mesh
7	2.1532.515.0	1	rubber ring
36	2.0169.005.2	2	screw m 6 p.1x12
37	2.1651.711.0	2	pin 8x14
38	0.013.1629.4	1	support
38.1	0.013.1629.3	1	support
38.2	2.1219.025.2/10	1	ring nut m 36 p.1.5
38.3	2.1410.057.1	1	circlip 15
38.4	2.1589.153.0	1	shim 15.2x19x1
38.5	2.1589.146.0	2	shim 15.2x19x0.15
38.6	2.1589.147.0	2	shim 15.2x19x0.1
38.7	2.2020.001.0	1	ball bearing 15x32x8
38.8	2.1589.148.0	1	shim 28.2x31.8x0.5
38.9	2.1589.150.0	2	shim 28.2x31.8x0.1
38.10	2.1589.151.0	2	shim 28.2x31.8x0.15
38.11	0.000.0000.1	0	not serviceable
38.11.1	0.065.1558.6/10	1	bevel gear
38.11.2	0.065.1559.0	1	sleeve
38.12	2.2680.020.0	1	snoulder 12x15x12
38.13	2.2725.016.0	1	roller cage 15x21x12
38.14	2.0342.007.6	1	screw m 4x25
38.15	2.0399.128.2/10	1	screw m 8 p.1
38.16	2.2030.002.0	1	ball bearing 12x28x8
39	0.065.1560.0/20	2	gasket
40	0.065.1569.0/40	1	shaft
41	0.065.1562.0/10	1	joint
42	0.010.5441.4/10	1	oil pump
42.5	0.065.1552.3/60	1	valve
43	2.1470.006.2	2	lock washer 10
44	2.0112.325.2	2	screw m 10 p.1.5x80

Section: ENGINE
LUBRICATION




Fig.	Code	QTY	Name
8	2.3339.307.0	1	pipe fitting m 22 p.1.5-3/4"
11	2.1011.105.2	1	nut m 8 p.1.25
12	2.1470.004.2	1	lock washer 8
13	0.065.1538.0	1	flange
14	2.1539.040.0	1	'o' ring 21.82x3.53
15	2.1539.065.0	2	'o' ring 8.73x1.78
16	0.086.1513.2/30	1	dipstick
35	0.011.5918.0/10	1	tube
45	0.013.5599.0	1	tube
46	0.013.5023.0	1	sediment bowl
47	0.013.5525.2/10	1	flange
48	0.013.8200.0	1	exhaust
49	0.013.5600.0/10	1	tube
50	2.1099.108.2	4	special nut m 10 p.1
51	2.1560.006.0	8	gasket 10.5
52	0.086.1550.2	4	cooling nozzle
53	2.6851.002.0	3	clamp 20-32
54	0.065.1160.3/20	4	valve
58	2.1532.012.0	1	'o' ring 6.75x1.78
59	2.1539.072.0	2	'o' ring 23.52x1.78
60	0.066.1558.0	1	sleeve
61	0.066.1557.2	1	tube
62	2.3350.003.1	1	nosepiece 8
63	2.3339.418.1	1	pipe fitting m 12 p.1
64	0.000.0000.1	0	not serviceable
64.1	0.075.1552.0	1	bracket
64.2	0.075.1552.2	1	bracket
64.3	2.1011.103.2	1	nut m 6 p.1
64.4	2.1470.002.2	1	lock washer 6
65	2.0112.003.2	2	screw m 6 p.1x12
			1008 <- X EXPLORER 85 TB
			1057 <- X EXPLORER 95 TB
65	2.1011.103.2	2	nut m 6 p.1
			-> 1009 X EXPLORER 85TB
			-> 1058 X EXPLORER 95TB
66	2.1310.002.2	2	flat washer 6.4x12.5
67	2.0112.215.2	2	screw m 8 p.1.25x40
68	2.1474.009.2	2	spring washer 8
69	2.6851.001.0	2	clamp 16-25
70	2.6851.003.0	1	clamp 25-40
71	0.014.3057.3	1	shield
72	0.014.3058.0	1	termal insul.mater.
73	2.1312.002.2	4	washer 5.3x15
74	2.1851.005.0	4	rivet

Section: ENGINE


OIL PIPES FOR TURBOCHARGER

Fig.	Code	QTY	Name
10	2.3339.787.0/10	1	pipe fitting
11	2.3110.403.1	1	plug m 14 p.1.5
12	2.1560.010.0	2	gasket 14.2x20
13	2.1019.129.2/10	1	nut m 18 p.1.5x12
14	2.1533.038.0	1	'o' ring 15.45x2.62
31	0.013.9260.3	1	tube
95	0.010.5693.3/20	1	tube
96	0.007.0729.0/10	1	sleeve
97	0.007.0730.0	2	small plate
98	2.0112.007.2	1	screw m 6 p.1x20
99	2.1470.002.2	1	lock washer 6
100	2.1011.103.2	1	nut m 6 p.1
101	2.6851.002.0	2	clamp 20-32
102	2.3339.490.2	1	pipe fitting


9_36615_01_0_0

Section: ENGINE

LUBRIC. OIL COOLER

9_34315_03_0_0

Fig.	Code	QTY	Name
1	2.0312.220.2	2	screw m 8 p.1.25x70
2	2.0312.217.2	2	screw m 8 p.1.25x55
3	2.1480.014.1	4	washer 8
4	0.000.0000.1	0	not serviceable
4.1	0.078.1554.3	1	box
4.1.2	0.066.1750.0	1	tube
4.2	0.078.1540.3	1	radiator
4.3	0.078.1557.0/10	2	gasket
4.4	0.078.1556.0/10	1	gasket
4.5	2.0112.205.2	8	screw m 8 p.1.25x16
4.6	2.1310.004.2	8	flat washer 8.4x16
4.7	0.078.1555.0/10	1	plate
4.8	2.1560.014.0	1	gasket 18.2x24x1.5
4.9	2.3120.101.0	1	plug m 18 p.1.5
5	2.1539.050.0	1	'o' ring 69.57x1.78
6	2.1539.048.0	1	'o' ring 20.35x1.78



Section: ENGINE



MECHANICAL ENGINE GOVERNOR

Fig.	Code	QTY	Name
1	0.013.5063.4/20	1	regulator ⇒ 580 ⇒ 581 ⇒ 582 => 580 => 581 => 582
76	2.1480.014.1	2	washer 8
77	2.0399.103.2	2	screw
78	0.009.3880.0/20	1	gasket
100	0.007.0764.3	1	tube
101	2.3332.002.1	2	pipe union m 10 p.1.25
102	2.1560.005.0	4	gasket 10.2x14
105	0.070.1655.0	1	cap

9_M5016_02_0_0


PLUG FOR MECHANICAL REGULATOR

Fig.	Code	QTY	Name
1	2.3119.025.2	1	plug m 18 p.1.5
2	2.1560.016.0	1	gasket 20.2x26



Section: ENGINE
FUEL FEED PUMP

Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.012.5618.0/20	1	support
1.2	0.065.1660.0	1	roller
1.3	2.1651.507.0	1	pin
1.4	2.1530.072.0	1	'o' ring 26.70x1.78
2	0.013.4057.4	1	bracket
3	0.013.0944.3/20	1	rod
4	2.4519.330.0/50	1	feed pump ⇒ 583 => 583
5	2.1539.045.0	1	'o' ring 37.77x2.62
6	2.0112.207.2	2	screw m 8 p 1.25x20
7	2.1310.004.2	2	flat washer 8.4x16
8	2.0312.204.2	1	screw m 8 p.1.25x16
9	2.1475.202.2	1	washer 8.4x16
10	2.1631.305.0	1	roll pin 4x12
11	2.1099.159.2/10	2	nut



Section: ENGINE


INJECTION PUMP - INJECTOR


Fig.	Code	QTY	Name
1	2.4619.270.0/10	4	injector pump
2	2.4619.230.0	4	tappets
3	2.1589.303.0	12	shim mm 0.20
4	2.1589.304.0	8	shim mm 0.30
5	0.012.9348.0/20	4	bracket
6	2.1599.458.0/10	8	snoulder 8.4x18x2
7	2.1011.405.2	8	nut m 8 p.1
8	0.013.0021.3	1	tube
9	0.013.0363.3	1	tube
10	2.4719.640.0	4	injector
10.1	2.4719.590.0/10	1	nozzle holder
10.2	2.4729.630.0	1	nozzle
11	2.3199.270.0	4	plug 5.9x7.8
12	0.012.5977.0/20	4	bracket
13	2.1599.454.0	4	snoulder 10.5x17x7.5
14	2.1011.421.2	4	nut M10x1.25
15	0.013.1014.3	2	terminal
16	2.1589.504.0/10	8	shim mm 0.05
17	0.013.3198.3	1	tube
18	0.013.3199.3	1	tube
19	2.1569.213.0	16	washer
20	2.3249.093.2	0	pipe fitting

9_M5216_01_0_0

Section: ENGINE

FUEL PIPES


Fig.	Code	QTY	Name
1	0.013.6793.3/20	1	tube
2	0.013.1492.3	1	tube



Section: ENGINE


FUEL FILTER

Fig.	Code	QTY	Name
1	2.3332.004.1	1	pipe union m 14 p.1.5x27
2	2.1560.010.0	5	gasket 14.2x20
3	2.3119.005.2	1	plug m 10 p.1.5
4	2.1560.005.0	1	gasket 10.2x14
5	2.0112.313.2	2	screw m 10 p.1.5x35
6	2.3110.403.1	2	plug m 14 p.1.5
7	0.010.9530.3	1	tube
8	2.4319.060.0/20	1	fuel filter ⇒ 584 ⇒ 584
9	2.3339.357.2/10	1	pipe union m 14 p.1.5x28
10	2.1310.006.2	2	flat washer 10.5x20
12	2.6851.001.0	1	clamp 16-25
13	0.008.1528.3	1	tube mm 300
15	2.1561.007.0	2	gasket 14,8x22.2
16	0.013.5123.3	1	bracket




Section: ENGINE
THERMO STARTER

Fig.	Code	QTY	Name
1	2.3339.074.1	1	pipe union m 10 p.1x19
2	2.1560.005.0	5	gasket 10.2x14
4	2.7659.103.0/10	1	thermo-start
5	2.1560.016.0	1	gasket 20.2x26
6	2.3350.002.1	1	nosepiece 6
7	2.3360.002.2	1	nut m 10
8	0.014.2569.3	1	tube
9	2.1470.002.2	2	lock washer 6
10	2.0112.002.2	2	screw m 6 p.1x10
12	0.065.1698.3/10	1	tube
14	2.3339.040.2	1	pipe union m 14 p.1.5x45
15	2.1560.010.0	2	gasket 14.2x20
16	2.1579.154.2	1	spacer 10.5x16x3
17	2.3335.051.2	1	pipe union
62	2.9219.130.0	1	electro valve 12V



Section: ENGINE
WATER COOLING

Fig.	Code	QTY	Name
1	0.013.2754.0	1	rotor blade
2	2.6851.019.0	3	clamp 13-20
3	0.075.1151.0	1	bracket
4	0.013.8464.4	1	valve
5	0.011.5937.0	0	tube
6	2.1011.305.2	4	nut m 8 p.1
7	2.1470.004.2	4	lock washer 8
8	2.1561.007.0	7	gasket 14,8x22.2
9	2.3332.004.1	1	pipe union m 14 p.1.5x27
10	2.3249.095.2	1	pipe union m 14 p.1.5x45
11	2.3339.357.2/10	1	pipe union m 14 p.1.5x28
12	2.4319.220.0	1	precleaner 585 => 585
13	0.013.6569.3	1	tube
14	0.007.6792.3	1	tube
15	2.6851.019.0	1	clamp 13-20
16	2.0439.205.0/10	2	stud bolt m 18
17	2.1310.004.2	2	flat washer 8.4x16
18	2.1011.405.2	2	nut m 8 p.1



9_M7119_10_0_0

Section: ENGINE

COOLING WATER PUMP






Fig.	Code	QTY	Name
1	0.010.4616.4/20	1	water pump
1.1	0.000.0000.1	0	not serviceable
1.1.2	0.066.1750.0	1	tube
1.1.3	0.082.1751.0	1	tube mm 18
1.2	0.066.1752.0/30	1	gasket
1.3	0.066.1744.0/10	1	plate
1.4	0.000.0000.1	0	not serviceable
1.5	2.1569.200.0	1	'o' ring
1.6	0.010.1139.0/20	1	flange
1.7	0.000.0000.1	0	not serviceable
1.8	2.1470.004.2	4	lock washer 8
1.9	2.0112.207.2	2	screw m 8 p 1.25x20
1.10	2.1011.105.2	2	nut m 8 p.1.25
1.11	2.0112.220.2	2	screw m 8 p.1.25x55
1.12	2.0119.214.2	1	screw
2	2.1560.054.0	1	gasket 21x26
3	2.3199.001.2	1	plug 1/2 gas

9_35817_00_0_0

Section: ENGINE
WATER COOLING


Fig.	Code	QTY	Name
1	0.013.4809.0	1	sleeve 1085 <- X EXPLORER 75 T 1014 <- X EXPLORER 75 TB 1059 <- X EXPLORER 85 T 1010 <- X EXPLORER 85 TB 1099 <- X EXPLORER 95 T 1086 <- X EXPLORER 95 TB
1	0.013.4809.0/10	1	sleeve -> 1086 X EXPLORER 75T -> 1015 X EXPLORER 75TB -> 1060 X EXPLORER 85T -> 1011 X EXPLORER 85TB -> 1100 X EXPLORER 95T -> 1087 X EXPLORER 95TB
2	2.6851.005.0	1	clamp 40-60
3	2.6851.004.0	1	clamp 32-50



Section: ENGINE

COOLING WATER PUMP - V-GROOVED PULLEY

Fig.	Code	QTY	Name
1	0.066.1735.2	1	pulley
2	2.0432.005.7	4	stud bolt m 8 p.1.25-1x25
3	2.3130.003.1	1	plug 3/8 gas




9_33117_07_0_0

COOLANT PUMP DRIVEBELT


Fig.	Code	QTY	Name
1	2.4119.139.0	1	belt mm 10.7x1254

9_33117_09_0_0




Section: ENGINE
WATER COOLING

Fig.	Code	QTY	Name
1	0.013.4517.3/20	1	manifold
2	0.007.1258.3/20	1	thermostat
2.2	0.007.1258.0	1	gasket
3	0.066.1757.0/30	1	gasket
5	2.7099.640.0/10	1	tempe guage
6	2.1560.010.0	2	gasket 14.2x20
8	2.0312.205.2	3	screw m 8 p.1.25x18
9	2.0312.210.2	4	screw m 8 p 1.25x30
10	2.0312.218.2	1	screw m 8 p.1.25x60
11	2.1480.014.1	8	washer 8
13	2.0312.208.2	2	screw m 8 p.1.25x25
14	2.1480.014.1	2	washer 8
15	2.3130.003.1	1	plug 3/8 gas
23	0.013.8106.2/20	1	manifold
32	0.014.2708.3	1	tube
33	2.1560.006.0	4	gasket 10.5
34	2.3339.480.2/10	2	pipe union m 10 p.1.25x19
35	0.011.5937.0	0	tube
36	2.6851.019.0	2	clamp 13-20
38	2.7099.800.0	1	tempe guage



Section: ENGINE
WATER COOLING


Fig.	Code	QTY	Name
7	2.6851.002.0	10	clamp 20-32
12	0.007.1236.0/10	1	sleeve
16	0.007.1660.0	1	tube
17	0.007.0678.0/10	4	sleeve 18x28x60
18	2.6830.010.1	2	clamp
19	2.0112.004.2	2	screw m 6 p.1x14
20	2.1470.002.2	2	lock washer 6
24	0.013.7298.3/10	1	square
26	2.1310.004.2	2	flat washer 8.4x16
27	2.0439.205.0/10	2	stud bolt m 18
28	0.013.4806.2/30	1	tube
29	0.082.1752.0	1	tube
39	2.1011.405.2	2	nut m 8 p.1



Section: ENGINE

WATER COOLING -SEALING

Fig.	Code	QTY	Name
1	2.1480.015.1	4	washer 10
2	2.0313.312.7	3	screw m 10x35
3	0.066.1753.0/20	1	gasket
4	2.1589.130.0	1	shim 29x68x0.5
5	0.066.1759.0/30	4	gasket
7	2.0313.315.7	1	screw m 10x45
8	2.1589.131.0	1	shim 29x68x1
9	2.1589.131.0	2	shim 29x68x1




9_N1517_00_0_0

Section: ENGINE

INTAKE AND EXHAUST

Fig.	Code	QTY	Name
1	0.013.3357.0/10	1	air intake manifold
2	0.007.1404.0/30	1	exhaust manifold
3	0.007.0735.0/10	1	flange
4	0.007.1443.4	1	turbo charger
5	0.007.0737.0	1	sleeve
6	0.007.0741.0	1	gasket
7	2.1579.825.2	2	spacer 8.3x13.5x13
9	2.1011.505.2	3	nut m 8 p.1
10	2.0432.027.7	3	stud bolt m 8 p 1.25-1x120
11	2.0112.229.2	5	screw m 8 p.1.25x100
13	2.0432.005.7	4	stud bolt m 8 p.1.25-1x25
14	2.0432.022.7	2	stud bolt m 8 p.1x85
15	2.0112.209.2	3	screw m 8 p 1.25x25
16	0.001.2934.0	1	piston ring
17	2.0432.007.2	4	stud bolt m 8 p.1.25-1x30
18	2.1310.004.2	1	flat washer 8.4x16
19	2.1480.014.1	13	washer 8
20	2.1474.009.2	3	spring washer 8
21	2.6851.006.0	2	clamp 50-70
22	2.1475.002.7	4	washer 8.4x16
24	2.1019.033.0	12	special nut m 8 p.1
25	2.0119.121.0	8	screw m 6x10
26	2.1579.830.2	2	spacer 8.3x13x22





Section: ENGINE

INTAKE AND EXHAUST MANIFOLD GASKETS

Fig.	Code	QTY	Name
1	0.011.1304.0/10	4	gasket
2	0.007.1445.0	4	gasket


9_33218_00_0_0



Section: ENGINE
PLUG

Ref.: 77


Fig.	Code	QTY	Name
1	2.3199.190.2	1	plug
2	2.1560.021.0	1	gasket 28.3x34



9_N7718_01_0_0

Section: ENGINE
EXHAUST SILENCER


Fig.	Code	QTY	Name
1	0.013.8090.3/20	1	exhaust silencer
2	0.014.3014.0	1	gasket
3	0.008.3318.0	1	gasket
4	2.1011.105.2	6	nut m 8 p.1.25
5	2.0112.205.2	3	screw m 8 p.1.25x16
6	2.1310.004.2	13	flat washer 8.4x16
8	2.0112.213.2	2	screw m 8 p.1.25x35
9	2.1474.009.2	2	spring washer 8
11	2.0432.003.7	3	stud bolt m 8 p.1.25-1x20
19	2.1019.033.0	3	special nut m 8 p.1
20	2.1011.103.2	1	nut m 6 p.1
21	2.0112.005.2	3	screw m 6 p.1x16
23	0.013.6998.3/20	1	bracket
24	2.0112.209.2	2	screw m 8 p 1.25x25
25	2.0112.205.2	1	screw m 8 p.1.25x16
26	0.014.3038.0/10	1	division
27	0.014.3007.0	1	guard
28	2.1851.005.0	20	rivet
29	2.1312.001.2	20	washer 4.3
30	0.014.3467.3	1	bracket
31	0.014.3604.0	1	division
32	0.014.3603.2	1	division
33	2.1470.002.2	3	lock washer 6



Section: ENGINE


EXHAUST SILENCER

Fig.	Code	QTY	Name
1	0.013.5090.2/50	1	tube
2	2.0112.409.2	1	screw m 12 p.1.75x25
3	2.1310.007.2	1	flat washer 13x24



Section: ENGINE
SIDE EXHAUST SILENCER


Fig.	Code	QTY	Name
1	0.013.7017.2/30	1	tube



Section: ENGINE

GASKET SET FOR ENGINE ASSEMBLY

Fig.	Code	QTY	Name
1	0.051.0050.6	1	gasket set X EXPLORER 75T 75TB 85T 85TB
2	0.330.0050.6	1	gasket set X EXPLORER 95T 95TB



9_STAC22_00_0_A

EXPLORER 95 TB


GEAR

GEAR CHANGE BOX 5 SPEED.....	87
GEAR CHANGE BOX 5 SPEED SYNCRO POWER.....	88
CLUTCH 13".....	90
CLUTCH CONTROL.....	91
CLUTCH CONTROL.....	92
REAR GEARBOX CASE.....	94
COVER.....	95
REAR GEARBOX BRACKETS.....	100
GEAR CHANGE BOX 5 SPEED.....	107
GEAR CHANGE BOX 5 SPEED.....	108
GEAR CHANGE BOX 5 SPEED.....	109
GEAR CHANGE BOX 5 SPEED SYNCRO POWER.....	110
GEAR CHANGE BOX 5 SPEED SYNCRO POWER.....	111
GEAR CHANGE BOX 5 SPEED SYNCRO POWER.....	112
GEAR CHANGE BOX 5 SPEED SYNCRO POWER.....	113
5 SPEED GEARBOX WITH MINI REDUCTION GEAR.....	114
5 SPEED GEARBOX WITH MINI REDUCTION GEAR.....	115
5 SPEED GEARBOX WITH MINI REDUCTION GEAR.....	116
5 SPEED GEARBOX WITH MINI REDUCTION GEAR.....	117
2-RANGE BOX.....	122
3-RANGE BOX.....	124
4-RANGE BOX.....	126
GEARSHIFT LEVER.....	127
GEARSHIFT LEVER - FOR TYPES WITHOUT UNDERDRIVE.....	130
GEARSHIFT LEVER - FOR TYPES WITH MINREDUCTION.....	132
GEAR LEVER KNOB CAP.....	133
SYNCHROMESH SPLITTER COVER.....	134
GEARSHIFT LEVER - FOR SYNCRO POWER TYPES.....	135
REVERSING GEAR UNIT CONTROL.....	136
REVERSING GEAR UNIT CONTROL.....	137
SPEED RANGE REDUCTION GEAR UNIT.....	140
BEVEL WHEEL GEAR - 40Km/h.....	145
DIFFERENTIAL.....	148
DIFFERENTIAL LOCK CONTROL.....	152
DIFFERENTIAL LOCK CONTROL.....	155

Section: GEAR

GEAR CHANGE BOX 5 SPEED


Fig.	Code	QTY	Name
16	0.000.0000.1	-	not serviceable ☞ 107 => 107
17	0.000.0000.1	-	not serviceable ☞ 108 => 108
18	0.000.0000.1	-	not serviceable ☞ 121 => 121
19	0.000.0000.1	-	not serviceable ☞ 124 => 124



Section: GEAR

GEAR CHANGE BOX 5 SPEED SYNCRO POWER

Fig.	Code	QTY	Name
11	0.000.0000.1	-	not serviceable ☞ 110 => 110
12	0.000.0000.1	-	not serviceable ☞ 111 => 111
13	0.000.0000.1	-	not serviceable ☞ 112 => 112
14	0.000.0000.1	-	not serviceable ☞ 121 => 121
15	0.000.0000.1	-	not serviceable ☞ 124 => 124




9_STAC22_01_0_B

Section: GEAR

CLUTCH 13"


Fig.	Code	QTY	Name
1	0.010.8764.3/10	1	clutch assy
2	0.014.1112.3	1	clutch disc 13"
3	2.1699.173.0	3	pin 7.9x18
4	2.0313.206.7	8	screw m 8 p.1.25x20
5	2.1480.014.1	8	washer 8



9_62323_00_0_0

Section: GEAR
CLUTCH CONTROL


Fig.	Code	QTY	Name
1	0.014.1528.3/10	1	pedal
2	0.014.1523.2/10	1	lever
3	2.1599.399.0	1	washer 20.5x31x2
4	2.1632.715.2	2	pin
5	2.1410.006.1	1	circlip 20
6	2.4049.161.2	1	spring 18x41x2
7	0.255.6538.4/50	1	pump ⇒ 586 => 586
8	2.1470.004.2	2	lock washer 8
9	2.0112.206.2	2	screw m 8 p.1.25x18
10	2.1671.408.2	1	pin 10x30
11	2.1310.006.2	1	flat washer 10.5x20
12	2.1690.308.2	1	split pin 3.2x20
13	0.012.6343.0	0	tube
14	2.6857.019.0	2	clamp 14
15	0.010.1532.0	1	block
16	2.1011.509.2	1	nut m 16 p.1.5
17	0.012.5596.0/20	1	bushing



Section: GEAR

CLUTCH CONTROL

Fig.	Code	QTY	Name
1	0.014.2498.3	1	tube
2	0.255.6537.4/60	1	cylinder
			☞ 587
			=> 587
3	2.3199.039.0	1	plug 6.5x7.25
4	2.0112.215.2	2	screw m 8 p.1.25x40
5	2.1470.004.2	2	lock washer 8
7	2.2999.475.0	1	bearing 55x90x22
8	0.255.6533.0/30	1	support
9	2.1690.206.2	1	split pin 2x16
10	2.1599.496.0/10	1	snoulder 8x40x5
12	0.255.6532.0/10	1	fork
13	2.3339.431.2/10	1	pipe union m 12 p.1.25
14	2.1560.008.0	2	gasket 12.2x18



Section: GEAR

REAR GEARBOX CASE

9_C2331_00_0_0





Fig.	Code	QTY	Name
1	0.013.4139.0/10	1	gear box 1197 <- X EXPLORER 85 T 1245 <- X EXPLORER 95 T 1297 <- X EXPLORER 95 TB
1	0.013.4139.0/20	1	gear box -> 1198 X EXPLORER 85T -> 1246 X EXPLORER 95T -> 1298 X EXPLORER 95TB
2	2.1651.811.0	1	cylindrical plug 10x25
3	2.1651.911.0	1	cylindrical plug 12x24
4	2.1470.006.2	20	lock washer 10
5	2.0112.307.2	16	screw m 10 p.1.5x20
6	0.445.3121.3/20	1	cover
7	0.255.3134.0	1	cover
8	2.1481.007.1	4	washer 8
9	2.0112.207.2	4	screw m 8 p 1.25x20
10	2.0432.257.7	2	stud bolt m 12 p.1.75-1.25x30
11	2.3139.016.2	1	plug
12	2.3171.006.4	1	plug 16
13	2.1011.421.2	10	nut M10x1.25
14	2.1560.020.0	2	gasket 24.3x32
15	2.3199.083.2	2	plug m 24 p.1.5
16	2.1560.026.0	1	gasket 35.3x41
17	2.3199.002.2	1	plug 1 gas
18	0.255.3128.0/10	1	cover
19	2.1411.038.1	1	circlip 95
20	2.3171.007.4	3	plug 18
21	2.3820.105.2	1	lubricator m 10 p.1x7
22	2.0432.265.7	2	stud bolt m 12 p.1.75-1.25x50
24	2.1560.010.0	1	gasket 14.2x20
25	2.0422.318.7	1	stud bolt m 10x65
26	2.1560.023.0	1	gasket 30.3x36
43	2.1651.908.0	2	cylindrical plug 12x18
49	2.3110.403.1	2	plug m 14 p.1.5
50	2.1560.010.0	1	gasket 14.2x20

Section: GEAR
COVER


Fig.	Code	QTY	Name
1	0.255.3128.0/10	1	cover



Section: GEAR

REAR GEARBOX BRACKETS

Fig.	Code	QTY	Name
1	0.96135.10.0/10	1	support dx
2	0.96135.11.0/10	1	support sx
3	2.1470.009.2	14	lock washer 16
4	2.0112.615.2	14	screw m 16 p.2x40
5	2.1669.029.2	2	pin 25.4x240x206
6	0.010.9322.4	4	pin



9_40531_50_0_0

Section: GEAR


GEAR CHANGE BOX 5 SPEED

Fig.	Code	QTY	Name
60	2.1529.079.0	1	'o' ring 50x68x10
61	0.255.3357.0/30	1	cover
62	0.255.3356.0/10	1	gasket
63	0.007.3461.0/40	1	flange
64	0.270.2510.3	1	shaft
64.2	2.1555.214.0	1	bushing 25x28x15
65	0.255.2515.0	1	sleeve
66	2.1530.091.0	1	'o' ring 34.60x2.62
68	2.0112.321.2	4	screw m 10 p.1.5x60
69	2.1481.058.1	11	washer 10
70	2.0112.311.2	3	screw m 10 p.1.5x30
71	2.1651.807.0	2	pin 10x16
72	2.0112.317.2	2	screw m 10 p.1.5x45
73	2.0112.325.2	3	screw m 10 p.1.5x80
74	2.0112.319.2	1	screw m 10 p.1.5x50
102	2.3171.007.4	1	plug 18

9_C2333_00_0_A

Section: GEAR

GEAR CHANGE BOX 5 SPEED





Fig.	Code	QTY	Name
2	2.1410.016.1	2	circlip 40x1.75
3	2.2999.125.0	1	bearing 55x100x21
4	2.2042.012.0	1	ball bearing 40x80x18
5	2.1499.052.1/10	1	circlip 80
6	0.255.3450.0	3	snoulder 40x60x3.5
8	2.1499.152.7	1	circlip 41x1.8
9	0.011.8631.4	1	lock synchronizer ⇒ 588 => 588
10	2.1499.153.7	6	circlip 41x1.5
12	0.255.3372.0	3	thrust plate
13	2.1419.034.1	2	circlip 44
14	2.2060.011.0	1	ball bearing 35x80x21
15	2.1599.874.0	1	washer 35x45x3
16	2.1410.014.1	1	circlip 35
17	2.1499.037.1	1	circlip 90
19	2.2999.218.0	1	roller cage 40x45x30
21	0.007.7646.4/10	2	lock synchronizer ⇒ 589 => 589
24	2.1410.022.1	1	circlip 55
25	2.1599.414.0	2	snoulder 40x50x3
26	2.1599.423.0	0	snoulder 40x50x2.9
27	2.1599.424.0	2	snoulder 40x50x2.8
28	2.1599.425.0	0	snoulder 40x50x2.7
67	0.012.9651.3	1	shaft
67.2	2.1555.214.0	1	bushing 25x28x15
76	2.2999.367.0	1	ball bearing 40x90x23
77	2.1411.036.1	1	circlip 90
79	2.0132.408.7	1	screw
80	0.255.3369.0/20	1	shoulder
81	2.1530.141.0	1	'o' ring 57.15x3.53
82	0.007.7647.4	1	lock synchronizer 68 ⇒ 590 => 590
83	0.255.3368.0/10	1	bushing
86	2.2063.012.0	1	ball bearing 40x90x23
87	2.1599.422.0	1	snoulder 44
90	0.445.3351.3/30	1	countershaft
90.2	2.1559.177.0	1	bushing 30x35x25
110	0.000.0000.1	0	not serviceable
110.1	0.011.8384.0	1	gear z = 34
110.2	0.011.8381.0	1	gear z = 37
110.3	0.013.1424.0	1	shaft z = 30 - 34 - 40 - 44

Section: GEAR

GEAR CHANGE BOX 5 SPEED

9_C2333_00_0_C

Fig.	Code	QTY	Name
110.4	0.011.3867.0	1	gear z = 19
110.5	0.011.3869.3	1	gear z = 46
110.6	0.445.3358.0/20	1	gear z = 54
110.7	0.010.0006.0/20	1	gear z = 46
110.8	0.011.3866.0	1	gear z = 38
110.9	0.013.1442.3	1	gear z = 31
111	2.1475.004.2	1	washer 13x24
113	2.0599.089.7	2	screw m 5x5

Section: GEAR

GEAR CHANGE BOX 5 SPEED




Fig.	Code	QTY	Name
29	2.2999.156.0	4	ball 10
30	2.4019.622.1	4	spring 6.3x9.5x1.6x22.4
31	2.3199.164.2/20	4	plug
32	2.1560.008.0	4	gasket 12.2x18
34	2.1560.012.0	1	gasket 16.2x22
35	2.1699.160.0	1	pin 8x15
36	2.0399.019.1	4	screw m 8 p.1x16
37	2.0112.213.2	2	screw m 8 p.1.25x35
38	2.1470.004.2	2	lock washer 8
40	2.1519.075.0	1	'o' ring
41	0.011.5530.0	1	support
42	0.008.5405.0	2	ring
43	2.4019.698.1/10	1	spring
44	0.011.7127.0	1	support
46	0.011.5541.0	1	lever
47	0.445.6421.0/10	1	rod
48	0.445.6420.0/10	1	rod
49	2.1699.159.0	2	pin 10x14.1
50	0.011.8530.0/10	1	fork
51	2.1530.033.0	2	'o' ring 13.10x2.62
52	0.010.0205.0/20	1	fork
53	0.010.0191.0/20	1	fork
57	2.7659.014.0	1	switch
58	2.1011.406.2	1	nut m 10 p.1
59	2.0399.050.2	1	screw m 10 p.1x30
92	0.007.3562.3	1	cover
94	0.445.6424.0/20	1	rod
95	2.3171.007.4	1	plug 18
96	0.010.0209.0/20	1	fork
97	0.445.6454.0/20	1	rod
98	2.3131.001.4	1	plug m 12 p.1.5
99	2.1549.117.0	2	spacer
114	2.2725.030.0	2	roller bearing

Section: GEAR


GEAR CHANGE BOX 5 SPEED SYNCRO POWER

Fig.	Code	QTY	Name
1	0.007.3426.3	1	shaft
1.2	2.1555.214.0	1	bushing 25x28x15
2	0.007.3432.0	1	sleeve
3	2.1410.020.1	1	circlip 50
4	2.1419.044.0	1	circlip 38.8x1.5
34	0.008.4623.0	1	'o' ring
65	0.007.3416.0/40	1	box
66	0.007.3415.0/20	1	cover
67	0.007.3417.0/10	1	manifold
68	2.1651.807.0	4	pin 10x16
69	2.0112.311.2	3	screw m 10 p.1.5x30
70	2.0112.321.2	3	screw m 10 p.1.5x60
71	2.1470.006.2	14	lock washer 10
73	2.0112.317.2	3	screw m 10 p.1.5x45
74	0.255.3356.0/10	1	gasket
75	0.007.3461.0/40	1	flange
76	2.1560.008.0	3	gasket 12.2x18
77	2.3339.453.2	1	pipe fitting m 12 p.1.25-1/2"
78	0.007.3544.3	1	tube
79	2.0112.211.2	6	screw m 8 p.1.25x30
80	2.3199.001.2	1	plug 1/2 gas
81	2.1560.017.0	1	gasket 22.2x27
82	2.1011.421.2	5	nut M10x1.25
83	2.0432.165.7	1	stud bolt m 10 p.1.5-1.25x50
84	2.0432.171.7	4	stud bolt m 10 p.1.5-1.25x80
85	0.007.3563.3	1	cover
86	0.007.3566.2	1	pipe union m 14 p.1.5
87	2.0112.209.2	3	screw m 8 p.1.25x25
88	2.0112.213.2	2	screw m 8 p.1.25x35
89	2.1530.014.0	1	'o' ring 7.66x1.78
90	2.3332.003.1	1	pipe union m 12 p.1.25
91	2.0112.205.2	1	screw m 8 p.1.25x16
92	2.3110.403.1	1	plug m 14 p.1.5
93	2.1560.010.0	1	gasket 14.2x20
104	2.1470.004.2	12	lock washer 8

Section: GEAR

GEAR CHANGE BOX 5 SPEED SYNCRO POWER

9_C2333_04_0_B





Fig.	Code	QTY	Name
12	2.1410.011.1	1	circlip 28
13	2.1580.117.0	2	shim mm 0.2
14	0.007.3440.3/20	1	crown wheel
20	2.1499.153.7	3	circlip 41x1.5
26	2.1559.333.0	2	bushing 44.7x50x19
28	0.007.3439.0/10	1	crown wheel
29	2.2030.011.0	1	ball bearing 50x80x16
35	2.1580.113.0	2	shim mm 0.5
36	0.007.3441.3	1	planet gear
37	2.2999.230.0	8	roller cage
38	2.1579.985.2	4	spacer
39	2.1499.089.0	1	ring
40	2.1214.006.7	1	ring nut 25 mc
41	0.007.3446.0/40	1	pin
42	2.0132.006.2	6	screw m 8x20
43	0.007.3418.4/10	1	support
43.2	0.007.3557.3	1	valve
43.2.2	0.007.3558.0	1	ferrule
43.2.3	2.4019.408.1	1	spring
43.2.4	2.2810.003.0	1	ball mm 7.144
44	2.1539.095.0	1	'o' ring
45	2.1539.096.0	1	ring
46	2.2062.007.0	1	ball bearing 25x62x17
47	2.1580.138.0	1	snoulder 25.5x35x0.15
48	2.1580.139.0	3	snoulder 25.5x35x0.2
49	2.1580.140.0	6	snoulder 25.5x35x0.5
50	2.1499.076.0/10	5	spring
51	0.007.3419.0/20	1	piston
52	0.255.3970.2	7	disc
53	2.1539.098.0	1	ring 94.92x2.62
54	2.1599.569.0	2	shim 99.5x125x4
55	0.013.9453.0	6	disc
56	2.1539.097.0	1	ring
57	0.007.3420.0/10	1	piston
58	2.1599.570.0	1	shim 25.2x40x3
59	0.007.3421.0	1	spider
60	2.2819.003.0	4	ball
61	0.007.3422.0/10	4	pin
62	2.4019.425.1	1	spring
63	2.2685.006.0	8	shim 25x42x1
64	0.007.3445.0	1	cup
103	2.1559.215.0	1	bushing 25x35.5x18
105	2.1599.499.0	1	snoulder 110x126.5x1.2
106	0.255.3969.0/10	1	disc

Section: GEAR


GEAR CHANGE BOX 5 SPEED SYNCRO POWER



9_C2333_04_0_C

Fig.	Code	QTY	Name
5	0.012.9651.3	1	shaft
5.2	2.1555.214.0	1	bushing 25x28x15
7	2.1411.036.1	1	circlip 90
8	0.000.0000.1	0	not serviceable
8.1	0.011.8384.0	1	gear z = 34
8.2	0.011.8381.0	1	gear z = 37
8.3	0.013.1424.0	1	shaft z = 30 - 34 - 40 - 44
8.4	0.011.3867.0	1	gear z = 19
8.5	0.011.3869.3	1	gear z = 46
8.6	0.445.3358.0/20	1	gear z = 54
8.7	0.010.0006.0/20	1	gear z = 46
8.8	0.011.3866.0	1	gear z = 38
8.9	0.013.1442.3	1	gear z = 31
11	2.2060.012.0	1	ball bearing 40x90x23
15	2.2999.308.0	2	roller cage 30x35x27
16	2.1579.948.0	1	spacer 31.5x34.9x10
17	0.007.3454.0	1	tube
18	0.007.3424.3	1	shaft
18.2	2.1559.177.0	1	bushing 30x35x25
20	2.1499.153.7	3	circlip 41x1.5
22	0.255.3372.0	4	thrust plate
23	2.1419.034.1	1	circlip 44
24	2.1599.568.0/10	1	shim 45.5x60x2
25	2.2999.203.0	1	ball bearing 50x90x20
26	2.1559.333.0	2	bushing 44.7x50x19
27	2.1599.571.0	1	thrust plate 42x60x3.5
30	0.007.3442.0	1	snoulder
31	0.007.7647.4	1	lock synchronizer 68 590 => 590
33	0.007.3425.3/20	1	countershaft
33.2	2.1559.365.0	1	bushing
109	2.1599.737.0	0	snoulder 45.5x60x2.15
110	2.1599.738.0	0	snoulder 45.5x60x2.3
111	2.1599.739.0	0	snoulder 45.5x60x2.45
112	2.1599.740.0	0	snoulder 45.5x60x2.6
113	2.0599.089.7	1	screw m 5x5
114	2.1410.016.1	3	circlip 40x1.75
115	2.1599.414.0	2	snoulder 40x50x3
116	2.1599.423.0	0	snoulder 40x50x2.9
117	2.1599.424.0	2	snoulder 40x50x2.8
118	2.1599.425.0	0	snoulder 40x50x2.7
119	2.2042.012.0	1	ball bearing 40x80x18
120	2.1499.052.1/10	1	circlip 80

Section: GEAR

GEAR CHANGE BOX 5 SPEED SYNCRO POWER


9_C2333_04_0_C

Fig.	Code	QTY	Name
121	0.255.3450.0	1	snoulder 40x60x3.5
122	2.1499.152.7	1	circlip 41x1.8
123	0.011.8631.4	1	lock synchronizer ⇒ 588 ⇒ 588
124	2.1499.153.7	5	circlip 41x1.5
126	2.1419.034.1	2	circlip 44
127	2.1499.037.1	1	circlip 90
128	2.2999.218.0	1	roller cage 40x45x30
129	0.007.7646.4/10	2	lock synchronizer ⇒ 589 ⇒ 589
130	2.1410.014.1	2	circlip 35
131	2.2999.125.0	1	bearing 55x100x21
132	2.2060.011.0	1	ball bearing 35x80x21
133	2.1599.874.0	1	washer 35x45x3

Section: GEAR

GEAR CHANGE BOX 5 SPEED SYNCRO POWER

Fig.	Code	QTY	Name
94	2.0399.019.1	4	screw m 8 p.1x16
95	0.010.0209.0/20	1	fork
96	0.445.6454.0/20	1	rod
97	2.1560.008.0	4	gasket 12.2x18
98	2.3199.164.2/20	4	plug
99	2.4019.622.1	4	spring 6.3x9.5x1.6x22.4
100	2.1699.159.0	1	pin 10x14.1
101	2.2999.156.0	4	ball 10
102	2.3131.001.4	1	plug m 12 p.1.5
107	2.3171.007.4	1	plug 18
108	0.445.6424.0/20	1	rod
134	2.0112.213.2	2	screw m 8 p.1.25x35
135	2.1699.159.0	1	pin 10x14.1
136	0.010.0191.0/20	1	fork
137	0.445.6420.0/10	1	rod
138	0.010.0205.0/20	1	fork
139	0.445.6421.0/10	1	rod
140	2.1530.033.0	2	'o' ring 13.10x2.62
141	2.0399.050.2	1	screw m 10 p.1x30
142	2.1011.406.2	1	nut m 10 p.1
143	2.1519.075.0	1	'o' ring
144	0.011.5530.0	1	support
145	0.008.5405.0	2	ring
146	2.4019.698.1/10	1	spring
147	0.011.7127.0	1	support
148	0.011.5541.0	1	lever
149	2.2725.030.0	2	roller bearing
150	2.1470.004.2	2	lock washer 8
151	2.7659.014.0	1	switch
152	2.1560.012.0	1	gasket 16.2x22
153	2.1699.160.0	1	pin 8x15
154	0.011.8530.0/10	1	fork



9_C2333_04_0_D

Section: GEAR


5 SPEED GEARBOX WITH MINI REDUCTION GEAR

Fig.	Code	QTY	Name
60	2.1529.079.0	1	'o' ring 50x68x10
61	0.255.3357.0/30	1	cover
62	0.255.3356.0/10	1	gasket
63	0.007.3461.0/40	1	flange
64	0.270.2510.3	1	shaft
64.2	2.1555.214.0	1	bushing 25x28x15
65	0.255.2515.0	1	sleeve
66	2.1530.091.0	1	'o' ring 34.60x2.62
68	2.0112.321.2	4	screw m 10 p.1.5x60
69	2.1481.058.1	11	washer 10
70	2.0112.311.2	3	screw m 10 p.1.5x30
71	2.1651.807.0	2	pin 10x16
72	2.0112.317.2	2	screw m 10 p.1.5x45
73	2.0112.325.2	3	screw m 10 p.1.5x80
74	2.0112.319.2	1	screw m 10 p.1.5x50

9_C2333_01_0_A

Section: GEAR

5 SPEED GEARBOX WITH MINI REDUCTION GEAR


Fig.	Code	QTY	Name
2	2.1410.016.1	2	circlip 40x1.75
3	2.2999.125.0	1	bearing 55x100x21
4	2.2042.012.0	1	ball bearing 40x80x18
5	2.1499.052.1/10	1	circlip 80
6	0.255.3450.0	3	snoulder 40x60x3.5
8	2.1499.152.7	1	circlip 41x1.8
9	0.011.8631.4	1	lock synchronizer ☞ 588 => 588
10	2.1499.153.7	6	circlip 41x1.5
12	0.255.3372.0	4	thrust plate
13	2.1419.034.1	3	circlip 44
14	2.2060.011.0	1	ball bearing 35x80x21
15	2.1599.874.0	1	washer 35x45x3
16	2.1410.014.1	1	circlip 35
17	2.1499.037.1	1	circlip 90
19	2.2999.218.0	1	roller cage 40x45x30
21	0.007.7646.4/10	2	lock synchronizer ☞ 589 => 589
24	2.1410.022.1	1	circlip 55
25	2.1599.414.0	2	snoulder 40x50x3
26	2.1599.423.0	0	snoulder 40x50x2.9
27	2.1599.424.0	2	snoulder 40x50x2.8
28	2.1599.425.0	0	snoulder 40x50x2.7
33	2.1499.153.7	1	circlip 41x1.5
35	0.007.7647.4	1	lock synchronizer 68 ☞ 590 => 590
45	0.255.3361.0	1	snoulder
67	0.012.9651.3	1	shaft
67.2	2.1555.214.0	1	bushing 25x28x15
76	2.2060.012.0	1	ball bearing 40x90x23
77	2.1411.036.1	1	circlip 90
79	2.0132.408.7	1	screw
80	0.255.3369.0/20	1	shoulder
81	2.1530.141.0	1	'o' ring 57.15x3.53
82	0.007.7647.4	1	lock synchronizer 68 ☞ 590 => 590
83	0.255.3368.0/10	1	bushing
86	2.2063.012.0	1	ball bearing 40x90x23
87	2.1599.422.0	1	snoulder 44
90	0.445.3351.3/30	1	countershaft

9_C2333_01_0_B

Section: GEAR

5 SPEED GEARBOX WITH MINI REDUCTION GEAR

Fig.	Code	QTY	Name
90.2	2.1559.177.0	1	bushing 30x35x25
110	0.000.0000.1	0	not serviceable
110.1	0.011.8384.0	1	gear z = 34
110.2	0.013.1427.0	1	gear z = 37
110.3	0.013.1441.3	1	gear z = 34
110.4	0.010.9106.0	1	output shaft z = 30 - z = 34
110.5	0.013.1426.0	1	gear z = 39 - z = 44
110.6	0.011.3867.0	1	gear z = 19
110.7	0.011.3869.3	1	gear z = 46
110.8	0.445.3358.0/20	1	gear z = 54
110.9	0.010.0006.0/20	1	gear z = 46
110.10	0.013.1433.0	1	gear z = 41
110.11	0.013.1442.3	1	gear z = 31
111	2.1475.004.2	1	washer 13x24




9_C2333_01_0_B

Section: GEAR

5 SPEED GEARBOX WITH MINI REDUCTION GEAR

Fig.	Code	QTY	Name
29	2.2999.156.0	5	ball 10
30	2.4019.622.1	5	spring 6.3x9.5x1.6x22.4
31	2.3199.164.2/20	4	plug
32	2.1560.008.0	4	gasket 12.2x18
34	2.1560.012.0	1	gasket 16.2x22
36	2.0399.019.1	5	screw m 8 p.1x16
37	2.0112.213.2	2	screw m 8 p.1.25x35
38	2.1470.004.2	2	lock washer 8
40	2.1519.075.0	1	'o' ring
41	0.011.5530.0	1	support
42	0.008.5405.0	2	ring
43	2.4019.698.1/10	1	spring
44	0.011.7127.0	1	support
46	0.011.5541.0	1	lever
47	0.445.6421.0/10	1	rod
48	0.445.6420.0/10	1	rod
49	2.1699.159.0	2	pin 10x14.1
50	0.011.8530.0/10	1	fork
51	2.1530.033.0	4	'o' ring 13.10x2.62
52	0.010.0205.0/20	1	fork
53	0.010.0191.0/20	1	fork
57	2.7659.014.0	1	switch
58	2.1011.406.2	1	nut m 10 p.1
59	2.0399.050.2	1	screw m 10 p.1x30
88	2.1699.160.0	1	pin 8x15
92	0.007.3562.3	1	cover
94	0.445.3457.0/20	1	rod
95	2.3171.007.4	1	plug 18
96	0.010.0209.0/20	1	fork
97	0.445.6454.0/20	1	rod
98	2.3131.001.4	1	plug m 12 p.1.5
112	2.2725.030.0	2	roller bearing




9_C2333_01_0_C

Section: GEAR


5 SPEED GEARBOX WITH MINI REDUCTION GEAR

Fig.	Code	QTY	Name
29	2.2999.156.0	5	ball 10
30	2.4019.622.1	5	spring 6.3x9.5x1.6x22.4
36	2.0399.019.1	5	screw m 8 p.1x16
51	2.1530.033.0	4	'o' ring 13.10x2.62
55	0.010.0202.0/20	1	fork
56	0.445.3456.0/20	1	rod
100	0.255.3463.0	1	rod-head
101	2.1631.514.0	1	roll pin 6x30
102	2.1699.160.0	3	pin 8x15




Section: GEAR
2-RANGE BOX

Fig.	Code	QTY	Name
1	0.255.3438.0/20	2	sleeve
2	0.255.3450.0	1	snoulder 40x60x3.5
3	0.255.3455.0	1	hub z=19
18	0.445.3410.0/10	1	reduction shaft
19	0.445.3450.0	1	snoulder
20	2.1219.052.7/10	1	ring nut m 45 p.1.5
28	2.1411.036.1	2	circlip 90
31	2.1499.034.1	1	circlip 40x1.75
32	2.1419.067.0	1	circlip 35x1.5
37	2.1410.014.1	1	circlip 35
41	2.2060.011.0	1	ball bearing 35x80x21
42	2.2060.012.0	1	ball bearing 40x90x23
47	0.008.4480.0/20	1	shoulder
48	0.008.4481.0	1	ring



Section: GEAR
3-RANGE BOX

Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.445.3434.3/10	1	gear wheel z = 59 - 19
1.1.2	2.1559.176.0	2	bushing 40x44x25
1.2	0.445.3437.0	1	gear z = 59
2	0.445.3450.0	1	snoulder
3	0.000.0000.1	0	not serviceable
3.1	0.010.0761.0	1	gear z = 39
3.2	0.010.0764.0	1	gear z=40 z=19
4	0.007.3547.0	1	manifold
5	0.008.4634.0/10	1	cap
6	2.1579.911.0	1	spacer 40x48x16



Section: GEAR
4-RANGE BOX





Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.445.3434.3/10	1	gear wheel z = 59 - 19
1.1.2	2.1559.176.0	2	bushing 40x44x25
1.2	0.445.3452.3/10	1	gear z = 59 - 26
1.2.2	2.1559.176.0	2	bushing 40x44x25
1.3	0.445.3453.0/10	1	gear z=75 z=19
2	0.255.3455.0	1	hub z=19
3	0.445.3455.0/20	1	bushing
5	0.000.0000.1	0	not serviceable
5.1	0.010.0761.0	1	gear z = 39
5.2	0.010.0754.0	1	gear z = 40
6	0.007.3550.0	1	manifold
7	0.008.4635.0/10	1	cap

Section: GEAR
GEARSHIFT LEVER

Fig.	Code	QTY	Name
1	0.013.4260.3	1	lever



Section: GEAR



GEARSHIFT LEVER - FOR TYPES WITHOUT UNDERDRIVE

Fig.	Code	QTY	Name
3	0.014.3052.0	1	gear lever
4	0.255.6466.0/10	2	guard
5	0.467.6412.0	2	support
6	0.255.6452.0	1	ball
7	2.1699.184.0	2	pin 6x52
8	0.255.6465.0	2	cup
9	2.4019.309.1/10	2	spring 51x40x4
10	0.011.1220.0	1	plate
11	0.014.2710.0	1	lever
12	0.014.2173.0	1	gear lever
13	0.014.1784.3	1	support
14	0.159.6450.0	2	support
15	0.255.6451.0/10	2	cap
16	2.1011.105.2	6	nut m 8 p.1.25
17	2.1470.004.2	6	lock washer 8
18	2.0112.207.2	3	screw m 8 p 1.25x20
19	2.0112.209.2	3	screw m 8 p 1.25x25
20	0.014.2670.0	1	lever
21	2.1310.004.2	2	flat washer 8.4x16
22	2.0112.211.2	2	screw m 8 p.1.25x30
23	0.008.4446.0	1	ball
24	2.1631.415.2	2	roll pin 5x32

Section: GEAR

GEARSHIFT LEVER - FOR TYPES WITH MINREDUCTION



Fig.	Code	QTY	Name
3	0.014.3052.0	1	gear lever
4	0.255.6466.0/10	2	guard
5	0.467.6412.0	2	support
6	0.255.6452.0	1	ball
7	2.1699.184.0	2	pin 6x52
8	0.255.6465.0	2	cup
9	2.4019.309.1/10	2	spring 51x40x4
11	0.014.2174.0	1	lever
12	0.014.2173.0	1	gear lever
13	0.014.1784.3	1	support
14	0.159.6450.0	2	support
15	0.255.6451.0/10	2	cap
16	2.1011.105.2	6	nut m 8 p.1.25
17	2.1470.004.2	6	lock washer 8
18	2.0112.207.2	3	screw m 8 p 1.25x20
19	2.1631.415.2	2	roll pin 5x32
20	0.014.2670.0	1	lever
21	2.1310.004.2	2	flat washer 8.4x16
22	2.0112.211.2	2	screw m 8 p.1.25x30
23	2.4049.152.1	1	spring
24	2.0119.126.2/10	1	screw
25	2.4099.035.1/10	1	spring
26	0.255.3464.0/10	1	plate
27	0.255.3465.0	1	cam
28	2.0439.185.1	1	screw
29	2.0332.502.2	1	screw
31	2.0112.217.2	3	screw m 8 p.1.25x45
32	0.451.6450.0	1	spacer
33	0.008.4446.0	1	ball



9_C2664_06_0_0

Section: GEAR
GEAR LEVER KNOB CAP


Fig.	Code	QTY	Name
3	0.008.2935.0/20	1	cap
4	0.008.2940.0/10	1	cap
5	0.008.2837.0/10	1	knob



Section: GEAR

SYNCHROMESH SPLITTER COVER


Fig.	Code	QTY	Name
1	0.008.2837.0/10	1	knob
2	0.008.2937.0/10	1	cap
3	0.008.2935.0/20	1	cap



Section: GEAR

GEARSHIFT LEVER - FOR SYNCRO POWER TYPES

Fig.	Code	QTY	Name
1	0.008.2809.2/10	1	knob
2	0.008.2934.0/10	1	cap
3	0.008.2811.0	1	push-button
4	0.008.2818.3	1	push-button
5	2.0350.456.6	2	screw 4.2x19
6	0.008.3035.3/10	1	wire
7	0.008.2940.0/10	1	cap
8	0.014.3278.0	1	sheath




Section: GEAR

REVERSING GEAR UNIT CONTROL

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

1083 <- X EXPLORER 75 T 1010 <- X EXPLORER 75 TB 1054 <- X EXPLORER 85 T 1008 <- X EXPLORER 85 TB 1066 <- X EXPLORER 95 T 1057 <- X EXPLORER 95 TB



9_50864_00_0_0

2	0.008.2837.0/10	1	knob
19	0.290.6452.2/10	1	lever
21	2.0312.410.2	1	screw m 12
22	2.0312.408.2	1	screw M12X25
23	2.0399.019.1	1	screw m 8 p.1x16
24	2.1480.016.1	2	washer 12
25	0.233.6479.0	1	guard
26	0.290.6451.2/10	1	rod
27	0.290.6450.0/30	1	support
30	2.0112.309.2	2	screw m 10 p.1.5x25
31	2.1470.006.2	2	lock washer 10


Section: GEAR

REVERSING GEAR UNIT CONTROL

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

-> 1084 X EXPLORER 75T -> 1011 X EXPLORER 75TB -> 1055 X EXPLORER 85T -> 1009 X EXPLORER 85TB -> 1067 X EXPLORER 95T -> 1058 X EXPLORER 95TB




9_C2364_00_0_0

Section: GEAR

SPEED RANGE REDUCTION GEAR UNIT

Fig.	Code	QTY	Name
4	0.159.6415.0/10	1	guard
5	0.255.3919.0/10	2	plate
			1077 <- X EXPLORER 95 TB
5	0.013.5464.0	1	plate
			-> 1078 X EXPLORER 95TB
6	0.255.6422.0/20	1	rod
			1077 <- X EXPLORER 95 TB
6	0.013.5459.0	1	rod
			-> 1078 X EXPLORER 95TB
7	0.255.6423.0/10	1	rod
			1077 <- X EXPLORER 95 TB
7	0.013.5460.0	1	rod
			-> 1078 X EXPLORER 95TB
9	0.255.6439.2/10	1	fork
			1077 <- X EXPLORER 95 TB
9	0.013.5359.2	1	fork
			-> 1078 X EXPLORER 95TB
10	0.255.6460.0	1	rod-head
			1077 <- X EXPLORER 95 TB
10	0.013.5458.0	1	hub
			-> 1078 X EXPLORER 95TB
11	0.255.6461.0	1	ball
12	0.255.6462.0/10	1	spacer
13	0.255.6463.0	4	shoe
14	0.008.8683.0	1	knob
21	0.445.6438.2	1	fork
22	0.008.8273.0/10	1	lever
23	2.0112.213.2	8	screw m 8 p.1.25x35
24	2.0119.124.2	1	screw m 10x16
25	2.0342.305.3	6	screw m 8 p 1.25x20
26	2.0399.019.1	1	screw m 8 p.1x16
30	2.1481.007.1	9	washer 8
33	2.1499.054.1	1	circlip 42
34	2.1560.005.0	1	gasket 10.2x14
36	2.1599.429.0	1	snoulder 28x41.5
38	2.1631.515.9	1	roll pin 6x32
39	2.1651.709.0	2	pin 8x20
40	2.1699.159.0	3	pin 10x14.1
43	2.3131.001.4	1	plug m 12 p.1.5
44	2.4019.622.1	2	spring 6.3x9.5x1.6x22.4
45	2.1580.115.0	3	shim 32.5x40x0.5
46	0.255.6436.0/60	1	cover
			1077 <- X EXPLORER 95 TB
46	0.013.5466.0	1	cover




9_49134_00_0_b

Section: GEAR

SPEED RANGE REDUCTION GEAR UNIT

Fig.	Code	QTY	Name
49	0.013.5465.0	1	-> 1078 X EXPLORER 95TB plate
50	2.0112.222.2	1	-> 1078 X EXPLORER 95TB screw m 8 p.1.25x65 -> 1078 X EXPLORER 95TB




9_49134_00_0_b

Section: GEAR


BEVEL WHEEL GEAR - 40Km/h

Fig.	Code	QTY	Name
1	0.013.4901.3	1	bevel gear



Section: GEAR
DIFFERENTIAL

Fig.	Code	QTY	Name
1	0.157.3550.0	2	snoulder
2	0.255.3522.3/20	1	crown wheel
3	2.1631.519.0	1	roll pin 6x50
4	0.255.3525.0/20	1	pin
5	0.255.3527.3/20	1	sleeve
5.1	0.135.3550.0/10	8	pin
6	2.1589.122.0	1	shim 100.5x107x0.50
7	2.1589.123.0	1	shim 100.5x107x0.55
8	2.1599.427.0/10	2	snoulder 42x64x0.3
9	0.255.3512.0/20	1	support
10	2.1580.319.0	5	shim 86x98x0.5
11	2.1580.320.0	4	shim 86x98x0.2
12	2.1580.321.0	2	shim 86x98x0.15
13	2.2520.012.0	2	roller bearing 55x100x22.75
14	0.255.3510.0/30	1	half box
15	2.1011.106.2	2	nut m 10 p.1.5
16	2.1470.006.2	14	lock washer 10
17	2.0114.315.2	2	screw m 10 p.1.5x40
18	2.0129.028.2	12	screw m 12 p.1.25x30
19	0.255.3513.0/20	1	support
20	2.0112.313.2	10	screw m 10 p.1.5x35
21	2.1589.119.0	1	shim 100.5x107x0.30
22	2.1589.120.0	1	shim 100.5x107x0.35
23	2.1589.121.0	1	shim 100.5x107x0.40
24	2.2999.155.0	1	bearing
25	2.1499.044.1	0	circlip 115x3.4
26	2.1499.045.1	0	circlip 115x3.5
27	2.1499.046.1	0	circlip 115x3.6
28	2.1499.047.1	0	circlip 115x3.7
29	2.1499.048.1	0	circlip 115x3.8
30	2.1499.049.1	0	circlip 115x3.9
31	2.1499.050.1	0	circlip 115x4.0
32	2.1499.051.1	0	circlip 115x4.1




9_54635_00_0_A

Section: GEAR

DIFFERENTIAL LOCK CONTROL

Fig.	Code	QTY	Name
33	2.1530.028.0	1	'o' ring 11.91x2.62
34	2.4019.339.1	1	spring 32x56.5x3.5
35	2.1631.415.2	1	roll pin 5x32
36	0.190.6858.0	1	stop
37	0.255.3541.0/40	1	fork
38	2.3110.405.1	1	plug m 18 p.1.5x15
39	0.008.5024.0	1	rod mm 295
40	2.4019.225.1	1	spring 28x79x4.5
41	2.1560.014.0	1	gasket 18.2x24x1.5
42	2.1430.008.7	1	circlip 7
43	2.1699.362.2	1	pin
45	0.008.1717.0	1	small lever
46	2.3199.247.2	1	plug
47	2.1549.146.0	1	spacer 16.5X36X12



Section: GEAR


DIFFERENTIAL LOCK CONTROL

Fig.	Code	QTY	Name
1	0.014.1820.3/20	1	lever
2	0.008.0619.2/10	1	rod
3	2.1559.461.2	1	bushing
4	2.1499.032.1	1	spring washer
5	2.1310.007.2	1	flat washer 13x24
6	2.0112.415.2	1	screw m 12 p.1.75x40
7	2.1310.004.2	2	flat washer 8.4x16
8	2.1690.206.2	2	split pin 2x16
9	2.1559.128.0	1	bushing 16x20x20
10	0.007.7370.0	1	plate
11	2.0112.205.2	2	screw m 8 p.1.25x16
12	2.1310.004.2	2	flat washer 8.4x16
13	0.014.2121.3/10	1	pedal

EXPLORER 95 TB

REAR AXEL

REAR AXLE.....	157
REAR AXLE - MOUNTINGS.....	160
HANDBRAKE BRACKET FOR TRAILER.....	162
REAR REDUCTION GEARS AND AXLE SHAFTS.....	163
REAR REDUCTION GEARS AND AXLE SHAFTS.....	165
BRAKE CONTROLS.....	167
BRAKE PIPES.....	170
RELAY VALVE.....	172
REAR BRAKES.....	173
REAR BRAKES.....	174
INDEPENDENT HAND BRAKE.....	176
HAND BRAKE.....	182
HAND BRAKE - FOR TRACTORS WITH HYDRAULIK BREAKING FOR TRAILER.....	183
HAND BRAKE.....	184

Section: REAR AXEL



REAR AXLE

Fig.	Code	QTY	Name
1	0.255.4410.3/60	2	wheel support
1.2	0.255.4420.0/20	1	crown wheel
1.3	2.1699.259.0	4	pin 16x30
1.4	2.3171.006.4	4	plug 16
10	0.255.4450.0	2	cup
11	2.1569.104.0	2	'o' ring 80x118.2x12
12	0.255.4451.0	2	cup

Section: REAR AXEL

REAR AXLE - MOUNTINGS


Fig.	Code	QTY	Name
2	2.0422.425.7	2	stud bolt
3	2.1099.110.2/10	1	small block
5	2.1470.007.2	24	lock washer 12
6	2.0112.427.2	19	screw m 12 p.1.75x90
7	2.0422.422.7	3	stud bolt m 12x85
8	2.1011.107.2	4	nut m 12 p.1.75
9	2.3821.103.2	2	lubricator m 10 p.1



Section: REAR AXEL

HANDBRAKE BRACKET FOR TRAILER

Fig.	Code	QTY	Name
1	0.008.8480.2	1	bracket
2	2.0112.309.2	2	screw m 10 p.1.5x25
3	2.1470.006.2	2	lock washer 10
4	2.1310.006.2	2	flat washer 10.5x20




9_50844_20_0_0

Section: REAR AXEL


REAR REDUCTION GEARS AND AXLE SHAFTS

Fig.	Code	QTY	Name
1	0.255.4734.3/50	2	half-shaft
1.1	0.148.4737.0/20	8	small column m 20x68
1.3	0.270.4751.0	1	spacer
4	2.1510.329.0	2	'o' ring 55x80x10
5	2.1410.042.1	2	circlip 110
6	2.2520.012.0	4	roller bearing 55x100x22.75
7	0.255.4741.0/20	2	spider
8	2.1589.108.0	2	shim 14.5x41x0.2
9	0.255.4745.0	2	spacer
10	0.255.4750.0/10	2	washer
11	2.0139.014.1	2	screw m 14 p.1.5x33
13	2.1589.110.0	12	shim 32x60x1
14	0.255.4743.0	6	planet gear z=24
15	2.2999.136.0	6	roller cage 32x46x10
16	0.255.4725.0	6	pin
18	2.1589.106.0	6	shim 14.5x41x1
19	2.1589.107.0	2	shim 14.5x41x0.5
20	2.1589.109.0	2	shim 14.5x41x0.1
33	2.1589.246.0	2	shim 14.5x41x0.15



REAR REDUCTION GEARS AND AXLE SHAFTS

Fig.	Code	QTY	Name
12	0.255.4731.0/10	1	reduction shaft sx
17	0.255.4730.0/10	1	reduction shaft dx



Section: REAR AXEL
BRAKE CONTROLS





Fig.	Code	QTY	Name
1	0.014.1533.3	1	pedal dx
2	0.007.3779.3/40	1	pedal sx
3	0.226.6613.0	1	pin
4	2.1630.210.9	1	pin 3x20
5	2.1410.013.1	1	circlip 32
6	0.007.3782.3/10	1	brake lever dx
6.2	2.1559.271.0	2	sleeve 20x30x20
7	0.007.3783.2/10	1	lever sx
8	2.4049.161.2	2	spring 18x41x2
9	0.009.8376.0	2	small plate
10	2.1470.004.2	4	lock washer 8
11	2.0112.207.2	4	screw m 8 p 1.25x20
12	2.1671.407.2	2	pin 10x28
13	2.1690.308.2	2	split pin 3.2x20
14	0.009.9234.4	2	brake cylinder
15	2.6857.019.0	4	clamp 14
16	0.255.6660.3/10	1	tube
18	0.255.6694.4/20	1	tank
18.1	0.257.6654.3/10	1	plug
19	0.257.6662.2	1	clamp
20	2.1310.002.2	3	flat washer 6.4x12.5
21	2.1011.103.2	2	nut m 6 p.1
22	2.0112.005.2	1	screw m 6 p.1x16
23	0.012.6343.0	0	tube
24	0.014.3233.2/10	1	channel
25	2.1470.002.2	2	lock washer 6
26	2.0112.002.2	2	screw m 6 p.1x10
27	2.1560.008.0	4	gasket 12.2x18
28	2.3339.431.2/10	2	pipe union m 12 p.1.25
29	0.014.2498.3	2	tube
30	2.1310.006.2	2	flat washer 10.5x20
31	0.012.5596.0/20	1	bushing
32	2.1011.509.2	1	nut m 16 p.1.5
33	2.1632.715.2	1	pin

9_C2366_00_0_0

Section: REAR AXEL


BRAKE PIPES

Fig.	Code	QTY	Name
1	0.014.2128.3/10	1	bracket
2	0.014.2431.3/10	1	tube sx
3	0.014.2567.3	1	tube dx
4	0.014.2473.3	1	tube sx
5	0.014.2472.3	1	tube dx
6	2.6839.054.0	1	clamp 25/20
7	2.1310.004.2	1	flat washer 8.4x16
8	2.1011.105.2	1	nut m 8 p.1.25
9	0.013.1564.0	2	terminal
10	0.013.1566.0	4	small plate
11	2.1310.002.2	2	flat washer 6.4x12.5
12	2.1011.103.2	2	nut m 6 p.1
13	2.0112.009.2	2	screw m 6 p.1x25



Section: REAR AXEL
RELAY VALVE


Fig.	Code	QTY	Name
1	0.008.8673.4/20	1	valve



9_50866_02_0_0

Section: REAR AXEL
REAR BRAKES


Fig.	Code	QTY	Name
1	0.009.7066.2	2	brake disc
26	0.170.5455.0	2	fuse
27	2.3199.039.0	2	plug 6.5x7.25



Section: REAR AXEL


REAR BRAKES

Fig.	Code	QTY	Name
5	0.000.0000.1	0	not serviceable
5.1	0.255.5430.3/80	1	box 1123 <- X EXPLORER 75 T 1022 <- X EXPLORER 75 TB 1141 <- X EXPLORER 95 TB
5.1	0.255.5430.3/90	1	box -> 1124 X EXPLORER 75T -> 1023 X EXPLORER 75TB X EXPLORER 85TB -> 1142 X EXPLORER 95TB
5.1.2	2.1699.190.0	2	pin 14x28
5.2	0.255.5448.0/20	1	piston
5.3	2.1539.180.0	1	'o' ring 228x3.53
5.4	2.1539.179.0	1	'o' ring 279x3.53
5.5	2.3139.013.7	1	plug



Section: REAR AXEL
INDEPENDENT HAND BRAKE


Fig.	Code	QTY	Name
12	0.255.5450.0	2	small column
13	2.1530.034.0	1	'o' ring 13.95x2.62
14	2.1410.006.1	1	circlip 20
15	2.1410.022.1	1	circlip 55
16	0.255.5452.0	2	brake disc 150
17	0.171.5459.2	1	sector
18	0.171.5451.2	2	sector
19	0.188.5459.0/20	1	plate
20	0.171.5453.0	1	lever
21	0.255.5451.2	1	lever
22	0.255.5453.0	1	small plate
23	2.1530.043.0	1	'o' ring 17.13x2.62
24	2.0112.207.2	1	screw m 8 p 1.25x20
25	2.1470.004.2	1	lock washer 8
28	0.011.5484.0	1	shim mm 1
29	0.011.5486.0	1	shim mm 2



Section: REAR AXEL

HAND BRAKE

Fig.	Code	QTY	Name
1	0.200.6658.4/30	1	h/brake lever
1.1	0.000.0000.1	0	not serviceable
1.2	0.200.6623.0/20	1	ratchet
1.3	0.171.6621.0/10	1	rod
1.4	0.171.6622.0	1	push-button
1.5	2.1310.004.2	1	flat washer 8.4x16
1.6	2.1671.305.2	1	pin 8x22
1.7	2.1690.206.2	1	split pin 2x16
1.8	2.4019.555.2	1	spring 14x130x1.3
2	0.257.6624.0	1	sector
3	2.1699.182.0/10	1	pin
4	2.1410.003.1	1	circlip 14
5	2.1630.612.0	1	roll pin 6x28
6	0.451.6656.2/10	1	support
7	2.0330.507.2	4	screw m 8x20
8	2.1470.004.2	6	lock washer 8
9	2.1699.183.0	1	pin
10	0.014.2456.4	1	cable
11	0.264.6650.0	1	stop
12	0.264.6655.0/10	1	small block
14	2.1310.004.2	2	flat washer 8.4x16



9_C2666_03_0_0

Section: REAR AXEL


HAND BRAKE - FOR TRACTORS WITH HYDRAULIK BREAKING FOR TRAILER

Fig.	Code	QTY	Name
1	0.200.6658.4/30	1	h/brake lever
1.1	0.000.0000.1	0	not serviceable
1.2	0.200.6623.0/20	1	ratchet
1.3	0.171.6621.0/10	1	rod
1.4	0.171.6622.0	1	push-button
1.5	2.1310.004.2	1	flat washer 8.4x16
1.6	2.1671.305.2	1	pin 8x22
1.7	2.1690.206.2	1	split pin 2x16
1.8	2.4019.555.2	1	spring 14x130x1.3
2	0.257.6624.0	1	sector
3	2.1699.182.0/10	1	pin
4	2.1410.003.1	4	circlip 14
5	2.1630.612.0	1	roll pin 6x28
6	0.014.3158.3	1	support
7	2.0330.507.2	4	screw m 8x20
8	2.1470.004.2	6	lock washer 8
9	0.014.3162.0	1	bracket
10	2.0330.202.2	2	screw
11	2.1699.580.2	1	pin
12	0.264.6655.0/10	1	small block
13	2.1310.004.2	2	flat washer 8.4x16
14	2.1430.008.7	1	circlip 7
15	0.014.3157.0	1	bracket
16	2.0112.205.2	2	screw m 8 p.1.25x16
17	0.014.2456.4	1	cable
18	0.014.3404.3	1	cable

Section: REAR AXEL


HAND BRAKE

Fig.	Code	QTY	Name
1	0.008.3229.2/10	1	plate
2	2.3519.056.0	1	fork
3	2.1011.207.2	1	nut m 12 p.1.5
4	2.1310.007.2	1	flat washer 13x24
5	2.1671.409.2	1	pin
6	2.1690.307.2	1	split pin 3.2x18

EXPLORER 95 TB


FRONT AXEL

JUNCTION CASE.....	186
4WD - FRONT SUPPORT.....	187
4WD - FRONT SUPPORT.....	190
SUPPORTS.....	191
4WD - FRONT DRIVE AXLE.....	197
FLANGE.....	198
4WD - FRONT BRAKES.....	202
BRAKE PIPES 4wd.....	205
4WD - POWER STEERING CYLINDER.....	208
4WD - BEVEL WHEEL GEAR 40 Km/h.....	211
4WD - FRONT DIFFERENTIAL LOCK.....	216
4WD - DIFFERENTIAL LOCK CONTROL-FRONT.....	217
4WD - AXLESHAFTS.....	220
4WD - AXLESHAFTS.....	221
4WD - PLANETARY GEAR.....	222
FRONT WHEEL HUB COVER.....	223
DIFFERENTIAL LOCK CONTROL.....	226
4WD - ENGAGEMENT CONTROL.....	229
4WD - ENGAGEMENT CONTROL.....	230
4WD - TRANSMISSION SHAFT.....	233

Section: FRONT AXEL

JUNCTION CASE

Fig.	Code	QTY	Name
1	0.008.0674.0/30	1	clutch housing
2	0.007.3436.0/30	1	clutch housing
3	2.0112.513.2	6	screw m 14 p.2x35
4	2.0112.519.2	2	screw m 14 p.2x50
5	2.0112.517.2	10	screw m 14 p.2x45
6	2.1475.005.7	20	spring washer 15x27
7	2.0112.427.2	8	screw m 12 p.1.75x90
8	2.0112.415.2	4	screw m 12 p.1.75x40
9	2.0112.419.2	4	screw m 12 p.1.75x50
10	2.1470.007.2	10	lock washer 12
11	2.0112.207.2	3	screw m 8 p 1.25x20
12	2.1470.004.2	3	lock washer 8
13	2.1310.004.2	6	flat washer 8.4x16
14	0.255.5220.2/20	1	flange
15	0.445.5250.0/70	1	pin
16	2.1560.026.0	1	gasket 35.3x41
17	2.3199.002.2	1	plug 1 gas
18	2.1651.912.0	2	cylindrical plug 12x28
19	2.1011.107.2	1	nut m 12 p.1.75
20	2.0422.422.7	1	stud bolt m 12x85
21	0.007.3545.2	1	bracket
22	0.007.3546.0	1	plug
23	2.1011.105.2	2	nut m 8 p.1.25
24	0.007.3565.2	1	bracket
25	0.007.3564.0	1	gasket
26	2.1699.035.0	2	pin 14x35
27	2.0112.720.2	2	screw m 18 p.2.5x55
28	2.1011.410.2	6	nut m 18 p.1.5
29	2.1474.014.2	8	spring washer 18
30	2.0433.317.7	2	stud bolt m 14 p.1.5x60
31	2.1011.408.2	2	nut m 14 p.1.5



Section: FRONT AXEL
4WD - FRONT SUPPORT




Fig.	Code	QTY	Name
1	0.013.5620.0/20	1	front support
2	2.0112.721.2	4	screw m 18 p.2.5x60
3	2.1475.007.7	8	washer 19.4x36
4	2.1699.035.0	2	pin 14x35
5	0.013.9626.0/10	1	division
6	2.1019.060.2	4	special nut m 18 p.1.5
7	2.0432.516.7	4	stud bolt m 18 p.2.5-1.5x55

Section: FRONT AXEL
4WD - FRONT SUPPORT






Fig.	Code	QTY	Name
26	0.146.5233.3/30	1	support
26.2	2.1559.455.0	1	bushing 100x106x40
27	0.146.5232.3/20	1	support
27.2	2.1559.458.0	1	bushing 50x55x40
28	2.3820.105.2	1	lubricator m 10 p.1x7
29	2.1599.870.0	1	snoulder 69x55x4
30	2.1599.004.0	1	snoulder 101x125x4
31	2.1530.205.0	1	'o' ring 101.2x5.34
32	2.3821.103.2	1	lubricator m 10 p.1
37	2.0432.518.7	2	stud bolt m 18 p.2.5-1.5x65
38	2.1559.010.0	2	bushing 18.5x24x35
39	2.1599.030.0	2	snoulder 19x35x6
40	2.1340.011.0	2	lock-tab 19
41	2.1011.310.2	2	nut m 18 p.1.5
42	2.0432.418.7	2	stud bolt m 16 p.2-1.5x65
43	2.1559.030.0	2	bushing 16.5x22x35
44	2.1599.029.0	2	snoulder 17x30x6
45	2.1340.010.0	2	lock-tab 17
46	2.1011.309.2	2	nut m 16 p.1.5
48	2.1535.026.0	1	'o' ring 58x68x9


Section: FRONT AXEL
SUPPORTS

Fig.	Code	QTY	Name
1	0.014.2599.0	2	small block
2	2.1475.004.2	4	washer 13x24
3	2.0112.415.2	4	screw m 12 p.1.75x40



Section: FRONT AXEL
4WD - FRONT DRIVE AXLE


Fig.	Code	QTY	Name
1	0.270.4356.0/30	1	front axle
2	2.3199.021.2	1	plug 1/2 gas
3	2.1560.054.0	1	gasket 21x26
4	2.0432.307.7	4	stud bolt m 14 p.2-1.5x30
5	2.1379.004.0/10	4	shim 15x15x62x1.5
6	2.1379.003.0/10	4	shim 15x15x62x0.12
7	0.146.4320.0/20	1	pin
8	2.1470.008.2	4	lock washer 14
9	2.1011.408.2	4	nut m 14 p.1.5
11	2.2530.007.0	2	roller bearing 30x72x20.75
12	2.1599.260.0	4	snoulder 43x71x1
13	2.1519.045.0	4	'o' ring 41x73x9
14	0.463.4351.0	8	shim mm 0.5
15	0.463.4350.0	8	shim mm 0.2
16	0.463.4352.0	8	shim mm 0.15
17	0.255.4335.0/10	2	pin
18	2.1470.007.2	12	lock washer 12
19	2.3820.105.2	2	lubricator m 10 p.1x7
20	2.0112.411.2	12	screw m 12 p.1.75x30
21	2.1651.811.0	4	cylindrical plug 10x25
22	2.0432.155.7	20	stud bolt m 10 p.1.5-1.25x25
23	0.169.4337.0/10	2	pin
24	2.0432.257.7	11	stud bolt m 12 p.1.75-1.25x30
25	2.3821.102.2	2	lubricator m 8 p.1
26	2.1651.915.0	2	pin 12x35
28	2.1475.004.2	13	washer 13x24
29	2.1011.322.2	13	nut m 12 p.1.25
32	2.1560.054.0	5	gasket 21x26
33	2.3199.021.2	2	plug 1/2 gas
34	2.3199.001.2	3	plug 1/2 gas
35	2.1589.124.0	8	shim mm 0.2
36	2.1589.126.0	8	shim mm 0.15
38	2.2550.007.0	2	roller bearing 30x72x28.75
39	2.1099.020.1	2	special nut m 24 p.1.5
41	2.1690.412.2	2	split pin 4x30
42	0.270.4344.0/10	1	rod
49	2.0512.420.7	2	screw m 12 p.1.75x50
50	2.1011.107.2	2	nut m 12 p.1.75
57	2.0432.259.7	2	stud bolt m 12 p.1.75-1.25x35
58	2.1579.147.2	2	spacer 12.5x22x3
59	2.3199.537.0	5	plug mm 11
60	0.010.0488.4/10	2	joint
			☞ 593
			=> 593



9_50843_00_0_0

Section: FRONT AXEL
4WD - FRONT DRIVE AXLE

Fig.	Code	QTY	Name
61	2.3199.125.0	3	plug 1/8 gas



9_50843_00_0_0

Section: FRONT AXEL

Ref.: 198

FLANGE

Fig.	Code	QTY	Name
27	0.007.3499.0/80	1	flange
28	2.1549.318.0	1	spacer

Section: FRONT AXEL
4WD - FRONT BRAKES




Fig.	Code	QTY	Name
10	0.270.4357.0/80	1	fork
11	0.270.4354.0/30	2	gasket 174.6x182x3.4
14	0.270.4353.0/20	2	gasket 143.6x150.4x3.4
22	2.0432.005.7	24	stud bolt m 8 p.1.25-1x25
23	0.270.4350.0	2	piston
30	2.1529.130.0	2	'o' ring 50x72x16.5
31	0.270.4351.0	2	disc
32	0.194.5464.2	2	brake disc
33	0.270.4352.0	2	flange
34	2.0139.025.1	20	screw m 10 p.1.25x25
37	0.270.4358.0/80	1	fork
73	2.2999.165.0	4	bearing 160x200x20
75	0.270.4641.0/20	2	crown wheel

Section: FRONT AXEL
BRAKE PIPES 4wd




Fig.	Code	QTY	Name
1	0.014.2543.3	1	tube
2	0.014.2542.3	1	tube
3	0.014.2568.0	1	channel
4	0.014.2514.3	1	bracket dx
5	0.014.2509.3	1	bracket sx
6	0.014.2489.0	1	pin
7	0.014.2730.3	2	bracket
8	2.6839.055.0	4	clamp 11-20
9	2.1310.004.2	6	flat washer 8.4x16
12	2.1011.105.2	6	nut m 8 p.1.25
13	2.1312.004.2	2	washer 9x24
14	2.0112.215.2	2	screw m 8 p.1.25x40
15	2.1310.002.2	4	flat washer 6.4x12.5
16	2.1011.103.2	4	nut m 6 p.1
17	0.013.1566.0	2	small plate
18	0.013.1564.0	1	terminal
19	2.0112.009.2	1	screw m 6 p.1x25
20	2.3339.361.2/10	2	pipe union m 12 p.1,25x28
21	2.1560.008.0	6	gasket 12.2x18
22	2.1579.765.2/10	2	spacer 12.5x18x8
23	0.170.5455.0	2	fuse
24	2.3199.039.0	2	plug 6.5x7.25

Section: FRONT AXEL




4WD - POWER STEERING CYLINDER

Fig.	Code	QTY	Name
1	0.007.2706.4	2	jack ☞ 595 => 595
2	0.270.6350.2/30	2	pin
3	2.1579.739.0	8	spacer 21x25x10
4	0.270.6351.0	8	gasket
5	2.3820.105.2	2	lubricator m 10 p.1x7
6	2.0112.207.2	2	screw m 8 p 1.25x20
7	2.1470.004.2	2	lock washer 8
8	2.3821.103.2	2	lubricator m 10 p.1
30	0.135.4363.3/10	3	valve
31	0.270.4355.0	2	guard
32	2.0112.204.2	2	screw m 8 p.1.25x14
33	2.1310.004.2	2	flat washer 8.4x16
50	0.008.5388.0/10	2	piston pin
51	2.0399.050.2	2	screw m 10 p.1x30
52	2.1011.406.2	2	nut m 10 p.1

4WD - BEVEL WHEEL GEAR 40 Km/h

Fig.	Code	QTY	Name
1	0.459.4620.3/20	1	bevel gear z=15 z=40



Section: FRONT AXEL

4WD - FRONT DIFFERENTIAL LOCK




Fig.	Code	QTY	Name
2	2.2560.006.0	1	roller bearing 40x90x25.25
3	0.008.0389.0	1	spacer mm 37
4	2.1580.101.0	2	shim 36x43x0.2
5	2.1580.102.0	3	shim 36x43x0.5
7	2.2560.005.0	1	roller bearing 35x80x22.75
9	0.255.4650.0	1	spacer 35x58x19
10	2.1529.007.0/10	1	'o' ring 58x80x13
13	2.1214.108.7	1	ring nut m 35 p.1.5
14	0.255.4615.0	1	flange
15	0.275.4610.0/10	1	differential carrier
16	2.1631.418.0	1	roll pin 5x45
17	0.255.4629.0	2	snoulder 15.5x36x2
19	2.1599.431.0	2	snoulder 42x66x2
21	0.010.0856.0/20	1	pin
22	2.2520.011.0	1	roller bearing 50x90x21.75
23	0.445.4656.0/10	2	shim 92x127x0.2
24	0.445.4655.0/10	2	shim 92x127x0.5
25	2.0139.002.1	10	screw m 10 p.1.25x20
28	2.0132.207.2	8	screw m 10 p.1x25
29	2.0139.025.1	10	screw m 10 p.1.25x25
30	2.1580.302.0	2	shim 76x89x0.5
31	2.2540.005.0	1	roller bearing 45x85x24.75
32	0.146.4653.0/10	4	shim 96x127x0.2
33	0.146.4654.0/10	4	shim 96x127x0.5
35	0.255.4652.0/20	1	flange
60	2.1580.301.0	2	shim 76x89x0.2
101	2.1580.109.0	2	shim 36x43x0.15

Section: FRONT AXEL

4WD - DIFFERENTIAL LOCK CONTROL-FRONT

9_50846_08_0_0




Fig.	Code	QTY	Name
20	0.275.4622.3/10	1	crown wheel
26	0.467.4650.0/30	1	flange
37	0.255.4617.0	1	sleeve
52	0.255.4618.0/10	1	sleeve
53	0.255.4619.0	1	spacer
54	2.1599.317.0	2	snoulder 38.5x44.50x1.5
55	2.1580.130.0	4	shim 38.5x44.50x0.5
56	2.1580.131.0	4	shim 38.5x44.50x0.2
57	2.1410.015.1	1	circlip 38
58	2.2810.006.0	17	ball mm 9.525
72	2.4019.397.2	1	spring
73	0.467.4659.0/10	1	ferrule
74	2.1530.043.0	2	'o' ring 17.13x2.62
75	0.008.0889.0	1	piston
76	2.0399.232.2	1	screw
77	2.1579.090.2	1	spacer 10.1x15x18
78	0.008.0583.0	1	small lever
79	2.4049.184.2	1	spring 12.4x18x2.8x56
80	0.272.4651.0	2	spacer
81	2.1671.103.2	1	pin 6x18
82	2.1011.103.2	1	nut m 6 p.1
83	2.1690.205.2	1	split pin 2x12
84	2.1310.002.2	1	flat washer 6.4x12.5
85	2.3510.003.2	1	fork m 6
86	0.007.2705.2/10	1	lever
87	2.1630.511.0	1	roll pin 5x24
88	0.467.4657.0/10	1	fork
89	0.467.4660.0	2	shoe

Section: FRONT AXEL
4WD - AXLESHAFTS





Fig.	Code	QTY	Name
12	0.270.4652.0	2	small cover
36	2.2030.006.0	2	ball bearing 25x47x12
39	2.1411.025.1	4	circlip 62
40	2.2999.415.0	1	roller bearing 43.8x62x17
42	2.1411.019.1	4	circlip 47
44	2.1419.029.7	2	circlip 25
45	2.1530.118.0	2	'o' ring 46.04x3.53
72	0.270.4651.0	2	flange
74	2.1530.296.0	2	'o' ring 215.5x3.53
77	0.270.4644.0/10	6	planet gear
78	0.198.4643.0	6	pin
79	2.2999.002.0	6	roller cage 25x35x30
81	0.270.4653.0	4	shim 159X105X0.15
82	0.270.4654.0	10	shim 159X105X0.20
84	2.0139.002.1	18	screw m 10 p.1.25x20
86	2.1529.081.0/20	2	'o' ring 180x205x23
88	2.1475.202.2	24	washer 8.4x16
89	2.1011.305.2	24	nut m 8 p.1
90	2.1529.112.0	2	'o' ring 45x65x18.5
102	2.2999.325.0	1	roller bearing 43.8x62x18

9_50846_00_0_B

Section: FRONT AXEL
4WD - AXLESHAFTS


Fig.	Code	QTY	Name
1	0.270.4632.6/60	2	half-shaft
1.30	0.270.4630.0/40	1	half-shaft
1.31	0.146.4632.4/10	2	universal joint
1.32	0.270.4633.0/30	1	fork
1.33	2.1499.012.1/10	8	circlip
1.34	0.270.4634.0/40	1	axle shaft



Section: FRONT AXEL
4WD - PLANETARY GEAR


Ref.: 222

Fig.	Code	QTY	Name
76	0.290.4642.3/30	2	spider
76.2	2.1559.196.0	1	bushing 36.5x42x20



Section: FRONT AXEL
FRONT WHEEL HUB COVER

Fig.	Code	QTY	Name
1	0.012.7082.3/10	2	cover



Section: FRONT AXEL



DIFFERENTIAL LOCK CONTROL

Fig.	Code	QTY	Name
1	0.255.6877.0	1	bracket
2	0.255.6858.0/10	2	rubber plug 18x5
3	2.1579.487.0	1	spacer 12.5x20x3.5
5	2.1690.206.2	2	split pin 2x16
6	2.1310.004.2	2	flat washer 8.4x16
7	2.1671.305.2	1	pin 8x22
8	0.255.6875.3	1	rod
9	2.1011.105.2	2	nut m 8 p.1.25
10	2.3510.014.2	1	fork
11	0.255.6880.0	1	tip
12	0.290.6866.2/20	1	rod
13	2.1671.304.2	1	pin
14	0.255.6878.0/20	1	plate
15	2.1673.007.2	1	small spring

Section: FRONT AXEL


4WD - ENGAGEMENT CONTROL

Fig.	Code	QTY	Name
2	0.008.4624.0	1	'o' ring 60x95x10
4	2.1410.024.1	1	circlip 60
5	2.2030.013.0	1	ball bearing 60x95x18
6	0.255.3825.0/10	1	sleeve
7	2.3171.012.4	1	plug 30
8	0.255.3821.0/10	1	sleeve
9	2.0399.002.1	1	screw m 10 p.1x24
10	0.013.6680.0	1	lever
11	0.001.5945.0/10	2	shoe
12	2.1530.033.0	1	'o' ring 13.10x2.62
13	2.0439.002.1	2	stud bolt m 8 p.1.25x20
14	0.008.0279.3/10	1	lever
15	2.1411.038.1	1	circlip 95



9_54638_00_0_0

Section: FRONT AXEL

4WD - ENGAGEMENT CONTROL

9_C2668_01_0_0

Fig.	Code	QTY	Name
1	0.290.3851.0	1	rod
2	0.290.3840.2/10	1	lever
3	2.1310.006.2	2	flat washer 10.5x20
4	2.1690.207.2	1	split pin 2x18
5	0.257.6862.0	1	grip
6	2.1630.251.9	1	pin
7	2.0330.507.2	2	screw m 8x20
8	2.1470.004.2	2	lock washer 8
9	0.290.3850.2	1	support
10	2.4049.139.1/10	1	spring
11	0.014.1886.2	1	lever
12	2.1632.409.2	1	pin
15	2.1430.008.7	1	circlip 7
16	2.1690.206.2	1	split pin 2x16
17	2.1310.004.2	1	flat washer 8.4x16
18	2.1671.304.2	1	pin
19	2.9919.718.0	1	plate
20	0.255.6858.0/10	1	rubber plug 18x5
21	0.014.1913.0/10	1	rod
22	2.1310.004.2	2	flat washer 8.4x16

Section: FRONT AXEL


4WD - TRANSMISSION SHAFT

Fig.	Code	QTY	Name
1	0.255.2613.0	1	transmission shaft mm 553
2	2.1631.718.0	2	roll pin 8x45
4	0.255.2617.0/10	2	sleeve
6	2.1410.012.1	2	circlip 30
7	2.1411.022.1	2	circlip 55
8	2.2999.469.0	1	bearing 30x55x13
9	0.270.2616.0	1	transmission shaft mm 892.5
10	0.255.2632.2/30	1	guard
11	2.1470.004.2	4	lock washer 8
12	2.0112.205.2	2	screw m 8 p.1.25x16
13	2.0422.205.2	2	stud bolt m 8x25
14	2.1310.004.2	2	flat washer 8.4x16
15	2.1579.987.2	2	spacer 8.5x16x8
16	0.011.1310.0	1	ring
17	2.1011.105.2	2	nut m 8 p.1.25



EXPLORER 95 TB

FRONT AND REAR P.T.O.

P.T.O. - CLUTCH TRANSMISSION SHAFT.....	235
P.T.O. - PUMP CONTROL.....	237
P.T.O. SHAFT DRIVE FOR TYPES WITH MECHANICAL CONTROLS.....	239
P.T.O. - 2 SPEED TYPE.....	242
4 SPEED P.T.O.....	245
4 SPEED P.T.O.....	246
P.T.O. - FIXED END SHAFT - FOR 2-SPEED STANDARD SEALS.....	247
P.T.O. - FIXED END SHAFT - FOR 4-SPEED STANDARD SEALS.....	248
PTO - 2-SPEED WITH INSERTED END SHAFT.....	249
PTO - 2-SPEED WITH INSERTED END SHAFT - EXPORT U.S.A.....	250
P.T.O - 4-SPEED WITH INSERTED END SHAFT.....	251
P.T.O - 4-SPEED WITH INSERTED END SHAFT - EXPORT U.S.A.....	252
P.T.O. - SYNCHRONIZED.....	256
COVER FOR TYPES WITHOUT SYNCHRO PTO.....	257
PTO - PARTS SET WITH STANDARD SEALS.....	258
PTO - PARTS SET WITH WATER PROOF SEALS.....	259
PTO - SEAL RING FOR INSERTED END SHAFT - STANDARD VERSION.....	260
P.T.O. SHAFT DRIVE.....	263
P.T.O. - ECONOMICAL CONTROL.....	266
P.T.O. - SYNCHRONIZED CONTROL.....	269
P.T.O. SHAFT PROTECTOR REAR.....	271
P.T.O. SHAFT PROTECTOR REAR EXPORT GB.....	272

P.T.O. - CLUTCH TRANSMISSION SHAFT

Fig.	Code	QTY	Name
1	2.1410.016.1	1	circlip 40x1.75
2	2.1411.027.1	1	circlip 68
3	2.2999.306.0/10	1	bearing 40x68x15
4	2.1519.086.0	1	'o' ring 25x33x6
5	2.1530.091.0	1	'o' ring 34.60x2.62
6	2.1410.009.1	1	circlip 24
7	0.008.4227.3/50	1	p.t.o.shaft
7.2	0.255.2550.0	1	ring



9_54625_00_0_0

P.T.O. - PUMP CONTROL

9_B8639_00_0_0




Fig.	Code	QTY	Name
1	2.1410.020.1	1	circlip 50
2	2.1599.426.0	1	snoulder 50x60x2.5
3	2.2030.011.0	1	ball bearing 50x80x16
4	2.1411.032.1	1	circlip 80
5	2.2999.465.0	1	ball bearing 50x80x16
6	2.1423.031.7	1	snoulder 43.8x1.5
7	2.1549.372.0	1	spacer 42.5x35.15x5
8	2.2999.357.0	1	bearing 42x35x17.8
9	0.013.3794.0/10	1	gear z = 55
10	0.255.3942.0/20	2	flange
11	0.255.3953.0/10	2	gasket
12	2.2030.009.0	2	ball bearing 40x68x15
13	0.013.3792.0	1	gear z = 49
14	0.008.4464.0/30	2	sleeve
15	2.1410.011.1	2	circlip 28
16	0.013.7789.0	1	sleeve
			A = mm 33
17	2.1599.884.0	2	shim 45x55x4
18	2.0112.309.2	4	screw m 10 p.1.5x25
19	2.1560.006.0	4	gasket 10.5
20	2.1710.205.0	1	dowel 8x7x20

EXPLORER 95 TB

Section: FRONT AND REAR P.T.O.

Ref.: 239

P.T.O. SHAFT DRIVE FOR TYPES WITH MECHANICAL CONTROLS

9_C2339_01_0_0




Fig.	Code	QTY	Name
39	2.1530.028.0	1	'o' ring 11.91x2.62
40	0.445.3916.2	1	small lever
41	2.1630.612.0	1	roll pin 6x28
42	0.445.3930.0	1	shaft
44	2.1410.009.1	1	circlip 24
45	0.008.8416.2/10	1	lever
46	0.008.2926.4	1	pipe fitting
46.1	0.008.2926.3/20	1	pipe fitting
46.2	2.1530.029.0	2	'o' ring 12.37x2.62
46.3	2.1530.048.0	1	'o' ring 18.72x2.62
47	2.1560.014.0	1	gasket 18.2x24x1.5
49	0.445.3953.2/10	1	tube
60	0.008.3238.0	1	bracket
61	2.7659.096.0/10	1	switch
62	2.1470.052.2	2	lock washer 4
63	2.0332.203.2	2	screw m 4x10
64	2.1310.007.2	1	flat washer 13x24
65	2.0112.411.2	1	screw m 12 p.1.75x30
66	2.3339.453.2	1	pipe fitting m 12 p.1.25-1/2"
67	2.1560.008.0	1	gasket 12.2x18
69	2.2043.009.0	1	ball bearing 30x62x16
70	0.010.9111.4/50	1	hydraulic pto clutch
			☞ 599
			1196 <- X EXPLORER 85 T
			1238 <- X EXPLORER 95 T
			1280 <- X EXPLORER 95 TB
			=> 599
70	0.010.9111.4/60	1	hydraulic pto clutch
			☞ 600
			-> 1197 X EXPLORER 85T
			-> 1239 X EXPLORER 95T
			-> 1281 X EXPLORER 95TB
			=> 600
72	2.1599.761.0	1	thrust plate 24x30x2

P.T.O. - 2 SPEED TYPE




Fig.	Code	QTY	Name
1	2.2060.012.0	1	ball bearing 40x90x23
2	0.010.8218.0	1	gear z = 21
3	0.010.8217.3	1	shaft
3.2	2.1559.023.0/10	1	bushing 15.8x19x20
4	2.2062.013.0	1	bearing 45x100x25
5	2.1599.541.0	1	shim 45x55x2
6	2.1410.018.7	2	circlip 45
7	0.255.3450.0	1	snoulder 40x60x3.5
8	0.010.8219.0	1	gear z = 48
9	0.255.3662.0	1	bushing 35x44x27
10	0.010.8220.0	1	gear z = 54
11	0.255.3658.2	1	fork
12	2.1631.715.0	1	roll pin 8x32
13	2.1530.028.0	1	'o' ring 11.91x2.62
14	0.008.4560.3/50	1	lever
15	0.014.2026.0	1	plate
16	0.255.3661.0	1	ring nut m 35x1.5
17	0.255.3455.0	1	hub z=19
18	0.255.3438.0/20	1	sleeve
19	2.1499.034.1	1	circlip 40x1.75
20	2.2062.012.0	1	ball bearing 40x90x23
21	2.1410.016.1	1	circlip 40x1.75
22	0.255.6463.0	2	shoe
23	2.2060.011.0	1	ball bearing 35x80x21
35	0.014.2110.0	1	plate

4 SPEED P.T.O.

9_C2336_00_0_A




Fig.	Code	QTY	Name
1	2.1410.012.1	1	circlip 30
2	0.007.3473.3/10	1	shaft
2.2	2.1559.023.0/10	1	bushing 15.8x19x20
2.3	2.1552.101.0	1	bushing 12x14x15
3	0.009.6866.0	1	sleeve
4	0.009.6902.0	1	gear z = 14 - z = 21
5	2.2999.198.0	1	roller cage 25x37x20
6	2.1579.958.0	1	spacer 25x44x3
7	2.2999.229.0	1	roller cage 25x42x2
8	2.3171.007.4	1	plug 18
9	2.0399.019.1	2	screw m 8 p.1x16
10	2.1530.033.0	1	'o' ring 13.10x2.62
11	0.014.2729.3	1	rod
12	0.007.3492.0	1	small lever
13	0.001.5945.0/10	1	shoe
14	0.009.6867.0	1	crown wheel
15	2.2999.208.0	2	roller cage 20x26x8.8
16	0.007.3472.0/30	1	small shaft
17	2.1420.009.1	1	circlip a 22
18	0.009.6905.0	1	gear z = 24
19	2.1410.010.1	1	circlip 25
20	2.2062.012.0	2	ball bearing 40x90x23
21	2.2043.015.0	1	bearing
22	2.1410.022.1	1	circlip 55
51	2.1410.016.1	1	circlip 40x1.75
54	0.014.2731.2	1	lever

4 SPEED P.T.O.

9_C2336_00_0_B




Fig.	Code	QTY	Name
20	2.2062.012.0	2	ball bearing 40x90x23
23	0.007.3555.0	1	plate
24	0.007.3487.0	1	fork
25	2.0512.109.7	1	screw
26	2.1530.038.0	1	'o' ring 15.54x2.62
27	2.1711.011.0	1	dowel 5x3x36
28	0.008.4560.3/50	1	lever
29	2.9929.704.0	1	plate
30	0.007.3471.0/10	1	bushing
31	0.010.5366.0/10	1	gear z = 54
32	0.009.6904.0/20	1	gear z = 48 - z = 43
33	2.2770.073.0	2	roller cage 40x47x18
34	0.255.3450.0	1	snoulder 40x60x3.5
35	0.008.8279.0/20	1	small plate
36	2.1470.004.2	2	lock washer 8
37	2.0312.204.2	2	screw m 8 p.1.25x16
45	2.1579.952.2	4	spacer 15x4.5x3
46	0.255.3661.0	1	ring nut m 35x1.5
47	0.013.1306.0	1	hub z = 19
48	0.255.3438.0/20	1	sleeve
49	2.1412.015.7	1	circlip 40x2.5
52	0.255.6463.0	2	shoe
53	2.2060.011.0	1	ball bearing 35x80x21


P.T.O. - FIXED END SHAFT - FOR 2-SPEED STANDARD SEALS

Fig.	Code	QTY	Name
1	0.010.7888.0	1	cover
2	2.0432.161.7	6	stud bolt m 10 p.1.5-1.25x40
3	0.255.3652.0/30	1	p.t.o.shaft
4	2.1529.079.0	1	'o' ring 50x68x10
5	0.154.3655.0/10	1	guard
6	2.1560.010.0	1	gasket 14.2x20
7	2.3110.403.1	1	plug m 14 p.1.5


P.T.O. - FIXED END SHAFT - FOR 4-SPEED STANDARD SEALS

Fig.	Code	QTY	Name
1	0.010.7888.0	1	cover
2	0.007.3475.0/20	1	p.t.o.shaft
3	2.1529.079.0	1	'o' ring 50x68x10
4	0.154.3655.0/10	1	guard
5	2.0432.161.7	6	stud bolt m 10 p.1.5-1.25x40
6	2.1560.010.0	1	gasket 14.2x20
7	2.3110.403.1	1	plug m 14 p.1.5


PTO - 2-SPEED WITH INSERTED END SHAFT

Fig.	Code	QTY	Name
1	0.009.6901.0	1	cover
2	0.255.3663.0/20	1	shaft P.T.O.
3	0.167.3660.0/30	1	p.t.o.shaft 1" 3/8 z=6
4	0.163.3671.0/40	1	p.t.o.shaft 1" 3/8 z=21
5	0.445.3151.0	1	flange
6	0.008.0757.0	1	guard
7	2.0432.161.7	6	stud bolt m 10 p.1.5-1.25x40
8	2.1470.006.2	6	lock washer 10
9	2.1011.421.2	6	nut M10x1.25
10	2.0432.155.7	6	stud bolt m 10 p.1.5-1.25x25
11	2.1651.811.0	2	cylindrical plug 10x25
12	2.3110.403.1	1	plug m 14 p.1.5
13	2.1560.010.0	1	gasket 14.2x20

EXPLORER 95 TB


Section: FRONT AND REAR P.T.O.

Ref.: 250

PTO - 2-SPEED WITH INSERTED END SHAFT - EXPORT U.S.A.

9_77836_05_0_0

Fig.	Code	QTY	Name
1	0.255.3663.0/20	1	shaft P.T.O.
2	0.013.0259.0	1	p.t.o.shaft z = 6
4	2.0432.159.7	6	stud bolt m 10 p.1.5-1.25x35
5	2.1470.006.2	6	lock washer 10
6	2.1011.421.2	6	nut M10x1.25
7	0.009.6901.0	1	cover
8	0.011.0795.0	1	flange
9	0.008.0757.0	1	guard
11	2.0432.161.7	6	stud bolt m 10 p.1.5-1.25x40
12	2.1560.010.0	1	gasket 14.2x20
13	2.3110.403.1	1	plug m 14 p.1.5
14	0.013.0258.0	1	p.t.o.shaft z = 21
15	2.3171.008.4	1	plug 20



EXPLORER 95 TB

Section: FRONT AND REAR P.T.O.

Ref.: 251

P.T.O - 4-SPEED WITH INSERTED END SHAFT





Fig.	Code	QTY	Name
1	0.009.6901.0	1	cover
2	0.007.3474.0/20	1	p.t.o.shaft
3	0.167.3660.0/30	1	p.t.o.shaft 1" 3/8 z=6
4	0.163.3671.0/40	1	p.t.o.shaft 1" 3/8 z=21
5	0.445.3151.0	1	flange
6	0.008.0757.0	1	guard
7	2.0432.161.7	6	stud bolt m 10 p.1.5-1.25x40
8	2.1470.006.2	6	lock washer 10
9	2.1011.421.2	6	nut M10x1.25
10	2.0432.155.7	6	stud bolt m 10 p.1.5-1.25x25
11	2.1651.811.0	2	cylindrical plug 10x25

9_B8636_10_0_0

9_77836_01_0_0



EXPLORER 95 TB

Section: FRONT AND REAR P.T.O.


Ref.: 252

P.T.O - 4-SPEED WITH INSERTED END SHAFT - EXPORT U.S.A.

Fig.	Code	QTY	Name
1	0.007.3474.0/20	1	p.t.o.shaft
4	2.0432.159.7	6	stud bolt m 10 p.1.5-1.25x35
6	2.1011.421.2	6	nut M10x1.25
7	0.009.6901.0	1	cover
8	0.011.0795.0	1	flange
9	0.008.0757.0	1	guard
10	0.013.0259.0	1	p.t.o.shaft z = 6
11	2.0432.161.7	6	stud bolt m 10 p.1.5-1.25x40
12	2.1651.811.0	2	cylindrical plug 10x25
13	0.013.0258.0	1	p.t.o.shaft z = 21
14	2.3171.008.4	1	plug 20

P.T.O. - SYNCHRONIZED


Fig.	Code	QTY	Name
1	0.255.3469.0	1	sleeve
2	0.011.0790.3	1	shaft
2.2	2.1559.023.0/10	1	bushing 15.8x19x20
3	2.1411.032.1	1	circlip 80
4	2.1410.014.1	2	circlip 35
5	2.1599.874.0	2	washer 35x45x3
6	2.2060.011.0	1	ball bearing 35x80x21
8	0.011.0788.0	1	guard
11	0.255.3150.0/10	1	cover
12	0.255.3468.2/10	1	lever
13	0.255.3470.0	1	lever
14	2.0399.019.1	1	screw m 8 p.1x16
15	0.001.5945.0/10	1	shoe
16	2.0439.002.1	2	stud bolt m 8 p.1.25x20
17	2.1530.033.0	1	'o' ring 13.10x2.62
18	2.0432.163.7	4	stud bolt m 10 p.1.5-1.25x45



9_77836_08_0_0


COVER FOR TYPES WITHOUT SYNCHRO PTO

Fig.	Code	QTY	Name
1	0.255.3131.0	1	flange
2	2.3171.007.4	1	plug 18
3	2.0432.155.7	4	stud bolt m 10 p.1.5-1.25x25




PTO - PARTS SET WITH STANDARD SEALS

Fig.	Code	QTY	Name
7	2.1520.017.0	1	'o' ring 35x55x11




PTO - PARTS SET WITH WATER PROOF SEALS

Fig.	Code	QTY	Name
7	2.1529.107.0	1	'o' ring



PTO - SEAL RING FOR INSERTED END SHAFT - STANDARD VERSION


Fig.	Code	QTY	Name
1	2.1520.043.0	1	'o' ring 85x110x12



9_52636_03_0_0

P.T.O. SHAFT DRIVE

Fig.	Code	QTY	Name
1	0.008.8481.2	1	rod
2	2.1011.107.2	1	nut m 12 p.1.75
3	2.1099.110.2/10	1	small block
4	0.008.8237.2	1	support
5	0.257.6862.0	1	grip
6	2.1631.211.0	1	roll pin 3x24
7	2.9919.915.0/20	1	plate
8	2.0330.507.2	2	screw m 8x20
9	2.1470.004.2	4	lock washer 8
10	2.1579.837.2	1	spacer 8x25x3
11	2.1011.105.2	1	nut m 8 p.1.25
12	0.014.3321.2	1	bracket
13	2.0112.205.2	2	screw m 8 p.1.25x16
14	2.4049.001.1	1	spring



9_C2668_00_0_0

Section: FRONT AND REAR P.T.O.



P.T.O. - ECONOMICAL CONTROL

Fig.	Code	QTY	Name
1	0.014.1859.3/10	1	lever
2	2.1559.243.0	2	bushing 12x16x15
4	2.1120.105.2	2	selflock nut m 8 p.1.25
5	0.014.3229.3	1	bracket
6	2.0114.207.2	2	screw m 8x20
7	2.1470.004.2	2	lock washer 8
8	0.008.3177.4/10	1	shock absorber
9	0.014.4174.3	1	rod
10	2.3510.014.2	1	fork
11	2.1011.205.2	1	nut m 8 p.1.25
12	2.1671.305.2	1	pin 8x22
13	2.1690.206.2	1	split pin 2x16
14	0.008.3052.0/10	1	sector
15	2.0330.507.2	2	screw m 8x20
17	0.007.5561.0	1	knob
18	0.008.8383.0	1	coupling
19	0.008.8184.0	1	plate
21	2.1673.007.2	1	small spring
22	2.1475.102.2	2	washer 8.4x16
23	2.1310.004.2	1	flat washer 8.4x16

Section: FRONT AND REAR P.T.O.

P.T.O. - SYNCHRONIZED CONTROL


Fig.	Code	QTY	Name
1	0.290.3851.0	1	rod
2	0.257.6862.0	1	grip
3	2.9929.056.0/10	1	plate
4	2.1630.251.9	1	pin
5	0.255.6858.0/10	1	rubber plug 18x5
6	2.4049.139.1/10	1	spring
7	2.1310.006.2	2	flat washer 10.5x20
8	2.1690.207.2	1	split pin 2x18
9	0.290.3840.2/10	1	lever
10	0.290.3850.2	1	support
11	2.1470.004.2	2	lock washer 8
12	2.0330.507.2	2	screw m 8x20
13	0.014.1814.2	1	lever
14	2.1630.410.0	1	roll pin 4x20
15	2.1430.008.7	2	circlip 7
16	0.014.1819.2	1	rod
17	2.1310.004.2	2	flat washer 8.4x16



9_C2668_02_0_0


P.T.O. SHAFT PROTECTOR REAR

Fig.	Code	QTY	Name
1	0.97915.10.2/30	1	guard
2	2.0112.307.2	2	screw m 10 p.1.5x20
3	2.1470.006.2	2	lock washer 10
4	2.1310.006.2	2	flat washer 10.5x20



P.T.O. SHAFT PROTECTOR REAR EXPORT GB

Fig.	Code	QTY	Name
1	0.445.3650.0/50	1	small sump
2	0.255.3668.2/20	1	square
3	0.255.3669.2	2	square
4	2.0112.609.2	2	screw m 16 p.2x25
5	2.1699.180.2	2	pin




EXPLORER 95 TB

POWER STEERING - HYDRAULIC SYSTEM

STEERING WHEEL.....	273
STEERING WHEEL CAP.....	274
STEERING COLUMN.....	275
POWER STEERING DANFOSS - 80.....	276
POWER STEERING.....	277
PIPES FOR HYDROSTATIC STEERING.....	279
GUIDE PIPE.....	282
GEARBOX OIL COOLER.....	283
OIL SUCTION.....	286
PUMP FILTER SUCTION 16 cc.....	289
PUMP FILTER SUCTION 22.5 cc.....	290
PUMP FILTER SUCTION.....	292
HYDRAULIC PUMP 11 cc sx.....	294
OIL PUMP 16cc dx.....	296
HYDRAULIC PUMP 22.5 cc - DX.....	297
DELIVERY PIPE 16 cc.....	302
DELIVERY PIPE 22.5 cc.....	303
DELIVERY PIPE 22.5 cc - FOR TRACTORS WITH HYDRAULIK BREAKING FOR TRAILER.....	304
BRACKET.....	306
HYDRAULIC SYSTEM.....	307
HYDRAULIC SYSTEM.....	308
HYDRAULIC SYSTEM SYNCRO POWER.....	310


STEERING WHEEL

Fig.	Code	QTY	Name
1	0.014.3173.2	1	steering wheel
2	2.1470.011.2	1	lock washer 20
3	2.1011.511.2	1	nut m 20 p.1.5




STEERING WHEEL CAP

Fig.	Code	QTY	Name
1	0.014.3172.0	1	plug
2	0.013.8051.0/10	1	plate SAME




STEERING COLUMN

Fig.	Code	QTY	Name
1	0.013.2808.3	1	column
1.2	0.000.0000.1	0	not serviceable
1.3	0.000.0000.1	0	not serviceable
1.4	0.007.3756.0	1	shaft
1.5	2.1599.566.2	2	thrust plate 16.5x34x5
1.6	2.1410.010.7	1	circlip 25
1.7	2.1630.410.0	1	roll pin 4x20
1.8	2.1549.326.0	1	spacer
2	0.013.2039.3/10	1	support
3	0.467.6363.0	1	lamination
4	0.467.6362.0	1	guard
5	0.009.9647.0	1	shim
6	0.009.9625.0	2	gasket
7	2.0399.174.3	4	screw 4.8x16
8	0.012.1930.3	1	knob
9	2.0112.313.2	4	screw m 10 p.1.5x35
10	2.1470.004.2	6	lock washer 8
11	2.0112.205.2	6	screw m 8 p.1.25x16
13	2.1579.883.0	1	spacer 10x5
14	2.1549.205.2	4	spacer 10.5x14x14
15	2.1470.006.2	4	lock washer 10
16	2.1310.004.2	6	flat washer 8.4x16



POWER STEERING DANFOSS - 80


Fig.	Code	QTY	Name
1	0.290.6310.4/10	1	hydrosteering DANFOSS - 80 CC ☞ 601 => 601



9_D1063_02_0_0

POWER STEERING

Fig.	Code	QTY	Name
1	0.014.2526.3	1	tube
2	0.014.2527.3	1	tube
3	0.014.2529.3	1	tube
4	0.014.2528.3	1	tube
5	2.3261.010.2	2	pipe fitting M18x1,5 7/8" 14
6	2.3261.009.2	2	pipe fitting m 18 p.1.5-3/4"
7	2.1560.014.0	4	gasket 18.2x24x1.5



EXPLORER 95 TB

Section: POWER STEERING - HYDRAULIC SYSTEM

Ref.: 279

PIPES FOR HYDROSTATIC STEERING





Fig.	Code	QTY	Name
1	0.014.2531.3/10	1	tube dx
2	0.014.2530.3	1	tube sx
4	2.1011.103.2	5	nut m 6 p.1
5	2.1470.002.2	5	lock washer 6
6	2.6839.051.0	5	clamp 20/20
7	2.1470.004.2	3	lock washer 8
8	2.1011.105.2	1	nut m 8 p.1.25
9	0.178.6362.3	1	square
11	2.3339.210.1	2	pipe union m 14
12	2.1560.010.0	4	gasket 14.2x20
20	0.008.9663.2/10	1	bracket dx
21	2.0112.211.2	2	screw m 8 p.1.25x30

9_C2363_02_0_0

GUIDE PIPE

Fig.	Code	QTY	Name
1	0.014.3010.3	1	tube
2	0.014.3011.3	1	tube
3	2.1019.161.2	1	nut 7/8
4	2.1019.099.2	1	nut 3/4-16jic
5	0.013.3065.0	2	plate
6	0.013.3070.0	1	stop
7	2.1470.002.2	1	lock washer 6
8	2.0112.013.2	1	screw m 6 p.1x35
9	0.014.3132.3	1	bracket



9_C2682_08_0_0



GEARBOX OIL COOLER

Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.014.0549.2	1	oil cooler
1.2	0.008.9598.0	2	bracket
1.3	0.008.9599.0	1	bracket dx
1.4	0.008.9600.0	1	bracket sx
1.5	2.1470.004.2	2	lock washer 8
1.6	2.0112.204.2	2	screw m 8 p.1.25x14
1.7	2.1312.003.2	4	washer 6.6x18
1.8	2.1579.994.2	2	spacer 8.5x14x7
1.9	2.1549.169.0	2	spacer 14.5x22x2
1.10	2.0112.007.2	2	screw m 6 p.1x20
1.11	2.1120.003.2	2	selflock nut m 6
1.12	0.467.7693.0	2	block
2	0.014.2525.3	1	tube
3	0.014.2524.3	1	tube
5	0.013.7333.0/20	2	small spring
6	0.013.5232.3/40	1	channel
7	0.013.7179.0/20	1	guard
8	2.1312.002.2	9	washer 5.3x15
9	2.1851.005.0	6	rivet
10	2.0330.507.2	2	screw m 8x20
11	2.1312.004.2	2	washer 9x24
12	2.1470.002.2	4	lock washer 6
13	2.0112.002.2	4	screw m 6 p.1x10
15	2.1011.103.2	2	nut m 6 p.1
16	2.1310.002.2	2	flat washer 6.4x12.5
17	2.1110.004.2	2	wing nut m 6
18	0.014.2560.0	1	guard
20	0.014.3169.0	1	small spring

9_C2382_03_0_0



9_62082_00_0_0

EXPLORER 95 TB

Section: POWER STEERING - HYDRAULIC SYSTEM


Ref.: 286

OIL SUCTION

Fig.	Code	QTY	Name
4	0.255.8255.0/40	2	gasket
5	2.1481.007.1	6	washer 8
6	2.7099.660.0/10	1	pressure switch 0.5-0.4 BAR
8	2.0312.208.2	2	screw m 8 p.1.25x25
10	0.008.5758.2/20	1	division
11	0.010.1007.4	1	tube
13	2.0112.208.2	4	screw m 8 p.1.25x22
14	0.008.4713.0	1	flange
15	2.0112.007.2	4	screw m 6 p.1x20
16	2.1470.002.2	4	lock washer 6
17	2.0112.217.2	2	screw m 8 p.1.25x45
18	2.0112.209.2	2	screw m 8 p 1.25x25
19	0.255.8260.0	1	tube
20	0.255.8262.0/20	1	gasket
21	0.255.8257.0/20	1	support
22	0.009.6670.2/20	1	tube
			1221 <- X EXPLORER 85 T
			1245 <- X EXPLORER 95 T
			1305 <- X EXPLORER 95 TB
22	0.007.7035.2	1	tube
			-> 1222 X EXPLORER 85T
			-> 1246 X EXPLORER 95T
			-> 1306 X EXPLORER 95TB
24	2.1599.210.0/10	4	spacer 10.5x19x4
25	0.008.4375.0/20	1	plate
26	2.0342.307.6	2	screw m 8 p 1.25x25
27	2.1579.931.0	2	spacer 9x20x4
29	0.255.8253.0/40	1	gasket
31	2.4019.609.1	1	spring 33x38x2.5x40
32	2.1549.231.0	1	spacer 28.5x42x2
33	0.009.6671.0	1	tube

PUMP FILTER SUCTION 16 cc

Fig.	Code	QTY	Name
1	0.9104.250.0/10	2	gasket
2	0.007.6783.3	1	tube
3	2.1531.062.0	2	ring 23.81x2.62
4	2.1480.012.1	6	washer 6
5	2.0312.112.2	3	screw m 6 p.1x35
6	0.007.6784.3	1	tube
7	2.0312.110.2	3	screw m 6 p.1x30
8	0.255.8237.3/40	1	support
9	0.255.8254.0/40	1	gasket
10	0.255.8253.0/40	2	gasket
11	0.255.8235.0/10	1	flange
12	0.255.8236.0	1	flange
13	2.1470.004.2	4	lock washer 8
14	2.1011.105.2	4	nut m 8 p.1.25
15	2.4419.280.0	2	hydr.oil filter elem FT 4948
16	0.255.8239.0	1	flange
17	0.007.6754.0	1	tube



9_C2382_02_0_0

EXPLORER 95 TB

Section: POWER STEERING - HYDRAULIC SYSTEM

Ref.: 290

PUMP FILTER SUCTION 22.5 cc




Fig.	Code	QTY	Name
1	0.9104.250.0/10	2	gasket
2	0.006.6401.3	1	tube
3	2.1531.062.0	1	ring 23.81x2.62
4	2.1480.012.1	6	washer 6
5	2.0312.114.2	6	screw m 6 p.1x40
6	0.9107.253.0	1	flange
7	0.255.8255.0/40	1	gasket
8	0.9107.227.3/20	1	head
9	2.1011.105.2	6	nut m 8 p.1.25
10	2.1470.004.2	6	lock washer 8
11	2.4419.280.0	3	hydr.oil filter elem FT 4948
12	0.9107.254.0	1	flange
13	2.1531.058.0	1	'o' ring 22.22x2.62
14	0.014.1973.3	1	tube
15	2.3213.234.0	1	sleeve mm 34x70
16	2.6851.004.0	2	clamp 32-50
17	0.014.1972.3	1	tube
18	2.1531.091.0	2	'o' ring 34.60x2.62
19	2.0312.206.2	2	screw m 8 p.1.25x20
20	2.1480.014.1	2	washer 8
21	2.4419.350.1/40	1	head
22	2.0422.207.2	2	stud bolt m 8x30
23	2.7099.660.0/10	1	pressure switch 0.5-0.4 BAR
24	0.008.5918.3/10	1	tube
25	0.008.9608.0	1	bracket
26	2.1549.319.2	2	spacer 12.1x22x20
27	2.3139.007.1	1	plug

9_C2382_04_0_0



PUMP FILTER SUCTION

Fig.	Code	QTY	Name
1	0.008.9626.0	1	pipe fitting
2	0.014.2094.3	1	tube
3	2.1531.052.0	1	'o' ring 20.29x2.62
4	2.1480.012.2	4	washer 6
5	2.0312.106.2	2	screw m 6 p.1x20
6	2.0312.114.2	2	screw m 6 p.1x40
7	2.3261.012.2	2	pipe fitting m 22 p.1.5-7/8"
8	2.1560.018.0	2	gasket 22.2x29
9	0.014.2093.3	1	body
10	2.1560.012.0	4	gasket 16.2x22
11	0.299.6358.0/10	1	pipe fitting M 16/M 16
12	0.299.6359.0	1	pipe fitting M 16/M 16
13	0.299.6352.3/10	1	vibration damper 64 cc
14	0.299.6353.3/10	1	vibration damper 118 cc
15	0.014.2095.3	1	tube
16	0.014.0494.4	1	terminal
16.1	0.014.0494.0	1	terminal
16.2	2.1549.591.2	1	spacer
16.3	0.014.0496.0	1	small cover
17	0.014.2103.3	1	bracket
18	2.1470.002.2	2	lock washer 6
19	2.1011.103.2	2	nut m 6 p.1
20	0.014.2092.3/10	1	tube
21	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14
22	2.1560.014.0	1	gasket 18.2x24x1.5
23	0.014.1992.3	1	bracket
24	2.6839.066.0/10	1	clamp 16
25	2.0112.404.2	2	screw m 12 p.1.75x14
26	2.1310.007.2	3	flat washer 13x24
27	2.0112.411.2	1	screw m 12 p.1.75x30

HYDRAULIC PUMP 11 cc sx


Fig.	Code	QTY	Name
1	2.4529.950.0	1	hydraulic pump - BOSCH - ☞ 604 => 604
2	2.4529.960.0	0	hydraulic pump - SAUER - ☞ 605 => 605
4	2.1474.010.2	2	spring washer 10
5	2.0312.326.2	1	screw m 10 p.1.5x100
6	2.0312.327.2	1	screw m 10 p.1.5x110



9_70582_01_0_0

OIL PUMP 16cc dx

Fig.	Code	QTY	Name
1	2.4539.560.0	1	hydraulic pump - BOSCH - ☞ 608 => 608
2	2.1480.015.2	2	washer 10
3	2.0312.327.2	1	screw m 10 p.1.5x110
4	2.0312.328.2	1	screw m 10 p.1.5x120
5	2.4539.570.0	0	pump - SAUER - ☞ 609 => 609




HYDRAULIC PUMP 22.5 cc - DX

Fig.	Code	QTY	Name
1	2.4539.620.0	1	pump 22.5 cc - BOSCH ☞ 610 => 610
2	2.1480.015.2	2	washer 10
3	2.0169.019.2	2	screw m 10x135


EXPLORER 95 TB

Section: POWER STEERING - HYDRAULIC SYSTEM

Ref.: 302

DELIVERY PIPE 16 cc

Fig.	Code	QTY	Name
1	0.014.2775.3	1	tube
2	0.014.2640.3	1	tube
3	2.1480.012.2	3	washer 6
4	2.0312.112.2	3	screw m 6 p.1x35
5	2.1531.052.0	1	'o' ring 20.29x2.62
6	2.1310.006.2	1	flat washer 10.5x20
7	2.0112.308.2	1	screw m 10 p.1.5x22



9_C2382_42_0_0

EXPLORER 95 TB

Section: POWER STEERING - HYDRAULIC SYSTEM

Ref.: 303


DELIVERY PIPE 22.5 cc

Fig.	Code	QTY	Name
1	0.014.2775.3	1	tube
2	0.014.2641.3	1	tube
3	2.1480.012.2	3	washer 6
4	2.0312.112.2	3	screw m 6 p.1x35
5	2.1531.052.0	1	'o' ring 20.29x2.62
6	2.1310.006.2	1	flat washer 10.5x20
7	2.0112.308.2	1	screw m 10 p.1.5x22

EXPLORER 95 TB

Section: POWER STEERING - HYDRAULIC SYSTEM

Ref.: 304

DELIVERY PIPE 22.5 cc - FOR TRACTORS WITH HYDRAULIK BREAKING FOR TRAILER





Fig.	Code	QTY	Name
1	0.014.2775.3	1	tube
2	0.014.3350.3	1	tube
3	2.1480.012.2	3	washer 6
4	2.0312.112.2	3	screw m 6 p.1x35
5	2.1531.052.0	1	'o' ring 20.29x2.62
6	2.1310.006.2	1	flat washer 10.5x20
7	2.0112.308.2	1	screw m 10 p.1.5x22
8	2.1560.018.0	2	gasket 22.2x29
9	2.3335.009.2	1	pipe union m 22 p.1.5X39

9_C2382_48_0_0

BRACKET

Fig.	Code	QTY	Name
1	0.014.1660.0	1	bracket



EXPLORER 95 TB

Section: POWER STEERING - HYDRAULIC SYSTEM

Ref.: 307

HYDRAULIC SYSTEM





Fig.	Code	QTY	Name
1	0.009.3456.4/80	1	valve body ☞ 611 1130 <- X EXPLORER 85 T 1162 <- X EXPLORER 95 T 1182 <- X EXPLORER 95 TB => 611
1	0.014.4241.4	1	valve body ☞ 612 -> 1131 X EXPLORER 85T -> 1163 X EXPLORER 95T -> 1183 X EXPLORER 95TB => 612
2	0.013.9082.3/10	1	tube
3	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14
4	2.1560.014.0	3	gasket 18.2x24x1.5
5	0.013.9083.3	1	tube
6	2.3261.003.2	1	pipe fitting m 10 p.1.25-1/2"
7	2.1560.006.0	1	gasket 10.5
8	0.013.9081.3	1	tube
9	2.3339.235.2	2	pipe fitting M 18 x 1" 1/16-12jic
10	2.1560.008.0	2	gasket 12.2x18
11	2.7099.750.0/10	1	pressure switch
12	2.3339.860.2/20	1	pipe union
13	2.1560.010.0	2	gasket 14.2x20
14	2.3110.402.2	1	plug m 12
15	2.1480.014.2	2	washer
16	2.0312.221.2	2	screw m 8 p.1.25x75
17	2.1310.004.2	2	flat washer 8.4x16
18	2.1011.105.2	2	nut m 8 p.1.25
19	2.0112.207.2	2	screw m 8 p 1.25x20
20	2.1560.004.0	2	gasket 8.2x14
21	0.052.1558.0/10	1	gasket
22	2.1531.024.0	1	ring 10.77x2.62
23	0.008.3750.0	1	tube

9_C2382_12_0_0

HYDRAULIC SYSTEM

Fig.	Code	QTY	Name
1	0.013.9027.0	1	valve body
2	2.1531.012.0	1	ring 6.75x1.78
3	2.1531.033.0	1	ring 13.11x2.62




HYDRAULIC SYSTEM SYNCRO POWER

Fig.	Code	QTY	Name
1	0.013.8918.3	1	valve body
2	2.1531.012.0	1	ring 6.75x1.78
3	2.1531.033.0	1	ring 13.11x2.62
4	2.3729.697.0	1	electro valve 13V - 20W
			☞ 613
			=> 613
5	2.1560.014.0	1	gasket 18.2x24x1.5
6	2.3339.170.2/10	1	pipe fitting
7	0.013.9123.3/10	1	tube
8	2.3339.860.2/20	1	pipe union
9	2.1560.010.0	2	gasket 14.2x20
10	0.013.3075.0	2	stop
11	0.013.3065.0	4	plate
12	2.0112.013.2	2	screw m 6 p.1x35
13	2.1470.002.2	2	lock washer 6
15	2.1011.103.2	2	nut m 6 p.1
16	2.1560.008.0	1	gasket 12.2x18
17	2.3110.402.2	1	plug m 12

EXPLORER 95 TB


BODY WORK

HOOD FRONT PART.....	312
HOOD UPPER PART.....	313
HOOD PLUG.....	314
HOOD - LEFT SIDE PANEL.....	315
HOOD - RIGHT SIDE PANEL.....	316
HOOD SIDE PANEL.....	317
HEAT SHIELD.....	318
HOOD - LEFT SIDE PANEL HOLDER.....	319
HOOD - RIGHT SIDE PANEL.....	320
MODEL PLATE.....	327
HOOD SUPPORT.....	328
HOOD - SUPPORTS.....	329
HOOD SUPPORT.....	332
COOLING SYSTEM.....	337
COOLING SYSTEM.....	338
DASHBOARD.....	339
INSTRUMENT PANEL SURROUND.....	341
FRONT GRIP.....	342
INFORMATION PLATE.....	344
SPEED LABEL 30 Km/h 18.4 R34.....	351
SPEED LABEL 40 Km/h 18.4 R34.....	352
SPEED LABEL 18 MPH 18,4 R34 EXPORT U.S.A.....	353
SPEED LABEL 25 MPH 18.4 R34 EXPORT U.S.A.....	354
SPEED LABEL - 40 KM/H - REFLEX.....	357
BRACKET - SPEED LABEL.....	358
PLATES.....	359
PLATES OCDE.....	360
INFORMATION PLATE.....	361
THROTTLE.....	362
PLATFORM.....	370
MAT FOR PLATOFRM.....	372
SUPPORTS.....	375
SUPPORTS.....	378
FENDER MOUNTINGS.....	381
REAR MUDGUARDS.....	383
REAR MUDGUARDS 28".....	384
MUDGUARDS EXTENSIONS mm 108.....	387
FENDERS.....	389
BADGE FOR SPLASH GUARDS.....	391
BATTERY SUPPORT.....	392
METAL TOOLBOX.....	393

LICENCE PLATE HOLDER.....	394
REARVIEW MIRROR dx.....	395
REARVIEW MIRROR - SX.....	396
SAFETY ARCH.....	397
SAFETY ARCH.....	398
SAFETY ROLL BAR MOUNTINGS.....	400
SAFETY ARCH.....	403
SAFETY ROLL BAR MOUNTINGS.....	404
SAFETY ARCH.....	407
FUEL TANK.....	412
DRY AIR FILTER.....	415
DRIVER'S SEAT.....	416
SEAT SPRINGING.....	417
SEAT SPRINGING.....	418
SEAT SUPPORT BRACKET.....	420

Section: BODY WORK
HOOD FRONT PART


Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.011.7175.5	1	grille/grid
1.2	0.014.3446.0	1	grille
1.3	0.012.1970.0	1	bracket sx
1.4	0.012.1982.0	1	bracket dx
1.5	2.1472.003.2	2	washer 6
1.6	2.0312.104.2	2	screw m 6 p.1x16
4	0.013.1610.2/10	1	plate SAME
5	2.1129.004.0	2	selflock nut m 4



9_C2372_09_0_0

Section: BODY WORK
HOOD UPPER PART

Fig.	Code	QTY	Name
1	0.010.9789.7/10	1	bonnet
2	0.013.4799.4	1	support
3	0.014.3140.0	1	panel
5	2.0020.206.2	2	screw m 8 p.1.25x25
6	2.1470.004.2	2	lock washer 8
7	2.1011.105.2	2	nut m 8 p.1.25
8	0.009.6801.0/10	2	block
9	0.010.0925.0	1	bracket
10	2.1310.004.2	1	flat washer 8.4x16
11	2.1011.205.2	1	nut m 8 p.1.25
12	0.009.7867.0	2	bottom
13	2.4019.616.2/10	1	spring
14	0.013.5751.0	1	pin
15	0.014.2773.0/20	1	gasket




9_C2372_02_0_0

Section: BODY WORK

HOOD PLUG


Fig.	Code	QTY	Name
1	0.009.7673.2/20	1	plug
2	0.009.7672.0	1	crosspiece
3	2.1470.052.2	1	lock washer 4
4	2.1011.101.2	1	nut m 4



Section: BODY WORK

HOOD - LEFT SIDE PANEL

Fig.	Code	QTY	Name
1	0.013.6833.4/10	1	side panel sx
1.2	0.013.4076.0/10	1	grille
1.3	0.013.4081.0/10	1	grille
8	0.270.7228.2	1	plate SAME




9_C2372_04_0_0

Section: BODY WORK


HOOD - RIGHT SIDE PANEL

Fig.	Code	QTY	Name
1	0.013.6832.4/10	1	side panel dx
1.2	0.013.4080.0/10	1	grille
1.3	0.013.4090.0/10	1	grille
8	0.270.7228.2	1	plate SAME
12	0.014.3283.2	1	brace
13	2.0363.106.2	4	screw
14	0.014.3357.0	1	termal insul.mater.
15	0.014.3356.0	1	termal insul.mater.



Section: BODY WORK
HOOD SIDE PANEL


Fig.	Code	QTY	Name
10	0.013.5795.0/10	1	division
11	2.0363.106.2	3	screw



Section: BODY WORK

HEAT SHIELD


Fig.	Code	QTY	Name
10	0.013.6044.0/10	1	guard
11	2.0363.106.2	3	screw
12	2.1549.625.2	3	spacer



Section: BODY WORK

HOOD - LEFT SIDE PANEL HOLDER




Fig.	Code	QTY	Name
1	0.009.7992.0	1	block
2	0.014.2762.2/20	1	support sx
3	2.1470.004.2	4	lock washer 8
4	2.0112.204.2	4	screw m 8 p.1.25x14
5	0.009.6798.2/20	1	bracket sx



Section: BODY WORK

HOOD - RIGHT SIDE PANEL

Fig.	Code	QTY	Name
2	0.014.2762.2/20	1	support sx
3	2.0112.204.2	2	screw m 8 p.1.25x14
4	2.1470.004.2	2	lock washer 8
5	2.0112.204.2	2	screw m 8 p.1.25x14
6	2.1470.004.2	2	lock washer 8
7	0.009.6797.2/20	1	bracket dx
9	0.009.7992.0	1	block



9_C2272_08_0_0

Section: BODY WORK
MODEL PLATE

Fig.	Code	QTY	Name
1	0.014.0187.0/10	2	plate


EXPLORER 95 TB

1

Section: BODY WORK

HOOD SUPPORT


Fig.	Code	QTY	Name
1	0.014.0701.2/10	1	chassis frame
2	0.013.5608.0/10	1	top link
3	0.009.7934.2/10	1	bracket sx
4	0.009.7935.2/10	1	bracket dx
5	0.011.3311.2/30	1	small plate
6	0.011.3314.4/10	1	bracket
7	2.0332.305.2	4	screw m 5x14
8	2.0422.303.2	4	stud bolt m 10x22
9	2.1011.106.2	4	nut m 10 p.1.5
10	2.1310.001.2	4	flat washer 5.3x10
11	2.1121.001.2	1	selflock nut m 4 p.0.7
12	2.1310.006.2	4	flat washer 10.5x20
13	2.1312.001.2	1	washer 4.3
14	2.1470.006.2	4	lock washer 10
15	2.1630.103.2	1	roll pin
16	2.4019.722.2	1	spring
17	2.6560.004.0	1	wire guide 10x2.5
18	0.010.0351.0	1	small spring



9_C2372_00_0_0

Section: BODY WORK
HOOD - SUPPORTS

Fig.	Code	QTY	Name
23	2.1470.004.2	2	lock washer 8
37	0.011.3639.0/10	2	pin
38	2.1011.105.2	2	nut m 8 p.1.25
39	2.4019.619.0	6	spring
40	2.1310.001.2	6	flat washer 5.3x10
41	2.1120.001.2	6	selflock nut m 4



9_D4172_02_0_0

Section: BODY WORK



HOOD SUPPORT

Fig.	Code	QTY	Name
1	0.014.3227.3	1	support
3	0.009.6531.0/30	4	block
4	2.0112.307.2	1	screw m 10 p.1.5x20
7	2.1011.105.2	2	nut m 8 p.1.25
9	2.1310.006.2	2	flat washer 10.5x20
11	2.1470.004.2	2	lock washer 8
12	2.1470.006.2	2	lock washer 10
13	2.6560.006.0	1	wire guide 12x1.5
14	2.6999.031.2	2	special nut m 6
17	2.1011.103.2	3	nut m 6 p.1
18	0.014.2727.0/10	1	shield
19	2.0112.313.2	21	screw m 10 p.1.5x35
20	2.1310.002.2	3	flat washer 6.4x12.5
21	0.014.3096.0	1	shield
22	2.1312.001.2	21	washer 4.3
23	2.1851.005.0	21	rivet
24	0.014.3225.0	1	shield
25	0.014.3219.0	1	shield

Section: BODY WORK
COOLING SYSTEM




9_C2683_00_0_A

Fig.	Code	QTY	Name
1	0.013.5652.4/30	1	water cooler ☞ 616 => 616
2	0.013.5678.0/30	1	air duct hood
3	0.013.4947.4/30	1	cup
3.2	0.013.7584.0	1	plug
3.3	2.1569.215.0	1	gasket
4	0.013.5706.3/10	1	rod
5	0.013.8127.0	1	sleeve
6	0.014.0627.0/10	1	rod
8	0.013.4807.0/20	1	sleeve
9	0.013.5515.0	2	bracket
10	2.6851.005.0	4	clamp 40-60
11	2.1310.004.2	2	flat washer 8.4x16
12	2.0112.309.2	2	screw m 10 p.1.5x25
13	0.136.7387.0	4	rubber plug 15x27x5
14	2.1579.090.2	4	spacer 10.1x15x18
15	2.1599.044.2	6	snoulder 10.5x25.5x1.5
16	2.1310.002.2	6	flat washer 6.4x12.5
17	2.0332.202.2	4	screw m 4x8
18	0.136.7385.0	4	rubber plug
19	0.136.7384.0	4	cup
20	2.0312.104.2	6	screw m 6 p.1x16
21	2.6859.083.2	2	clamp
22	2.1470.002.2	6	lock washer 6
23	0.012.6457.0	0	tube
24	2.0112.313.2	4	screw m 10 p.1.5x35
25	0.008.9726.0	2	small plate
26	2.0114.207.2	2	screw m 8x20
27	0.013.5070.0/10	2	rubber plug
28	0.008.9632.0	2	clevis
29	2.1011.105.2	2	nut m 8 p.1.25
30	2.0112.307.2	2	screw m 10 p.1.5x20
32	2.1312.003.2	2	washer 6.6x18
33	2.0112.008.2	2	screw m 6 p.1x22
34	0.012.7147.0/10	1	gasket mm 510
38	2.1310.006.2	2	flat washer 10.5x20
39	0.014.2390.2	1	small plate
40	2.1549.044.2	1	spacer
41	2.1312.004.2	2	washer 9x24
42	0.014.2752.0	1	gasket

Section: BODY WORK
COOLING SYSTEM


Fig.	Code	QTY	Name
43	0.014.3401.2	1	shield dx
44	2.1579.191.2	2	spacer 8.5x18x20
45	2.1310.004.2	6	flat washer 8.4x16
46	2.1310.004.2	6	flat washer 8.4x16
47	0.014.3345.2/10	1	shield sx
48	2.1011.405.2	4	nut m 8 p.1



Section: BODY WORK

DASHBOARD

Fig.	Code	QTY	Name
1	0.013.6689.4	1	dashboard
2	0.012.6149.4	2	side panel dx
3	0.014.1188.0	1	side panel
4	2.0322.407.6	4	screw m 6x20
5	2.1310.002.2	2	flat washer 6.4x12.5
6	2.0112.005.2	2	screw m 6 p.1x16
7	2.6999.024.2	7	special nut m 6
8	0.9125.662.0	4	washer 6.4x12.5
9	2.0332.406.3	4	screw m 6x16
10	2.9939.149.0	1	plate
11	2.1856.002.0	2	rivet
12	2.3199.115.0	1	plug 38x12
13	2.1142.004.2	2	nut m 6x3




9_C2374_00_0_0

Section: BODY WORK

INSTRUMENT PANEL SURROUND

Fig.	Code	QTY	Name
1	0.013.5774.0/20	1	frame
2	0.014.1207.0	1	gasket
3	2.0112.006.2	2	screw m 6 p.1x18
4	2.0112.007.2	2	screw m 6 p.1x20
5	2.1310.002.2	2	flat washer 6.4x12.5
6	2.0312.105.2	2	screw m 6 p.1x18
7	2.1312.003.2	4	washer 6.6x18
8	2.1579.890.0	2	spacer
9	2.0322.407.3	1	screw m 6x20
10	0.014.3282.0	1	termal insul.mater.




9_C2372_06_0_0

Section: BODY WORK

FRONT GRIP


Fig.	Code	QTY	Name
1	0.014.1026.3	1	chassis frame
2	0.014.1025.3	1	shield
3	0.014.1028.0/10	1	shield
4	0.014.1027.0/10	1	shield
5	0.014.1029.0	2	rubber plug
6	2.1549.209.3	6	spacer
7	2.0332.413.3	6	screw m 6x50
8	2.1312.003.2	10	washer 6.6x18
9	2.1569.165.0	12	gasket 7x15
10	2.0112.307.2	4	screw m 10 p.1.5x20
12	2.0312.308.2	2	screw m 10 p.1.5x25
			1083 <- X EXPLORER 75 T
			1010 <- X EXPLORER 75 TB
			1054 <- X EXPLORER 85 T
			1008 <- X EXPLORER 85 TB
			1066 <- X EXPLORER 95 T
			1057 <- X EXPLORER 95 TB
12	2.0422.303.2	2	stud bolt m 10x22
			-> 1084 X EXPLORER 75T
			-> 1011 X EXPLORER 75TB
			-> 1055 X EXPLORER 85T
			-> 1009 X EXPLORER 85TB
			-> 1067 X EXPLORER 95T
			-> 1058 X EXPLORER 95TB
13	2.1011.103.2	4	nut m 6 p.1
14	2.1470.006.2	2	lock washer 10
15	2.1475.003.2	4	washer 10.5x20
16	2.1011.106.2	2	nut m 10 p.1.5
			-> 1084 X EXPLORER 75T
			-> 1011 X EXPLORER 75TB
			-> 1055 X EXPLORER 85T
			-> 1009 X EXPLORER 85TB
			-> 1067 X EXPLORER 95T
			-> 1058 X EXPLORER 95TB



9_C2376_03_0_0


Section: BODY WORK
INFORMATION PLATE

Fig.	Code	QTY	Name
1	2.9929.699.0	1	plate
2	2.9929.848.0	1	plate
3	2.9929.854.0	1	plate
4	2.9929.792.0	1	plate
5	2.9929.791.0	1	plate
7	2.9929.853.0	1	plate
8	2.9929.794.0	1	plate
9	2.9929.847.0	1	plate
10	2.9929.754.0	1	plate
11	2.9929.860.0	1	plate
12	2.9929.702.0	1	plate
13	2.9929.861.0	1	plate
14	2.9929.859.0	2	plate
15	2.9929.793.0	1	plate
16	2.9929.862.0	1	plate
17	2.9929.855.0/20	1	plate
18	2.9929.566.0	1	plate " CE "
19	2.9929.856.0	1	plate
20	2.9929.544.0	1	plate
21	2.9929.852.0	1	plate
23	2.9929.858.0	1	plate



SPEED LABEL 30 Km/h 18.4 R34


Fig.	Code	QTY	Name
100	0.000.0000.1	0	not serviceable
100.1	2.9939.088.0	1	plate 30 + 30
100.5	2.9939.092.0	1	plate 30 + 15
100.9	2.9939.096.0	1	plate 15 + 15
100.13	2.9939.100.0	1	plate 20 + 20
100.17	2.9939.104.0	1	plate 40 + 20
100.21	2.9939.108.0	1	plate 40 + 40



Section: BODY WORK


SPEED LABEL 40 Km/h 18.4 R34

Fig.	Code	QTY	Name
100	0.000.0000.1	0	not serviceable
100.4	2.9939.091.0	1	plate 30 + 30
100.8	2.9939.095.0	1	plate 30 + 15
100.12	2.9939.099.0	1	plate 15 + 15
100.16	2.9939.103.0	1	plate 20 + 20
100.20	2.9939.107.0	1	plate 40 + 20
100.24	2.9939.111.0	1	plate 40 + 40



SPEED LABEL 18 MPH 18,4 R34 EXPORT U.S.A


Fig.	Code	QTY	Name
100	0.000.0000.1	0	not serviceable
100.2	2.9939.089.0	1	plate 30 + 30
100.6	2.9939.093.0	1	plate 30 + 15
100.10	2.9939.097.0	1	plate 15 + 15
100.14	2.9939.101.0	1	plate 20 + 20
100.18	2.9939.105.0	1	plate 40 + 20
100.22	2.9939.109.0	1	plate 40 + 40



Section: BODY WORK

SPEED LABEL 25 MPH 18.4 R34 EXPORT U.S.A.

Fig.	Code	QTY	Name
100	0.000.0000.1	0	not serviceable
100.3	2.9939.090.0	1	plate 30 + 30
100.7	2.9939.094.0	1	plate 30 + 15
100.11	2.9939.098.0	1	plate 15 + 15
100.15	2.9939.102.0	1	plate 20 + 20
100.19	2.9939.106.0	1	plate 40 + 20
100.23	2.9939.110.0	1	plate 40 + 40



SPEED LABEL - 40 KM/H - REFLEX


Fig.	Code	QTY	Name
1	0.010.9969.0	1	disc 40 Km/h



Section: BODY WORK

BRACKET - SPEED LABEL


Fig.	Code	QTY	Name
1	0.011.0006.2/10	1	support



Section: BODY WORK

PLATES

Fig.	Code	QTY	Name
1	2.9919.966.0/30	1	plate
2	0.000.0000.1	0	not serviceable
3	2.1856.304.0	4	rivet mm 4





9_70274_20_0_0

Section: BODY WORK

PLATES OCDE



Fig.	Code	QTY	Name
1	2.9919.966.0/30	1	plate
2	0.000.0000.1	0	not serviceable



9_70274_24_0_0

Section: BODY WORK
INFORMATION PLATE

Fig.	Code	QTY	Name
1	2.9929.566.0	1	plate " CE "
2	2.9929.684.0	1	plate



Section: BODY WORK
THROTTLE





Fig.	Code	QTY	Name
1	0.013.3404.3/10	1	lever
2	0.201.6754.0/20	1	bracket
3	2.0020.205.2	2	screw m 8 p.1.25x20
4	0.008.8521.2/10	1	accel. pedal
5	2.1630.410.0	1	roll pin 4x20
6	0.255.7265.0	1	block
7	0.013.5953.3/10	1	lever
8	2.1630.412.9	1	roll pin
9	2.4049.071.2	1	spring 19x52x2
10	0.013.5946.3	1	rod
11	2.6070.050.0	1	plug
12	0.013.5960.2/10	1	bracket
13	2.1569.044.0	2	gasket 17.5x50x3
14	0.013.5949.3	1	lever
15	0.013.3896.0	1	knob
16	2.0322.405.6	1	screw m 6x14
17	2.1310.007.2	2	flat washer 13x24
18	2.4019.022.2	1	spring 23x20x4.5
19	2.1120.007.2	1	nut m 12 p.1.75
20	2.1470.004.2	4	lock washer 8
21	2.0112.206.2	2	screw m 8 p.1.25x18
22	2.1310.004.2	4	flat washer 8.4x16
23	2.1011.105.2	4	nut m 8 p.1.25
24	0.013.5950.2/20	1	bracket
25	0.013.5961.3/10	1	pin
26	0.013.5962.3	1	transmission
27	2.1410.001.1	1	circlip 10
28	0.014.4238.0	1	rod
29	2.1410.063.1	2	circlip 8
30	0.013.5947.3	1	rod
31	0.012.6144.3	1	plug
32	0.013.5948.3	1	rod
33	2.1430.004.7	2	circlip 3.2
34	2.1310.001.2	2	flat washer 5.3x10
35	0.013.5942.0/20	1	lever
36	2.1480.012.2	2	washer 6
37	2.0312.117.3	2	screw
38	0.013.5951.0	1	rubber plug
39	2.1310.028.2	4	flat washer 4.3x9
40	2.1011.101.2	4	nut m 4

9_C2367_00_0_0


Section: BODY WORK
PLATFORM

Fig.	Code	QTY	Name
1	0.013.1941.3/50	1	platform
2	0.014.1479.0	1	bracket
3	0.014.1480.0	1	bracket
4	2.1470.002.2	4	lock washer 6
5	2.0112.003.2	2	screw m 6 p.1x12
6	2.1011.103.2	2	nut m 6 p.1



Section: BODY WORK
MAT FOR PLATOFRM

Fig.	Code	QTY	Name
1	0.014.3234.2	1	small carpet
2	2.1599.545.2	10	washer 6.5x28x2
3	2.0422.001.2	10	stud bolt m 6x16
4	2.1011.103.2	10	nut m 6 p.1




9_C2676_09_0_0

Section: BODY WORK

SUPPORTS

Fig.	Code	QTY	Name
1	0.013.1893.3/40	1	division
2	0.013.1894.3/10	1	division
3	0.013.1895.3/20	1	division
4	0.014.1140.2/20	1	cover
5	0.013.1892.3/50	1	division
16	2.1470.002.2	2	lock washer 6
17	2.1011.103.2	1	nut m 6 p.1



Section: BODY WORK
SUPPORTS





Fig.	Code	QTY	Name
1	0.014.2629.2	2	plate
4	0.243.7260.0/10	4	cup
5	2.1470.006.2	4	lock washer 10
6	2.1011.106.2	4	nut m 10 p.1.5
7	2.1470.007.2	4	lock washer 12
8	2.0112.411.2	4	screw m 12 p.1.75x30
9	0.007.5587.2/40	2	foot board
10	2.0020.205.2	8	screw m 8 p.1.25x20
11	2.1470.004.2	8	lock washer 8
12	2.1011.105.2	8	nut m 8 p.1.25
13	0.014.2605.0	2	block
14	0.014.2609.0	4	rubber plug
15	2.0422.303.2	4	stud bolt m 10x22
16	0.014.2757.0	1	bracket

9_C2676_08_0_0

Section: BODY WORK
FENDER MOUNTINGS

Fig.	Code	QTY	Name
5	2.1470.006.2	8	lock washer 10
6	2.1011.106.2	8	nut m 10 p.1.5
10	2.3199.115.0	2	plug 38x12
11	2.1470.004.2	50	lock washer 8
12	2.1011.105.2	6	nut m 8 p.1.25
13	0.007.5607.0	8	rubber plug
14	2.1549.623.2/10	8	spacer 14.25x21x16
15	0.157.7693.0	4	rubber plug
16	2.1579.120.2	4	spacer 8.8x12x9.5
17	2.1599.245.0	4	snoulder 8.5x32x2
18	2.0112.211.2	2	screw m 8 p.1.25x30
19	2.0422.207.2	6	stud bolt m 8x30
20	2.1312.004.2	4	washer 9x24
21	2.1310.004.2	40	flat washer 8.4x16
22	2.0330.507.2	42	screw m 8x20
23	2.0112.307.2	8	screw m 10 p.1.5x20



Section: BODY WORK
REAR MUDGUARDS





Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.008.8320.3/80	1	fender dx
2	0.000.0000.1	0	not serviceable
2.1	0.008.8319.3/60	1	fender sx
3	0.000.0000.1	0	not serviceable
3.1	0.008.8293.2/20	1	bracket dx
4	0.000.0000.1	0	not serviceable
4.1	0.008.8294.2/20	1	bracket sx
5	0.008.8352.0	2	gasket
6	0.014.1302.2/10	1	bracket dx
7	0.014.1301.2/10	1	bracket sx
8	0.014.1304.0	1	cover dx
9	0.014.1303.0	1	cover sx
10	2.0350.554.3	4	screw m 4.8x13B
11	2.1312.004.2	4	washer 9x24
12	2.1310.004.2	4	flat washer 8.4x16
13	2.0112.207.2	4	screw m 8 p 1.25x20

Section: BODY WORK
REAR MUDGUARDS 28"


Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.008.8319.3/60	1	fender sx
2	0.000.0000.1	0	not serviceable
2.1	0.008.8320.3/80	1	fender dx
3	0.014.3206.0	2	plate
4	2.1312.004.2	6	washer 9x24
5	2.1310.004.2	6	flat washer 8.4x16
6	2.0112.209.2	4	screw m 8 p 1.25x25
7	0.014.3207.0	1	plate sx
8	0.014.3211.0	1	plate dx
9	2.1011.105.2	2	nut m 8 p.1.25
10	2.0342.308.3	2	screw m 8 p.1.25x30
11	2.0020.205.2	2	screw m 8 p.1.25x20
12	0.014.3218.0	1	brace sx
13	0.014.3223.0	1	brace dx
14	2.0112.307.2	6	screw m 10 p.1.5x20
15	2.1470.006.2	6	lock washer 10
16	2.1011.106.2	6	nut m 10 p.1.5
17	2.0112.207.2	2	screw m 8 p 1.25x20
18	2.1579.905.2	2	washer 8.5x27x5



Section: BODY WORK


MUDGUARDS EXTENSIONS mm 108

Fig.	Code	QTY	Name
1	0.008.8296.0/30	1	extension dx - mm 108
2	0.008.8387.0/30	1	extension sx - mm 108
3	2.0112.207.2	18	screw m 8 p 1.25x20
4	0.007.5537.0	18	small block
5	2.1312.004.2	18	washer 9x24
6	2.1120.105.2	18	selflock nut m 8 p.1.25



9_53976_25_0_0

Section: BODY WORK

FENDERS


9_49076_03_0_0

Fig.	Code	QTY	Name
3	0.011.7168.0	1	splash-guards dx
11	0.007.5603.0/70	1	splash-guards sx (...) <- X EXPLORER 75 TB (...) <- X EXPLORER 85 TB (...) <- X EXPLORER 95 TB
11	0.007.5603.0/80	1	splash-guards sx -> (...) X EXPLORER 75TB -> (...) X EXPLORER 85TB -> (...) X EXPLORER 95TB
15	0.007.5611.2/20	1	support dx
16	0.007.5612.2/20	1	support sx
37	2.1310.004.2	4	flat washer 8.4x16
38	2.1011.105.2	4	nut m 8 p.1.25
39	2.0112.207.2	4	screw m 8 p 1.25x20
40	2.0099.014.0/20	22	screw m 6x20
47	0.009.6743.0	2	support
49	2.1011.103.2	20	nut m 6 p.1
52	2.0112.009.2	20	screw m 6 p.1x25
57	0.007.5813.0/10	2	support
60	2.1310.002.2	26	flat washer 6.4x12.5

Section: BODY WORK

BADGE FOR SPLASH GUARDS

Fig.	Code	QTY	Name
1	2.3199.101.0	2	small cover SAME
2	2.1312.003.2	2	washer 6.6x18
3	2.1470.002.2	2	lock washer 6
4	2.1011.103.2	2	nut m 6 p.1



9_51176_07_0_0

Section: BODY WORK
BATTERY SUPPORT





Fig.	Code	QTY	Name
1	0.014.2620.3	1	plate
2	0.007.5411.0/10	1	crosspiece
3	2.1310.004.2	2	flat washer 8.4x16
4	2.0112.209.2	2	screw m 8 p 1.25x25
5	2.0112.313.2	4	screw m 10 p.1.5x35
6	2.1599.044.2	4	snoulder 10.5x25.5x1.5
7	0.136.7387.0	4	rubber plug 15x27x5
8	2.1579.090.2	4	spacer 10.1x15x18
9	0.136.7385.0	4	rubber plug
10	0.136.7384.0	4	cup

Section: BODY WORK

METAL TOOLBOX


Fig.	Code	QTY	Name
1	0.467.7317.3/70	1	metal toolbox
2	0.014.2753.3	1	bracket
3	2.0112.205.2	4	screw m 8 p.1.25x16
4	2.1470.004.2	4	lock washer 8
5	2.1312.004.2	4	washer 9x24
6	2.1011.105.2	4	nut m 8 p.1.25
7	2.0112.207.2	4	screw m 8 p 1.25x20



Section: BODY WORK

LICENCE PLATE HOLDER


Fig.	Code	QTY	Name
2	0.467.7696.3	1	plate holder
3	2.0332.304.2	4	screw m 5 p.0.8x12
4	2.1310.001.2	4	flat washer 5.3x10



9_49076_60_0_0

Section: BODY WORK
REARVIEW MIRROR dx


Fig.	Code	QTY	Name
1	0.9234.147.4/10	1	rear view mirror dx  617 => 617
2	0.011.8753.0	1	bracket
3	2.0312.217.2	2	screw m 8 p.1.25x55
4	2.1579.914.2	2	spacer 9.2x17.2x32
5	2.1310.004.2	2	flat washer 8.4x16
6	2.1474.009.2	2	spring washer 8
7	2.1011.105.2	2	nut m 8 p.1.25
8	0.163.7856.0	2	cap



Section: BODY WORK

REARVIEW MIRROR - SX

Fig.	Code	QTY	Name
1	0.010.1604.4/40	1	rear view mirror sx ☞ 618 => 618




9_20176_65_0_A

Section: BODY WORK

SAFETY ARCH


Fig.	Code	QTY	Name
1	0.013.2040.3/40	1	safety frame



9_C2378_05_0_0

Section: BODY WORK
SAFETY ARCH

Fig.	Code	QTY	Name
1	0.014.1141.2/20	1	safety frame




9_C2378_06_0_0

Section: BODY WORK

SAFETY ROLL BAR MOUNTINGS

Fig.	Code	QTY	Name
11	2.1475.103.2	4	washer 10.5x20
12	2.1011.106.2	2	nut m 10 p.1.5
14	2.0112.413.2	8	screw m 12 p.1.75x35
15	2.1475.004.2	8	washer 13x24
16	0.014.2706.0	1	bracket
18	2.0112.309.2	2	screw m 10 p.1.5x25
19	2.0112.319.2	2	screw m 10 p.1.5x50
20	2.1579.019.0	2	spacer 11x20x15



Section: BODY WORK



SAFETY ARCH

Fig.	Code	QTY	Name
1	0.014.0968.4	1	safety frame
5	2.0029.504.2	8	screw m 12x75
6	2.1011.107.2	8	nut m 12 p.1.75
7	2.1475.004.2	8	washer 13x24
13	0.008.8486.0	2	tube

Section: BODY WORK


SAFETY ROLL BAR MOUNTINGS

Fig.	Code	QTY	Name
1	2.0112.617.2	8	screw m 16 p.2x45
2	2.1475.006.2	8	washer 17x32
3	2.0123.522.2	8	screw
4	2.1475.005.2	16	washer 15x27
5	2.1011.308.2	8	nut m 14 p.1.5
6	2.1549.624.2/10	8	spacer



9_C2378_03_0_0

Section: BODY WORK

SAFETY ARCH


9_C2678_01_0_0

Fig.	Code	QTY	Name
2	0.013.2069.2/10	1	support
3	0.013.2070.2/10	1	support
4	0.013.2075.3/10	1	safety frame
5	0.014.2694.0	4	u bolt
6	0.009.9664.2	2	shim
7	2.1011.209.2	8	nut m 16
8	2.1475.006.2	8	washer 17x32
10	2.1475.004.2	8	washer 13x24
11	2.1549.623.2/10	4	spacer 14.25x21x16
12	2.0123.521.2	10	screw
13	2.1475.005.2	12	washer 15x27
14	0.013.2219.4	2	pin
15	0.014.2209.0	1	bracket
17	2.0313.308.2	2	screw m 10x25
18	2.1475.003.2	4	washer 10.5x20
19	2.0113.326.2	2	screw
21	2.0313.519.2	2	screw
22	2.1549.614.2	4	spacer
23	2.0112.825.2	2	screw m 20x80
24	2.1120.011.2	2	nut
25	2.1310.013.2	2	flat washer 21x37
26	0.013.7120.2	2	shim
27	2.0113.413.2	4	screw m 12 p.1.75x35
28	2.0313.412.2	4	screw

Section: BODY WORK

FUEL TANK

Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.013.7300.3/30	1	tank
1.2	2.7059.817.0	1	float level
1.3	2.1311.002.2	6	flat washer 4
1.4	2.1011.101.2	6	nut m 4
1.5	2.6851.019.0	1	clamp 13-20
1.7	0.011.5937.0	0	tube
1.8	0.012.3914.3	1	plug
7	0.014.1351.3/10	1	plate
8	2.1475.004.2	4	washer 13x24
9	2.0112.415.2	4	screw m 12 p.1.75x40
10	2.1569.161.0	4	gasket 20x50x6
11	2.1599.354.2	4	washer 12.5x50x3
12	2.0112.423.2	4	screw m 12 p.1.75x70
13	2.1549.618.2	4	spacer




9_C2681_04_0_0

Section: BODY WORK

DRY AIR FILTER


Fig.	Code	QTY	Name
1	0.014.0679.4	1	support
2	2.4249.715.0	1	air filter
			☞ 619
			=> 619
3	0.293.8152.0	1	ring
4	0.014.0683.3/20	1	bracket
5	2.0112.206.2	3	screw m 8 p.1.25x18
6	2.1310.004.2	7	flat washer 8.4x16
7	0.013.5712.2/10	1	sleeve
8	0.164.8450.0	1	terminal
9	2.7099.320.0/10	1	pressure switch
10	2.6519.029.0	1	cap
11	0.013.2909.0	1	sleeve
12	2.6851.007.0	2	clamp 60/80
14	2.6851.010.0	1	clamp 90-110
15	2.1011.105.2	2	nut m 8 p.1.25
16	2.0112.210.2	2	screw m 8 p.1.25x28
17	0.014.0952.0/20	1	manifold
20	2.0332.407.2	2	screw m 6x20
21	2.1470.001.2	2	lock washer 5
22	2.1011.102.2	2	nut m 5 p.0.7
23	2.1312.003.2	2	washer 6.6x18
24	2.1310.002.2	2	flat washer 6.4x12.5



Section: BODY WORK

DRIVER'S SEAT


Fig.	Code	QTY	Name
1	0.010.5360.4/10	1	seat



Section: BODY WORK

SEAT SPRINGING


Fig.	Code	QTY	Name
1	0.010.5357.4	1	seat springs ⇒ 620 => 620



Section: BODY WORK

SEAT SPRINGING

Fig.	Code	QTY	Name
1	0.010.5356.4	1	seat springs ⇒ 621 => 621




9_50875_02_0_0

Section: BODY WORK

SEAT SUPPORT BRACKET

Fig.	Code	QTY	Name
1	0.255.7536.0/10	1	bracket
2	2.0439.060.2	4	stud bolt m 8 p.1.25-1x22
3	2.1310.004.2	8	flat washer 8.4x16 -> 1056 X EXPLORER 75T -> 1007 X EXPLORER 75TB -> 1050 X EXPLORER 85T X EXPLORER 85TB -> 1051 X EXPLORER 95T -> 1030 X EXPLORER 95TB
4	2.1011.105.2	4	nut m 8 p.1.25 1055 <- X EXPLORER 75 T 1006 <- X EXPLORER 75 TB 1049 <- X EXPLORER 85 T 1050 <- X EXPLORER 95 T 1029 <- X EXPLORER 95 TB
4	2.0112.207.2	4	screw m 8 p 1.25x20 -> 1056 X EXPLORER 75T -> 1007 X EXPLORER 75TB -> 1050 X EXPLORER 85T X EXPLORER 85TB -> 1051 X EXPLORER 95T -> 1030 X EXPLORER 95TB
5	2.1011.405.2	4	nut m 8 p.1
6	0.163.7856.0	4	cap
8	2.1470.004.2	8	lock washer 8



EXPLORER 95 TB


LIGHTING SYSTEM

HEADLAMP FOR LEFT-HAND DRIVE.....	421
HEADLAMP FOR RIGHT-HAND DRIVE.....	422
REAR LIGHT.....	424
WARNING BEACON.....	425
PREARRANGEMENT FOR WARNING BEACON - WITH FOLD-DOWN ROPS.....	426
PREARRANGEMENT FOR WARNING BEACON - WITH FOLD-DOWN ROPS.....	426.1
PREARRANGEMENT FOR WARNING BEACON.....	427
LICENCE PLATE LIGHT.....	428
DASHBOARD BOX INSTRUMENT PANEL.....	429
BATTERY 12V 100Ah 450A.....	430
BATTERY 12V 100Ah 500A.....	431
STARTER.....	432
ALTERNATOR 65 A.....	433
ALTERNATOR MOUNTINGS 65A.....	434
ELECTRICAL EQUIPMENT FRONT.....	435
CENTRAL WIRING LOOM.....	436
CENTRAL WIRING LOOM.....	437
ELECTRICAL EQUIPMENT REAR.....	438
ELECTRICAL EQUIPMENT REAR.....	439
ELECTRICAL LEAD.....	440
4WD - ENGAGEMENT CONTROL.....	441
SWITCH.....	442

Section: LIGHTING SYSTEM

HEADLAMP FOR LEFT-HAND DRIVE

Fig.	Code	QTY	Name
1	2.8029.770.0/30	2	lamp ⇒ 623 => 623




9_62085_22_0_0

Section: LIGHTING SYSTEM

HEADLAMP FOR RIGHT-HAND DRIVE

Fig.	Code	QTY	Name
1	2.8029.760.0/30	2	lamp ⇒ 624 => 624




9_62085_20_0_0

Section: LIGHTING SYSTEM

REAR LIGHT

Fig.	Code	QTY	Name
1	2.8059.523.0	1	lamp sx ☞ 627 => 627
2	2.8059.524.0	1	lamp dx ☞ 628 => 628
3	0.014.1642.4/10	1	wire




9_C2685_01_0_0

Section: LIGHTING SYSTEM



WARNING BEACON

Fig.	Code	QTY	Name
1	0.009.6758.4/10	1	headlight ⇒ 629 => 629



PREARRANGEMENT FOR WARNING BEACON - WITH FOLD-DOWN ROPS


Fig.	Code	QTY	Name
1	0.011.7840.4	1	support ☞ 630 => 630
2	0.012.9085.0	1	u bolt
3	0.012.9086.0	1	bracket
4	2.1310.004.2	2	flat washer 8.4x16
5	2.1071.004.0	2	special nut m 8 p.1.25
6	0.163.7856.0	2	cap
7	2.6852.203.0	5	clamp



Section: LIGHTING SYSTEM

PREARRANGEMENT FOR WARNING BEACON - WITH FOLD-DOWN ROPS


Fig.	Code	QTY	Name
2	0.163.7856.0	4	cap
3	2.1011.105.2	4	nut m 8 p.1.25
4	0.014.0116.0	2	u bolt
5	0.014.0487.2/10	1	support
6	0.014.0492.2/10	1	support
7	2.4019.611.2	1	spring
8	2.1310.006.2	2	flat washer 10.5x20
9	2.1120.006.2	1	nut m 10 p.1.5
10	2.1651.312.2	1	pin 4x28
11	0.011.7840.4	1	support ↗ 630 => 630
12	2.6852.203.0	3	clamp
13	2.1310.004.2	4	flat washer 8.4x16



9_20176_65_0_B

Section: LIGHTING SYSTEM
PREARRANGEMENT FOR WARNING BEACON

Fig.	Code	QTY	Name
1	0.011.7840.4	1	support ☞ 630 => 630
2	0.011.7743.0	1	square
3	2.6852.203.0	5	clamp




9_58978_03_0_0

Section: LIGHTING SYSTEM

LICENCE PLATE LIGHT


Fig.	Code	QTY	Name
1	2.8029.240.0/10	1	side lamp ☞ 631 => 631
2	2.0332.306.2	2	screw m 5x16
3	2.1310.001.2	2	flat washer 5.3x10
4	2.1470.001.2	2	lock washer 5
5	2.1011.102.2	2	nut m 5 p.0.7
6	0.008.3958.2	1	plate holder



9_49085_31_0_0


Section: LIGHTING SYSTEM
DASHBOARD BOX INSTRUMENT PANEL

Fig.	Code	QTY	Name
1	2.8339.073.0	1	multimeter 632 => 632



Section: LIGHTING SYSTEM
BATTERY 12V 100Ah 450A


Fig.	Code	QTY	Name
2	2.9559.052.0	1	battery 12V 100Ah 450A



9_40584_10_0_0

Section: LIGHTING SYSTEM
BATTERY 12V 100Ah 500A

Fig.	Code	QTY	Name
2	2.9559.051.0	1	battery 12V 100Ah 500A




9_40584_11_0_0

Section: LIGHTING SYSTEM

STARTER

Fig.	Code	QTY	Name
2	2.1470.007.2	1	lock washer 12
3	2.1011.422.2	1	nut m 12 p.1.25
6	2.9619.390.0	1	starter motor BOSCH 3 KW ☞ 633 => 633
7	2.1470.006.2	1	lock washer 10
95	2.1011.106.2	1	nut m 10 p.1.5




9_51184_09_0_0

Section: LIGHTING SYSTEM

ALTERNATOR 65 A


Fig.	Code	QTY	Name
2	2.9439.420.0/10	1	alternator 14V - 65A - ISKRA ☞ 634 => 634
4	2.1579.774.2	1	spacer 8.4x12x6.5
5	2.1011.105.2	1	nut m 8 p.1.25
6	2.0122.483.2	1	screw m 12x120
7	2.1470.007.2	2	lock washer 12
8	0.167.8460.0	2	register mm 3
9	0.167.8461.0	2	register mm 1
10	0.167.8462.0	2	register mm 2
11	2.1011.422.2	1	nut m 12 p.1.25
12	2.0439.211.2/10	1	screw m 10x20
13	2.1470.006.2	1	lock washer 10
14	2.1011.106.2	1	nut m 10 p.1.5



Section: LIGHTING SYSTEM

ALTERNATOR MOUNTINGS 65A


Fig.	Code	QTY	Name
1	0.261.8441.0/10	1	support
2	0.261.8442.0	1	bracket
3	2.0432.159.7	2	stud bolt m 10 p.1.5-1.25x35
4	2.1470.006.2	3	lock washer 10
5	2.1011.421.2	2	nut M10x1.25
6	2.0112.313.2	1	screw m 10 p.1.5x35
8	0.013.4612.0	1	pulley
11	2.1579.901.2	2	spacer 12x20x5



Section: LIGHTING SYSTEM

ELECTRICAL EQUIPMENT FRONT

Fig.	Code	QTY	Name
1	0.014.1638.4/20	1	electrical system
2	0.014.1637.4/10	1	wire
3	0.011.9017.0	1	cap
4	2.6839.068.0	1	clamp
5	2.8419.007.0	1	horn
6	2.1499.057.1	1	washer 8.2x23
7	2.1011.105.2	1	nut m 8 p.1.25
8	2.1470.002.2	1	lock washer 6
9	2.7099.940.0	1	pressure switch 0.4 - 0.7 BAR
10	2.1560.008.0	1	gasket 12.2x18
11	2.6519.024.0	1	cap
			1088 <- X EXPLORER 75 T
			1015 <- X EXPLORER 75 TB
			1069 <- X EXPLORER 85 T
			1014 <- X EXPLORER 85 TB
			1117 <- X EXPLORER 95 T
			1086 <- X EXPLORER 95 TB
12	0.008.0378.0	1	cover
13	0.008.0616.0	1	pipe fitting
14	0.008.0391.0	1	cover
15	2.1011.103.2	1	nut m 6 p.1
19	2.1470.004.2	1	lock washer 8
20	2.1011.105.2	1	nut m 8 p.1.25
21	2.6839.069.0	1	clamp 40/20




9_C2284_01_0_0

Section: LIGHTING SYSTEM

CENTRAL WIRING LOOM


Fig.	Code	QTY	Name
2	2.8519.031.0	1	control box
3	0.010.1173.4/30	1	switch
4	2.7659.110.0	1	push-button
5	2.8639.007.0/10	1	blinker
6	04411512.4	1	switch
6.1	04418435	1	ignition key
7	0.012.2056.2	1	small cover
8	0.011.4625.0	1	washer
9	0.010.0492.0/20	1	plate
10	2.1011.102.2	2	nut m 5 p.0.7
11	2.1310.001.2	2	flat washer 5.3x10
12	2.0322.307.6	2	screw
13	2.7659.246.0	1	switch
14	2.7659.227.0	1	switch
15	2.7659.109.0	1	push-button
16	0.014.2769.0	1	bracket
17	2.1470.002.2	2	lock washer 6
18	2.0112.002.2	2	screw m 6 p.1x10



9_C2284_00_0_A

Section: LIGHTING SYSTEM
CENTRAL WIRING LOOM

Fig.	Code	QTY	Name
1	0.014.1640.4/20	1	electrical system ☞ 635 => 635




9_C2284_00_0_b

Section: LIGHTING SYSTEM

ELECTRICAL EQUIPMENT REAR


9_C2285_00_0_A

Fig.	Code	QTY	Name
2	0.008.1550.0	1	socket
3	2.0119.070.6	8	screw m 4x16
4	2.1310.028.2	8	flat washer 4.3x9
5	2.7659.202.0	1	switch
6	2.8029.300.0	1	headlight ⇒ 636 ⇒ 636
7	2.1312.005.2	1	washer 11x30
8	2.9929.703.0	1	plate
9	2.8019.960.0	1	side lamp sx ⇒ 637 ⇒ 637
10	2.8019.970.0	2	side lamp dx ⇒ 638 ⇒ 638
11	2.1011.102.2	4	nut m 5 p.0.7
12	2.1310.001.2	4	flat washer 5.3x10
14	0.008.8681.0	1	support
15	2.8349.002.2/30	2	reflector
17	2.7659.096.0/10	3	switch
18	0.014.2644.2/10	1	bracket
19	2.1470.007.2	1	lock washer 12
20	2.0112.409.2	1	screw m 12 p.1.75x25
21	2.1470.004.2	1	lock washer 8
22	2.0112.205.2	1	screw m 8 p.1.25x16
23	0.014.3327.3	1	bracket
24	2.6839.069.0	1	clamp 40/20
25	2.1310.002.2	1	flat washer 6.4x12.5
26	2.1011.103.2	1	nut m 6 p.1




Section: LIGHTING SYSTEM
ELECTRICAL EQUIPMENT REAR

Fig.	Code	QTY	Name
1	0.014.1639.4/30	1	electrical system
16	0.014.1643.4	1	wire
			639
			=> 639



Section: LIGHTING SYSTEM
ELECTRICAL LEAD


Fig.	Code	QTY	Name
1	0.014.1644.4	1	wire ⚡ 640 => 640
2	0.009.3854.2/10	1	guard
3	2.3110.422.2	1	plug m 12
4	2.1099.059.2	1	special nut m 12 p.1.25x27



9_C2384_03_0_0

4WD - ENGAGEMENT CONTROL

Fig.	Code	QTY	Name
1	2.7659.096.0/10	1	switch
2	2.0332.205.2	2	screw m 4x14
3	2.1310.028.2	2	flat washer 4.3x9
4	2.1470.052.2	2	lock washer 4




9_62084_13_0_0

Section: LIGHTING SYSTEM

SWITCH

Fig.	Code	QTY	Name
1	0.010.4717.0	1	support
3	2.7659.096.0/10	1	switch
4	2.0332.206.2	2	screw M4x0,7X16



EXPLORER 95 TB


WHEELS

4WD - FRONT WHEEL MOUNTING.....	444
REAR WHEEL BOLTS.....	445
FLANGE.....	446
WHEELS 300/70R-20" a8.....	452
WHEELS 380/70R-20" a8.....	455
WHEELS 420/70R-28" a8.....	470

Section: WHEELS

4WD - FRONT WHEEL MOUNTING


Fig.	Code	QTY	Name
1	2.0399.129.6	16	screw m 18 p.1.5x38
2	2.1599.501.6/10	16	washer 19x40x7.5



9_40555_02_0_0

Section: WHEELS
REAR WHEEL BOLTS

Fig.	Code	QTY	Name
1	2.1099.083.0/20	16	special nut m 20 p.1.5




9_52655_03_0_0

Section: WHEELS


FLANGE

Fig.	Code	QTY	Name
1	0.011.5307.0/10	2	flange



Section: WHEELS
WHEELS 300/70R-20" a8


Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.013.4310.3	1	rim W 10x20" C/ST
1.2	0.010.4806.0	1	rim center flange
1.3	2.0099.005.6	6	screw m 16 p.1.5
1.4	2.1499.019.6	6	conical washer 16.3x31.5
1.5	2.1019.059.6	6	nut m 16 p.1.5x16
2	2.4811.081.0	2	tyre 300/70R-20" a8
3	0.012.6364.0	2	valve



9_51155_31_0_0

Section: WHEELS
WHEELS 380/70R-20" a8


Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.012.2935.3	1	rim
1.2	0.010.4806.0	1	rim center flange
1.3	2.0099.005.6	6	screw m 16 p.1.5
1.4	2.1499.019.6	6	conical washer 16.3x31.5
1.5	2.1019.059.6	6	nut m 16 p.1.5x16
2	2.4811.077.0	2	tyre 380/70R-20" a8
3	0.012.6364.0	2	valve



9_53955_20_0_0

Section: WHEELS
WHEELS 420/70R-28" a8

Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.011.6542.3	1	rim W 12x28" C/ST.
1.2	0.258.5551.0	1	rim center flange
1.3	2.0399.204.6/10	6	screw m 18 p.1.5x80
1.4	2.1499.018.6	6	conical washer 18x35.5
1.5	2.1019.060.6	6	nut m 18 p.1.5
2	2.4819.121.0	2	tyre 420/70R-28" a8
3	0.012.6364.0	2	valve



EXPLORER 95 TB

S.A.C.

S.A.C. CASE.....	495
FASTENINGS.....	496
OIL FILLER NECK.....	497
LIFTING.....	499
HYDRAULIC CYLINDERS mm 42.....	501
BRACKET.....	503
INTERNAL AND EXTERNAL CONTROLS.....	507
INTERNAL AND EXTERNAL CONTROLS.....	508
CONTROL CONSOLE.....	512
CONTROL CONSOLE 28".....	513
CONTROL TIE RODS AND LEVERS.....	515
CONTROL TIE RODS AND LEVERS.....	518
CONTROL TIE RODS AND LEVERS.....	518.1
CONTROL TIE RODS AND LEVERS - WITH FOLD-DOWN ROPS.....	518.2
SENSITIVE ELEMENTS.....	522
S.A.C. GROUND CONTROL.....	525

Section: S.A.C.


S.A.C. CASE



Fig.	Code	QTY	Name
1	0.009.3412.3/40	1	box
1.2	2.1555.621.0	2	bushing 60x65x40
1.3	2.1555.620.0	2	bushing 55x60x40
1.4	2.3131.004.2	2	plug m 18 p.1.5
2	0.9131.150.0	1	tube
4	0.9107.114.0	1	cover
5	0.001.3659.0	3	bushing
6	2.0599.007.1/10	1	screw m 10 p.1.5
9	2.0112.311.2	6	screw m 10 p.1.5x30
10	2.1470.006.2	12	lock washer 10
15	2.1560.010.0	1	gasket 14.2x20
16	2.3110.403.7	1	plug m 14 p.1.5
20	2.0112.317.2	6	screw m 10 p.1.5x45
27	2.1560.014.0	1	gasket 18.2x24x1.5
28	2.3110.405.1	1	plug m 18 p.1.5x15
29	2.3110.516.1	1	plug 1 gas
30	2.1560.056.0	1	gasket 33x39
35	0.445.6350.0/10	1	gasket
36	0.009.3446.0	1	flange
37	2.0312.206.2	2	screw m 8 p.1.25x20
38	2.1480.014.2	2	washer

9_40559_02_0_0

Section: S.A.C.

FASTENINGS


Fig.	Code	QTY	Name
9	2.1560.010.0	1	gasket 14.2x20
10	0.445.3150.4/10	1	filter
11	2.0112.413.2	5	screw m 12 p.1.75x35
12	2.1470.007.2	10	lock washer 12
13	2.1011.422.2	2	nut m 12 p.1.25
17	2.0312.412.2	3	screw m 12 p.1.75x35



Section: S.A.C.

OIL FILLER NECK

Fig.	Code	QTY	Name
1	0.014.1747.3	1	tube
2	2.1532.092.0	1	ring
3	2.3199.255.0	1	plug




9_C2359_05_0_0

Section: S.A.C.

LIFTING


Fig.	Code	QTY	Name
1	0.007.1954.3/10	1	lift lever
2	0.009.7880.0	1	shaft
3	2.1410.022.1	2	circlip 55
10	0.007.1952.0/10	1	lever
11	2.1631.922.0	1	roll pin 12x65
12	0.9131.313.0	1	connecting rod
13	2.1518.125.0	1	'o' ring 90x110x12.5
14	0.9131.311.0/10	1	piston
15	2.1530.256.0	1	'o' ring 152x3.5
16	2.1531.029.0	1	'o' ring 12.37x2.62
17	0.9131.310.0	1	cylinder
18	2.0122.620.2	4	screw m 16 p.1.5x55
19	2.1560.008.0	1	gasket 12.2x18
20	2.3110.422.7	1	plug m 12 p.1.25x10
21	0.007.1953.3/10	1	lift lever
22	2.3110.405.1	1	plug m 18 p.1.5x15
23	2.1560.014.0	1	gasket 18.2x24x1.5
24	2.1520.329.0	2	'o' ring 55x72x10
25	2.1599.696.2	2	snoulder 55x88x5
26	0.009.3672.0	1	spacer
27	2.0522.312.7	1	screw m 10 p.1.5x30
28	2.1011.106.2	1	nut m 10 p.1.5
29	2.0522.110.7	1	screw
30	2.1011.103.2	1	nut m 6 p.1
31	2.1410.025.1	1	circlip 62



Section: S.A.C.

HYDRAULIC CYLINDERS mm 42

Fig.	Code	QTY	Name
1	0.014.2198.3	1	tube
2	2.3335.008.2	1	pipe union m 18 p.1.5X32
3	2.1560.014.0	2	gasket 18.2x24x1.5
4	0.9012.361.3	2	tube
5	0.98601.10.4/10	2	jack mm 42 ⇒ 643 ⇒ 643
6	2.1699.372.0/30	2	pin 22x59
7	2.1559.076.0	2	bushing 22.05x26.05x23
8	2.1599.656.2	2	washer 22x30x3
9	2.1690.616.2	2	split pin 6.3x50
10	2.1311.013.2	2	flat washer 22
11	2.1690.713.2	2	split pin 8x36
12	2.0112.013.2	1	screw m 6 p.1x35
13	2.1470.002.2	1	lock washer 6
14	0.013.3065.0	2	plate
15	0.013.3075.0	1	stop
16	2.1011.103.2	1	nut m 6 p.1




9_C2359_23_0_0

Section: S.A.C.


BRACKET

Fig.	Code	QTY	Name
1	0.014.2939.3	1	bracket
2	0.014.2937.3	1	bracket
3	2.0422.425.7	8	stud bolt
4	2.1011.107.2	8	nut m 12 p.1.75
5	2.0112.323.2	2	screw m 10 p.1.5x70



9_C2659_24_0_0

Section: S.A.C.

INTERNAL AND EXTERNAL CONTROLS

9_61459_41_0_0

Fig.	Code	QTY	Name
1	0.009.3523.3	1	lever
2	0.009.3522.3/10	1	lever
3	2.0112.011.2	3	screw m 6 p.1x30
4	2.1470.002.2	3	lock washer 6
5	2.1011.103.2	3	nut m 6 p.1
6	2.1530.034.0	3	'o' ring 13.95x2.62
7	0.9107.521.0	1	lever
8	0.9131.512.3	1	lever
9	0.9131.524.3	1	lever
10	0.9131.526.3/10	1	lever
11	2.1720.005.0	3	key 4x5
12	0.9011.553.0	1	pin
13	2.1630.208.0	1	roll pin 3x16
14	2.1430.008.7	8	circlip 7
15	0.9087.551.3/10	1	lever
16	0.9000.434.0/10	1	rod
17	0.9023.527.0	1	rod
18	2.4049.161.2	1	spring 18x41x2
19	0.9000.562.0	1	pin
20	0.9107.527.0/10	1	rod
21	0.007.1951.3/10	1	lever
22	0.9011.557.0	1	tip m 6 P.1 sx
23	2.1019.007.1	1	special nut m 6 p.1
24	0.9011.558.0	1	register m 6 p.1
25	2.1011.103.2	1	nut m 6 p.1
26	0.002.1484.0	1	tip

Section: S.A.C.



INTERNAL AND EXTERNAL CONTROLS

Fig.	Code	QTY	Name
7	2.4099.032.1/10	1	spring
10	2.1530.033.0	2	'o' ring 13.10x2.62
35	0.9087.460.0	1	pin
36	2.1470.006.2	2	lock washer 10
37	2.0112.323.2	1	screw m 10 p.1.5x70
43	2.1430.008.7	5	circlip 7
44	0.001.3702.0	1	roller
45	0.9131.437.3	1	fork
46	2.0119.019.1	1	screw m 8x40
47	2.1011.405.2	1	nut m 8 p.1
48	0.9107.430.0/10	1	lever
49	0.9107.451.0	1	pin
50	2.1630.208.0	3	roll pin 3x16
51	0.9087.429.0	1	lever
52	0.9087.461.0	1	pin
53	0.9107.438.0	1	lever
54	0.9087.462.0	1	pin
55	0.9011.436.3	1	lever
56	0.9011.435.3/10	1	lever
57	0.9000.459.0	1	pin
58	0.9087.454.0	2	small plate
59	0.9087.459.0	1	roller
60	2.1671.105.2	1	pin
61	2.1690.206.2	1	split pin 2x16
63	2.4049.115.1/10	1	spring
99	2.0112.317.2	1	screw m 10 p.1.5x45
100	0.9087.420.4/30	1	distributor
			☞ 644
			=> 644

Section: S.A.C.

CONTROL CONSOLE

Fig.	Code	QTY	Name
1	0.014.1854.0	1	radio consolle
2	2.0322.407.6	4	screw m 6x20




9_C2659_52_0_0

Section: S.A.C.

CONTROL CONSOLE 28"

Fig.	Code	QTY	Name
1	0.014.3220.0	1	radio consolle
2	2.0322.407.6	4	screw m 6x20



9_C2659_53_0_0

Section: S.A.C.



CONTROL TIE RODS AND LEVERS

Fig.	Code	QTY	Name
1	0.000.0000.1	0	not serviceable
1.1	0.013.8797.2/10	1	support
1.2	0.013.8801.3	1	shaft
1.3	0.013.8800.3/10	1	lever
1.3.2	2.1559.243.0	2	bushing 12x16x15
1.4	0.013.8798.3	1	lever
1.5	2.1559.243.0	2	bushing 12x16x15
1.6	2.1720.005.0	1	key 4x5
1.7	2.0112.011.2	1	screw m 6 p.1x30
1.8	2.1470.002.2	1	lock washer 6
1.9	2.1011.103.2	1	nut m 6 p.1
1.10	2.0342.311.6	2	screw m 8 p.1.25x45
1.11	2.1599.245.0	4	shoulder 8.5x32x2
1.12	0.9030.672.0	4	ring 8.5x32x3
1.13	2.4099.053.7	4	spring 8.2x23x0.7
1.14	2.1579.965.2	2	spacer
1.15	2.1120.105.2	2	selflock nut m 8 p.1.25
2	0.011.9164.4/10	1	plate
2.19	0.9107.668.0	2	stop
2.24	0.9107.669.2	2	knob
2.26	2.1439.003.0	2	circlip 6
2.28	0.9107.667.0/10	2	screw
3	0.013.8950.0/20	1	rod
4	0.013.8951.0	1	rod
5	2.1011.405.2	2	nut m 8 p.1
6	2.1019.070.2	2	sleeve
7	0.008.8710.0/10	2	rod
8	2.1430.008.7	4	circlip 7
9	2.1310.002.2	2	flat washer 6.4x12.5
10	2.0112.004.2	2	screw m 6 p.1x14
11	2.1470.004.2	4	lock washer 8
12	2.0112.207.2	3	screw m 8 p.1.25x20
13	2.0112.209.2	1	screw m 8 p.1.25x25
14	0.008.8384.0	1	coupling
15	0.008.8383.0	1	coupling
16	0.009.0137.0	2	knob
17	0.008.8272.2/10	1	bracket
18	2.1470.007.2	1	lock washer 12
19	2.0112.409.2	1	screw m 12 p.1.75x25
20	0.014.4211.0	1	pin
21	2.1310.002.2	1	flat washer 6.4x12.5
22	2.1120.003.2	1	selflock nut m 6

Section: S.A.C.

CONTROL TIE RODS AND LEVERS


Fig.	Code	QTY	Name
18	0.257.6757.0	4	spring
19	0.014.3252.0	1	rod
32	0.014.3251.0	1	rod
33	2.1011.106.2	1	nut m 10 p.1.5
34	0.467.6663.2	1	sleeve
35	2.1019.018.2	1	special nut m 10 speciale
36	0.014.3250.0	1	rod



Section: S.A.C.

CONTROL TIE RODS AND LEVERS

Fig.	Code	QTY	Name
37	0.014.3257.2	1	bracket
38	0.014.3258.3	1	transmission
38.2	2.1559.243.0	2	bushing 12x16x15
39	2.1120.006.2	1	nut m 10 p.1.5
40	2.1311.007.2	1	flat washer 10
41	2.1475.102.2	2	washer 8.4x16
42	2.0112.207.2	2	screw m 8 p 1.25x20





CONTROL TIE RODS AND LEVERS - WITH FOLD-DOWN ROPS

Fig.	Code	QTY	Name
37	0.014.3256.2	1	bracket
38	0.014.3258.3	1	transmission
38.2	2.1559.243.0	2	bushing 12x16x15
39	2.1120.006.2	1	nut m 10 p.1.5
40	2.1311.007.2	1	flat washer 10
41	2.1475.102.2	2	washer 8.4x16
42	2.0112.222.2	2	screw m 8 p.1.25x65

Section: S.A.C.

SENSITIVE ELEMENTS

Fig.	Code	QTY	Name
1	0.9000.720.0/10	1	shaft
2	2.1514.053.0	2	'o' ring 45x55x4
3	0.9131.721.6/10	1	lever
3	0.9131.721.4	1	lever
3.1	0.000.0000.1	0	not serviceable
3.1.3	2.1559.014.0	1	bushing
3.2	2.1021.209.2	1	castellated nut m 20 p.1.5
4	2.1470.008.2	2	lock washer 14
5	2.1011.308.2	2	nut m 14 p.1.5
6	2.0122.525.2	2	screw m 14 p.1.5x80
8	2.1671.610.2	1	pin
9	2.1310.009.2	1	flat washer 15x28
10	2.1690.411.2	1	split pin 4x28
11	0.009.9693.0	2	small column
15	2.1011.422.2	2	nut m 12 p.1.25
16	2.1475.004.7	2	washer 13x24
17	0.9045.730.4/30	1	spring housing
17.1	0.9045.733.0/10	1	spacer
17.2	0.9045.734.0/10	1	spacer 15x18x138
17.3	0.9000.730.2/30	1	spring housing
17.4	0.9000.731.0	1	plug 40x1.5x45
17.5	0.9000.735.0/20	1	snoulder
17.6	0.9000.737.3/20	1	fork
17.7	2.1011.107.2	1	nut m 12 p.1.75
17.8	2.1549.153.2	1	spacer 14.1x21.3x16
17.9	2.1599.295.2	1	spacer
17.10	2.1699.034.2	1	pin
17.11	2.4019.215.1	1	spring 37x142x8
17.12	2.4019.216.1	1	spring 37x39x6
17.13	2.0112.005.2	1	screw m 6 p.1x16
17.14	2.1011.103.2	1	nut m 6 p.1
17.15	2.1470.002.2	1	lock washer 6



9_52959_61_0_0

Section: S.A.C.


S.A.C. GROUND CONTROL

Fig.	Code	QTY	Name
1	0.011.7416.4	1	lever
2	0.257.6413.0	1	grip
3	0.011.7625.0/20	1	cap
4	0.011.7454.0/10	1	cover
5	0.014.3201.0	1	bracket
6	0.014.3192.3	1	shaft
7	0.008.2619.0/10	6	small block
8	2.0112.222.2	6	screw m 8 p.1.25x65
9	2.1312.004.2	8	washer 9x24
10	2.1559.237.2	6	sleeve
11	2.1310.004.2	4	flat washer 8.4x16
12	2.1470.004.2	6	lock washer 8
13	2.1011.105.2	6	nut m 8 p.1.25
14	2.0332.405.3	4	plug
16	0.136.7387.0	1	rubber plug 15x27x5
17	2.1419.042.0	1	circlip
30	2.0112.005.2	1	screw m 6 p.1x16
31	2.1011.103.2	1	nut m 6 p.1

EXPLORER 95 TB


ACCESSORY

4-WAY AUXILIARY DISTRIBUTOR.....	526
4-WAY AUXILIARY DISTRIBUTOR.....	528
4-WAY AUXILIARY DISTRIBUTOR - FOR TRACTORS WITH HYDRAULIK BREAKING FOR TRAILER.....	529
4 - 6 - WAY DISTRIBUTOR EQUIPMENT.....	531
6-WAY AUXILIARY DISTRIBUTOR.....	532
6-WAY AUXILIARY DISTRIBUTOR - FOR TRACTORS WITH HYDRAULIK BREAKING FOR TRAILER.....	534
6-WAY AUXILIARY DISTRIBUTOR.....	535
4/6 WAY SPOOL VALVES CONTROL.....	536
CONTROLS FOR 6-WAY AUXILIARY SERVICES CONTROL VALVE.....	537
3 POINT HITCH.....	541
3 POINT HITCH.....	543
3-POINT LINKAGE WITH AUTOMATIC COUPLERS.....	545
TOWING BAR.....	546
FRONT PULL HITCH BRACKET.....	547
FRONT TOWING HITCH.....	548
FRONT TOWING HITCH.....	549
REAR TOWING HITCH.....	551
DRAWBAR COUPLING CAT: "D" - ITALY.....	554
REAR TOWING HITCH CAT: "D2" GRASSI.....	555
REAR TOWING HITCH.....	556
REAR TOWING HITCH.....	556.1
REAR TOWING HITCH (GRASSI) CUNA - cat. C.....	559
REAR TOWING HITCH EXPORT CH.....	560
REAR TOWING HITCH EXPORT CH.....	560.1
REAR OSCILLATING HITCH cat. A.....	562
FRONT WEIGHT CARRIER.....	563
FRONT BALLAST n. 2.....	564
FRONT BALLAST n. 4.....	565
FRONT BALLAST n. 8.....	566
WHEEL BALLAST.....	568
WHEEL BALLAST.....	569
HYDRAULIC BREAKING FOR TRAILER.....	571
HYDRAULIC BREAKING FOR TRAILER - ITALY -.....	573
HYDRAULIC BREAKING FOR TRAILER - EXPORT F.....	574
LUBRICATOR.....	575
TOOL POUCH.....	576

Section: ACCESSORY

4-WAY AUXILIARY DISTRIBUTOR

Fig.	Code	QTY	Name
1	2.3719.530.0	1	distributor 4 - float ☞ 645 => 645




9_C2688_15_0_0

Section: ACCESSORY

4-WAY AUXILIARY DISTRIBUTOR


Fig.	Code	QTY	Name
1	0.014.2595.3	1	tube
2	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14
3	2.1560.014.0	1	gasket 18.2x24x1.5
4	0.008.8616.2	1	bracket
5	0.008.8618.0	1	clamp
6	2.1470.004.2	1	lock washer 8
7	2.1011.205.2	1	nut m 8 p.1.25
8	2.9929.329.0	1	plate



9_C2488_16_0_0

4-WAY AUXILIARY DISTRIBUTOR - FOR TRACTORS WITH HYDRAULIK BREAKING FOR TRAILER


Fig.	Code	QTY	Name
1	0.014.3348.3	1	tube
2	2.3261.010.2	1	pipe fitting M18x1,5 7/8" 14
3	2.1560.014.0	1	gasket 18.2x24x1.5
4	0.008.8616.2	1	bracket
5	0.008.8618.0	1	clamp
6	2.1470.004.2	1	lock washer 8
7	2.1011.205.2	1	nut m 8 p.1.25
8	2.9929.329.0	1	plate
9	2.3335.009.2	1	pipe union m 22 p.1.5X39
10	2.1560.018.0	1	gasket 22.2x29
11	2.1569.172.0	1	gasket



Section: ACCESSORY

4 - 6 - WAY DISTRIBUTOR EQUIPMENT


Fig.	Code	QTY	Name
1	0.014.0755.3	1	bracket
2	2.0312.316.2	3	screw m 10 p 1.5x50
3	2.1560.014.0	13	gasket 18.2x24x1.5
4	2.3261.010.2	3	pipe fitting M18x1,5 7/8" 14
5	0.014.2692.3	1	tube
6	2.3335.008.2	3	pipe union m 18 p.1.5X32
7	0.008.8544.3/10	1	tube
8	2.1560.054.0	4	gasket 21x26
9	0.98308.50.3/10	4	coupling ⇒ 646 => 646
10	0.013.7997.0	4	plug
11	0.008.8543.3/10	1	tube
12	0.008.8541.3/10	1	tube
13	0.008.8540.3/10	1	tube
14	2.3339.341.2/10	1	pipe fitting m 18 p.1.5
15	0.014.3354.3	1	tube
16	2.3339.295.2/10	1	pipe union m 18 p.1.5 x 35
17	2.3335.055.2	1	pipe union m 18 p.1.5
18	2.0112.221.2	2	screw m 8 p.1.25x60
19	2.1480.015.2	3	washer 10
20	2.1470.004.2	3	lock washer 8
21	2.0112.205.2	1	screw m 8 p.1.25x16
23	2.1569.158.0/10	1	gasket 18.2x24x6.5



9_C2488_00_0_0

6-WAY AUXILIARY DISTRIBUTOR

Fig.	Code	QTY	Name
1	0.009.2007.4/10	1	distributor ☞ 647 => 647




9_C2688_25_0_0

Section: ACCESSORY

**6-WAY AUXILIARY DISTRIBUTOR - FOR TRACTORS WITH HYDRAULIK
BREAKING FOR TRAILER**


Fig.	Code	QTY	Name
1	0.014.3347.3	1	tube
2	2.3261.010.2	2	pipe fitting M18x1,5 7/8" 14
3	2.1560.014.0	4	gasket 18.2x24x1.5
4	0.008.8539.3/10	1	tube
5	2.1560.054.0	2	gasket 21x26
6	0.98308.50.3/10	2	coupling ⇒ 646 => 646
7	0.013.7997.0	2	plug
8	0.008.8619.0	1	clamp
9	2.1470.004.2	2	lock washer 8
10	2.0112.205.2	2	screw m 8 p.1.25x16
11	0.008.8617.2	1	bracket
12	0.008.8542.3/10	1	tube
13	2.3335.008.2	1	pipe union m 18 p.1.5X32
14	2.9929.328.0	1	plate
15	2.3335.009.2	1	pipe union m 22 p.1.5X39
16	2.1560.018.0	1	gasket 22.2x29
17	2.1569.172.0	1	gasket



Section: ACCESSORY

6-WAY AUXILIARY DISTRIBUTOR

Fig.	Code	QTY	Name
1	0.014.2587.3	1	tube
2	2.3261.010.2	2	pipe fitting M18x1,5 7/8" 14
3	2.1560.014.0	4	gasket 18.2x24x1.5
4	0.008.8539.3/10	1	tube
5	2.1560.054.0	2	gasket 21x26
6	0.98308.50.3/10	2	coupling ⇒ 646 => 646
7	0.013.7997.0	2	plug
8	0.008.8619.0	1	clamp
9	2.1470.004.2	2	lock washer 8
10	2.0112.205.2	2	screw m 8 p.1.25x16
11	0.008.8617.2	1	bracket
12	0.008.8542.3/10	1	tube
13	2.3335.008.2	1	pipe union m 18 p.1.5X32
14	2.9929.328.0	1	plate



9_C2488_26_0_0

Section: ACCESSORY

4/6 WAY SPOOL VALVES CONTROL






Fig.	Code	QTY	Name
1	2.1430.011.7	2	circlip 10
2	0.008.8523.3/20	2	support
2.2	2.1559.243.0	1	bushing 12x16x15
3	2.1470.004.2	4	lock washer 8
4	2.0112.205.2	4	screw m 8 p.1.25x16
5	0.014.0768.2/20	1	lever
6	0.008.8388.0	2	knob
7	0.009.0140.0	2	coupling
8	2.1631.411.0	2	roll pin 5x24
9	0.014.0767.2/20	1	lever
10	2.0312.206.2	1	screw m 8 p.1.25x20
11	0.008.8526.0/10	1	shaft
12	0.014.0765.3/20	1	shaft
12.2	2.1559.243.0	2	bushing 12x16x15
13	0.014.0764.2/20	1	lever
14	0.014.0759.0	1	rod
			1055 <- X EXPLORER 75 T
			1006 <- X EXPLORER 75 TB
			1049 <- X EXPLORER 85 T
			1008 <- X EXPLORER 85 TB
			1063 <- X EXPLORER 95 T
			1057 <- X EXPLORER 95 TB
15	2.1699.245.2/10	4	pin
16	2.1690.206.2	4	split pin 2x16
17	2.1599.564.2	4	washer 9.5x17x1.6
18	0.014.0760.0	1	lever
			1055 <- X EXPLORER 75 T
			1006 <- X EXPLORER 75 TB
			1049 <- X EXPLORER 85 T
			1008 <- X EXPLORER 85 TB
			1063 <- X EXPLORER 95 T
			1057 <- X EXPLORER 95 TB
20	0.014.4684.3/20	1	rod
20.2	2.1019.157.2	1	nut m 8 p 1.25x4
20.3	2.1019.163.2	1	register
20.4	2.1011.205.2	1	nut m 8 p.1.25
21	0.014.4686.3/20	1	rod
21.2	2.1019.157.2	1	nut m 8 p 1.25x4
21.3	2.1019.164.2	1	register
21.4	2.1011.205.2	1	nut m 8 p.1.25

CONTROLS FOR 6-WAY AUXILIARY SERVICES CONTROL VALVE

Fig.	Code	QTY	Name
1	2.1410.007.1	1	circlip 21.2
2	0.014.0766.3/20	1	lever
2.2	2.1559.242.0/10	2	bushing
3	0.008.8388.0	1	knob
4	0.009.0140.0	1	coupling
5	0.014.0759.0	1	rod
			1055 <- X EXPLORER 75 T
			1006 <- X EXPLORER 75 TB
			1049 <- X EXPLORER 85 T
			1008 <- X EXPLORER 85 TB
			1063 <- X EXPLORER 95 T
			1057 <- X EXPLORER 95 TB
6	2.1699.245.2/10	2	pin
7	2.1690.206.2	2	split pin 2x16
8	2.1599.564.2	2	washer 9.5x17x1.6
10	0.014.4686.3/20	1	rod
10.2	2.1019.157.2	1	nut m 8 p 1.25x4
10.3	2.1019.164.2	1	register
10.4	2.1011.205.2	1	nut m 8 p.1.25



Section: ACCESSORY

3 POINT HITCH




Fig.	Code	QTY	Name
1	0.010.5219.4	2	stabiliser
1.1	2.1011.412.2	1	nut m 24 p.2
1.2	0.96037.51.0/40	1	pin
1.3	2.1671.917.2	1	pin
1.4	0.010.0514.3/10	1	rod
1.4.1	0.96001.44.0/10	1	fork
1.4.2	2.1630.717.2	1	roll pin 8x50
1.5	0.96001.57.4/10	1	chain
1.6	0.010.5223.2	1	tube
1.7	2.1690.513.2	1	split pin 5x36
1.8	0.96014.14.3	1	rod
1.9	2.1311.012.2	1	flat washer 20
1.10	2.3820.105.2	1	lubricator m 10 p.1x7
2	0.010.4772.4	2	adjustable tensioner
2.1	0.010.4773.3	1	rod
2.1.4	2.1630.717.2	1	roll pin 8x50
2.2	2.3820.105.2	1	lubricator m 10 p.1x7
2.3	0.010.4029.2	1	sleeve
2.4	0.010.4363.2	1	crank
2.5	0.010.4030.3	1	rod
2.5.3	2.1630.717.2	1	roll pin 8x50
3	2.1599.678.2	4	washer 25x45x3
4	2.1669.014.2/10	2	pin
5	0.010.9322.4	4	pin
6	0.008.8469.2	2	pin
7	2.0112.409.2	2	screw m 12 p.1.75x25
8	2.1470.007.2	2	lock washer 12
9	0.013.7126.2/20	1	bracket sx
10	0.760.3555.4/30	1	stop
11	0.96037.10.0/10	1	flange
12	0.96035.12.0	1	piston pin
13	2.0422.511.7	4	stud bolt m 14x40
15	0.96001.70.3	1	pin
16	0.96001.64.0/10	2	snoulder 35x55x6
17	0.96001.65.0/10	2	snoulder 21x45x6
18	2.1021.209.2	2	castellated nut m 20 p.1.5
19	2.1690.413.2	2	split pin 4x36
20	0.013.7125.2/10	1	bracket dx
20	0.013.7125.2/20	1	bracket dx
			1029 <- X EXPLORER 95 TB
			-> 1030 X EXPLORER 95TB
21	2.0433.413.7	8	stud bolt m 14 p.2-1.5x45
22	2.1475.006.2	8	washer 17x32
23	2.1012.309.7	8	nut m 16 p.1.5

Section: ACCESSORY




3 POINT HITCH

Fig.	Code	QTY	Name
24	2.1475.005.2	4	washer 15x27
25	2.1011.108.2	4	nut m 14 p.2
26	2.1669.001.0	2	pin 19x110x98
27	2.1310.013.2	4	flat washer 21x37
28	2.1690.513.2	4	split pin 5x36
29	2.1549.415.2	8	spacer
30	0.008.8754.0/40	1	support
31	2.1310.006.2	2	flat washer 10.5x20
32	2.0332.311.2	3	screw m 5x40

Section: ACCESSORY

3 POINT HITCH

Fig.	Code	QTY	Name
1	0.96054.20.4/10	2	arm
1.2	0.001.3041.3	1	pin
2	0.008.8460.4/20	1	3 point hitch
2.1	0.008.8465.3	1	sleeve
2.2	0.008.8461.3/10	1	rod dx
2.3	0.008.8462.3/10	1	rod sx
2.4	0.001.5059.0	1	nut
70	2.1669.024.2	1	pin 25.4x133
71	0.010.9322.4	2	pin




9_40558_01_0_0

Section: ACCESSORY


3-POINT LINKAGE WITH AUTOMATIC COUPLERS

Fig.	Code	QTY	Name
3	0.760.5951.3	2	pin 2 cat.
4	0.760.2262.0	2	spring
5	0.760.2258.3	1	cable
6	0.014.1406.4	1	3 point hitch
6.1	0.011.3990.3	1	sleeve
6.2	0.014.1405.3	1	rod cat. 2 ☞ 651 => 651
6.3	0.008.8462.3/10	1	rod sx
6.4	0.001.5059.0	1	nut
7	0.014.1442.3/10	1	left hand arm
7.3	0.014.1420.3	1	automatic hook 2 cat.-CBM- ☞ 649 => 649
8	0.014.1443.3/10	1	right hand arm
8.3	0.014.1420.3	1	automatic hook 2 cat.-CBM- ☞ 649 => 649
60	0.760.5952.0	2	cap mm 56
70	2.1669.024.2	1	pin 25.4x133
71	0.010.9322.4	2	pin
72	0.96001.17.0	1	cap mm 50
73	0.009.3534.0	1	cable



Section: ACCESSORY
TOWING BAR


Fig.	Code	QTY	Name
1	0.96701.10.0/10	1	draw bar 2 cat.



9_40558_10_0_0

FRONT PULL HITCH BRACKET


Fig.	Code	QTY	Name
1	0.014.1968.2	1	support



9_C2352_32_0_0


Section: ACCESSORY
FRONT TOWING HITCH

Fig.	Code	QTY	Name
1	0.013.5574.0	1	tow hook
2	0.96309.51.3	1	pin
4	2.1475.006.2	4	washer 17x32
5	2.0112.619.2	4	screw m 16 p.2x50




Section: ACCESSORY
FRONT TOWING HITCH

Fig.	Code	QTY	Name
1	0.013.5573.0	1	tow hook
2	0.96309.51.3	1	pin
4	2.1475.006.2	4	washer 17x32
5	2.0112.613.2	4	screw m 16x35



Section: ACCESSORY
REAR TOWING HITCH

Fig.	Code	QTY	Name
1	0.96135.20.2/10	1	tow hook
2	0.009.1667.3	1	pin



9_40531_30_0_0

Section: ACCESSORY


DRAWBAR COUPLING CAT: "D" - ITALY

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

1177 <- X EXPLORER 85 T 1230 <- X EXPLORER 95 T 1239 <- X EXPLORER 95 TB

1	0.011.3676.4	1	tow hook cat. D
			⇒ 652
			=> 652



Section: ACCESSORY


REAR TOWING HITCH CAT: "D2" GRASSI

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

1177 <- X EXPLORER 85 T 1230 <- X EXPLORER 95 T 1239 <- X EXPLORER 95 TB

1	0.011.5643.4	1	clevis cat. D2
			⇒ 653
			=> 653




Section: ACCESSORY
REAR TOWING HITCH

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

1177 <- X EXPLORER 85 T 1230 <- X EXPLORER 95 T 1239 <- X EXPLORER 95 TB

1	0.011.6470.4	1	tow hook CEE ➡ 654 1059 <- X EXPLORER 85 T 1099 <- X EXPLORER 95 T 1086 <- X EXPLORER 95 TB => 654
1	0.011.6470.4/10	1	tow hook CEE ➡ 655 -> 1060 X EXPLORER 85T -> 1100 X EXPLORER 95T -> 1087 X EXPLORER 95TB => 655
2	2.0313.616.2	10	screw m 16 p.2x50
3	2.1474.013.2	12	spring washer 16
4	2.0314.614.2	2	screw m 16 p.2x40




Section: ACCESSORY
REAR TOWING HITCH

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

-> 1178 X EXPLORER 85T -> 1231 X EXPLORER 95T -> 1240 X EXPLORER 95TB

1	0.014.4484.3/10	1	chassis frame
2	2.0313.616.2	10	screw m 16 p.2x50
3	2.1474.013.2	12	spring washer 16
4	2.0314.614.2	2	screw m 16 p.2x40
5	0.014.4485.3	1	plate
			☞ 656
			=> 656



9_16431_75_0_A

Section: ACCESSORY


REAR TOWING HITCH (GRASSI) CUNA - cat. C

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

1177 <- X EXPLORER 85 T 1230 <- X EXPLORER 95 T 1239 <- X EXPLORER 95 TB

1	0.011.6480.4/10	1	tow hook CUNA - cat. C ☞ 659 => 659
2	2.0313.616.2	10	screw m 16 p.2x50
3	2.1474.013.2	12	spring washer 16
4	2.0314.614.2	2	screw m 16 p.2x40



9_16431_70_0_0

Section: ACCESSORY


REAR TOWING HITCH EXPORT CH

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

1093 <- X EXPLORER 85 T 1133 <- X EXPLORER 95 T 1106 <- X EXPLORER 95 TB

1	0.011.3090.4	1	tow hook CRAMER ☞ 660 => 660
2	2.0314.616.2	10	screw m 16 p.2x50
3	2.1474.013.2	12	spring washer 16
4	2.0314.614.2	2	screw m 16 p.2x40



Section: ACCESSORY


REAR TOWING HITCH EXPORT CH

Fig.	Code	QTY	Name
------	------	-----	------

Notes:

-> 1094 X EXPLORER 85T -> 1134 X EXPLORER 95T -> 1107 X EXPLORER 95TB

2	2.0314.616.2	10	screw m 16 p.2x50
3	2.1474.013.2	12	spring washer 16
4	2.0314.614.2	2	screw m 16 p.2x40
5	0.014.4483.3/10	1	chassis frame ⇒ 661 1177 <- X EXPLORER 85 T 1230 <- X EXPLORER 95 T 1239 <- X EXPLORER 95 TB => 661
5	0.014.4484.3/10	1	chassis frame -> 1178 X EXPLORER 85T -> 1231 X EXPLORER 95T -> 1240 X EXPLORER 95TB
6	0.014.4449.3/20	1	tow hook ⇒ 662 (...) <- X EXPLORER 85 T (...) <- X EXPLORER 95 T (...) <- X EXPLORER 95 TB => 662
6	0.014.4449.3/30	1	tow hook ⇒ 663 -> (...) X EXPLORER 85T -> (...) X EXPLORER 95T -> (...) X EXPLORER 95TB => 663




9_40531_67_0_A

Section: ACCESSORY

REAR OSCILLATING HITCH cat. A


Fig.	Code	QTY	Name
1	0.008.0780.2	1	support
3	2.1679.067.2	1	pin 32x85
4	2.1699.072.2	1	pin
7	0.008.0778.2	1	sector
8	2.0432.413.7	6	stud bolt m 16 p.2-1.5x45
10	0.97303.24.3	2	pin
11	2.0432.411.7	4	stud bolt m 16 p.2-1.5x40
12	2.1499.019.6	10	conical washer 16.3x31.5
17	2.1011.409.2	10	nut m 16 p.1.5
20	2.9939.051.0	1	plate
25	0.000.0000.1	0	not serviceable
25.1	0.008.0782.0/40	1	draw bar
25.2	0.008.0784.3	1	plate
25.3	0.97306.30.3/10	1	pin
25.4	2.0122.822.2	2	screw m 20 p.1.5x65
25.5	2.1475.108.2	2	spring washer 20



9_54631_35_0_0


Section: ACCESSORY
FRONT WEIGHT CARRIER

Fig.	Code	QTY	Name
1	0.013.5572.2/10	1	chassis frame
4	2.0112.615.2	6	screw m 16 p.2x40
5	2.1475.006.2	6	washer 17x32
6	0.96309.51.3	1	pin



Section: ACCESSORY
FRONT BALLAST n. 2


Fig.	Code	QTY	Name
1	0.96929.40.0/20	2	ballast 40 Kg - lb 90
3	2.1310.009.2	8	flat washer 15x28
10	0.96916.50.0	4	small column m 14 p.2



9_49052_50_0_0

Section: ACCESSORY
FRONT BALLAST n. 4


Fig.	Code	QTY	Name
1	0.96929.40.0/20	4	ballast 40 Kg - lb 90
2	0.96928.51.2	1	pin
3	2.1310.009.2	4	flat washer 15x28
4	0.96930.50.0	1	pin
5	0.96930.51.0/10	2	rod
6	2.1099.065.1	4	special nut m 14
7	2.1699.084.2	1	roll pin 27
8	2.1699.084.2	1	roll pin 27



9_49052_51_0_0

Section: ACCESSORY
FRONT BALLAST n. 8

Fig.	Code	QTY	Name
1	0.96929.40.0/20	8	ballast 40 Kg - lb 90
2	0.96928.51.2	1	pin
3	2.1310.009.2	4	flat washer 15x28
4	0.96930.50.0	1	pin
5	0.008.8749.0/10	2	rod
6	2.1099.065.1	4	special nut m 14
7	2.1699.084.2	1	roll pin 27
8	2.1699.084.2	1	roll pin 27




9_40552_52_0_0

Section: ACCESSORY

WHEEL BALLAST

Fig.	Code	QTY	Name
1	0.135.5574.0/10	2	ballast 40 Kg
2	2.0112.620.2	12	screw m 16 p.2x55
3	2.1470.009.2	12	lock washer 16
4	2.1011.409.2	12	nut m 16 p.1.5




9_40555_91_0_0

Section: ACCESSORY

WHEEL BALLAST

Fig.	Code	QTY	Name
1	0.135.5540.0/10	4	ballast 43 Kg
2	2.0122.623.2	8	screw m 16 p.1.5x70
3	2.1470.009.2	16	lock washer 16
4	2.1011.309.2	8	nut m 16 p.1.5
5	0.001.8527.0	8	small column



9_40555_90_0_0

Section: ACCESSORY


HYDRAULIC BREAKING FOR TRAILER

Fig.	Code	QTY	Name
1	0.007.6244.4/10	1	valve
2	2.0112.015.2	1	screw m 6 p.1x40
3	2.1470.002.2	3	lock washer 6
4	0.014.3352.3	1	tube
5	2.0112.009.2	1	screw m 6 p.1x25
6	0.013.1564.0	1	terminal
7	0.013.1566.0	2	small plate
8	2.3110.422.2	1	plug m 12
9	2.1560.008.0	1	gasket 12.2x18
10	0.014.3316.3	1	bracket
11	2.0112.223.2	1	screw m 8 p.1.25x70
12	2.1470.004.2	3	lock washer 8
13	2.1011.105.2	2	nut m 8 p.1.25
14	0.014.3349.3	1	tube
15	2.3335.009.2	1	pipe union m 22 p.1.5X39
16	2.1560.018.0	3	gasket 22.2x29
17	0.011.0433.4/10	1	coupling
18	2.3261.012.2	1	pipe fitting m 22 p.1.5-7/8"
19	0.014.3353.3	1	tube
20	2.3339.485.2/10	1	pipe union m 18 p.1.5x55
21	2.1560.014.0	1	gasket 18.2x24x1.5
22	2.0112.004.2	1	screw m 6 p.1x14

Section: ACCESSORY


HYDRAULIC BREAKING FOR TRAILER - ITALY -


Fig.	Code	QTY	Name
1	2.3719.810.0/10	1	valve ☞ 664 => 664
2	0.014.3355.0	1	lever
3	0.007.5561.0	1	knob
4	0.007.5562.0	1	coupling
5	2.0112.005.2	2	screw m 6 p.1x16
6	2.1310.002.2	2	flat washer 6.4x12.5
7	2.0122.219.2	1	screw m 8 p.1x50
8	2.1470.004.2	1	lock washer 8
9	2.7099.960.0	1	pressure switch 11 Bar
10	0.014.1645.4	1	wire
11	2.1430.007.7	1	circlip 6

9_C2389_10_0_0

Section: ACCESSORY

HYDRAULIC BREAKING FOR TRAILER - EXPORT F

Fig.	Code	QTY	Name
1	2.0112.213.2	1	screw m 8 p.1.25x35
2	2.0112.219.2	1	screw m 8 p.1.25x50
3	2.1470.004.2	2	lock washer 8
4	2.3719.550.0/40	1	valve ☞ 665 => 665




9_C1389_00_0_0

Section: ACCESSORY

LUBRICATOR



Fig.	Code	QTY	Name
1	0.011.6506.3	1	lubricator



9_59273_01_0_0

Section: ACCESSORY
TOOL POUCH

Fig.	Code	QTY	Name
1	9.62073.11.0	1	small tool box




9_62073_11_0_0

EXPLORER 95 TB

PARTS

GOVERNOR PARTS.....	580
GOVERNOR PARTS.....	581
GOVERNOR PARTS.....	582
FUEL FEED PUMP.....	583
FUEL FILTER PARTS.....	584
PRE-FILTER - COMPONENTS.....	585
PUMP-COMPONENTS.....	586
CYLINDER PARTS.....	587
SYNCHRONIZER PARTS.....	588
SYNCHRONIZER PARTS.....	589
SYNCHRONIZER PARTS.....	590
STEERING ROD - MECH. STEERING - TELESCOPIC AXLE.....	593
4WD - POWER STEERING CYLINDER - COMPONENTS.....	595
P.T.O. SHAFT.....	599
P.T.O. SHAFT.....	600
HYDR. STEERING DISTRIBUTOR PARTS.....	601
HYDRAULIC PUMP PARTS.....	604
HYDRAULIC PUMP PARTS.....	605
PUMP-COMPONENTS.....	608
HYDRAULIC PUMP PARTS.....	609
HYDRAULIC PUMP PARTS.....	610
REDUCE AND OLD VALVE.....	611
REDUCE AND OLD VALVE.....	612
SOLENOID VALVE.....	613
WATER COOLER.....	616
REARVIEW MIRROR.....	617
REARVIEW MIRROR.....	618
AIR FILTER.....	619
SEAT SPRINGING.....	620
SEAT SPRINGING.....	621
HEADLAMP COMPONENTS.....	623
HEADLAMP COMPONENTS.....	624
HEADLAMP COMPONENTS.....	627
HEADLAMP COMPONENTS.....	628
HEADLAMP COMPONENTS.....	629
FLASHING LIGHT SUPPORT.....	630
HEADLAMP COMPONENTS.....	631
ELECTRIC REV-HOUR RECORDER TACHOMETER.....	632
STARTER PARTS.....	633
ALTERNATOR PARTS.....	634
ELECTRICAL SYSTEM.....	635

HEADLAMP COMPONENTS.....	636
HEADLAMP COMPONENTS.....	637
HEADLAMP COMPONENTS.....	638
ELECTRICAL SYSTEM.....	639
ELECTRICAL SYSTEM.....	640
HYDRAULIC CYLINDER.....	643
DISTRIBUTOR.....	644
HYDRAULIC DISTRIBUTOR-PARTS.....	645
ENGAGEMENT.....	646
HYDRAULIC DISTRIBUTOR-PARTS.....	647
TOWING HITCH.....	649
LINKAGE.....	651
REAR TOWING HITCH CAT: "D".....	652
REAR TOWING HITCH CAT: "D2".....	653
REAR TOWING HITCH CAT: "C".....	654
DRAWBAR COUPLING.....	655
SLIDE mm 320.....	656
REAR TOWING HITCH CAT: "C".....	659
DRAWBAR COUPLING.....	660
TRAILER STAND - DRAWBAR COUPLING.....	661
DRAWBAR COUPLING mm 38.....	662
DRAWBAR COUPLING mm 38.....	663
VALVE PARTS.....	664
TRAILER BRAKE VALVE.....	665



Section: PARTS


GOVERNOR PARTS

Fig.	Code	QTY	Name
1	0.000.0000.1	-	not serviceable
6	0.065.1652.0/10	1	governor housing
14	0.065.1673.0/20	1	gasket
29	2.0312.112.2	2	screw m 6 p.1x35
32	2.0599.063.1	1	screw m 6x35
38	0.007.0749.2/10	1	lever
39	2.1120.103.2	1	nut m 6
46	2.1430.004.7	8	circlip 3.2
47	2.1480.012.1	2	washer 6
51	2.1530.022.0	1	'o' ring 9.92x2.62
52	2.1560.001.0	2	gasket 6.2x10
54	2.1560.008.0	1	gasket 12.2x18
66	2.1019.086.2	1	nut m 12 p.1.25
67	2.4019.367.7	1	spring 6.8x18.5x0.8
74	0.007.0751.0/20	1	screw
75	2.0512.114.7	1	screw m 6x35
76	2.1125.001.7	1	nut m 6 p.1
77	2.3519.079.2	1	fork 4
78	2.0332.404.2	3	screw m 6x12
79	2.1474.007.1	3	washer 6
80	0.007.0722.0	1	body
81	2.1011.102.2	1	nut m 5 p.0.7
82	0.007.0746.0	1	cap-washer
83	0.007.0723.0	1	diaphragm
84	0.007.0747.0	1	brake lining
85	2.1011.102.2	1	nut m 5 p.0.7
86	2.4019.410.7/10	1	spring
87	0.007.0748.0	1	screw
88	0.007.0721.0/20	1	body
89	2.0422.001.7	2	stud bolt m 6x16
90	2.1011.103.2	2	nut m 6 p.1
91	2.1474.007.1	2	washer 6
92	0.007.0752.0	1	pin
93	0.007.0756.0	1	pin 4
94	2.1631.004.0	1	pin 2x10
95	0.007.0753.2/20	1	small block
96	2.1310.028.2	1	flat washer 4.3x9
98	2.1099.124.2	1	cap nut m 16 p.1.5
99	0.007.0758.0/10	1	guard
103	2.6857.039.0	1	clamp 24
104	2.6857.030.0	1	clamp
105	0.007.1173.0	1	cover
106	0.065.1677.0/10	1	pipe fitting
107	2.1555.005.0	1	bushing 10x12x10

Section: PARTS

GOVERNOR PARTS


Fig.	Code	QTY	Name
108	0.065.1678.0/10	1	tube
109	2.1099.096.2	1	nut m 18 p.1.5
110	2.1579.728.7	1	sleeve 10x12x10
111	2.1579.729.7	1	sleeve 10x12x18



Section: PARTS

GOVERNOR PARTS

Fig.	Code	QTY	Name
1	0.000.0000.1	-	not serviceable
2	0.065.1616.0	2	adjust.rocker
3	0.065.1618.0	1	sleeve
11	0.007.0759.0/20	1	lever
13	0.065.1671.3/10	1	shaft
15	0.065.1676.3/10	1	sleeve
19	0.065.1681.0/10	2	pin
20	0.065.1682.0	2	pin
21	0.065.1683.0	2	small plate
22	0.065.1684.0/10	1	sleeve
23	0.065.1685.0/10	1	sleeve
27	2.0399.101.7	1	screw m 6x30
28	2.0399.147.2	1	screw m 8 p.1x58
36	2.1011.505.2	3	nut m 8 p.1
37	2.1099.121.2/10	1	cap nut m 8 p.1
40	2.1211.003.2	1	ring nut 15 mc
41	2.1241.003.1	1	lock-nut 15
45	2.1411.014.1	1	circlip 35
48	2.1530.003.0	1	'o' ring 2.90x1.78
53	2.1560.003.0	3	gasket 8.2x12
57	2.1589.160.0	2	shim 12.5x18x0.5
58	2.1589.161.0	2	shim 12.5x18x0.2
60	2.1599.457.2	2	snoulder 6.2x16x1
61	2.1631.311.0	1	roll pin 3x24
63	2.1655.312.0	2	pin a 6x40
64	2.2030.002.0	1	ball bearing 12x28x8
65	2.2040.003.0	1	ball bearing iso 15 bc 02
68	2.4019.762.7	1	spring 29x68x3.4
69	2.4019.317.0	1	spring 25.4x24.5x1.4
112	0.065.1615.0/10	1	support
113	2.1555.005.0	2	bushing 10x12x10




0_013_5063_4_20_B

Section: PARTS

GOVERNOR PARTS


Fig.	Code	QTY	Name
1	0.000.0000.1	-	not serviceable
4	0.066.1622.2	1	lever
7	0.065.1664.2/10	1	lever
8	0.065.1665.2/20	1	lever
9	0.007.0760.2	1	lever
10	0.065.1667.2	1	lever
12	0.065.1669.0	1	lever
16	0.065.1675.0	1	bracket
17	0.065.1679.0/10	1	lever
18	0.065.1680.0	1	bushing
24	0.007.0755.0/10	1	pin
25	0.065.1687.0	1	pin
26	2.0399.100.7	1	pin m 8 p.1x38.5
30	2.0439.158.2	1	stud bolt m 8x15
31	2.0522.110.7	1	screw
33	2.0599.057.2/10	1	screw
34	2.1011.102.2	1	nut m 5 p.0.7
35	2.1011.103.2	3	nut m 6 p.1
36	2.1011.505.2	3	nut m 8 p.1
42	2.1310.001.2	1	flat washer 5.3x10
43	2.1310.002.2	1	flat washer 6.4x12.5
44	2.1310.004.2	2	flat washer 8.4x16
46	2.1430.004.7	8	circlip 3.2
49	2.1530.007.0	2	'o' ring 4.48x1.78
50	2.1530.012.0	2	'o' ring 6.75x1.78
52	2.1560.001.0	2	gasket 6.2x10
53	2.1560.003.0	3	gasket 8.2x12
55	2.1579.726.2/10	1	spacer 8.4x11.5x6
56	2.1579.730.2	1	spacer 8.4x12x12
59	2.1599.456.2/10	2	snoulder 10.2x14x1
62	2.1651.305.0	1	pin 4x12
70	2.4099.062.2	1	spring
71	2.4099.034.2	1	spring
72	2.0399.111.2	1	screw m 6x26
73	2.1030.001.7	1	nut m 6
97	2.1599.559.2	1	spacer



0_013_5063_4_20_C

Section: PARTS
FUEL FEED PUMP


Fig.	Code	QTY	Name
1	2.4519.330.0/50	1	feed pump
2	0.010.3888.0	1	primer
3	0.010.3888.1	1	part set



Section: PARTS

FUEL FILTER PARTS

Fig.	Code	QTY	Name
1	2.4319.060.0/20	1	fuel filter
2	2.1310.003.2	1	flat washer 7.4x14
3	2.1530.010.0	1	'o' ring 6.07x1.78
4	2.4319.060.1	1	fuel filter element
5	2.1530.034.0	1	'o' ring 13.95x2.62
6	2.4319.061.1	1	cup
7	2.4319.061.2	1	gasket 8x14x1.5
8	2.4319.061.3	1	plug m 8 p.1.25
9	0.000.0000.1	0	not serviceable
10	2.4319.060.2	1	screw
11	2.3119.005.2	1	plug m 10 p.1.5
12	2.1560.005.0	1	gasket 10.2x14




2_4319_060_0_20

Section: PARTS

PRE-FILTER - COMPONENTS

Fig.	Code	QTY	Name
1	2.4319.220.0	1	precleaner
2	0.000.0000.1	0	not serviceable
3	2.4319.220.6	1	filter





2_4319_220_0

Section: PARTS

PUMP-COMPONENTS


Fig.	Code	QTY	Name
1	0.255.6538.4/50	1	pump
2	0.255.6538.6	1	repair seal set
3	0.003.5099.0	1	rubber plug
4	0.255.6560.1	1	rod
5	0.000.0000.1	0	not serviceable
6	0.257.6691.1	1	coupling



Section: PARTS

CYLINDER PARTS


Fig.	Code	QTY	Name
1	0.255.6537.4/60	1	cylinder
2	0.009.4329.1	1	screw
3	0.000.0000.1	0	not serviceable
4	0.009.4891.1	1	guard



Section: PARTS

SYNCHRONIZER PARTS


Fig.	Code	QTY	Name
1	0.011.8631.4	1	lock synchronizer
2	0.010.3885.1	2	cone
3	0.010.3885.2	2	ring



0_011_8631_4

Section: PARTS
SYNCHRONIZER PARTS

Fig.	Code	QTY	Name
1	0.007.7646.4/10	1	lock synchronizer
2	0.009.4324.1	2	ring




0_007_7646_4_10

Section: PARTS

SYNCHRONIZER PARTS


Fig.	Code	QTY	Name
1	0.007.7647.4	1	lock synchronizer 68
2	0.009.4324.1	1	ring



007_7647_4

Section: PARTS
STEERING ROD - MECH. STEERING - TELESCOPIC AXLE

Fig.	Code	QTY	Name
1	0.010.0488.4/10	1	joint
2	0.900.0025.7	1	guard
3	0.900.0025.8	1	nut




0_010_0488_4_10

Section: PARTS

4WD - POWER STEERING CYLINDER - COMPONENTS

Fig.	Code	QTY	Name
1	0.007.2706.4	1	jack
2	2.1423.026.1	4	snoulder 35x1.5
3	0.176.6371.0	2	cap
4	0.008.4591.1	1	seal ring kit
5	0.000.0000.1	0	not serviceable
6	0.008.4601.1	1	stem



007_2706_4

Section: PARTS


P.T.O. SHAFT

Fig.	Code	QTY	Name
1	0.010.9111.4/50	1	hydraulic pto clutch
2	2.1599.415.0	1	snoulder 35x52x1
3	2.1419.027.1	2	circlip 48
4	0.255.3933.0	1	disc
5	2.4019.373.1	1	spring 79.5x61.5x6.5
6	2.1419.035.1	1	circlip 127
7	0.255.3969.0/10	1	disc
8	0.013.9453.0	5	disc
9	0.255.3970.2	5	disc
10	0.255.3938.0/40	1	piston
11	2.1539.064.0	1	'o' ring 120.33x2.62
12	2.1539.067.0	1	'o' ring 44.12x2.72
13	0.008.4043.0/30	1	box
14	2.1569.109.0	3	gasket 46x50x2
15	2.1599.416.0	1	snoulder 50x58x1
16	2.1651.506.0	2	cylindrical plug 6x14
17	2.1532.133.0	1	'o' ring 53.64x2.62
18	0.255.3922.0/30	1	piston D 90
19	2.1532.503.0	1	'o' ring 82.14x2.62
20	0.014.0360.2	1	disc
21	0.255.3926.0/10	1	cover
22	2.0342.305.2	4	screw m 8 p.1.25x20
29	2.1560.010.0	1	gasket 14.2x20
30	2.1530.062.0	1	'o' ring 23.81x2.62
31	0.010.4838.6	1	distributor
32	2.0512.102.1	2	screw m 6 p.1x8
33	2.3339.453.2	1	pipe fitting m 12 p.1.25-1/2"
34	2.1560.008.0	1	gasket 12.2x18
35	2.1421.004.1	1	circlip b 12
36	2.4019.606.1	1	spring 14.4x73x0.9
37	0.445.3952.0	1	cup
38	0.010.8496.4	1	stem
39	0.009.2445.4/20	1	valve
40	2.1560.005.0	1	gasket 10.2x14
41	2.1599.499.0	1	snoulder 110x126.5x1.2
42	0.008.8806.0/20	1	hub
43	0.010.0526.4/10	1	accumulator
44	0.000.0000.1	0	not serviceable
45	0.010.0525.0	1	piston
46	2.1411.013.7	1	ring 32
47	2.1599.241.0	1	snoulder 6x31x2
48	2.4019.636.1	1	spring
49	2.4019.638.1	1	spring

Section: PARTS

P.T.O. SHAFT

Fig.	Code	QTY	Name
1	0.010.9111.4/60	1	hydraulic pto clutch
2	2.1599.415.0	1	snoulder 35x52x1
3	2.1419.027.1	2	circlip 48
4	0.255.3933.0	1	disc
5	2.4019.373.1	1	spring 79.5x61.5x6.5
6	2.1419.035.1	1	circlip 127
7	0.255.3969.0/10	1	disc
8	0.013.9453.0	5	disc
9	0.255.3970.2	5	disc
10	0.255.3938.0/40	1	piston
11	2.1539.064.0	1	'o' ring 120.33x2.62
12	2.1539.067.0	1	'o' ring 44.12x2.72
13	0.008.4043.0/30	1	box
14	2.1569.109.0	3	gasket 46x50x2
15	2.1599.416.0	1	snoulder 50x58x1
16	0.013.8983.0	2	disc
17	2.1532.150.0	1	'o' ring 61.60x2.62
18	0.255.3922.0/40	1	piston D 84
19	2.1532.505.0	1	'o' ring 77.50x2.62
20	0.014.0360.2	1	disc
21	0.255.3926.0/10	1	cover
22	2.0342.305.2	4	screw m 8 p.1.25x20
29	2.1560.010.0	1	gasket 14.2x20
30	2.1530.062.0	1	'o' ring 23.81x2.62
31	0.010.4838.6	1	distributor
32	2.0512.102.1	2	screw m 6 p.1x8
33	2.3339.453.2	1	pipe fitting m 12 p.1.25-1/2"
34	2.1560.008.0	1	gasket 12.2x18
35	2.1421.004.1	1	circlip b 12
36	2.4019.606.1	1	spring 14.4x73x0.9
37	0.445.3952.0	1	cup
38	0.010.8496.4	1	stem
39	0.009.2445.4/20	1	valve
40	2.1560.005.0	1	gasket 10.2x14
41	2.1599.499.0	1	snoulder 110x126.5x1.2
42	0.008.8806.0/20	1	hub
43	0.010.0526.4/10	1	accumulator
44	0.000.0000.1	0	not serviceable
45	0.010.0525.0	1	piston
46	2.1411.013.7	1	ring 32
47	2.1599.241.0	1	snoulder 6x31x2
48	2.4019.636.1	1	spring
49	2.4019.638.1	1	spring




0_010_9111_4_60

Section: PARTS

HYDR. STEERING DISTRIBUTOR PARTS


Fig.	Code	QTY	Name
1	0.290.6310.4/10	1	hydrosteering DANFOSS - 80 CC
2	0.000.0000.1	0	not serviceable
3	0.009.4012.1	1	ball mm 8.5
4	0.009.4014.1	1	plug
5	0.193.6378.0	1	roller bearing
6	0.009.4015.1	1	ring
7	0.009.4016.1	1	pin
8	0.009.4017.1	1	spacer
9	0.000.0000.1	0	not serviceable
10	0.009.4021.1	1	spring
11	0.009.4022.1	1	plate
12	0.009.4872.0	1	rotor w = 10.4
13	0.009.4024.1	1	cover
14	0.009.4025.1	1	pin
15	0.009.4026.1	1	screw L = 63
16	0.009.4027.1	6	screw L = 35
17	0.009.4028.1	1	small disc
18	0.009.4029.1	2	screw
19	0.009.4030.1	1	valve
20	0.290.6374.1	1	spring 110-155 bar
21	0.193.6380.4	2	valve
22	0.009.4019.1	2	ball mm 3
23	0.009.4020.1	2	pin
24	0.003.5059.3	1	seal ring kit



Section: PARTS

HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name
1	2.4529.950.0	1	hydraulic pump - BOSCH -
2	0.009.4046.1	1	'o' ring
3	2.1411.012.1	1	circlip 30x1.2
4	0.000.0000.1	0	not serviceable
5	0.000.0000.1	0	not serviceable
6	0.000.0000.1	0	not serviceable
7	2.4529.330.1/10	0	seal ring kit




2_4529_950_0

Section: PARTS

HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name
1	2.4529.960.0	1	hydraulic pump - SAUER - - TUROLLA -
2	0.009.4129.1	1	circlip
3	0.000.0000.1	0	not serviceable
4	0.009.4130.1	4	roller
5	0.009.4128.1	1	seal ring kit




2_4529_960_0

Section: PARTS

PUMP-COMPONENTS

Fig.	Code	QTY	Name
1	2.4539.560.0	1	hydraulic pump - BOSCH -
2	0.009.4046.1	1	'o' ring
3	2.1411.012.1	1	circlip 30x1.2
4	0.000.0000.1	0	not serviceable
5	2.4529.330.1/10	1	seal ring kit




2_4539_560_0

Section: PARTS

HYDRAULIC PUMP PARTS


Fig.	Code	QTY	Name
1	2.4539.570.0	1	pump - SAUER -
2	0.009.4128.1	1	seal ring kit

**2_4539_570_0**

Section: PARTS

HYDRAULIC PUMP PARTS

Fig.	Code	QTY	Name
1	2.4539.620.0	1	pump 22.5 cc - BOSCH
2	0.009.4046.1	1	'o' ring
3	2.1411.012.1	1	circlip 30x1.2
4	0.000.0000.1	0	not serviceable
5	0.000.0000.1	0	not serviceable
6	0.000.0000.1	0	not serviceable
7	2.4529.330.1/10	1	seal ring kit



Section: PARTS



REDUCE AND OLD VALVE

Fig.	Code	QTY	Name
1	0.009.3456.4/80	1	valve body
2	0.012.8814.0	1	slider
3	2.4019.431.1/30	1	spring 6.9x11.3x2.2x64
4	2.1560.010.0	1	gasket 14.2x20
5	2.3110.403.1	1	plug m 14 p.1.5
6	0.008.3365.0/10	1	valve
7	0.008.3371.0	1	spring
8	2.1560.014.0	1	gasket 18.2x24x1.5
9	2.3199.251.2/10	1	plug
10	2.2810.002.0	2	ball mm 6.350
11	2.1560.005.0	2	gasket 10.2x14
12	2.3199.252.2	2	plug m 10 p.1.5
13	2.1560.008.0	1	gasket 12.2x18
14	2.3110.422.1	1	plug m 12 p.1.25x10
15	0.000.0000.1	-	not serviceable

Section: PARTS

REDUCE AND OLD VALVE


Fig.	Code	QTY	Name
1	0.014.4241.4	1	valve body
2	0.013.6733.0	1	slider
3	2.4019.431.1/30	1	spring 6.9x11.3x2.2x64
4	2.1560.012.0	1	gasket 16.2x22
5	2.3110.404.2	1	plug m 16 p.1.5
6	0.008.3365.0/10	1	valve
7	0.008.3371.0	1	spring
8	2.1560.014.0	1	gasket 18.2x24x1.5
9	2.3199.251.2/10	1	plug
10	2.2810.002.0	2	ball mm 6.350
11	2.1560.006.0	2	gasket 10.5
12	2.3199.252.2	2	plug m 10 p.1.5
13	2.1560.008.0	1	gasket 12.2x18
14	2.3110.422.2	1	plug m 12
17	2.1531.016.0	1	'o' ring 8.74x1.78
18	0.000.0000.1	-	not serviceable



0_014_4241_4

Section: PARTS
SOLENOID VALVE

Fig.	Code	QTY	Name
1	2.3729.697.0	1	electro valve 13V - 20W
2	0.010.2831.1	1	coil 13V - 20W




2_3729_697_0

Section: PARTS

WATER COOLER

Fig.	Code	QTY	Name
1	0.013.5652.4/30	1	water cooler
2	0.900.0065.5	1	plug
3	0.000.0000.1	0	not serviceable




0_013_5652_4_30

Section: PARTS

REARVIEW MIRROR


Fig.	Code	QTY	Name
1	0.9234.147.4/10	1	rear view mirror dx
2	0.010.3564.2	1	rod
3	0.9233.183.3	1	rear view mirror

**0.9234.147.4/10**

Section: PARTS

REARVIEW MIRROR

Fig.	Code	QTY	Name
1	0.010.1604.4/40	1	rear view mirror sx
2	0.010.3096.2	1	rod
3	0.9233.183.3	1	rear view mirror




0_010_1604_4_40

Section: PARTS

AIR FILTER

Fig.	Code	QTY	Name
1	2.4249.715.0	1	air filter
2	0.900.0300.7	1	body
3	0.900.0300.8	1	cap
4	0.900.0300.9	1	plate
5	0.900.0301.0	1	air filter element
6	0.900.0301.1	1	air filter element
7	0.900.0301.2	1	tube
8	0.009.4109.0	1	valve
9	0.900.0301.3	1	cover




2_4249_715_0

Section: PARTS

SEAT SPRINGING

Fig.	Code	QTY	Name
1	0.010.5357.4	1	seat springs
2	0.010.2228.0	1	handle
3	0.010.2228.2	1	shoch.absorber
4	0.010.2229.0	1	stopper
5	0.010.2229.1	1	guard
6	0.000.0000.1	0	not serviceable




010_5357_4

Section: PARTS

SEAT SPRINGING

Fig.	Code	QTY	Name
1	0.010.5356.4	1	seat springs
2	0.010.2228.0	1	handle
3	0.010.2228.1	1	accessories
4	0.010.2228.2	1	shoch.absorber
5	0.010.2229.0	1	stopper
6	0.010.2229.1	1	guard
7	0.000.0000.1	0	not serviceable




010_5356_4

Section: PARTS

HEADLAMP COMPONENTS

Fig.	Code	QTY	Name
1	2.8029.770.0/30	1	lamp
2	0.010.2251.0	1	lamp 60/55W - HALOGEN -
3	0.009.4107.0	1	guard




2_8029_770_0_30

Section: PARTS

HEADLAMP COMPONENTS


Fig.	Code	QTY	Name
1	2.8029.760.0/30	1	lamp
2	0.010.2251.0	1	lamp 60/55W - HALOGEN -
3	0.009.4107.0	1	guard



2_8029_760_0_30

Section: PARTS
HEADLAMP COMPONENTS


Fig.	Code	QTY	Name
1	2.8059.523.0	1	lamp sx
2	0.010.3487.0	2	lamp 12V - 21W
3	0.900.0049.6	1	lamp 12V-5W
4	2.8019.860.1	1	glass



2_8059_523_0

Section: PARTS
HEADLAMP COMPONENTS

Fig.	Code	QTY	Name
1	2.8059.524.0	1	lamp dx
2	0.010.3487.0	2	lamp 12V - 21W
3	0.900.0049.6	1	lamp 12V-5W
4	2.8019.860.1	1	glass



2_8059_524_0

Section: PARTS



HEADLAMP COMPONENTS

Fig.	Code	QTY	Name
1	0.009.6758.4/10	1	headlight
2	0.010.2846.0	1	light body
3	0.010.2846.1	1	headlamp reflector
4	0.010.2846.2	1	ring
5	0.010.2847.0	1	support
6	0.010.2847.1	1	cab. terminals
7	0.010.2847.2	1	frame
8	0.010.2848.0	1	support
9	0.010.2848.1	1	lamp 12V-55W-HALOGEN

Section: PARTS
FLASHING LIGHT SUPPORT

Fig.	Code	QTY	Name
1	0.011.7840.4	1	support
2	0.010.3304.0	1	coupling
3	0.009.6650.0	1	cap
4	0.010.3304.2	1	piston pin




0_011_7840_4

Section: PARTS

HEADLAMP COMPONENTS

Fig.	Code	QTY	Name
1	2.8029.240.0/10	1	side lamp
2	2.8313.005.0	1	lamp 12V-5W
3	0.000.0000.1	0	not serviceable




2_8029_240_0_10

Section: PARTS


ELECTRIC REV-HOUR RECORDER TACHOMETER

Fig.	Code	QTY	Name
1	2.8339.073.0	1	multimeter
2	0.010.3604.1	16	lamp 12V - 1W
3	0.900.0387.2	2	lamp 12V - 3W
4	0.900.0386.5	1	instrument holder dx
5	0.900.0386.6	1	instrument holder sx
6	0.900.0386.7	1	level indicator
7	0.900.0386.9	1	multimeter
8	0.900.0386.8	1	tempe guage



2_8339_073_0

Section: PARTS

STARTER PARTS


2_9619_390_0

Fig.	Code	QTY	Name
1	2.9619.390.0	1	starter motor BOSCH 3 KW
11	0.010.3566.1	1	pinion
20	0.010.3566.0	1	support
21	0.010.3566.2	1	lever
24	0.010.3567.0	1	switch
25	0.010.3567.1	3	screw
30	0.010.3567.2	1	armature
35	0.010.3568.0	1	support
38	0.010.3568.1	2	screw
45	0.000.0000.1	-	not serviceable
46	0.000.0000.1	0	not serviceable
48	0.000.0000.1	0	not serviceable
52	2.9619.090.6	1	small plate
53	0.010.3569.0	1	screw
803	0.010.3569.1	1	gear
805	0.010.3569.2	1	brush holder
812	0.010.3570.0	1	accessories

Section: PARTS

ALTERNATOR PARTS

Fig.	Code	QTY	Name
1	2.9439.420.0/10	1	alternator 14V - 65A - ISKRA
2	0.009.4331.1	1	cover
3	0.010.2066.1	1	bearing
4	0.010.2066.2	1	field winding
5	0.010.2231.0	4	screw
6	0.010.2084.0	1	rotor
7	0.010.2067.2	1	bearing
8	0.010.2068.0	1	repair seal set
9	0.009.4881.0	1	rectifier
10	0.010.2068.1	1	cover
11	0.010.2231.1	1	guard
12	0.009.4335.0	1	regulator
13	0.009.4335.1	2	brush set
14	0.000.0000.1	0	not serviceable
15	0.010.2068.2	1	condenser
16	0.009.4331.0	1	rotor blade




2_9439_420_0_10

Section: PARTS

ELECTRICAL SYSTEM


Fig.	Code	QTY	Name
1	0.014.1640.4/20	1	electrical system
2	0.000.0000.1	0	not serviceable
3	0.900.0382.1	1	cover
4	0.010.2087.2	8	fuse 10A
5	0.010.2088.0	2	fuse 15A
6	0.010.2088.1	1	fuse 20A
7	0.010.2088.2	1	fuse 30A
8	0.010.2089.1	1	fuse 40A
9	0.010.2089.2	3	relay 12V - 30A
10	2.7659.101.0	1	relay 12V-40A



Section: PARTS

HEADLAMP COMPONENTS

Fig.	Code	QTY	Name
1	2.8029.300.0	1	headlight
2	2.8210.004.0	1	lamp 12V-35W
3	2.8029.120.1	1	window glass
4	2.8029.120.2	1	gasket
5	0.000.0000.1	0	not serviceable




2_8029_300_0

Section: PARTS

HEADLAMP COMPONENTS

Fig.	Code	QTY	Name
1	2.8019.960.0	1	side lamp sx
2	2.8019.200.1	1	glass
3	2.8313.001.0	1	lamp 12V 21W
4	2.8311.005.0	1	lamp 12V-5W
5	0.000.0000.1	0	not serviceable




2_8019_960_0

Section: PARTS

HEADLAMP COMPONENTS


Fig.	Code	QTY	Name
1	2.8019.970.0	1	side lamp dx
2	2.8019.200.1	1	glass
3	2.8313.001.0	1	lamp 12V 21W
4	2.8311.005.0	1	lamp 12V-5W
5	0.000.0000.1	0	not serviceable



2_8019_970_0

Section: PARTS
ELECTRICAL SYSTEM


Fig.	Code	QTY	Name
1	0.014.1643.4	1	wire
2	0.900.0527.3	1	wire
3	0.900.0527.4	1	wire



0_014_1643_4

Section: PARTS
ELECTRICAL SYSTEM

Fig.	Code	QTY	Name
1	0.014.1644.4	1	wire
2	0.900.0527.0	1	wire
3	0.900.0527.1	1	wire
4	0.900.0527.2	1	wire




0_014_1644_4

Section: PARTS

HYDRAULIC CYLINDER


Fig.	Code	QTY	Name
1	0.98601.10.4/10	-	jack mm 42
2	0.009.4325.2	-	gasket set



0_98601_10_4_10

Section: PARTS
DISTRIBUTOR

Fig.	Code	QTY	Name
1	0.9087.420.4/30	1	distributor
2	0.006.6463.0	1	body
3	0.9087.452.3/10	1	valve
4	2.4019.257.1	1	spring 8.8x25x1.1
5	2.1560.011.0	1	gasket 16.2x20
6	2.3199.062.0	1	plug
7	0.9087.450.0/20	1	stem
8	0.9087.427.0	1	bracket
9	0.9087.456.0	1	washer
10	2.1420.002.0	1	circlip a 8
11	0.9087.455.0	1	ring
12	2.1531.026.0	2	ring 11.11x1.78
13	2.1531.009.0	1	ring 5.28x1.78
14	2.1531.033.0	1	ring 13.11x2.62
15	0.9087.457.0/10	1	valve
16	2.4019.256.1	1	spring 7.8x54x1.4
17	2.1699.155.0	1	pin 5x11.5
18	2.4019.258.1	1	spring 7.8x25.5x0.9
19	2.4019.259.1/10	1	spring 10.3x111.5x1.1
20	2.3199.061.2	1	plug m 10 p.1
21	0.9087.451.0/20	1	small piston
22	2.4019.257.1	1	spring 8.8x25x1.1
23	2.1560.008.0	2	gasket 12.2x18
24	2.3110.422.7	2	plug m 12 p.1.25x10
25	0.009.2171.0	1	small piston
26	0.9107.453.0	1	pin
27	2.4019.306.0	1	spring 9.5x57.3x1.2
28	2.1560.015.0	1	gasket 20.2x24
29	0.9107.454.0	1	plug
30	2.1470.004.2	3	lock washer 8
31	2.0112.225.2	3	screw m 8 p.1.25x80
32	2.0512.101.7	1	grain m 6 p.1x6
33	2.1560.010.0	1	gasket 14.2x20
34	0.9087.464.3	1	valve
35	2.1470.002.2	1	lock washer 6
36	2.0112.021.1	1	screw m 6 p.1x60
37	2.1569.095.0	1	gasket 10.4x14x1.2
38	0.9087.463.3/20	1	screw
39	2.1560.003.0	1	gasket 8.2x12
41	2.1631.307.0	1	roll pin 4x16
42	0.9087.420.3/70	1	distributor
43	2.3110.401.1	3	plug m 10 P.1X8
44	2.1560.005.0	3	gasket 10.2x14
45	2.1890.002.2	4	expansion plug




0_9087_420_4_30

Section: PARTS

HYDRAULIC DISTRIBUTOR-PARTS

Fig.	Code	QTY	Name
1	2.3719.530.0	1	distributor 4 - float
2	0.009.4186.0	1	cap nut m 6
3	0.98282.76.0	1	washer
4	0.009.4460.1	1	register m 6x30
5	0.98281.90.0	1	cup
6	0.009.4460.2	1	plug
7	2.1560.015.0	1	gasket 20.2x24
8	0.9032.081.0	1	washer
9	0.9032.077.0	1	nut m 8
10	0.98282.73.0	1	spacer
11	0.9032.064.0	1	valve seat
12	0.9032.063.0	1	valve seat
13	0.9032.065.0	1	'o' ring
14	0.009.4178.1	1	valve seat
15	2.1530.019.0	1	'o' ring 9.25x1.78
16	0.009.4179.1	1	valve seat
17	0.009.4180.1	1	spring
18	0.000.0000.1	0	not serviceable
19	2.1530.038.0	4	'o' ring 15.54x2.62
20	0.98282.62.0	2	'o' ring
21	0.9032.061.0	2	washer
22	0.9032.058.0	2	shim
23	0.9032.056.0	3	cup
24	0.009.4181.1	1	spring
25	0.009.4186.1	2	shim
26	2.1310.003.2	1	flat washer 7.4x14
27	0.9032.055.0	1	screw m 7x16
28	0.9032.054.0	1	cover
29	2.1470.001.2	4	lock washer 5
30	2.0312.006.1	4	screw m 5 p.0.8x20
31	0.98281.89.0	1	spring
32	0.98281.91.0	1	spacer
33	0.009.4466.0	1	valve seat
34	0.98281.95.0	1	screw m 7x40
35	0.009.4466.1	1	sleeve
36	2.2999.087.0	6	ball 3/16"
37	0.98281.96.0	2	washer
38	0.98281.85.0	1	sleeve
39	0.98281.92.0	1	guide
40	0.98281.88.0	1	spring
41	0.98281.94.0	1	cup
42	0.98282.60.0	1	circlip
43	0.009.4185.1	1	reductions
44	2.2810.009.0	1	ball mm 11.906




2_3719_530_0

Section: PARTS

HYDRAULIC DISTRIBUTOR-PARTS


Fig.	Code	QTY	Name
45	0.009.4462.2	1	shim
46	2.1530.044.0	1	'o' ring 17.17x1.78
47	0.009.4177.1	1	accessories



2_3719_530_0

Section: PARTS
ENGAGEMENT

Fig.	Code	QTY	Name
1	0.98308.50.3/10	1	coupling
2	04438079	1	seal ring kit

**0_98308_50_3_10**

Section: PARTS



HYDRAULIC DISTRIBUTOR-PARTS

Fig.	Code	QTY	Name
1	0.009.2007.4/10	1	distributor
2	0.010.2176.2	2	valve
3	0.900.0391.2	1	slider
4	0.010.3985.0	1	small cap
5	0.900.0391.3	1	slider
6	0.900.0391.4	1	small cap
7	0.900.0391.5	1	slider
8	0.900.0391.6	1	small cap
9	0.010.2178.1	1	valve
10	0.010.3982.2	1	valve
11	0.010.2175.0	3	gasket set
12	0.900.0391.7	2	shim
13	0.900.0391.8	1	plug
14	0.000.0000.1	0	not serviceable

Section: PARTS
TOWING HITCH

Fig.	Code	QTY	Name
1	0.014.1420.3	1	automatic hook 2 cat.-CBM-
2	0.000.0000.1	1	not serviceable
3	0.900.0270.5	1	part set
4	0.900.0270.6	1	part set
5	0.900.0270.7	1	part set
6	0.900.0270.8	1	spring




0_014_1420_3

Section: PARTS

LINKAGE

Fig.	Code	QTY	Name
1	0.014.1405.3	1	rod cat. 2
2	04397651	1	pin
3	0.900.0070.6	1	spring
4	0.900.0070.7	1	roll pin
5	0.900.0070.8	1	roll pin
6	0.900.0070.9	1	roll pin
7	0.000.0000.1	0	not serviceable
8	04397652	1	lever




0_014_1405_3

Section: PARTS

REAR TOWING HITCH CAT: "D"


Fig.	Code	QTY	Name
1	0.011.3676.4	1	tow hook cat. D
2	0.010.2986.0	1	pin
3	0.010.2985.1	1	piston pin
4	0.010.2842.1	4	nut m 18
5	0.010.2842.0	4	screw m 18x80
6	0.010.2996.2	1	clevis



Section: PARTS

REAR TOWING HITCH CAT: "D2"

Fig.	Code	QTY	Name
1	0.011.5643.4	1	clevis cat. D2
2	0.010.2985.0	1	pin
3	0.010.2985.1	1	piston pin
4	0.010.2842.1	4	nut m 18
5	0.010.2842.0	4	screw m 18x80
6	0.010.2995.2	1	clevis



011_5643_4

Section: PARTS

REAR TOWING HITCH CAT: "C"






Fig.	Code	QTY	Name
1	0.011.6470.4	1	tow hook CEE
2	0.010.2997.0	1	chassis frame
3	0.010.2992.0	1	shield
4	0.010.2992.1	1	rod
5	0.010.2835.2	4	screw m 16x40
6	0.010.2836.0	3	screw m 8x45
7	0.010.2992.2	1	spring
8	0.010.2997.1	1	guide dx
9	0.010.2997.2	1	guide sx
10	0.010.2990.0	1	support L = mm 320
11	0.010.2990.1	1	support
12	0.010.2837.2	1	tube
13	0.010.2838.0	2	sleeve
14	0.010.2838.1	1	stop
15	0.010.2838.2	2	spring
16	0.010.2989.1	1	pin 25
17	0.010.2839.1	2	grain m 12x25 PP
18	0.010.2839.2	2	nut m 12
19	0.010.2840.0	2	lubricator m 10
20	0.010.2840.1	2	pin 10x35
21	0.010.2840.2	2	circlip 35
22	0.010.2990.2	1	pin
23	0.010.2991.0	1	clevis
24	0.010.2991.1	1	plate CEE

Section: PARTS

DRAWBAR COUPLING

Fig.	Code	QTY	Name
1	0.011.6470.4/10	1	tow hook CEE
2	0.900.0387.8	1	chassis frame
3	0.900.0387.9	1	chassis frame
4	0.900.0307.0	1	part set
5	0.900.0307.1	1	smau pin
6	0.900.0388.0	1	pin
7	0.000.0000.1	0	not serviceable




0_011_6470_4_10

Section: PARTS

SLIDE mm 320

Fig.	Code	QTY	Name
1	0.014.4485.3	1	plate
2	0.900.0457.1	1	smau pin
3	0.900.0458.5	1	part set
4	0.000.0000.1	0	not serviceable



0_014_4485_3

Section: PARTS

REAR TOWING HITCH CAT: "C"




Fig.	Code	QTY	Name
1	0.011.6480.4/10	1	tow hook CUNA - cat. C
2	0.010.2997.0	1	chassis frame
3	0.010.2992.0	1	shield
4	0.010.2992.1	1	rod
5	0.010.2835.2	4	screw m 16x40
6	0.010.2836.0	3	screw m 8x45
7	0.010.2992.2	1	spring
8	0.010.2997.1	1	guide dx
9	0.010.2997.2	1	guide sx
10	0.010.2993.2	1	support L = mm 320
11	0.000.0000.1	-	not serviceable
12	0.010.2837.2	1	tube
13	0.010.2838.0	2	sleeve
14	0.010.2838.1	1	stop
15	0.010.2838.2	2	spring
16	0.010.2989.1	1	pin 25
17	0.010.2839.1	2	grain m 12x25 PP
18	0.010.2839.2	2	nut m 12
19	0.010.2840.0	2	lubricator m 10
20	0.010.2840.1	2	pin 10x35
21	0.010.2840.2	2	circlip 35
22	0.010.2841.0	1	nut m 8
23	0.010.2836.0	1	screw m 8x45
24	0.010.2994.1	1	clevis
25	0.010.2994.2	1	clevis
26	0.010.2841.2	1	pin cat. C
27	0.010.2995.0	4	screw m 14x70
28	0.010.2995.1	4	nut m 14

Section: PARTS


DRAWBAR COUPLING


Fig.	Code	QTY	Name
1	0.011.3090.4	1	tow hook CRAMER
2	0.000.0000.1	1	not serviceable
3	0.900.0372.8	1	plate
4	0.900.0372.2	1	screw
6	0.900.0077.3	1	clevis mm 38
7	0.000.0000.1	0	not serviceable
8	04432938.4	2	part set
9	04337124	1	pin
10	01137321	1	ring 40x2,5 d471
12	0.010.3587.1	1	cap
14	04432942.4	1	lever
15	0.900.0129.8	1	spacer
17	0.900.0129.9	1	lever
18	01112451	2	screw m10x45 d933
19	01107268	2	spring washer
20	0.900.0296.9	1	head mm 38
21	0.900.0296.8	1	pin mm 38
22	0.900.0296.7	1	sleeve mm 38

0_011_3090_4

Section: PARTS

TRAILER STAND - DRAWBAR COUPLING

Fig.	Code	QTY	Name
1	0.014.4483.3/10	1	chassis frame
2	0.900.0458.6	1	shield
3	0.000.0000.1	0	not serviceable




0_014_4483_3_10

Section: PARTS

DRAWBAR COUPLING mm 38


Fig.	Code	QTY	Name
1	0.014.4449.3/20	1	tow hook
2	0.900.0307.0	1	part set
3	0.900.0307.1	1	smau pin
4	0.900.0307.3	1	head
5	0.900.0307.4	1	pin mm 38
6	0.900.0307.5	1	sleeve
7	0.000.0000.1	0	not serviceable



Section: PARTS


DRAWBAR COUPLING mm 38

Fig.	Code	QTY	Name
1	0.014.4449.3/30	1	tow hook
2	0.900.0525.4	1	part set
3	0.900.0307.1	1	smau pin
4	0.900.0307.3	1	head
5	0.900.0307.4	1	pin mm 38
6	0.900.0307.5	1	sleeve
7	0.000.0000.1	0	not serviceable
8	0.900.0525.3	1	part set



Section: PARTS
VALVE PARTS

Fig.	Code	QTY	Name
1	2.3719.810.0/10	1	valve
2	0.009.4343.2	1	gasket set




2_3719_810_0_10

Section: PARTS

TRAILER BRAKE VALVE

Fig.	Code	QTY	Name
1	2.3719.550.0/40	1	valve
2	0.010.3493.1	1	gasket set
3	0.900.0040.2	1	spring
4	0.900.0040.3	1	small block

**2_3719_550_0_40**