

TECHNICAL DATA SHEET

Finor CWT 3030

CIT/MIT

Product Features:

- ✓ Versatile biocide for use in distemper paints, premium quality exterior and interior paints as well as primers and wall putty.
- ✓ Highly effective biocide for aqueous state production
- ✓ Incan preservative for paints

Specifications:

- ◆ Appearance : Yellow to brown Liquid
- ◆ Nature : Blend of Isothiazolines
- ◆ pH : 2 to 5
- ◆ Specific gravity at 25°C : 1.01 to 1.05
- ◆ Active Content : 1.2 to 1.8

Benefits:

- ◆ Formaldehyde free in-can preservative
- ◆ Can be incorporated as supplied

Applications & treat levels :

- ◆ To obtain good microbial action we recommend dosage of 0.2-0.5 %.
The minimum dosage of Finor CWT 3030 depends largely on the potential of the local environment conditions to contaminate the treated surface. It will also depend on the susceptibility of the coating to fungal and algal growth. Hence concentration may vary

Storage, Packing and Handling:

- ◆ Store away from direct sunlight and high temperature shocks.
- ◆ Non-flammable and non-combustible
- ◆ Available in 50 kgs carbouys

Finor Piplaj Chemicals Limited

EL-71 Mahape MIDC,
Navi Mumbai 400 710
INDIA.

T : (+91 22) 3921 3000
F : (+91 22) 2768 1294
E : info@finorpiplaj.com
W: www.finorpiplaj.com



- ◆ Products are generally safe for handling. However avoid contact with skin and eyes. Do not take internally. Gloves and Goggles should always be used while handling the product.

All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, express warranty or implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which seller assumes legal responsibility, and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.