

Permian Diesel (S)
27.476% THC



Argon Labs NM
1412 Broadway Boulevard, NE
Albuquerque, NM 87102

505.242.4210
Total: 766 Argon Labs NM
Lab # CCL-2022-1137-0001

REGULATORY COMPLIANCE TESTING
CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: ● **Pass**

DATE ISSUED: 03/15/2024

32.367% Total
Cannabinoids



SAMPLE NAME: Permian Diesel

Matrix: Plant | Type: Flower - Cured

CULTIVATOR/MANUFACTURER

Business Name: EotaPharm, LLC.

License: CCD-2022-0211

Address: 3424 Vassar NE, Albuquerque, NM
87107

Date Collected: 03/06/2024

Date Received: 03/06/2024


Batch Size:

Sample Size: 5 g

SAMPLE DETAIL

Batch Number: 7233 9715 0108 8165

Sample ID: 24ARG0322.006



Scan QR code to verify authenticity
of results.

Cannabinoids Test Results

Complete

27.476%		ND		32.367%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Result	Result	
THCa	0.06	0.19	%	mg/g	
Δ9-THC	0.06	0.19	29.967	299.67	
Δ8-THC	0.06	0.19	1.195	11.95	
THCV	0.06	0.19	ND	ND	
CBDa	0.10	0.30	ND	ND	
CBD	0.08	0.24	ND	ND	
CBDV	0.06	0.19	ND	ND	
CBN	0.06	0.19	ND	ND	
CBGa	0.06	0.19	12.06	12.06	
CBG	0.06	0.19	ND	ND	
CBC	0.06	0.19	ND	ND	
Total THC			27.476	274.760	
Total CBD			ND	ND	
Total			32.367	323.67	

Date Tested: 03/12/2024

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

HPLC CDD: Method:509 ID: ABQ CN 04

9.6%
Complete
Moisture Content

NT
Not Tested
Water Activity

Pass
Visual Inspection



Hiram Cueto

Hiram Cueto
Laboratory Director
03/15/2024

Confident LIM5
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.



Argon Labs NM
1412 Broadway Boulevard NE
Albuquerque, NM 87102

2 of 4


5012042-4201
https://www.argonlabsnm.com
Lab# CCL 2024 TRP 0001

REGULATORY COMPLIANCE TESTING
CERTIFICATE OF ANALYSIS
OVERALL BATCH RESULTS: ● **Pass**
DATE ISSUED: 03/15/2024

Terpenes Test Results

Analyte	LOQ	Result	Result
		%	mg/g
α-Bisabolol	0.01	ND	ND
α-Humulene	0.01	0.09	0.9
α-Pinene	0.01	0.06	0.6
α-Terpinene	0.01	ND	ND
α-Terpineol	0.01	ND	ND
β-Caryophyllene	0.01	0.37	3.7
β-Myrcene	0.01	0.11	1.1
β-Pinene	0.01	0.07	0.7
Camphene	0.01	0.01	0.1
Citral	0.01	NR	NR
δ-3-Carene	0.01	ND	ND
δ-Limonene	0.01	0.61	6.1
Eugenol	0.01	NR	NR
γ-Terpinene	0.01	ND	ND
Geraniol	0.01	ND	ND
Guaiol	0.01	ND	ND
Isopulegol	0.01	ND	ND
Linalool	0.01	0.04	0.4
Nerolidol	0.01	ND	ND
Ocimene	0.01	0.02	0.2
p-Isopropyltoluene	0.01	ND	ND
Pulegol	0.01	NR	NR
p-Cymene	0.01	ND	ND
Sabinene	0.01	NR	NR
Terpinolene	0.01	ND	ND
Total		1.36	13.6

Headspace GC-FID; Method: SOP ID: ABQ TRP-07



Hiram Cueto

Hiram Cueto
Laboratory Director
03/15/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.



Argon Labs NM
1412 Broadway Boulevard, NE
Albuquerque, NM 87102

3 of 4

(505) 243-0200
Email: sales@argonlabsnm.com
Lab ID: 2022-7537-0001

REGULATORY COMPLIANCE TESTING
CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS:  **Pass**

DATE ISSUED: 03/15/2024

Microbials Test Results

Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus	Detected in 1g	Absent	Pass
Aspergillus fumigatus	Detected in 1g	Absent	Pass
Aspergillus niger	Detected in 1g	Absent	Pass
Aspergillus terreus	Detected in 1g	Absent	Pass
Salmonella SPP	Detected in 1g	Absent	Pass
Shiga Toxin E. Coli	Detected in 1g	Absent	Pass


PCR + Fluorescence Detection : Method SOP ID: ABQ-MIC-07

VISUAL INSPECTION

Analyte	Limit	Result	Status
Total Sample Area Covered By Sand, Soil Or Dirt	≤2%/gram	Not Detected	Pass
Insect Fragment Count	< 1/gram	Not Detected	Pass
Mammalia Excreta Count	≤1/gram	Not Detected	Pass
Total Sample Area Covered By Mold	≤2%/gram	Not Detected	Pass
Hair Count	< 1/gram	Not Detected	Pass

Date Tested: 03/06/2024

Microscopic Inspection Method: SOP ID: ABQ-VI-01



Hiram Cueto

Hiram Cueto
Laboratory Director
03/15/2024

Confident LIMS
All Rights Reserved
coi.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.



Argon Labs NM
1412 Broadway Boulevard, NE
Albuquerque, NM 87102

4 of 4

505.242.4200
<http://www.argonlabsnm.com>
LAB-001-2022-1557-2000

REGULATORY COMPLIANCE TESTING
CERTIFICATE OF ANALYSIS
OVERALL BATCH RESULTS:  **Pass**
DATE ISSUED: 03/15/2024

Pesticides Test Results

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.100	0.100	ND	Pass
Acequinocyl	0.100	2.500	ND	Pass
Bifenazate	0.100	0.200	ND	Pass
Bifenthrin	0.100	0.100	ND	Pass
Etoxazole	0.100	0.100	ND	Pass
Imazalil	0.100	0.100	ND	Pass
Imidacloprid	0.100	0.100	ND	Pass
Myclobutanil	0.100	0.100	ND	Pass
Paclobutrazol	0.040	0.040	ND	Pass
Piperonyl Butoxide	0.100	2.500	ND	Pass
Pyrethrins	0.500	0.500	ND	Pass
Spinosad	0.100	0.100	ND	Pass
Spiromesifen	0.100	0.100	ND	Pass
Spirotetramat	0.100	0.100	ND	Pass
Trifloxystrobin	0.120	0.120	ND	Pass

UHPLC/LCMSMS Method: SOP ID: ABQ-PST-08



Hiram Cueto

Hiram Cueto
Laboratory Director
03/15/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.