



Argon Labs NM
1412 Broadway Boulevard NE
Albuquerque, NM 87102

505.242.4200
info@argonlabs.com
CCD-2022-0211

Skywalker Haze (S)
26.771% THC
REGULATORY COMPLIANCE TESTING
CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: ● **Pass**

1 of 4

DATE ISSUED: 03/15/2024

SAMPLE NAME: Skywalker Haze

Matrix: Plant | Type: Flower - Cured

CULTIVATOR/MANUFACTURER

Business Name: BotaPharm LLC

License: CCD-2022-0211

Address: 3424 Vassar NE, Albuquerque, NM 87107

Date Collected: 03/06/2024

Date Received: 03/06/2024

Batch Size:

Sample Size: 5 g

31.788% Total
Cannabinoids



SAMPLE DETAIL

Batch Number: 3993 6185 2641 4577

Sample ID: 24ARG0322-003



Scan QR code to verify authenticity of results.

Cannabinoids Test Results

Complete

26.771%	ND	31.788%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	UPL	Result	Result
	mg/L	mg/L	%	mg/g
THCa	0.19	0.19	26.793	267.93
Δ9-THC	0.19	0.19	1.520	15.20
Δ8-THC	0.19	0.19	ND	ND
THCV	0.19	0.19	ND	ND
CBDa	0.19	0.19	ND	ND
CBD	0.19	0.19	ND	ND
CBDV	0.19	0.19	ND	ND
CBN	0.19	0.19	ND	ND
CBGa	0.19	0.19	1.475	14.75
CBG	0.19	0.19	ND	ND
CBC	0.19	0.19	ND	ND
Total THC			26.771	267.710
Total CBD			ND	ND
Total			31.788	317.88

Date Tested: 03/12/2024

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
HPLC DAD - Method: 509 ID ABQ-CN 04

10.5% Complete Moisture Content	NT Not Tested Water Activity	Pass Visual Inspection
--	---	----------------------------------



Hiram Cueto










Hiram Cueto
Laboratory Director
03/15/2024

Confident LIMS
All Rights Reserved
cca.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs using valid testing methodologies and quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.

Terpenes Test Results

Analyte	LOQ	Result	Result
	µg/g	%	mg/g
α-Bisabolol	0.1	ND	ND
α-Humulene	0.05	0.09	0.9 
α-Pinene	0.05	0.08	0.8 
α-Terpinene	0.1	ND	ND
α-Terpineol	0.1	ND	ND
β-Caryophyllene	0.05	0.30	3.0 
β-Myrcene	0.05	0.14	1.4 
β-Pinene	0.05	0.09	0.9 
Camphene	0.1	0.01	0.1 
Citral	0.1	NR	NR
δ-3-Carene	0.05	ND	ND
δ-Limonene	0.05	0.58	5.8 
Eugenol	0.05	NR	NR
γ-Terpinene	0.05	ND	ND
Geraniol	0.1	ND	ND
Guaiol	0.05	ND	ND
Isopulegol	0.05	ND	ND
Linalool	0.05	0.04	0.4 
Nerolidol	0.05	ND	ND
Cimene	0.05	0.11	1.1 
p-Isopropyltoluene	0.05	ND	ND
Pulegol	0.05	NR	NR
p-Cymene	0.05	ND	ND
Sabinene	0.05	NR	NR
Terpinolene	0.05	ND	ND
Total		1.44	14.4

Headspace GC-FID, Method: SOP ID: ABC TRP 07



Hiram Cueto

Hiram Cueto
 Laboratory Director
 03/15/2024

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.



Argon Labs NM
1412 30 Avenue, Box 1000, NE
Albuquerque, NM 87102

MO: 202-4200
Email: info@argonlabsnm.com
Web: www.argonlabsnm.com

REGULATORY COMPLIANCE TESTING
CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: ● **Pass**

DATE ISSUED: 03/15/2024

3 of 4

Microbials Test Results

Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus	Detected in 1g	Absent	Pass
Aspergillus fumigatus	Detected in 1g	Absent	Pass
Aspergillus niger	Detected in 1g	Absent	Pass
Aspergillus terreus	Detected in 1g	Absent	Pass
Salmonella SPP	Detected in 1g	Absent	Pass
Shiga Toxin E. Coli	Detected in 1g	Absent	Pass


PCR + Fluorescence Detection - Method SOP ID: ABQ-MIC-07

VISUAL INSPECTION

Analyte	Limit	Result	Status
Total Sample Area Covered By Sand, Soil Or Dirt	≤2%/gram	Not Detected	Pass
Insect Fragment Count	< 1/gram	Not Detected	Pass
Mammalia Excreta Count	≤1/gram	Not Detected	Pass
Total Sample Area Covered By Mold	≤2%/gram	Not Detected	Pass
Hair Count	< 1/gram	Not Detected	Pass

Date Tested: 03/06/2024

Microscopic Inspection Method: SOP ID: ABQ-VI-01



Hiram Cueto

Hiram Cueto
Laboratory Director
03/15/2024

Confident LIMS
All Rights Reserved
csa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.



Argon Labs NM
 1412 Broadway Boulevard NE
 Albuquerque, NM 87102

505.242.4200
 505.242.4200
 www.confidentlms.com
 LMS-001-2022-1857-0001

REGULATORY COMPLIANCE TESTING
CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: ● **Pass**

DATE ISSUED: 03/15/2024


4 of 4

Pesticides Test Results

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.100	0.100	ND	Pass
Acequinocyl	0.500	2.500	ND	Pass
Bifenazate	0.100	0.200	ND	Pass
Bifenthrin	0.100	0.100	ND	Pass
Etoxazole	0.500	0.100	ND	Pass
Imazalil	0.500	0.100	ND	Pass
Imidacloprid	0.100	0.100	ND	Pass
Myclobutanil	0.100	0.100	ND	Pass
Paclobutrazol	0.040	0.040	ND	Pass
Piperonyl Butoxide	0.500	2.500	ND	Pass
Pyrethrins	0.500	0.500	ND	Pass
Spinosad	0.500	0.100	ND	Pass
Spiromesifen	0.500	0.100	ND	Pass
Spirotetramat	0.500	0.100	ND	Pass
Trifloxystrobin	0.120	0.120	ND	Pass

UPLC/LCMSMS Method: 50/91/01 ABQ PST-08



Hiram Cueto

Hiram Cueto
 Laboratory Director
 03/15/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlms.com
 (866) 506-5866
 www.confidentlms.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.