


Design Requirements: Windows and Patio/Deck Sliding Glass Door

Approved replacement windows and patio/deck sliding glass doors must conform with Pella Window and Patio Door 250 series.

Windows must be white, double-hung and without grilles. Patio/Deck sliding glass doors and large windows must be white and without grilles. Tinted windows and/or sliding glass doors are not allowed.



Pella 250 Series, Double Hung, 34.75 X 34.75, White


1: Non-Standard Size Non-Standard Size Double Hung, Equal
Frame Size: 34 3/4 X 34 3/4
General Information: Standard, Vinyl, Block, Foam Insulated, 3 1/4", 3 1/4", Sill Adapter Included, Head Expander Included
Exterior Color / Finish: White
Interior Color / Finish: White
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware
Screen: Full Screen, Conventional Fiberglass
Performance Information: U-Factor 0.27, SHGC 0.28, VLT 0.53, CPD PEL-N-211-00072-00001, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08/11, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille
Wrapping Information: Pella Recommended Clearance, Perimeter Length = 139".

INSTALL230 - Install C - Up to 78 UI Install

Qty 1

READYTRIMPF1 - Custom Int Trim/Prefinished - per foot. RTKD

Qty 12



Pella 250 Series, Double Hung, 43.75 X 58.75, White

1: Non-Standard Size Non-Standard Size Double Hung, Equal
Frame Size: 43 3/4 X 58 3/4
General Information: Standard, Vinyl, Block, Foam Insulated, 3 1/4", 3 1/4", Sill Adapter Included, Head Expander Included
Exterior Color / Finish: White
Interior Color / Finish: White
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware
Screen: Full Screen, Conventional Fiberglass
Performance Information: U-Factor 0.27, SHGC 0.28, VLT 0.53, CPD PEL-N-211-00072-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08/11, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille
Wrapping Information: Pella Recommended Clearance, Perimeter Length = 205".

INSTALL240 - Install D - 79 - 103 UI Install

Qty 1

READYTRIMPF1 - Custom Int Trim/Prefinished - per foot. RTKD

Qty 18



Pella 250 Series, Direct Set Fixed Frame Rectangle, Double Sliding Door, 107.5 X 81.5, White

1: Non-Standard Size Fixed Frame Direct Set
Frame Size: 35 1/2 X 81 1/2
General Information: Standard, Vinyl, Block, No Foam Insulated, 3 1/4", 3 1/4", Sill Adapter Included, Head Expander Included
Exterior Color / Finish: White
Interior Color / Finish: White
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.26, SHGC 0.31, VLT 0.59, CPD PEL-N-209-00049-00004, Performance Class CW, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08/11
Grille: No Grille
Vertical Mull 1: Aligned With, 0.5"
2: 7282 Vent Right / Fixed Double Sliding Door
Frame Size: 71 1/2 X 81 1/2
General Information: Factory Assembled, Standard, Vinyl, Block, Foam Insulated, 5", 5", No Sill Pan
Exterior Color / Finish: White
Interior Color / Finish: White
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: White, Keylock Included, White, White, Steel
Screen: Sliding Screen, White, Premium, InView™
Unit Accessories: No Accessory Option
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.52, CPD PEL-N-251-00047-00001, Performance Class R, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40
Grille: No Grille
Wrapping Information: Pella Recommended Clearance, Perimeter Length = 378".

COMMINST099 - Commercial Install Pricing


Qty 1

NCINADD020 - Structural field mull and set/sq foot

Qty 62

READYTRIMPF1 - Custom Int Trim/Prefinished - per foot. RTKD

Qty 46



Pella 250 Series, Direct Set Fixed Frame, 46.5 X 58.75, White

1: Non-Standard SizeNon-Standard Size Fixed Frame Direct Set

Frame Size: 46 1/2 X 58 3/4

General Information: Standard, Vinyl, Block, No Foam Insulated, 3 1/4", 3 1/4", Sill Adapter Included, Head Expander Included

Exterior Color / Finish: White

Interior Color / Finish: White

Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Performance Information: U-Factor 0.26, SHGC 0.31, VLT 0.59, CPD PEL-N-209-00049-00004, Performance Class CW, PG 50, Calculated Positive DP

Rating 50, Calculated Negative DP Rating 50, Year Rated 08/11

Grille: No Grille.

Wrapping Information: Pella Recommended Clearance, Perimeter Length = 211".

INSTALL240 - Install D - 79 - 103 UI Install

READYTRIMPF1 - Custom Int Trim/Prefinished - per foot. RTKD

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Pella® 250 Series VINYL

Exceptional vinyl performance and style.



Dual- and Triple-Pane Products, \$\$\$

Stronger window frames.



Offering a higher quality look and **52% stronger window**

frames than ordinary vinyl.¹

Available with Pella's exclusive weather repel system.

Exceptionally energy efficient.



Upgraded triple-pane glass windows are on average **62% more energy efficient than single-pane windows.²**

Add foam insulation for increased energy performance.

Enhanced security and privacy.



Get additional peace of mind with optional AutoLock window hardware and

innovative, integrated flush footbolt and blinds-between-the-glass on patio doors.

Colors & Finishes PELLA® 250 SERIES

FRAME COLORS

Create a signature look with solid-color and dual-color frames. Dual-color frames allow you to choose a different color for the exterior with a White interior.

SOLID-COLOR:

WHITE

Screens³

FLAT

Durable and functional, conventional fiberglass screens are available on all venting vinyl windows.

SLIDING PATIO DOOR SCREEN

InView™ high-transparency screens come standard and provide a clearer view than conventional fiberglass screens. Sliding patio door screens are color-matched to exterior frames.



Glass PELLA® 250 SERIES

INSULSHIELD® LOW-E GLASS

Advanced Low-E insulating dual- or triple-pane glass with argon.
NaturalSun Low-E insulating dual- or triple-pane glass with argon.
SunDefense™ Low-E insulating dual-pane glass with argon.

ADDITIONAL GLASS OPTIONS

High-altitude InsulShield® Low-E insulating glass.
Tempered glass.



Pella 250 Series double-hung window

SLIDING

Window Hardware PELLA® 250 SERIES

SLIDING, SINGLE- & DOUBLE-HUNG

Pella's cam-action locks pull the sashes against the weatherstripping for a tighter seal. Optional AutoLock hardware automatically locks the window when it's shut, simply close the sash and confirm it latches.



CAM ACTION LOCK

COLOR-MATCHED FINISHES

WHITE

INTEGRATED TASH LIFT

Make raising and lowering single- and double-hung window sashes easy with a standard, integrated sash lift.



WINDOW INTEGRATED SASH LIFT

COLOR-MATCHED FINISHES

WHITE

WINDOW LIMITED OPENING DEVICES

A vent stop can be engaged or disengaged manually and remains loose for the better seal of a double-hung window can open. A window opening control device (WOCOD) complies with a safety standard and allows for ventilation, emergency escape and rescue when released. A WOCOD automatically limits the sash opening to less than four inches, unless it is intentionally disengaged, enabling the sash to fully open.



VENT STOP



WINDOW OPENING CONTROL DEVICE

COLOR-MATCHED FINISHES

WHITE

Patio Door Hardware

SLIDING PATIO DOOR HANDLE

Match your door's interior and exterior color with a color-matched, corrosion-resistant handle, or choose to upgrade the interior finish to add a touch of style.



SLIDING PATIO DOOR HANDLE
Interior finish of choice
Weatherstripping

COLOR-MATCHED FINISHES

WHITE

INTEGRATED FLUSH FOOTBOLT

Pella 250 Series sliding patio door with optional footbolt is our most secure vinyl patio door. The patent-pending footbolt is flush with the frame, providing secondary sealing and locking abilities without compromising beauty.



COLOR-MATCHED FINISHES

WHITE

Want to learn more? Call us at 833-44-PELLA or visit pella.com



The confidence of Pella's warranty.

Pella's products are backed by some of the strongest warranties in the business. See written limited warranty for details, including exceptions and limitations, at pella.com/warranty.




Connect with Pella:





DOORVISIONS



Product Summary

Model 2250

Size

Width: 9' 0" X Height: 7' 0"

Products

Timeless Collection : Raised Panel

Design

Short Panel

Thermal Requirements / Construction

R-N/A / 2" Standard Or Heavy Duty 1-Sided Steel No Insulation

Color

Solid Colors : White

Windows

Position : NO WINDOWS

Please Note: These woodtones, colors, and door panels are to be used as an indication only. Some sizes not available in all models and configurations. Refer to your local C.H.I. Dealer for the exact look of your garage door and availability.