

PATIENT HEALTH QUESTIONNAIRE-9 (PHQ-9)

Over the last 2 weeks, how often have you been bothered by any of the following problems?
(Use "✓" to indicate your answer)

	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
6. Feeling bad about yourself — or that you are a failure or have let yourself or your family down	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed? Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you would be better off dead or of hurting yourself in some way	0	1	2	3

FOR OFFICE CODING 0 + _____ + _____ + _____
=Total Score: _____

If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all

Somewhat difficult

Very difficult

Extremely difficult

GAD-7 Anxiety

Over the <u>last two weeks</u> , how often have you been bothered by the following problems?	Not at all	Several days	More than half the days	Nearly every day
1. Feeling nervous, anxious, or on edge	0	1	2	3
2. Not being able to stop or control worrying	0	1	2	3
3. Worrying too much about different things	0	1	2	3
4. Trouble relaxing	0	1	2	3
5. Being so restless that it is hard to sit still	0	1	2	3
6. Becoming easily annoyed or irritable	0	1	2	3
7. Feeling afraid, as if something awful might happen	0	1	2	3

Column totals _____ + _____ + _____ + _____ =
Total score _____

If you checked any problems, how difficult have they made it for you to do your work, take care of things at home, or get along with other people?			
Not difficult at all	Somewhat difficult	Very difficult	Extremely difficult
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Source: Primary Care Evaluation of Mental Disorders Patient Health Questionnaire (PRIME-MD-PHQ). The PHQ was developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke, and colleagues. For research information, contact Dr. Spitzer at ris8@columbia.edu. PRIME-MD® is a trademark of Pfizer Inc. Copyright© 1999 Pfizer Inc. All rights reserved. Reproduced with permission

Scoring GAD-7 Anxiety Severity

This is calculated by assigning scores of 0, 1, 2, and 3 to the response categories, respectively, of "not at all," "several days," "more than half the days," and "nearly every day." GAD-7 total score for the seven items ranges from 0 to 21.

- 0-4: minimal anxiety
- 5-9: mild anxiety
- 10-14: moderate anxiety
- 15-21: severe anxiety

Name: _____ Date: _____

Instructions: Check [✓] the answer that best applies to you.

Please answer each question as best you can.

	Yes	No
1. Has there ever been a period of time when you were not your usual self and...		
...you felt so good or so hyper that other people thought you were not your normal self or you were so hyper that you got into trouble?	<input type="radio"/>	<input type="radio"/>
...you were so irritable that you shouted at people or started fights or arguments?	<input type="radio"/>	<input type="radio"/>
...you felt much more self-confident than usual?	<input type="radio"/>	<input type="radio"/>
...you got much less sleep than usual and found you didn't really miss it?	<input type="radio"/>	<input type="radio"/>
...you were much more talkative or spoke faster than usual?	<input type="radio"/>	<input type="radio"/>
...thoughts raced through your head or you couldn't slow your mind down?	<input type="radio"/>	<input type="radio"/>
...you were so easily distracted by things around you that you had trouble concentrating or staying on track?	<input type="radio"/>	<input type="radio"/>
...you had much more energy than usual?	<input type="radio"/>	<input type="radio"/>
...you were much more active or did many more things than usual?	<input type="radio"/>	<input type="radio"/>
...you were much more social or outgoing than usual, for example, you telephoned friends in the middle of the night?	<input type="radio"/>	<input type="radio"/>
...you were much more interested in sex than usual?	<input type="radio"/>	<input type="radio"/>
...you did things that were unusual for you or that other people might have thought were excessive, foolish, or risky?	<input type="radio"/>	<input type="radio"/>
...spending money got you or your family in trouble?	<input type="radio"/>	<input type="radio"/>
2. If you checked YES to more than one of the above, have several of these ever happened during the same period of time? <i>Please check 1 response only.</i>	<input type="radio"/>	<input type="radio"/>
3. How much of a problem did any of these cause you — like being able to work; having family, money, or legal troubles; getting into arguments or fights? <i>Please check 1 response only.</i>		
<input type="radio"/> No problem <input type="radio"/> Minor problem <input type="radio"/> Moderate problem <input type="radio"/> Serious problem		
4. Have any of your blood relatives (ie, children, siblings, parents, grandparents, aunts, uncles) had manic-depressive illness or bipolar disorder?	<input type="radio"/>	<input type="radio"/>
5. Has a health professional ever told you that you have manic-depressive illness or bipolar disorder?	<input type="radio"/>	<input type="radio"/>

This questionnaire should be used as a starting point. It is not a substitute for a full medical evaluation. Bipolar disorder is a complex illness, and **an accurate, thorough diagnosis can only be made through a personal evaluation by your doctor.**

Adapted from Hirschfeld R, Williams J, Spitzer RL, et al. Development and validation of a screening instrument for bipolar spectrum disorder: the Mood Disorder Questionnaire. *Am J Psychiatry*. 2000;157:1873-1875.