

Specialty Rollers For Discerning Professionals

2021 Retail Price List

* Roller Complete Assemblies & Component Parts * * Roller Rebuild Instructions *

Offering Superior & Unique Rollers to Upgrade Golf & Turf Reel Mowers, Rotary Deck Mowers & Greens Rolling Machines

Including:

Toro, Jacobsen, John Deere, Ransomes, Hustler/Shibaura, Ventrac, Tru-Turf, National, Kesmac

Baroness, Dennis, SISIS, Progressive Turf, Steiner, Brouwer, Bunton & more.

Offering special pricing on upgrade smoothing rollers for Tru-Turf golf greens rolling machines



GOLFCO INTERNATIONAL

Martin Doyle, President martin@golfcointl.com 425-213-3721 cell




Manufactured In Redmond, WA

Table of Contents

Photos: Yellow Polyurethane cast over Heavy Duty Steel Rollers™	page 3
Photos: Heavy Duty Steel Competition Rollers™	page 4
Reel Overlap Shadowing Solution	page 5
Summary of Roller Lines and Options	page 6
Summary of Special Features	page 7
Competition Roller Prices for:	
Jacobsen Greens Mowers	page 8
Jacobsen Light Fairway Mowers	page 9
Jacobsen Surrounds and Rotary Deck Mowers	page 10
John Deere Greens Mowers	page 11
John Deere Light Fairway Mowers	page 12
John Deere Surrounds and Fairway Mowers	page 13
John Deere Rotary Deck Mowers	page 14
Toro Greens Mowers	page 15
Toro Light Fairway Mowers	page 16
Toro Surrounds and Fairway Mowers	page 17
Toro Rotary Deck Mowers	page 18
Ransomes Greens, Surrounds, Fairway & Rough Mowers	page 19
Tru-Turf, SISIS, Dennis, Shibaura & Hustler, Baroness	page 20
Ventrac, National, Bunton, Kesmac	page 21
Upgrade Options, Overhaul Kits, Shafts, Water Pump Bearings	page 22
Rebuild Instructions	page 23

Yellow Polyurethane cast over Heavy Duty Steel Rollers™



2" dia. Grooved polyurethane & steel (.67" centers) Part # ends in 2CGH US Patent #5394681 Grooved polyurethane &

2.5" dia. steel (1" centers) Part # ends in 25CG US Patent #5394681

4 section Grooved polyurethane & steel (1" 2.5" dia. centers) Part # ends in 25CG4 US

3" dia. steel (1" centers) Part # ends in 3CG US Patent #5394681

Smooth polyurethane & 2" dia. steel Part # ends in 2C

4 section Smooth 2" dia. polyurethane & steel Part # ends in 2C4

4 section Smooth 2.5" dia. polyurethane & steel Part # ends in 25C4

Smooth polyurethane & 3" dia. steel Part # ends in 3C

Smooth polyurethane & 3.5" dia. steel Part # ends in 7C

Smooth polyurethane & 4" dia. steel Part # ends in 4C


Smooth polyurethane & 3" dia. steel with 2 bodies Part # ends in 3Ct

Smooth polyurethane & 5" dia. steel with 2 bodies Part # ends in 5Ct

Smooth & Grooved polyurethane & steel 5" dia. Smooth Part # ends in 5C; Grooved Part # ends in 5CG

3" dia. Competition Roller™ Smooth polyurethane & steel with cut-away body section. Part #Z0604A3Cc Heavy Duty Steel Competition Rollers™

COMPETITION ROLLERS™ 2021




10/5/20 Page 4

rollers*

PROBLEM: REEL OVERLAP SHADOWING

SOLUTION: GOLFCO 3 SECTION MIXED SURFACE ROLLER



Multi-head mowers are designed with overlap positioning of the forward and rear reels causing double cutting of the turf that is typically visible as 2"-3" wide shadowing pathways or lines.


Golfco has developed an effective solution to this "double cut" shadowing as follows:

★ We created a special front roller assembly for the rear mower heads. This roller assembly has three design sections on the body as follows: a grooved roller center section combined with short width smooth surface sections on each end. The smooth roller sections are aligned with the overlap of the forward and rear reels and function to lay down the grass just prior to the cut of the rear reel. This significantly minimizes the cut from the rear reel at the overlap end position, thereby eliminating or greatly reducing the shadowing lines inherent in the "double cut".

The multi-section roller aids in diminishing scuffing or sliding of the roller during turns. We have made this roller using our popular ultra tough polyurethane cast over a heavy duty steel roller base and our Competition Roller sealed bearing assembly for optimal life and utility.

We recommend use of our special multi-section front roller assembly in combination with our shortened rear roller. For optimal benefit, use our Competition polyurethane rollers on the forward mower heads. These roller assemblies are available to fit any fairway mower in complete sets or as individual rollers.

This product was initially tested at PGA National Golf Resort, Florida (home of the Honda Classic), in conjunction with the professional care of John Patterson using John Deere 8700D fairway mowers.



Golfco makes rollers as significant upgrades to golf course reel and rotary deck mowers as follows:

Toro, Jacobsen, John Deere, Shibaura, Hustler, Ventrac (as listed here)

Ransomes, National, Bunton, Kesmac, Progressive Turf, Steiner, Brouwer, Baroness & more (call for details)

Also offering smoothing rollers for True-Turf golf greens rollers - Amazing Pricing Available.

We can make almost any roller including rollers for aeration equipment. Many other diameters and models available

ROLLER LINES and OPTIONS:

Competition Rollers™ (Full length shafts and sealed bearings) *ORIGINAL* -Roller of choice for discerning professionals

- ★ Golfco has been making heavy duty, precision rollers exclusively for the golf & turf industry for 22 years. Our Competition Rollers™ were designed to accommodate almost any option of diameter, length and body style for any reel type and rotary deck mower used by golf courses and other discerning turf care professionals.
- ★ All of our Competition Rollers™ are made of heavy duty, precision steel tubing. We also produce polyurethane rollers. Polyurethane cast and bonded to steel provides exceptional high performance benefits unmatched by other materials. Polyurethane is a highly engineered elastomer similar to rubber but with far superior physical characteristics. <u>Our cast</u> polyurethane Competition Rollers™ provide exceptional wearability with abrasion resistance, toughness and shock absorbancy <u>unmatched by other material choices</u>. Your mowers will also benefit from the cushioning effect of polyurethane in rough, abusive environments.
- Polyurethane is exceptional at resisting debris buildup. It has no surface micro-pores (unlike metals). It resists absorption and adsorption of liquids and solids. Further, by resisting adherence of contaminants, our polyurethane rollers reduce the likelihood of contributing to transportation or transmigration of harmful microorganisms and diseases.
- + Polyurethane is resistant to extremes in temperature. It will not get hot to the touch in sunny applications like metal and therefor will not sear or stress your turf. Also, it reflects cold and is resistant to frost.
- ★ Competition Rollers™ incorporate a unique bearing, seal and shaft design that can be used in any application. All Competition Rollers™ utilize full length shafts and a bearing retainer system that is precise and reliable.
- ★ No regreasing required the sealed single row ball bearings allow for ease of maintenance. The bearings are filled with a superior quality "EP" (extreme pressure) grease. We have added proprietary, unique additional seals for enhanced protection against the elements and for retaining grease within the housing to prevent leakage. A sealed bearing configuration that actually holds up to the toughest applications.
- * Each roller is rebuildable quickly and affordably the proven success of Golfco's sealed bearing design is taken to the next level.
- * Stainless steel bearings are available as an upgrade upon request.
- An optional flush-mount grease fitting can be added that is fully protected against breakage within our proprietary exterior seal. This unique option allows for regreasing of the bearings at discretionary, customized intervals. Since the bearings remain sealed, you can regrease as often or little as you desire.
- Our patented grooved rollers have soft large radius corners to protect the turf and provide steerability. No solid debris will ever lodge between the grooves of our polyurethane rollers. (US Patent 5394681)
- *** New sectional rollers with multiple independent roller bodies on a single shaft now available. An advantage for tight turn conditions or to avoid skid marks on cleanup pass with greens mowers.

Competition2 Rollers™ (with full length shafts and larger double row bearings)

NEW OPTION -If you have the toughest application on the planet

Golfco offers a significant enhancement to our proven line of Competition Rollers™. Competition2 Rollers™ are upgraded to stainless steel double row sealed ball bearings.

- these heavy duty bearings have significantly higher load bearing capacity
- double row bearing sets have more than twice the lateral thrust capacity of tapered roller bearings
- these bearings have up to 2X the mass of the ones that we used successfully for over 20 years
- double row ball bearings require no adjustments or preloading no nuts or threaded shafts
- (Please call to inquire about these Competition2 Rollers™ available for many applications)

(Competition2 Rollers[™] have a "2" in front of the part #)

Pro Roller™ line (Enhanced Golfco designs with water pump style bearings)

Precision machined rollers with simple replaceable water pump style bearings (with integral shafts). Most Pro rollers are machined grooved or smooth from one piece solid steel or aluminum bar. All light steel tubing roller bodies and bearing hubs are TIG welded full circumference to last longer.

Standard Roller[™] line (Comparable to OEM style)

Golfco offers certain roller options that are visually similar to OEM style rollers. These rollers are produced and assembled to high precision standards. They are priced at or below any other manufacturers' comparable roller part.

ALL GOLFCO ROLLERS ARE MADE IN THE USA BY OUR OWN SKILLED MACHINISTS & TECHNICIANS

SUMMARY OF SPECIAL FEATURES

Common overhaul kit for all rollers (bearings, seals and retainers are the same).

One bearing kit (with the same components) for all Competition Rollers.

Customized sealed ball bearings that last without the need for re-greasing.

Bearings are completely filled with highest quality EP (extreme pressure) rated grease.

Stainless bearings available for special situations.

Special flush mount grease fittings are available to add (if you want to re-grease the bearings).

Adding grease fitting does not require frequent, regular regreasing.

Competition Rollers are heavy-duty, thick wall precision steel rollers.

All polyurethane covered rollers are made with 1.75" OD, thick wall, precision DOM steel tubing.

Machining tolerances are within .0002" for all bearing surfaces and features.

All production processes are supervised by skilled managers with over 26 years of experience.

Inspection of all components occurs four times prior to shipping.

High precision ensures lasting quality of all components and ease of rebuilding.

Full length shafts (increases integrity of the roller with less stress on body and bearings).

Polyurethane body material with features as follows:

Extreme performance elastomer that continues to cure and increase physical properties for years.

Is precision cast (not a thin layer spray-on) over a heavy duty steel roller body.

Is extremely abrasion resistant (very tough).

Will far outlast any metallic material in abrasive conditions.

Polyurethane rollers will not dent, swell or fray like plastic materials.

Will not damage concrete or asphalt paths or curbs from contact.

Is silent running on all surfaces.

Is very shock absorbing and impact resistant.

Diminishes effects of impact and shudder to the mower-reducing wear on joints & components.

Will help diminish fatigue and physical wear on mower operators.

Has memory rebound and returns to its original shape.

Is a "live" material and shakes debris from the surface in dynamic rolling.

Has no micro-pore structure (liquids have no place to cling-resists adsorption).

Resists debris buildup (superior to any metallic materials).

Diminishes transmigration of harmful elements such as disease or fungus.

Absorption of heat or cold is minimal.

Does not transmit heat or cold.

Will not stress your turf in hot or cold conditions.

Will not develop frost buildup.

Grooved design features no parallel sides within the groove channels.

Prevents hard debris from lodging in the grooves.

Provides more consistent, finer cutting.

Grooved design has large soft radius groove crests and corners for gentle turf contact.

Minimizes surface area contact and rides closer to soil.

Ensures less floating and less compaction of the turf.

Ensures more consistent cut appearance.

Provides easier steering of the mower.

Is non-aggressive and less stressful on turf.

Allows for more grass to be cut on initial pass - saving time.

for Jacobsen mowers		US PATENT #5394681
acobsen ALL 22" GREENSKING, GM, E-Plex, G-Plex, GP400 & EC	CLIPSE 122 & 322 MOWERS -	- FRONT ROLLER
bodies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb J2522A2CGH4	\$465 4 independent roller bodies on a shaft
bodies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb J2522A2C4	\$444 4 independent roller bodies on a shaft
poolies 4 section 2" smooth Steel extra heavy duty tubing	12 lb J2522A2S4	\$422 4 independent roller bodies on a shaft
podies 4 section 2" smooth Steel light tubing (full shaft)	7 lb J2522A2L4	\$444 4 independent roller bodies on a shaft
addies 4 section 2.5" grooved Urethane cast over steel tubing	10.5 lb J2522A25CG4	\$476 4 independent roller bodies on a shaft 68673 (2.25" dia)
odies 4 section 2.5" smooth Urethane cast over steel tubing	9 lb J2522A25C4	\$465 4 independent roller bodies on a shaft
odies 4 section 2.5" smooth Steel extra heavy duty tubing	12 lb J2522A25S4	\$465 4 independent roller bodies on a shaft
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb J2522A2CGH	\$266 22.25" body, 25.87" shaft 68527
2" smooth Urethane cast over heavy duty steel tubing	8 lb J2522A2C	\$249 22.25" body, 25.87" shaft 68641
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2522A2S	\$212 22.25" body, 25.87" shaft 68641
2" smooth Steel light tubing (full shaft)	5.5 lb J2522A2L	\$212 22.25" body, 25.87" shaft 1004991, 68530
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb J2522A25CG	\$309 22.45" body, 25.87" shaft
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb J2522A25C	\$274 22.45" body, 25.87" shaft
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb J2522A25S	\$238 22.25" body, 25.87" shaft
2" smooth Steel light tubing **PRO line	4 lb 223SL	\$212 water pump bearing BWP3 68641
2.18" grooved Steel machined tubing **Standard line	14 lb G68613	\$312 tapered roller bearing 22.87" body width 68613
2.18" grooved Aluminum machined tubing **Standard line	12 lb G68614	\$312 tapered roller bearing 22.87" body width 68614
2" smooth Steel light tubing **Standard line	4 lb G1004991	\$212 ball bearing 303558 1004991
cobsen ALL 22" GREENSKING, GM, E-Plex, G-Plex,GP400 & EC	LIPSE 122 & 322 MOWERS -	BACK ROLLER
podies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb J2422S2CGH4	\$465 3/8"-24 taps in shaft ends
^{bodies} 4 section 2" smooth Urethane cast over steel tubing	8.5 lb J2422S2C4	\$444 3/8"-24 taps in shaft ends
podies 4 section 2" smooth Steel extra heavy duty tubing	12 lb J2422S2S4	\$422 3/8"-24 taps in shaft ends
poolies 4 section 2" smooth Steel light tubing (full shaft)	7 lb J2422S2L4	\$444 3/8"-24 taps in shaft ends
podies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb J2422G2CGH4	\$465 7/16"-20 taps in shaft ends
podies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb J2422G2C4	\$444 7/16"-20 taps in shaft ends
odies 4 section 2" smooth Steel extra heavy duty tubing	12 lb J2422G2S4	\$422 7/16"-20 taps in shaft ends
podies 4 section 2" smooth Steel light tubing (full shaft)	7 lb J2422G2L4	\$444 7/16"-20 taps in shaft ends
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb J2422S2CGH	\$266 3/8"-24 taps in shaft ends
2" smooth Urethane cast over heavy duty steel tubing	8 lb J2422S2CG11	\$249 3/8"-24 taps in shaft ends
, , , , , , , , , , , , , , , , , , , ,		
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2422S2S	\$212 3/8"-24 taps in shaft ends 1000770
2" smooth Steel light tubing (full shaft)	5.5 lb J2422S2L	\$212 3/8"-24 taps in shaft ends 1004990
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb J2422G2CGH	\$266 7/16"-20 taps in shaft ends
2" smooth Urethane cast over heavy duty steel tubing	8 lb J2422G2C	\$249 7/16"-20 taps in shaft ends
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2422G2S	\$212 7/16"-20 taps in shaft ends
2" smooth Steel light tubing (full shaft)	5.5 lb J2422G2L	\$212 7/16"-20 taps in shaft ends
2" smooth Steel light tubing ** PRO line	4 lb 225SL	\$212 7/16"-20 taps in shaft ends & BWP5 bearings
2" smooth Steel light tubing **Standard line	4 lb G1004990	\$212 3/8"-24 taps in shaft ends 1004990
2" smooth Steel tubing (1/8" wall) **Standard line	14 lb G1000770	\$214 3/8"-24 taps in shaft ends 1000770 (254-67/68)
cobsen TC-22 GREENSMOWERS - FRONT ROLLER		
podies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb J2522J2CGH4	\$508 4 independent roller bodies on a shaft
podies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb J2522J2C4	\$486 4 independent roller bodies on a shaft
odies 4 section 2" smooth Steel extra heavy duty tubing	12 lb J2522J2S4	\$465 4 independent roller bodies on a shaft
odies 4 section 2" smooth Steel light tubing (full shaft)	7 lb J2522J2L4	\$465 4 independent roller bodies on a shaft
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb J2522J2CGH	\$297 22.25" body, 25.87" shaft
2" smooth Urethane cast over heavy duty steel tubing	8 lb J2522J2C	\$274 22.25" body, 25.87" shaft
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2522J2S	\$249 22.25" body, 25.87" shaft
2" smooth Steel light tubing (full shaft)	5.5 lb J2522J2L	\$249 22.25" body, 25.87" shaft
cobsen TC-22 GREENSMOWERS - BACK ROLLER		
2" smooth Urethane cast over heavy duty steel tubing	8 lb J2522V2C	\$274 22.25" body, 25.87" shaft
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2522V2S	\$249 22.25" body, 25.87" shaft
2" smooth Steel light tubing (full shaft)	5.5 lb J2522V2L	\$249 22.25" body, 25.87" shaft
cobsen ALL 18" GREENSMOWERS (Eclipse 118, GK 418 & GK 5	518) - FRONT & BACK ROLLE	ERS without taps in shaft ends
odies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb J2119A2C4	\$444 4 independent roller bodies on a shaft
odies 4 section 2" smooth Steel extra heavy duty tubing	12 lb J2119A2S4	\$422 4 independent roller bodies on a shaft
podies 4 section 2" smooth Steel light tubing (full shaft)	7 lb J2119A2L4	\$444 4 independent roller bodies on a shaft
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb J2119A2CGH	\$266 no tap in shaft ends 68616, 63318
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb J2119A2C	\$249 no tap in shaft ends 68626, 4108920, 417522
2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb J2119A2S	\$212 no tap in shaft ends 68626, 410920, 417522
· · · · ·	4.5 lb J2119A2L	\$212 no tap in shaft ends 68020, 4175221
2" smooth Steel light tubing (full shaft)		
acobsen 18" Eclipse2 118F GREENSMOWERS - FRONT & BACK	· · · · · · · · · · · · · · · · · · ·	
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb J2119S2CGH	\$266 3/8"-24 taps in shaft ends
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb J2119S2C	\$249 3/8"-24 taps in shaft ends 4175221 body + 4175220
2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb J2119S2S	\$223 3/8"-24 taps in shaft ends 4175221 body + 4175220
2" smooth Steel light tubing (full shaft)	4.5 lb J2119S2L	\$223 3/8"-24 taps in shaft ends 4175221 body + 4175220

Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 5	26) - FRONT & BACK ROL	LERS		
4 bodies 4 section 2.5" grooved Urethane cast over steel tubing	10 lb J2926A25CG4	\$486	4 independent roller bodies on a shaft	
^{4 bodies} 4 section 2.5" smooth Urethane cast over steel tubing	13 lb J2926A25C4	\$476	4 independent roller bodies on a shaft	
^{4 bodies} 4 section 2.5" smooth Steel extra heavy duty tubing	13 lb J2926A25S4	\$476	4 independent roller bodies on a shaft	
2" smooth Urethane cast over heavy duty steel tubing	9 lb J2926A2C	\$285	26.25" body	_
2" smooth Steel extra heavy duty tubing (1/4" wall)	12.5 lb J2926A2S	\$249		68627
2" smooth Steel light tubing (full shaft)	7 lb J2926A2L		26.25" body	68627
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb J2926A25CG		26.45" body	68617, 68628
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb J2926A25C	\$285		00011,00020
2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb J2926A25C	\$233		68627
Jacobsen 18" LIGHT FAIRWAY SLF1880 - FRONT ROLLER	11 ID J2920A255	<i>φ</i> 230	(Sectional rollers with 4 bodies	_
3" grooved Urethane cast over heavy duty steel tubing	9 lb J2119A3CG	\$357	19.45" body	67925
			19.45" body	01020
3" smooth Urethane cast over heavy duty steel tubing	10.5 lb J2119A3C	\$309		
3" smooth Steel heavy duty tubing (1/8" wall)	11 lb J2119A3S	\$202	19.25" body	i
To diminish instances of shadowing lines due to overlap		¢540	call for proper application specifics	10000
3 section 3" grooved Urethane with 2" wide smooth ends	8.5 lb J2115A3CG.220		front roller for rear mower heads-use with J20	1
2" smooth Urethane cast over heavy duty steel tubing	6.5 lb J2016G2C	\$297	back roller for rear mower heads-use with J21	15A3CG.22C
(please confirm diameter of body and length of shaft required				i
Jacobsen 18" LIGHT FAIRWAY SLF1880 - BACK ROLLER (with 7/1	• •	\$007	40.05" h - h - 9.7(40" - 0.0555 in - h - (1.556)	
2" smooth Urethane cast over heavy duty steel tubing	6.5 lb J2016G2C		16.25" body & 7/16"-20 taps in shaft ends	68674, 4115860 (2.375"x15.5")
2" smooth Steel extra heavy duty tubing (1/4" wall)	8.5 lb J2016G2S	\$226	16.25" body & 7/16"-20 taps in shaft ends	68674, 4115860 (2.375"x15.5")
2" smooth Steel light tubing (full shaft)	4.5 lb J2016G2L	\$226	16.25" body & 7/16"-20 taps in shaft ends	68674, 4115860 (2.375"x15.5")
2" smooth Urethane cast over heavy duty steel tubing	11 lb J2019S2C	\$274		4135083
2" smooth Steel heavy duty tubing (1/8" wall)	11 lb J2019S2S	\$238	19.25" body & 3/8"-24 taps in shaft ends	4135083
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb J2019S25C	\$297	19.45" body & 3/8"-24 taps in shaft ends	4135083
2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb J2019S25S	\$274	19.25" body & 3/8"-24 taps in shaft ends	4135083
Jacobsen LF2500 & 3050 26" LIGHT FAIRWAY - FRONT & BACK R	OLLERS		(Sectional rollers with 4 bodies	s also available)
3" grooved Urethane cast over heavy duty steel tubing	13 lb J3026X3CG	\$357	1/2" dia. shaft ends	
3" smooth Urethane cast over heavy duty steel tubing	13.5 lb J3026X3C	\$309	1/2" dia. shaft ends	
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb J3026X3S	\$262	1/2" dia. shaft ends	
Jacobsen 22" LIGHT FAIRWAY- FRONT ROLLER (ALL LF models e	except 26" 2500, 3050 & 38	10)	(Sectional rollers with 4 bodies	s also available)
3" grooved Urethane cast over heavy duty steel tubing	9.4 lb J2522A3CG	\$357	22.45" body, 25.87" shaft	123268
3" smooth Urethane cast over heavy duty steel tubing	12 lb J2522A3C	\$309	22.45" body, 25.87" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb J2522A3S	¢060	22.25" body, 25.87" shaft	
		⊅ ∠0∠	22.23 DOUY, 23.07 SHAIL	
To diminish instances of shadowing lines due to overlap		\$202	call for proper application specifics	۲ ۱
To diminish instances of shadowing lines due to overlap			<mark></mark>	19S2C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends	of reels		call for proper application specifics	
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C	\$540	call for proper application specifics front roller for rear mower heads-use with J24	
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C d)	\$540 \$297	call for proper application specifics front roller for rear mower heads-use with J24	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C d)	\$540 \$297	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C d) ept 26" 2500, 3050 & 3810	\$540 \$297 \$465	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8"-24 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing	ept 26" 2500, 3050 & 3810 8.5 lb J2518A3CG.220 7 lb J2419S2C 9 ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4	\$540 \$297 \$465 \$444	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C d) 9000000000000000000000000000000000000	\$540 \$297 \$465 \$444 \$422	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C 9 ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2S4 7 lb J2422S2L4	\$540 \$297 \$465 \$444 \$422 \$444	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8''-24 taps in shaft ends 22.3'' body & 3/8''-24 taps in shaft ends 22.3'' body & 3/8''-24 taps in shaft ends 22.3'' body & 3/8''-24 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C 9 ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 7 lb J2422S2L4 8.5 lb J2422S2L4 8.5 lb J2422G2CGH4	\$465 \$444 \$422 \$444 \$422 \$444 \$476	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C 9 ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 7 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4	\$465 \$444 \$422 \$444 \$476 \$444	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C 9 ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 7 lb J2422S2L4 8.5 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2S4	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C 9 ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 7 lb J2422S2L4 8.5 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2L4	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422 \$444	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" grooved Urethane cast over heavy duty steel tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C 9 ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422S2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2L4 7.5 lb J2422S2CGH	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422 \$444 \$422 \$444 \$266	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8''-24 taps in shaft ends 22.3'' body & 3/8''-24 taps in shaft ends 22.3'' body & 7/16''-20 taps in shaft ends 22.5'' body & 3/8''-24 taps in shaft ends	18A3CG.22C
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exclosed) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C 9 ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 7 lb J2422S2L4 8.5 lb J2422S2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2L4 7.5 lb J2422S2CGH 8 lb J2422S2C	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422 \$444 \$422 \$444 \$422 \$444 \$422 \$444 \$422 \$444	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16'-20 taps in shaft ends 22.5'' body & 3/8'-24 taps in shaft ends 22.25'' body & 3/8'-24 taps in shaft ends	18A3CG.22C s also available)
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exclosed) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C a) ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2C4 7 lb J2422S2L4 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 7 lb J2422G2C4 8.5 lb J2422G2C4 8 lb J2422S2CGH 8 lb J2422S2C 11.5 lb J2422S2S	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422 \$444 \$422 \$444 \$422 \$444 \$422 \$444 \$422 \$444 \$422 \$444 \$422 \$444	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16'-20 taps in shaft ends 22.5'' body & 3/8'-24 taps in shaft ends 22.25'' body & 3/8'-24 taps in shaft ends 22.25'' body & 3/8'-24 taps in shaft ends	18A3CG.22C s also available)
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel light tubing (full shaft)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C a) J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 7 lb J2422G2C4 7 lb J2422G2C4 7 lb J2422S2CGH 8 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2L	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422 \$444	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16'-20 taps in shaft ends 22.5'' body & 3/8'-24 taps in shaft ends 22.25'' body & 3/8'-24 taps in shaft ends	18A3CG.22C s also available)
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty ubing (1/4" wall) 2" smooth Steel light tubing (full shaft) 2.5" grooved Urethane cast over heavy duty steel tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C a) J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CA 12 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 7 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422S2CGH 8 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2L 8.5 lb J2422S2CG	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422 \$444 \$422 \$444 \$422 \$444 \$2266 \$249 \$212 \$212 \$309	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16'-20 taps in shaft ends 22.5' body & 3/8'-24 taps in shaft ends 22.25' body & 3/8'-24 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing 2" smooth Steel extra heavy duty tubing 2" smooth Steel light tubing (full shaft) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C a) J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422S2CGH 8 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.5 lb J2422S2C 11.5 lb J2422S2C 8.5 lb J	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422 \$444 \$422 \$444 \$2266 \$249 \$212 \$212 \$212 \$309 \$274	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16''-20 taps in shaft ends 22.5' body & 3/8''-24 taps in shaft ends 22.25' body & 3/8''-24 taps in shaft ends 21.45'' body & 3/8''-24 taps in shaft ends 21.45'' body & 3/8''-24 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C d) ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 15 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.5 lb	\$465 \$444 \$422 \$444 \$476 \$444 \$422 \$444 \$476 \$444 \$422 \$444 \$2266 \$249 \$212 \$212 \$212 \$309 \$274 \$238	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16''-20 taps in shaft ends 22.25' body & 3/8''-24 taps in shaft ends 21.45'' body & 3/8''-24 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C a) J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2C4 8.5 lb J2422S2C4 12 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422S2CGH 8 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.5 lb J2422S2C 11.5 lb J2422S2C 8.5 lb J2422S2C 8.5 lb J2422S2C 8.6 lb J2422S2C 8.7 lb J2421S25CG 8.8 lb	\$465 \$444 \$422 \$444 \$476 \$444 \$476 \$444 \$422 \$444 \$422 \$444 \$266 \$249 \$212 \$212 \$212 \$309 \$274 \$238 \$266	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16''-20 taps in shaft ends 22.5' body & 3/8''-24 taps in shaft ends 22.25' body & 3/8''-24 taps in shaft ends 21.45'' body & 3/8''-24 taps in shaft ends 21.45'' body & 3/8''-24 taps in shaft ends 21.25'' body & 3/8''-24 taps in shaft ends 22.25'' body & 3/8''-24 taps in shaft ends 22.25'' body & 3/8''-24 taps in shaft ends 21.25'' body & 3/8''-24 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Viethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy dut	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C a) J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2C4 8.5 lb J2422S2C4 12 lb J2422S2C4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2422S2C 8.5 lb J2422S2C 8.5 lb J2422S2C 8.5 lb J2422S2C 8.6 lb J2422S2C 9.5 lb J2421S25CG 9.5 lb J2	\$465 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$212 \$309 \$274 \$238 \$266 \$249	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C all J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2C4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 15 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1b J2422S2C 8.1b J2422S2C 8.1b J2422S2C 8.1b J2422S2C 9.5 lb J2422S2C 9.5 lb J2421S25C 9.5 lb J2422G2C	\$465 \$444 \$422 \$444 \$476 \$444 \$426 \$444 \$2266 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 3/716"-20 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C all J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 12 lb J2422G2C4 7.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.5 lb J2422S2C 8.5 lb J2422S2C 9.5 lb J2422S2C 9.5 lb J2422S2C 9.5 lb	\$465 \$444 \$422 \$444 \$476 \$444 \$426 \$444 \$2266 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 3/716"-20 taps in shaft ends 22.25" body & 7/16"-20 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C all J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2C4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 15 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1b J2422S2C 8.1b J2422S2C 8.1b J2422S2C 8.1b J2422S2C 9.5 lb J2422S2C 9.5 lb J2421S25C 9.5 lb J2422G2C	\$465 \$444 \$422 \$444 \$476 \$444 \$426 \$444 \$2266 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 3/716"-20 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall)	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C all J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 12 lb J2422G2C4 7.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.5 lb J2422S2C 8.5 lb J2422S2C 9.5 lb J2422S2C 9.5 lb J2422S2C 9.5 lb	\$465 \$444 \$422 \$444 \$476 \$444 \$426 \$444 \$2266 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$309 \$274 \$238	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 3/716"-20 taps in shaft ends 22.25" body & 7/16"-20 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast ov	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2CH4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CA 12 lb J2422G2CA 12 lb J2422G2CA 12 lb J2422G2CGH4 8.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 9.5 lb J2422G2C 11.5 lb	2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$309 \$274	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodies 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 3/716"-20 taps in shaft ends 22.25" body & 7/16"-20 taps in shaft ends 23.45" body & 7/16"-20 taps in shaft ends 24.45" body & 7/16"-20 taps in shaft ends 25.5" body & 7/16"-20 taps in shaft ends 25.5" body & 7/16"-20 taps in shaft	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel light tubing (full shaft) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel light tubing (full shaft) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C all J242S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 7 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.5 lb J2422S2C 8.5 lb J2422S2C 8.5 lb J2422S2C 9.5 lb J2422S2C 9.5 lb J2422G2C	2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$309 \$274	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 7/16"-20 taps in shaft ends 21.45" body & 7/16"-20 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel ext	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CA 12 lb J2422G2CA 15 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 8.1 b J2422S2C 9.5 lb J2422S2C 9.5 lb J2422S2C 9.5 lb J2422G2C 11.5 lb <t< td=""><th>2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212 \$309 \$274 \$238</th><td>call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 7/16"-20 taps in shaft ends 21.45" body & 7/16"-20 taps in shaft ends</td><td>18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990 5003687, 1003728, 1002446, 100105</td></t<>	2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212 \$309 \$274 \$238	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 7/16"-20 taps in shaft ends 21.45" body & 7/16"-20 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel light tubing (full shaft) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C ept 26" 2500, 3050 & 3810 8.5 lb J2422S2CGH4 8.5 lb J2422S2CH4 12 lb J2422S2CH4 8.5 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422S2CGH 8 lb J2422S2CGH 8 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.5 lb J2422S2C 8.1 b J2422S2C 11.5 lb J2422S2C 8.5 lb J2422S2C 9.5 lb J2422G2C 11.5 lb J2422G2C 11.5 lb J2422G2C 11.5 lb J2422G2C 11.5 lb J2422G2C 1	2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212 \$309 \$274 \$238 \$266	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 7/16"-20 taps in shaft ends 21.45" body & 7/16"-20 taps in shaft ends 21.25" body & 7/16"-20 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast o	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C all J2419S2C all J2419S2C all J2419S2C all J2419S2C all J2419S2C all J242S2CGH4 8.5 lb J2422S2CGH4 12 lb J2422S2L4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CA 12 lb J2422G2CA 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.5 lb J2422S2C 8.5 lb J2422S2C 9.5 lb J2422G2C 11.5 lb J2422G2C 11.5 lb J2422G2C 11.5 lb J2422G2C 11.5 lb J2422G2C	2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249	call for proper application specifics front roller for rear mower heads-use with J24 back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8"-24 taps in shaft ends 22.3" body & 3/8"-24 taps in shaft ends 22.3" body & 7/16"-20 taps in shaft ends 22.25" body & 3/8"-24 taps in shaft ends 21.45" body & 3/8"-24 taps in shaft ends 21.25" body & 3/8"-24 taps in shaft ends 22.25" body & 7/16"-20 taps in shaft ends 21.45" body & 7/16"-20 taps in shaft ends 21.25" body & 7/16"-20 taps in s	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models exc 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel light tubing (full shaft) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel light tubing (full shaft) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel t	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C all J242S2CGH4 8.5 lb J2422S2C4 12 lb J2422S2C4 12 lb J2422G2CGH4 8.5 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 12 lb J2422G2C4 7 lb J2422G2C4 7 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2421S2SC 9.5 lb J2422G2C 11.5 lb J2422G2C <	2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212 \$309 \$274	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16'-20 taps in shaft ends 22.25' body & 3/8'-24 taps in shaft ends 21.45' body & 3/8'-24 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends 22.25' body & 3/8'-24 taps in shaft ends 22.25' body & 7/16'-20 taps in shaft ends 21.45' body & 7/16'-20 taps in shaft ends 21.45' body & 7/16'-20 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105
To diminish instances of shadowing lines due to overlap 3 section 3" grooved Urethane with 2" wide smooth ends 2" smooth Urethane cast over heavy duty steel tubing (please confirm diameter of body and length of shaft required Jacobsen 22" LIGHT FAIRWAY- BACK ROLLER (All LF models excl 4 bodies 4 section 2" grooved Urethane cast over steel tubing 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 4 bodies 4 section 2" smooth Urethane cast over steel tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 2" grooved Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy	of reels 9.5 lb J2518A3CG.220 7 lb J2419S2C all J242S2CGH4 8.5 lb J2422S2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 8.5 lb J2422G2CGH4 7.5 lb J2422S2C 11.5 lb J2422S2C 8.1 b J2421S2SC 9.5 lb J2422S2C 11.5 lb J2422G2C 11.5 lb J2422G2C <th>2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$309 \$274</th> <td>call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16'-20 taps in shaft ends 22.25' body & 3/8'-24 taps in shaft ends 21.45' body & 3/8'-24 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends 22.25' body & 3/8'-24 taps in shaft ends 22.25' body & 7/16'-20 taps in shaft ends 21.45' body & 7/16'-20 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends</td> <td>18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1004990</td>	2 \$540 \$297 \$465 \$444 \$422 \$444 \$476 \$444 \$426 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$212 \$309 \$274 \$238 \$266 \$249 \$212 \$309 \$274	call for proper application specifics front roller for rear mower heads-use with J24' back roller for rear mower heads-use with J25 (Sectional rollers with 4 bodie: 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 3/8'-24 taps in shaft ends 22.3' body & 7/16'-20 taps in shaft ends 22.25' body & 3/8'-24 taps in shaft ends 21.45' body & 3/8'-24 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends 22.25' body & 3/8'-24 taps in shaft ends 22.25' body & 7/16'-20 taps in shaft ends 21.45' body & 7/16'-20 taps in shaft ends 21.25' body & 3/8'-24 taps in shaft ends	18A3CG.22C s also available) 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1000770 1004990 5003687, 1003728, 1002446, 100105 5003687, 1003728, 1002446, 100105 1004990

bsen 26" LF3810 & TRIKING 1471 & 1671 - FRONT & BACK R	OLLERS			(Sectional rollers with 4 bodies	s also available)
2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb	J2826A25CG	\$309	26.45" body	
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb	J2826A25C	\$274	26.45" body	132639
2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb	J2826A25S	\$238	26.25" body	132639
3" grooved Urethane cast over heavy duty steel tubing	13 lb	J2826A3CG	\$357	26.45" body	68617/28, 123266, JMAB422
3" smooth Urethane cast over heavy duty steel tubing	13.5 lb	J2826A3C	\$309	26.45" body	68627
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb	J2826A3S	\$262	26.25" body	68627
bsen 26" TR-3 - FRONT & BACK ROLLERS				(Sectional rollers with 4 bodies	s also available)
2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb	J3126X25CG	\$345	26.45" body	LMAC078
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb	J3126X25C	\$309	26.45" body	LMAC075
2.5" smooth Steel heavy duty tubing (1/8" wall)		J3126X25S	•	26.25" body	LMAC075
3" grooved Urethane cast over heavy duty steel tubing		J3126X3CG		26.45" body	LMAC078
3" smooth Urethane cast over heavy duty steel tubing		J3126X3C	\$345	26.45" body	LMAC075
3" smooth Steel heavy duty tubing (1/8" wall)		J3126X3S	\$285	26.25" body	LMAC075
bsen 30" TRIKING 1684D & 1900D- FRONT & BACK ROLLERS		00120/00	\$200		
2.5" grooved Urethane cast over heavy duty steel tubing		J3229A25CG	\$309	29.45" body	
2.5" smooth Urethane cast over heavy duty steel tubing		J3229A25C		29.45" body	132640
2.5" smooth Steel heavy duty tubing (1/8" wall)		J3229A25S		29.25" body	132640
3" grooved Urethane cast over heavy duty steel tubing		J3229A3CG		29.45" body	67729 (set of 3)
, , , , , , , , , , , , , , , , , , ,		J3229A3CG J3229A3C	•		67729 (Set 013)
3" smooth Urethane cast over heavy duty steel tubing				29.45" body	
3" smooth Steel heavy duty tubing (1/8" wall)		J3229A3S	\$262	29.25" body	
osen 30" ST5111, FAIRWAY, GANG, HF5 & HF15 - FRONT & B			¢0.40	00.45% h = - h -	
3" grooved Urethane cast over heavy duty steel tubing		J3329A3CG		29.45" body	
3" smooth Urethane cast over heavy duty steel tubing		J3329A3C		29.45" body	132506, 113897, 700500
3" smooth Steel heavy duty tubing (1/8" wall)		J3329A3S	\$262	29.25" body	132506, 113897, 700500
sen ROTARY AR-522 & AR-722 26" DECK - FRONT ROLLER		10 40 40 50 00	4054		
5" grooved Urethane over steel tubing (4" wide body)		J0404G5CG2	\$251	2 large machined grooves in roller body	
5" smooth Urethane over steel tubing (4" wide body)		J0404G5C	\$179		_
sen ROTARY AR-522, AR-722, & AR-5 26" DECK - BACK RO	•			•	
3" grooved Urethane over steel tubing (two 4" wide bodies)		J2904R3CGt	\$476	both shaft ends have large flat and pin hole	non-striping, improved air flow
3" smooth Urethane over steel tubing (two 4" wide bodies)		J2904R3Ct	\$452	both shaft ends have large flat and pin hole	non-striping, improved air flow
3" smooth Steel heavy duty tubing (two 4" wide bodies)		J2904R3St	\$428	both shaft ends have large flat and pin hole	non-striping, improved air flow
3" grooved Urethane cast over heavy duty steel tubing	12.5 lb	J2926R3CG	\$476	both shaft ends have large flat and pin hole	non-striping, improved air flow
3" smooth Urethane cast over heavy duty steel tubing	13.2 lb	J2926R3C	\$357	both shaft ends have large flat and pin hole	3"roller 4163121, shaft4124015
3" smooth Steel heavy duty tubing (1/8" wall)	14 lb	J2926R3S	\$333	both shaft ends have large flat and pin hole	3"roller 4163121, shaft4124015
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb	J2926R7C	\$428	both shaft ends have large flat and pin hole	3"roller 4163121, shaft4124015
4" smooth Urethane cast over heavy duty steel tubing	29 lb	J2926R4C	\$476	both shaft ends have large flat and pin hole	4"roller 4123031, 4151882
4" smooth Steel heavy duty tubing (1/8" wall)	27 lb	J2926R4S	\$428	both shaft ends have large flat and pin hole	4"roller 4123031, 4151882
3" smooth Urethane cast over heavy duty steel tubing	13.2 lb	J2926Q3C	\$357	shaft-1 end with large flat & 1 round end	model 068131 roller4284471,sha
3" smooth Steel heavy duty tubing (1/8" wall)	14 lb	J2926Q3S	\$333	shaft-1 end with large flat & 1 round end	model 068131 roller4284471,sha
sen ROTARY AR-5 26" DECK - BACK ROLLER (must confirm	n shaft conf	iguration on ends)		_
3" smooth Urethane over steel tubing (two 4" wide bodies)	6.3 lb	J3004D3Ct	\$452	specify configuration of shaft ends	non-striping, improved air flow
3" smooth Steel heavy duty tubing (two 4" wide bodies)	8 lb	J3004D3St	\$428	specify configuration of shaft ends	non-striping, improved air flow
3" grooved Urethane cast over heavy duty steel tubing	13 lb	J3026D3CG	\$428	specify configuration of shaft ends	non-striping, improved air flow
3" smooth Urethane cast over heavy duty steel tubing		J3026D3C	\$357	specify configuration of shaft ends	_
3" smooth Steel heavy duty tubing (1/8" wall)	14 lb	J3026D3S	\$333	specify configuration of shaft ends	
3.5" smooth Urethane cast over heavy duty steel tubing		J3026D7C	\$428	specify configuration of shaft ends	
4" smooth Urethane cast over heavy duty steel tubing		J2926R4C	\$476	both shaft ends have large flat and pin hole	model 068080 4"roller4123031, 2
4" smooth Steel heavy duty tubing (1/8" wall)		J2926R4S	\$428	both shaft ends have large flat and pin hole	model 068080 4"roller4123031, 2
osen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm					
3" smooth Urethane over steel tubing (two 4" wide bodies)		J3404R3Ct	, \$476	both shaft ends have large flat and pin hole	non-striping, improved air flow
3" smooth Steel heavy duty tubing (two 4" wide bodies)		J3404R3St	\$428	both shaft ends have large flat and pin hole	non-striping, improved air flow
3" grooved Urethane cast over heavy duty steel tubing		J3429R3CG	\$476	both shaft ends have large flat and pin hole	non-striping, improved air flow
3" smooth Urethane cast over heavy duty steel tubing		J3429R3CG	\$357	both shaft ends have large flat and pin hole	4163083, 4129612, 4163181
, , , ,					
3" smooth Steel heavy duty tubing (1/8" wall)		J3429R3S	\$333	both shaft ends have large flat and pin hole	4163083, 4129612, 4163181
3.5" smooth Urethane cast over heavy duty steel tubing		J3429R7C	\$428	both shaft ends have large flat and pin hole	4452020
4" smooth Urethane cast over heavy duty steel tubing		J3429R4C	\$476	both shaft ends have large flat and pin hole	4153038
4" smooth Steel heavy duty tubing (1/8" wall)	29 lb	J3429R4S	\$428	both shaft ends have large flat and pin hole	4153038
DOTARY AR OFA AR OFAR REAK RACK ROLLER					
•	07.17	D0700\/4C	A		
bsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER 4" smooth Urethane cast over heavy duty steel tubing 4" smooth Steel heavy duty tubing (1/8" wall)		R2722X4C R2722X4S	\$476	22.45" body 22.25" body	4115430, 2206195 4115430, 2206195

John Deere 18" 180B & 180C WALKING GREENSMOWERS - FRONT ROLLER 4 bodies 4 section 2" smooth Urethane cast over steel tubing 8 lb D2119A2C4 \$444 4 independent roller bodies on a shaft 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2119A2S4 \$442 4 independent roller bodies on a shaft 4 bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2119A2L4 \$4444 4 independent roller bodies on a shaft 2" grooved Urethane cast over heavy duty steel tubing 6.5 lb D2119A2CGH \$266 19.25" body 2" smooth Urethane cast over heavy duty steel tubing 7.5 lb D2119A2C \$249 19.25" body 2" smooth Steel extra heavy duty tubing (1/4" wall) 10.5 lb D2119A2S \$212 19.25" body 2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body 2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body 2" smooth Steel light tubing (full shaft) 8.5 lb D2422P2CGH4 \$476 4 independent roller bodies on a shaft 4 bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2CA \$445	
bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2119A2S4 \$422 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2119A2L4 \$444 4 independent roller bodies on a shaft 2" grooved Urethane cast over heavy duty steel tubing 6.5 lb D2119A2CGH \$266 19.25" body 2" smooth Urethane cast over heavy duty steel tubing 7.5 lb D2119A2C \$249 19.25" body 2" smooth Steel extra heavy duty tubing (1/4" wall) 10.5 lb D2119A2S \$212 19.25" body 2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body 2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body 0holes 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2422P2CGH4 \$476 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2C4 \$454 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2C4 \$454 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2S4 \$432 4 indepe	
A section 2" smooth Steel light tubing (full shaft) 7 lb D2119A2L4 \$444 4 independent roller bodies on a shaft 2" grooved Urethane cast over heavy duty steel tubing 6.5 lb D2119A2CGH \$266 19.25" body 2" smooth Urethane cast over heavy duty steel tubing 7.5 lb D2119A2C \$249 19.25" body 2" smooth Steel extra heavy duty tubing (1/4" wall) 10.5 lb D2119A2S \$212 19.25" body 2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body 2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body 0holes 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2422P2CGH4 \$476 4 independent roller bodies on a shaft 1 bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2C4 \$454 4 independent roller bodies on a shaft 1 bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2C4 \$454 4 independent roller bodies on a shaft 1 bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2C4 \$454 4 independent roller bodies on a shaft 1 bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2L4 \$454 4 independent roller	
2" grooved Urethane cast over heavy duty steel tubing 6.5 lb D2119A2CGH \$266 19.25" body 2" smooth Urethane cast over heavy duty steel tubing 7.5 lb D2119A2C \$249 19.25" body 2" smooth Steel extra heavy duty tubing (1/4" wall) 10.5 lb D2119A2S \$212 19.25" body 2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body ohn Deere 22" WALKING GREENSMOWERS - FRONT ROLLER (call for roller options available) bodies 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2422P2CGH4 \$476 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2CA4 \$454 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2CA4 \$432 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2CA4 \$432 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2CA4 \$454 4 independent roller bodies on a shaft bodies 4 section 2." smooth Steel light tubing (full shaft) 7 lb D2422P2CG4 \$454	
2" smooth Urethane cast over heavy duty tsteel tubing 7.5 lb D2119A2C \$249 19.25" body 2" smooth Steel extra heavy duty tubing (1/4" wall) 10.5 lb D2119A2S \$212 19.25" body 2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body ohn Deere 22" WALKING GREENSMOWERS - FRONT ROLLER (call for roller options available) bodies 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2422P2CGH4 \$476 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2S4 \$432 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2L4 \$454 4 independent roller bodies on a shaft bodies 4 section 2.5" grooved Urethane cast over steel tubing 10 lb D2422P2SGG4 \$486 4 independent roller bodies on a shaft	
2" smooth Steel extra heavy duty tubing (1/4" wall)10.5 lbD2119A2S\$21219.25" body2" smooth Steel light tubing (full shaft)4.5 lbD2119A2L\$21219.25" bodyohn Deere 22" WALKING GREENSMOWERS - FRONT ROLLER (call for roller options available)VolumeVolumeVolumebodies 4 section 2" grooved Urethane cast over steel tubing8.5 lbD2422P2CGH4\$4764 independent roller bodies on a shaftbodies 4 section 2" smooth Steel extra heavy duty tubing12 lbD2422P2C4\$4544 independent roller bodies on a shaftbodies 4 section 2" smooth Steel extra heavy duty tubing12 lbD2422P2C4\$4324 independent roller bodies on a shaftbodies 4 section 2" smooth Steel light tubing (full shaft)7 lbD2422P2C4\$4544 independent roller bodies on a shaftbodies 4 section 2.5" grooved Urethane cast over steel tubing10 lbD2422P2C4\$4544 independent roller bodies on a shaft	
2" smooth Steel light tubing (full shaft) 4.5 lb D2119A2L \$212 19.25" body ohn Deere 22" WALKING GREENSMOWERS - FRONT ROLLER (call for roller options available) bodies 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2422P2CGH4 \$476 4 independent roller bodies on a shaft bodies 4 section 2" smooth Urethane cast over steel tubing 8.5 lb D2422P2CGH4 \$454 4 independent roller bodies on a shaft bodies 4 section 2" smooth Urethane cast over steel tubing 12 lb D2422P2C4 \$432 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2L4 \$454 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2L4 \$454 4 independent roller bodies on a shaft bodies 4 section 2.5" grooved Urethane cast over steel tubing 10 lb D2422P2CG4 \$486 4 independent roller bodies on a shaft	
Shn Deere 22" WALKING GREENSMOWERS - FRONT ROLLER (call for roller options available) bodies 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2422P2CGH4 \$476 4 independent roller bodies on a shaft bodies 4 section 2" smooth Urethane cast over steel tubing 8.5 lb D2422P2C4 \$454 4 independent roller bodies on a shaft bodies 4 section 2" smooth Urethane cast over steel tubing 12 lb D2422P2C4 \$432 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2C4 \$434 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2L4 \$454 4 independent roller bodies on a shaft bodies 4 section 2.5" grooved Urethane cast over steel tubing 10 lb D2422P2CGH4 \$486 4 independent roller bodies on a shaft	
Shn Deere 22" WALKING GREENSMOWERS - FRONT ROLLER (call for roller options available) bodies 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2422P2CGH4 \$476 4 independent roller bodies on a shaft bodies 4 section 2" smooth Urethane cast over steel tubing 8.5 lb D2422P2C4 \$454 4 independent roller bodies on a shaft bodies 4 section 2" smooth Urethane cast over steel tubing 12 lb D2422P2C4 \$432 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2422P2C4 \$434 4 independent roller bodies on a shaft bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2L4 \$454 4 independent roller bodies on a shaft bodies 4 section 2.5" grooved Urethane cast over steel tubing 10 lb D2422P2CGH4 \$486 4 independent roller bodies on a shaft	
bodies4 section 2" grooved Urethane cast over steel tubing8.5 lbD2422P2CGH4\$4764 independent roller bodies on a shaftbodies4 section 2" smooth Urethane cast over steel tubing8.5 lbD2422P2C4\$4544 independent roller bodies on a shaftbodies4 section 2" smooth Steel extra heavy duty tubing12 lbD2422P2S4\$4324 independent roller bodies on a shaftbodies4 section 2" smooth Steel light tubing (full shaft)7 lbD2422P2L4\$4544 independent roller bodies on a shaftbodies4 section 2.5" grooved Urethane cast over steel tubing10 lbD2422P2SCG4\$4864 independent roller bodies on a shaft	
bodies4 section 2" smooth Urethane cast over steel tubing8.5 lbD2422P2C4\$4544 independent roller bodies on a shaftbodies4 section 2" smooth Steel extra heavy duty tubing12 lbD2422P2S4\$4324 independent roller bodies on a shaftbodies4 section 2" smooth Steel light tubing (full shaft)7 lbD2422P2L4\$4544 independent roller bodies on a shaftbodies4 section 2.5" grooved Urethane cast over steel tubing10 lbD2422P2SCG4\$4864 independent roller bodies on a shaft	
bodies4 section 2" smoothSteel extra heavy duty tubing12 lbD2422P2S4\$4324 independent roller bodies on a shaftbodies4 section 2" smoothSteel light tubing (full shaft)7 lbD2422P2L4\$4544 independent roller bodies on a shaftbodies4 section 2.5" groovedUrethane cast over steel tubing10 lbD2422P2CG4\$4864 independent roller bodies on a shaft	
bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2422P2L4 \$454 4 independent roller bodies on a shaft bodies 4 section 2.5" grooved Urethane cast over steel tubing 10 lb D2422P2CG4 \$486 4 independent roller bodies on a shaft	
bodies 4 section 2.5" grooved Urethane cast over steel tubing 10 lb D2422P25CG4 \$486 4 independent roller bodies on a shaft	
2" grooved Urethane cast over heavy duty steel tubing 7.5 lb D2422P2CGH \$276 22.25" body	
2" smooth Urethane cast over heavy duty steel tubing 7.9 lb D2422P2C \$259 22.25" body	
2" smooth Steel extra heavy duty tubing (1/4" wall) 11.5 lb D2422P2S \$227 22.25" body	
2" smooth Steel light tubing (full shaft) 5 lb D2422P2L \$216 22.25" body	
2.5" grooved Urethane cast over heavy duty steel tubing 9 lb D2422P25CG \$321 22.45" body	
2.5" smooth Urethane cast over heavy duty steel tubing 9.5 lb D2422P25C \$285 22.45" body	
2.5" smooth Steel heavy duty tubing (1/8" wall) 10 lb D2422P25S \$249 22.25" body	
ohn Deere 22" 220 WALKING & 2243 RIDING GREENSMOWERS - FRONT & BACK ROLLERS	
podies 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2522C2CGH4 \$465 4 independent roller bodies on a shaft	
sodies4 section 2" smooth Urethane cast over steel tubing8.5 lbD2522C2C4\$4444 independent roller bodies on a 25.5" shaft	
odies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2522C2S4 \$422 4 independent roller bodies on a 25.5" shaft	
ordies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2522C2L4 \$444 4 independent roller bodies on a 25.5" shaft	
2" grooved Urethane cast over heavy duty steel tubing 7.5 lb D2522C2CGH \$266 22.25" body, 25.5" shaft	
2" smooth Urethane cast over heavy duty steel tubing 7.9 lb D2522C2C \$249 22.25" body, 25.5" shaft	
2" smooth Steel extra heavy duty tubing (1/4" wall) 11.5 lb D2522C2S \$212 22.25" body, 25.5" shaft	
	MT2876
	MT2876
ohn Deere 22" 2500 GREENSMOWER - FRONT & BACK ROLLERS	
vodies 4 section 2" grooved Urethane cast over steel tubing 8.5 lb D2522C2CGH4 \$465 4 independent roller bodies on a shaft	
podies 4 section 2" smooth Urethane cast over steel tubing 8.5 lb D2522C2C4 \$444 4 independent roller bodies on a 25.5" shaft	
bodies 4 section 2" smooth Steel extra heavy duty tubing 12 lb D2522C2S4 \$422 4 independent roller bodies on a 25.5" shaft	
bodies 4 section 2" smooth Steel light tubing (full shaft) 7 lb D2522C2L4 \$444 4 independent roller bodies on a 25.5" shaft	
bodies 4 section 2.5" grooved Urethane cast over steel tubing 10 lb D2522C25CG4 \$476 4 independent roller bodies on a 25.5" shaft	
bodies 4 section 2.5" smooth Urethane cast over steel tubing 13 lb D2522C25C4 \$465 4 independent roller bodies on a 25.5" shaft	
province A sociation 2.5" smooth Stool avtra boowy duty tubing 13 lb D2522C25S4 \$465. A independent roller bodies on a 255" shaft	
2" grooved Urethane cast over heavy duty steel tubing 7.5 lb D2522C2CGH \$266 22.25" body, 25.5" shaft	
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25" body, 25.5" shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25" body, 25.5" shaft	170070
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25" body, 25.5" shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25" body, 25.5" shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25" body, 25.5" shaft	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaftAM2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM	MT2876 MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaftAM2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CG\$30922.45° body, 25.5° shaftAM	
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaftAM2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2SCG\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM	
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaft2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2SCG\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SCG\$30922.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaftAM2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CS\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AM	
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaftAM2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CS\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AM	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaftAM2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CS\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AM	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaftAM2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CS\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel light tubing (1/8" wall)9.2 lbD2522C2SS\$23822.25° body, 25.5° shaftAM2" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AMOhn Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER5.1005.1005.1005.1005.100	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaft2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CSC\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AMOhn Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER2.5" grooved Urethane cast over heavy duty steel tubing9.5 lbD2926A25CG\$32126.45° body	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaft2" smooth Steel light tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CS\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel light tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AMOhn Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER2.5" grooved Urethane cast over heavy duty steel tubing9.5 lbD2926A25CG\$32126.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25C\$29726.45° body	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty tubing (1/4" wall)11.5 lbD2522C2C\$21222.25° body, 25.5° shaftAM2" smooth Steel extra heavy duty tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CC\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2CS\$21422.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2CS\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SS\$23822.25° body, 25.5° shaftAM2.5" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AM2.5" grooved Urethane cast over heavy duty steel tubing9.5 lbD2926A25CG\$32126.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25C\$29726.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25S\$27426.25° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25C\$29726.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25S\$27426.25° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty steel tubing7.9 lbD2522C2C\$24922.25° body, 25.5° shaft2" smooth Steel extra heavy duty tubing (1/4" wall)11.5 lbD2522C2S\$21222.25° body, 25.5° shaftAM2" smooth Steel light tubing (full shaft)5.5 lbD2522C2CL\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CS\$30922.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AM2.5" grooved Urethane cast over heavy duty steel tubing9.5 lbD2926A25CG\$32126.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25C\$29726.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25S\$27426.25° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25C\$29726.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25S\$27426.25° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25S\$27426.25	MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty tubing (1/4" wall)11.5 lbD2522C2C\$24922.25° body, 25.5° shaftAM2" smooth Steel extra heavy duty tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2CS\$30922.45° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AM2.5" grooved Urethane cast over heavy duty steel tubing9.5 lbD2926A25CG\$32126.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25C\$29726.45° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25C\$29726.45° body2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2926A25C\$29726.5° body2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2926A25C\$29726.5° body2.5" smooth Urethane cast over heavy duty steel tubing11 lbD2926A25S\$27426.25° body2" smooth Steel heavy duty tubing (1/8" wall)11 lbD2926A25C\$29726.25°	MT2876 MT2876
2" grooved Urethane cast over heavy duty steel tubing7.5 lbD2522C2CGH\$26622.25° body, 25.5° shaft2" smooth Urethane cast over heavy duty tubing (1/4" wall)11.5 lbD2522C2C\$21222.25° body, 25.5° shaftAM2" smooth Steel extra heavy duty tubing (full shaft)5.5 lbD2522C2L\$21222.25° body, 25.5° shaftAM2.5" grooved Urethane cast over heavy duty steel tubing8.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2522C2SC\$27422.45° body, 25.5° shaftAM2.5" smooth Steel heavy duty tubing (1/8" wall)9.2 lbD2522C2SS\$23822.25° body, 25.5° shaftAM2.5" smooth Steel light tubing **PRO line4 lb227SL\$212water pump bearing BWP7AM2.5" grooved Urethane cast over heavy duty steel tubing9.5 lbD2926A2SCG\$32126.45° body2.5" smooth Urethane cast over heavy duty steel tubing11. lbD2926A2SC\$29726.45° body2.5" smooth Urethane cast over heavy duty steel tubing11. lbD2926A2SC\$29726.25° body2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2926A2SC\$29726.25° body2.5" smooth Steel heavy duty tubing (1/8" wall)11. lbD2926A2SC\$29726.25° body2.5" smooth Urethane cast over heavy duty steel tubing9.5 lbD2926A2S\$26226.25° body2.5" smooth Steel heavy duty tubing (1/4" wall)12.5 lbD2926A2S\$26226.25° b	MT2876 MT2876
2" grooved Urethane cast over heavy duty steel tubing 7.5 lb D2522C2CGH \$266 22.25° body, 25.5° shaft 2" smooth Urethane cast over heavy duty steel tubing 7.9 lb D2522C2C \$249 22.25° body, 25.5° shaft AM 2" smooth Steel extra heavy duty tubing (1/4" wall) 11.5 lb D2522C2C \$212 22.25° body, 25.5° shaft AM 2" smooth Steel light tubing (full shaft) 5.5 lb D2522C2C \$212 22.25° body, 25.5° shaft AM 2.5" grooved Urethane cast over heavy duty steel tubing 8.5 lb D2522C2CS \$230 22.45° body, 25.5° shaft AM 2.5" smooth Urethane cast over heavy duty steel tubing 9.5 lb D2522C2SC \$274 22.45° body, 25.5° shaft AM 2.5" smooth Steel light tubing **PRO line 4 lb 227SL \$212 water pump bearing BWP7 AM 2.5" grooved Urethane cast over heavy duty steel tubing 9.5 lb D2926A25C \$227 26.45° body 25.5° shaft 2.5" smooth Steel light tubing **PRO line 4 lb 227SL \$212 water pump bearing BWP7 AM 2.5" smooth Urethane cast over heavy duty steel tubing 9.5 lb D2926A25C \$227 26.45° body 25° s	MT2876 MT2876
2" grooved Urethane cast over heavy duty steel tubing 7.5 lb D2522C2CGH \$266 22.25" body, 25.5" shaft 2" smooth Urethane cast over heavy duty steel tubing 7.9 lb D2522C2C \$249 22.25" body, 25.5" shaft AM 2" smooth Steel extra heavy duty tubing (1/4" wall) 11.5 lb D2522C2C \$212 22.25" body, 25.5" shaft AM 2" smooth Steel light tubing (full shaft) 5.5 lb D2522C2C \$212 22.25" body, 25.5" shaft AM 2.5" grooved Urethane cast over heavy duty steel tubing 8.5 lb D2522C2S \$212 22.25" body, 25.5" shaft AM 2.5" grooved Urethane cast over heavy duty steel tubing 9.5 lb D2522C2SC \$274 22.45" body, 25.5" shaft AM 2.5" smooth Steel heavy duty tubing (1/8" wall) 9.2 lb D2522C2SS \$238 22.25" body, 25.5" shaft AM 2.5" smooth Steel heavy duty tubing (1/8" wall) 9.2 lb D2522C2SS \$238 22.25" body, 25.5" shaft AM 2.5" grooved Urethane cast over heavy duty steel tubing 9.2 lb D2522C2SS \$238 22.25" body, 25.5" shaft AM 2.5" grooved Urethane cast over heavy duty steel tubing 9.5 lb D2926A2SC \$297 2	MT2876 MT2876
2" grooved Urethane cast over heavy duty steel tubing 7.5 lb D2522C2CGH \$266 22.25' body, 25.5' shaft 2" smooth Steel extra heavy duty tubing (1/4" wall) 11.5 lb D2522C2C \$212 22.25' body, 25.5' shaft AM 2" smooth Steel light tubing (full shaft) 5.5 lb D2522C2C \$212 22.25' body, 25.5' shaft AM 2.5" grooved Urethane cast over heavy duty steel tubing 8.5 lb D2522C2C \$212 22.25' body, 25.5' shaft AM 2.5" grooved Urethane cast over heavy duty steel tubing 8.5 lb D2522C2CG \$309 22.45' body, 25.5' shaft AM 2.5" smooth Urethane cast over heavy duty steel tubing 9.5 lb D252C2C5C \$274 22.45' body, 25.5' shaft AM 2.5" smooth Steel light tubing (1/8" wall) 9.2 lb D252C2SS \$238 22.25' body, 25.5' shaft AM 2.5" grooved Urethane cast over heavy duty steel tubing 9.5 lb D252C2SS \$238 22.45' body 25.5' shaft 2.5" grooved Urethane cast over heavy duty steel tubing 9.5 lb D292CA2SC \$212 water pump bearing BWP7 AM 2.5" smooth Urethane cast over heavy duty steel tubing 11 lb D2926A2SC \$297 26.4	MT2876 MT2876 So available)
2" grooved Urethane cast over heavy duty steel tubing 7.5 lb D2522C2CGH \$266 22.25* body, 25.5* shaft 2" smooth Urethane cast over heavy duty steel tubing 7.9 lb D2522C2C \$249 22.25* body, 25.5* shaft AM 2" smooth Steel extra heavy duty tubing (1/4" wall) 11.5 lb D2522C2C \$212 22.25* body, 25.5* shaft AM 2." smooth Steel light tubing (full shaft) 5.5 lb D2522C2C \$212 22.25* body, 25.5* shaft AM 2.6" grooved Urethane cast over heavy duty steel tubing 8.5 lb D2522C2S \$212 22.45* body, 25.5* shaft AM 2.6" grooved Urethane cast over heavy duty steel tubing 9.5 lb D2522C2S \$238 22.45* body, 25.5* shaft AM 2.5" smooth Steel heavy duty tubing (1/8" wall) 9.2 lb D2522C2S \$238 22.25* body, 25.5* shaft AM 2.5" smooth Steel light tubing **PRO line 4 lb 227SL \$212 water pump bearing BWP7 AM 2.6" grooved Urethane cast over heavy duty steel tubing 9.5 lb D2926A2SC \$227 26.45* body 2.5* shaft 2.5" smooth Urethane cast over heavy duty steel tubing 9.5 lb D2926A2S \$227 26.25* body	MT2876 MT2876 so available)
2" grooved Urethane cast over heavy duty steel tubing 7.5 lb D25222C2CGH \$266 22.25" body, 25.5" shaft 2" smooth Urethane cast over heavy duty steel tubing 7.9 lb D2522C2C \$249 22.25" body, 25.5" shaft AN 2" smooth Steel extra heavy duty tubing (1/4" wall) 11.5 lb D2522C2C \$212 22.25" body, 25.5" shaft AN 2.5" grooved Urethane cast over heavy duty steel tubing 5.5 lb D2522C2CS \$274 22.45" body, 25.5" shaft AN 2.5" grooved Urethane cast over heavy duty steel tubing 8.5 lb D2522C2S \$224 22.45" body, 25.5" shaft AN 2.5" smooth Steel heavy duty tubing (1/8" wall) 9.2 lb D2522C2SS \$228 22.25" body, 25.5" shaft AN 2.5" smooth Steel heavy duty tubing (1/8" wall) 9.2 lb D2522C2SS \$212 water pump bearing BWP7 AN 2.5" grooved Urethane cast over heavy duty steel tubing 9.1 lb D2926A2SS \$212 water pump bearing BWP7 AN 2.5" smooth Urethane cast over heavy duty steel tubing 9.1 lb D2926A2SS \$227 26.45" body 25" shody 2.5" smooth Urethane cast over heavy duty steel tubing 9.5 lb D2926A2SS \$227	MT2876 MT2876 So available)

lore with 1 flat on and of the shaft.	ROLLERS (2 styles)		(Sectional rollers with 4 bodies also available)
llers with 1 flat on one end of the shaft:		\$057	1 flat on one and of shaft
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb D2522C3CG		1 flat on one end of shaft
3" smooth Urethane cast over heavy duty steel tubing	12 lb D2522C3C		1 flat on one end of shaft
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb D2522C3S	\$262	1 flat on one end of shaft
To diminish instances of shadowing lines due to overlap			call for proper application specifics
3" grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CG.22C	\$540	front roller for rear mower heads-use with D2519C3C
3" smooth Urethane cast over heavy duty steel tubing	11 lb D2519C3C	\$309	back roller for rear mower heads-use with D2522C3CG.22C
llers with 2 flats on one end of the shaft:			
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb D2522F3CG	\$357	2 flats on one end of shaft
3" smooth Urethane cast over heavy duty steel tubing	11 lb D2522F3C	\$309	2 flats on one end of shaft
3" smooth Steel heavy duty tubing (1/8" wall)	12 lb D2522F3S	\$262	2 flats on one end of shaft AMT2967
To diminish instances of shadowing lines due to overlag	o of reels		call for proper application specifics
3" grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CG.22C	\$540	front roller for rear mower heads-use with D2519F3C
3" smooth Urethane cast over heavy duty steel tubing	11 lb D2519F3C		back roller for rear mower heads-use with D2522F3CG.22C
Deere 22" 7500/ 8500 & 7700/ 8700 PRECISION CUT & E-CUT			(Sectional rollers with 4 bodies also available)
	TAINWAT (QAJ & QAT TEEIS)	,	(Sectional rollers with 4 bodies also available)
llers for QA-7 reels (with 2 flats on one end of the shaft):			
To diminish instances of shadowing lines due to overlap			call for proper application specifics
3" grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CG.22C	\$540	front roller for rear mower heads-use with D2519F3C
3" smooth Urethane cast over heavy duty steel tubing	11 lb D2519F3C	\$309	back roller for rear mower heads-use with D2522F3CG.22C
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb D2522F3CG	\$357	22.45" body, 25.5" shaft AMT2966,BM25317,BM17668
3" smooth Urethane cast over heavy duty steel tubing	12 lb D2522F3C	\$309	22.45" body, 25.5" shaft
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb D2522F3S	\$262	22.25" body, 25.5" shaft
To diminish instances of shadowing lines due to overlap	o of reels		call for proper application specifics
2.5" grooved Urethane with 2.2" wide smooth ends	8.5 lb D2522F25CG.22C	\$540	front roller for rear mower heads-use with D2519F25C
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb D2519F25C		back roller for rear mower heads-use with D2522F25CG.22C
2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb D2522F25CG		22.45" body, 25.5" shaft
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb D2522F25C		22.45" body, 25.5" shaft
			22.25" body, 25.5" shaft
2.5" smooth Steel heavy duty tubing (1/8" wall)	9.2 lb D2522F25S		
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb D2522F2CGH	\$266	22.25" body , 25.5" shaft
2" smooth Urethane cast over heavy duty steel tubing	7.9 lb D2522F2C	\$249	22.25" body, 25.5" shaft
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb D2522F2S	\$212	22.25" body, 25.5" shaft
llers for QA-5 reels (with 1 flat on one end of the shaft):			
To diminish instances of shadowing lines due to overlap	o of reels		call for proper application specifics
3" grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CG.22C	\$540	front roller for rear mower heads-use with D2519C3C
3" smooth Urethane cast over heavy duty steel tubing	11 lb D2519C3C	\$309	back roller for rear mower heads-use with D2522C3CG.22C
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb D2522C3CG	\$357	22.45" body, 25.5" shaft
3" smooth Urethane cast over heavy duty steel tubing	12 lb D2522C3C	\$309	22.45" body, 25.5" shaft
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb D2522C3S	\$262	22.25" body, 25.5" shaft
To diminish instances of shadowing lines due to overlag			call for proper application specifics
2.5" grooved Urethane with 2.2" wide smooth ends	8.5 lb D2522C25CG.22C	\$540	front roller for rear mower heads-use with D2519CF25C
	9.5 lb D2519C25C		back roller for rear mower heads-use with D2522C25CG.22C
2.5" smooth Urethane cast over heavy duty steel tubing	• • • • • • • • • • • • • • • • • • • 		-
2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb D2522C25CG		22.45" body, 25.5" shaft
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb D2522C25C		22.45" body, 25.5" shaft
2.5" smooth Steel heavy duty tubing (1/8" wall)	9.2 lb D2522C25S	\$238	22.25" body, 25.5" shaft
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb D2522C2CGH	\$266	22.25" body, 25.5" shaft
2" smooth Urethane cast over heavy duty steel tubing	7.9 lb D2522C2C	\$249	22.25" body, 25.5" shaft
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb D2522C2S	\$212	22.25" body, 25.5" shaft
2" smooth Steel light tubing (full shaft)	5.5 lb D2522C2L	\$212	22.25" body, 25.5" shaft
Deere 18" 8000A PRECISION CUT & E-CUT FAIRWAY - FROM		· · ·	
		\$357	18.0" body, 22" shaft
2" grooved Urethane cast over heavy duty steel tubing	6.5 ID D2218A2CCH		
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb D2218A2CGH		18 0" hody 22" shaft
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb D2218A2C	\$309	18.0" body, 22" shaft
2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall)	7.5 lb D2218A2C 10.5 lb D2218A2S	\$309 \$289	18.0" body, 22" shaft
 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S	\$309 \$289 \$309	18.0" body, 22" shaft 16.0" body, 22" shaft
 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG	\$309 \$289 \$309 \$393	18.0" body, 22" shaft 16.0" body, 22" shaft 18.0" body, 22" shaft
 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C	\$309 \$289 \$309	18.0" body, 22" shaft 16.0" body, 22" shaft 18.0" body, 22" shaft
 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG	\$309 \$289 \$309 \$393 \$357	18.0" body, 22" shaft 16.0" body, 22" shaft 18.0" body, 22" shaft
 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S	\$309 \$289 \$309 \$393 \$357	18.0" body, 22" shaft 16.0" body, 22" shaft 18.0" body, 22" shaft 18.0" body, 22" shaft
 2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S	\$309 \$289 \$309 \$393 \$357 \$309	18.0° body, 22° shaft 16.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft
2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) To diminish instances of shadowing lines due to overlag 2.5" grooved Urethane with 2.2" wide smooth ends	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S p of reels 6.8 lb D2218A25CG.22C	\$309 \$289 \$309 \$393 \$357 \$309 \$309	18.0° body, 22° shaft 16.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft call for proper application specifics
2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) To diminish instances of shadowing lines due to overlag 2.5" grooved Urethane with 2.2" wide smooth ends 2.5" smooth Urethane cast over heavy duty steel tubing	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S p of reels 6.8 lb D2218A25CG.22C 7 lb D2215A25C	\$309 \$289 \$309 \$393 \$357 \$309 \$540 \$357	18.0° body, 22° shaft 16.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft call for proper application specifics front roller for rear mower heads-use with D2215A25C back roller for rear mower heads-use with D2218A25CG.22C
2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) To diminish instances of shadowing lines due to overlag 2.5" grooved Urethane with 2.2" wide smooth ends 2.5" smooth Urethane cast over heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S p of reels 6.8 lb D2218A25CG.22C 7 lb D2215A25C 6.7 lb D2218A3CG	\$309 \$289 \$309 \$393 \$357 \$309 \$357 \$309 \$540 \$357 \$432	18.0° body, 22° shaft 16.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft call for proper application specifics front roller for rear mower heads-use with D2215A25C back roller for rear mower heads-use with D2218A25CG.22C 18.0° body, 22° shaft
2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) To diminish instances of shadowing lines due to overlag 2.5" grooved Urethane with 2.2" wide smooth ends 2.5" smooth Urethane cast over heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S p of reels 6.8 lb D2218A25CG.22C 7 lb D2215A25C 6.7 lb D2218A3CG 7.5 lb D2218A3C	\$309 \$289 \$309 \$393 \$357 \$309 \$357 \$309 \$5540 \$357 \$432 \$397	18.0° body, 22° shaft 16.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft call for proper application specifics front roller for rear mower heads-use with D2215A25C back roller for rear mower heads-use with D2218A25CG.22C 18.0° body, 22° shaft 18.0° body, 22° shaft
2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) To diminish instances of shadowing lines due to overlag 2.5" grooved Urethane with 2.2" wide smooth ends 2.5" smooth Urethane cast over heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall)	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S p of reels 6.8 lb D2218A25CG.22C 7 lb D2215A25C 6.7 lb D2218A3CG 7.5 lb D2218A3C 9.2 lb D2218A3S	\$309 \$289 \$309 \$393 \$357 \$309 \$357 \$309 \$5540 \$357 \$432 \$397	18.0° body, 22° shaft 16.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft call for proper application specifics front roller for rear mower heads-use with D2215A25C back roller for rear mower heads-use with D2218A25CG.22C 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft
2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) To diminish instances of shadowing lines due to overlag 2.5" grooved Urethane with 2.2" wide smooth ends 2.5" smooth Urethane cast over heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) To diminish instances of shadowing lines due to overlag	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S p of reels 6.8 lb D2218A25CG.22C 7 lb D2215A25C 6.7 lb D2218A3CG 7.5 lb D2218A3C 9.2 lb D2218A3S p of reels	\$309 \$289 \$309 \$393 \$357 \$309 \$357 \$309 \$357 \$432 \$397 \$349	18.0° body, 22° shaft 16.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft call for proper application specifics front roller for rear mower heads-use with D2215A25C back roller for rear mower heads-use with D2218A25CG.22C 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft
2" smooth Urethane cast over heavy duty steel tubing 2" smooth Steel extra heavy duty tubing (1/4" wall) 2" smooth Steel extra heavy duty tubing (1/4" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) To diminish instances of shadowing lines due to overlag 2.5" grooved Urethane with 2.2" wide smooth ends 2.5" smooth Urethane cast over heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall)	7.5 lb D2218A2C 10.5 lb D2218A2S 9 lb D2216A2S 6.7 lb D2218A25CG 7.5 lb D2218A25C 9.2 lb D2218A25S p of reels 6.8 lb D2218A25CG.22C 7 lb D2215A25C 6.7 lb D2218A3CG 7.5 lb D2218A3C 9.2 lb D2218A3S	\$309 \$289 \$309 \$393 \$357 \$309 \$357 \$309 \$5540 \$357 \$432 \$397	18.0° body, 22° shaft 16.0° body, 22° shaft 18.0° body, 22° shaft call for proper application specifics front roller for rear mower heads-use with D2215A25C back roller for rear mower heads-use with D2218A25CG.22C 18.0° body, 22° shaft 18.0° body, 22° shaft 18.0° body, 22° shaft

John Deere 26" 8900A FAIRWAY - FRONT & BACK ROLLERS (Q.	A-7 reels)		(2.5" diameter also availabl	e)
3" grooved Urethane cast over heavy duty steel tubing	11.1 lb D2926A3CG	\$421		
3" smooth Urethane cast over heavy duty steel tubing	13.5 lb D2926A3C	\$364		
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb D2926A3S	\$324		
John Deere 30" 8900A FAIRWAY - FRONT & BACK ROLLERS (Q.	A-7 reels)		(2.5" diameter also availabl	e)
3" grooved Urethane cast over heavy duty steel tubing	11.1 lb D3329A3CG	\$421		
3" smooth Urethane cast over heavy duty steel tubing	13.5 lb D3329A3C	\$364		
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb D3329A3S	\$324		
John Deere 26" 7200, 2653, 2653A & 2653B TRIPLEX - FRONT	& BACK ROLLERS	(2.5" di	ameter and sectional rollers w	ith 4 bodies also available)
3" grooved Urethane cast over heavy duty steel tubing	11.1 lb D2926F3CG	\$357	Shafts with 2 flats on one end	AMT2968, AMT1287, AMT2468
3" smooth Urethane cast over heavy duty steel tubing	13.5 lb D2926F3C	\$309	Shafts with 2 flats on one end	AMT2969
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb D2926F3S	\$262	Shafts with 2 flats on one end	AMT2969
John Deere 30" 7200, 2653, 2653A & 2653B TRIPLEX - FRONT	& BACK ROLLERS			
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb D3329F3CG	\$357	Shafts with 2 flats on one end	AMT2977, AMT1288, AMT2469
3" smooth Urethane cast over heavy duty steel tubing	15 lb D3329F3C	\$309	Shafts with 2 flats on one end	AMT2976
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb D3329F3S	\$262	Shafts with 2 flats on one end	AMT2976
John Deere 30" 1900, 1905, 3325 FAIRWAY & 3365 TURF PRO &	365 PTO GANG (2 styles)		call to confirm roller options	
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb D3229F3CG	\$357	Shafts with 2 flats on one end	AET10874
3" smooth Urethane cast over heavy duty steel tubing	15 lb D3229F3C	\$309	Shafts with 2 flats on one end	
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb D3229F3S	\$262	Shafts with 2 flats on one end	
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb D3229A3CG	\$357	Shafts with 1 flat on one end	AET10874
3" smooth Urethane cast over heavy duty steel tubing	15 lb D3229A3C	\$309	Shafts with 1 flat on one end	
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb D3229A3S	\$262	Shafts with 1 flat on one end	
John Deere 30" FAIRWAY (305, 303, 756 & 856) - ALL ROLLERS	6 (Choose from 2 styles)		call to confirm roller options	
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb D3229X3CG	\$357	32.25" shaft with .5" dia. ends	
3" smooth Urethane cast over heavy duty steel tubing	15 lb D3229X3C	\$309	32.25" shaft with .5" dia. ends	
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb D3229X3S	\$262	32.25" shaft with .5" dia. ends	
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb D3029W3CG	\$357	30" shaft with 5/8" dia. ends & taps	
3" smooth Urethane cast over heavy duty steel tubing	15 lb D3029W3C	\$309	30" shaft with 5/8" dia. ends & taps	
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb D3029W3S	\$262	30" shaft with 5/8" dia. ends & taps	

hn Deere ROTARY 22" 2653 WITH NUNS DECK - BACK ROLLER				
3" smooth Urethane cast over heavy duty steel tubing	11 lb D2522C3C	\$309	22.45" body, 25.5" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	12 lb D2522C3S		22.25" body, 25.5" shaft	
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb D2522C7C		22.45" body, 25.5" shaft	
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb D2522C4S		22.25" body, 25.5" shaft	
hn Deere ROTARY 30" 2653 WITH NUNS DECK - BACK ROLLER				
3" smooth Urethane cast over heavy duty steel tubing	15 lb D3229N3C	\$321	22.45" body	
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb D3229N3S	\$274	22.25" body	
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb D3229N7C	\$404	22.45" body	
4" smooth Urethane cast over heavy duty steel tubing	23 lb D3229N4C	\$452	22.45" body	
4" smooth Steel heavy duty tubing (1/8" wall)	29 lb D3229N4S	\$393	22.25" body	
IN Deere ROTARY DECK 8800 & 3245C - FRONT ROLLER (With the	wo independent rolling 4"	wide roller	bodies)	
5" grooved Urethane over steel tubing (two 5.2" wide bodies)	8 lb D2305C5CGt	\$602	Twin independent bodies-3 grooves per body	TCA26180 & TCA19028
5" smooth Urethane over steel tubing (two 4" wide bodies)	9.3 lb D2304A5Ct	\$357	Twin independent bodies on a shaft	TCA26180 & TCA19028
n Deere ROTARY DECK 8800 & 3245C & 1565 - BACK ROLLER (choose from multiple style	es to match	your needs)	
3" grooved Urethane over steel tubing (three 5.2" wide bodies)	11 lb D2320C3CG3	\$592	non-striping, allows better air flow	
3" grooved Urethane over steel tubing (two 5.2" wide bodies)	8 lb D2305B3CGt	\$428	non-striping, allows better air flow	
3" smooth Urethane over steel tubing (two 4" wide bodies)	8 lb D2304B3Ct	\$321	non-striping, allows better air flow	
3" smooth Steel heavy duty tubing (two 4" wide bodies)	10 lb D2304B3St	\$285	non-striping, allows better air flow	
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb D2319B3CG	\$357	19.45" body, 23" shaft	non-striping option
3" smooth Urethane cast over heavy duty steel tubing	11 lb D2319B3C	\$309	19.45" body, 23" shaft	TCA16183
3" smooth Steel heavy duty tubing (1/8" wall)	12 lb D2319B3S	\$262	19.25" body, 23" shaft	TCA16183
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb D2319B7C	\$404	19.45" body, 23" shaft	
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb D2319B4S	\$368	19.25" body, 23" shaft	_
3" smooth Urethane cast over heavy duty steel tubing	11.5 lb D2419B3C	\$309	19.45" body, 24" shaft	_
3" smooth Steel heavy duty tubing (1/8" wall)	11 lb D2419B3S	\$262	19.25" body, 24" shaft	
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb D2419B7C	\$404	19.45" body, 24" shaft	
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb D2419B4S	\$368	19.25" body, 24" shaft	_
3" smooth Urethane cast over heavy duty steel tubing	12 lb D2522T3C	\$309	22.45" body, 25.87" shaft	_
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb D2522T3S	\$262	22.25" body, 25.87" shaft	
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb D2522T7C	\$404	22.45" body, 25.87" shaft	
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb D2522T4S	\$368	22.25" body, 25.87" shaft	_
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb D2622A3CG	\$369	22.45" body, 26.75" shaft	non-striping option
3" smooth Urethane cast over heavy duty steel tubing	12 lb D2622A3C	\$321	22.45" body, 26.75" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb D2622A3S	\$274	22.25" body, 26.75" shaft	
3.5" smooth Urethane cast over heavy duty steel tubing	13.5 lb D2622A7C	\$404	22.45" body, 26.75" shaft	
4" smooth Steel heavy duty tubing (1/8" wall)	20 lb D2622A4S	\$404	22.25" body, 26.75" shaft	
n Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut -	FRONT ROLLER (With two	o independ	lent rolling 5.2" wide roller bodi	es)
5" grooved Urethane over steel tubing (two 5.2" wide bodies)	12 lb D2905C5CGt	\$476	Twin independent bodies on a shaft	3 groove channels
5" smooth Urethane over steel tubing (two 5.2" wide bodies)	13 lb D2905C5Ct	\$41 6	Twin independent bodies on a shaft	BUC10125 & TCA25911
n Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut -	BACK ROLLER			
3" grooved Urethane over steel tubing (two 5.2" wide bodies)	10 lb D2905C3CGt	\$428	non-striping, allows better air flow	
3" smooth Urethane over steel tubing (two 4" wide bodies)	10 lb D2904C3Ct	\$393	non-striping, allows better air flow	
3" smooth Steel heavy duty tubing (two 4" wide bodies)	11 lb D2904C3St	\$357	non-striping, allows better air flow	_
3" grooved Urethane cast over heavy duty steel tubing	11 lb D2926C3CG	\$393	non-striping, allows better air flow	26.45" body, 29" shaft
lies 4 section 3" grooved Urethane cast over heavy duty steel tubing	12 lb D2926C3CG4	\$582	non-striping, allows better air flow	25" body, 29" shaft
3" smooth Urethane cast over heavy duty steel tubing	12.5 lb D2926C3C	\$321	26.45" body, 29" shaft	TCA17790
3" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb D2926C3S	\$285	26.25" body, 29" shaft	_
3" smooth Urethane cast over heavy duty steel tubing	12.5 lb D2919C3C	\$345	19.45" body, 29" shaft	
n Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT CASTE				
5" smooth Urethane over steel tubing (4" wide body)	5 lb D0404G5C	\$179	superior design to OEM roller	TCA19047 +19H3185 +U449
n Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLEF				
3" smooth Urethane cast over heavy duty steel tubing	12.5 lb D2925A3C	\$321		TCA17790 (3"),TCA25970
	AD F IN DOODEADC	¢005	25.25" body, 29.25" shaft	TCA17790 (3"),TCA25970
3" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb D2925A3S	⊅ ∠00	· · · · · · · · · · · · · · · · · · ·	
3" smooth Steel heavy duty tubing (1/8" wall) 3.5" smooth Urethane cast over heavy duty steel tubing 4" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb D2925A3S 13.5 lb D2925A7C 20 lb D2925A4S	\$285 \$404		

for TORO mowers

for TORO mowers			
Toro 22" GREENSMOWERS - FRONT ROLLER: series 1000, 3, 30	00, 3000, 3050, 3100, 3150 (with	h 3/8"-24 tap in shaft ends for ball stud)	
(Except TriFlex series without ball stud for basket yoke as	follows: 3200, 3250, 3300, 332	20, 3400, 3420 & FLEX 21)	
^{4 bodies} 4 section 2" grooved Urethane cast over steel tubing	8.5 lb T2522S2CGH4	\$465 4 independent roller bodies on a shaft	
4 bodies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb T2522S2C4	\$444 4 independent roller bodies on a shaft	
4 bodies 4 section 2" smooth Steel extra heavy duty tubing	12 lb T2522S2S4	\$422 4 independent roller bodies on a shaft	
4 bodies 4 section 2" smooth Steel light tubing (full shaft)	7 lb T2522S2L4	\$444 4 independent roller bodies on a shaft	
4 bodies 4 section 2.5" grooved Urethane cast over steel tubing	10 lb T2522S25CG4	\$476 4 independent roller bodies on a shaft	
^{4 bodies} 4 section 2.5" smooth Urethane cast over steel tubing	13 lb T2522S25C4	\$465 4 independent roller bodies on a shaft	
^{4 bodies} 4 section 2.5" smooth Steel extra heavy duty tubing	13 lb T2522S25S4	\$465 4 independent roller bodies on a shaft	
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb T2522S2CGH	\$266 22.25" body, 25.75" shaft	52-3200
2" smooth Urethane cast over heavy duty steel tubing	8 lb T2522S2C	\$249 22.25" body, 25.75" shaft	52-3170
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb T2522S2S	\$212 22.25" body, 25.75" shaft	52-3170
2" smooth Steel light tubing (full shaft)	5.5 lb T2522S2L	\$212 22.25" body, 25.75" shaft	52-3170
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2522S25CG	\$309 22.45" body, 25.75" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522S25C	\$274 22.45" body, 25.75" shaft	
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522S25S	\$238 22.25" body, 25.75" shaft	
2" smooth Steel light tubing **PRO line	4 lb 224SL	\$212 water pump bearing BWP4	52-3170
Toro 22" GREENSMOWERS - BACK ROLLER: series 3, 300, 3000), 3050, 3100, 3150		
(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3	3400, 3420 & FLEX 21)		
4 bodies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb T2522S2CGH4	\$465 4 independent roller bodies on a shaft	
4 bodies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb T2522A2C4	\$444 4 independent roller bodies on a shaft	
4 bodies 4 section 2" smooth Steel extra heavy duty tubing	12 lb T2522A2S4	\$422 4 independent roller bodies on a shaft	
4 bodies 4 section 2" smooth Steel light tubing (full shaft)	7 lb T2522A2L4	\$444 4 independent roller bodies on a shaft	
4 bodies 4 section 2.5" grooved Urethane cast over steel tubing	10 lb T2522A25CG4	\$476 4 independent roller bodies on a shaft	
4 bodies 4 section 2.5" smooth Urethane cast over steel tubing	13 lb T2522A25C4	\$465 4 independent roller bodies on a shaft	
^{4 bodies} 4 section 2.5" smooth Steel extra heavy duty tubing	13 lb T2522A25S4	\$465 4 independent roller bodies on a shaft	
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb T2522A2CGH	\$266 22.25" body, 25.87" shaft	
2" smooth Urethane cast over heavy duty steel tubing	8 lb T2522A2C	\$249 22.25" body, 25.87" shaft	52-3120
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb T2522A2S	\$212 22.25" body, 25.87" shaft	52-3120
2" smooth Steel light tubing (full shaft)	5.5 lb T2522A2L	\$212 22.25" body, 25.87" shaft	52-3120
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2522A25CG	\$309 22.45" body, 25.87" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A25C	\$274 22.45" body, 25.87" shaft	
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522A25S	\$238 22.25" body, 25.87" shaft	
2" smooth Steel light tubing **PRO line	4 lb 223SL	\$212 water pump bearing BWP3	52-3120
Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series	3, 300, 3000, 3050, 3100, 3150 ((with 3/8"-24 tap in shaft ends)	
(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3	3400, 3420 & FLEX 21)		
3" grooved Urethane cast over heavy duty steel tubing	9 lb T2520H3CG	\$333 assembly with body, shaft & bearings	52-2720
3" smooth Urethane cast over heavy duty steel tubing	10.5 lb T2520H3C	\$309 assembly with body, shaft & bearings	52-2720
3" smooth Steel heavy duty tubing	11 lb T2520H3S	\$262 assembly with body, shaft & bearings	52-2720
3.5" smooth Urethane cast over heavy duty steel tubing	12.5 lb T2520H7C	\$321 assembly with body, shaft & bearings	52-2720
Toro 22" TriFlex series GREENSMOWERS - FRONT & BACK ROL	LERS: 3200, 3250, 3300, 3320	, 3400, 3420	
(choose the style to match your needs) (these rollers have	solid shaft ends without taps,	, they do not accommodate yoke ball stu	uds)
^{4 bodies} 4 section 2" grooved Urethane cast over steel tubing	8.5 lb T2522A2CGH4	\$465 4 independent roller bodies on a shaft	
^{4 bodies} 4 section 2" smooth Urethane cast over steel tubing	8.5 lb T2522A2C4	\$444 4 independent roller bodies on a shaft	
4 bodies 4 section 2" smooth Steel extra heavy duty tubing	12 lb T2522A2S4	\$422 4 independent roller bodies on a shaft	
4 bodies 4 section 2" smooth Steel light tubing (full shaft)	7 lb T2522A2L4	\$444 4 independent roller bodies on a shaft	
4 bodies 4 section 2.5" grooved Urethane cast over steel tubing	10 lb T2522A25CG4	\$476 4 independent roller bodies on a shaft	
4 bodies 4 section 2.5" smooth Urethane cast over steel tubing	9 lb T2522A25C4	\$465 4 independent roller bodies on a shaft	
⁴ bodies 4 section 2.5" smooth Steel extra heavy duty tubing	13 lb T2522A25S4	\$465 4 independent roller bodies on a shaft	
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb T2522A2CGH	\$266 22.25" body, 25.87" shaft	
2" smooth Urethane cast over heavy duty steel tubing	8 lb T2522A2C	\$249 22.25" body, 25.87" shaft	52-3120
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb T2522A2S	\$212 22.25" body, 25.87" shaft	52-3120
2" smooth Steel light tubing (full shaft)	5.5 lb T2522A2L	\$212 22.25" body, 25.87" shaft	52-3120
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2522A25CG	\$309 22.45" body, 25.87" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A25C	\$274 22.45" body, 25.87" shaft	115-7388
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522A25S	\$238 22.25" body, 25.87" shaft	115-7388
2" smooth Urethane cast over heavy duty steel tubing	8 lb T2421B2C	\$238 21.25" body, 24" shaft	
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb T2421B2S	\$212 21.25" body, 24" shaft	
2" smooth Steel light tubing (full shaft)	5.5 lb T2421B2L	\$212 21.25" body, 24" shaft	
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2421B25CG	\$309 21.45" body, 24" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2421B25C	\$274 21.45" body, 24" shaft	
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2421B25S	\$238 21.25" body, 24" shaft	
2" smooth Steel light tubing ** PRO line	4 lb 223SL	\$212 water pump bearing BWP3	52-3120

o GREENSMOWER FLEX 21 & FLEX 2120 - FRONT & BACK RO	OLLERS (if groomer kit require	es tap in e	ends of shaft, change "A" in p	art # to "S")
lies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb T2522A2CGH4	\$465	4 independent roller bodies on a shaft	
lies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb T2522A2C4	\$444	4 independent roller bodies on a shaft	
lies 4 section 2" smooth Steel extra heavy duty tubing	12 lb T2522A2S4	\$422	4 independent roller bodies on a shaft	
lies 4 section 2" smooth Steel light tubing (full shaft)	7 lb T2522A2L4	\$444	4 independent roller bodies on a shaft	
ies 4 section 2.5" grooved Urethane cast over steel tubing	10 lb T2522A25CG4	\$476	4 independent roller bodies on a shaft	
ies 4 section 2.5" smooth Urethane cast over steel tubing	9 lb T2522A25C4	\$465	4 independent roller bodies on a shaft	
ies 4 section 2.5" smooth Steel extra heavy duty tubing	13 lb T2522A25S4	\$465	4 independent roller bodies on a shaft	
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb T2522A2CGH	\$266	22.25" body, 25.87" shaft	
2" smooth Urethane cast over heavy duty steel tubing	8 lb T2522A2C	\$249	22.25" body, 25.87" shaft	52-3120
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb T2522A2S	\$212	22.25" body, 25.87" shaft	52-3120
2" smooth Steel light tubing (full shaft)	5.5 lb T2522A2L	\$212	22.25" body, 25.87" shaft	52-3120
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2522A25CG	\$309	22.45" body, 25.87" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A25C	\$274	22.45" body, 25.87" shaft	
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522A25S	\$238	22.25" body, 25.87" shaft	
2" smooth Steel light tubing **PRO line	4 lb 223SL	\$212	water pump bearing BWP3	52-3120
GREENSMOWER FLEX 18 & FLEX 1820 - FRONT & BACK RO	OLLERS (if groomer kit require	es tap in e	ends of shaft, change "C" in p	art # to "S")
ies 4 section 2" smooth Urethane cast over steel tubing	7.6 lb T2319C2C4	\$444	4 independent roller bodies on a shaft	
ies 4 section 2" smooth Steel extra heavy duty tubing	12 lb T2319C2S4	\$422	4 independent roller bodies on a shaft	
es 4 section 2" smooth Steel light tubing (full shaft)	7 lb T2319C2L4	\$444	4 independent roller bodies on a shaft	
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb T2319C2CGH	\$266	19.25" body	
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb T2319C2C	\$249	19.25" body	
2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb T2319C2S	\$212	19.25" body	
2" smooth Steel light tubing (full shaft)	4.5 lb T2319C2L	\$212	19.25" body	
2" smooth Steel light tubing **PRO line	4 lb 283SL	\$212	water pump bearing BWP3	
GM800 18" GREENSMOWER - FRONT & BACK ROLLERS				
ies 4 section 2" smooth Urethane cast over steel tubing	7.6 lb T2219S2C4	\$444	4 independent roller bodies on a shaft	
ies 4 section 2" smooth Steel extra heavy duty tubing	12 lb T2219S2S4	\$422	4 independent roller bodies on a shaft	
ies 4 section 2" smooth Steel light tubing (full shaft)	7 lb T2219S2L4	\$444	4 independent roller bodies on a shaft	
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb T2219S2CGH	\$266	19.25" body	
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb T2219S2C	\$249	19.25" body	
2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb T2219S2S	\$212	19.25" body	
2" smooth Steel light tubing (full shaft)	4.5 lb T2219S2L	\$212	19.25" body	
2" smooth Steel light tubing **PRO line	4 lb 294SL	\$212	water pump bearing BWP4	
o GM1600 26" GREENSMOWER - FRONT & BACK ROLLERS				
ies 4 section 2.5" grooved Urethane cast over steel tubing	10 lb T3127A25CG4	\$486	4 independent roller bodies on a shaft	
lies 4 section 2.5" smooth Urethane cast over steel tubing	10 lb T3127A25C4	\$476	4 independent roller bodies on a shaft	
ies 4 section 2.5" smooth Steel extra heavy duty tubing	13 lb T3127A25S4	\$476	4 independent roller bodies on a shaft	
2.5" grooved Urethane cast over heavy duty steel tubing	11 lb T3127A25CG	\$309	27.45" body	
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb T3127A25C	\$274	27.45" body	
2.5" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T3127A25S	\$238	27.25" body	
3550D - FRONT ROLLER			(Sectional rollers with 4 bod	ies also available)
2.5" grooved Urethane cast over heavy duty steel tubing	8 lb T2118T25CG	\$321	18.25" body & 21.5" shaft	
5100D, 5300D & 223D - FRONT ROLLER			(Sectional rollers with 4 bod	ies also available)
Combination roller assemblies to diminish effect of reel ov	erlap shadowing are available	e-please c	all	
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb T2522A25CG	-	22.25" body & 25.87" shaft	75-1520
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A25C	\$274	22.45" body & 25.87" shaft	
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522A25S	\$238	22.25" body & 25.87" shaft	
5100D, 5300D & 223D - BACK ROLLER (2.5" diameter also		1	(Sectional rollers with 4 bod	ies also available)
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb T2319A2CGH	\$266	19.25" body	
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb T2319A2C		19.25" body	940694
2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb T2319A2S		19.25" body	940694
2" smooth Steel light tubing (full shaft)	4.5 lb T2319A2L		19.25" body	
2" smooth Steel light tubing ** PRO line	4 lb 293SL		water pump bearing BWP3	
5200D, 5210D, 5400D, 5410D, 5510D & 5610D - FRONT ROL		~- 1 E	(Sectional rollers with 4 bod	ies also available)
Combination roller assemblies to diminish effect of reel ov		e-please c		
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2722A3CG		22.45" body, 27" shaft	1009906
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2722A3CG	\$309	22.45" body, 27" shaft	99-5749
	12 10 12/22/00			99-5749
, , , , ,	11 5 lb T0700A0C			
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2722A3S	-	22.25" body, 27" shaft	
, , , , , ,	11.5 lb T2722A3S 9.5 lb T2724A3CG 12 lb T2724A3C	\$357	22.25° body, 27° shaft 24.45° body, 27° shaft 24.45° body, 27° shaft	114-5400

200D, 5210D, 5400D, 5410D, 5510D & 5610D - BACK ROLL		\$370	(Sectional rollers with 4 boo	ites also avaliable
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2522C3CG		22.45" body, 25.5" shaft	
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2522C3C		22.45" body, 25.5" shaft	
3" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing	11.5 lb T2522C3S 8.5 lb T2522C25CG	\$200	22.25" body, 25.5" shaft 22.45" body, 25.5" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522C25CG		22.45" body, 25.5" shaft	114-5406
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2522C25S	•	22.25" body, 25.5" shaft	114-5406
2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb T2521C25CG		21.45" body, 25.5" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2521C25C		21.45" body, 25.5" shaft	114-5406
2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb T2521C25S		21.25" body, 25.5" shaft	114-5406
2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb T2321A25CG		21.45" body, 23.75" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2321A25C		21.45" body, 23.75" shaft	
2.5" smooth Steel heavy duty tubing (1/8" wall)	9.2 lb T2321A25S		21.25" body, 23.75" shaft	
2" smooth Urethane cast over heavy duty steel tubing	8 lb T2321A2C		21.25" body, 23.75" shaft	
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb T2321A2S		21.25" body, 23.75" shaft	
2" smooth Steel light tubing (full shaft)	5.5 lb T2321A2L		21.25" body, 23.75" shaft	
3" grooved Urethane cast over heavy duty steel tubing	9 lb T2519A3CG		19.45" body, 25" shaft	
3" smooth Urethane cast over heavy duty steel tubing	11 lb T2519A3C		19.45" body, 25" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	11 lb T2519A3S		19.25" body, 25" shaft	
2.5" grooved Urethane cast over heavy duty steel tubing	8 lb T2519A25CG	\$309	19.45" body, 25" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9 lb T2519A25C		19.45" body, 25" shaft	
2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb T2519A25C		19.25" body, 25" shaft	
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb T2519A2CGH	\$266	19.25" body, 25" shaft	
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb T2519A2CG11		19.25" body, 25" shaft	
2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb T2519A2S		19.25" body, 25" shaft	
2" smooth Steel light tubing (full shaft)	4.5 lb T2519A2L		19.25" body, 25" shaft	
2.5" grooved Urethane cast over heavy duty steel tubing	8 lb T2319A25CG		19.45" body, 23" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	9 lb T2319A25C		19.45" body, 23" shaft	
2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb T2319A25S	\$238	19.25" body, 23" shaft	
2" grooved Urethane cast over heavy duty steel tubing	6.5 lb T2319A2CGH	\$266	19.25" body, 23" shaft	
2" smooth Urethane cast over heavy duty steel tubing	7.5 lb T2319A2C		19.25" body, 23" shaft	940694
2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb T2319A2S		19.25" body, 23" shaft	940694
2" smooth Steel light tubing (full shaft)	4.5 lb T2319A2L		19.25" body, 23" shaft	010001
2" smooth Steel light tubing **PRO line	4 lb 293SL		19.25" body, 23" shaft	water pump bearing BWP3
500D, 6500D & 6700D - FRONT & BACK ROLLERS	110 20002	_ += !=	(Sectional rollers with 4 boo	
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2722A3CG	\$357	22.45" body, 27" shaft	1009906
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2722A3C		22.45" body, 27" shaft	99-5749
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2722A3S		22.25" body, 27" shaft	99-5749
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2724A3CG	\$357	24.45" body, 27" shaft	114-5400
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2724A3C	\$309	24.45" body, 27" shaft	99-5749
3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T2724A3S	\$260	24.25" body, 27" shaft	99-5749
To diminish instances of shadowing lines due to overla			call for proper application specifics	
3 section 3" grooved Urethane with 2" wide smooth ends	9.5 lb T2722A3CG.22C	\$540	front roller for BACK ROLLER mower head	ds-use with T2719A3C
3" smooth Urethane cast over heavy duty steel tubing	11 lb T2719A3C	¢200	BACK ROLLER roller for BACK ROLLER	mower heads-use with T2722A3C
(places confirm disrector of he due or block that is following		2203		
blease confirm glameter of body and length of shaft require	ed to fit BACK ROLLER)	\$309		
(please confirm diameter of body and length of shaft require 3" grooved Urethane cast over heavy duty steel tubing			22.45" body, 25.87" shaft	
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG	\$357	22.45" body, 25.87" shaft 22.45" body, 25.87" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG 12 lb T2522A3C	\$357 \$309	22.45" body, 25.87" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall)	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3S	\$357 \$309 \$260	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3S el overlap shadowing are avai	\$357 \$309 \$260 lable-plea	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft se call	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C el overlap shadowing are avai 9 lb T2522A25CG	\$357 \$309 \$260 Iable-plea \$309	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft se call 22.45" body, 25.87" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C el overlap shadowing are avai 9 lb T2522A25CG 9.5 lb T2522A25C	\$357 \$309 \$260 lable-plea \$309 \$274	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall)	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C el overlap shadowing are avai 9 lb T2522A25CG 9.5 lb T2522A25C 10 lb T2522A25S	\$357 \$309 \$260 lable-ple a \$309 \$274 \$238	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.25" body, 25.87" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C el overlap shadowing are avai 9 lb T2522A25CG 9.5 lb T2522A25C 10 lb T2522A25S 9 lb T2422A25CG	\$357 \$309 \$260 lable-plea \$309 \$274 \$238 \$309	22.45° body, 25.87° shaft 22.25° body, 25.87° shaft 22.45° body, 25.87° shaft 22.45° body, 25.87° shaft 22.45° body, 25.87° shaft 22.25° body, 25.87° shaft 22.45° body, 24.5° shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C el overlap shadowing are avai 9 lb T2522A25CG 9.5 lb T2522A25C 10 lb T2522A25S 9 lb T2422A25CG 9.5 lb T2422A25CG	\$357 \$309 \$260 lable-plea \$309 \$274 \$238 \$309 \$274	22.45° body, 25.87° shaft 22.25° body, 25.87° shaft se call 22.45° body, 25.87° shaft 22.45° body, 25.87° shaft 22.25° body, 25.87° shaft 22.45° body, 24.5° shaft 22.45° body, 24.5° shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall)	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C el overlap shadowing are avai 9 lb T2522A25CG 9.5 lb T2522A25C 10 lb T2522A25S 9 lb T2422A25CG	\$357 \$309 \$260 lable-plea \$309 \$274 \$238 \$309 \$274 \$238	22.45° body, 25.87° shaft 22.25° body, 25.87° shaft se call 22.45° body, 25.87° shaft 22.45° body, 25.87° shaft 22.45° body, 25.87° shaft 22.45° body, 24.5° shaft 22.45° body, 24.5° shaft 22.25° body, 24.5° shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C 9 lb T2522A3S 9 lb T2522A25CG 9.5 lb T2522A25C 10 lb T2522A25C 9 lb T2422A25CG 9.5 lb T2422A25CG 9.5 lb T2422A25C 10 lb T2422A25S 8.5 lb T2421A25CG	\$357 \$309 \$260 lable-plea \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 24.5" shaft 22.45" body, 24.5" shaft 22.25" body, 24.5" shaft 21.45" body, 24.5" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C 9 lb T2522A3S 9 lb T2522A25CG 9.5 lb T2522A25C 10 lb T2522A25C 10 lb T2522A25C 9 lb T2422A25CG 9.5 lb T2422A25C 10 lb T2422A25S 8.5 lb T2421A25CG 9.5 lb T2421A25CG 9.5 lb T2421A25C	\$357 \$309 \$260 lable-plez \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft se call 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 24.5" shaft 22.45" body, 24.5" shaft 22.25" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall)	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C 9 lb T2522A3S 9 lb T2522A25CG 9.5 lb T2522A25C 10 lb T2522A25C 9 lb T2422A25C 9.5 lb T2422A25C 10 lb T2422A25C 10 lb T2422A25S 8.5 lb T2421A25CG 9.5 lb T2421A25C 10 lb T2421A25C 10 lb T2421A25S	\$357 \$309 \$260 lable-plez \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 24.5" shaft 22.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 3.5" grooved Urethane cast over h	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C 9 lb T2522A3S 9 lb T2522A25CG 9.5 lb T2522A25C 10 lb T2522A25C 9 lb T2422A25C 9.5 lb T2422A25C 10 lb T2422A25C 10 lb T2422A25S 8.5 lb T2421A25CG 9.5 lb T2421A25C 10 lb T2421A25C 10 lb T2421A25S 8 lb T2519A25CG	\$357 \$309 \$260 lable-plez \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238 \$309	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 24.5" shaft 22.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.95" body, 24.5" shaft 21.95" body, 25" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 3.5" sm	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C 9 lb T2522A3S 9 lb T2522A25C 9.5 lb T2522A25C 10 lb T2522A25C 9.5 lb T2422A25C 9.5 lb T2422A25C 10 lb T2422A25C 10 lb T2422A25S 8.5 lb T2421A25C 9.5 lb T2421A25C 10 lb T2421A25C 10 lb T2421A25S 8 lb T2519A25CG 9 lb T2519A25C	\$357 \$309 \$260 lable-plez \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.25" body, 24.5" shaft 22.45" body, 24.5" shaft 22.25" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.945" body, 25" shaft 19.45" body, 25" shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 3.5" smooth Steel heavy duty tubing (1/8" wall)	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C 9 lb T2522A3S 9 lb T2522A25C 9.5 lb T2522A25C 10 lb T2522A25C 9.5 lb T2422A25C 9.5 lb T2422A25C 10 lb T2422A25C 10 lb T2422A25S 8.5 lb T2421A25C 9.5 lb T2421A25C 10 lb T2421A25C 10 lb T2421A25S 8 lb T2519A25CG 9 lb T2519A25C 9 lb T2519A25S	\$357 \$309 \$260 lable-plez \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238	22.45° body, 25.87° shaft 22.25° body, 25.87° shaft Se Call 22.45° body, 25.87° shaft 22.45° body, 25.87° shaft 22.25° body, 25.87° shaft 22.25° body, 24.5° shaft 22.45° body, 24.5° shaft 21.45° body, 24.5° shaft 21.45° body, 24.5° shaft 21.45° body, 24.5° shaft 19.45° body, 25° shaft 19.45° body, 25° shaft 19.45° body, 25° shaft 19.45° body, 25° shaft 19.25° body, 25° shaft	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing (1/8" wall) 2.5" Combination roller assemblies to diminish effect of re 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel heavy duty tubing (1/8" wall) 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 3.5" sm	9.5 lb T2522A3CG 12 lb T2522A3C 11.5 lb T2522A3C 9 lb T2522A3S 9 lb T2522A25C 9.5 lb T2522A25C 10 lb T2522A25C 9.5 lb T2422A25C 9.5 lb T2422A25C 10 lb T2422A25C 10 lb T2422A25S 8.5 lb T2421A25C 9.5 lb T2421A25C 10 lb T2421A25C 10 lb T2421A25S 8 lb T2519A25CG 9 lb T2519A25C	\$357 \$309 \$260 lable-plez \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238 \$309 \$274 \$238 \$309	22.45" body, 25.87" shaft 22.25" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.45" body, 25.87" shaft 22.25" body, 24.5" shaft 22.45" body, 24.5" shaft 22.25" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.45" body, 24.5" shaft 21.945" body, 25" shaft 19.45" body, 25" shaft	

Compare against OEM #

27" SIDEWINDER, 27" 3100D, 27" 2300D & 216 - FRONT & BA	ACK ROLLERS		(Sectional rollers with 4 bodi	es also available)
2.5" grooved Urethane cast over heavy duty steel tubing	10 lb T3026D25CG	\$309	26.45" body, 30" shaft	92-7410, 104-1385
2.5" smooth Urethane cast over heavy duty steel tubing	11 lb T3026D25C	\$274	26.45" body, 30" shaft	61-0410
2.5" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb T3026D25S	\$238	26.25" body, 30" shaft	61-0410
3" grooved Urethane cast over heavy duty steel tubing	12.5 lb T3026D3CG	\$357		
3" smooth Urethane cast over heavy duty steel tubing	13 lb T3026D3C	\$309	26.45" body, 30" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	13 lb T3026D3S	\$260	26.25" body, 30" shaft	
3" grooved Urethane cast over heavy duty steel tubing	10.3 lb T3227D25CG	\$321	27.45" body, 32" shaft	front 114-9383, BACK ROLLE
3" smooth Urethane cast over heavy duty steel tubing	11 lb T3227D25C		27.45" body, 32" shaft	front 114-9383, BACK ROLLE
3" grooved Urethane cast over heavy duty steel tubing	12.8 lb T3227D3CG		27.45" body, 32" shaft	front 114-9383, BACK ROLLE
	13.3 lb T3227D3CG		27.45" body, 32" shaft	
3" smooth Urethane cast over heavy duty steel tubing			-	front 114-9383, BACK ROLLE
3" smooth Steel heavy duty tubing (1/8" wall)	13.3 lb T3227D3S	\$260		front 114-9383, BACK ROLLE
32" SIDEWINDER, 32" 3100D & 2600D & 2300D - FRONT ROL			•	
3" grooved Urethane cast over heavy duty steel tubing	14 lb T3431U3CG	\$369	31.45" body, 34.5" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3431U3S		31.25" body, 34.5" shaft	
3" grooved Urethane cast over heavy duty steel tubing	14 lb T3632U3CG		32.45" body, 36" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3632U3S	\$285	32.25" body, 36" shaft	
2.5" grooved Urethane cast over heavy duty steel tubing	13 lb T3431U25CG	\$333	31.45" body, 34.5" shaft	94-4993, 104-1388
2.5" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb T3431U25S	\$274	31.25" body, 34.5" shaft	
32" SIDEWINDER, 32" 3100D & 2600D & 2300D - BACK ROLL	ER			
3" smooth Urethane cast over heavy duty steel tubing	15 lb T3429U3C	\$309	29.45" body, 34.5" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	14.5 lb T3429U3S	\$274	29.25" body, 34.5" shaft	
2.5" smooth Urethane cast over heavy duty steel tubing	12.5 lb T3429U25C	\$285	29.45" body, 34.5" shaft	94-4982
2.5" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb T3429U25S	\$274	29.25" body, 34.5" shaft	94-4982
REEL MOWERS 4500D, 4300D, 4000D, 3500D, 450D, 335D & 3	350D - FRONT ROLLER			
3" grooved Urethane cast over heavy duty steel tubing	14.5 lb T3732K3CG	\$357	Fits 36" or 37" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	16 lb T3732K3S	\$285	Fits 36" or 37" shaft	
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb T3229T3CG		Fits 32" shaft	
3" smooth Urethane cast over heavy duty steel tubing	15 lb T3229T3C	\$309	Fits 32" shaft	
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3229T3S		Fits 32" shaft	
REEL MOWERS 4500D, 4000D, 3500D, 450D, 335D, & 350D - E		ΨLOL		
3" smooth Urethane cast over heavy duty steel tubing	15 lb T3429K3C	\$200	29.45" body	
	15 lb T3429K3S		29.25" body 29.25" body	
3" smooth Steel heavy duty tubing (1/8" wall)				59-5630
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb T3429K7C		29.45" body	39-3030
4" smooth Urethane cast over heavy duty steel tubing	30 lb T3429K4C	\$476	29.45" body	
4" smooth Steel heavy duty tubing (1/8" wall)	29 lb T3429K4S	\$428	29.25" body	
SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO & PAI				
3" smooth Urethane cast over heavy duty steel tubing	14 lb T3227J3C		27.45" body	
3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb T3227J3S		27.25" body	8-3990
3.5" smooth Urethane cast over heavy duty steel tubing	17 lb T3227J7C		27.45" body	8-3990, 5-3939
4" smooth Steel heavy duty tubing (1/8" wall)	27 lb T3227J4S	-	27.25" body	
ROTARY DECK 4500D, 4700D, 3500D & 3505D - FRONT ROLL	ER (includes our Competit	ion™ beari	ngs, seals and roller shaft)	
5" grooved Urethane cast over steel tubing w/ bearings/seals	5 lb T0505G5CG2	\$262	3 large machined grooves in roller body	104-1092 + 115-3412
5" smooth Urethane over steel tubing (5.2" wide body)	5 lb T0505G5C	\$179	do not need OEM 5/8" dia. bolt	104-1092 + 115-3412+115-34
ROTARY DECK 4500D, 4700D, 3500D & 3505D - BACK ROLLE	R			
3" grooved Urethane over steel tubing (two 4" wide bodies)	10.5 lb T3304A3CGt	\$428	non-striping, allows better air flow	
3" smooth Urethane over steel tubing (two 4" wide bodies)	11 lb T3304A3Ct	\$393	non-striping, allows better air flow	
3" smooth Steel heavy duty tubing (two 4" wide bodies)	12 lb T3304A3St	\$357	non-striping, allows better air flow	
3" grooved Urethane cast over heavy duty steel tubing	13.5 lb T3329A3CG	\$357	non-striping, allows better air flow	
3" smooth Urethane cast over heavy duty steel tubing	15 lb T3329A3C	\$309	29.45" body	112-5265
3" smooth Steel heavy duty tubing (1/8" wall)	15 lb T3329A3S	\$262	29.25" body	112-5265
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb T3329A7C		29.45" body	
ROTARY DECK 4300D - FRONT ROLLER (with extended shaft			•	115 2419 + 444 0420
5" grooved Urethane cast over steel tubing w/ bearings/seals	5 lb T0705G5CG		3 large machined grooves in roller body	115-3418 + 114-0430
5" smooth Urethane over steel tubing (5.2" wide body)	5.5 lb T0705G5C	\$179	do not need OEM 5/8" dia. bolt	115-3418 + 114-0430
ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may				
3" grooved Urethane over steel tubing (two 5.2" wide bodies)	10.5 lb T2804K3CGt	\$428	non-striping, allows better air flow	
3" smooth Urethane over steel tubing (two 4" wide bodies)	11 lb T2804K3Ct	\$393	non-striping, allows better air flow	
3" smooth Steel heavy duty tubing (two 4" wide bodies)	12 lb T2804K3St	\$357	non-striping, allows better air flow	
3" grooved Urethane cast over heavy duty steel tubing	11 lb T2824K3CG	\$357	24.45" body	
- 9				
3" smooth Urethane cast over heavy duty steel tubing	12 lb T2824K3C	\$309	24.45" body	108-7387

for RANSOMES mowers

RNAFSORUES ALL 22* ORDERVANCE A. E-PLEX. PROVI FOULER Control of the second of the secon	TOT INANGOMES MOWERS			
etable 4 section 2: section 2: <t< th=""><th>RANSOMES ALL 22" GREENSPLEX & E-PLEX - FRONT ROLLER</th><th></th><th></th><th></th></t<>	RANSOMES ALL 22" GREENSPLEX & E-PLEX - FRONT ROLLER			
stands 2 stands 2 stands 1 stands 2 stands 1 stands 3 stands <	4 bodies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb R2522A2CGH4	\$476 4 independent roller bodies on a shaft	
atoms 4 action 2: smooth Stell gibt havy duty lubing 12 Ib 1752222024 444 integrater also durate a start atoms 4 action 2: grounds Stell gibt havy duty lubing 10 Ib 1752222014 444 integrater also durate a start atoms 4 action 2: grounds Stell gibt havy duty lubing 10 Ib 182222242 447 integrater also durate a start duty atoms 4 action 2: grounds Stell gibt havy duty table lubing 15 Ib 182222243 144 integrater also durate a start duty atoms 5 stell gibt havy duty table lubing 15 Ib 18222243 124 27 month duty	4 bodies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb R2522A2C4	\$444 4 independent roller bodies on a shaft	
stems acadim 2 month Steps Step Step< Step< Step< </td <td></td> <td>12 lb R2522A2S4</td> <td></td> <td></td>		12 lb R2522A2S4		
4 basis 4 basis 2 groups of Unshame cast over steel lubing 10.5 B R2222A25C1 4466 4 sectors 2.5* month inflamme cast over steel lubing 12.b R2222A25C2 4565 instance in the inflamme cast over steel lubing 6.5 R2222A25C1 4565 instance in the inflamme cast over steel lubing 6.5 R2222A25C2 4565 instance in the inflamme cast over steel lubing 6.5 R2222A25C2 4565 instance in the inflamme cast over steel lubing 6.5 R2222A25C2 4266 2.2 R2222A25C2 4266 4.2				
store 4 section 2.5 "month lutching call over shoul lubing 6.5 B R2522ASC-1 Std6 1 element with look on a sum 2 growed Ureflame call over havy day bleft lubing 7.5 B R2522ASC-1 Std6 1 element with look on a sum 2 growed Ureflame call over havy day bleft lubing 7.5 B R2522ASC-1 Std6 2 element lubing No 2 growed Ureflame call over havy day steel lubing 7.5 B R2522ASC-1 Std6 2 element lubing No No 2 growed Ureflame call over havy day steel lubing 6.5 B R2522ASC-1 Std7 2 element lubing No				68673
Atoma A section 2.5 ⁴ microit Neel extra heavy day table 10 ¹⁰ 12 Ib R252242261 State insurance matching in the section is a set in the set in the section is a set in the se				
2 ground Uterhain cast over theory duty stell tubing 7.5 Ib R2222A2C3H Stell A				
2 Smooth Urathance cast over heavy duty sheet lubing 81 b R5222A2C 524 b 227 k low 9991 2 smooth Sites light hubing (full shaft) 5.5 b R5222A2C 521 b 227 k low 9991 2.5 proceed Urathance cast over heavy duty sheet lubing 6.5 b R5222A2C 523 b 227 k low 9991 2.5 proceed Urathance cast over heavy duty sheet lubing 6.5 b R5222A2CS 533 b 227 k low 9991 2.5 proceed Urathance cast over table lubing 6.5 b R52222A2CS 533 b 227 k low 9991 2.5 proceed Urathance cast over steel lubing 6.5 b R522225CCH4 547 d 448 mean barrenge law 9991 2.5 proceed Urathance cast over steel lubing 6.5 b R522225CCH4 547 d 448 b 448				68527
2* smoch Steel attributing (11/4* valit) 15.5 hr R25222AS 5212 225 moch valent 2* smoch Steel light Lubing (11/4* valit) 5.5 hr R2522ASC 530 225 moch valent 25 smoch Unsthane cast over heavy duy steel Lubing 0.5 hr R2522ASC 530 224 moch valent 25 smoch Unsthane cast over heavy duy steel Lubing 0.5 hr R2522ASC 530 224 moch valent 24 smoch Sheel lott hubing (11/4* valit) 0.6 hr R252ASC 544 347 4 moch of sheel lott hubing 4 hr R254 4 sector 2 grouved Lusthane cast over steel hubing 6.5 hr R2422SC014 544 344 sector 34 seque hadrons 4 sector 34 seque hadrons 4 sector 2 grouved Lusthane cast over steel hubing 1.5 hr R242S23C14 542 34 steps hadrons 4 sector 34 seque hadrons 4 sector 3 grouved Lusthane cast over steel hubing 1.5 hr R242S23C4 542 34 steps hadrons 4 sector 37 seque hadrons 4 sector 32 seque hadrons 4 sector 37 seque hadrons				00327
2* amoch Steel light lubing (uli shaft) 5.5 lb R25222A2L \$22 at the shaft income shaft 2.5 groudd Uterlane cast over heavy duty steel lubing 6.5 lb R25222A3C \$22 at the shaft income shaft 2.5 smooth Uterlane cast over heavy duty steel lubing 6.5 lb R25222A3C \$22 at the shaft income shaft income shaft 2.5 smooth Uterlane cast over sheel working 4.5 bb R2522A3C \$22 at the shaft income shaft income shaft 2.5 smooth Steel layer lubing 7.5 bb R2522A3C \$22 at the shaft \$22 at the shaft income shaft 2.5 smooth Steel layer lubing 7.5 bb R25223C \$44 at the shaft \$42 at shaft work of the shaft income shaft income shaft income shaft income shaft 45554 \$20000 2 at the shaft hubing (10 at hubing 7.5 bb R24223CCH \$44 at the shaft hubing (10 at hubing income shaft hubing income shaft hubing (10 at hubing income shaft hubing (10 at hubing (11 bb R222223CH hubing (10 at hubing (10 at hubing (10 at hubing (, , ,		· ·	00044
2.5° ground Urefane cast over heavy duy steel tubing 9.16 R5222223CG 5309 2.5° smooth 2.5° ground Urefane cast over heavy duy steel tubing 0.16 R522223C 522 2.5° smooth 2.5° smooth Steel flexel way duy tubing (11° wall) 0.16 R52232CCCH4 512 2.5° smooth Steel flexel was a wat 2.5° smooth Steel flexel was duo traited in the steel was a wat 4.5° flexel 22322CCH4 512 3.5° flexel was a wat 4.5° smooth Steel flexel was a wat 5.16 R22232CCH4 542 3.5° flexel was a wat 4.5° smooth Steel flexel heavy duy tubing (11° shift) 7.16 R22223CCH4 542 3.5° flexel was a wat 4.5° smooth Steel flexel heavy duy tubing (11° shift) 7.16 R22223CCH4 542 3.5° flexel was a wat 3.5° flexel was wat 3.5° flexel was wat <t< td=""><td></td><td></td><td></td><td></td></t<>				
2.5* mooth Urefhane cast over heavy duty steel tubing 9.5 lb R25222ASC 527 222 stored 2.5* mooth Steel layd tubing (18* wall) 10.b R2522ASC 523 222 stored 2.5* mooth Steel layd tubing (18* wall) 10.b R2522ASC 523 222 stored 4 stored 4 bit 252 523 222 stored 525 4 stored 4 bit 252 525 222 stored 525 4 stored 4 bit 252 525 525 525 525 4 stored 5 bit 722223CCH 542				1004991, 68530
2.5 smooth Steel heavy duty tubing (14° well) 10 Ib R2222ASS 5238 22.5 wyh 2 smooth Steel data bady duty tubing 10 Ib R2222ASC 5218 we any heavy heavy functional weak 4 section 2 smooth Steel and tubing 8.5 Ib R242232CC14 5476 4 theaperate role tooles on a shall 4 section 2 smooth Steel and tubing 8.5 Ib R24232CC14 5476 4 theaperate role tooles on a shall 4 section 2 smooth Steel and tubing 8.5 Ib R242232CC14 5472 4 section 2 smooth Steel and weak 4 section 2 smooth Steel and tubing 8.5 Ib R242232CC14 5477 4 theaperate role tooles on a shall 4 section 2 smooth Steel and tubing 8.5 Ib R242232CC14 5477 4 theaperate role tooles on a shall 4 section 2 smooth Steel and tubing 7.5 Ib R242232CC14 5427 4767 30 tapa is hall weak 2 smooth Steel and tubing 7.5 Ib R242232CC14 5478 3 474 stein is hall weak 2 smooth Steel and halong (14) shall 1.5 Ib R24223CC 5428 3 474 stein is hall weak 2 smooth Steel and halong (14) shall 1.5 Ib R24223CL 5428 3 474 stein is hall weak 2 smooth Steel and halong (14) shall 5.5 Ib R24223CL 5428 <td>, , , , , , , , , , , , , , , , , , ,</td> <td></td> <td></td> <td></td>	, , , , , , , , , , , , , , , , , , ,			
P2 strate light tubing 'PRO line 4 lb 223SL State light tubing 'PRO line Atsot 4 Stot 06 OREENANOVERS - BACK ROLLER 4 independent tools as a stat Atsot 4 Stot 07 ground Uterhane cast over steel tubing 8.5 lb R242252C14 544 30 34 24 56 n state occ Atsot 4 Stot 07 ground Uterhane cast over steel tubing 8.5 lb R242252C1 544 30 34 24 56 n state occ Atsot 4 Stot 07 ground Uterhane cast over steel tubing 8.5 lb R242252C1 544 30 34 34 and occ Atsot 4 Stot 07 ground Uterhane cast over steel tubing 8.5 lb R242252C1 544 30 34 34 and occ Atsot 4 Stot 07 ground Uterhane cast over steel tubing 7.5 lb R242252C1 544 30 34 34 and occ Atsot 4 Stot 07 record 08 and other steel tubing 7.5 lb R242252C1 544 30 34 34 and other steel state Atsot 4 Stot 07 record 08 and 14 back of tubing 7.5 lb R242252C1 546 30 34 34 and other steel state 2 smooth 5teel (grbn 14 back of tubing (11 shot) 7.5 lb R242252C1 546 30 34 34 and other steel state 2 smooth 5teel (grbn 14 back of tubing (11 shot) 5.5 lb R24225C1 546 30 34 34 and other steel state 2 smooth 5teel (grbn 14 back of tubing (11 shot) 5.5 lb R24225C1	, , , ,		•	
RNNEONES 300 & 500 GREENSINGWERS - BACK ROLLER indexed sector 2 grouped Urefinance cast over steel tubing 6.5 lb R242252CCH4 547 400 - 4 sector 2 smooth Isele durat heavy duby tubing 7.1 B242252L 524 524				
a tessel section 2 ground Urbitman Cast over steel tubing 8.5 lb R242252C4 \$44 3 ⁴²⁵ tesp in state res a tessel section 2 ⁵ smooth Steel extra heavy duty tubing 12 lb R242252C4 \$444 3 ⁴²⁵ tesp in state res a tessel section 2 ⁵ smooth Steel extra heavy duty tubing 12 lb R242252C4 \$444 3 ⁴²⁵ tesp in state res a tessel section 2 ⁵ smooth Steel extra heavy duty tubing 12 lb R242252C24 \$442 3 ⁴²⁵ tesp in state res a tessel section 2 ⁵ smooth Steel extra heavy duty tubing 12 lb R242252C24 \$442 3 ⁴²⁵ tesp in state res a tessel section 2 ⁵ smooth Steel extra heavy duty tubing 15 lb R242252C4 \$442 \$450 ⁴¹ tesp in state res a "smooth Steel extra heavy duty tubing (14 ⁴¹ vali) 15 lb R242252C \$423 \$475 ⁴¹ tesp in state res \$455 ⁴¹ tesp in state res a "smooth Steel extra heavy duty tubing (14 ⁴¹ vali) 5.5 lb R242252C \$212 \$476 ⁴¹ tesp in state res \$456 ⁴² tesp in state res a "smooth Steel extra heavy duty tubing (14 ⁴¹ tesp) 5.5 lb R24225 ⁴² tesp in state res \$456 ⁴²		4 lb 223SL	\$212 water pump bearing BWP3	
4 toole 3 Solid Direction Cast over steel tubing 6.5 Ib R242252C4 \$444 \$475 data in allowing. 4 toole 3 section 2: smooth Steel light tubing (11 light) 7.1b R242252C4 \$442 \$475 data in allowing. 4 toole 3 section 2: smooth Steel light tubing (11 light) 7.1b R242252C4 \$444 \$475 data in allowing. 4 toole 3 section 2: smooth Steel light tubing (11 light) 7.1b R242252C4 \$444 \$464 data in allowing. \$				
4 base 4 section 2* smooth Steel jetta heavy duty tubing 12 b R2422524 \$422 952 44 use 4 section 4 4 section 2* smooth Steel jetta heavy duty tubing 6.5 b R24225224.1 \$441 957 4 haps in staff work 4 section 2* ground Urethane cast over steel tubing 8.5 b R2422522C4 \$474 957 4 haps in staff work 4 section 2* ground Urethane cast over steel tubing 7.5 b R242252C4 \$424 957 4 haps in staff work 4 section 2* smooth Steel jetta heavy duty tubing 7.5 b R242252C4 \$424 957 4 haps in staff work 2* smooth Steel jetta heavy duty tubing (1/4* well) 11.5 b R242252C \$244 957 4 haps in staff work 2* smooth Verbane cast over heavy duty staff tubing (1/4* well) 11.5 b R2422632 \$212 977 4 haps in staff work 2* smooth Verbane cast over heavy duty staff tubing (1/4* well) 5.5 b R2422632 \$221 777 4 haps in staff work 2* smooth Verbane cast over heavy duty staff tubing (1/4* well) 5.5 b R2422632 \$212 777 4 haps in staff work 2* smooth Verbane cast over heavy duty steel tubing 1.5 b R2422632 \$212 777 4 haps in staff work 2* smooth Verbane cast over heavy duty steel tubing 1.5 b R2422632 \$212 777 4 haps in sta	4 bodies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb R2422S2CGH4	\$476 4 independent roller bodies on a shaft	
4 totad 4 section 2: smooth Steel light tubing (full shaft) 7.b 7.b 7.4 4.44 44.4	4 bodies 4 section 2" smooth Urethane cast over steel tubing	8.5 lb R2422S2C4	\$444 3/8"-24 taps in shaft ends	
4 stored A social A section 2 groupded Urethanic cast over steel tubing A section 2 smooth Usel have cast over steel tubing 2 smooth Steel kertra heavy duty tubing 2 smooth Steel kertra heavy duty steel tubing 3 smooth Steel kertra heavy duty tubing (1/4 wall) 3 smooth Steel kertra heavy duty tubing (1/2 wall) 3 smooth Steel kertra heavy duty tubing (1/2 wall) 3 smooth Steel kertra heavy duty tubing (1/2 wall) 3 smooth Usel heavy duty tubing (1/2 wall) 3 smooth Steel kertra heavy duty tubing (1/2 wall) 3 smooth Jtrethane cast over heavy duty steel tubing 3 smooth Jtrethane cast over heavy duty steel tubing 3 smooth Jtrethane cast over heavy duty steel tubi	^{4 bodies} 4 section 2" smooth Steel extra heavy duty tubing	12 lb R2422S2S4	\$422 3/8"-24 taps in shaft ends	
4 totol 2 month Urethane cast over steel tubing 8.5 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$474 778-700 income share marked with the steel tubing 75 b R2422G24 \$472 income share marked with the steel tubing 75 b R2422G24 \$472 income share with the steel tubing 75 b R2422G2G \$472 income share with the steel tubing 75 b R2422G2G \$472 income share with the steel tubing 75 b R2422G2G \$472 income share with the steel tubing 76 b R242G2G2G \$472 income share with the steel tubing 76 b R242G2G2G \$472 income share with the steel tubing 76 b R242G2G2G \$372 income share with the steel tubing 76 b R242G2G2G \$372 income share with the steel tubing 76 b R242G2G2G \$371 income share with the steel tubing 76 b R242G2G2G \$371 income share with the steel tubing 76 b R242G2G2G \$371 income share with the steel tubing 76 b R242G2G2G \$371 income share with the steel tubing 76 b R242G2G2G \$371 income share with the st	4 bodies 4 section 2" smooth Steel light tubing (full shaft)	7 lb R2422S2L4	\$444 3/8"-24 taps in shaft ends	
4 totol 2 month Urethane cast over steel tubing 8.5 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$444 778-700 income share marked with the steel tubing 75 b R2422G24 \$474 778-700 income share marked with the steel tubing 75 b R2422G24 \$472 income share marked with the steel tubing 75 b R2422G24 \$472 income share with the steel tubing 75 b R2422G2G \$472 income share with the steel tubing 75 b R2422G2G \$472 income share with the steel tubing 75 b R2422G2G \$472 income share with the steel tubing 76 b R242G2G2G \$472 income share with the steel tubing 76 b R242G2G2G \$472 income share with the steel tubing 76 b R242G2G2G \$372 income share with the steel tubing 76 b R242G2G2G \$372 income share with the steel tubing 76 b R242G2G2G \$371 income share with the steel tubing 76 b R242G2G2G \$371 income share with the steel tubing 76 b R242G2G2G \$371 income share with the steel tubing 76 b R242G2G2G \$371 income share with the steel tubing 76 b R242G2G2G \$371 income share with the st	4 bodies 4 section 2" grooved Urethane cast over steel tubing	8.5 lb R2422G2CGH4	\$476 4 independent roller bodies on a shaft	
4 topine 4 section 2* smooth Steel extra heavy duty tubing 12 b R2422G244 5422 776*20 topins what week 2* grooved Urethane cast over heavy duty steel tubing 7.5 b R242S2CCH 526 347*3 topin shart week LDSDVF 2* smooth Steel extra heavy duty tubing (1/4* wall) 15.5 b R242S2CCH 526 347*3 topin shart week LDSDVF 2* smooth Steel extra heavy duty tubing (1/4* wall) 15.5 b R242S2C 521 387*3 topin shart week 1005779 2* smooth Steel extra heavy duty steel tubing 7.5 b R242S2C 522 387*3 topin shart week 1005879 2* smooth Steel extra heavy duty steel tubing 7.5 b R242C3C2 521 716*20 topin shart week 1005879 2* smooth Steel light tubing (1/4* wall) 15.5 b R242C3C2 521 716*20 topin shart week 485535 2.5 grooved Urethane cast over heavy duty steel tubing 9 b R228C8C25 5327 716*20 topin shart week 485935 2.5 grooved Urethane cast over heavy duty steel tubing 15 b R222R3C3 5337 716*20 topin shart week 485935 2.5 grooved Urethane cast over heavy duty steel tubing 15 b R222R3C3 5337 5357 5357 5357 5357 <td>5</td> <td></td> <td>• • • •</td> <td></td>	5		• • • •	
4toos 4 section 2* smooth Steel light tubing (luli ghaft) 7.1b R242252CG \$246 34***4 type in water w	•			
2* grooved Urefhane cast over heavy duty steel tubing 7.5 lb R242252C 5249 34*24 tops in hard reds UDE076 2* smooth Steel jark tubing (1/4* vall) 11.5 lb R242252C 5212 34*24 tops in hard reds 100480 2* smooth Steel jark tubing (1/4* vall) 15.5 lb R242252C 5224 34*24 tops in hard reds 100480 2* smooth Steel jark tubing (1/4* vall) 7.5 lb R242252C 5224 37*6*20 tops in hard reds 100480 2* smooth Steel jark tubing (1/4* vall) 15.5 lb R242252C 5212 7*6*20 tops in hard reds 2* 2* smooth Steel jark tubing (1/4* vall) 15.5 lb R242252C 5212 7*6*20 tops in hard reds 2* 2* smooth Steel jark tubing (1/4* vall) 11.5 lb R24252C 5212 7*6*20 tops in hard reds 2.5 2.5 smooth Steel hary duty tubing (1/8* vall) 12.b R282625C 5309 7*6*20 tops in hard reds 2.4653 2.5 smooth Steel hary duty tubing (1/8* vall) 12.b R282625C 5339 7*6*20 tops in hard reds 2.46536 3* smooth Steel hary duty tubing (1/8* vall) 12.b R282625C 5339 5337 7*6*20 tops in hard reds 2.46506 3* smooth Steel hary duty tubing (1/8* R222A3C 5337 5337 5337<				
2* smooth Urethane cast over heavy duty duty (1/4 'Wall) 15 lb R242282C 5212 38724 tags in and ends L086779 2* smooth Steel light hubing (full shaft) 5.5 lb R242282C 5212 38724 tags in and ends 109780 2* smooth Steel light hubing (full shaft) 5.5 lb R242282C 5224 5224 38724 tags in and ends 109780 2* smooth Steel light hubing (full shaft) 5.5 lb R242262C 5249 716*0 tags in and ends 116*10 2* smooth Steel light hubing (full shaft) 5.5 lb R24262CS 5212 716*0 tags in and ends 116*10 2* smooth Steel light hubing (full shaft) 5.5 lb R24262CS 5212 716*0 tags in and ends 25* 2.5 smooth Urethane cast over heavy duty steel tubing 15 lb R2256C25C 5217 716*0 tags in and ends A88605 2.5 smooth Urethane cast over heavy duty steel tubing 15 lb R2722R3C 5397 3************************************				_
2* smooth Steel (apt tubing (1/4* vall) 11.5 to R242252L 521 30*3 4 ups in state mode. 100770 2* smooth Steel (apt tubing (1/4) vall) 7.5 to R242252C (2/4 30*3 4 ups in state mode. 100480 2* smooth Steel (apt tubing (1/4) vall) 11.5 to R242252C (2/4 30*3 4 ups in state mode. 100480 2* smooth Steel (apt tubing (1/4) vall) 11.5 to R242252C (2/4 324 17/4*3 ups in state mode. 100480 2* smooth Steel (apt tubing (1/4) vall) 15.5 to R242252C (2/30) 321 17/4*3 ups in state mode. 100480 2.5 smooth Urethane cast over heavy duty steel tubing 15.b R232652C (300) 71/4*3 ups in state mode. 486030 2.5 smooth Urethane cast over heavy duty steel tubing 13.b R2326625C (300) 71/4*3 ups in state mode. 486030 2.5 smooth Steel (apt tubing (1/8* vall) 13.b R2326625C (300) 71/4*3 ups in state mode. 486030 3* smooth Urethane cast over heavy duty steel tubing (1/8* vall) 13.b R232672C (300) 71/4*3 ups in state mode. 486030 3* smooth Urethane cast over heavy duty steel tubing (1/8* vall) 13.b R2322A3C (300) 33* 33* 33* 3* smooth Urethane cast over heavy duty steel tubing (1/8* b2222A3C (300) 35* 35* 320689 32*				
2* smooth Steel light tubing (full shaft) 5.5 lb R242522L 522 strike in shaft ends 100490 2* grooved Urbinken cast over heavy duty steel tubing 7.5 lb R24252CC 524 ft 707-30 base in shaft ends 100490 2* smooth Steel light tubing (full shaft) 5.5 lb R242502C 524 ft 707-30 base in shaft ends 100490 2* smooth Steel light tubing (full shaft) 5.5 lb R242502L 5212 707-30 base in shaft ends 100490 2* smooth Steel light tubing (full shaft) 5.5 lb R242502L 5212 707-30 base in shaft ends 486505 2.5 romooth Urbhane cast over heavy duty steel tubing 1.5 lb R222672C 520 7t 707-30 base in shaft ends 486505 2.5 romooth Urbhane cast over heavy duty steel tubing 1.5 lb R222672C 520 7t 707-30 base in shaft ends 486505 3* grooved Urbhane cast over heavy duty steel tubing 1.5 lb R2722R3C 5309 7t 707-30 bas in shaft ends 486505 3* grooved Urbhane cast over heavy duty steel tubing 1.5 lb R2722R3C 5309 7t 707-30 bas in shaft ends 486505 3* grooved Urbhane cast over heavy duty steel tubing 1.5 lb R2722R3C 5309 7t 707-30 bas in shaft ends 486505 3* grooved Urbhane cast over heavy duty steel tubing 1.5 lb R2622A3C 5309 7t 707-3	, , , ,			
2 grooved Urethane cast over heavy duty steel tubing 7.5 to R242202CC H \$266 \$267 \$767 - 20 use in stater ends 2 smooth Steel exta heavy duty tubing (1/4' wall) 11.5 to R242202S \$212 7/67 - 20 use in stater ends 2 smooth Steel light tubing (1/4' wall) 15.5 to R2422052 \$212 7/67 - 20 use in stater ends 2 smooth Steel light tubing (1/4' wall) 15.5 to R2422052 \$212 7/67 - 20 use in stater ends 2.5 smooth Urethane cast over heavy duty steel tubing 15 to R2826625C \$257 7/67 - 20 use in stater ends A88035 2.5 smooth Urethane cast over heavy duty steel tubing 12 to R2826625C \$257 7/67 - 20 use in stater ends A88035 2.5 smooth Urethane cast over heavy duty steel tubing 13 to R222278C \$307 \$38005 \$357 3< grooved Urethane cast over heavy duty steel tubing				
2* smooth Urethane cast over heavy duty tistel tubing 8 lb R242202C \$212 717-30 tags in addit ends 2* smooth Steel et an heavy duty tubing (114* wall) 15.5 lb R242202L \$212 717-30 tags in addit ends 2* smooth Steel faith tubing "TPRO line 4 lb 225SL \$212 717-30 tags in addit ends 2.5* smooth Steel faith tubing "TPRO line 4 lb 225SL \$212 717-30 tags in addit ends 2.5* smooth Steel faith tubing "TPRO line 1 lb R24286625C \$234 717-30 tags in addit ends 2.5* smooth Steel heavy duty steel tubing 1 lb R24286625C \$327 717-30 tags in addit ends 2.5* smooth Urethane cast over heavy duty steel tubing 1 lb R24286625C \$357 717-30 tags in addit ends Additside 3* gmooth Urethane cast over heavy duty steel tubing 1 lb R2422812 \$357 717-30 tags in addit ends Additside 3* gmooth Urethane cast over heavy duty steel tubing 1 lb R2722R3C \$357 357 220009 220009 3* smooth Steel heavy duty steel tubing 1 lb R2622A3C \$309 220009 220009 220009 3* smooth Urethane cast over heavy duty steel tubing 1 lb R2622A3C \$309 307 220009 220009 220009				1004990
2* smooth Steel extra heavy duty tubing (1/14* vall) 11.5 b R2420228 \$212 7/16*20 tage in start ends 2* smooth Steel light tubing (**) 5.5 b R24220228 \$212 7/16*20 tage in start ends 2.5 smooth Steel light tubing (**) 7.6 b R24250226 \$212 7/16*20 tage in start ends 2.5 smooth Steel light tubing (**) 8.6 R286025C \$224 7/16*20 tage in start ends A86005 2.5 smooth Verthane cast over heavy duty steel tubing 11.5 b R2826025S \$238 7/16*20 tage in start ends A86005 2.5 smooth Verthane cast over heavy duty steel tubing 13 b R272283C \$309 358	2" grooved Urethane cast over heavy duty steel tubing		\$266 7/16"-20 taps in shaft ends	
2* smooth Steel light tubing (full shaft) 5.5 lb R2422C2L \$212 71%*20 lage an shaft work 2* smooth Steel light tubing **RO line 4 lb 22SSL \$212 71%*20 lage an shaft work 2.5* grooved Urethane cast over heavy duty steel tubing 1.5 lb R2826625C \$274 71%*20 lage in shaft work A86035 2.5* grooved Urethane cast over heavy duty steel tubing 1.5 lb R2826625C \$273 716*20 lage in shaft work A86035 3* grooved Urethane cast over heavy duty steel tubing 1.5 lb R2826625C \$309 716*20 lage in shaft work A86035 3* grooved Urethane cast over heavy duty steel tubing 1.5 lb R2222R3C \$309 3* \$375 357 358 \$309 3* \$376*20 \$309 3* \$376*20 \$309 3* \$376*20 \$309 3* \$376*20 \$309 3* \$300 \$300 \$300 \$357 358 \$309 3* \$376*20 \$300 \$300 \$300 \$300 \$300 \$300 \$300 \$300 \$300 \$300 \$300 \$300 \$300 \$3000 \$300 \$300	2" smooth Urethane cast over heavy duty steel tubing		\$249 7/16"-20 taps in shaft ends	
2* smooth Steel light Light Light PRO Line 4 lb 225SL \$212 7/16*20 taps in state ends RNSOMES MOTOR 1800, 190 TIPLEY 2X TRIPLE 16 - ALL ROLLERS \$25* grooved Urethane cast over heavy duty steel lubing 11.5 lb R2826025C \$209 7/16*20 taps in state ends A88035 2.5* smooth Virethane cast over heavy duty steel lubing 11.5 lb R2826025C \$238 7/16*20 taps in state ends A88035 3* grooved Urethane cast over heavy duty steel lubing 13 lb R2722R3CG \$337 3/16*20 taps in state ends A88035 3* grooved Urethane cast over heavy duty steel lubing 15 lb R2722R3CG \$337 3 \$390 3 \$390 3 \$390 \$37 \$390<	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb R2422G2S	\$212 7/16"-20 taps in shaft ends	
RANSOMES MOTOR 180D, 180 TRIPLEX & TRIPLE 18 - ALL ROLLERS 319 P16 2326625CC \$309 716*30 taps in shaft ends AB8335 2.5' smooth Urethane cast over heavy duty steel tubing 11.5 lb R2326625C \$213 716*30 taps in shaft ends AB8335 2.5' smooth Urethane cast over heavy duty steel tubing 12.b R2326625C \$237 716*30 taps in shaft ends AB8335 3' grooved Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 2's smooth Urethane cast over heavy duty steel tubing 16 lb R2421525C \$274 \$37*34 teps in alm ends 2.5' grooved Urethane cast over heavy duty steel tubing 9 lb R2421525CC \$274 \$37*34	2" smooth Steel light tubing (full shaft)	5.5 lb R2422G2L	\$212 7/16"-20 taps in shaft ends	
2.5° grooved Urethane cast over heavy duty steel tubing 11.5 hb R2282625CC \$217 7/16°-20 raps in shaft ends 2.5° smooth Urethane cast over heavy duty steel tubing 11.5 hb R2282625CS \$238 7/16°-20 raps in shaft ends A986305 3° grooved Urethane cast over heavy duty steel tubing 13 lb R2722R3CG \$337 ************************************	2" smooth Steel light tubing **PRO line	4 lb 225SL	\$212 7/16"-20 taps in shaft ends	
2.5° smooth Urethane cast over heavy duty steel tubing 11.5 lb R2826025C \$274 7/16-20 taps in shaft ends A88305 3° grooved Urethane cast over heavy duty steel tubing 13 lb R2722R3C \$309 3''' 3''' 3''' 3''' 3'''		LERS		
2.5° smooth Urethane cast over heavy duty steel tubing 11.5 lb R282602SC \$274 7/16-20 taps in shaft ends A88305 3° grooved Urethane cast over heavy duty steel tubing 13 lb R2722R3C \$309 3' 3' 309 3' 3' 309 3' 309 3' 309 3' 309 3' 309 3' 309 3' 3' 309 3'	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb R2826G25CG	\$309 7/16"-20 taps in shaft ends	
2.5° smooth Steel heavy duty tubing (1/8° wall) 12 lb R2826628S \$238 7/16° 20 taps in shaft ends A88305 RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/6° DIA, REELS - ALL COLLERS 3' grooved Urethane cast over heavy duty steel tubing 13 lb R2722R3C \$357 3' grooved Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$262 RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/2 WD REELS - FRONT ROLLER 3' grooved Urethane cast over heavy duty steel tubing 15 lb R2622A3CG \$357 3' grooved Urethane cast over heavy duty steel tubing 15 lb R2622A3CG \$357 200098 3' grooved Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 200099 3' grooved Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 200099 3' smooth Steel heavy duty tubing 15 lb R2722A3C \$309 200099 3' smooth Steel heavy duty steel tubing 15 lb R2722A3C \$309 38*344 tape in shaft ends 2.5' grooved Urethane cast over heavy duty steel tubing 9 lb R242182SC \$224 200099 2.5' grooved Urethane cast over heavy duty steel tubing 9 lb R242182SC \$238 37*24 tape in shaft ends 2.5' grooved Urethane cast over heavy duty steel tubing 15 lb R242182SC \$238 </td <td></td> <td>11.5 lb R2826G25C</td> <td>\$274 7/16"-20 taps in shaft ends</td> <td>A896305</td>		11.5 lb R2826G25C	\$274 7/16"-20 taps in shaft ends	A896305
RANSOMES 250 LIGHTWEIGHT FARWAY - 33 HP/ 6" DIA. REELS - ALL ROLLERS 3' grooved Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$309 3' smooth Steel heavy duty tubing 15 lb R2722R3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 3' smooth Steel heavy duty tubing 16 lb R2622A3C \$309 3' smooth Steel heavy duty tubing 17 lb R2622A3C \$309 3' smooth Steel heavy duty steel tubing 18 lb R2722A3C \$200 20009 3' smooth Steel heavy duty tubing 18 lb R2722A3C \$309 3' smooth Steel heavy duty steel tubing 19 lb R242152SC \$309 3' smooth Steel heavy duty steel tubing 19 lb R242152SC \$309 3' smooth Steel heavy duty steel tubing 19 lb R242152SC \$309 3' smooth Steel heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 2.5' gmooved Urethane cast over heavy duty steel tubing 3' smooth Steel heavy duty	, , , ,	12 lb R2826G25S		A896305
3° grooved Urethane cast over heavy duty steel tubing 13 lb R2722R3C \$309 3° smooth Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$262 RANSOMES 250 LIGHTWEIGHT FARWAY - 28 HP/ 2WD REELS - FRONT ROLLER \$30 grooved Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 3° grooved Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 200008 3° grooved Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 200008 3° grooved Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 200008 3° smooth Steel heavy duty tubing 15 lb R2622A3C \$309 200008 3° smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 200008 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R24152SC \$274 30° 44 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R24152SC \$274 30° 44 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R24152SC \$274 30° 44 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 10 lb R				
3* smooth Urethane cast over heavy duty steel tubing 15 lb R2722R3C \$309 3* smooth Steel heavy duty tubing 15 lb R2722R3C \$262 RANSOMES 250 LIGHTWEIGHT FARKWAY - 28 HP/ 2WD REELS - FRONT ROLLER 33 grooved Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 3* smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 220608 3* smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 220608 3* smooth Steel heavy duty tubing 15 lb R2722A3C \$309 220608 3* smooth Steel heavy duty tubing 15 lb R2722A3C \$309 220609 3* smooth Steel heavy duty tubing 15 lb R2722A3C \$309 20609 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R242152SC \$274 38*-04 ups in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R242162SC \$274 38*-04 ups in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 16 lb R272242162SC \$274 716*-20 ups in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 16 lb R242152SC \$274 716*-20 ups i			\$357	
3* smooth Steel heavy duty tubing 15 lb R2722R3S \$262 RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER 3* grooved Urethane cast over heavy duty steel tubing 13 lb R2622A3C \$309 3* smooth Steel heavy duty tubing 15 lb R2622A3S \$262 \$20009 3* smooth Steel heavy duty steel tubing 15 lb R2622A3S \$262 \$20009 3* smooth Steel heavy duty steel tubing 15 lb R2622A3S \$262 \$20009 3* smooth Verthane cast over heavy duty steel tubing 15 lb R2722A3C \$309 \$200099 3* smooth Steel heavy duty tubing 15 lb R2722A3C \$309 \$200099 3* smooth Steel heavy duty steel tubing 15 lb R2722A3C \$309 \$200099 2.5* grooved Urethane cast over heavy duty steel tubing 9 lb R2421525C \$224 \$274 tupe in shuft ends 2.5* smooth Urethane cast over heavy duty steel tubing 9 lb R2421525C \$224 \$274 tupe in shuft ends 2.5* smooth Urethane cast over heavy duty steel tubing 9 lb R2421525C \$224 \$274 tupe in shuft ends 2.5* smooth Urethane cast over heavy duty steel tubing 10 lb R2421525C \$224 \$274 tupe in shuft ends 2.5* smooth Urethane cast over heavy duty steel tubing 10 lb R242152				
SANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ ZWD REELS - FRONT ROLLER 3' grooved Urethane cast over heavy duty steel tubing 13 lb R2622A3C \$309 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$209 3' smooth Steel heavy duty tubing 15 lb R2622A3C \$209 3' smooth Steel heavy duty steel tubing 15 lb R2622A3C \$200 3' smooth Urethane cast over heavy duty steel tubing 13 lb R2722A3C \$309 3' smooth Steel heavy duty tubing 15 lb R2722A3C \$309 3' smooth Steel heavy duty tubing 15 lb R2722A3C \$309 2.5' grooved Urethane cast over heavy duty steel tubing 9 lb R2421525CG \$201 2.5' grooved Urethane cast over heavy duty steel tubing 9 lb R2421525C \$223 30°-24 taps in shaft ends 2.5' grooved Urethane cast over heavy duty steel tubing 9 lb R2421525C \$238 30°-24 taps in shaft ends 2.5' smooth Steel extra heavy duty steel tubing 9 lb R2421525C \$238 30°-24 taps in shaft ends 2.5' smooth Steel heavy duty steel tubing 11 lb R2421625C \$239 30°-24 taps in shaft ends 2.5' smooth Steel heavy duty steel tubing 13 lb R302613C \$337 3' 3' grooved Urethane cast over heavy	, , , ,			
3° grooved Urethane cast over heavy duty steel tubing 13 lb R2622A3CG \$357 3° smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C \$309 3° smooth Steel heavy duty steel tubing 15 lb R2722A3C \$329 3° smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 3° smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 3° smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 2.5° grooved Urethane cast over heavy duty steel tubing 16 lb R2722A3C \$309 \$3°:24 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 9.1b R2421525C \$274 38°:24 taps in shaft ends 2.5° smooth Steel extra heavy duty tubing (1/4" wall) 10 lb R242152SC \$238 38°:24 taps in shaft ends 2.5° smooth Steel extra heavy duty steel tubing 9.1b R242162SC \$209 716°:20 taps in shaft ends 2.5° smooth Steel extra heavy duty steel tubing 13 lb R302613C \$309 37':6* taps in shaft ends 2.5° smooth Steel extra heavy duty steel tubing 13 lb R302613C \$329 716*:20 taps in shaft ends 2.5° smooth Steel extra heavy duty steel tubing 13 lb R302613C \$309 3309 3* smoot	· · · ·		ψ202	
3° smooth Urethane cast over heavy duty steel tubing 15 lb R2622A3C 309 3' smooth Steel heavy duty tubing 15 lb R2622A3C 3262 3' smooth Steel heavy duty steel tubing 13 lb R2722A3C 3257 2206099 3' smooth Steel heavy duty steel tubing 15 lb R2722A3C 3309 2206099 3' smooth Steel heavy duty steel tubing 15 lb R2722A3C 3309 2206099 3' smooth Steel heavy duty steel tubing 9.5 lb R2421525C 3209 2206099 2.5' smooth Urethane cast over heavy duty steel tubing 9.5 lb R2421525C 3274 38°:24 taps in shaft ends 2.5' smooth Urethane cast over heavy duty steel tubing 9.5 lb R2421525C 3209 38°:24 taps in shaft ends 2.5' smooth Urethane cast over heavy duty steel tubing 9.5 lb R2421525C 3209 38°:24 taps in shaft ends 2.5'' smooth Urethane cast over heavy duty steel tubing 9.5 lb R2421625C 3209 71°:20 taps in shaft ends 2.5'' smooth Urethane cast over heavy duty steel tubing 8.1b R2421625C 3209 71°:20 taps in shaft ends 2.5'' smooth Urethane cast over heavy duty steel tubing 8.1b R2421625C 3209 71°:20 taps in shaft ends 2.5'' smooth Urethane cast over heavy duty steel tubing 12.1b R2421625C 3209 71°:20 taps in shaft ends 3''' grooved Urethane cast over heavy duty steel tubing 13.1b R302673CG 3357 3''' smooth Steel heavy duty steel tubing 13.1b R302673C 309 3''' smooth Steel heavy duty steel tubing 13.1b R302673C 309 3''' smooth Steel heavy duty steel tubing 13.1b R302673C 309 3''''''''''''''''''''''''''''''''''			¢257	
3' smooth Steel heavy duty tubing 15 lb R2622A3S \$262 RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/5'' DIA. REELS - FRONT ROLLER 3'' grooved Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 220009 3' smooth Steel heavy duty tubing 15 lb R2722A3C \$309 220009 RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/5'' DIA. REELS - BACK ROLLER 2.5' grooved Urethane cast over heavy duty steel tubing 9.5 lb R2421525C \$274 30°-24 taps in shaft ends 2.5' smooth Steel extra heavy duty steel tubing 9.5 lb R2421525C \$278 30°-24 taps in shaft ends 2.5' smooth Steel extra heavy duty tubing (1/4' wall) 10 lb R2421525C \$278 30°-24 taps in shaft ends 2.5' smooth Steel extra heavy duty tubing (1/4' wall) 10 lb R2421525C \$278 30°-24 taps in shaft ends 2.5' smooth Steel extra heavy duty tubing (1/4' wall) 10 lb R2421625C \$274 30°-24 taps in shaft ends 2.5' smooth Steel extra heavy duty tubing (1/4' wall) 12 lb R2421625C \$274 30°-24 taps in shaft ends 2.5' smooth Steel extra heavy duty tubing (1/4' wall) 12 lb R2421625C \$274 716'-20 taps in shaft ends 2.5' smooth Jtrethane cast over heavy duty steel tubing 3 lb R2421625C \$274 716'-20 taps in shaft ends 3' grooved Urethane cast over heavy duty steel tubing 13 lb R302613C \$309 716'-20 taps in shaft ends 3' grooved Urethane cast over heavy duty steel tubing 15 lb R302613C \$309 LM8E079 3' smooth Steel heavy duty tubing (15 lb R342913C \$309 LM8E079 3' smooth Jtrethane cast over heavy duty steel tubing 15 lb R342913C \$309 LM8E079 3' smooth Urethane cast over heavy duty steel tubing 15 lb R342913C \$309 LM8E079 3' smooth Urethane cast over heavy duty steel tubing 14 lb R3127625C \$274 27.45' body, 31.62' shaft w716'-20 taps LMA356, 7109 LMA356,				
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/5" DIA. REELS - FRONT ROLLER 3' grooved Urethane cast over heavy duty steel tubing 13 lb R2722A3CG \$337 2206099 3' smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 2206099 3' smooth Steel heavy duty tubing 15 lb R2722A3C \$309 2206099 2.5' grooved Urethane cast over heavy duty steel tubing 9 lb R2421S25C \$219 3/8"-24 taps in shaft ends 2.5' smooth Steel extra heavy duty steel tubing 9 lb R2421S25C \$238 3/8"-24 taps in shaft ends 2.5' smooth Urethane cast over heavy duty steel tubing 9 lb R2421S25C \$239 3/8"-24 taps in shaft ends 2.5' smooth Steel extra heavy duty tubing (1/4' wall) 10 lb R2421S25C \$213 3/8"-24 taps in shaft ends 2.5' smooth Urethane cast over heavy duty steel tubing 8 lb R2421G25C \$217 7/16"-20 taps in shaft ends 2.5' smooth Jtrethane cast over heavy duty steel tubing 13 lb R3026T3C \$339 7/16"-20 taps in shaft ends 3' grooved Urethane cast over heavy duty steel tubing 13 lb R3026T3C \$309 \$399 3' smooth Steel heavy duty steel tubing 15 lb R3429T3C \$3262 LMSE080 3' grooved Urethane cast over heavy duty steel tubing 15 lb R34	, , , ,			
3° grooved Urethane cast over heavy duty steel tubing 13 lb R2722A3CG \$357 2206099 3° smooth Steel heavy duty tubing 15 lb R2722A3C \$309 2206099 2ANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/5" DIA. REELS - BACK ROLLER 2206099 3/8"-24 taps in shatt ends 2206099 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R2421525CG \$274 3/8"-24 taps in shatt ends 2206099 2.5° smooth Steel hearc cast over heavy duty steel tubing 9 lb R2421525C \$273 3/8"-24 taps in shatt ends 26" 2.5° smooth Urethane cast over heavy duty steel tubing 9 lb R2421625CG \$238 3/8"-24 taps in shatt ends 2.5" smooth Urethane cast over heavy duty steel tubing 8 lb R2421625CG \$237 7/16"-20 taps in shatt ends 2.5° smooth Steel heavy duty tubing (1/4" wall) 12 lb R2421625CS \$238 7/16"-20 taps in shatt ends 2.5° smooth Urethane cast over heavy duty steel tubing 13 lb R3026T3CG \$337 3/8" coved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 3° grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 27.45" body, 31.62" shatt ord/re-20 taps 3° grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 27.45" body, 31.6			\$262	
3* smooth Urethane cast over heavy duty steel tubing 15 lb R2722A3C \$309 220609 3* smooth Steel heavy duty tubing 15 lb R2722A3C \$202 220609 XANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5* DIA. REELS - BACK ROLLER 30°-24 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R2421S25C \$223 30°-24 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R2421S25C \$223 30°-24 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R2421G25C \$223 30°-24 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 9 lb R2421G25C \$2274 7/16°-20 taps in shaft ends 2.5° smooth Steel extra heavy duty tubing (1/4* wall) 12 lb R2421G25C \$2274 7/16°-20 taps in shaft ends 2.5° grooved Urethane cast over heavy duty steel tubing 13 lb R302613CG \$357 337 <td></td> <td></td> <td></td> <td></td>				
3* smooth Steel heavy duty tubing 15 lb R2722A3S \$262 206099 RANSOMES 250 LIGHTWEIGHT FARWAY - 23 HP/5" DIA. REELS - BACK ROLLER 308"-24 taps in shaft ends 308"-24 taps in shaft ends </td <td></td> <td></td> <td></td> <td></td>				
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER 2.5" grooved Urethane cast over heavy duty steel tubing 9 lb R2421S25C \$309 3/8"-24 taps in shaft ends 2.5" smooth Urethane cast over heavy duty steel tubing 9.5 lb R2421S25C \$274 3/8"-24 taps in shaft ends 2.5" smooth Urethane cast over heavy duty steel tubing 9.1 b R2421S25C \$218 3/8"-24 taps in shaft ends 2.5" smooth Urethane cast over heavy duty steel tubing 8.1 b R2421G25CG \$207 7/16"-20 taps in shaft ends 2.5" smooth Urethane cast over heavy duty tubing (1/4" wall) 12 lb R2421G2SS \$238 7/16"-20 taps in shaft ends 2.5" smooth Urethane cast over heavy duty steel tubing 13 lb R3026T3C \$377 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 2.5" grooved Urethane cas	3" smooth Urethane cast over heavy duty steel tubing	15 lb R2722A3C	\$309	2206099
2.5" grooved Urethane cast over heavy duty steel tubing 9 lb R2421S25CG \$309 3/8*-24 taps in shaft ends 2.5" smooth Urethane cast over heavy duty tubing (1/4" wall) 10 lb R2421S25C \$274 3/8*-24 taps in shaft ends 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 10 lb R2421G25CG \$309 7/16*-20 taps in shaft ends 2.5" smooth Urethane cast over heavy duty steel tubing 9 lb R2421G25C \$274 7/16*-20 taps in shaft ends 2.5" smooth Urethane cast over heavy duty steel tubing 8 lb R2421G25C \$277 7/16*-20 taps in shaft ends 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R2421G25C \$277 7/16*-20 taps in shaft ends 3" grooved Urethane cast over heavy duty steel tubing 13 lb R3026T3CG \$337 3" smooth Steel heavy duty tubing 15 lb R3026T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 13 lb R3429T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 3" smooth Steel heavy duty tubing (1/4" wall) 12 lb R3127G25C \$274* body, 31			\$262	2206099
2.5" smooth Urethane cast over heavy duty steel tubing 9.5 lb R2421S25C \$274 3/8"-24 taps in shaft ends 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 10 lb R2421S25S \$238 3/8"-24 taps in shaft ends 2.5" smooth Urethane cast over heavy duty steel tubing 9 lb R2421G25C \$274 7/16"-20 taps in shaft ends 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R2421G25C \$278 7/16"-20 taps in shaft ends 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R2421G25S \$238 7/16"-20 taps in shaft ends 3" grooved Urethane cast over heavy duty steel tubing 13 lb R3026T3CG \$357 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3S \$262 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3S \$262 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 3" smooth Urethane cast over heavy duty steel tubing 16 lb R3429T3C \$309 3" smooth Urethane cast over heavy duty steel tubing 16 lb R3429T3C \$309 \$27.45' body, 31.62' sh	RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS	- BACK ROLLER		
2.5" smooth Steel extra heavy duty tubing (1/4" wall)10 lb R2421S25S\$2383/8"-24 taps in shaft ends2.5" grooved Urethane cast over heavy duty steel tubing9 lb R2421G25CG\$3097/16"-20 taps in shaft ends2.5" smooth Urethane cast over heavy duty steel tubing12 lb R2421G25S\$2387/16"-20 taps in shaft ends2.5" smooth Steel extra heavy duty tubing (1/4" wall)12 lb R2421G25S\$2387/16"-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing13 lb R3026T3CG\$3573" smooth Steel heavy duty tubing15 lb R3026T3C\$262RANSOMES 30" T-PLEX 185D - ALL ROLLERS\$2623" grooved Urethane cast over heavy duty steel tubing13 lb R3429T3CG\$3573" grooved Urethane cast over heavy duty steel tubing15 lb R3429T3CG\$3573" grooved Urethane cast over heavy duty steel tubing15 lb R3429T3CG\$3573" grooved Urethane cast over heavy duty steel tubing15 lb R3429T3CG\$3573" smooth Steel heavy duty tubing15 lb R3429T3C\$3092.5" grooved Urethane cast over heavy duty steel tubing19 lb R3127G25CG\$3092.5" grooved Urethane cast over heavy duty steel tubing12 lb R3127G25C\$2742.5" grooved Urethane cast over heavy duty steel tubing12 lb R3127G25C\$2742.5" smooth Urethane cast over heavy duty steel tubing12 lb R3127G25C\$2742.5" smooth Urethane cast over heavy duty steel tubing12 lb R3127G25C\$2742.5" smooth Urethane cast over heavy duty steel tubing12 lb R3127G25C\$2743" grooved	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb R2421S25CG	\$309 3/8"-24 taps in shaft ends	
2.5" smooth Steel extra heavy duty tubing (1/4" wall)10 lb R2421S25S\$2383/8"-24 taps in shaft ends2.5" grooved Urethane cast over heavy duty steel tubing9 lb R2421G25CG\$3097/16"-20 taps in shaft ends2.5" smooth Urethane cast over heavy duty steel tubing8 lb R2421G25C\$2387/16"-20 taps in shaft ends2.5" smooth Steel extra heavy duty tubing (1/4" wall)12 lb R2421G25S\$2387/16"-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing13 lb R3026T3CG\$3573" smooth Steel heavy duty tubing15 lb R3026T3C\$3093" smooth Steel heavy duty tubing15 lb R3429T3CG\$3573" grooved Urethane cast over heavy duty steel tubing15 lb R3429T3C\$3093" smooth Urethane cast over heavy duty steel tubing15 lb R3429T3C\$3093" smooth Urethane cast over heavy duty steel tubing16 lb R3429T3C\$3092.5" grooved Urethane cast over heavy duty steel tubing19 lb R312TG25CC\$2742.5" grooved Urethane cast over heavy duty steel tubing12 lb R312TG25C\$2382.5" smooth Urethane cast over heavy duty steel tubing11 l2 lb R312TG25C\$2742.5" smooth Urethane cast over heavy duty steel tubing12 lb R312TG25C\$2742.5" smooth Urethane cast over heavy duty steel tubing12 lb R312TG25C\$2742.5" smooth Urethane cast over heavy du			\$274 3/8"-24 taps in shaft ends	
2.5" grooved Urethane cast over heavy duty steel tubing9 lbR2421G25CG\$3097/16*-20 taps in shaft ends2.5" smooth Urethane cast over heavy duty steel tubing8 lbR2421G25C\$2747/16*-20 taps in shaft ends2.5" smooth Steel extra heavy duty steel tubing12 lbR2421G25C\$2787/16*-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing13 lbR3026T3C\$3093/16*-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing15 lbR3026T3C\$3093/16*-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing15 lbR3026T3C\$3093/16*-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing15 lbR3026T3C\$3093/16*-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing15 lbR3026T3C\$3091/16*-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing13 lbR3429T3C\$309LMSE0003" smooth Urethane cast over heavy duty steel tubing15 lbR3429T3S\$2621/16*-20 taps2.5" grooved Urethane cast over heavy duty steel tubing9 lbR3127G25CG\$30927.45* body, 31.62* shaft w7/16*-20 tapsLMAA36, 7/10912.5" smooth Urethane cast over heavy duty steel tubing12.1bR3127G25C\$27427.45* body, 31.62* shaft w7/16*-20 tapsLMAA36, 7/10912.5" smooth Urethane cast over heavy duty steel tubing12.1bR3127G25C\$27427.45* body, 31.62* shaft w7/16*-20 tapsLMAA356, 7/1091				
2.5" smooth Urethane cast over heavy duty steel tubing8 lb R2421G25C\$2747/16*-20 taps in shaft ends2.5" smooth Steel extra heavy duty tubing (1/4" wall)12 lb R2421G25S\$2387/16*-20 taps in shaft ends3" grooved Urethane cast over heavy duty steel tubing13 lb R3026T3CG\$35733" smooth Steel extra heavy duty steel tubing15 lb R3026T3C\$3093" smooth Steel heavy duty steel tubing15 lb R3026T3C\$3093" smooth Steel heavy duty steel tubing15 lb R3026T3C\$3093" smooth Urethane cast over heavy duty steel tubing15 lb R3026T3C\$3093" smooth Urethane cast over heavy duty steel tubing15 lb R3026T3C\$3093" smooth Urethane cast over heavy duty steel tubing15 lb R3026T3C\$3093" smooth Urethane cast over heavy duty steel tubing15 lb R3429T3C\$3092.5" grooved Urethane cast over heavy duty steel tubing15 lb R3429T3C\$3092.5" grooved Urethane cast over heavy duty steel tubing12 lb R3127G25C\$2742.5" grooved Urethane cast over heavy duty steel tubing11.2 lb R3127G25C\$2742.5" smooth Urethane cast over heavy duty steel tubing12.4 lb R3529A3CG\$3573" grooved Urethane cast over heavy duty steel tubing15 lb R3529A3C\$3093" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3C\$3093" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3C\$3093" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3C\$3093" smooth Urethane cast over heavy duty steel tu				_
2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R2421G25S \$238 7/16"-20 taps in shaft ends 3" grooved Urethane cast over heavy duty steel tubing 13 lb R3026T3CG \$357 3" smooth Steel heavy duty tubing 15 lb R3026T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3026T3C \$309 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3429T3CG \$309 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 2.5" grooved Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 2.5" grooved Urethane cast over heavy duty steel tubing 12 lb R3127G25CG \$209 27.45' body, 31.62' shaft w/ 716'-20 taps 2.5" smooth Urethane cast over heavy duty steel tubing 12.4 lb R3127G25C \$274 27.45' body, 31.62' shaft w/ 716'-20 taps 2.5" smooth Urethane cast over heavy duty steel tubing 12.4 lb R3127G25C \$274 27.45' body, 31.62' shaft w/ 716'-20 taps 3" grooved U				
RANSOMES 26" FAIRWAY 300, 305, 405 & 26" T-PLEX 185D - ALL ROLLERS3" grooved Urethane cast over heavy duty steel tubing13 lb R3026T3CG\$3573" smooth Urethane cast over heavy duty steel tubing15 lb R3026T3C\$3093" smooth Steel heavy duty tubing15 lb R3026T3C\$262RANSOMES 30" T-PLEX 185D - ALL ROLLERS3" grooved Urethane cast over heavy duty steel tubing13 lb R3429T3CG\$3573" smooth Urethane cast over heavy duty steel tubing15 lb R3429T3C\$3093" smooth Steel heavy duty tubing15 lb R3429T3S\$2623" smooth Steel heavy duty tubing15 lb R3429T3S\$2623" smooth Urethane cast over heavy duty steel tubing15 lb R3429T3S\$2622.5" grooved Urethane cast over heavy duty steel tubing9 lb R3127G25CG\$3092.5" smooth Urethane cast over heavy duty steel tubing11.2 lb R3127G25C\$2742.5" smooth Urethane cast over heavy duty steel tubing12.4 lb R3529A3CG\$3573" grooved Urethane cast over heavy duty steel tubing15 lb R3529A3C\$2092.5" smooth Urethane cast over heavy duty steel tubing12.4 lb R3529A3C\$3093" grooved Urethane cast over heavy duty steel tubing15 lb R3529A3C\$2093" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3C\$2093" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3C\$2093" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3C\$2093" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3C\$209 <td></td> <td></td> <td>•</td> <td></td>			•	
3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing 3" smooth Urethane cast over heavy duty steel tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel extra heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Steel extra heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing 3" grooved Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3.5" s				
3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing 3" smooth Steel heavy duty tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing 2.5" grooved Urethane cast over heavy duty steel tubing 2.5" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel extra heavy duty steel tubing 3" smooth Steel heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty steel tubing 3" smooth Urethane cast over heavy duty steel tubing 3" smoot			\$357	
3" smooth Steel heavy duty tubing 15 lb R3026T3S \$262 RANSOMES 30" T-PLEX 185D - ALL ROLLERS 3" grooved Urethane cast over heavy duty steel tubing 13 lb R3429T3C \$309 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 LMSE080 3" smooth Steel heavy duty tubing 15 lb R3429T3C \$309 LMSE079 3" smooth Steel heavy duty tubing 15 lb R3429T3C \$309 LMSE079 3" smooth Steel heavy duty tubing 15 lb R3429T3C \$309 27.45" body, 31.62" shaft w/ 7/16"-20 taps 2.5" grooved Urethane cast over heavy duty steel tubing 9 lb R3127G25C \$274 27.45" body, 31.62" shaft w/ 7/16"-20 taps 2.5" smooth Urethane cast over heavy duty steel tubing 12 lb R3127G25S \$238 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 2.5" smooth Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45" body, 35" shaft MBE08528, 50063 3" grooved Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE08528, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE08528, 50063 3" smooth Urethane cast over heavy du				
RANSOMES 30" T-PLEX 185D - ALL ROLLERS3" grooved Urethane cast over heavy duty steel tubing13 lb R3429T3C\$357LMSE0803" smooth Urethane cast over heavy duty steel tubing15 lb R3429T3C\$309LMSE0793" smooth Steel heavy duty tubing15 lb R3429T3C\$262RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS2.5" grooved Urethane cast over heavy duty steel tubing9 lb R3127G25CG\$30927.45" body, 31.62" shaft w/ 7/16"-20 taps2.5" smooth Urethane cast over heavy duty steel tubing11.2 lb R3127G25C\$27427.45" body, 31.62" shaft w/ 7/16"-20 taps2.5" smooth Urethane cast over heavy duty steel tubing12.1 lb R3127G25S\$23827.45" body, 31.62" shaft w/ 7/16"-20 taps3" grooved Urethane cast over heavy duty steel tubing12.4 lb R3529A3CG\$35729.45" body, 35" shaft3" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3C\$30929.45" body, 35" shaft3" smooth Steel heavy duty tubing15 lb R3529A3S\$26229.25" body, 35" shaft3" smooth Urethane cast over heavy duty steel tubing15 lb R3529A3S\$26229.25" body, 35" shaft3" smooth Urethane cast over heavy duty steel tubing15 lb R2722X7C\$4284115430, 22061954" smooth Urethane cast over heavy duty steel tubing23 lb R2722X4C\$4764115430, 2206195				
3" grooved Urethane cast over heavy duty steel tubing 13 lb R3429T3CG \$357 LMSE080 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 LMSE079 3" smooth Steel heavy duty tubing 15 lb R3429T3S \$262 LMSE079 RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS \$200 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 2.5" smooth Urethane cast over heavy duty steel tubing 11.2 lb R3127G25S \$238 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R3127G25S \$238 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3127G25S \$238 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45" body, 35" shaft MBE08528, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE08528, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C		10 10 10 1020135	φ 20 2	
3" smooth Urethane cast over heavy duty steel tubing 15 lb R3429T3C \$309 LMSE079 3" smooth Steel heavy duty tubing 15 lb R3429T3S \$262 LMSE079 RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS \$309 27.45° body, 31.62° shaft w/ 7/16°-20 taps LMA356, 71091 2.5" grooved Urethane cast over heavy duty steel tubing 9 lb R3127G25CG \$309 27.45° body, 31.62° shaft w/ 7/16°-20 taps LMAA356, 71091 2.5" smooth Urethane cast over heavy duty steel tubing 11.2 lb R3127G25S \$238 27.45° body, 31.62° shaft w/ 7/16°-20 taps LMAA356, 71091 2.5" smooth Urethane cast over heavy duty steel tubing 12.4 lb R3127G25S \$238 27.45° body, 31.62° shaft w/ 7/16°-20 taps LMAA356, 71091 3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3127G25S \$238 27.45° body, 31.62° shaft w/ 7/16°-20 taps LMAA356, 71091 3" smooth Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45° body, 35° shaft MBE08528, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45° body, 35° shaft MBE08528, 50063 3" smooth Urethane cast over heavy du			*o	1 10 5 0 0 0
3" smooth Steel heavy duty tubing 15 lb R3429T3S \$262 RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS 2.5" grooved Urethane cast over heavy duty steel tubing 9 lb R3127G25CG \$309 27.45" body, 31.62" shaft w/7/16"-20 taps 2.5" smooth Urethane cast over heavy duty steel tubing 11.2 lb R3127G25C \$274 27.45" body, 31.62" shaft w/7/16"-20 taps LMAA356, 71091 2.5" smooth Urethane cast over heavy duty steel tubing 12.1 b R3127G25S \$238 27.45" body, 31.62" shaft w/7/16"-20 taps LMAA356, 71091 3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3CG \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3S \$262 29.25" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3S \$262 29.25" body, 35" shaft MBE0852B, 50063 4" smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428				
State State <th< td=""><td></td><td></td><td></td><td>LMSE079</td></th<>				LMSE079
2.5" grooved Urethane cast over heavy duty steel tubing 9 lb R3127G25CG \$309 27.45" body, 31.62" shaft w/ 7/16"-20 taps 2.5" smooth Urethane cast over heavy duty steel tubing 11.2 lb R3127G25C \$274 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 7/1091 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R3127G25C \$238 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 7/1091 3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 ANSOMES ROTARY AR-2500 DECK - BACK ROLLER 15 lb R3529A3S \$262 29.25" body, 35" shaft 4115430, 2206196 4" smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428 4115430, 2206196 4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476 4115430, 2206196			\$262	_
2.5" smooth Urethane cast over heavy duty steel tubing 11.2 lb R3127G25C \$274 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R3127G25S \$238 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3S \$262 29.25" body, 35" shaft MBE0852B, 50063 ANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER 3.5" smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428 4115430, 2206196 4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476 4115430, 2206196		· · · · · ·		
2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R3127G25S \$238 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3S \$262 29.25" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3S \$262 29.25" body, 35" shaft MBE0852B, 50063 ANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER 3.5" smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428 4115430, 2206196 4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476 4115430, 2206196			•	
2.5" smooth Steel extra heavy duty tubing (1/4" wall) 12 lb R3127G25S \$238 27.45" body, 31.62" shaft w/ 7/16"-20 taps LMAA356, 71091 3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3C \$309 29.45" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3S \$262 29.25" body, 35" shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3S \$262 29.25" body, 35" shaft MBE0852B, 50063 ANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER 3.5" smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428 4115430, 2206196 4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476 4115430, 2206196	2.5" smooth Urethane cast over heavy duty steel tubing	11.2 lb R3127G25C	\$274 27.45" body, 31 .62" shaft w/ 7/16"-20 taps	LMAA356, 71091
3" grooved Urethane cast over heavy duty steel tubing 12.4 lb R3529A3CG \$357 29.45° body, 35° shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45° body, 35° shaft MBE0852B, 50063 3" smooth Urethane cast over heavy duty steel tubing 15 lb R3529A3C \$309 29.45° body, 35° shaft MBE0852B, 50063 3" smooth Steel heavy duty tubing 15 lb R3529A3S \$262 29.25° body, 35° shaft MBE0852B, 50063 KANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER 3.5° smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428 4115430, 22061963 4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476 4115430, 22061963		12 lb R3127G25S	\$238 27.45" body, 31 .62" shaft w/ 7/16"-20 taps	LMAA356, 71091
3" smooth Urethane cast over heavy duty steel tubing 3" smooth Steel heavy duty tubing 15 lb R3529A3C 15 lb R3529A3C 16 lb R3529A3C 17 lb R2722X7C 16 lb R3529A3C 17 lb R3529A3C 18 lb R3529				MBE0852B, 500638, 500630
3" smooth Steel heavy duty tubing 15 lb R3529A3S \$262 29.25" body, 35" shaft RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER 3.5" smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428 4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476			•	
ANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER 3.5" smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428 4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476				
3.5" smooth Urethane cast over heavy duty steel tubing 27 lb R2722X7C \$428 4115430, 2206195 4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476 4115430, 2206195			WEVE Lotto Jody, oo onan	
4" smooth Urethane cast over heavy duty steel tubing 23 lb R2722X4C \$476 4115430, 2206195		27 lb P2722V7C	\$428	4115430 2206105
4 smooth steel neavy duty tubing (1/8 wall) 27 10 K2722X4S \$428 4115430, 2206195	, , , ,			
		71 W K7177840	J420	4113430, 2200193

for TRU-TURF Greens Golf Rollers

2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb T2222S25C	\$274	22.45" body to fit RS48-11E & RB48-11A	R8217
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb T2222S25S	\$245	22.25" body to fit RS48-11E & RB48-11A	R8217
2.5" smooth Urethane cast over heavy duty steel tubing 39.5"	T3939S25C	\$441	39.5" body to fit GR39	
2.5" smooth Steel heavy duty tubing (1/8" wall) 39.5"	T3939S25S	\$394	39.5" body to fit GR39	
2.5" smooth Urethane cast over heavy duty steel 39.5" 2 bodies	T3939S25C2	\$472	39.5" body total to fit TR7000C machine	G7018 & G7049
2.5" smooth Steel heavy duty tubing (1/8" wall) 39.5" 2 body section	o 15.5 lb T3939S25S2	\$416	39.5" body total to fit TR7000C machine	G7018 & G7049
u-Turf Smoothing Heads Rollers for R52 machines				
2.5" smooth Urethane cast over heavy duty steel tubing 18.45"	9 lb T1818S25C	\$274	18.45" body to fit R52	E7149
2.5" smooth Steel heavy duty tubing (1/8" wall) 18.25"	8.7 lb T1818S25S	\$255	18.25" body to fit R52	E7149
u-Turf Smoothing Heads Rollers for TR66 Spikes machines				
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb TT2422S25C	\$309	22.45" body	T3005
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb TT2422S25S	\$297	22.25" body	T3005

for SISIS

3" smooth Urethane cast over heavy duty steel tubing	11.6 lb S2524S3C	\$357	
3" smooth Steel heavy duty tubing	12 lb S2524S3S	\$335	
3.5" smooth Urethane cast over heavy duty steel tubing	16 lb S2524S7C	\$404	
sis Veemo MK2 Verticutter - ALL ROLLERS			
3" smooth Urethane cast over heavy duty steel tubing	15 lb S3029G3C	\$357	
3" smooth Steel heavy duty tubing	15 lb S3029G3S	\$335	

for **DENNIS**

De	ennis Walking mower - ALL ROLLERS (handlebar bushings needed))	
	3.5" smooth Urethane cast over heavy duty steel tubing	21 lb D3834G7C	\$465
	Handlebar bushing (2 per roller)	2SLEEVE 1.25x.5x1.2 PU	\$23

for SHIBAURA & HUSTLER Shibaura SR525 Fairway & Hustler 7500 & 7700 Fairway (Sectional rollers with 4 bodies also available) 3" grooved Urethane cast over heavy duty steel tubing 10.5 lb S2522P3CG \$428 22.45" body, 25.75" shaft A72010351 3" smooth Urethane cast over heavy duty steel tubing 12.5 lb S2522P3C \$404 22.45" body, 25.75" shaft A72010351 3" smooth Steel heavy duty tubing (1/8" wall) 12.5 lb S2522P3S \$333 22.25" body, 25.75" shaft A72010351 Shibaura SR370 (Sectional rollers with 4 bodies also available) 3" grooved Urethane cast over heavy duty steel tubing 12.5 lb S2926P3CG \$444 26.45" body, 29.75" shaft 3" smooth Urethane cast over heavy duty steel tubing 14 lb S2926P3C \$416 26.45" body, 29.75" shaft 3" smooth Steel heavy duty tubing (1/8" wall) 14 lb S2926P3S \$357 26.25" body, 29.75" shaft (Sectional rollers with 4 bodies also available) Shibaura G Flow22 & MG70 & Hustler GM1500 Greensmowers 9 lb S2622P25CG 2.5" grooved Urethane cast over heavy duty steel tubing \$400 22.45" body, 26" shaft \$357 22.45" body, 26" shaft 2.5" smooth Urethane cast over heavy duty steel tubing 11.5 lb S2622P25C 2.5" smooth Steel heavy duty tubing (1/8" wall) 12 lb S2622P25S \$309 22.25" body, 26" shaft 2" grooved Urethane cast over heavy duty steel tubing 7.5 lb S2622P2CGH \$301 22.25" body, 26" shaft 2" smooth Urethane cast over heavy duty steel tubing 8 lb S2622P2C \$280 22.25" body, 26" shaft 2" smooth Steel heavy duty tubing (1/4" wall) 11.5 lb S2622P2S \$270 22.25" body, 26" shaft (Sectional rollers with 4 bodies also available) Shibaura G EXE 26 Greensmower 2.5" grooved Urethane cast over heavy duty steel tubing 10 lb S2826P25CG \$411 26.45" body, 28.375" shaft 2.5" smooth Urethane cast over heavy duty steel tubing 12.5 lb S2826P25C \$368 26.45" body, 28.375" shaft 2.5" smooth Steel heavy duty tubing (1/8" wall) 12.5 lb S2826P25S \$320 26.25" body, 28.375" shaft 2" smooth Urethane cast over heavy duty steel tubing 8.5 lb S2826P2C \$301 26.25" body, 28.375" shaft 2" smooth Steel heavy duty tubing (1/4" wall) 12 lb S2826P2S \$280 26.25" body, 28.375" shaft

for BARONESS

13 lb K2727G3CG		
13 lb K2727G3CG	A 101	
10101121210000	\$464	
15 lb K2727G3C	\$416	
15 lb K2727G3S	\$357	
18 lb K2727G7C	\$524	
23 lb N2727G4C	\$594	
13 lb K3027K3CG	\$464	
15 lb K3027K3C	\$416	
15 lb K3027K3S	\$357	
13 lb K2725H25CG	\$381	
15 lb K2725H25C	\$345	
15 lb K2725H25S	\$321	
	15 lb K2727G3S 18 lb K2727G7C 23 lb N2727G4C 13 lb K3027K3CG 15 lb K3027K3C 15 lb K3027K3S 13 lb K2725H25CG 15 lb K2725H25CG 15 lb K2725H25C	15 lb K2727G3S \$357 18 lb K2727G7C \$524 23 lb N2727G4C \$594 13 lb K3027K3CG \$464 15 lb K3027K3C \$416 15 lb K3027K3S \$357 13 lb K2725H25CG 13 lb K2725H25CG \$381 15 lb K2725H25CG \$345

for VENTRAC

ntrac MJ840 Contour Deck Rotary Mower			
3" smooth Urethane cast over heavy duty steel tubing	11.8 lb 2V2422S3C	only available through Venture Products	Competition2 upgrade
3" smooth Steel heavy duty tubing (1/8" wall)	11.4 lb V2422S3S	\$333	
3" grooved Urethane over steel tubing (two 4" wide bodies)	8 lb V2404S3CGt	\$428 non-striping, allows better air flow	
3" smooth Urethane over steel tubing (two 4" wide bodies)	8 lb 2V2404S3Ct	\$476 non-striping, allows better air flow	Competition2 upgrade
3" smooth Urethane over steel tubing (two 4" wide bodies)	8 lb V2404S3Ct	\$393 non-striping, allows better air flow	
3" smooth Steel heavy duty tubing (two 4" wide bodies)	10 lb V2404S3St	\$368 non-striping, allows better air flow	
ntrac MR740 Triplex Reel Mower			
3" grooved Urethane cast over heavy duty steel tubing	9.5 lb V2827G3CG	\$416	
3" smooth Urethane cast over heavy duty steel tubing	11.5 lb V2827G3C	\$369	
3" smooth Steel heavy duty tubing (1/8" wall)	11.2 lb V2827G3S	\$347	

for NATIONAL

ational 68 & 84 TRIPLEX & PTO GANG - 30" REELS			
3" grooved Urethane cast over heavy duty steel tubing	13 lb N3429I3CG	\$357	
3" smooth Urethane cast over heavy duty steel tubing	15 lb N3429I3C	\$309	
3" smooth Steel heavy duty tubing	15 lb N3429I3S	\$262	
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb N3429I7C	\$404	
4" smooth Urethane cast over heavy duty steel tubing	23 lb N3229I4C	\$452	
4" smooth Steel heavy duty tubing	19 lb N3429I4S	\$404	
ational 68 & 84 TRIPLEX & PTO GANG - 25" OUTSIDE REELS			
3" smooth Urethane cast over heavy duty steel tubing	11 lb N2420I3C	\$309	
3" smooth Steel heavy duty tubing	11 lb N2420I3S	\$274	
3.5" smooth Urethane cast over heavy duty steel tubing	13 lb N2420I7C	\$404	

for **BUNTON**

Bunton 22" WALKING GREENSMOWERS - FRONT			(Sectional rollers with 4 bodies also available)
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb B2422P2CGH	\$276	
2" smooth Urethane cast over heavy duty steel tubing	8 lb B2422P2C	\$259	
2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb B2422P2S	\$230	
2" smooth Steel light tubing (full shaft)	5 lb B2422P2L	\$230	
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb B2422P25CG	\$292	
2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb B2422P25C	\$259	
2.5" smooth Steel extra heavy duty tubing (1/4" wall)	10 lb B2422P25S	\$238	
Bunton 26" WALKING GREENSMOWER - FRONT			(Sectional rollers with 4 bodies also available)
2.5" grooved Urethane cast over heavy duty steel tubing	10 lb B2726P25CG	\$292	
2.5" smooth Urethane cast over heavy duty steel tubing	10.5 lb B2726P25C	\$259	
2.5" smooth Steel extra heavy duty tubing (1/4" wall)	11 lb B2726P25S	\$238	
Bunton 30" FAIRWAY GANG MOWER - FRONT & BACK ROLLERS	;		
3" grooved Urethane cast over heavy duty steel tubing	13 lb B3629H3CG	\$324	
3" smooth Urethane cast over heavy duty steel tubing	15 lb B3629H3C	\$281	
3" smooth Steel heavy duty tubing	15 lb B3629H3S	\$238	
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb B3629H7C	\$368	

for KESMAC

nac GANG MOWER - ALL ROLLERS			
3" grooved Urethane cast over heavy duty steel tubing	13 lb K3127l3CG	\$393	
3" smooth Urethane cast over heavy duty steel tubing	15 lb K3127l3C	\$309	
3" smooth Steel heavy duty tubing	15 lb K3127l3S	\$262	
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb K3127I7C	\$404	
4" smooth Urethane cast over heavy duty steel tubing	23 lb N3127I4C	\$452	
, , , , , ,			

mpetition Roller [™] Upgrade Options	<u>Retail</u>	<u>Part #</u>	No. of Concession, Name
Upgrade to Stainless Steel Bearings on Competition Rollers™	\$23	BU-COMPSS	
Upgrade to Double Row Bearings as our Competition2 Rollers™ upgrade select Competition Rollers [™] to double row bearings with black oxied finish (5203 style) available for most rollers larger than 2" diameter (requires special bearing housings)	\$66	(designate by adding "2" to front of roller part number)	
Add Grease Fittings (set of 2 special flush mount grease fittings) -Grease fittings (set of two) for new Competition Rollers [™] or new overhaul kits -Special yellow end seal (set of two) to accommodate grease fitting without new bearing kits	\$20 \$24	GFFD316SET 2SEAL16CUGF SET	
Bearing Installation Tool Set set of 2 tools - aids in installing bearings into roller housing and onto shaft	\$63	2TOOLSET	
Super Duty solid one piece Polyurethane Soft Blow Mallet For everyone that has tried this mallet: "Thank you!!"	\$58	#MALLET1	
npetition Roller [™] Overhaul Kits - *ORIGINAL STYLE*	2		
Standard overhaul kit for all single body rollers (except "H" style 2" grooved) (with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)	\$59	онсомр	
Stainless Steel Bearing overhaul kit for all single body rollers (except "H" style 2" grooved (with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)	\$81	OHCOMPSS	
Overhaul kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19 (with 4 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)	\$59	OHCOMPH	
Overhaul kit for twin body roller assemblies (one kit per body - call to confirm	\$66	OHCOMPNt	

Competition2 Roller[™] Overhaul Kits *SERIES 2* with Double-Row Bearings

Overhaul kit for 3 & 4 body roller assemblies (one kit per body - call to confirm)

Double-Row Bearings with corrosion resistant black oxide finish (5203-40mm OD)	\$100	OHCOMP2BO
(with 2 bearings, 6 seals, 2 stainless washers & 4 retainers)		

\$61

OHCOMPN4

Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease

that has been time tested to maximize the life of the bearing for commerical mower applications.

Competition Roller™ Shafts

ALL SHAFTS NOW OFFERED AS ASSEMBLIES WITH OVERHAUL KITS		(call for part numbers)
REGULAR SHAFT ASSEMBLY WITH OHCOMP OVERHAUL KIT	\$120	
REGULAR SHAFT ASSEMBLY WITH OHCOMPSS OVERHAUL KIT	\$143	
REGULAR SHAFT ASSEMBLY WITH OHCOMP2BO OVERHAUL KIT	\$163	
SHAFT ASSEMBLY FOR MULTIPLE BODY ROLLERS - CALL FOR SPECIFICS		
SELECT SPECIAL SHAFT ASSEMBLIES + OVERHAUL KIT - ADD \$10 TO PRICES ABOVE		(ADDITIONAL COST)
(The shaft part number is taken from the roller part number as follows: Roller T2522S2CGH has shaft p (For assemblies with STAINLESS STEEL bearings add "S" to the shaft part number.)	art SHA2522ST)

Pro Roller[™] Bearings (Water Pump Style)

Replaces Toro #21-8430	\$21	BWP3
Water pump bearing-sealed (shaft is 1.8")		
Replaces Toro #52-3180 & 52-3210	\$21	BWP4
Water pump bearing-sealed (shaft is 1.8" with 3/8-24 tap)	* 24	DWDE
Replaces Jacobsen #101482 Water pump bearing-sealed (shaft is 1.0" with 7/16-20 tap)	\$21	BWP5
Replaces Toro #75-1290, Jacobsen #101481 & John Deere #35741	\$21	BWP7
Water pump bearing-sealed (shaft is 1.5")	·	

10/5/20 Page 23

GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2021 REBUILD INSTRUCTIONS

(For Overhaul Kits OHCOMP & OHCOMPSS)

All Competition Rollers[™] are assembled with components in each roller end as follows:

Part / Description

2SEAL62V Seal-Shaft V - outer (black rubber) >>>>>

2SEAL16CU Seal-Housing (yellow polyurethane) >>>>

2SEAL62V Seal-Shaft V – inner (black rubber) >>>>>

2BCOMPSS Bearing-Sealed (stainless option)

2BCOMPH Bearing-Sealed (for new style 2" dia. grooved)

REMOVAL OF USED COMPONENTS:

(Work on one end only "end A" for steps 1-6)

- * Remove the outer snap ring retainer.
- * Remove the steel washer (slides off end of shaft).
- * Remove the outer V seal (on shaft in counter-bore of collar seal).
- * Remove the yellow housing seal from the roller end housing (can be pried off).
- * Remove the inner V seal (located behind the collar seal).
- * Remove the snap ring retainer which is next to the bearing inner race. Use snap ring pliers.
- * Remove the shaft by pushing it through end "A" of the roller and out of end "B" (we use a soft hammer). Be careful to avoid damage or injury as the shaft leaves the roller body.
- * Remove all of the bearing, seal and retainer components from end "B" of the shaft.
- * Use the shaft to push the 2nd bearing out of end "A" of the roller body bearing housing.

REBUILDING ROLLER WITH NEW COMPONENTS:

(Overhaul kit # OHCOMP or OHCOMPSS contains 2 each of the components listed above)

- * Insert the shaft into the roller body.
- * Place new bearings onto the shaft ends.
- Install the bearings into the bottom of each roller body bearing housing using Golfco bearing assembly tools (2TOOLSET40) or large sockets. The inner shoulders of the shaft will help to position the shaft roughly in the roller body but it will not be centered. The shaft has two grooves near each end. You should be able to see both grooves of one end of the shaft (shaft end "A").
- * Install one snap ring retainer onto the shaft at the inner groove that is visible (shaft end "A").
- Carefully shift the shaft toward end "B" of the roller body until the installed inner snap ring retainer is seated against the bearing race (on end "A"). Do not force the shaft too far or the snap ring retainer will deform. Keep the bearings seated against the bottom of the roller body housing (the housing bottom shoulder) by using the bearing assembly tools. You should be able to see both retainer grooves on end "B" of the shaft.
- * Install the second snap ring retainer into the inner groove of the shaft at end "B".
- * Test that the shaft spins easily within the roller body. If not, lightly tap the shaft ends to reseat the bearings.
- * Push one of the V seals onto the shaft against the snap ring retainer with the thin flexible lip section facing outward in relation to the roller body. Repeat for the other end of the roller.
- * Optionally add a small amount of your favorite industrial grease into both bearing housings next to the bearings without filling into the V seal.
- * Install the yellow housing seal into the bearing housing counter-bore of the roller body with its counter-bore facing outward. The housing seal should fit snugly into the bearing housing counter-bore and be parallel to the roller body end.
- * Push the second V seal onto the shaft end with the thin flexible lip section facing inward. With careful motion, push the V seal down the shaft to the counter-bore of the yellow housing seal until the V seal outer face is flush with the outer face of the housing seal. The V seal inner lips should be flared laterally and ride against the bottom face of the housing seal counterbore. Do not try to install the V seal between the shaft and the inside diameter surface of the housing seal.
- * Install the steel washer and the exterior snap ring retainer. The steel washer should be loose fitting.

