

# GOLFCO INTERNATIONAL COMPETITION ROLLERS

## Retail Price List 2025 & 2026

US PATENT #5394681

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

<b>Complete Roller Assemblies</b>	<b>Roller Retail</b>	<b>Replacement Overhaul Kit (bearings, seals, retainers)</b>				
		<b>Shaft</b>	<b>Shaft</b>	<b>Retail</b>		
<b>for Jacobsen mowers</b>						
<b>Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 &amp; ECLIPSE 122 &amp; 322 MOWERS - FRONT ROLLER</b>						
<b>2" dia. SINGLE body</b>						
2" dia. wide grooved Urethane no flats	6.5 lb J2522A2CG	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb J2522A2NG	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb J2522A2CGF	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2522A2NGF	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$80
2" dia. smooth Urethane	8 lb J2522A2C	\$382	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2522A2S	\$322	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$80
<b>2" dia. TWO opposing end short bodies</b>			non-slipping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2CGt	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP	SHA2504AJAT	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2NGt	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP	SHA2504AJAT	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2CGFt	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP	SHA2504AJAT	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2NGFt	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP	SHA2504AJAT	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2502A2Ct	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2502AJAT	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A2Ct	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAT	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2504A2St	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAT	\$91
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>			non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2CG+2C	\$512	2 center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2NG+2C	\$512	2 center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2CGF+2C	\$512	2 center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2NGF+2C	\$512	2 center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A2C+2C	\$512	2 center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	15 lb J3122A2S+2S	\$512	2 center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
<b>2" dia. FOUR bodies</b>			non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2CG4	\$602	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2NG4	\$602	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2CGF4	\$602	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2NGF4	\$602	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2522A2C4	\$602	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2522A2S4	\$602	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
<b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>			non-skidding for tight turns & ground undulations			
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	15 lb J3122A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
<b>.25" dia. SINGLE body</b>			non-skidding for tight turns & ground undulations			
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J2522A25CG	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2522A25NG	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 3/4" flats	9 lb J2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$80
2.5" smooth Urethane	9.5 lb J2522A25C	\$396	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$80
2.5" smooth Steel	10 lb J2522A25S	\$376	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$80
<b>.25" dia. TWO opposing end short bodies</b>			non-slipping, non-skidding for tight turns & ground undulations			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2CGt	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAT	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2NGt	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAT	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2CGFt	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAT	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2NGFt	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAT	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A2C5t	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAT	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2504A2St	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAT	\$91
<b>.25" dia. SINGLE body + 2 bodies outside of brackets</b>			non-skidding for tight turns & ground undulations			
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2CG+2C	\$566	4 center body + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2NG+2C	\$566	4 center body + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2CGF+2C	\$566	4 center body + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2NGF+2C	\$566	4 center body + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMP	SHA3122AJA+2	\$108
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A2CG5+2C	\$566	4 center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
<b>.25" dia. FOUR bodies</b>			non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25CG4	\$636	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25NG4	\$636	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25CGF4	\$636	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25NGF4	\$636	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	9 lb J2522A25C4	\$636	4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$91
<b>.25" dia. FOUR bodies + 2 bodies outside of brackets</b>			non-skidding for tight turns & ground undulations			
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb J3122A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	SHA3122AJA+2	\$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	SHA3122AJA+2	\$108
<b>.25" dia. SINGLE body w/ 3/8" taps in shaft</b>			non-skidding for tight turns & ground undulations			
Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 & ECLIPSE 122 & 322 MOWERS - BACK ROLLER						
<b>2" dia. SINGLE body w/ 3/8" taps in shaft</b>						
2" dia. wide grooved Urethane no flats	6.5 lb J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$80
2" dia. smooth Urethane	8 lb J2422S2C	\$382	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422SJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422S2S	\$322	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422SJ	\$80
<b>2" dia. SINGLE body w/ 7/16" taps in shaft</b>						
2" dia. wide grooved Urethane no flats	6.5 lb J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$80
2" dia. smooth Urethane	8 lb J2422G2C	\$382	22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2422GJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422G2S	\$322	22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2422GJ	\$80



**Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT ROLLERS (SHAFT is 21.25" with taps in both ends)**

2" dia. SINGLE body

**Jacobsen 18" Eclipse2 118F GREENSMOWERS - REAR ROLLERS (SHAFT is 20.5" with taps in both ends)**

2" dia. SINGLE body

**Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - FRONT & BACK ROLLERS**

Call to upgrade with double row angular contact bearings

<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane no flats	7.8 lb	J2926A2CG	<b>\$382</b>	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. narrow grooved Urethane no flats	7.8 lb	J2926A2NG	<b>\$382</b>	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. wide grooved Urethane 1" flats	8 lb	J2926A2CGF	<b>\$382</b>	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. narrow grooved Urethane 1" flats	8 lb	J2926A2NGF	<b>\$382</b>	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. smooth Urethane	9 lb	J2926A2C	<b>\$382</b>	26.45" body, 29.75" shaft	OHCMP or OHCOMPSS	SHA2926AJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	12.5 lb	J2926A2S	<b>\$322</b>	26.25" body, 29.75" shaft	OHCMP or OHCOMPSS	SHA2926AJ	\$80
<b>2" dia. TWO opposing end short bodies</b>					<b>non-slipping, non-skidding for tight turns &amp; ground undulations</b>		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A2CGt	<b>\$452</b>	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPHT	SHA2904AJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A2NGt	<b>\$452</b>	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPHT	SHA2904AJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A2CGFt	<b>\$452</b>	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPHT	SHA2904AJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A2NGFt	<b>\$452</b>	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPHT	SHA2904AJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.2 lb	J2902A2Ct	<b>\$452</b>	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2902AJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2904A2Ct	<b>\$452</b>	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2904AJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2904A2St	<b>\$452</b>	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2904AJAt	\$91
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>					<b>non-skidding for tight turns &amp; ground undulations</b>		
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3526A2CG+2C	<b>\$512</b>	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3526AJA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3526A2NG+2C	<b>\$512</b>	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3526AJA+2	\$108
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3526A2CGF+2C	<b>\$512</b>	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3526AJA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3526A2NGF+2C	<b>\$512</b>	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3526AJA+2	\$108
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	J3526A2C+2C	<b>\$512</b>	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3526AJA+2	\$108
extended 2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb	J3526A2S+2S	<b>\$512</b>	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3526AJA+2	\$108
<b>2" dia. FOUR bodies</b>					<b>non-skidding for tight turns &amp; ground undulations</b>		
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J2926A2CG4	<b>\$602</b>	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J2926A2NG4	<b>\$602</b>	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926AJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J2926A2CGF4	<b>\$602</b>	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J2926A2NGF4	<b>\$602</b>	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926AJA4	\$91
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb	J2926A2C4	<b>\$602</b>	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926AJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb	J2926A2S4	<b>\$602</b>	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926AJA4	\$91
<b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>					<b>non-skidding for tight turns &amp; ground undulations</b>		
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	J3526A2CG4+2C	<b>\$672</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3526AJA+4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	J3526A2NG4+2C	<b>\$672</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3526AJA+4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	J3526A2CGF4+2C	<b>\$672</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3526AJA+4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	J3526A2NGF4+2C	<b>\$672</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3526AJA+4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	J3526A2C4+2C	<b>\$672</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3526AJA+4+2	\$108

y (4x6.5" inner+2x2" oute



<b>2.5" dia. SINGLE body + 2 bodies outside of brackets</b>									
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3829A25CG+2C	<b>\$566</b> 29.45" center body +2 short outer bodies, 38.19" shaft	1x OHCOMP + 2 OHCOMP	CS	SHA3829AJA+2	\$108		
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3829A25NG+2C	<b>\$566</b> 29.45" center body +2 short outer bodies, 38.19" shaft	1x OHCOMP + 2 OHCOMP	CS	SHA3829AJA+2	\$108		
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3829A25CGF+2C	<b>\$566</b> 29.45" center body +2 short outer bodies, 38.19" shaft	1x OHCOMP + 2 OHCOMP	CS	SHA3829AJA+2	\$108		
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3829A25NGF+2C	<b>\$566</b> 29.45" center body +2 short outer bodies, 38.19" shaft	1x OHCOMP + 2 OHCOMP	CS	SHA3829AJA+2	\$108		
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	J3829A25C+2C	<b>\$566</b> 29.45" center body +2 short outer bodies, 38.19" shaft	1x OHCOMP + 2 OHCOMP	CS	SHA3829AJA+2	\$108		
<b>2.5" dia. FOUR bodies</b>									
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J3229A25CG4	<b>\$636</b> 4 short bodies, 32.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA3229AJA4	\$91		
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J3229A25NG4	<b>\$636</b> 4 short bodies, 32.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA3229AJA4	\$91		
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J3229A25CGF4	<b>\$636</b> 4 short bodies, 32.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA3229AJA4	\$91		
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J3229A25NGF4	<b>\$636</b> 4 short bodies, 32.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA3229AJA4	\$91		
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb	J3229A25C4	<b>\$636</b> 4 short bodies, 32.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA3229AJA4	\$91		
<b>2.5" dia. FOUR bodies + 2 bodies outside of brackets</b>									
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	J3829A25CG4+2C	<b>\$686</b> 4 center bodies + 2 short outer bodies, 38.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	CS	SHA3829AJA4+2	\$108		
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	J3829A25NG4+2C	<b>\$686</b> 4 center bodies + 2 short outer bodies, 38.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	CS	SHA3829AJA4+2	\$108		
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb	J3829A25CGF4+2C	<b>\$686</b> 4 center bodies + 2 short outer bodies, 38.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	CS	SHA3829AJA4+2	\$108		
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb	J3829A25NGF4+2C	<b>\$686</b> 4 center bodies + 2 short outer bodies, 38.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	CS	SHA3829AJA4+2	\$108		
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	J3829A25C4+2C	<b>\$686</b> 4 center bodies + 2 short outer bodies, 38.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMP	CS	SHA3829AJA4+2	\$108		
<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane	12.4 lb	J3229A3CG	<b>\$513</b> 29.45" body, 32.19" shaft	OHCOMP or OHCOMPSS		SHA3229AJ	\$80		
3" smooth Urethane	15 lb	J3229A3C	<b>\$483</b> 29.45" body, 32.19" shaft	OHCOMP or OHCOMPSS		SHA3229AJ	\$80		
3" smooth Steel	15 lb	J3229A3S	<b>\$443</b> 29.25" body, 32.19" shaft	OHCOMP or OHCOMPSS		SHA3229AJ	\$80		
<b>3" dia. FOUR bodies</b>									
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb	J3229A3CG4	<b>\$683</b> 4 short bodies, 32.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA3229AJA4	\$91		
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb	J3229A3C4	<b>\$683</b> 4 short bodies, 32.19" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA3229AJA4	\$91		
<b>Jacobsen 18" LIGHT FAIRWAY LF530 &amp; SLF1880 - FRONT ROLLER</b>									
<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane	9 lb	J2119A3CG	<b>\$513</b> 19.45" body, 21.25" shaft	OHCOMP or OHCOMPSS		SHA2119AJ	\$80		
3" smooth Urethane	10.5 lb	J2119A3C	<b>\$483</b> 19.45" body, 21.25" shaft	OHCOMP or OHCOMPSS		SHA2119AJ	\$80		
3" smooth Steel	11 lb	J2119A3S	<b>\$443</b> 19.25" body, 21.25" shaft	OHCOMP or OHCOMPSS		SHA2119AJ	\$80		
<b>3" dia. FOUR bodies</b>									
4 bodies 3" dia. wide grooved Urethane (4x4.75" wide bodies)	12 lb	J2119A3CG4	<b>\$673</b> 4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA2119AJA4	\$91		
4 bodies 3" smooth Urethane (4x4.75" wide bodies)	14 lb	J2119A3C4	<b>\$663</b> 4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA2119AJA4	\$91		
<b>To diminish instances of shadowing lines due to overlap of reels</b>									
3" dia. wide grooved Urethane with 2.2" wide smooth ends	8.5 lb	J2119A3CG.22C	<b>\$543</b> front roller for rear mower heads-use with J2016G2C	OHCOMP or OHCOMPSS		SHA2119AJ	\$80		
2" dia. smooth Urethane	6.5 lb	J2016G2C	<b>\$382</b> back roller for rear mower heads-use with J2119A3CG.22C	OHCOMP or OHCOMPSS		SHA2016GJ	\$80		
<b>Jacobsen 18" LIGHT FAIRWAY LF530 &amp; SLF1880 - BACK ROLLER (with 7/16-20 tap)</b>									
<b>2" dia. SINGLE body</b>									
2" dia. smooth Urethane	6.5 lb	J2016S2C	<b>\$382</b> 16.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2016GJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb	J2016S2S	<b>\$312</b> 16.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2016GJ	\$80		
2" dia. smooth Urethane	6.5 lb	J2016G2C	<b>\$382</b> 16.25" body, 20.5" shaft-7/16" taps	OHCOMP or OHCOMPSS		SHA2016GJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb	J2016G2S	<b>\$312</b> 16.25" body, 20.5" shaft-7/16" taps	OHCOMP or OHCOMPSS		SHA2016GJ	\$80		
2" dia. smooth Urethane	11 lb	J2019S2C	<b>\$382</b> 19.45" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2019SJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11 lb	J2019S2S	<b>\$322</b> 19.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2019SJ	\$80		
2" dia. smooth Urethane	11 lb	J2019G2C	<b>\$382</b> 19.45" body, 20.5" shaft-7/16" taps	OHCOMP or OHCOMPSS		SHA2019SJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11 lb	J2019G2S	<b>\$322</b> 19.25" body, 20.5" shaft-7/16" taps	OHCOMP or OHCOMPSS		SHA2019SJ	\$80		
<b>2.5" dia. SINGLE body</b>									
2.5" smooth Urethane	11 lb	J2019S25C	<b>\$396</b> 19.45" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2019SJ	\$80		
2.5" smooth steel	11 lb	J2019S25S	<b>\$376</b> 19.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2019SJ	\$80		
<b>Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" &amp; 26" LF530, SLF1880, LF2500, LF3050, LF3810)</b>									
<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane	9.4 lb	J2522A3CG	<b>\$513</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS		SHA2522AJ	\$80		
3" smooth Urethane	12 lb	J2522A3C	<b>\$483</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS		SHA2522AJ	\$80		
3" smooth Steel	11.5 lb	J2522A3S	<b>\$443</b> 22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS		SHA2522AJ	\$80		
<b>3" dia. FOUR bodies</b>									
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	12 lb	J2522A3CG4	<b>\$673</b> 4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA2522AJA4	\$91		
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	14 lb	J2522A3C4	<b>\$663</b> 4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int		SHA2522AJA4	\$91		
<b>To diminish instances of shadowing lines due to overlap of reels</b>									
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	J2522A3CG.22C	<b>\$543</b> front roller for rear mower heads-use with J2419S2C	OHCOMP or OHCOMPSS		SHA2522AJ	\$80		
2" dia. smooth Urethane (rear roller)	7 lb	J2419S2C	<b>\$382</b> back roller for rear mower heads-use with J2522A3CG.22C	OHCOMP or OHCOMPSS		SHA2419SJ	\$80		
<b>Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" &amp; 26" LF530, SLF1880, LF2500, LF3050, LF3810)</b>									
<b>2" dia. SINGLE body w/ 3/8" taps in shaft</b>									
2" dia. wide grooved Urethane no flats	6.5 lb	J2422S2CG	<b>\$382</b> 22.45" body, 24.25" shaft-3/8" taps	OHCOMP		SHA2422SJ	\$80		
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422S2NG	<b>\$382</b> 22.45" body, 24.25" shaft-3/8" taps	OHCOMP		SHA2422SJ	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422S2CGF	<b>\$382</b> 22.45" body, 24.25" shaft-3/8" taps	OHCOMP		SHA2422SJ	\$80		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422S2NGF	<b>\$382</b> 22.45" body, 24.25" shaft-3/8" taps	OHCOMP		SHA2422SJ	\$80		
2" dia. smooth Urethane	8 lb	J2422S2C	<b>\$382</b> 22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2422SJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422S2S	<b>\$322</b> 22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2422SJ	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2419S2CGF	<b>\$382</b> 19.45" body, 24.25" shaft-3/8" taps	OHCOMP		SHA2419SJ	\$80		
2" dia. smooth Urethane	7 lb	J2419S2C	<b>\$382</b> 19.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2419SJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2419S2S	<b>\$322</b> 19.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS		SHA2419SJ	\$80		
<b>2" dia. SINGLE body w/ 7/16" taps in shaft</b>									
2" dia. wide grooved Urethane no flats	6.5 lb	J2422G2CG	<b>\$382</b> 22.45" body, 24.25" shaft-7/16" taps	OHCOMP		SHA2422GJ	\$80		
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422G2NG	<b>\$382</b> 22.45" body, 24.25" shaft-7/16" taps	OHCOMP		SHA2422GJ	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422G2CGF	<b>\$382</b> 22.45" body, 24.25" shaft-7/16" taps	OHCOMP		SHA2422GJ	\$80		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422G2NGF	<b>\$382</b> 22.45" body, 24.25" shaft-7/16" taps	OHCOMP		SHA2422GJ	\$80		
2" dia. smooth Urethane	8 lb	J2422G2C	<b>\$382</b> 22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS		SHA2422GJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422G2S	<b>\$322</b> 22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS		SHA2422GJ	\$80		
<b>2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft</b>									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404S2CGt	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP		SHA2404SJAT	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404S2NGt	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP		SHA2404SJAT	\$91		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404S2CGFt	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP		SHA2404SJAT	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404S2NGFt	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS		SHA2402SJAT	\$91		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2402S2Ct	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP		SHA2402SJAT	\$91		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2404S2Ct	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS		SHA2404SJAT	\$91		
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2404S2St	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS		SHA2404SJAT	\$91		
<b>2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft</b>									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404G2CGt	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP		SHA2404GJAT	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2NGt	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP		SHA2404GJAT	\$91		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2CGFt	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP		SHA2404GJAT	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2NGFt	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP		SHA2404GJAT	\$91		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2402G2Ct	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP or 2x OHCOMPSS		SHA2402GJAT	\$91		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2404G2Ct	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP or 2x OHCOMPSS		SHA2404GJAT	\$91		
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2404G2St	<b>\$452</b> 2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP or 2x OHCOMPSS		SHA2404GJAT	\$91		

**2" dia. FOUR bodies w/ 3/8" taps in shaft**

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2CG4	<b>\$602</b> 4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422SJ4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2NG4	<b>\$602</b> 4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422SJ4	<b>\$91</b>
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2CFG4	<b>\$602</b> 4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422SJ4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2NGF4	<b>\$602</b> 4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422SJ4	<b>\$91</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422S2C4	<b>\$602</b> 4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422SJ4	<b>\$91</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422S2S4	<b>\$602</b> 4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422SJ4	<b>\$91</b>

**2" dia. FOUR bodies w/ 7/16" taps in shaft**

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2CG4	<b>\$602</b> 4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422GJA4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2NG4	<b>\$602</b> 4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422GJA4	<b>\$91</b>
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2CFG4	<b>\$602</b> 4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422GJA4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2NGF4	<b>\$602</b> 4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422GJA4	<b>\$91</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422G2C4	<b>\$602</b> 4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422GJA4	<b>\$91</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422G2S4	<b>\$602</b> 4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMPH4ext + 2x OHCOMPH4int	SHA2422GJA4	<b>\$91</b>

**2.5" dia. SINGLE body w/ 3/8" taps in shaft**

2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421S25CG	<b>\$456</b> 21.45" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2421SJ	<b>\$80</b>
2.5" smooth Urethane	8.8 lb J2421S25C	<b>\$396</b> 21.45" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2421SJ	<b>\$80</b>
2.5" smooth Steel	9.5 lb J2421S25S	<b>\$376</b> 21.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2421SJ	<b>\$80</b>

**2.5" dia. SINGLE body w/ 7/16" taps in shaft**

2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421G25CG	<b>\$456</b> 21.45" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2421GJ	<b>\$80</b>
2.5" smooth Urethane	8.8 lb J2421G25C	<b>\$396</b> 21.45" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2421GJ	<b>\$80</b>
2.5" smooth Steel	9.5 lb J2421G25S	<b>\$376</b> 21.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2421GJ	<b>\$80</b>

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25CGt	<b>\$496</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl or 2x OHCOMPSS	SHA2404SJAT	<b>\$91</b>
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25NGt	<b>\$496</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl or 2x OHCOMPSS	SHA2404SJAT	<b>\$91</b>
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25CFGt	<b>\$496</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl or 2x OHCOMPSS	SHA2404SJAT	<b>\$91</b>
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25NGFt	<b>\$496</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl or 2x OHCOMPSS	SHA2404SJAT	<b>\$91</b>
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S25Cl	<b>\$496</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl or 2x OHCOMPSS	SHA2404SJAT	<b>\$91</b>
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2404S25St	<b>\$496</b> 2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl or 2x OHCOMPSS	SHA2404SJAT	<b>\$91</b>

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) no flats	10.5 lb J2421S25CG4	<b>\$636</b> 4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl + 2x OHCOMP4int	SHA2421SJ4	<b>\$91</b>
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75" + 2x5.55" wide bodies) no flats	10.5 lb J2421S25NG4	<b>\$636</b> 4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl + 2x OHCOMP4int	SHA2421SJ4	<b>\$91</b>
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) 1" flats	10.5 lb J2421S25CFG4	<b>\$636</b> 4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl + 2x OHCOMP4int	SHA2421SJ4	<b>\$91</b>
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75" + 2x5.55" wide bodies) 1" flats	10.5 lb J2421S25NGF4	<b>\$636</b> 4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl + 2x OHCOMP4int	SHA2421SJ4	<b>\$91</b>
4 bodies 2.5" smooth Urethane (2x4.75" + 2x5.55" wide bodies)	9 lb J2421S25C4	<b>\$636</b> 4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPl + 2x OHCOMP4int	SHA2421SJ4	<b>\$91</b>

**Jacobsen 26" LIGHT FAIRWAY LF2500 & 3050 - FRONT & BACK ROLLERS****3" dia. SINGLE body**

3" dia. wide grooved Urethane	13 lb J3026X3CG	<b>\$513</b> 26.45" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	<b>\$80</b>
3" smooth Urethane	13.5 lb J3026X3C	<b>\$493</b> 26.45" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	<b>\$80</b>
3" smooth Steel	13.5 lb J3026X3S	<b>\$453</b> 26.25" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	<b>\$80</b>

**3" dia. FOUR bodies**

4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3026X3CG4	<b>\$683</b> 4 short bodies, 30.5" shaft-1/2" dia. ends	2x OHCOMPl + 2x OHCOMP4int	SHA3026XJA4	<b>\$96</b>
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3026X3C4	<b>\$663</b> 4 short bodies, 30.5" shaft-1/2" dia. ends	2x OHCOMPl + 2x OHCOMP4int	SHA3026XJA4	<b>\$96</b>

**Jacobsen 30" ST5111, FAIRWAY, GANG, HF5 & HF15 - FRONT & BACK ROLLERS****3" dia. SINGLE body**

3" dia. wide grooved Urethane	12.4 lb J3329A3CG	<b>\$513</b> 29.45" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	<b>\$80</b>
3" smooth Urethane	15 lb J3329A3C	<b>\$483</b> 29.45" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	<b>\$80</b>
3" smooth Steel	15 lb J3329A3S	<b>\$443</b> 29.25" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	<b>\$80</b>

**Jacobsen ROTARY AR-522, AR-722, & AR-5 26" DECK - FRONT ROLLER****3" dia. TWO opposing end short bodies**

5" grooved Urethane (4" wide body) double row bearings	10 lb J20404G5CG	<b>\$335</b> Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GJ	<b>\$80</b>
5" smooth Urethane (4" wide body) double row bearings	11 lb J20404G5C	<b>\$295</b> Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GJ	<b>\$80</b>
5" grooved Urethane (4" wide body) single row bearings	10 lb J0404G5CG	<b>\$315</b> Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0404GJ	<b>\$80</b>
5" smooth Urethane (4" wide body) single row bearings	11 lb J0404G5C	<b>\$265</b> Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0404GJ	<b>\$80</b>

**Jacobsen ROTARY AR-522, AR-722, & AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)****3" dia. SINGLE body**

3" dia. wide grooved Urethane with double row bearings	12.5 lb J2J2925R3CG	<b>\$573</b> 25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	<b>\$91</b>
3" smooth Urethane with double row bearings	13.3 lb J2J2925R3C	<b>\$573</b> 25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	<b>\$91</b>
3" smooth Steel with single row bearings	14 lb J2925R3S	<b>\$543</b> 26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMPc or OHCOMPSS	SHA2925RJ	<b>\$91</b>
3" dia. wide grooved Urethane with double row bearings	12.5 lb J2J2925Q3CG3C	<b>\$573</b> 25.45" body, 29.42" dia. shaft-1/2" large milled flat end & 1 round end	OHCOMP2C	SHA2925QJ	<b>\$91</b>
3" smooth Urethane with double row bearings	13.3 lb J2J2925Q3C3	<b>\$573</b> 25.45" body, 29.42" dia. shaft-1/2" large milled flat end & 1 round end	OHCOMP2C	SHA2925QJ	<b>\$91</b>
3" smooth Steel with single row bearings	14 lb J2925Q3Q3S	<b>\$543</b> 26.25" body, 29.42" dia. shaft-1/2" large milled flat end & 1 round end	OHCOMPc or OHCOMPSS	SHA2925QJ	<b>\$91</b>

**3" dia. TWO opposing end short bodies**

2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb J2J2905R3CGt	<b>\$613</b> 2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMPl2	SHA2905RJAT	<b>\$98</b>
2 bodies 3" smooth Urethane (2x5.2" wide bodies) double row bearings	6.2 lb J2J2904R3Ct	<b>\$613</b> 2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMPl2	SHA2904RJAT	<b>\$98</b>
2 bodies 3" smooth Steel (2x5" wide bodies) single row bearings	8 lb J2904R3St	<b>\$583</b> 2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMPl2 or 2x OHCOMPSS	SHA2904RJAT	<b>\$98</b>
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb J2J2905Q3CGt	<b>\$613</b> 2 short twin bodies, 29.42" dia. shaft-1/2" large milled flat end & 1 round end	2x OHCOMPl2	SHA2905QJAT	<b>\$98</b>

2 bodies 3" smooth Urethane (2x5.2" wide bodies) double row bearings	6.2 lb J2J2904Q3Ct	<b>\$613</b> 2 short twin bodies, 29.42" dia. shaft-1/2" large milled flat end & 1 round end	2x OHCOMPl2	SHA2904RJAT	<b>\$98</b>
2 bodies 3" smooth Steel (2x5" wide bodies) single row bearings	8 lb J2904Q3St	<b>\$583</b> 2 short twin bodies, 29.42" dia. shaft-1/2" large milled flat end & 1 round end	2x OHCOMPl2 or 2x OHCOMPSS	SHA2904RJAT	<b>\$98</b>

**3" dia. FOUR bodies**

4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb J2J2925R3CGR4	**\$703** 4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMPl2 + 2x OHCOMP2R4int	SHA2925RJA4	**\$98**

<tbl\_r cells="6" ix="1" maxcspan="1" maxrspan="1" used

**Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm shaft configuration on ends)**
**3" dia. SINGLE body**

3" dia. wide grooved Urethane with double row bearings	14.5 lb 2J3429R3CG	<b>\$573</b> 29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA3429RJ	<b>\$91</b>
3" smooth Urethane with double row bearings	15.5 lb 2J3429R3C	<b>\$573</b> 29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA3429RJ	<b>\$91</b>
3" smooth Steel with single row bearings	15.5 lb J3429R3S	<b>\$543</b> 29.25" body, 34.25" shaft-large milled flat & pin hole on ends	OHCOMP or OHCOMPSS	SHA3429RJ	<b>\$91</b>
<b><u>3" dia. TWO opposing end short bodies</u></b>					
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6.2 lb 2J3405R3CGt	<b>\$643</b> 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCOMP2T	SHA3405RJA1	<b>\$98</b>
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb 2J3404R3Ct	<b>\$643</b> 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCOMP2T	SHA3404RJA1	<b>\$98</b>
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	8.5 lb J3404R3St	<b>\$613</b> 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCOMP or 2x OHCOMPSS	SHA3404RJA1	<b>\$98</b>
<b><u>3" dia. FIVE bodies</u></b>					
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies) double row bearings	15.5 lb 2J3429R3CGR5	<b>\$743</b> 5 short bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3429RJA5	<b>\$98</b>
5 bodies 3" smooth Urethane (5x5.2" wide bodies) double row bearings	16.5 lb 2J3429R3CR5	<b>\$743</b> 5 short bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3429RJA5	<b>\$98</b>
<b><u>3.5" dia. SINGLE body</u></b>					
3.5" smooth Urethane with double row bearings	19 lb 2J3429R35C	<b>\$627</b> 29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA3429RJ	<b>\$91</b>
<b><u>4" dia. SINGLE body</u></b>					
4" smooth Urethane-double row bearings	26 lb 2J3429R4C	<b>\$704</b> 29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA3429RJ	<b>\$91</b>
4" smooth Steel-single row bearings	29 lb J3429R4S	<b>\$704</b> 29.25" body, 34.25" shaft-large milled flat & pin hole on ends	OHCOMP or OHCOMPSS	SHA3429RJ	<b>\$91</b>

**Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER**
**3" dia. SINGLE body**

3" smooth Urethane with double row bearings	15.5 lb 2J2722X3C	<b>\$573</b> 22.45" body, 27.25" shaft-1/2" dia. ends	OHCOMP2C	SHA2722XJ	<b>\$91</b>
3" smooth Steel with single row bearings	15.5 lb J2722X3S	<b>\$543</b> 22.25" body, 27.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA2722XJ	<b>\$91</b>
<b><u>3.5" dia. SINGLE body</u></b>					
3.5" smooth Urethane with double row bearings	19 lb 2J2722X35C	<b>\$627</b> 22.45" body, 27.25" shaft-1/2" dia. ends	OHCOMP2C	SHA2722XJ	<b>\$91</b>
<b><u>4" dia. SINGLE body</u></b>					
4" smooth Urethane-double row bearings	23 lb 2J2722X4C	<b>\$704</b> 22.45" body, 27.25" shaft-1/2" dia. ends	OHCOMP2C	SHA2722XJ	<b>\$91</b>
4" smooth Steel-single row bearings	26 lb J2722X4S	<b>\$704</b> 22.25" body, 27.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA2722XJ	<b>\$91</b>

**for JOHN DEERE mowers**
**John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS - FRONT ROLLER**
**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb D2119A2CG	<b>\$382</b> 19.45" body, 21.25" shaft	OHCOMP	SHA2119AD	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb D2119A2NG	<b>\$382</b> 19.45" body, 21.25" shaft	OHCOMP	SHA2119AD	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb D2119A2CGF	<b>\$382</b> 19.45" body, 21.25" shaft	OHCOMP	SHA2119AD	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2119A2NGF	<b>\$382</b> 19.45" body, 21.25" shaft	OHCOMP	SHA2119AD	<b>\$80</b>
2" dia. smooth Urethane	7.5 lb D2119A2C	<b>\$382</b> 19.25" body, 21.25" shaft	OHCOMP or OHCOMPSS	SHA2119AD	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb D2119A2S	<b>\$322</b> 19.25" body, 21.25" shaft	OHCOMP or OHCOMPSS	SHA2119AD	<b>\$80</b>
<b><u>2" dia. TWO opposing end short bodies</u></b>					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2CGt	<b>\$452</b> 2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP	SHA2104ADAT	<b>\$91</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2NGt	<b>\$452</b> 2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP	SHA2104ADAT	<b>\$91</b>
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2CGFt	<b>\$452</b> 2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP	SHA2104ADAT	<b>\$91</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2NGFt	<b>\$452</b> 2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP	SHA2104ADAT	<b>\$91</b>
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2104A2Ct	<b>\$452</b> 2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2104ADAT	<b>\$91</b>
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2102A2Ct	<b>\$452</b> 2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2102ADAT	<b>\$91</b>
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb D2104A2St	<b>\$452</b> 2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2104ADAT	<b>\$91</b>
<b><u>2" dia. SINGLE body + 2 bodies outside of brackets</u></b>					
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb D2719A2CG+2C	<b>\$512</b> 19.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb D2719A2NG+2C	<b>\$512</b> 19.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb D2719A2CGF+2C	<b>\$512</b> 19.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb D2719A2NGF+2C	<b>\$512</b> 19.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
extended 2" dia. smooth Urethane (19.25" inner+2x2" outer bodies)	13 lb D2719A2C+2C	<b>\$512</b> 19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
extended 2" dia. smooth Steel heavy (19.25" inner+2x2" outer bodies)	15 lb D2719A2S+2S	<b>\$512</b> 19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
<b><u>2" dia. FOUR bodies</u></b>					
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2CG4	<b>\$602</b> 4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2NG4	<b>\$602</b> 4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	<b>\$91</b>
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2CGF4	<b>\$602</b> 4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2NGF4	<b>\$602</b> 4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	<b>\$91</b>
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb D2119A2C4	<b>\$602</b> 4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	<b>\$91</b>
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb D2119A2S4	<b>\$602</b> 4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	<b>\$91</b>
<b><u>2" dia. FOUR bodies + 2 bodies outside of brackets</u></b>					
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb D2719A2CG4+2C	<b>\$672</b> 4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb D2719A2NG4+2C	<b>\$672</b> 4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb D2719A2CGF4+2C	<b>\$672</b> 4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb D2719A2NGF4+2C	<b>\$672</b> 4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	13 lb D2719A2C4+2C	<b>\$672</b> 4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	15 lb D2719A2S4+2S	<b>\$672</b> 4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA2719ADA+2	<b>\$108</b>
<b><u>non-skidding for tight turns &amp; ground undulations</u></b>					
2" dia. wide grooved Urethane no flats	6.5 lb D2522C2CG	<b>\$382</b> 22.45" body, 25.5" shaft	OHCOMP	SHA2522CD	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	<b>\$382</b> 22.45" body, 25.5" shaft	OHCOMP	SHA2522CD	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522C2CGF	<b>\$382</b> 22.45" body, 25.5" shaft	OHCOMP	SHA2522CD	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522C2NGF	<b>\$382</b> 22.45" body, 25.5" shaft	OHCOMP	SHA2522CD	<b>\$80</b>
2" dia. smooth Urethane	7.9 lb D2522C2C	<b>\$382</b> 22.45" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	<b>\$322</b> 22.25" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	<b>\$80</b>
<b><u>2" dia. TWO opposing end short bodies</u></b>					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C2CGt	<b>\$452</b> 2 short twin bodies at ends of a 25.5" shaft	2x OHCOMP	SHA2504CDAT	<b>\$91</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C2NGt	<b>\$452</b> 2 short twin bodies at ends of a 25.5" shaft	2x OHCOMP	SHA2504CDAT	<b>\$91</b>
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C2CGFt	<b>\$452</b> 2 short twin bodies at ends of a 25.5" shaft	2x OHCOMP	SHA2504CDAT	<b>\$91</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C2NGFt	<b>\$452</b> 2 short twin bodies at ends of a 25.5" shaft	2x OHCOMP	SHA2504CDAT	<b>\$91</b>
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2504C2Ct	<b>\$452</b> 2 short twin bodies at ends of a 25.5" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2502CDAT	<b>\$91</b>
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2504C2Ct	<b>\$452</b> 2 short twin bodies at ends of a 25.5" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504CDAT	<b>\$91</b>
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb D2504C2St	<b>\$452</b> 2 short twin bodies at ends of a 25.5" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504CDAT	<b>\$91</b>
<b><u>2" dia. SINGLE body + 2 bodies outside of brackets</u></b>					
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2CG+2C	<b>\$512</b> 22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122CDA+2	<b>\$108</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2NG+2C	<b>\$512</b> 22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122CDA+2	<b>\$108</b>
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF+2C	<b>\$512</b> 22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122CDA+2	<b>\$108</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2NGF+2C	<b>\$512</b> 22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122CDA+2	<b>\$108</b>
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C2C+2C	<b>\$512</b> 22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122CDA+2	<b>\$108</b>
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122C2S+2S	<b>\$512</b> 22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122CDA+2	<b>\$108</b>
<b><u>non-skidding for tight turns &amp; ground undulations</u></b>					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2CG4	<b>\$602</b> 4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2NG4	<b>\$602</b> 4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	<b>\$91</b>
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2CGF4	<b>\$602</b> 4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NGF4	<b>\$602</b> 4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	<b>\$91</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522C2C4	<b>\$602</b> 4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	<b>\$91</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	12 lb D2522C2S4	<b>\$602</b> 4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	<b>\$91</b>

**2" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	12 lb	D3122C2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPICS	SHA3122CDA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	12 lb	D3122C2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPICS	SHA3122CDA4+2	\$108
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2CFG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPICS	SHA3122CDA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPICS	SHA3122CDA4+2	\$108
6 bodies	2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	D3122C2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPICS	SHA3122CDA4+2	\$108
6 bodies	2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb	D3122C2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPICS	SHA3122CDA4+2	\$108

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb	D2522C25CG	\$456	22.45" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	D2522C25NG	\$456	22.45" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb	D2522C25CFG	\$456	22.45" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	D2522C25NGF	\$456	22.45" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	\$80
2.5" smooth Urethane	9.5 lb	D2522C25C	\$426	22.45" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	\$80
2.5" smooth Steel	9.2 lb	D2522C25S	\$416	22.25" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	\$80

**2.5" dia. TWO opposing end short bodies**

2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2504C25CGt	\$496	2 short twin independent roller bodies, 25.5" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504CDAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2504C25NGt	\$496	2 short twin independent roller bodies, 25.5" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504CDAt	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2504C25CFGt	\$496	2 short twin independent roller bodies, 25.5" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504CDAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2504C25NGFt	\$496	2 short twin independent roller bodies, 25.5" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504CDAt	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2504C25Ct	\$496	2 short twin independent roller bodies, 25.5" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504CDAt	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	6 lb	D2504C25St	\$496	2 short twin independent roller bodies, 25.5" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504CDAt	\$91

**2.5" dia. SINGLE body + 2 bodies outside of brackets**

extended	2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C25CG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3122CDA+2	\$108
extended	2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C25NG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3122CDA+2	\$108
extended	2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C25CFG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3122CDA+2	\$108
extended	2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C25NGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3122CDA+2	\$108
extended	2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	D3122C25C+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3122CDA+2	\$108

**2.5" dia. FOUR bodies**

4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522C25NG4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CD4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522C25CFG4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CD4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522C25NGF4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CD4	\$91
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	D2522C25C4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CD4	\$91

**2.5" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb	D3122C25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPICS	SHA3122CDA+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	10.5 lb	D3122C25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPICS	SHA3122CDA+2	\$108
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	10.5 lb	D3122C25CFG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPICS	SHA3122CDA+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	10.5 lb	D3122C25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPICS	SHA3122CDA+2	\$108
6 bodies	2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb	D3122C25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPICS	SHA3122CDA+2	\$108

**non-skidding for tight turns & ground undulations**

John Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER	2" dia. SINGLE body	7.8 lb	D2926A2CG	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AD	\$80
	2" dia. narrow grooved Urethane no flats	7.8 lb	D2926A2NG	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AD	\$80
	2" dia. wide grooved Urethane 1" flats	8 lb	D2926A2CFG	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AD	\$80
	2" dia. narrow grooved Urethane 1" flats	8 lb	D2926A2NGF	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AD	\$80
	2" dia. smooth Urethane	9.5 lb	D2926A2C	\$382	26.25" body, 29.75" shaft	OHCOMP or OHCOMPSS	SHA2926AD	\$80
	2" dia. smooth Steel heavy (1/4" wall)	12.5 lb	D2926A2S	\$322	26.25" body, 29.75" shaft	OHCOMP or OHCOMPSS	SHA2926AD	\$80

**2" dia. TWO opposing end short bodies**

2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	D2904A2CGt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt	SHA2904ADAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	D2904A2NGt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt	SHA2904ADAt	\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	D2904A2CFGt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt	SHA2904ADAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	D2904A2NGFt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt	SHA2904ADAt	\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4.2 lb	D2902A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2902ADAt	\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2904A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2904ADAt	\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	D2904A2St	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2904ADAt	\$91

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	D3526A2CG+2C	\$512	26.45" center body + 2 short outer bodies, 35.75" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3526ADA+2	\$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	D3526A2NG+2C	\$512	26.45" center body + 2 short outer bodies, 35.75" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3526ADA+2	\$108
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	D3526A2CFG+2C	\$512	26.45" center body + 2 short outer bodies, 35.75" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3526ADA+2	\$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	D3526A2NGF+2C	\$512	26.45" center body + 2 short outer bodies, 35.75" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3526ADA+2	\$108
extended	2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	D3526A2S+2S	\$512	26.45" center body + 2 short outer bodies, 35.75" shaft	1x OHCOMP + 2 OHCOMPSS	SHA3526ADA+2	\$108

**2" dia. FOUR bodies**

4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	D2926A2CG4	\$602	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926ADA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	D2926A2CFG4	\$602	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926ADA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	D2926A2NGF4	\$602	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926ADA4	\$91
4 bodies	2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb	D2926A2S4	\$602	4 short bodies, 29.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926ADA4	\$91

**2" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	D3526A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPICS	SHA3526ADA+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	D3526A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft</			

<b>2.5" dia. FOUR bodies + 2 bodies outside of brackets</b>		non-skidding for tight turns & ground undulations						
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	D3526A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSCS	SHA3526ADA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	D3526A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSCS	SHA3526ADA4+2	\$108
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb	D3526A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSCS	SHA3526ADA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb	D3526A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSCS	SHA3526ADA4+2	\$108
6 bodies	2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	D3526A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSCS	SHA3526ADA4+2	\$108
<b>John Deere 22" 3215 &amp; 3225 LIGHT FAIRWAY MOWERS - FRONT &amp; BACK ROLLERS</b>		Call to upgrade with double row angular contact bearings						
<b>2" dia. SINGLE body</b>								
<b>Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call</b>								
2" dia. wide grooved Urethane no flats	6.7 lb	D2522C2CG	\$382	22.45" body, 25.5" shaft	OHCOMP	SHA2522CD	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb	D2522C2NG	\$382	22.45" body, 25.5" shaft	OHCOMP	SHA2522CD	\$80	
2" dia. wide grooved Urethane 1" flats	6.7 lb	D2522C2CFG	\$382	22.45" body, 25.5" shaft	OHCOMP	SHA2522CD	\$80	
2" dia. wide grooved Urethane 1" flats	6.7 lb	D2522C2NGF	\$382	22.45" body, 25.5" shaft	OHCOMP	SHA2522CD	\$80	
2" dia. smooth Urethane	7.9 lb	D2522C2C	\$382	22.25" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	D2522C2S	\$322	22.25" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
<b>John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT &amp; BACK ROLLERS (2 styles)</b>		Call to upgrade with double row angular contact bearings						
<b>3" dia. SINGLE body</b>								
<b>Rollers for QA-5 reels (with 1 flat on one end of the shaft):</b>								
3" dia. wide grooved Urethane	9.5 lb	D2522C3CG	\$513	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
3" smooth Urethane	12 lb	D2522C3C	\$483	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
3" smooth Steel	11.5 lb	D2522C3S	\$443	22.25" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
<b>To diminish instances of shadowing lines due to overlap of reels</b>		call for proper application specifics						
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522C3CG.22C	\$543	front roller for rear mower heads-use with D2519C3C	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
3" smooth Urethane	11 lb	D2519C3C	\$483	back roller for rear mower heads-use with D2522C3CG.22C	OHCOMP or OHCOMPSS	SHA2519CD	\$80	
<b>Rollers with 2 flats on 1 end of the shaft:</b>								
3" dia. wide grooved Urethane	9.5 lb	D2522F3CG	\$513	22.45" body, 25.5" shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA2522FD	\$80	
3" smooth Urethane	11 lb	D2522F3C	\$483	22.45" body, 25.5" shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA2522FD	\$80	
3" smooth Steel	12 lb	D2522F3S	\$443	22.25" body, 25.5" shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA2522FD	\$80	
<b>To diminish instances of shadowing lines due to overlap of reels</b>		call for proper application specifics						
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522F3CG.22C	\$543	front roller for rear mower heads-use with D2519F3C	OHCOMP or OHCOMPSS	SHA2522FD	\$80	
3" smooth Urethane	11 lb	D2519F3C	\$483	back roller for rear mower heads-use with D2522F3CG.22C	OHCOMP or OHCOMPSS	SHA2519FD	\$80	
<b>John Deere 22" 7500/8500 &amp; 6700/7700/8700 PRECISION CUT &amp; E-CUT FAIRWAY (QA5 &amp; QA7 reels)</b>		Call to upgrade with double row angular contact bearings						
<b>Rollers for QA-5 reels (with 1 flat on 1 end of the shaft):</b>								
<b>2" dia. SINGLE body</b>								
2" dia. wide grooved Urethane no flats	6.5 lb	D2522C2CG	\$382	22.45" body, 25.5" shaft-1 flat	OHCOMP	SHA2522CD	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb	D2522C2NG	\$382	22.45" body, 25.5" shaft-1 flat	OHCOMP	SHA2522CD	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2522C2CFG	\$382	22.45" body, 25.5" shaft-1 flat	OHCOMP	SHA2522CD	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2522C2NGF	\$382	22.45" body, 25.5" shaft-1 flat	OHCOMP	SHA2522CD	\$80	
2" dia. smooth Urethane	7.9 lb	D2522C2C	\$382	22.25" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	D2522C2S	\$322	22.25" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>		non-striping, non-skidding for tight turns & ground undulations						
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPSCS	SHA3122CDA+2	\$108	
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPSCS	SHA3122CDA+2	\$108	
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2CFG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPSCS	SHA3122CDA+2	\$108	
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPSCS	SHA3122CDA+2	\$108	
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	D3122C2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPSCS	SHA3122CDA+2	\$108	
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	D3122C2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCOMP + 2x OHCOMPSCS	SHA3122CDA+2	\$108	
<b>2" dia. FOUR bodies</b>		non-skidding for tight turns & ground undulations						
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522C2CG4	\$602	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522C2NG4	\$602	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2CFG4	\$602	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2NGF4	\$602	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb	D2522C2C4	\$602	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	D2522C2S4	\$602	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
<b>2.5" dia. SINGLE body</b>		non-skidding for tight turns & ground undulations						
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb	D2522C2CG	\$456	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb	D2522C2NG	\$456	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb	D2522C2CFG	\$456	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb	D2522C2NGF	\$456	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
2.5" smooth Urethane	9.5 lb	D2522C2C5C	\$396	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
2.5" smooth Steel	9.2 lb	D2522C2S5	\$376	22.25" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
<b>To diminish instances of shadowing lines due to overlap of reels</b>		call for proper application specifics						
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb	D2522C2CG.22C	\$496	front roller for rear mower heads-use with D2519C25C	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
2.5" smooth Urethane	9.5 lb	D2519C25C	\$396	back roller for rear mower heads-use with D2522C2CG.22C	OHCOMP or OHCOMPSS	SHA2519CD	\$80	
<b>2.5" dia. FOUR bodies</b>		non-skidding for tight turns & ground undulations						
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522C2CG4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522C2NG4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522C2CFG4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522C2NGF4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	D2522C2C4	\$636	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4	\$91	
<b>3" dia. SINGLE body</b>		non-skidding for tight turns & ground undulations						
3" dia. wide grooved Urethane	9.5 lb	D2522C3CG	\$513	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
3" smooth Urethane	12 lb	D2522C3C	\$483	22.45" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
3" smooth Steel	11.5 lb	D2522C3S	\$443	22.25" body, 25.5" shaft-1 flat	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
<b>To diminish instances of shadowing lines due to overlap of reels</b>		call for proper application specifics						
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522C3CG.22C	\$543	front roller for rear mower heads-use with D2519C3C	OHCOMP or OHCOMPSS	SHA2522CD	\$80	
3" smooth Urethane	11 lb	D2519C3C	\$483	back roller for rear mower heads-use with D2522C3CG.22C	OHCOMP or OHCOMPSS	SHA2519CD	\$80	
<b>Rollers for QA-7 reels (with 2 flats on 1 end of the shaft):</b>								
<b>2" dia. SINGLE body</b>								
2" dia. wide grooved Urethane no flats	6.5 lb	D2522F2CG	\$382	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP	SHA2522FD	\$82	
2" dia. narrow grooved Urethane no flats	6.7 lb	D2522F2NG	\$382	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP	SHA2522FD	\$82	
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2522F2CFG	\$382	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP	SHA2522FD	\$82	
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2522F2NGF	\$382	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP	SHA2522FD	\$82	
2" dia. smooth Urethane	7.9 lb	D2522F2C2	\$382	22.25" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	D2522F2S2	\$322	22.25" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82	
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>		non-skidding for tight turns & ground undulations						
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122F2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCOMP + 2x OHCOMPSCS	SHA3122FDA+2	\$112	
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122F2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCOMP + 2x OHCOMPSCS	SHA3122FDA+2	\$112	
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122F2CFG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCOMP + 2x OHCOMPSCS	SHA3122FDA+2	\$112	
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122F2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCOMP + 2x OHCOMPSCS	SHA3122FDA+2	\$112	
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	D3122F2C2+2C	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCOMP + 2x OHCOMPSCS	SHA3122FDA+2	\$112	
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	D3122F2S2+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCOMP + 2x OHCOMPSCS	SHA3122FDA+2	\$112	
<b>2" dia. FOUR bodies</b>		non-skidding for tight turns & ground undulations						
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522F2CG4	\$602	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522F2NG4	\$602	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522F2CFG4	\$602	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522F2NGF4	\$602	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb	D2522F2C2	\$602	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	D2522F2S4	\$602					

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb D2522F25CG	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb D2522F25NG	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522F25CGF	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb D2522F25NGF	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82
2.5" smooth Urethane	9.5 lb D2522F25C	\$396	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82
2.5" smooth Steel	9.2 lb D2522F25S	\$376	22.25" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82

**To diminish instances of shadowing lines due to overlap of reels**

2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb D2522F25CG.22C	\$496	front roller for rear mower heads-use with D2519F25C	OHCOMP or OHCOMPSS	SHA2522FD	\$82
2.5" smooth Urethane	9.5 lb D2519F25C	\$396	back roller for rear mower heads-use with D2522F25CG.22C	OHCOMP or OHCOMPSS	SHA2519FD	\$82

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522F25CG4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522F25NG4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522F25CGF4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522F25NGF4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb D2522F25C4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4	\$98

**3" dia. SINGLE body**

3" dia. wide grooved Urethane	9.5 lb D2522F3CG	\$513	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82
3" smooth Urethane	12 lb D2522F3C	\$483	22.45" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82
3" smooth Steel	11.5 lb D2522F3S	\$443	22.25" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMPSS	SHA2522FD	\$82
<b>To diminish instances of shadowing lines due to overlap of reels</b>			call for proper application specifics			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CG.22C	\$543	front roller for rear mower heads-use with D2519F3C	OHCOMP or OHCOMPSS	SHA2522FD	\$82
3" smooth Urethane	11 lb D2519F3C	\$483	back roller for rear mower heads-use with D2522F3CG.22C	OHCOMP or OHCOMPSS	SHA2519FD	\$82

**3" dia. TWO opposing end short bodies**

2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies)	6 lb D2505F3CG	\$583	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end	2x OHCOMP4t or 2x OHCOMPSS	SHA2505FDAT	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb D2504F3Ct	\$553	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end	2x OHCOMP4t or 2x OHCOMPSS	SHA2504FDAT	\$98

**John Deere 18" 8000A & 6080A PRECISION CUT & E-CUT FAIRWAY - FRONT & BACK ROLLERS****2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb D2218C2CG	\$402	18.45" body, 22" dia. shaft	OHCOMP	SHA2218CD	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb D2218C2NG	\$402	18.45" body, 22" dia. shaft	OHCOMP	SHA2218CD	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb D2218C2CGF	\$402	18.45" body, 22" dia. shaft	OHCOMP	SHA2218CD	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2218C2NGF	\$402	18.45" body, 22" dia. shaft	OHCOMP	SHA2218CD	\$80
2" dia. smooth Urethane	7.5 lb D2218C2C	\$382	18.45" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2218CD	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb D2218C2S	\$362	18.45" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2218CD	\$80
2" dia. smooth Steel heavy (1/4" wall)	9 lb D2216A2S	\$362	16.2" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2216AD	\$80

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2204A2CGt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP4t	SHA2104ADAT	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2204A2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP4t	SHA2104ADAT	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2204A2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP4t	SHA2104ADAT	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2204A2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP4t	SHA2104ADAT	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2204A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP4t or 2x OHCOMPSS	SHA2104ADAT	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2202A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP4t or 2x OHCOMPSS	SHA2102ADAT	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb D2204A2St	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP4t or 2x OHCOMPSS	SHA2104ADAT	\$91

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2818A2CG+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMP4CS	SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2818A2NG+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMP4CS	SHA2718ADA+2	\$108
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2818A2CGF+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMP4CS	SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2818A2NGF+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMP4CS	SHA2718ADA+2	\$108
extended 2" dia. smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb D2818A2C+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMP4CS	SHA2718ADA+2	\$108
extended 2" dia. smooth Steel heavy (18.25" inner+2x2" outer bodies)	15 lb D2818A2S+2S	\$532	19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2x OHCOMP4CS	SHA2718ADA+2	\$108

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2219A2CG4	\$602	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2219A2NG4	\$602	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2219A2CGF4	\$602	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2219A2NGF4	\$602	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb D2219A2C4	\$602	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	12 lb D2219A2S4	\$602	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119ADA4	\$91

**2.5" dia. SINGLE body**

2.5" dia. wide grooved Urethane no flats	6.7 lb D2218A2CG	\$516	18.2" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2218AD	\$80
2.5" dia. narrow grooved Urethane no flats	6.7 lb D2218A2NG	\$516	18.2" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2218AD	\$80
2.5" dia. wide grooved Urethane (1" spacing) Urethane 1" flats	6.7 lb D2218A2CGF	\$516	18.2" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2218AD	\$80
2.5" dia. narrow grooved Urethane (1" spacing) Urethane 1" flats	6.7 lb D2218A2NGF	\$516	18.2" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2218AD	\$80
2.5" smooth Urethane	7.5 lb D2218A2C5C	\$406	18.2" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2218AD	\$80

2.5" smooth Steel	9.2 lb D2218A2S5	\$406	18.0" body, 22" dia. shaft	OHCOMP or OHCOMPSS	SHA2218AD	\$80
<b>To diminish instances of shadowing lines due to overlap of reels</b>			non-striping, non-skidding for tight turns & ground undulations			

2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A2CG5+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2 OHCOMP4CS	SHA2718ADA+2	\$108
2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A2NG5+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2 OHCOMP4CS	SHA2718ADA+2	\$108
2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A2CGF5+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2 OHCOMP4CS	SHA2718ADA+2	\$108
2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A2NGF5+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2 OHCOMP4CS	SHA2718ADA+2	\$108
2.5" smooth Urethane	13 lb D2718A2C5C	\$586	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2 OHCOMP4CS	SHA2718ADA+2	\$108

2.5" smooth Urethane (18.45" inner+2x2" outer bodies)	15 lb D2718A2S5+S	\$606	19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCOMP + 2 OHCOMP4CS	SHA2718ADA+2	\$108
<b>To diminish instances of shadowing lines due to overlap of reels</b>			non-skidding for tight turns & ground undulations			

<table border="1

<b>3" dia. SINGLE body (upgraded double row bearings)</b>						
3" dia. wide grooved Urethane with double row bearings	11 lb 2D2925F3CG	\$573	26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP2C	SHA2926FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D2925F3C	\$573	26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP2C	SHA2926FD	\$82
<b>3" dia. TWO opposing end short bodies</b>						
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb D2904F3Ct	\$643	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	2x OHCOMPt or 2x OHCOMPSS	SHA2904FDAT	\$98
2 bodies 3" smooth Urethane (2x5.2" wide bodies)	6.5 lb D2905F3Ct	\$643	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	2x OHCOMPt or 2x OHCOMPSS	SHA2905FDAT	\$98
<b>3" dia. FOUR bodies</b>						
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12.5 lb D2926F3CG4	\$673	4 short bodies, 29.75" shaft-2 flats on 1 end	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926FDA4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	13.5 lb D2926F3C4	\$673	4 short bodies, 29.75" shaft-2 flats on 1 end	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926FDA4	\$98
<b>John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT &amp; BACK ROLLERS (QA-7 reels)</b>						
<b>3" dia. SINGLE body</b>						
3" dia. wide grooved Urethane	11.1 lb D3329F3CG	\$513	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA3329FD	\$82
3" smooth Urethane	13.5 lb D3329F3C	\$513	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA3329FD	\$82
3" smooth Steel	13.5 lb D3329F3S	\$513	29.25" body, 33.5" shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA3329FD	\$82
<b>3" dia. SINGLE body (upgraded double row bearings)</b>						
3" dia. wide grooved Urethane with double row bearings	11 lb 2D3329F3CG	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2	SHA3329FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D3329F3C	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2	SHA3329FD	\$82
3" smooth Steel with double row bearings	12.5 lb 2D3329F3S	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2	SHA3329FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D3319F3C	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2	SHA3319FD	\$82
<b>3" dia. FOUR &amp; FIVE bodies</b>						
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb D3329F3CG5	\$723	5 short bodies, 33.5" shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3329FDA5	\$112
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb D3329F3C4	\$663	4 short bodies, 33.5" shaft-2 flats on 1 end	2x OHCOMP4ext + 2x OHCOMP4int	SHA3329FDA4	\$112
<b>John Deere 30" 1900, 1905, 3325 FAIRWAY &amp; 3365 TURF PRO &amp; 365 PTO GANG (2 styles)</b>						
<b>3" dia. SINGLE body</b>						
3" dia. wide grooved Urethane	13.5 lb D3229F3CG	\$513	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA3229FD	\$82
3" smooth Urethane	15 lb D3229F3C	\$483	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA3229FD	\$82
3" smooth Steel	15 lb D3229F3S	\$443	29.25" body, 32" dia. shaft-2 flats on 1 end	OHCOMP or OHCOMPSS	SHA3229FD	\$82
3" dia. wide grooved Urethane	13.5 lb D3229A3CG	\$513	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCOMP or OHCOMPSS	SHA3229AD	\$80
3" smooth Urethane	15 lb D3229A3C	\$483	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCOMP or OHCOMPSS	SHA3229AD	\$80
3" smooth Steel	15 lb D3229A3S	\$443	29.25" body, 32" dia. shaft-1 flat on 1 end	OHCOMP or OHCOMPSS	SHA3229AD	\$80
<b>3" dia. FOUR &amp; FIVE bodies</b>						
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb D3229F3CG5	\$723	5 short bodies, 32" dia. shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3229FDA5	\$112
4 bodies 3" smooth Urethane (4x6.7" wide bodies)	14 lb D3229F3C4	\$663	5 short bodies, 32" dia. shaft-2 flats on 1 end	2x OHCOMP4ext + 2x OHCOMP4int	SHA3229FDA4	\$112
<b>John Deere 30" FAIRWAY (305, 303, 756 &amp; 856) - ALL ROLLERS (Choose from 2 styles)</b>						
<b>3" dia. SINGLE body</b>						
3" dia. wide grooved Urethane	13.5 lb D3229X3CG	\$523	29.45" body, 32.25" shaft-5" dia. ends	OHCOMP or OHCOMPSS	SHA3229XD	\$82
3" smooth Urethane	15 lb D3229X3C	\$493	29.45" body, 32.25" shaft-5" dia. ends	OHCOMP or OHCOMPSS	SHA3229XD	\$82
3" smooth Steel	15 lb D3229X3S	\$453	29.25" body, 32.25" shaft-5" dia. ends	OHCOMP or OHCOMPSS	SHA3229XD	\$82
3" dia. wide grooved Urethane	13.5 lb D3029W3CG	\$543	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMPSS	SHA3029WD	\$82
3" smooth Urethane	15 lb D3029W3C	\$493	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMPSS	SHA3029WD	\$82
3" smooth Steel	15 lb D3029W3S	\$453	29.25" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMPSS	SHA3029WD	\$82
<b>John Deere ROTARY DECK 8800 &amp; 3245C - FRONT ROLLER (With two independent rolling 4" wide roller bodies)</b>						
2 bodies 5" grooved Urethane (2x4" wide bodies) double row bearings	8 lb 2D2304D5CGt	\$675	2 short twin bodies at ends of 23" shaft-3 grooves per body	2x OHCOMP2T	SHA2304DDAT	\$91
2 bodies 5" smooth Urethane (2x4" wide bodies) double row bearings	9.3 lb 2D2304D5Ct	\$655	2 short twin bodies at ends of 23" shaft	2x OHCOMP2T	SHA2304DDAT	\$91
2 bodies 5" grooved Urethane (2x4" wide bodies) single row bearings	8 lb D2304D5CGt	\$635	2 short twin bodies at ends of 23" shaft-3 grooves per body	2x OHCOMPt or 2x OHCOMPSS	SHA2304DDAT	\$91
2 bodies 5" smooth Urethane (2x4" wide bodies) single row bearings	9.3 lb D2304D5Ct	\$605	2 short twin bodies at ends of 23" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2304DDAT	\$91
<b>John Deere ROTARY DECK 8800 &amp; 3245C &amp; 1565 - BACK ROLLER (choose from multiple styles to match your needs)</b>						
<b>3" dia. SINGLE body</b>						
3" dia. wide grooved Urethane with double row bearings	9.5 lb D2319D3CG	\$553	19.45" body, 23" shaft	OHCOMP2C	SHA2319DD	\$80
3" smooth Urethane with double row bearings	11 lb D2319D3C	\$553	19.45" body, 23" shaft	OHCOMP2C	SHA2319DD	\$80
3" smooth Steel with single row bearings	12 lb D2319D3S	\$523	19.25" body, 23" shaft	OHCOMPc or OHCOMPSS	SHA2419DD	\$80
3" dia. wide grooved Urethane with double row bearings	9.5 lb 2D2419D3CG	\$553	19.45" body, 24" shaft	OHCOMP2C	SHA2419DD	\$80
3" smooth Urethane with double row bearings	11.5 lb 2D2419D3C	\$553	19.45" body, 24" shaft	OHCOMP2C	SHA2419DD	\$80
3" smooth Steel with single row bearings	11 lb D2419D3S	\$523	19.25" body, 24" shaft	OHCOMPc or OHCOMPSS	SHA2419DD	\$80
<b>3" dia. TWO opposing end short bodies</b>						
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6 lb 2D2305D3CGt	\$643	2 short twin bodies at ends of a 23" shaft	2x OHCOMP2T	SHA2305DDAT	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb 2D2304D3Ct	\$643	2 short twin bodies at ends of a 23" shaft	2x OHCOMP2T	SHA2304DDAT	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	10 lb D2304D3St	\$593	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2304DDAT	\$91
<b>3" dia. THREE bodies</b>						
3 bodies 3" wide grooved Urethane (3x5.2" wide bodies) double row bearings	11 lb 2D2319D3CGR3	\$663	3 short bodies, 23" shaft	2x OHCOMP2R4ext + 1x OHCOMP2R4int	SHA2319DDA3	\$108
3 bodies 3" smooth Urethane (3x5.2" wide bodies) double row bearings	11 lb 2D2319D3CR3	\$663	3 short bodies, 23" shaft	2x OHCOMP2R4ext + 1x OHCOMP2R4int	SHA2319DDA3	\$108
3 bodies 3" smooth Steel (3x5.2" wide bodies) single row bearings	11 lb D2319D3S3	\$603	3 short bodies, 23" shaft	2x OHCOMP4ext + 1x OHCOMP4int	SHA2319DDA3	\$108
<b>3.5" dia. SINGLE body</b>						
3.5" smooth Urethane with double row bearings	13.5 lb 2D2319D3CG	\$627	19.45" body, 23" shaft	OHCOMP2C	SHA2319DD	\$80
3.5" smooth Urethane with double row bearings	13.5 lb 2D2419D3CG	\$627	19.45" body, 24" shaft	OHCOMP2C	SHA2419DD	\$80
<b>4" dia. SINGLE body</b>						
4" smooth Steel-single row bearings	20 lb D2319D4S	\$684	19.25" body, 23" shaft	OHCOMPc or OHCOMPSS	SHA2319DD	\$80
4" smooth Steel-single row bearings	20 lb D2419D4S	\$684	19.25" body, 24" shaft	OHCOMPc or OHCOMPSS	SHA2419DD	\$80
<b>John Deere ROTARY DECK 9009A &amp; 7400A (2016 &amp; newer) 27" cut - FRONT ROLLER (With two independent rolling 5.2" wide roller bodies)</b>						
2 bodies 5" grooved Urethane (2x5.2" wide bodies) double row bearings	12 lb 2D2905D5CGt	\$675	2 short twin bodies at ends of 29" shaft-3 grooves per body	2x OHCOMP2T	SHA2905DDAT	\$91
2 bodies 5" smooth Urethane (2x5.2" wide bodies) double row bearings	13 lb 2D2905D5Ct	\$655	2 short twin bodies at ends of 29" shaft	2x OHCOMP2T	SHA2905DDAT	\$91
2 bodies 5" grooved Urethane (2x5.2" wide bodies) single row bearings	12 lb D2905D5CGt	\$635	2 short twin bodies at ends of 29" shaft-3 grooves per body	2x OHCOMPt or 2x OHCOMPSS	SHA2905DDAT	\$91
2 bodies 5" smooth Urethane (2x5.2" wide bodies) single row bearings	13 lb D2905D5Ct	\$615	2 short twin bodies at ends of 29" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2905DDAT	\$91
<b>John Deere ROTARY DECK 9009A &amp; 7400A (2016 &amp; newer) 27" cut - BACK ROLLER</b>						
<b>3" dia. SINGLE body</b>						
3" dia. wide grooved Urethane with double row bearings	11 lb 2D2925D3CG	\$573	25.45" body, 29" shaft	OHCOMP2C	SHA2925DD	\$80
3" smooth Urethane with double row bearings	12.5 lb 2D2925D3C	\$573	25.45" body, 29" shaft	OHCOMP2C	SHA2925DD	\$80
3" smooth Steel with single row bearings	12.5 lb 2D2925D3S	\$543	25.25" body, 29" shaft	OHCOMPc or OHCOMPSS	SHA2925DD	\$80
3" smooth Urethane with double row bearings	12.5 lb 2D2919D3C	\$573	19.45" body, 29" shaft	OHCOMP2C	SHA2919DD	\$80
<b>3" dia. TWO opposing end short bodies</b>						
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2D2905D3CGt	\$643	2 short twin bodies at ends of a 29" shaft	2x OHCOMP2T	SHA2905DDAT	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	10 lb 2D2904D3Ct	\$643	2 short twin bodies at ends of a 29" shaft	2x OHCOMP2T	SHA2904DDAT	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	11 lb D2904D3St	\$613	2 short twin bodies at ends of a 29" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2904DDAT	\$91
<b>3" dia. FOUR bodies</b>						
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12 lb 2D2925C3CGR4	\$703	4 short bodies, 29" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925CDA4	\$91
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	12 lb 2D2925C3CR4	\$703	4 short bodies, 29" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925CDA4	\$91
<b>John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT ROLLER</b>						
5" grooved Urethane (4" wide body) double row bearings	5 lb 2D0404G5CG	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GD	\$80
5" smooth Urethane (4" wide body) double row bearings	5 lb 2D0404G5C	\$295	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GD	\$80
5" grooved Urethane (4" wide body) single row bearings	5 lb D0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0404GD	\$80
5" smooth Urethane (4" wide body) single row bearings	5 lb D0404G5C	\$265	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0404GD	\$80
<b>John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER</b>						
3" smooth Urethane with double row bearings	12.5 lb 2D2925D3C	\$573	25.45" body, 29.25" shaft	OHCOMP2C	SHA2925DD	\$80
3" smooth Steel with single row bearings	12.5 lb 2D2925D3S	\$543	25.25" body, 29.25" shaft	OHCOMPc or OHCOMPSS	SHA2925DD	\$80

## for TORO mowers

**Toro 22" GREENSMOWERS - FRONT ROLLER:** series 1000, 3, 300, 3000, 3050, 3100, 3150 (with 3/8" tap in shaft ends for ball stud)  
(Except TriFlex series without ball stud for basket yoke as follows: 3200, 3250, 3300, 3320, 3370, 3400, 3420 & FLEX 21)

### 2" dia. SINGLE body

2" dia. wide grooved Urethane no flats	6.5 lb T2522S2CG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb T2522S2NG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522S2CGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522S2NGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80
2" dia. smooth Urethane	8 lb T2522S2C	\$382	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522S2S	\$322	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80

### 2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2CGt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPH	SHA2504STAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2NGt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPH	SHA2504STAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504S2CGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPH	SHA2504STAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504S2NGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPH	SHA2504STAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2502S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMP or 2x OHCOMPSS	SHA2502STAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMP or 2x OHCOMPSS	SHA2504STAt	\$91

### 2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522S2CG4	\$602	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522S2NG4	\$602	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522S2CGF4	\$602	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522S2NGF4	\$602	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522S2C4	\$602	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522S2S4	\$602	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$91

### 2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522S2CG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522S2NG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522S2CGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522S2NGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" smooth Urethane	9.5 lb T2522S2C5	\$396	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" smooth Steel	10 lb T2522S2S5	\$376	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80

### 2.5" dia. TWO opposing end short bodies

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2CGt	\$496	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMP or 2x OHCOMPSS	SHA2504STAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504S2C5t	\$496	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMP or 2x OHCOMPSS	SHA2504STAt	\$91

### 2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522S2CG4	\$636	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522S2NG4	\$636	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522S2CGF4	\$636	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522S2NGF4	\$636	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb T2522S2C4	\$636	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522S2S4	\$626	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522STA4	\$98

## Toro 22" GREENSMOWERS - BACK ROLLER: series 3, 300, 3000, 3050, 3100, 3150

### 2" dia. SINGLE body

2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. smooth Urethane	8 lb T2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$322	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80

### 2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2CGt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPH	SHA2522ATAAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2NGt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPH	SHA2522ATAAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2CGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPH	SHA2522ATAAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2NGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPH	SHA2522ATAAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2502A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCMP or 2x OHCOMPSS	SHA2522ATAAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCMP or 2x OHCOMPSS	SHA2522ATAAt	\$91

### 2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108
4 bodies 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108
2 bodies 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb T3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108
2 bodies 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb T3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108

### 2.5" dia. FOUR bodies + 2 bodies outside of brackets

extended 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.5 lb T3122A2CG+2CG	\$602	22.45" center body + 2 short outer bodies, 31.875" shaft	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522ATA4	\$91
extended 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.5 lb T3122A2NG+2NG	\$602	22.45" center body + 2 short outer bodies, 31.875" shaft	2x OHCMPH4ext + 2x OHCOMP4int	SHA2522ATA4	\$91
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	4.5 lb T3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	4.5 lb T3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108

### 2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A2CG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A2NG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A2CGF	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A2NGF	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" smooth Urethane	9.5 lb T2522A2C5	\$396	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" smooth Steel	10 lb T2522A2S5	\$376	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80

### 2.5" dia. TWO opposing end short bodies

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2CGt	\$496	2 short twin bodies at ends of a 25.875" shaft	2x OHCMP or 2x OHCOMPSS	SHA2522ATAAt	\$91




<tbl\_r cells="7" ix="4" maxcspan="1" maxrspan

**Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3050, 3100, 3150  
(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 21)**

**(fully assembled with body + shaft + bearings + seals)**

3" dia. wide grooved Urethane	9 lb T2520H3CG	<b>\$513</b>	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	<b>\$90</b>
3" smooth Urethane	10.5 lb T2520H3C	<b>\$483</b>	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	<b>\$90</b>
3" smooth Steel	11 lb T2520H3S	<b>\$443</b>	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	<b>\$90</b>
3.5" smooth Urethane	12.5 lb T2520H35C	<b>\$577</b>	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	<b>\$90</b>
2 bodies 3" smooth Urethane (2x4" wide bodies)	6.3 lb T2504H3Ct	<b>\$553</b>	2 short twin bodies at ends of a 25.063" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS	SHA2520HTAt	<b>\$90</b>

**Toro 21/22" FLEX & TRIFLEX models 21, 2100, 2120, 1021 + 3200, 3250, 3300, 3320, 3370, 3400, 3420 - FRONT & BACK ROLLERS**

**(these rollers do not accommodate yoke ball studs. They have solid shaft ends without taps; if groomer kit requires tap in shaft ends, change "A" in part # to "S")**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	<b>\$80</b>
2" dia. smooth Urethane	8 lb T2522A2C	<b>\$382</b>	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	<b>\$322</b>	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2CGt	<b>\$452</b>	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMP	SHA2522ATAAt	<b>\$91</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2NGt	<b>\$452</b>	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMP	SHA2522ATAAt	<b>\$91</b>
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2CGFt	<b>\$452</b>	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMP	SHA2522ATAAt	<b>\$91</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2NGFt	<b>\$452</b>	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMP	SHA2522ATAAt	<b>\$91</b>
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2502A2Ct	<b>\$452</b>	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2522ATAAt	<b>\$91</b>
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A2Ct	<b>\$452</b>	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2522ATAAt	<b>\$91</b>

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2CG+2C	<b>\$512</b>	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122ATA+2	<b>\$108</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2NG+2C	<b>\$512</b>	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122ATA+2	<b>\$108</b>
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb T3122A2C+2C	<b>\$512</b>	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122ATA+2	<b>\$108</b>
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb T3122A2S+2S	<b>\$512</b>	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122ATA+2	<b>\$108</b>

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	<b>\$602</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	<b>\$602</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$91</b>
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	<b>\$602</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$91</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	<b>\$602</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$91</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	<b>\$602</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$91</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	<b>\$602</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$91</b>

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	<b>\$456</b>	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	<b>\$456</b>	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	<b>\$456</b>	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	<b>\$456</b>	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" smooth Urethane	9.5 lb T2522A25C	<b>\$396</b>	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" smooth Steel	10 lb T2522A25S	<b>\$376</b>	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A25CGt	<b>\$496</b>	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504ATAAt	<b>\$91</b>
2 bodies 2.5" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A25Ct	<b>\$496</b>	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504ATAAt	<b>\$91</b>

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	<b>\$636</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	<b>\$636</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	<b>\$636</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	<b>\$636</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	<b>\$636</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	<b>\$626</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>

**2.5" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb T3122A25CG4+2C	<b>\$686</b>	4 center body + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3122ATA4+2	<b>\$108</b>
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb T3122A25C4+2C	<b>\$686</b>	4 center body + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3122ATA4+2	<b>\$108</b>

**Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK ROLLERS (If groomer kit requires tap in ends of shaft, change "C" in part # to "S")**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.2 lb T2319C2CG	<b>\$382</b>	19.45" body, 23" shaft w/o taps	OHCOMP	SHA2319CT	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.4 lb T2319C2NG	<b>\$382</b>	19.45" body, 23" shaft w/o taps	OHCOMP	SHA2319CT	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.3 lb T2319C2CGF	<b>\$382</b>	19.45" body, 23" shaft w/o taps	OHCOMP	SHA2319CT	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.5 lb T2319C2NGF	<b>\$382</b>	19.45" body, 23" shaft w/o taps	OHCOMP	SHA2319CT	<b>\$80</b>
2" dia. smooth Urethane	7.5 lb T2319C2C2	<b>\$382</b>	19.25" body, 23" shaft w/o taps	OHCOMP or OHCOMPSS	SHA2319CT	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319C2S2	<b>\$322</b>	19.25" body, 23" shaft w/o taps	OHCOMP or OHCOMPSS	SHA2319CT	<b>\$80</b>

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2304C2CGt	<b>\$452</b>	2 short twin bodies at ends of a 23" shaft	2x OHCOMP	SHA2304CTAt	<b>\$91</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2304C2NGt	<b>\$452</b>	2 short twin bodies at ends of a 23" shaft	2x OHCOMP	SHA2304CTAt	<b>\$91</b>
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2304C2CGFt	<b>\$452</b>	2 short twin bodies at ends of a 23" shaft	2x OHCOMP	SHA2304CTAt	<b>\$91</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2304C2NGFt	<b>\$452</b>	2 short twin bodies at ends of a 23" shaft	2x OHCOMP	SHA2304CTAt	<b>\$91</b>
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2302C2Ct	<b>\$452</b>	2 short twin bodies at ends of a 23" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2302CTAt	<b>\$91</b>
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2304C2Ct	<b>\$452</b>	2 short twin bodies at ends of a 23" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2304CTAt	<b>\$91</b>

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2319C2CG4	**\$602**	4 short bodies, 23" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2319CTA4	**\$91**



<tbl\_r cells="7" ix="3" max

**Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS****2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb T2219S2CG	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb T2219S2NG	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb T2219S2CGF	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2219S2NGF	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. smooth Urethane	7.5 lb T2219S2C	\$382	19.25" body, 22.75" shaft w/o taps	OHCMP or OHCOMPSS	SHA2219ST	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2219S2S	\$322	19.25" body, 22.75" shaft w/o taps	OHCMP or OHCOMPSS	SHA2219ST	\$80

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2219S2CG4	\$602	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2219S2NG4	\$602	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2219S2CGF4	\$602	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2219S2NGF4	\$602	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2219S2C4	\$602	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb T2219S2S4	\$602	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$91

**Toro GM1026 & 1600 26" GREENSMOWER - FRONT & BACK ROLLERS****2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	7.8 lb T3126A2CG	\$382	26.45" body, 31" shaft	OHCMPH	SHA3126AT	\$80
2" dia. wide grooved Urethane 1" flats	7.8 lb T3126A2CFG	\$382	26.45" body, 31" shaft	OHCMPH	SHA3126AT	\$80
2" dia. smooth Urethane	11 lb T3126A2C	\$382	26.45" body, 31" shaft	OHCMP or OHCOMPSS	SHA3126AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	13.5 lb T3126A2S	\$322	26.25" body, 31" shaft	OHCMP or OHCOMPSS	SHA3126AT	\$80

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb T3104A2CGt	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCMPH	SHA3104ATA4	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb T3104A2NGt	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCMPH	SHA3104ATA4	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb T3104A2CGFt	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCMPH	SHA3104ATA4	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb T3104A2NGFt	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCMPH	SHA3104ATA4	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.4 lb T3102A2Ct	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCOMPSS	SHA3102ATA4	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.4 lb T3104A2Ct	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCOMPSS	SHA3104ATA4	\$91

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4 lb T3726A2CG+2C	\$512	26.45" center body + 2 short outer bodies, 37" shaft	1x OHCMPH + 2x OHCOMPSCS	SHA3726ATA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	13.5 lb T3726A2C+2C	\$512	26.45" center body + 2 short outer bodies, 37" shaft	1x OHCMPH + 2x OHCOMPSCS	SHA3726ATA+2	\$108

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb T3126A2CG4	\$602	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb T3126A2NG4	\$602	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb T3126A2CGF4	\$602	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb T3126A2NGF4	\$602	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$91
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	8.5 lb T3126A2C4	\$602	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMP4int	SHA3126ATA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	12 lb T3126A2S4	\$602	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMP4int	SHA3126ATA4	\$91

**2" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb T3726A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCOMPSCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb T3726A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCOMPSCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb T3726A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCOMPSCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb T3726A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCOMPSCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	12 lb T3726A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMP4int+2x OHCOMPSCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	12 lb T3726A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMP4int+2x OHCOMPSCS	SHA3126ATA4+2	\$108

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb T3127A2CG	\$456	27.45" body, 31" shaft	OHCMP or OHCOMPSS	SHA3127AT	\$80
2.5" smooth Urethane	11 lb T3127A2C5	\$396	27.45" body, 31" shaft	OHCMP or OHCOMPSS	SHA3127AT	\$80
2.5" smooth Steel	11 lb T3127A2S5	\$376	27.25" body, 31" shaft	OHCMP or OHCOMPSS	SHA3127AT	\$80

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T3104A2C5t	\$496	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCOMPSS	SHA3104ATA4	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets						
extended 2.5" dia. wide grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4 lb T3727A2CG5+2C	\$566	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2x OHCOMPSCS	SHA3727ATA+2	\$108
extended 2.5" dia. narrow grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4 lb T3727A2NG5+2C	\$566	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2x OHCOMPSCS	SHA3727ATA+2	\$108
extended 2.5" smooth Urethane (27.45" inner+2x2" outer bodies)	13.5 lb T3727A2C5+2C	\$566	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2x OHCOMPSCS	SHA3727ATA+2	\$108

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3128A2CG4	\$636	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMP4int	SHA3128ATA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3128A2NG4	\$636	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMP4int	SHA3128ATA4	\$91
4 bodies 2.5" dia. wide grooved (1/2" dia. spacing) Urethane 1" flats	13 lb T3128A2CG4	\$636	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMP4int	SHA3128ATA4	\$91
4 bodies 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	13 lb T3128A2NG4	\$636	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMP4int	SHA3128ATA4	\$91
4 bodies 2.5" smooth Urethane	9.5 lb T3128A2C5	\$396	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
4 bodies 2.5" smooth Steel	9.5 lb T3128A2S5	\$376	22.25" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80

**2.5" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb T3728A2CG4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext + 2x OHCOMP4int + 2x OHCOMPSCS	SHA3728ATA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb T3728A2NG4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext + 2x OHCOMP4int + 2x OHCOMPSCS	SHA3728ATA4+2	\$108
6 bodies 2.5" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb T3728A2C54+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext + 2x OHCOMP4int + 2x OHCOMPSCS	SHA3728ATA4+2	\$108

2" dia. wide grooved Urethane 1" flats	6.5 lb T2319A2CGF	\$382	19.45" body, 23" shaft	OHCMPH	SHA2319AT	\$80
2" dia. smooth Urethane	7.5 lb T2319A2C	\$382	19.25" body, 23" shaft	OHCMP or OHCOMPSS	SHA2319AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319A2S5	\$322	19.25" body, 23" shaft	OHCMP or OHCOMPSS	SHA2319AT	\$80

2" dia. wide grooved Urethane no flats	9 lb T2722A2CG	\$456	22.45" body, 27" shaft	OHCMP or OHCOMPSS	SHA2722AT	\$80
2" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2722A2NG	\$456	22.45" body, 27" shaft	OHCMP or OHCOMPSS	SHA2722AT	\$80
2" dia. wide grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2722A2CGF	\$456	22.45" body, 27" shaft	OHCMP or OHCOMPSS	SHA2722AT	\$80
2" dia. narrow grooved (1						

<b>2.5" dia. FOUR bodies</b>		<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2722A25CG4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2722A25NG4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2722A25CFG4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2722A25NGF4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2722A25C4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2722A25S4	<b>\$626</b>	4 short bodies, 27" shaft
4 bodies	2.5" dia. wide grooved Urethane (2x5.55"+2x6.5" wide bodies) no flats	10 lb	T2724A25CG4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2724A25NG4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2724A25CFG4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2724A25NGF4	<b>\$636</b>	4 short bodies, 27" shaft
4 bodies	2.5" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb	T2724A25C4	<b>\$636</b>	4 short bodies, 27" shaft
<b>3" dia. SINGLE body</b>					
3" dia. wide grooved Urethane		9.5 lb	T2722A3CG	<b>\$513</b>	22.45" body, 27" shaft
3" smooth Urethane		12 lb	T2722A3C	<b>\$483</b>	22.45" body, 27" shaft
3" smooth Steel		11.5 lb	T2722A3S	<b>\$443</b>	22.45" body, 27" shaft
3" dia. wide grooved Urethane		9.5 lb	T2724A3CG	<b>\$513</b>	24.45" body, 27" shaft
3" smooth Urethane		12 lb	T2724A3C	<b>\$483</b>	24.45" body, 27" shaft
3" smooth Steel		11.5 lb	T2724A3S	<b>\$443</b>	24.45" body, 27" shaft
<b>3" dia. FOUR bodies</b>					<b>non-skidding for tight turns &amp; ground undulations</b>
4 bodies	3" dia. wide grooved Urethane (4x5.2" wide bodies)	10 lb	T2722A3CG4	<b>\$673</b>	4 short bodies, 27" shaft
4 bodies	3" smooth Urethane (4x5.55" wide bodies)	13 lb	T2722A3C4	<b>\$663</b>	4 short bodies, 27" shaft
4 bodies	3" dia. wide grooved Urethane (2x5.2"+2x6.5" wide bodies)	10 lb	T2724A3CG4	<b>\$673</b>	4 short bodies, 27" shaft
4 bodies	3" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb	T2724A3C4	<b>\$663</b>	4 short bodies, 27" shaft
<b>Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - BACK</b>					
<b>Call to upgrade with double row angular contact bearings</b>					
<b>2" dia. SINGLE body</b>					
2" dia. wide grooved Urethane no flats		6.5 lb	T2522A2CG	<b>\$382</b>	22.45" body, 25.875" shaft
2" dia. narrow grooved Urethane no flats		6.7 lb	T2522A2NG	<b>\$382</b>	22.45" body, 25.875" shaft
2" dia. wide grooved Urethane 1" flats		6.5 lb	T2522A2CFG	<b>\$382</b>	22.45" body, 25.875" shaft
2" dia. narrow grooved Urethane 1" flats		6.7 lb	T2522A2NGF	<b>\$382</b>	22.45" body, 25.875" shaft
2" dia. smooth Urethane		8 lb	T2522A2C	<b>\$382</b>	22.25" body, 25.875" shaft
2" dia. smooth Steel heavy (1/4" wall)		11.5 lb	T2522A2S	<b>\$322</b>	22.25" body, 25.875" shaft
2" dia. wide grooved Urethane no flats		6.5 lb	T2519A2CG	<b>\$382</b>	19.45" body, 25" shaft
2" dia. narrow grooved Urethane no flats		6.7 lb	T2519A2NG	<b>\$382</b>	19.45" body, 25" shaft
2" dia. wide grooved Urethane 1" flats		6.5 lb	T2519A2CFG	<b>\$382</b>	19.45" body, 25" shaft
2" dia. narrow grooved Urethane 1" flats		6.7 lb	T2519A2NGF	<b>\$382</b>	19.45" body, 25" shaft
2" dia. smooth Urethane		7.5 lb	T2519A2C	<b>\$382</b>	19.45" body, 25" shaft
2" dia. smooth Steel heavy (1/4" wall)		10.5 lb	T2519A2S	<b>\$322</b>	19.25" body, 25" shaft
2" dia. smooth Urethane		8 lb	T2321T2C	<b>\$382</b>	21.45" body, 23.75" shaft
2" dia. smooth Steel heavy (1/4" wall)		11.5 lb	T2321T2S	<b>\$322</b>	21.25" body, 23.75" shaft
2" dia. wide grooved Urethane no flats		6.2 lb	T2319A2CG	<b>\$382</b>	19.45" body, 23" shaft w/o taps
2" dia. narrow grooved Urethane no flats		6.4 lb	T2319A2NG	<b>\$382</b>	19.45" body, 23" shaft w/o taps
2" dia. wide grooved Urethane 1" flats		6.5 lb	T2319A2CFG	<b>\$382</b>	19.45" body, 23" shaft w/o taps
2" dia. narrow grooved Urethane 1" flats		6.5 lb	T2319A2NGF	<b>\$382</b>	19.45" body, 23" shaft w/o taps
2" dia. smooth Urethane		7.5 lb	T2319A2C	<b>\$382</b>	19.25" body, 23" shaft w/o taps
2" dia. smooth Steel heavy (1/4" wall)		10.5 lb	T2319A2S	<b>\$322</b>	19.25" body, 23" shaft w/o taps
<b>2" dia. FOUR bodies</b>					<b>non-skidding for tight turns &amp; ground undulations</b>
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2NG4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2CFG4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2NGF4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522A2C4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522A2S4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2519A2CG4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2519A2NG4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2519A2CFG4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2519A2NGF4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2519A2C4	<b>\$602</b>	4 short bodies, 25.875" shaft
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	T2519A2S4	<b>\$602</b>	4 short bodies, 25.875" shaft
<b>2.5" dia. SINGLE body</b>					<b>non-skidding for tight turns &amp; ground undulations</b>
2.5" dia. wide grooved (1" spacing) Urethane no flats		9 lb	T2522A25CG	<b>\$456</b>	22.45" body, 25.87" shaft
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats		9 lb	T2522A25NG	<b>\$456</b>	22.45" body, 25.87" shaft
2.5" dia. wide grooved (1" spacing) Urethane 1" flats		9 lb	T2522A25CFG	<b>\$456</b>	22.45" body, 25.87" shaft
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats		9 lb	T2522A25NGF	<b>\$456</b>	22.45" body, 25.87" shaft
2.5" dia. wide grooved (1" spacing) Urethane no flats		8.5 lb	T2522C25CG	<b>\$456</b>	22.45" body, 25.5" shaft
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats		9 lb	T2522C25NG	<b>\$456</b>	22.45" body, 25.5" shaft
2.5" dia. wide grooved (1" spacing) Urethane 1" flats		9 lb	T2522C25CFG	<b>\$456</b>	22.45" body, 25.5" shaft
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats		9 lb	T2522C25NGF	<b>\$456</b>	22.45" body, 25.5" shaft
2.5" smooth Urethane		9.5 lb	T2522C25C	<b>\$396</b>	22.45" body, 25.5" shaft
2.5" smooth Steel		10 lb	T2522C25S	<b>\$376</b>	22.25" body, 25.5" shaft
2.5" dia. wide grooved (1" spacing) Urethane no flats		8.5 lb	T2521C25CG	<b>\$456</b>	21.45" body, 25.5" shaft
2.5" smooth Urethane		9.5 lb	T2521C25C	<b>\$396</b>	21.45" body, 25.5" shaft
2.5" smooth Steel		10 lb	T2521C25S	<b>\$376</b>	21.25" body, 25.5" shaft
2.5" dia. wide grooved (1" spacing) Urethane no flats		8 lb	T2519A25CG	<b>\$456</b>	19.45" body, 25" shaft
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats		9 lb	T2519A25NG	<b>\$456</b>	19.45" body, 25" shaft
2.5" dia. wide grooved (1" spacing) Urethane 1" flats		9 lb	T2519A25CFG	<b>\$456</b>	19.45" body, 25" shaft
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats		9 lb	T2519A25NGF	<b>\$456</b>	19.45" body, 25" shaft
2.5" smooth Urethane		9 lb	T2519A25C	<b>\$396</b>	19.45" body, 25" shaft
2.5" smooth Steel		9 lb	T2519A25S	<b>\$376</b>	19.25" body, 25" shaft
2.5" dia. wide grooved (1" spacing) Urethane no flats		8.5 lb	T2321A25CG	<b>\$456</b>	21.45" body, 23.75" shaft
2.5" smooth Urethane		9.5 lb	T2321A25C	<b>\$396</b>	21.45" body, 23.75" shaft
2.5" smooth Steel		9.2 lb	T2321A25S	<b>\$376</b>	21.25" body, 23.75" shaft
2.5" dia. wide grooved (1" spacing) Urethane no flats		8 lb	T2319A25CG	<b>\$456</b>	19.45" body, 23" shaft
2.5" smooth Urethane		9 lb	T2319A25C	<b>\$396</b>	19.45" body, 23" shaft
2.5" smooth Steel		9 lb	T2319A25S	<b>\$376</b>	19.25" body, 23" shaft
<b>2.5" dia. FOUR bodies</b>					<b>non-skidding for tight turns &amp; ground undulations</b>
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	<b>\$636</b>	4 short bodies, 25.875" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	<b>\$636</b>	4 short bodies, 25.875" shaft
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CFG4	<b>\$636</b>	4 short bodies, 25.875" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	<b>\$636</b>	4 short bodies, 25.875" shaft
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	<b>\$636</b>	4 short bodies, 25.875" shaft
4 bodies	2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	13 lb	T2522A25S4	<b>\$626</b>	4 short bodies, 25.875" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2519A25CG4	<b>\$636</b>	4 short bodies, 25" shaft
4 bodies	2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2519A25NGF4	<b>\$636</b>	4 short bodies, 25" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2519A25C4	<b>\$636</b>	4 short bodies, 25" shaft
4 bodies	2.5" smooth Urethane (4x4.75" wide bodies)	12 lb	T2519A25S4	<b>\$626</b>	4 short bodies, 25" shaft

**3" dia. SINGLE body**

3" dia. wide grooved Urethane	9.5 lb T2522C3CG	<b>\$513</b> 22.45" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CT	<b>\$80</b>
3" smooth Urethane	12 lb T2522C3C	<b>\$483</b> 22.45" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CT	<b>\$80</b>
3" smooth Steel	11.5 lb T2522C3S	<b>\$443</b> 22.25" body, 25.5" shaft	OHCOMP or OHCOMPSS	SHA2522CT	<b>\$80</b>
3" dia. wide grooved Urethane	9 lb T2519A3CG	<b>\$513</b> 19.45" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>
3" smooth Urethane	11 lb T2519A3C	<b>\$483</b> 19.45" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>
3" smooth Steel	11 lb T2519A3S	<b>\$443</b> 19.25" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>
3" dia. wide grooved Urethane	9 lb T2319T3CG	<b>\$513</b> 19.45" body, 23" shaft	OHCOMP or OHCOMPSS	SHA2319TT	<b>\$80</b>
3" smooth Urethane	11 lb T2319T3C	<b>\$483</b> 19.45" body, 23" shaft	OHCOMP or OHCOMPSS	SHA2319TT	<b>\$80</b>
3" smooth Steel	11 lb T2319T3S	<b>\$443</b> 19.25" body, 23" shaft	OHCOMP or OHCOMPSS	SHA2319TT	<b>\$80</b>

**Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS****2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	<b>\$456</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	<b>\$456</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	<b>\$456</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	<b>\$456</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" smooth Urethane	9.5 lb T2522A25C	<b>\$396</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" smooth Steel	10 lb T2522A25S	<b>\$376</b> 22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2422A25CG	<b>\$456</b> 22.45" body, 24.5" shaft	OHCOMP or OHCOMPSS	SHA2422AT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2422A25NG	<b>\$456</b> 22.45" body, 24.5" shaft	OHCOMP or OHCOMPSS	SHA2422AT	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2422A25CGF	<b>\$456</b> 22.45" body, 24.5" shaft	OHCOMP or OHCOMPSS	SHA2422AT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2422A25NGF	<b>\$456</b> 22.45" body, 24.5" shaft	OHCOMP or OHCOMPSS	SHA2422AT	<b>\$80</b>
2.5" smooth Urethane	9.5 lb T2422A25C	<b>\$396</b> 21.45" body, 24.5" shaft	OHCOMP or OHCOMPSS	SHA2422AT	<b>\$80</b>
2.5" smooth Steel	10 lb T2421A25S	<b>\$376</b> 21.25" body, 24.5" shaft	OHCOMP or OHCOMPSS	SHA2421AT	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2519A25CG	<b>\$456</b> 19.45" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2519A25NG	<b>\$456</b> 19.45" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25CGF	<b>\$456</b> 19.45" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF	<b>\$456</b> 19.45" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>
2.5" smooth Urethane	9 lb T2519A25C	<b>\$396</b> 19.45" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>
2.5" smooth Steel	9 lb T2519A25S	<b>\$376</b> 19.25" body, 25" shaft	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>

**To diminish instances of shadowing lines due to overlap of reels**

2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	9.5 lb T2522A25CG.22C	<b>\$496</b> front roller for rear mower heads-use with T2519A25C	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
2.5" smooth Urethane	11 lb T2519A25C	<b>\$396</b> back roller for rear mower heads-use with T2522A25CG.22C	OHCOMP or OHCOMPSS	SHA2519AT	<b>\$80</b>

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	<b>\$636</b> 4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	<b>\$636</b> 4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	<b>\$636</b> 4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	<b>\$636</b> 4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	<b>\$636</b> 4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	<b>\$626</b> 4 short bodies, 25.87" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	<b>\$98</b>
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4	<b>\$636</b> 4 short bodies, 25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2519ATA4	<b>\$91</b>
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25NG4	<b>\$636</b> 4 short bodies, 25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2519ATA4	<b>\$91</b>
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25CGF4	<b>\$636</b> 4 short bodies, 25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2519ATA4	<b>\$91</b>
4 bodies 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4	<b>\$636</b> 4 short bodies, 25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2519ATA4	<b>\$91</b>
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4	<b>\$636</b> 4 short bodies, 25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2519ATA4	<b>\$91</b>
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	8.5 lb T2519A25S4	<b>\$626</b> 4 short bodies, 25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2519ATA4	<b>\$91</b>

**3" dia. SINGLE body**

3" dia. wide grooved Urethane	9.5 lb T2522A3CG	<b>\$513</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
3" smooth Urethane	12 lb T2522A3C	<b>\$483</b> 22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
3" smooth Steel	11.5 lb T2522A3S	<b>\$443</b> 22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	<b>\$80</b>
3" dia. wide grooved Urethane	9.5 lb T2722A3CG	<b>\$513</b> 22.45" body, 27" shaft	OHCOMP or OHCOMPSS	SHA2722AT	<b>\$80</b>
3" smooth Urethane	12 lb T2722A3C	<b>\$483</b> 22.45" body, 27" shaft	OHCOMP or OHCOMPSS	SHA2722AT	<b>\$80</b>
3" smooth Steel	11.5 lb T2722A3S	<b>\$443</b> 22.25" body, 27" shaft	OHCOMP or OHCOMPSS	SHA2722AT	<b>\$80</b>
3" dia. wide grooved Urethane	9.5 lb T2724A3CG	<b>\$513</b> 24.45" body, 27" shaft	OHCOMP or OHCOMPSS	SHA2724AT	<b>\$80</b>
3" smooth Urethane	12 lb T2724A3C	<b>\$483</b> 24.45" body, 27" shaft	OHCOMP or OHCOMPSS	SHA2724AT	<b>\$80</b>
3" smooth Steel	11.5 lb T2724A3S	<b>\$443</b> 24.25" body, 27" shaft	OHCOMP or OHCOMPSS	SHA2724AT	<b>\$80</b>

**To diminish instances of shadowing lines due to overlap of reels**

3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb T2722A3CG.22C	<b>\$543</b> front roller for rear mower heads-use with T2719A3C	OHCOMP or OHCOMPSS	SHA2722AT	<b>\$80</b>
3" smooth Urethane	11 lb T2719A3C	<b>\$483</b> back roller for rear mower heads-use with T2722A3CG.22C	OHCOMP or OHCOMPSS	SHA2719AT	<b>\$80</b>

(please confirm diameter of body and length of shaft required to fit BACK ROLLER)

**2.5" Combination roller assemblies to diminish effect of reel overlap shadowing are available**

call for proper application specifics

**Call to upgrade with double row angular contact bearings**

2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb T3026D25CG	<b>\$456</b> 26.45" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb T3026D25NG	<b>\$456</b> 26.45" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb T3026D25CGF	<b>\$456</b> 26.45" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9.5 lb T3026D25NGF	<b>\$456</b> 26.45" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
2.5" smooth Urethane	11 lb T3026D25C	<b>\$396</b> 26.45" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
2.5" smooth Steel	11 lb T3026D25S	<b>\$376</b> 26.45" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
2.5" dia. wide grooved Urethane no flats	10.3 lb T3227D25CG	<b>\$456</b> 27.45" body, 32" dia. shaft	OHCOMP or OHCOMPSS	SHA3227DT	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	11 lb T3227D25CG	<b>\$396</b> 27.45" body, 32" dia. shaft	OHCOMP or OHCOMPSS	SHA3227DT	<b>\$80</b>

**non-skidding for tight turns & ground undulations**

2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3026D25CG4	<b>\$636</b> 4 short bodies, 30" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026DTA4	<b>\$91</b>
2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3026D25NG4	<b>\$636</b> 4 short bodies, 30" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026DTA4	<b>\$91</b>
2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb T3026D25CGF4	<b>\$636</b> 4 short bodies, 30" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026DTA4	<b>\$91</b>
2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb T3026D25NGF4	<b>\$636</b> 4 short bodies, 30" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026DTA4	<b>\$91</b>
2.5" smooth Urethane	13 lb T3026D25C4	<b>\$636</b> 4 short bodies, 30" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026DTA4	<b>\$91</b>

**3" dia. **SINGLE body (FOUR bodies also available)****

3" dia. wide grooved Urethane	12.5 lb T3026D3CG	<b>\$513</b> 26.45" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
3" smooth Steel	13 lb T3026D3C	<b>\$483</b> 26.45" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
3" smooth Steel	13 lb T3026D3S	<b>\$443</b> 26.25" body, 30" shaft	OHCOMP or OHCOMPSS	SHA3026DT	<b>\$80</b>
3" dia. wide grooved Urethane	12.8 lb T3227D3CG	<b>\$513</b> 27.45" body, 32" dia. shaft	OHCOMP or OHCOMPSS	SHA3227DT	<b>\$80</b>
3" smooth Urethane	13.3 lb T3227D3C	<b>\$483</b> 27.45" body, 32" dia. shaft	OHCOMP or OHCOMPSS	SHA3227DT	<b>\$80</b>
3" smooth Steel	13.3 lb T3227D3S	<b>\$443</b> 27.25" body, 32" dia. shaft	OHCOMP or OHCOMPSS	SHA3227DT	<b>\$80</b>

**Call to upgrade with double row angular contact bearings**

3" dia. wide grooved Urethane	14 lb T3431U3CG	<b>\$543</b> 31.45" body, 34.5" shaft	OHCOMP or OHCOMPSS	SHA3431UT	<b>\$80</b>
3" smooth Steel	15 lb T3431U3S	<b>\$443</b> 31.25" body, 34.5" shaft	OHCOMP or OHCOMPSS	SHA3431UT	<b>\$80</b>
3" dia. wide grooved Urethane	14 lb T3632U3CG	<b>\$543</b> 32.45" body, 36" shaft	OHCOMP or OHCOMPSS	SHA3632UT	<b>\$80</b>
3" smooth Steel	15 lb T36				

**Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - BACK ROLLER****Call to upgrade with double row angular contact bearings****2.5" dia. & 3" dia. & 3.5" dia. SINGLE body**

2.5" smooth Urethane	12.5 lb T3429U25C	<b>\$396</b>	29.45" body, 34.5" shaft	OHCOMP or OHCOMPSS	SHA3429UT	<b>\$80</b>
2.5" smooth Steel	12.5 lb T3429U25S	<b>\$376</b>	29.25" body, 34.5" shaft	OHCOMP or OHCOMPSS	SHA3429UT	<b>\$80</b>
3" smooth Urethane	15 lb T3429U3C	<b>\$483</b>	29.45" body, 34.5" shaft	OHCOMP or OHCOMPSS	SHA3429UT	<b>\$80</b>
3" smooth Steel	14.5 lb T3429U3S	<b>\$443</b>	29.25" body, 34.5" shaft	OHCOMP or OHCOMPSS	SHA3429UT	<b>\$80</b>
3" smooth Urethane (special)	15 lb T3429K3C	<b>\$483</b>	29.45" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMPSS	SHA3429KT	<b>\$80</b>
3" smooth Steel (special)	15 lb T3429K3S	<b>\$443</b>	29.25" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMPSS	SHA3429KT	<b>\$80</b>
3.5" smooth Urethane (special)	18 lb T3429K35C	<b>\$577</b>	29.45" body, 34" shaft (confirm specs with us) non-skidding for tight turns & ground undulations	OHCOMP or OHCOMPSS	SHA3429KT	<b>\$80</b>

**3" dia. FIVE bodies**

5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3429A3CGR5	<b>\$743</b>	5 short bodies, 34.5" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3429ATA5	<b>\$91</b>
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb 2T3429A3CR5	<b>\$743</b>	5 short bodies, 34.5" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3429ATA5	<b>\$91</b>

**Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO & PARKMASTER GANG****Call to upgrade with double row angular contact bearings**

3" smooth Urethane	14 lb T3227J3C	<b>\$493</b>	27.45" body, 32.5" shaft	OHCOMP or OHCOMPSS	SHA3227JT	<b>\$80</b>
3" smooth Steel	13.5 lb T3227J3S	<b>\$443</b>	27.25" body, 32.5" shaft	OHCOMP or OHCOMPSS	SHA3227JT	<b>\$80</b>
3.5" smooth Urethane	17 lb T3227J35C	<b>\$577</b>	27.45" body, 32.5" shaft	OHCOMP or OHCOMPSS	SHA3227JT	<b>\$80</b>

**Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - FRONT ROLLER (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt**

5" grooved Urethane (5.2" wide body) double row bearings	5 lb 2T0505G5CG	<b>\$335</b>	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0505GT	<b>\$80</b>
5" smooth Urethane (5.2" wide body) double row bearings	5 lb 2T0505G5C	<b>\$295</b>	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0505GT	<b>\$80</b>
5" grooved Urethane (5.2" wide body) single row bearings	5 lb T0505G5CG	<b>\$305</b>	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0505GT	<b>\$80</b>
5" smooth Urethane (5.2" wide body) single row bearings	5 lb T0505G5C	<b>\$265</b>	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0505GT	<b>\$80</b>

**Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - BACK ROLLER****3" dia. SINGLE body**

3" dia. wide grooved Urethane with double row bearings	13.5 lb 2T3329D3CG	<b>\$573</b>	29.45" body, 33" shaft	OHCOMP2C	SHA3329DT	<b>\$80</b>
3" smooth Urethane with double row bearings	15 lb 2T3329D3C	<b>\$573</b>	29.45" body, 33" shaft	OHCOMP2C	SHA3329DT	<b>\$80</b>
3" smooth Steel with single row bearings	15 lb T3329D3S	<b>\$543</b>	29.25" body, 33" shaft	OHCOMP or OHCOMPSS	SHA3329DT	<b>\$80</b>

**3" dia. TWO opposing end short bodies**

2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2T3305D3CG1	<b>\$613</b>	2 short twin bodies at ends of a 33" shaft	2x OHCOMP2T	SHA3305DTA5	<b>\$91</b>
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb 2T3304D3Ct	<b>\$613</b>	2 short twin bodies at ends of a 33" shaft	2x OHCOMP2T	SHA3304DTA5	<b>\$91</b>
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	12 lb T3304D3St	<b>\$613</b>	2 short twin bodies at ends of a 33" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA3304DTA5	<b>\$91</b>

**3" dia. FIVE bodies**

5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3329A3CGR5	<b>\$743</b>	5 short bodies, 33" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3329ATA5	<b>\$91</b>
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb 2T3329A3CR5	<b>\$743</b>	5 short bodies, 33" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3329ATA5	<b>\$91</b>

**3.5" dia. SINGLE body**

3.5" smooth Urethane with double row bearings	18 lb 2T3329D35C	<b>\$617</b>	29.45" body, 33" shaft	OHCOMP2C	SHA3329DT	<b>\$80</b>
---	------------------	--------------	------------------------	----------	-----------	-------------

**Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (Includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt**

5" grooved Urethane (5.2" wide body) double row bearings	5 lb 2T0705G5CG	<b>\$335</b>	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0705GT	<b>\$80</b>
5" smooth Urethane (5.2" wide body) double row bearings	5.5 lb 2T0705G5C	<b>\$315</b>	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0705GT	<b>\$80</b>

**Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available-please call)****3" dia. SINGLE body**

3" dia. wide grooved Urethane with double row bearings	11 lb 2T2824K3CG	<b>\$573</b>	24.45" body, 28" shaft	OHCOMP2	SHA2824KT	<b>\$80</b>
3" smooth Urethane with double row bearings	12 lb 2T2824K3C	<b>\$573</b>	24.45" body, 28" shaft	OHCOMP2	SHA2824KT	<b>\$80</b>
3" smooth Steel with single row bearings	11 lb T2824K3S	<b>\$543</b>	24.25" body, 28" shaft	OHCOMP or OHCOMPSS	SHA2824KT	<b>\$80</b>

**3" dia. TWO opposing end short bodies**

2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2T2805K3CG1	<b>\$643</b>	2 short twin bodies at ends of a 28" shaft	2x OHCOMP2T	SHA2805KTAT	<b>\$91</b>
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb 2T2804K3Ct	<b>\$643</b>	2 short twin bodies at ends of a 28" shaft	2x OHCOMP2T	SHA2804KTAT	<b>\$91</b>
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	12 lb T2804K3St	<b>\$613</b>	2 short twin bodies at ends of a 28" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2804KTAT	<b>\$91</b>

**3" dia. FOUR bodies**

4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12.5 lb 2T2824K3CGR4	<b>\$703</b>	4 short bodies, 28" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2824KTA4	<b>\$91</b>
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	13.5 lb 2T2824K3CR4	<b>\$703</b>	4 short bodies, 28" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2824KTA4	<b>\$91</b>

**Toro 22" VERTICUT heads (Call to confirm dimensions of your roller)****(Sectional rollers with 4 bodies also available)**

2" dia. smooth Steel heavy (1/4" wall)	10 lb T2419A2S	<b>\$322</b>	19.25" body, 24" shaft	OHCOMP or OHCOMPSS	SHA2419AT	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2321A2S	<b>\$322</b>	21.25" body, 23" shaft	OHCOMP or OHCOMPSS	SHA2321AT	<b>\$80</b>

**for RANSOMES mowers (multi-body rollers available)****RANSOMES ALL 22" GREENSPLEX & E-PLEX & 160 - FRONT ROLLER****2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb R2522A2CG	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb R2522A2NG	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb R2522A2CGF	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb R2522A2NGF	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	<b>\$80</b>
2" dia. smooth Urethane	8 lb R2522A2C	<b>\$382</b>	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>

**2" dia. smooth Steel heavy (1/4" wall)**

2" dia. smooth Steel heavy (1/4" wall)	11.5 lb R2522A2S2	<b>\$322</b>	22.25" body, 24.25" shaft	OHCOMP	SHA2522AJ	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb R2422G2CGF	<b>\$382</b>	22.45" body, 24.25" shaft/3/8" taps	OHCOMP	SHA2422GJ4	<b>\$91</b>
2" dia. smooth Urethane	8 lb R2422G2C	<b>\$382</b>	22.25" body, 24.25" shaft/3/8" taps	OHCOMP or OHCOMPSS	SHA2422GJ4	<b>\$91</b>

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb R2522A25CG	<b>\$456</b>	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb R2522A25NG	<b>\$456</b>	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
2.5" smooth Urethane	9.5 lb R2522A25C	<b>\$456</b>	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
2.5" smooth Steel	10 lb R2522A25S	<b>\$456</b>	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x5.5" wide bodies) no flats	10.5 lb R2522A25CG4	<b>\$636</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJ4	<b>\$91</b>
4 bodies 2.5" smooth Urethane (4x5.5" wide bodies)	8.5 lb R2522A25C4	<b>\$636</b>	4 short bodies, 25.875" shaft			

<b>RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER</b>					
3" dia. wide grooved Urethane	13 lb R2622A3CG	\$553	22.45" body, 26" shaft	OHCOMP or OHCOMPSS	SHA2622AR \$80
3" smooth Urethane	15 lb R2622A3C	\$553	22.45" body, 26" shaft	OHCOMP or OHCOMPSS	SHA2622AR \$80
3" smooth Steel	15 lb R2622A3S	\$553	22.25" body, 26" shaft	OHCOMP or OHCOMPSS	SHA2622AR \$80
<b>RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLLER</b>					
3" dia. wide grooved Urethane	13 lb R2722A3CG	\$553	22.45" body, 27.5" shaft	OHCOMP or OHCOMPSS	SHA2722AR \$80
3" smooth Urethane	15 lb R2722A3C	\$553	22.45" body, 27.5" shaft	OHCOMP or OHCOMPSS	SHA2722AR \$80
3" smooth Steel	15 lb R2722A3S	\$553	22.25" body, 27.5" shaft	OHCOMP or OHCOMPSS	SHA2722AR \$80
<b>RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER</b>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb R2421S25CG	\$456	3/8" taps in shaft ends	OHCOMP or OHCOMPSS	SHA2421SJ \$80
2.5" smooth Urethane	9.5 lb R2421S25C	\$456	3/8" taps in shaft ends	OHCOMP or OHCOMPSS	SHA2421SJ \$80
2.5" smooth Steel	10 lb R2421S25S	\$456	21.25" body, 3/8" taps	OHCOMP or OHCOMPSS	SHA2421SJ \$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb R2421G25CG	\$456	7/16" taps in shaft ends	OHCOMP or OHCOMPSS	SHA2421GJ \$80
2.5" smooth Urethane	8 lb R2421G25C	\$456	7/16" taps in shaft ends	OHCOMP or OHCOMPSS	SHA2421GJ \$80
2.5" smooth Steel	12 lb R2421G25S	\$456	21.25" body, 7/16" taps	OHCOMP or OHCOMPSS	SHA2421GJ \$80
<b>RANSOMES 26" FAIRWAY 300, 305, 405 &amp; 26" T-PLEX 185D - ALL ROLLERS</b>					
3" dia. wide grooved Urethane	13 lb R3026W3CG	\$553	26.45" body, 30.7" shaft	OHCOMP or OHCOMPSS	SHA3026WR \$80
3" smooth Urethane	15 lb R3026W3C	\$553	26.45" body, 30.7" shaft	OHCOMP or OHCOMPSS	SHA3026WR \$80
3" smooth Steel with single row bearings	15 lb R3026WT3S	\$553	26.25" body, 30.7" shaft	OHCOMP or OHCOMPSS	SHA3026WR \$80
<b>RANSOMES 30" T-PLEX 185D - ALL ROLLERS</b>					
3" dia. wide grooved Urethane	13 lb R3429T3CG	\$553	29.45" body, 34.5" shaft	OHCOMP or OHCOMPSS	SHA3429TR \$80
3" smooth Urethane	15 lb R3429T3C	\$553	29.45" body, 34" shaft	OHCOMP or OHCOMPSS	SHA3429TR \$80
3" smooth Steel	15 lb R3429T3S	\$553	29.25" body, 34.5" shaft	OHCOMP or OHCOMPSS	SHA3429TR \$80
<b>RANSOMES 35D0, 21D0, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 &amp; 340 (27" REEL) - ALL ROLLERS</b>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb R3127G25CG	\$456	27.45" body, 31.62" dia. shaft/7/16" taps	OHCOMP or OHCOMPSS	SHA3127GR \$80
2.5" smooth Urethane	11.2 lb R3127G25C	\$456	27.45" body, 31.62" dia. shaft/7/16" taps	OHCOMP or OHCOMPSS	SHA3127GR \$80
2.5" smooth Steel	12 lb R3127G25S	\$456	27.25" body, 31.62" dia. shaft/7/16" taps	OHCOMP or OHCOMPSS	SHA3127GR \$80
3" dia. wide grooved Urethane	12.4 lb R3529A3CG	\$553	29.45" body, 35" shaft	OHCOMP or OHCOMPSS	SHA3529AR \$80
3" smooth Urethane	15 lb R3529A3C	\$553	29.45" body, 35" shaft	OHCOMP or OHCOMPSS	SHA3529AR \$80
3" smooth Steel	15 lb R3529A3S	\$553	29.25" body, 35" shaft	OHCOMP or OHCOMPSS	SHA3529AR \$80
<b>RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER</b>					
3.5" smooth Urethane	27 lb R2722X35C	\$607	22.45" body, 27.25" shaft/1/2" dia. ends	OHCOMP or OHCOMPSS	SHA2722XR \$80
4" smooth Urethane	23 lb R2722X4C	\$654	22.45" body, 27.25" shaft	OHCOMP or OHCOMPSS	SHA2722XR \$80
4" smooth Steel	27 lb R2722X4S	\$654	22.25" body, 32.25" shaft	OHCOMP or OHCOMPSS	SHA2722XR \$80

### for DENNIS

<b>Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)</b>					
3.5" smooth Urethane	21 lb D3834G35C	\$577	34.45" body, 38.5" shaft/7/16" taps	OHCOMP or OHCOMPSS	SHA3834GD \$106
Handlebar bushing (2 per roller)	2SLEEVE 1.25x.5x1.2 PU	\$33			

### for SISIS (multi-body rollers available)

<b>Sisis Flexi-400 fairway rolling machine- ALL ROLLERS</b>					
3" smooth Urethane	11.6 lb S2524S3C	\$513	24.45" body, 25.125" shaft/3/8" taps	OHCOMP or OHCOMPSS	SHA2524SS \$91
3" smooth Steel	12 lb S2524S3S	\$523	24.25" body, 25.125" shaft/3/8" taps	OHCOMP or OHCOMPSS	SHA2524SS \$91
3.5" smooth Urethane	16 lb S2524S35C	\$577	24.45" body, 25.125" shaft/3/8" taps	OHCOMP or OHCOMPSS	SHA2524SS \$91
<b>Sisis Veeamo MK2 Vorticutter - ALL ROLLERS</b>					
3" smooth Urethane	15 lb S3029G3C	\$513	29.45" body, 30.5" shaft/7/16" taps	OHCOMP or OHCOMPSS	SHA3029GS \$91
3" smooth Steel	15 lb S3029G3S	\$523	29.25" body, 30.5" shaft/7/16" taps	OHCOMP or OHCOMPSS	SHA3029GS \$91

### for SHIBAURA & HUSTLER (multi-body rollers available)

<b>Shibaura G EXE 26 Greens Mower</b>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb S2826P25CG	\$486	26.45" body, 28.375" shaft	OHCOMP or OHCOMPSS	SHA2826PS \$88
2.5" smooth Urethane	12.5 lb S2826P25C	\$416	26.45" body, 28.375" shaft	OHCOMP or OHCOMPSS	SHA2826PS \$88
2.5" smooth Steel	12.5 lb S2826P25S	\$406	26.25" body, 28.375" shaft	OHCOMP or OHCOMPSS	SHA2826PS \$88
2" dia. smooth Urethane	8.5 lb S2826P2C	\$382	26.25" body, 28.375" shaft	OHCOMP or OHCOMPSS	SHA2826PS \$88
2" dia. smooth Steel heavy (1/4" wall)	12 lb S2826P2S	\$322	26.25" body, 28.375" shaft	OHCOMP or OHCOMPSS	SHA2826PS \$88
<b>Shibaura G Flow22 &amp; MG70 &amp; Hustler GM1500 Greens Mower</b>					
2" dia. wide grooved Urethane 1" flats	6.5 lb S2522P2CGF	\$412	22.45" body, 25.75" shaft	OHCOMP	SHA2522PS \$88
2" dia. smooth Urethane	8 lb S2522P2C	\$382	22.25" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb S2522P2S	\$322	22.25" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb S2522P25CG	\$486	22.45" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb S2522P25NG	\$486	22.45" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
2.5" smooth Urethane	11.5 lb S2522P25C	\$416	22.45" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
2.5" smooth Steel	12 lb S2522P25S	\$406	22.25" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
<b>Shibaura SR525 Fairway &amp; Hustler 7500 &amp; 7700 Fairway</b>					
3" dia. wide grooved Urethane	10.5 lb S2522P3CG	\$553	22.45" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
3" smooth Urethane	12.5 lb S2522P3C	\$513	22.45" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
3" smooth Steel	12.5 lb S2522P3S	\$523	22.25" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS \$88
<b>Shibaura SR370</b>					
3" dia. wide grooved Urethane	12.5 lb S2926P3CG	\$553	26.45" body, 29.75" shaft	OHCOMP or OHCOMPSS	SHA2926PS \$88
3" smooth Urethane	14 lb S2926P3C	\$513	26.45" body, 29.75" shaft	OHCOMP or OHCOMPSS	SHA2926PS \$88
3" smooth Steel	14 lb S2926P3S	\$523	26.25" body, 29.75" shaft	OHCOMP or OHCOMPSS	SHA2926PS \$88

## for TRU-TURF Greens Golf Rollers (multi-body rollers available)

Call to upgrade with double row angular contact bearings

### Tru-Turf Smoothing Heads Rollers for RS48-11E machine

#### Multi-body roller options available to minimize skidding

2.5" smooth Urethane	9.5 lb T2222S25C	\$396 22.45" body, 22.625" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2222ST	\$80
2.5" smooth Steel	9.2 lb T2222S25S	\$376 22.25" body, 22.625" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2222ST	\$80

### Tru-Turf Smoothing Heads Rollers for RB48-11A machine (4 short & 2 long rollers per machine)

#### Multi-body roller options available to minimize skidding

2.5" smooth Urethane	9.5 lb T2222R25C	\$396 22.45" body short rollers, 22.716" shaft (4 per machine)	OHCOMP or OHCOMPSS	SHA2222RT	\$80
2.5" smooth Steel	9.2 lb T2222R25S	\$376 22.25" body short rollers, 22.716" shaft (4 per machine)	OHCOMP or OHCOMPSS	SHA2222RT	\$80
2.5" smooth Urethane	10 lb T2524R25C	\$396 24.45" body long rollers, 25.078" shaft (2 per machine)	OHCOMP or OHCOMPSS	SHA2522RT	\$80
2.5" smooth Steel	9.6 lb T2524R25S	\$376 24.25" body long rollers, 25.078" shaft (2 per machine)	OHCOMP or OHCOMPSS	SHA2522RT	\$80

### Tru-Turf Smoothing Heads Rollers for R50-11 machine (4 short & 2 long rollers per machine)

#### Multi-body roller options available to minimize skidding

2.5" smooth Urethane	9.5 lb T2222Y25C	\$396 22.45" body short rollers, 22.75" shaft (4 per machine)	OHCOMP or OHCOMPSS	SHA2222YT	\$91
2.5" smooth Steel	9.2 lb T2222Y25S	\$376 22.25" body short rollers, 22.75" shaft (4 per machine)	OHCOMP or OHCOMPSS	SHA2222YT	\$91
2.5" smooth Urethane	10 lb T2524Y25C	\$396 24.45" body long rollers, 25" shaft (2 per machine)	OHCOMP or OHCOMPSS	SHA2524YT	\$91
2.5" smooth Steel	9.6 lb T2524Y25S	\$396 24.25" body long rollers, 25" shaft (2 per machine)	OHCOMP or OHCOMPSS	SHA2524YT	\$91

### Tru-Turf Smoothing Heads Rollers for GR39 machine

#### Multi-body roller options available to minimize skidding

2.5" smooth Urethane	15.5 lb T3939S25C	\$616 39.45" body, 39.812" dia. shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA3939ST	\$100
2.5" smooth Steel	15.5 lb T3939S25S	\$646 39.25" body, 39.812" dia. shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA3939ST	\$100

### Tru-Turf Smoothing Heads Rollers for TR7000C machine

#### Multi-body roller options available to minimize skidding

2 bodies 2.5" smooth Urethane (2x19.5" wide bodies)	15.5 lb TT3939S25Ct	\$676 2 body assembly at 39.5" total length, 39.812" dia. shaft	2x OHCOMP or 2x OHCOMPSS	SHA3939STAt	\$100
2 bodies 2.5" smooth Steel (2x19.45" wide bodies)	15.5 lb TT3939S25St	\$686 2 body assembly at 39.5" total length, 39.812" dia. shaft	2x OHCOMP or 2x OHCOMPSS	SHA3939ST	\$100

### Tru-Turf Smoothing Heads Rollers for R52 machine (9 rollers per machine)

#### Multi-body roller options available to minimize skidding

2.5" smooth Urethane	9 lb T1818S25C	\$396 18.45" body, 18.5" shaft-3/8" taps (9 per machine)	OHCOMP or OHCOMPSS	SHA1818ST	\$80
2.5" smooth Steel	8.7 lb T1818S25S	\$376 18.25" body, 18.5" shaft-3/8" taps (9 per machine)	OHCOMP or OHCOMPSS	SHA1818ST	\$80

### Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine

#### Multi-body roller options available to minimize skidding

2.5" smooth Urethane	9.5 lb TT2422S25C	\$396 22.45" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422ST	\$80
2.5" smooth Steel	9.2 lb TT2422S25S	\$396 22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422ST	\$80

## for BARONESS (multi-body rollers available)

Call to upgrade with double row angular contact bearings

### Baroness LM66T Greens - 25.45" Front & back ROLLERS

#### Multi-body roller options available to minimize skidding

2.5" dia. wide grooved (1" spacing) Urethane no flats	13 lb B2725H25CG	\$486 25.45" body, 27" shaft-M10 taps	OHCOMP or OHCOMPSS	SHA2725HK	\$91
2.5" smooth Urethane	15 lb B2725H25C	\$476 25.45" body, 27" shaft-M10 taps	OHCOMP or OHCOMPSS	SHA2725HK	\$91
2.5" smooth Steel	15 lb B2725H25S	\$456 25.25" body, 27" shaft-M10 taps	OHCOMP or OHCOMPSS	SHA2725HK	\$91

### Baroness LM185 - 27.45" Front & Back ROLLERS

#### Multi-body roller options available to minimize skidding

3" dia. wide grooved Urethane	13 lb B3027K3CG	\$613 27.45" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMPSS	SHA3027KK	\$91
3" smooth Urethane	15 lb B3027K3C	\$573 27.45" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMPSS	SHA3027KK	\$91
3" smooth Steel	15 lb B3027K3S	\$523 27.25" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMPSS	SHA3027KK	\$91

### Baroness LM2700 Fairway - 27.45" ROLLER BODIES

#### Multi-body roller options available to minimize skidding

3" dia. wide grooved Urethane with double row bearings	13 lb 2B2726G3CG	\$613 26.45" body, 27.625" shaft-7/16" taps	OHCOMP2C	SHA2726GK	\$91
3" smooth Urethane with double row bearings	15 lb 2B2726G3C	\$593 26.45" body, 27.625" shaft-7/16" taps	OHCOMP2C	SHA2726GK	\$91
3" smooth Steel with double row bearings	15 lb 2B2726G3SR	\$573 26.45" body, 27.625" shaft-7/16" taps	OHCOMP2R	SHA2726GK	\$91
3.5" smooth Urethane with double row bearings	18 lb 2B2726G35C	\$677 26.45" body, 27.625" shaft-7/16" taps	OHCOMP2C	SHA2726GK	\$91
4" smooth Urethane-double row bearings	23 lb 2B2726G4C	\$754 26.45" body, 27.625" shaft-7/16" taps	OHCOMP2C	SHA2726GK	\$91

### Baroness LM2810 Fairway - 29.45" ROLLER BODIES

coming soon

#### Multi-body roller options available to minimize skidding

Baroness LM315 - 22.45" ROLLER BODIES	Multi-body roller options available to minimize skidding
coming soon	

### Baroness LM62 - 22.45" ROLLER BODIES

coming soon

#### Multi-body roller options available to minimize skidding

Baroness LS66 Fairway - 27.45" ROLLER BODIES	Multi-body roller options available to minimize skidding
coming soon	

### Baroness LM6690 - ROLLER BODIES

coming soon

#### Multi-body roller options available to minimize skidding

Baroness LM6690 - ROLLER BODIES	Multi-body roller options available to minimize skidding
coming soon	

## for VENTRAC (multi-body rollers available)

Call to upgrade with double row angular contact bearings

### Ventrac MJ840 Contour Deck Rotary Mower

#### Multi-body roller options available to minimize skidding

<u>3" dia. SINGLE body</u>					
3" smooth Urethane with double row bearings	11.8 lb V2422S3C	only available through Venture Products	OHCOMP2C	SHA2422SV	
3" smooth Steel with single row bearings	11.4 lb V2422S3S	\$483 22.05" body, 24.56" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422SV	\$91
<u>3" dia. TWO opposing end short bodies</u>		non-stripping, non-skidding for tight turns & ground undulations			

2 bodies 3" dia. wide grooved Urethane (2x4" wide bodies)	6 lb V2404S3CGt	\$583 2 short twin bodies at ends of a 24.56" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2404SVAt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies)	8 lb V2404S3Ct	\$573 2 short twin bodies at ends of a 24.56" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2404SVAt	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	10 lb V2404S3St	\$573 2 short twin bodies at ends of a 24.56" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2404SVAt	\$91

### Ventrac MR740 Triplex Reel Mower

#### Multi-body roller options available to minimize skidding

3" dia. wide grooved Urethane	9.5 lb V2827G3CG	\$583 27.45" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCOMP or OHCOMPSS	SHA2827SV	\$91
3" smooth Urethane	11.5 lb V2827G3C	\$573 27.45" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCOMP or OHCOMPSS	SHA2827SV	\$91
3" smooth Steel	11.2 lb V2827G3S	\$483 27.25" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCOMP or OHCOMPSS	SHA2827SV	\$91

## for TrueSurface (multi-body rollers available)

Call to upgrade with double row angular contact bearings

### True Surface V5 rolling machine - FRONT ROLLER

#### Multi-body roller options available to minimize skidding

3" smooth Urethane	9.5 lb T2522V3C	\$503 22.45" body, 25.5" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522VT	\$91
3" smooth Steel	10 lb T2522V3S	\$483 22.25" body, 25.5" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522VT	\$91

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

# GOLFCO INTERNATIONAL COMPETITION ROLLERS

## Retail Price List 2025 & 2026

US PATENT #5394681

### Competition Roller™ Upgrade Options

	Retail	
Upgrade to Stainless Steel Bearings on Competition Rollers™	\$28	BU-COMPSS
Upgrade to Double Row Bearings as our Competition2 Rollers™ -upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body) -available for most rollers greater than 2" dia.	\$50	(designate by adding "2" to front of roller part number)
Add Grease Fittings (set of 2 special flush mount grease fittings) -grease fittings (set of two) for new Competition Rollers™ or new overhaul kits -special yellow end seal (set of two) to accommodate grease fitting without new bearing kits	\$25	GFFD316SET
	\$29	2SEAL16CUGF SET
Bearing Installation Tool Set -set of 2 tools - aids in installing bearings into roller housing and onto shaft	\$78	2TOOLSET
Super solid one piece Polyurethane Mallet - FULL SIZE (13" length) -add a bottle opener to your full size mallet for \$12 extra	\$70	#MALLET13
	\$82	#MALLET13BO
Super solid one piece Polyurethane Mallet - 3/4 SIZE (9.8" length)	\$45	#MALLET9.8
Super solid one piece Polyurethane Mallet - 1/2 SIZE (6.5" length) -unique utility to add to your tool box	\$33	#MALLET6.5



### Competition Roller™ Overhaul Kits - \*ORIGINAL STYLE\*

Single row deep groove bearings with corrosion resistant finish

{ Only Golfcos bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Standard overhaul kit for all single body (except "H" style 2" grooved) (with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)	\$80	OHCOMP
Stainless steel bearing overhaul kit for all single body (except 2" grooved) (with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)	\$106	OHCOMPSS
Overhaul Kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19 (with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)	\$85	OHCOMPBH
Overhaul Kit for single body roller assemblies with retaining collars (with 2 alloy steel bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)	\$95	OHCOMPC
Overhaul Kit for twin body roller assemblies with retaining collars (one kit per body) (with 2 alloy steel bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)	\$95	OHCOMPt



### Competition2 Roller™ Overhaul Kits \*SERIES 2\* with Double-Row Bearings

Double row angular contact bearings with corrosion resistant black oxide finish

{ Only Golfcos bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Overhaul Kit for single body deep bore rollers (with 2 double row bearings, 6 seals, 2 stainless washers & 4 snap ring retainers)	\$124	OHCOMP2
Overhaul Kit for single body deep bore rollers with retaining collars (with 2 double row bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)	\$124	OHCOMP2C
Overhaul Kit for twin body deep bore rollers with retaining collars (with 2 double row bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)	\$124	OHCOMP2t

### Competition Roller™ Overhaul Kits - \*FOR MULTI-BODY\* ROLLER ASSEMBLIES

{ Only Golfcos bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Overhaul Kit for multi-body regular bore roller assemblies with single row bearings (with 2 alloy steel single row bearings, seals, steel washers, retainers)	call for part numbers & pricing
Overhaul Kit for multi-body deep bore roller assemblies with double row bearings (with 2 alloy steel double row bearings with black oxide finish, seals, steel washers, retainers)	call for part numbers & pricing

### Competition Roller™ Replacement Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from 6 digits of the roller part number (starting with the first letter) as follows: Roller T2522S2CGF has shaft part SHA2522ST)  
Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).