

# GOLFCO INTERNATIONAL COMPETITION ROLLERS

## 2025 Retail Price List

US PATENT #5394681

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

| for Jacobsen mowers   | Complete Roller<br>Assemblies | roller<br>retail | Replacement<br>shaft #                                  | shaft<br>retail     |
|---|-------------------------------|------------------|---|---------------------|
| <b>Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 &amp; ECLIPSE 122 &amp; 322 MOWERS - FRONT ROLLER</b> |                               |                  |   |                     |
| <b>2" dia. SINGLE body</b>  |                               |                  |   |                     |
| 2" dia. wide grooved Urethane no flats  | 6.5 lb J2522A2CG              | <b>\$382</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2" dia. narrow grooved Urethane no flats  | 6.7 lb J2522A2NG              | <b>\$382</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2" dia. wide grooved Urethane 1" flats  | 6.5 lb J2522A2CGF             | <b>\$382</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2" dia. narrow grooved Urethane 1" flats  | 6.7 lb J2522A2NGF             | <b>\$382</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2" dia. smooth Urethane   | 8 lb J2522A2C                 | <b>\$362</b>     | 22.25" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2" dia. smooth Steel heavy (1/4" wall)  | 11.5 lb J2522A2S              | <b>\$302</b>     | 22.25" body, 25.87" shaft                               | SHA2522AJ \$76      |
| <b>2" dia. TWO opposing end short bodies</b>  |                               |                  |   |                     |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb J2504A2CGt               | <b>\$452</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb J2504A2NGt               | <b>\$452</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb J2504A2CGFt              | <b>\$452</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb J2504A2NGFt              | <b>\$452</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)   | 4 lb J2502A2Ct                | <b>\$452</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)  | 4.2 lb J2504A2Ct              | <b>\$452</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)   | 6 lb J2504A2St                | <b>\$452</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| <b>2" dia. SINGLE body + 2 bodies outside of brackets</b>   |                               |                  |   |                     |
| extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats  | 12 lb J3122A2CG+2C            | <b>\$512</b>     | 22.45" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats  | 12 lb J3122A2NG+2C            | <b>\$512</b>     | 22.45" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats  | 12 lb J3122A2CGF+2C           | <b>\$512</b>     | 22.45" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats  | 12 lb J3122A2NGF+2C           | <b>\$512</b>     | 22.45" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)   | 13 lb J3122A2C+2C             | <b>\$512</b>     | 22.25" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)  | 15 lb J3122A2S+2S             | <b>\$512</b>     | 22.25" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| <b>2" dia. FOUR bodies</b>  |                               |                  |   |                     |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb J2522A2CG4             | <b>\$562</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb J2522A2NG4             | <b>\$562</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb J2522A2CGF4            | <b>\$562</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb J2522A2NGF4            | <b>\$562</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)  | 8.5 lb J2522A2C4              | <b>\$562</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)   | 12 lb J2522A2S4               | <b>\$562</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| <b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>   |                               |                  |   |                     |
| 6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats   | 13 lb J3122A2CG4+2C           | <b>\$652</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats   | 13 lb J3122A2NG4+2C           | <b>\$652</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats   | 13 lb J3122A2CGF4+2C          | <b>\$652</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats   | 13 lb J3122A2NGF4+2C          | <b>\$652</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)  | 13 lb J3122A2C4+2C            | <b>\$652</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)   | 15 lb J3122A2S4+2S            | <b>\$652</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| <b>2.5" dia. SINGLE body</b>  |                               |                  |   |                     |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats   | 9 lb J2522A25CG               | <b>\$456</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats  | 9 lb J2522A25NG               | <b>\$456</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2.5" dia. wide grooved (1" spacing) Urethane 1" flats   | 9 lb J2522A25CGF              | <b>\$456</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 3/4" flats  | 9 lb J2522A25NGF              | <b>\$456</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2.5" smooth Urethane  | 9.5 lb J2522A25C              | <b>\$396</b>     | 22.45" body, 25.87" shaft                               | SHA2522AJ \$76      |
| 2.5" smooth Steel   | 10 lb J2522A25S               | <b>\$376</b>     | 22.25" body, 25.87" shaft                               | SHA2522AJ \$76      |
| <b>2.5" dia. TWO opposing end short bodies</b>  |                               |                  |   |                     |
| 2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb J2504A25CGt              | <b>\$496</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb J2504A25NGt              | <b>\$496</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb J2504A25CGFt             | <b>\$496</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb J2504A25NGFt             | <b>\$496</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)   | 4.2 lb J2504A25Ct             | <b>\$496</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| 2 bodies 2.5" smooth Steel (2x4.75" wide bodies)  | 4.2 lb J2504A25St             | <b>\$496</b>     | 2 short twin bodies at ends of 25.87" shaft             | SHA2504AJAt \$91    |
| <b>2.5" dia. SINGLE body + 2 bodies outside of brackets</b>   |                               |                  |   |                     |
| extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats  | 12 lb J3122A25CG+2C           | <b>\$566</b>     | 22.45" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats  | 12 lb J3122A25NG+2C           | <b>\$566</b>     | 22.45" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats  | 12 lb J3122A25CGF+2C          | <b>\$566</b>     | 22.45" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats  | 12 lb J3122A25NGF+2C          | <b>\$566</b>     | 22.45" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)  | 13 lb J3122A25C+2C            | <b>\$566</b>     | 22.25" center body + 2 short outer bodies, 31.87" shaft | SHA3122AJA+2 \$108  |
| <b>2.5" dia. FOUR bodies</b>  |                               |                  |   |                     |
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 10.5 lb J2522A25CG4           | <b>\$636</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats   | 10.5 lb J2522A25NG4           | <b>\$636</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 10.5 lb J2522A25CGF4          | <b>\$636</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats   | 10.5 lb J2522A25NGF4          | <b>\$636</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| 4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)   | 9 lb J2522A25C4               | <b>\$636</b>     | 4 short bodies, 25.87" shaft                            | SHA2522AJA4 \$91    |
| <b>2.5" dia. FOUR bodies + 2 bodies outside of brackets</b>   |                               |                  |   |                     |
| 6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats   | 14 lb J3122A25CG4+2C          | <b>\$686</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats   | 13 lb J3122A25NG4+2C          | <b>\$686</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats   | 13 lb J3122A25CGF4+2C         | <b>\$686</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats   | 13 lb J3122A25NGF4+2C         | <b>\$686</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |
| 6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)   | 13 lb J3122A25C4+2C           | <b>\$686</b>     | 4 center bodies + 2 short outer bodies, 31.87" shaft    | SHA3122AJA4+2 \$108 |

**Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex,GP400 & ECLIPSE 122 & 322 MOWERS - BACK ROLLER**

**2" dia. SINGLE body w/ 3/8" taps in shaft**

|  |                   |              |                                     |           |             |
|--|-------------------|--------------|-------------------------------------|-----------|-------------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb J2422S2CG  | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps | SHA2422SJ | <b>\$76</b> |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb J2422S2NG  | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps | SHA2422SJ | <b>\$76</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb J2422S2CGF | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps | SHA2422SJ | <b>\$76</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb J2422S2NGF | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps | SHA2422SJ | <b>\$76</b> |
| 2" dia. smooth Urethane                  | 8 lb J2422S2C     | <b>\$362</b> | 22.25" body, 24.25" shaft-3/8" taps | SHA2422SJ | <b>\$76</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb J2422S2S  | <b>\$302</b> | 22.25" body, 24.25" shaft-3/8" taps | SHA2422SJ | <b>\$76</b> |

**2" dia. SINGLE body w/ 7/16" taps in shaft**

|  |                   |              |                                      |           |             |
|--|-------------------|--------------|--------------------------------------|-----------|-------------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb J2422G2CG  | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps | SHA2422GJ | <b>\$76</b> |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb J2422G2NG  | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps | SHA2422GJ | <b>\$76</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb J2422G2CGF | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps | SHA2422GJ | <b>\$76</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb J2422G2NGF | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps | SHA2422GJ | <b>\$76</b> |
| 2" dia. smooth Urethane                  | 8 lb J2422G2C     | <b>\$362</b> | 22.25" body, 24.25" shaft-7/16" taps | SHA2422GJ | <b>\$76</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb J2422G2S  | <b>\$302</b> | 22.25" body, 24.25" shaft-7/16" taps | SHA2422GJ | <b>\$76</b> |

**2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft**

|   |                  |              |   |            |             |
|---|------------------|--------------|---|------------|-------------|
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb J2404S2CGt  | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps | SHA2404SJA | <b>\$91</b> |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats | 4 lb J2404S2NGt  | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps | SHA2404SJA | <b>\$91</b> |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb J2404S2CGFt | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps | SHA2404SJA | <b>\$91</b> |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats | 4 lb J2404S2NGFt | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps | SHA2404SJA | <b>\$91</b> |
| 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)                     | 4 lb J2402S2Ct   | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps | SHA2402SJA | <b>\$91</b> |
| 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)                  | 4.2 lb J2404S2Ct | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps | SHA2404SJA | <b>\$91</b> |
| 2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)               | 6 lb J2404S2St   | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps | SHA2404SJA | <b>\$91</b> |

**2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft**

|   |                  |              |  |            |             |
|---|------------------|--------------|--|------------|-------------|
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb J2404G2CGt  | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps | SHA2404GJA | <b>\$91</b> |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats | 4 lb J2404G2NGt  | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps | SHA2404GJA | <b>\$91</b> |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb J2404G2CGFt | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps | SHA2404GJA | <b>\$91</b> |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats | 4 lb J2404G2NGFt | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps | SHA2404GJA | <b>\$91</b> |
| 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)                     | 4 lb J2402G2Ct   | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps | SHA2402GJA | <b>\$91</b> |
| 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)                  | 4.2 lb J2404G2Ct | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps | SHA2404GJA | <b>\$91</b> |
| 2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)               | 6.2 lb J2404G2St | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps | SHA2404GJA | <b>\$91</b> |

**2" dia. FOUR bodies w/ 3/8" taps in shaft**

|   |                    |              |  |             |             |
|---|--------------------|--------------|--|-------------|-------------|
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb J2422S2CG4  | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps | SHA2422SJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 8.5 lb J2422S2NG4  | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps | SHA2422SJA4 | <b>\$91</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb J2422S2CGF4 | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps | SHA2422SJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 8.5 lb J2422S2NGF4 | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps | SHA2422SJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)                  | 8.5 lb J2422S2C4   | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps | SHA2422SJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)               | 12 lb J2422S2S4    | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps | SHA2422SJA4 | <b>\$91</b> |

**2" dia. FOUR bodies w/ 7/16" taps in shaft**

|   |                    |              |   |             |             |
|---|--------------------|--------------|---|-------------|-------------|
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb J2422G2CG4  | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 8.5 lb J2422G2NG4  | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb J2422G2CGF4 | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 8.5 lb J2422G2NGF4 | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)                  | 8.5 lb J2422G2C4   | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)               | 12 lb J2422G2S4    | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps | SHA2422GJA4 | <b>\$91</b> |

**Jacobsen TC-22 GREENSMOWERS - FRONT ROLLER**

**2" dia. SINGLE body**

|  |                   |              |                           |           |             |
|--|-------------------|--------------|---------------------------|-----------|-------------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb J2522J2CG  | <b>\$412</b> | 22.45" body, 25.87" shaft | SHA2522JJ | <b>\$80</b> |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb J2522J2NG  | <b>\$412</b> | 22.45" body, 25.87" shaft | SHA2522JJ | <b>\$80</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb J2522J2CGF | <b>\$412</b> | 22.45" body, 25.87" shaft | SHA2522JJ | <b>\$80</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb J2522J2NGF | <b>\$412</b> | 22.45" body, 25.87" shaft | SHA2522JJ | <b>\$80</b> |
| 2" dia. smooth Urethane                  | 8 lb J2522J2C     | <b>\$392</b> | 22.25" body, 25.87" shaft | SHA2522JJ | <b>\$80</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb J2522J2S  | <b>\$332</b> | 22.25" body, 25.87" shaft | SHA2522JJ | <b>\$80</b> |

**2" dia. FOUR bodies**

|   |                    |              |                              |             |             |
|---|--------------------|--------------|------------------------------|-------------|-------------|
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb J2522J2CG4  | <b>\$562</b> | 4 short bodies, 25.87" shaft | SHA2522JJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 8.5 lb J2522J2NG4  | <b>\$562</b> | 4 short bodies, 25.87" shaft | SHA2522JJA4 | <b>\$91</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb J2522J2CGF4 | <b>\$562</b> | 4 short bodies, 25.87" shaft | SHA2522JJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 8.5 lb J2522J2NGF4 | <b>\$562</b> | 4 short bodies, 25.87" shaft | SHA2522JJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)                  | 8.5 lb J2522J2C4   | <b>\$592</b> | 4 short bodies, 25.87" shaft | SHA2522JJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)               | 12 lb J2522J2S4    | <b>\$592</b> | 4 short bodies, 25.87" shaft | SHA2522JJA4 | <b>\$91</b> |

**Jacobsen TC-22 GREENSMOWERS - BACK ROLLER**

**2" dia. SINGLE body**

|  |                   |              |                           |           |             |
|--|-------------------|--------------|---------------------------|-----------|-------------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb J2522V2CG  | <b>\$412</b> | 22.45" body, 25.87" shaft | SHA2522VJ | <b>\$80</b> |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb J2522V2NG  | <b>\$412</b> | 22.45" body, 25.87" shaft | SHA2522VJ | <b>\$80</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb J2522V2CGF | <b>\$412</b> | 22.45" body, 25.87" shaft | SHA2522VJ | <b>\$80</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb J2522V2NGF | <b>\$382</b> | 22.45" body, 25.87" shaft | SHA2522VJ | <b>\$80</b> |
| 2" dia. smooth Urethane                  | 8 lb J2522V2C     | <b>\$392</b> | 22.25" body, 25.87" shaft | SHA2522VJ | <b>\$80</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb J2522V2S  | <b>\$332</b> | 22.25" body, 25.87" shaft | SHA2522VJ | <b>\$80</b> |

**2" dia. FOUR bodies**

|   |                    |              |                              |             |             |
|---|--------------------|--------------|------------------------------|-------------|-------------|
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb J2522V2CG4  | <b>\$562</b> | 4 short bodies, 25.87" shaft | SHA2522VJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 8.5 lb J2522V2NG4  | <b>\$562</b> | 4 short bodies, 25.87" shaft | SHA2522VJA4 | <b>\$91</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb J2522V2CGF4 | <b>\$562</b> | 4 short bodies, 25.87" shaft | SHA2522VJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 8.5 lb J2522V2NGF4 | <b>\$562</b> | 4 short bodies, 25.87" shaft | SHA2522VJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)                  | 8.5 lb J2522V2C4   | <b>\$592</b> | 4 short bodies, 25.87" shaft | SHA2522VJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)               | 12 lb J2522V2S4    | <b>\$592</b> | 4 short bodies, 25.87" shaft | SHA2522VJA4 | <b>\$91</b> |

**Jacobsen ALL 18" GREENSMOWERS (Eclipse 118, GK 418 & GK 518) - FRONT & BACK ROLLERS (SHAFT is 21.25" without taps in either end)**

**2" dia. SINGLE body**

|  |                   |              |                                    |           |             |
|--|-------------------|--------------|------------------------------------|-----------|-------------|
| 2" dia. wide grooved Urethane no flats   | 6.2 lb J2119A2CG  | <b>\$382</b> | 19.45" body, 21.25" shaft w/o taps | SHA2119AJ | <b>\$76</b> |
| 2" dia. narrow grooved Urethane no flats | 6.4 lb J2119A2NG  | <b>\$382</b> | 19.45" body, 21.25" shaft w/o taps | SHA2119AJ | <b>\$76</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.2 lb J2119A2CGF | <b>\$382</b> | 19.45" body, 21.25" shaft w/o taps | SHA2119AJ | <b>\$76</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.4 lb J2119A2NGF | <b>\$382</b> | 19.45" body, 21.25" shaft w/o taps | SHA2119AJ | <b>\$76</b> |
| 2" dia. smooth Urethane                  | 7.5 lb J2119A2C   | <b>\$362</b> | 19.25" body, 21.25" shaft w/o taps | SHA2119AJ | <b>\$76</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 10.5 lb J2119A2S  | <b>\$302</b> | 19.25" body, 21.25" shaft w/o taps | SHA2119AJ | <b>\$76</b> |

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)  
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

4 lb J2104A2CGt  
4 lb J2104A2NGt  
4 lb J2104A2CGFt  
4 lb J2104A2NGFt  
4 lb J2102A2Ct  
4.2 lb J2104A2Ct  
6 lb J2104A2St

\$452  
\$452  
\$452  
\$452  
\$452  
\$452  
\$452

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin bodies at ends of 21.25" shaft  
2 short twin bodies at ends of 21.25" shaft  
2 short twin bodies at ends of 21.25" shaft  
2 short twin bodies at ends of 21.25" shaft  
2 short twin bodies at ends of 21.25" shaft  
2 short twin bodies at ends of 21.25" shaft  
2 short twin bodies at ends of 21.25" shaft

SHA2104AJAt  
SHA2104AJAt  
SHA2104AJAt  
SHA2104AJAt  
SHA2102AJAt  
SHA2104AJAt  
SHA2104AJAt

\$91  
\$91  
\$91  
\$91  
\$91  
\$91  
\$91

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats  
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats  
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats  
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats  
extended 2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)  
extended 2" dia. smooth Steel heavy (19.45" inner+2x2" outer bodies)

12 lb J2719A2CG+2C  
12 lb J2719A2NG+2C  
12 lb J2719A2CGF+2C  
12 lb J2719A2NGF+2C  
13 lb J2719A2C+2C  
13 lb J2719A2S+2S

\$512  
\$512  
\$512  
\$512  
\$512  
\$512

**non-skidding for tight turns & ground undulations**

19.45" center body + 2 short outer bodies, 27.25" shaft  
19.45" center body + 2 short outer bodies, 27.25" shaft  
19.45" center body + 2 short outer bodies, 27.25" shaft  
19.45" center body + 2 short outer bodies, 27.25" shaft  
19.45" center body + 2 short outer bodies, 27.25" shaft  
19.45" center body + 2 short outer bodies, 27.25" shaft

SHA2719AJA+2  
SHA2719AJA+2  
SHA2719AJA+2  
SHA2719AJA+2  
SHA2719AJA+2  
SHA2719AJA+2

\$108  
\$108  
\$108  
\$108  
\$108  
\$108

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)  
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

8.5 lb J2119A2CG4  
8.5 lb J2119A2NG4  
8.5 lb J2119A2CGF4  
8.5 lb J2119A2NGF4  
8.5 lb J2119A2C4  
12 lb J2119A2S4

\$562  
\$562  
\$562  
\$562  
\$562  
\$562

**non-skidding for tight turns & ground undulations**

4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft

SHA2119AJA4  
SHA2119AJA4  
SHA2119AJA4  
SHA2119AJA4  
SHA2119AJA4  
SHA2119AJA4

\$91  
\$91  
\$91  
\$91  
\$91  
\$91

**2" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats  
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats  
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats  
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats  
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)  
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)

13 lb J2719A2CG4+2C  
13 lb J2719A2NG4+2C  
13 lb J2719A2CGF4+2C  
13 lb J2719A2NGF4+2C  
12 lb J2719A2C4+2C  
12 lb J2719A2S4+2S

\$652  
\$652  
\$652  
\$652  
\$652  
\$652

**non-skidding for tight turns & ground undulations**

4 center bodies + 2 short outer bodies, 27.25" shaft  
4 center bodies + 2 short outer bodies, 27.25" shaft  
4 center bodies + 2 short outer bodies, 27.25" shaft  
4 center bodies + 2 short outer bodies, 27.25" shaft  
4 center bodies + 2 short outer bodies, 27.25" shaft  
4 center bodies + 2 short outer bodies, 27.25" shaft

SHA2719AJA4+2  
SHA2719AJA4+2  
SHA2719AJA4+2  
SHA2719AJA4+2  
SHA2719AJA4+2  
SHA2719AJA4+2

\$108  
\$108  
\$108  
\$108  
\$108  
\$108

**Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT ROLLERS (SHAFT is 21.25" with taps in both ends)**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats  
2" dia. narrow grooved Urethane no flats  
2" dia. wide grooved Urethane 1" flats  
2" dia. narrow grooved Urethane 1" flats  
2" dia. smooth Urethane  
2" dia. smooth Steel heavy (1/4" wall)

6.2 lb J2119S2CG  
6.4 lb J2119S2NG  
6.2 lb J2119S2CGF  
6.4 lb J2119S2NGF  
7.5 lb J2119S2C  
10.5 lb J2119S2S

\$382  
\$382  
\$382  
\$382  
\$362  
\$302

19.45" body, 21.25" shaft-3/8" taps  
19.45" body, 21.25" shaft-3/8" taps  
19.45" body, 21.25" shaft-3/8" taps  
19.45" body, 21.25" shaft-3/8" taps  
19.25" body, 21.25" shaft-3/8" taps  
19.25" body, 21.25" shaft-3/8" taps

SHA2119SJ  
SHA2119SJ  
SHA2119SJ  
SHA2119SJ  
SHA2119SJ  
SHA2119SJ

\$76  
\$76  
\$76  
\$76  
\$76  
\$76

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)  
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

4 lb J2104S2CGt  
4 lb J2104S2NGt  
4 lb J2104S2CGFt  
4 lb J2104S2NGFt  
4 lb J2102S2Ct  
4.2 lb J2104S2Ct  
6 lb J2104S2St

\$452  
\$452  
\$452  
\$452  
\$452  
\$452  
\$452

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin bodies at ends of a 21.25" shaft-3/8" taps  
2 short twin bodies at ends of a 21.25" shaft-3/8" taps  
2 short twin bodies at ends of a 21.25" shaft-3/8" taps  
2 short twin bodies at ends of a 21.25" shaft-3/8" taps  
2 short twin bodies at ends of a 21.25" shaft-3/8" taps  
2 short twin bodies at ends of a 21.25" shaft-3/8" taps  
2 short twin bodies at ends of a 21.25" shaft-3/8" taps

SHA2104SJAt  
SHA2104SJAt  
SHA2104SJAt  
SHA2104SJAt  
SHA2104SJAt  
SHA2104SJAt  
SHA2104SJAt

\$91  
\$91  
\$91  
\$91  
\$91  
\$91  
\$91

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)  
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

8.5 lb J2119S2CG4  
8.5 lb J2119S2NG4  
8.5 lb J2119S2CGF4  
8.5 lb J2119S2NGF4  
8.5 lb J2119S2C4  
12 lb J2119S2S4

\$562  
\$562  
\$562  
\$562  
\$562  
\$562

**non-skidding for tight turns & ground undulations**

4 short bodies, 21.25" shaft-3/8" taps  
4 short bodies, 21.25" shaft-3/8" taps  
4 short bodies, 21.25" shaft-3/8" taps  
4 short bodies, 21.25" shaft-3/8" taps  
4 short bodies, 21.25" shaft-3/8" taps  
4 short bodies, 21.25" shaft-3/8" taps

SHA2119SJA4  
SHA2119SJA4  
SHA2119SJA4  
SHA2119SJA4  
SHA2119SJA4  
SHA2119SJA4

\$91  
\$91  
\$91  
\$91  
\$91  
\$91

**Jacobsen 18" Eclipse2 118F GREENSMOWERS - REAR ROLLERS (SHAFT is 20.5" with taps in both ends)**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats  
2" dia. narrow grooved Urethane no flats  
2" dia. wide grooved Urethane 1" flats  
2" dia. narrow grooved Urethane 1" flats  
2" dia. smooth Urethane  
2" dia. smooth Steel heavy (1/4" wall)

6.2 lb J2019S2CG  
6.4 lb J2019S2NG  
6.2 lb J2019S2CGF  
6.4 lb J2019S2NGF  
7.5 lb J2019S2C  
10.5 lb J2019S2S

\$382  
\$382  
\$382  
\$382  
\$362  
\$302

19.45" body, 20.5" shaft-3/8" taps  
19.45" body, 20.5" shaft-3/8" taps  
19.45" body, 20.5" shaft-3/8" taps  
19.45" body, 20.5" shaft-3/8" taps  
19.25" body, 20.5" shaft-3/8" taps  
19.25" body, 20.5" shaft-3/8" taps

SHA2119SJ  
SHA2119SJ  
SHA2019SJ  
SHA2119SJ  
SHA2019SJ  
SHA2019SJ

\$76  
\$76  
\$76  
\$76  
\$76  
\$76

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)  
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

4 lb J2004S2CGt  
4 lb J2004S2NGt  
4 lb J2004S2CGFt  
4 lb J2004S2NGFt  
4 lb J2002S2Ct  
4.2 lb J2004S2Ct  
6 lb J2004S2St

\$452  
\$452  
\$452  
\$452  
\$452  
\$452  
\$452

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin bodies at ends of a 20.5" shaft-3/8" taps  
2 short twin bodies at ends of a 20.5" shaft-3/8" taps  
2 short twin bodies at ends of a 20.5" shaft-3/8" taps  
2 short twin bodies at ends of a 20.5" shaft-3/8" taps  
2 short twin bodies at ends of a 20.5" shaft-3/8" taps  
2 short twin bodies at ends of a 20.5" shaft-3/8" taps  
2 short twin bodies at ends of a 20.5" shaft-3/8" taps

SHA2004SJAt  
SHA2004SJAt  
SHA2004SJAt  
SHA2004SJAt  
SHA2002SJAt  
SHA2004SJAt  
SHA2004SJAt

\$91  
\$91  
\$91  
\$91  
\$91  
\$91  
\$91

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)  
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

8.5 lb J2019S2CG4  
8.5 lb J2019S2NG4  
8.5 lb J2019S2CGF4  
8.5 lb J2019S2NGF4  
8.9 lb J2019S2C4  
12 lb J2019S2S4

\$562  
\$562  
\$562  
\$562  
\$562  
\$562

**non-skidding for tight turns & ground undulations**

4 short bodies, 20.5" shaft-3/8" taps  
4 short bodies, 20.5" shaft-3/8" taps  
4 short bodies, 20.5" shaft-3/8" taps  
4 short bodies, 20.5" shaft-3/8" taps  
4 short bodies, 20.5" shaft-3/8" taps  
4 short bodies, 20.5" shaft-3/8" taps

SHA2019SJA4  
SHA2019SJA4  
SHA2019SJA4  
SHA2019SJA4  
SHA2019SJA4  
SHA2019SJA4

\$91  
\$91  
\$91  
\$91  
\$91  
\$91

**Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - FRONT & BACK ROLLERS**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats  
2" dia. narrow grooved Urethane no flats  
2" dia. wide grooved Urethane 1" flats  
2" dia. narrow grooved Urethane 1" flats  
2" dia. smooth Urethane  
2" dia. smooth Steel heavy (1/4" wall)

7.8 lb J2926A2CG  
7.8 lb J2926A2NG  
8 lb J2926A2CGF  
8 lb J2926A2NGF  
9 lb J2926A2C  
12.5 lb J2926A2S

\$382  
\$382  
\$382  
\$382  
\$362  
\$302

**Call to upgrade with double row angular contact bearings**

26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.25" body, 29.75" shaft

SHA2926AJ  
SHA2926AJ  
SHA2926AJ  
SHA2926AJ  
SHA2926AJ  
SHA2926AJ

\$76  
\$76  
\$76  
\$76  
\$76  
\$76

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)  
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

4 lb J2904A2CGt  
4 lb J2904A2NGt  
4 lb J2904A2CGFt  
4 lb J2904A2NGFt  
4 lb J2902A2Ct  
4.2 lb J2904A2Ct  
6 lb J2904A2St

\$452  
\$452  
\$452  
\$452  
\$452  
\$452  
\$452

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft

SHA2904AJAt \$91  
SHA2904AJAt \$91  
SHA2904AJAt \$91  
SHA2904AJAt \$91  
SHA2902AJAt \$91  
SHA2904AJAt \$91  
SHA2904AJAt \$91

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats  
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats  
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats  
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats  
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)  
extended 2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)

12 lb J3526A2CG+2C  
12 lb J3526A2NG+2C  
12 lb J3526A2CGF+2C  
12 lb J3526A2NGF+2C  
13 lb J3526A2C+2C  
13 lb J3526A2S+2S

\$512  
\$512  
\$512  
\$512  
\$512  
\$512

**non-skidding for tight turns & ground undulations**

26.45" center body +2 short outer bodies, 35.75" shaft  
26.45" center body +2 short outer bodies, 35.75" shaft  
26.45" center body +2 short outer bodies, 35.75" shaft  
26.45" center body +2 short outer bodies, 35.75" shaft  
26.45" center body +2 short outer bodies, 35.75" shaft  
26.45" center body +2 short outer bodies, 35.75" shaft

SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats  
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats  
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats  
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats  
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)  
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)

10 lb J2926A2CG4  
10 lb J2926A2NG4  
10 lb J2926A2CGF4  
10 lb J2926A2NGF4  
13 lb J2926A2C4  
13 lb J2926A2S4

\$562  
\$562  
\$562  
\$562  
\$562  
\$562

**non-skidding for tight turns & ground undulations**

4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft

SHA2926AJA4 \$91  
SHA2926AJA4 \$91  
SHA2926AJA4 \$91  
SHA2926AJA4 \$91  
SHA2926AJA4 \$91  
SHA2926AJA4 \$91

**2" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats  
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats  
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats  
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats  
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)  
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)

13 lb J3526A2CG4+2C  
13 lb J3526A2NG4+2C  
13 lb J3526A2CGF4+2C  
13 lb J3526A2NGF4+2C  
13 lb J3526A2C4+2C  
13 lb J3526A2S4+2S

\$652  
\$652  
\$652  
\$652  
\$652  
\$652

**non-skidding for tight turns & ground undulations**

4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft

SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats  
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats  
2.5" dia. wide grooved (1" spacing) Urethane 1" flats  
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats  
2.5" smooth Urethane  
2.5" smooth Steel

9 lb J2926A25CG  
9 lb J2926A25NG  
9 lb J2926A25CGF  
9 lb J2926A25NGF  
11 lb J2926A25C  
11 lb J2926A25S

\$456  
\$456  
\$456  
\$456  
\$396  
\$376

26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.25" body, 29.75" shaft

SHA2926AJ \$76  
SHA2926AJ \$76  
SHA2926AJ \$76  
SHA2926AJ \$76  
SHA2926AJ \$76  
SHA2926AJ \$76

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)  
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)

4 lb J2904A25CGt  
4 lb J2904A25NGt  
4 lb J2904A25CGFt  
4 lb J2904A25NGFt  
4.2 lb J2904A25Ct  
6 lb J2904A25St

\$496  
\$496  
\$496  
\$496  
\$496  
\$496

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft

SHA2904AJAt \$91  
SHA2904AJAt \$91  
SHA2904AJAt \$91  
SHA2904AJAt \$91  
SHA2904AJAt \$91  
SHA2904AJAt \$91

**2.5" dia. SINGLE body + 2 bodies outside of brackets**

extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats  
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats  
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats  
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats  
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)

12 lb J3526A25CG+2C  
12 lb J3526A25NG+2C  
12 lb J3526A25CGF+2C  
12 lb J3526A25NGF+2C  
13 lb J3526A25C+2C

\$566  
\$566  
\$566  
\$566  
\$566

**non-skidding for tight turns & ground undulations**

26.45" center body +2 short outer bodies, 35.5" shaft  
26.45" center body +2 short outer bodies, 35.5" shaft  
26.45" center body +2 short outer bodies, 35.5" shaft  
26.45" center body +2 short outer bodies, 35.5" shaft  
26.45" center body +2 short outer bodies, 35.5" shaft

SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats  
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats  
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats  
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats  
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)

10 lb J2926A25CG4  
10 lb J2926A25NG4  
10 lb J2926A25CGF4  
10 lb J2926A25NGF4  
13 lb J2926A25C4

\$636  
\$636  
\$636  
\$636  
\$636

**non-skidding for tight turns & ground undulations**

4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft  
4 short bodies, 29.75" shaft

SHA2926AJA4 \$91  
SHA2926AJA4 \$91  
SHA2926AJA4 \$91  
SHA2926AJA4 \$91  
SHA2926AJA4 \$91

**2.5" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats  
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats  
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats  
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats  
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)

10 lb J3526A25CG4+2C  
10 lb J3526A25NG4+2C  
10 lb J3526A25CGF4+2C  
10 lb J3526A25NGF4+2C  
13 lb J3526A25C4+2C

\$686  
\$686  
\$686  
\$686  
\$686

**non-skidding for tight turns & ground undulations**

4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft  
4 center bodies + 2 short outer bodies, 35.75" shaft

SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108  
SHA3526AJA+2 \$108

**Jacobsen 26" LF3810 & TRIKING 1471 & 1671 - FRONT & BACK ROLLERS**

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats  
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats  
2.5" dia. wide grooved (1" spacing) Urethane 1" flats  
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats  
2.5" smooth Urethane  
2.5" smooth Steel

9 lb J2826A25CG  
9 lb J2826A25NG  
9 lb J2826A25CGF  
9 lb J2826A25NGF  
11 lb J2826A25C  
11 lb J2826A25S

\$456  
\$456  
\$456  
\$456  
\$396  
\$376

26.45" body, 28.375" shaft  
26.45" body, 28.375" shaft  
26.45" body, 28.375" shaft  
26.45" body, 28.375" shaft  
26.45" body, 28.375" shaft  
26.25" body, 28.375" shaft

SHA2826AJ \$76  
SHA2826AJ \$76  
SHA2826AJ \$76  
SHA2826AJ \$76  
SHA2826AJ \$76  
SHA2826AJ \$76

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)  
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)

4 lb J2804A25CGt  
4 lb J2804A25NGt  
4 lb J2804A25CGFt  
4 lb J2804A25NGFt  
4.2 lb J2804A25Ct  
6 lb J2804A25St

\$496  
\$496  
\$496  
\$496  
\$496  
\$496

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin bodies at ends of 28.375" shaft  
2 short twin bodies at ends of 28.375" shaft  
2 short twin bodies at ends of 28.375" shaft  
2 short twin bodies at ends of 28.375" shaft  
2 short twin bodies at ends of 28.375" shaft  
2 short twin bodies at ends of 28.375" shaft

SHA2804AJAt \$91  
SHA2804AJAt \$91  
SHA2804AJAt \$91  
SHA2804AJAt \$91  
SHA2804AJAt \$91  
SHA2804AJAt \$91

**2.5" dia. SINGLE body + 2 bodies outside of brackets**

extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats  
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats  
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats  
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats  
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)

12 lb J3426A25CG+2C  
12 lb J3426A25NG+2C  
12 lb J3426A25CGF+2C  
12 lb J3426A25NGF+2C  
13 lb J3426A25C+2C

\$566  
\$566  
\$566  
\$566  
\$566

**non-skidding for tight turns & ground undulations**

26.45" center body +2 short outer bodies, 34.375" shaft  
26.45" center body +2 short outer bodies, 34.375" shaft  
26.45" center body +2 short outer bodies, 34.375" shaft  
26.45" center body +2 short outer bodies, 34.375" shaft  
26.45" center body +2 short outer bodies, 34.375" shaft

SHA3426AJA+2 \$108  
SHA3426AJA+2 \$108  
SHA3426AJA+2 \$108  
SHA3426AJA+2 \$108  
SHA3426AJA+2 \$108



|  |                      |              |   |             |             |  |  |
|--|----------------------|--------------|---|-------------|-------------|--|--|
| <b>3" dia. SINGLE body</b>   |                      |              |   |             |             |  |  |
| 3" dia. wide grooved Urethane  | 12.4 lb J3229A3CG    | <b>\$513</b> | 29.45" body, 32.19" shaft   | SHA3229AJ   | <b>\$76</b> |  |  |
| 3" smooth Urethane   | 15 lb J3229A3C       | <b>\$483</b> | 29.45" body, 32.19" shaft   | SHA3229AJ   | <b>\$76</b> |  |  |
| 3" smooth Steel  | 15 lb J3229A3S       | <b>\$443</b> | 29.25" body, 32.19" shaft   | SHA3229AJ   | <b>\$76</b> |  |  |
| <b>3" dia. FOUR bodies</b>   |                      |              | <b>non-skidding for tight turns &amp; ground undulations</b>                |             |             |  |  |
| 4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)  | 12 lb J3229A3CG4     | <b>\$673</b> | 4 short bodies, 32.19" shaft  | SHA3229AJA4 | <b>\$91</b> |  |  |
| 4 bodies 3" smooth Urethane (4x6.5" wide bodies)   | 14 lb J3229A3C4      | <b>\$663</b> | 4 short bodies, 32.19" shaft  | SHA3229AJA4 | <b>\$91</b> |  |  |
| <b>Jacobsen 18" LIGHT FAIRWAY LF530 &amp; SLF1880 - FRONT ROLLER</b>                                     |                      |              | <b>Call to upgrade with double row angular contact bearings</b>             |             |             |  |  |
| <b>3" dia. SINGLE body</b>   |                      |              |   |             |             |  |  |
| 3" dia. wide grooved Urethane  | 9 lb J2119A3CG       | <b>\$513</b> | 19.45" body, 21.25" shaft   | SHA2119AJ   | <b>\$76</b> |  |  |
| 3" smooth Urethane   | 10.5 lb J2119A3C     | <b>\$483</b> | 19.45" body, 21.25" shaft   | SHA2119AJ   | <b>\$76</b> |  |  |
| 3" smooth Steel  | 11 lb J2119A3S       | <b>\$443</b> | 19.25" body, 21.25" shaft   | SHA2119AJ   | <b>\$76</b> |  |  |
| <b>3" dia. FOUR bodies</b>   |                      |              | <b>non-skidding for tight turns &amp; ground undulations</b>                |             |             |  |  |
| 4 bodies 3" dia. wide grooved Urethane (4x4.75" wide bodies)   | 12 lb J2119A3CG4     | <b>\$673</b> | 4 short bodies, 21.25" shaft  | SHA2119AJA4 | <b>\$91</b> |  |  |
| 4 bodies 3" smooth Urethane (4x4.75" wide bodies)  | 14 lb J2119A3C4      | <b>\$663</b> | 4 short bodies, 21.25" shaft  | SHA2119AJA4 | <b>\$91</b> |  |  |
| <b>To diminish instances of shadowing lines due to overlap of reels</b>                                  |                      |              | <b>call for proper application specifics</b>                                |             |             |  |  |
| 3" dia. wide grooved Urethane with 2.2" wide smooth ends   | 8.5 lb J2119A3CG.22C | <b>\$543</b> | front roller for rear mower heads-use with J2016G2C                         | SHA2119AJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Urethane  | 6.5 lb J2016G2C      | <b>\$362</b> | back roller for rear mower heads-use with J2119A3CG.22C                     | SHA2016GJ   | <b>\$76</b> |  |  |
| <b>Jacobsen 18" LIGHT FAIRWAY LF530 &amp; SLF1880 - BACK ROLLER (with 7/16-20 tap)</b>                   |                      |              | <b>Call to upgrade with double row angular contact bearings</b>             |             |             |  |  |
| <b>2" dia. SINGLE body</b>   |                      |              |   |             |             |  |  |
| 2" dia. smooth Urethane  | 6.5 lb J2016S2C      | <b>\$362</b> | 16.25" body, 20.5" shaft-3/8" taps  | SHA2016GJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Steel heavy (1/4" wall)   | 8.5 lb J2016S2S      | <b>\$312</b> | 16.25" body, 20.5" shaft-3/8" taps  | SHA2016GJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Urethane  | 6.5 lb J2016G2C      | <b>\$362</b> | 16.25" body, 20.5" shaft-7/16" taps   | SHA2016GJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Steel heavy (1/4" wall)   | 8.5 lb J2016G2S      | <b>\$312</b> | 16.25" body, 20.5" shaft-7/16" taps   | SHA2016GJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Urethane  | 11 lb J2019S2C       | <b>\$362</b> | 19.45" body, 20.5" shaft-3/8" taps  | SHA2019SJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11 lb J2019S2S       | <b>\$302</b> | 19.25" body, 20.5" shaft-3/8" taps  | SHA2019SJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Urethane  | 11 lb J2019G2C       | <b>\$362</b> | 19.45" body, 20.5" shaft-7/16" taps   | SHA2019SJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11 lb J2019G2S       | <b>\$302</b> | 19.25" body, 20.5" shaft-7/16" taps   | SHA2019SJ   | <b>\$76</b> |  |  |
| <b>2.5" dia. SINGLE body</b>   |                      |              |   |             |             |  |  |
| 2.5" smooth Urethane   | 11 lb J2019S25C      | <b>\$396</b> | 19.45" body, 20.5" shaft-3/8" taps  | SHA2019SJ   | <b>\$76</b> |  |  |
| 2.5" smooth steel  | 11 lb J2019S25S      | <b>\$376</b> | 19.25" body, 20.5" shaft-3/8" taps  | SHA2019SJ   | <b>\$76</b> |  |  |
| <b>Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" &amp; 26" LF530, SLF1880, LF2500, LF3050, LF3810)</b> |                      |              | <b>Call to upgrade with double row angular contact bearings</b>             |             |             |  |  |
| <b>3" dia. SINGLE body</b>   |                      |              |   |             |             |  |  |
| 3" dia. wide grooved Urethane  | 9.4 lb J2522A3CG     | <b>\$513</b> | 22.45" body, 25.87" shaft   | SHA2522AJ   | <b>\$76</b> |  |  |
| 3" smooth Urethane   | 12 lb J2522A3C       | <b>\$483</b> | 22.45" body, 25.87" shaft   | SHA2522AJ   | <b>\$76</b> |  |  |
| 3" smooth Steel  | 11.5 lb J2522A3S     | <b>\$443</b> | 22.25" body, 25.87" shaft   | SHA2522AJ   | <b>\$76</b> |  |  |
| <b>3" dia. FOUR bodies</b>   |                      |              | <b>non-skidding for tight turns &amp; ground undulations</b>                |             |             |  |  |
| 4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)  | 12 lb J2522A3CG4     | <b>\$673</b> | 4 short bodies, 25.875" shaft   | SHA2522AJA4 | <b>\$91</b> |  |  |
| 4 bodies 3" smooth Urethane (4x5.55" wide bodies)  | 14 lb J2522A3C4      | <b>\$663</b> | 4 short bodies, 25.875" shaft   | SHA2522AJA4 | <b>\$91</b> |  |  |
| <b>To diminish instances of shadowing lines due to overlap of reels</b>                                  |                      |              | <b>call for proper application specifics</b>                                |             |             |  |  |
| 3" dia. wide grooved Urethane with 2.2" wide smooth ends   | 9.5 lb J2522A3CG.22C | <b>\$543</b> | front roller for rear mower heads-use with J2419S2C                         | SHA2522AJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Urethane (rear roller)  | 7 lb J2419S2C        | <b>\$362</b> | back roller for rear mower heads-use with J2522A3CG.22C                     | SHA2419SJ   | <b>\$76</b> |  |  |
| <b>Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" &amp; 26" LF530, SLF1880, LF2500, LF3050, LF3810)</b>  |                      |              | <b>Call to upgrade with double row angular contact bearings</b>             |             |             |  |  |
| <b>2" dia. SINGLE body w/ 3/8" taps in shaft</b>   |                      |              |   |             |             |  |  |
| 2" dia. wide grooved Urethane no flats   | 6.5 lb J2422S2CG     | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps   | SHA2422SJ   | <b>\$76</b> |  |  |
| 2" dia. narrow grooved Urethane no flats   | 6.7 lb J2422S2NG     | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps   | SHA2422SJ   | <b>\$76</b> |  |  |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb J2422S2CGF    | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps   | SHA2422SJ   | <b>\$76</b> |  |  |
| 2" dia. narrow grooved Urethane 1" flats   | 6.7 lb J2422S2NGF    | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps   | SHA2422SJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Urethane  | 8 lb J2422S2C        | <b>\$362</b> | 22.25" body, 24.25" shaft-3/8" taps   | SHA2422SJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb J2422S2S     | <b>\$302</b> | 22.25" body, 24.25" shaft-3/8" taps   | SHA2422SJ   | <b>\$76</b> |  |  |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb J2419S2CGF    | <b>\$382</b> | 19.45" body, 24.25" shaft-3/8" taps   | SHA2419SJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Urethane  | 7 lb J2419S2C        | <b>\$362</b> | 19.25" body, 24.25" shaft-3/8" taps   | SHA2419SJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Steel heavy (1/4" wall)   | 10.5 lb J2419S2S     | <b>\$302</b> | 19.25" body, 24.25" shaft-3/8" taps   | SHA2419SJ   | <b>\$76</b> |  |  |
| <b>2" dia. SINGLE body w/ 7/16" taps in shaft</b>  |                      |              |   |             |             |  |  |
| 2" dia. wide grooved Urethane no flats   | 6.5 lb J2422G2CG     | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps  | SHA2422GJ   | <b>\$76</b> |  |  |
| 2" dia. narrow grooved Urethane no flats   | 6.7 lb J2422G2NG     | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps  | SHA2422GJ   | <b>\$76</b> |  |  |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb J2422G2CGF    | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps  | SHA2422GJ   | <b>\$76</b> |  |  |
| 2" dia. narrow grooved Urethane 1" flats   | 6.7 lb J2422G2NGF    | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps  | SHA2422GJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Urethane  | 8 lb J2422G2C        | <b>\$362</b> | 22.25" body, 24.25" shaft-7/16" taps  | SHA2422GJ   | <b>\$76</b> |  |  |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb J2422G2S     | <b>\$302</b> | 22.25" body, 24.25" shaft-7/16" taps  | SHA2422GJ   | <b>\$76</b> |  |  |
| <b>2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft</b>                                       |                      |              | <b>non-stripping, non-skidding for tight turns &amp; ground undulations</b> |             |             |  |  |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats                                    | 4 lb J2404S2CGt      | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                       | SHA2404SJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats                                  | 4 lb J2404S2NGt      | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                       | SHA2404SJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats                                    | 4 lb J2404S2CGFt     | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                       | SHA2404SJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats                                  | 4 lb J2404S2NGFt     | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                       | SHA2404SJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  | 4 lb J2402S2Ct       | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                       | SHA2402SJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)   | 4.2 lb J2404S2Ct     | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                       | SHA2404SJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)  | 6 lb J2404S2St       | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                       | SHA2404SJAt | <b>\$91</b> |  |  |
| <b>2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft</b>                                      |                      |              | <b>non-stripping, non-skidding for tight turns &amp; ground undulations</b> |             |             |  |  |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats                                    | 4 lb J2404G2CGt      | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps                      | SHA2404GJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats                                  | 4 lb J2404G2NGt      | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps                      | SHA2404GJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats                                    | 4 lb J2404G2CGFt     | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps                      | SHA2404GJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats                                  | 4 lb J2404G2NGFt     | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps                      | SHA2404GJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  | 4 lb J2402G2Ct       | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps                      | SHA2402GJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)   | 4.2 lb J2404G2Ct     | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps                      | SHA2404GJAt | <b>\$91</b> |  |  |
| 2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)  | 6.2 lb J2404G2St     | <b>\$452</b> | 2 short twin bodies at ends of 24.25" shaft-7/16" taps                      | SHA2404GJAt | <b>\$91</b> |  |  |
| <b>2" dia. FOUR bodies w/ 3/8" taps in shaft</b>   |                      |              | <b>non-skidding for tight turns &amp; ground undulations</b>                |             |             |  |  |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats                                    | 8.5 lb J2422S2CG4    | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps                                      | SHA2422SJA4 | <b>\$91</b> |  |  |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats                                  | 8.5 lb J2422S2NG4    | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps                                      | SHA2422SJA4 | <b>\$91</b> |  |  |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats                                    | 8.5 lb J2422S2CGF4   | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps                                      | SHA2422SJA4 | <b>\$91</b> |  |  |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats                                  | 8.5 lb J2422S2NGF4   | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps                                      | SHA2422SJA4 | <b>\$91</b> |  |  |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)   | 8.5 lb J2422S2C4     | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps                                      | SHA2422SJA4 | <b>\$91</b> |  |  |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)  | 12 lb J2422S2S4      | <b>\$562</b> | 4 short bodies, 24.25" shaft-3/8" taps                                      | SHA2422SJA4 | <b>\$91</b> |  |  |

|   |                      |              |  |             |             |
|---|----------------------|--------------|--|-------------|-------------|
| <b>2" dia. FOUR bodies w/ 7/16" taps in shaft</b>   |                      |              |  |             |             |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb J2422G2CG4    | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps                                      | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb J2422G2NG4    | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps                                      | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb J2422G2CGF4   | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps                                      | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb J2422G2NGF4   | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps                                      | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)  | 8.5 lb J2422G2C4     | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps                                      | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)   | 12 lb J2422G2S4      | <b>\$562</b> | 4 short bodies, 24.25" shaft-7/16" taps                                      | SHA2422GJA4 | <b>\$91</b> |
| <b>2.5" dia. SINGLE body w/ 3/8" taps in shaft</b>  |                      |              |  |             |             |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats   | 8.5 lb J2421S25CG    | <b>\$456</b> | 21.45" body, 24.25" shaft-3/8" taps  | SHA2421SJ   | <b>\$76</b> |
| 2.5" smooth Urethane  | 8.8 lb J2421S25C     | <b>\$396</b> | 21.45" body, 24.25" shaft-3/8" taps  | SHA2421SJ   | <b>\$76</b> |
| 2.5" smooth Steel   | 9.5 lb J2421S25S     | <b>\$376</b> | 21.25" body, 24.25" shaft-3/8" taps  | SHA2421SJ   | <b>\$76</b> |
| <b>2.5" dia. SINGLE body w/ 7/16" taps in shaft</b>   |                      |              |  |             |             |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats   | 8.5 lb J2421G25CG    | <b>\$456</b> | 21.45" body, 24.25" shaft-7/16" taps   | SHA2421GJ   | <b>\$76</b> |
| 2.5" smooth Urethane  | 8.8 lb J2421G25C     | <b>\$396</b> | 21.45" body, 24.25" shaft-7/16" taps   | SHA2421GJ   | <b>\$76</b> |
| 2.5" smooth Steel   | 9.5 lb J2421G25S     | <b>\$376</b> | 21.25" body, 24.25" shaft-7/16" taps   | SHA2421GJ   | <b>\$76</b> |
| <b>2.5" dia. TWO opposing end short bodies</b>  |                      |              |  |             |             |
| 2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb J2404S25CGt     | <b>\$496</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                        | SHA2404SJA4 | <b>\$91</b> |
| 2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb J2404S25NGt     | <b>\$496</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                        | SHA2404SJA4 | <b>\$91</b> |
| 2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb J2404S25CGFt    | <b>\$496</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                        | SHA2404SJA4 | <b>\$91</b> |
| 2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb J2404S25NGFt    | <b>\$496</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                        | SHA2404SJA4 | <b>\$91</b> |
| 2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)   | 4.2 lb J2404S25Ct    | <b>\$496</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                        | SHA2404SJA4 | <b>\$91</b> |
| 2 bodies 2.5" smooth Steel (2x4.75" wide bodies)  | 4.2 lb J2404S25St    | <b>\$496</b> | 2 short twin bodies at ends of 24.25" shaft-3/8" taps                        | SHA2404SJA4 | <b>\$91</b> |
| <b>2.5" dia. FOUR bodies</b>  |                      |              |  |             |             |
| 4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) no flats                                   | 10.5 lb J2421S25CG4  | <b>\$636</b> | 4 short bodies at ends of 24.25" shaft-3/8" taps                             | SHA2421SJA4 | <b>\$91</b> |
| 4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) no flats                                   | 10.5 lb J2421S25NG4  | <b>\$636</b> | 4 short bodies at ends of 24.25" shaft-3/8" taps                             | SHA2421SJA4 | <b>\$91</b> |
| 4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) 1" flats                                   | 10.5 lb J2421S25CGF4 | <b>\$636</b> | 4 short bodies at ends of 24.25" shaft-3/8" taps                             | SHA2421SJA4 | <b>\$91</b> |
| 4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) 1" flats                                   | 10.5 lb J2421S25NGF4 | <b>\$636</b> | 4 short bodies at ends of 24.25" shaft-3/8" taps                             | SHA2421SJA4 | <b>\$91</b> |
| 4 bodies 2.5" smooth Urethane (2x4.75"+2x5.55" wide bodies)   | 9 lb J2421S25C4      | <b>\$636</b> | 4 short bodies at ends of 24.25" shaft-3/8" taps                             | SHA2421SJA4 | <b>\$91</b> |
| <b>Jacobsen 26" LIGHT FAIRWAY LF2500 &amp; 3050 - FRONT &amp; BACK ROLLERS</b>                                      |                      |              |  |             |             |
| <b>3" dia. SINGLE body</b>  |                      |              |  |             |             |
| 3" dia. wide grooved Urethane   | 13 lb J3026X3CG      | <b>\$513</b> | 26.45" body, 30.5" shaft-1/2" dia. ends                                      | SHA3026XJ   | <b>\$76</b> |
| 3" smooth Urethane  | 13.5 lb J3026X3C     | <b>\$493</b> | 26.45" body, 30.5" shaft-1/2" dia. ends                                      | SHA3026XJ   | <b>\$76</b> |
| 3" smooth Steel   | 13.5 lb J3026X3S     | <b>\$453</b> | 26.25" body, 30.5" shaft-1/2" dia. ends                                      | SHA3026XJ   | <b>\$76</b> |
| <b>3" dia. FOUR bodies</b>  |                      |              |  |             |             |
| 4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)   | 12 lb J3026X3CG4     | <b>\$683</b> | 4 short bodies, 30.5" shaft-1/2" dia. ends                                   | SHA3026XJA4 | <b>\$96</b> |
| 4 bodies 3" smooth Urethane (4x6.5" wide bodies)  | 14 lb J3026X3C4      | <b>\$663</b> | 4 short bodies, 30.5" shaft-1/2" dia. ends                                   | SHA3026XJA4 | <b>\$96</b> |
| <b>Jacobsen 30" ST5111, FAIRWAY, GANG, HF5 &amp; HF15 - FRONT &amp; BACK ROLLERS</b>                                |                      |              |  |             |             |
| <b>3" dia. SINGLE body</b>  |                      |              |  |             |             |
| 3" dia. wide grooved Urethane   | 12.4 lb J3329A3CG    | <b>\$513</b> | 29.45" body, 33" shaft   | SHA3329AJ   | <b>\$76</b> |
| 3" smooth Urethane  | 15 lb J3329A3C       | <b>\$483</b> | 29.45" body, 33" shaft   | SHA3329AJ   | <b>\$76</b> |
| 3" smooth Steel   | 15 lb J3329A3S       | <b>\$443</b> | 29.25" body, 33" shaft   | SHA3329AJ   | <b>\$76</b> |
| <b>Jacobsen ROTARY AR-522 &amp; AR-722 26" DECK - FRONT ROLLER</b>  |                      |              |  |             |             |
| 5" grooved Urethane (4" wide body) double row bearings  | 10 lb 2J040G5CG      | <b>\$315</b> | Roller assembly includes sleeves & bolts for mounting to fork                | SHA0404GJ   | <b>\$76</b> |
| 5" smooth Urethane (4" wide body) double row bearings   | 11 lb 2J040G5C       | <b>\$295</b> | Roller assembly includes sleeves & bolts for mounting to fork                | SHA0404GJ   | <b>\$76</b> |
| <b>Jacobsen ROTARY AR-522, AR-722, &amp; AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)</b> |                      |              |  |             |             |
| <b>3" dia. SINGLE body</b>  |                      |              |  |             |             |
| 3" dia. wide grooved Urethane with double row bearings  | 12.5 lb 2J2926R3CGR  | <b>\$553</b> | 26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends          | SHA2926RJ   | <b>\$91</b> |
| 3" smooth Urethane with double row bearings   | 13.3 lb 2J2926R3CR   | <b>\$533</b> | 26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends          | SHA2926RJ   | <b>\$91</b> |
| 3" smooth Steel with double row bearings  | 14 lb 2J2926R3SR     | <b>\$513</b> | 26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends          | SHA2926RJ   | <b>\$91</b> |
| 3" dia. wide grooved Urethane with double row bearings  | 12.5 lb 2J2926Q3CGR  | <b>\$553</b> | 26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end         | SHA2926QJ   | <b>\$91</b> |
| 3" smooth Urethane with double row bearings   | 13.3 lb 2J2926Q3CR   | <b>\$533</b> | 26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end         | SHA2926QJ   | <b>\$91</b> |
| 3" smooth Steel with double row bearings  | 14 lb 2J2926Q3SR     | <b>\$513</b> | 26.25" body, 29.42" dia. shaft-1 large milled flat end & 1 round end         | SHA2926QJ   | <b>\$91</b> |
| <b>3" dia. TWO opposing end short bodies</b>  |                      |              |  |             |             |
| 2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings                                     | 5.8 lb 2J2905R3CGRt  | <b>\$613</b> | 2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on end   | SHA2905RJA4 | <b>\$98</b> |
| 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings  | 6.2 lb 2J2904R3CRt   | <b>\$573</b> | 2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on end   | SHA2905RJA4 | <b>\$98</b> |
| 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings   | 8 lb 2J2904R3SRt     | <b>\$573</b> | 2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on end   | SHA2905RJA4 | <b>\$98</b> |
| 2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings                                     | 5.8 lb 2J2905Q3CGRt  | <b>\$613</b> | 2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end | SHA2905QJA4 | <b>\$98</b> |
| 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings  | 6.2 lb 2J2904Q3CRt   | <b>\$573</b> | 2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end | SHA2905RJA4 | <b>\$98</b> |
| 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings   | 8 lb 2J2904Q3SRt     | <b>\$573</b> | 2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end | SHA2905RJA4 | <b>\$98</b> |
| <b>3" dia. FOUR bodies</b>  |                      |              |  |             |             |
| 4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings                                     | 13.5 lb 2J2926R3CGR4 | <b>\$703</b> | 4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends       | SHA2926RJA4 | <b>\$98</b> |
| 4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings  | 14 lb 2J2926R3CR4    | <b>\$703</b> | 4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends       | SHA2926RJA4 | <b>\$98</b> |
| 4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings                                     | 13.5 lb 2J2926Q3CGR4 | <b>\$703</b> | 4 short bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end      | SHA2926QJA4 | <b>\$98</b> |
| 4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings  | 14 lb 2J2926Q3CR4    | <b>\$703</b> | 4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends       | SHA2926RJA4 | <b>\$98</b> |
| <b>3.5" dia. SINGLE body</b>  |                      |              |  |             |             |
| 3.5" smooth Urethane with double row bearings   | 17 lb 2J2926R35CR    | <b>\$617</b> | 26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends          | SHA2926RJ   | <b>\$91</b> |
| 3.5" smooth Urethane with double row bearings   | 17 lb 2J2926Q35CR    | <b>\$617</b> | 26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end         | SHA2926QJ   | <b>\$91</b> |
| <b>4" dia. SINGLE body</b>  |                      |              |  |             |             |
| 4" smooth Urethane-double row bearings  | 24 lb 2J2926R4CR     | <b>\$694</b> | 26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends          | SHA2926RJ   | <b>\$91</b> |
| 4" smooth Steel-double row bearings   | 27 lb 2J2926R4SR     | <b>\$694</b> | 26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends          | SHA2926RJ   | <b>\$91</b> |
| <b>Jacobsen ROTARY AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)</b>                       |                      |              |  |             |             |
| <b>3" dia. SINGLE body</b>  |                      |              |  |             |             |
| 3" dia. wide grooved Urethane with double row bearings  | 13 lb 2J3026D3CGR    | <b>\$543</b> | 26.45" body, 30" shaft-specify configuration of shaft ends                   | SHA3026DJ   | <b>\$76</b> |
| 3" smooth Urethane with double row bearings   | 13.4 lb 2J3026D3CR   | <b>\$533</b> | 26.45" body, 30" shaft-specify configuration of shaft ends                   | SHA3026DJ   | <b>\$76</b> |
| 3" smooth Steel with double row bearings  | 14 lb 2J3026D3SR     | <b>\$503</b> | 26.25" body, 30" shaft-specify configuration of shaft ends                   | SHA3026DJ   | <b>\$76</b> |
| <b>3" dia. TWO opposing end short bodies</b>  |                      |              |  |             |             |
| 2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings                                     | 6 lb 2J3005D3CGRt    | <b>\$603</b> | 2 short twin bodies, 30" shaft-specify configuration of shaft ends           | SHA3005DJAt | <b>\$98</b> |
| 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings  | 6.3 lb 2J3004D3CRt   | <b>\$573</b> | 2 short twin bodies, 30" shaft-specify configuration of shaft ends           | SHA3005DJAt | <b>\$98</b> |
| 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings   | 8 lb 2J3004D3SRt     | <b>\$573</b> | 2 short twin bodies, 30" shaft-specify configuration of shaft ends           | SHA3005DJAt | <b>\$98</b> |
| <b>3" dia. FOUR bodies</b>  |                      |              |  |             |             |
| 4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings                                     | 13.5 lb 2J3026R3CGR4 | <b>\$703</b> | 4 short twin bodies, 30" shaft-specify configuration of shaft ends           | SHA3026RJA4 | <b>\$98</b> |
| 4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings  | 14 lb 2J3026R3CR4    | <b>\$703</b> | 4 short twin bodies, 30" shaft-specify configuration of shaft ends           | SHA3026RJA4 | <b>\$98</b> |

|   |                      |              |  |             |             |  |
|---|----------------------|--------------|--|-------------|-------------|--|
| <b>3.5" dia. SINGLE body</b>  |                      |              |  |             |             |  |
| 3.5" smooth Urethane with double row bearings   | 17 lb 2J3026D35CR    | <b>\$617</b> | 26.45" body, 30" shaft-specify configuration of shaft ends             | SHA3026DJ   | <b>\$76</b> |  |
| <b>4" dia. SINGLE body</b>  |                      |              |  |             |             |  |
| 4" smooth Urethane-double row bearings  | 24 lb 2J3026R4CR     | <b>\$694</b> | 26.45" body, 30" shaft-specify configuration of shaft ends             | SHA3026DJ   | <b>\$76</b> |  |
| 4" smooth Steel-double row bearings   | 28 lb 2J3026R4SR     | <b>\$694</b> | 26.45" body, 30" shaft-specify configuration of shaft ends             | SHA3026DJ   | <b>\$76</b> |  |
| <b>Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm shaft configuration on ends)</b> |                      |              |  |             |             |  |
| <b>3" dia. SINGLE body</b>  |                      |              |  |             |             |  |
| 3" dia. wide grooved Urethane with double row bearings  | 14.5 lb 2J3429R3CGR  | <b>\$543</b> | 29.45" body, 34.25" shaft-large milled flat & pin hole on ends         | SHA3429RJ   | <b>\$91</b> |  |
| 3" smooth Urethane with double row bearings   | 15.5 lb 2J3429R3CR   | <b>\$533</b> | 29.45" body, 34.25" shaft-large milled flat & pin hole on ends         | SHA3429RJ   | <b>\$91</b> |  |
| 3" smooth Steel with double row bearings  | 15.5 lb 2J3429R3SR   | <b>\$513</b> | 29.25" body, 34.25" shaft-large milled flat & pin hole on ends         | SHA3429RJ   | <b>\$91</b> |  |
| <b>3" dia. TWO opposing end short bodies</b>  |                      |              |  |             |             |  |
| 2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings               | 6.5 lb 2J3405R3CGRt  | <b>\$603</b> | 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends | SHA3405RJAt | <b>\$98</b> |  |
| 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings                            | 6.7 lb 2J3404R3CRt   | <b>\$573</b> | 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends | SHA3404RJAt | <b>\$98</b> |  |
| 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings                               | 8.5 lb 2J3404R3SRt   | <b>\$573</b> | 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends | SHA3404RJAt | <b>\$98</b> |  |
| <b>3" dia. FIVE bodies</b>  |                      |              |  |             |             |  |
| 5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies) double row bearings               | 15.5 lb 2J3429R3CGR5 | <b>\$743</b> | 5 short bodies, 34.25" shaft-large milled flat & pin hole on ends      | SHA3429RJA5 | <b>\$98</b> |  |
| 5 bodies 3" smooth Urethane (5x5.2" wide bodies) double row bearings                          | 16.5 lb 2J3429R3CR5  | <b>\$743</b> | 5 short bodies, 34.25" shaft-large milled flat & pin hole on ends      | SHA3429RJA5 | <b>\$98</b> |  |
| <b>3.5" dia. SINGLE body</b>  |                      |              |  |             |             |  |
| 3.5" smooth Urethane with double row bearings   | 19 lb 2J3429R35CR    | <b>\$617</b> | 29.45" body, 34.25" shaft-large milled flat & pin hole on ends         | SHA3429RJ   | <b>\$91</b> |  |
| <b>4" dia. SINGLE body</b>  |                      |              |  |             |             |  |
| 4" smooth Urethane-double row bearings  | 26 lb 2J3429R4CR     | <b>\$694</b> | 29.45" body, 34.25" shaft-large milled flat & pin hole on ends         | SHA3429RJ   | <b>\$91</b> |  |
| 4" smooth Steel-double row bearings   | 29 lb 2J3429R4SR     | <b>\$694</b> | 29.25" body, 34.25" shaft-large milled flat & pin hole on ends         | SHA3429RJ   | <b>\$91</b> |  |
| <b>Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER</b>                                     |                      |              |  |             |             |  |
| <b>3" dia. SINGLE body</b>  |                      |              |  |             |             |  |
| 3" smooth Urethane with double row bearings   | 15.5 lb 2J2722X3CR   | <b>\$533</b> | 22.45" body, 27.25" shaft-1/2" dia. ends                               | SHA2722XJ   | <b>\$91</b> |  |
| 3" smooth Steel with double row bearings  | 15.5 lb 2J2722X3SR   | <b>\$513</b> | 22.25" body, 27.25" shaft-1/2" dia. ends                               | SHA2722XJ   | <b>\$91</b> |  |
| <b>3.5" dia. SINGLE body</b>  |                      |              |  |             |             |  |
| 3.5" smooth Urethane with double row bearings   | 19 lb 2J2722X35CR    | <b>\$617</b> | 22.45" body, 27.25" shaft-1/2" dia. ends                               | SHA2722XJ   | <b>\$91</b> |  |
| <b>4" dia. SINGLE body</b>  |                      |              |  |             |             |  |
| 4" smooth Urethane-double row bearings  | 23 lb 2J2722X4CR     | <b>\$694</b> | 22.45" body, 27.25" shaft-1/2" dia. ends                               | SHA2722XJ   | <b>\$91</b> |  |
| 4" smooth Steel-double row bearings   | 26 lb 2J2722X4SR     | <b>\$694</b> | 22.25" body, 27.25" shaft-1/2" dia. ends                               | SHA2722XJ   | <b>\$91</b> |  |

## for JOHN DEERE mowers

### John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS - FRONT ROLLER

|   |                      |              |   |               |              |  |
|---|----------------------|--------------|---|---------------|--------------|--|
| <b>2" dia. SINGLE body</b>  |                      |              |   |               |              |  |
| 2" dia. wide grooved Urethane no flats  | 6.5 lb D2119A2CG     | <b>\$382</b> | 19.45" body, 21.25" shaft                               | SHA2119AD     | <b>\$76</b>  |  |
| 2" dia. narrow grooved Urethane no flats  | 6.7 lb D2119A2NG     | <b>\$382</b> | 19.45" body, 21.25" shaft                               | SHA2119AD     | <b>\$76</b>  |  |
| 2" dia. wide grooved Urethane 1" flats  | 6.5 lb D2119A2CGF    | <b>\$382</b> | 19.45" body, 21.25" shaft                               | SHA2119AD     | <b>\$76</b>  |  |
| 2" dia. narrow grooved Urethane 1" flats  | 6.7 lb D2119A2NGF    | <b>\$382</b> | 19.45" body, 21.25" shaft                               | SHA2119AD     | <b>\$76</b>  |  |
| 2" dia. smooth Urethane   | 7.5 lb D2119A2C      | <b>\$362</b> | 19.25" body, 21.25" shaft                               | SHA2119AD     | <b>\$76</b>  |  |
| 2" dia. smooth Steel heavy (1/4" wall)  | 10.5 lb D2119A2S     | <b>\$302</b> | 19.25" body, 21.25" shaft                               | SHA2119AD     | <b>\$76</b>  |  |
| <b>2" dia. TWO opposing end short bodies</b>  |                      |              |   |               |              |  |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats               | 4 lb D2104A2CGt      | <b>\$452</b> | 2 short twin bodies at ends of a 21.25" shaft           | SHA2104ADAt   | <b>\$91</b>  |  |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats             | 4 lb D2104A2NGt      | <b>\$452</b> | 2 short twin bodies at ends of a 21.25" shaft           | SHA2104ADAt   | <b>\$91</b>  |  |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats               | 4 lb D2104A2CGFt     | <b>\$452</b> | 2 short twin bodies at ends of a 21.25" shaft           | SHA2104ADAt   | <b>\$91</b>  |  |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats             | 4 lb D2104A2NGFt     | <b>\$452</b> | 2 short twin bodies at ends of a 21.25" shaft           | SHA2104ADAt   | <b>\$91</b>  |  |
| 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)                              | 4.2 lb D2104A2Ct     | <b>\$452</b> | 2 short twin bodies at ends of a 21.25" shaft           | SHA2104ADAt   | <b>\$91</b>  |  |
| 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)                                 | 4 lb D2102A2Ct       | <b>\$452</b> | 2 short twin bodies at ends of a 21.25" shaft           | SHA2102ADAt   | <b>\$91</b>  |  |
| 2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)                           | 4.2 lb D2104A2St     | <b>\$452</b> | 2 short twin bodies at ends of a 21.25" shaft           | SHA2104ADAt   | <b>\$91</b>  |  |
| <b>2" dia. SINGLE body + 2 bodies outside of brackets</b>                           |                      |              |   |               |              |  |
| extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats    | 12 lb D2719A2CG+2C   | <b>\$512</b> | 19.45" center body + 2 short outer bodies, 27.25" shaft | SHA2719ADA+2  | <b>\$108</b> |  |
| extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats  | 12 lb D2719A2NG+2C   | <b>\$512</b> | 19.45" center body + 2 short outer bodies, 27.25" shaft | SHA2719ADA+2  | <b>\$108</b> |  |
| extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats    | 12 lb D2719A2CGF+2C  | <b>\$512</b> | 19.45" center body + 2 short outer bodies, 27.25" shaft | SHA2719ADA+2  | <b>\$108</b> |  |
| extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats  | 12 lb D2719A2NGF+2C  | <b>\$512</b> | 19.45" center body + 2 short outer bodies, 27.25" shaft | SHA2719ADA+2  | <b>\$108</b> |  |
| extended 2" dia. smooth Urethane (19.25" inner+2x2" outer bodies)                   | 13 lb D2719A2C+2C    | <b>\$512</b> | 19.25" center body + 2 short outer bodies, 27.25" shaft | SHA2719ADA+2  | <b>\$108</b> |  |
| extended 2" dia. smooth Steel heavy (19.25" inner+2x2" outer bodies)                | 15 lb D2719A2S+2S    | <b>\$512</b> | 19.25" center body + 2 short outer bodies, 27.25" shaft | SHA2719ADA+2  | <b>\$108</b> |  |
| <b>2" dia. FOUR bodies</b>  |                      |              |   |               |              |  |
| 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats               | 8.5 lb D2119A2CG4    | <b>\$562</b> | 4 short bodies, 21.25" shaft                            | SHA2119ADA4   | <b>\$91</b>  |  |
| 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats             | 8.5 lb D2119A2NG4    | <b>\$562</b> | 4 short bodies, 21.25" shaft                            | SHA2119ADA4   | <b>\$91</b>  |  |
| 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats               | 8.5 lb D2119A2CGF4   | <b>\$562</b> | 4 short bodies, 21.25" shaft                            | SHA2119ADA4   | <b>\$91</b>  |  |
| 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats             | 8.5 lb D2119A2NGF4   | <b>\$562</b> | 4 short bodies, 21.25" shaft                            | SHA2119ADA4   | <b>\$91</b>  |  |
| 4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)                              | 8 lb D2119A2C4       | <b>\$562</b> | 4 short bodies, 21.25" shaft                            | SHA2119ADA4   | <b>\$91</b>  |  |
| 4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)                           | 12 lb D2119A2S4      | <b>\$562</b> | 4 short bodies, 21.25" shaft                            | SHA2119ADA4   | <b>\$91</b>  |  |
| <b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>                           |                      |              |   |               |              |  |
| 6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats   | 12 lb D2719A2CG4+2C  | <b>\$652</b> | 4 center bodies + 2 short outer bodies, 27.25" shaft    | SHA2719ADA4+2 | <b>\$108</b> |  |
| 6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats | 12 lb D2719A2NG4+2C  | <b>\$652</b> | 4 center bodies + 2 short outer bodies, 27.25" shaft    | SHA2719ADA4+2 | <b>\$108</b> |  |
| 6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats   | 12 lb D2719A2CGF4+2C | <b>\$652</b> | 4 center bodies + 2 short outer bodies, 27.25" shaft    | SHA2719ADA4+2 | <b>\$108</b> |  |
| 6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats | 12 lb D2719A2NGF4+2C | <b>\$652</b> | 4 center bodies + 2 short outer bodies, 27.25" shaft    | SHA2719ADA4+2 | <b>\$108</b> |  |
| 6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)                  | 13 lb D2719A2C4+2C   | <b>\$652</b> | 4 center bodies + 2 short outer bodies, 27.25" shaft    | SHA2719ADA4+2 | <b>\$108</b> |  |
| 6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)               | 15 lb D2719A2S4+2S   | <b>\$652</b> | 4 center bodies + 2 short outer bodies, 27.25" shaft    | SHA2719ADA4+2 | <b>\$108</b> |  |

### John Deere 22" 220 & 220SL WALKING & 2500, 2400, 2550, 2700, 2750 & 2243 RIDING GREENSMOWERS - FRONT & BACK ROLLERS

|  |                   |              |                          |           |             |  |
|--|-------------------|--------------|--------------------------|-----------|-------------|--|
| <b>2" dia. SINGLE body</b>               |                   |              |                          |           |             |  |
| 2" dia. wide grooved Urethane no flats   | 6.5 lb D2522C2CG  | <b>\$382</b> | 22.45" body, 25.5" shaft | SHA2522CD | <b>\$76</b> |  |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb D2522C2NG  | <b>\$382</b> | 22.45" body, 25.5" shaft | SHA2522CD | <b>\$76</b> |  |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb D2522C2CGF | <b>\$382</b> | 22.45" body, 25.5" shaft | SHA2522CD | <b>\$76</b> |  |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb D2522C2NGF | <b>\$382</b> | 22.45" body, 25.5" shaft | SHA2522CD | <b>\$76</b> |  |
| 2" dia. smooth Urethane                  | 7.9 lb D2522C2C   | <b>\$362</b> | 22.25" body, 25.5" shaft | SHA2522CD | <b>\$76</b> |  |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb D2522C2S  | <b>\$302</b> | 22.25" body, 25.5" shaft | SHA2522CD | <b>\$76</b> |  |



**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)  
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

4 lb D2504C2CGt  
4 lb D2504C2NGt  
4 lb D2504C2CGFt  
4 lb D2504C2NGFt  
4 lb D2502C2Ct  
4.2 lb D2504C2Ct  
6 lb D2504C2St

\$452  
\$452  
\$452  
\$452  
\$452  
\$452  
\$452

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin bodies at ends of a 25.5" shaft  
2 short twin bodies at ends of a 25.5" shaft  
2 short twin bodies at ends of a 25.5" shaft  
2 short twin bodies at ends of a 25.5" shaft  
2 short twin bodies at ends of a 25.5" shaft  
2 short twin bodies at ends of a 25.5" shaft  
2 short twin bodies at ends of a 25.5" shaft

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats  
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats  
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats  
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats  
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)  
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)

12 lb D3122C2CG+2C  
12 lb D3122C2NG+2C  
12 lb D3122C2CGF+2C  
12 lb D3122C2NGF+2C  
13 lb D3122C2C+2C  
13 lb D3122C2S+2S

\$512  
\$512  
\$512  
\$512  
\$512  
\$512

**non-skidding for tight turns & ground undulations**

22.45" center body + 2 short outer bodies, 31.5" shaft  
22.45" center body + 2 short outer bodies, 31.5" shaft  
22.45" center body + 2 short outer bodies, 31.5" shaft  
22.45" center body + 2 short outer bodies, 31.5" shaft  
22.25" center body + 2 short outer bodies, 31.5" shaft  
22.25" center body + 2 short outer bodies, 31.5" shaft

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats  
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats  
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats  
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats  
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)  
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)

8.5 lb D2522C2CG4  
8.5 lb D2522C2NG4  
8.5 lb D2522C2CGF4  
8.5 lb D2522C2NGF4  
8 lb D2522C2C4  
12 lb D2522C2S4

\$562  
\$562  
\$562  
\$562  
\$562  
\$562

**non-skidding for tight turns & ground undulations**

4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft

**2" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats  
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats  
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats  
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats  
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)  
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)

12 lb D3122C2CG4+2C  
12 lb D3122C2NG4+2C  
12 lb D3122C2CGF4+2C  
12 lb D3122C2NGF4+2C  
13 lb D3122C2C4+2C  
13 lb D3122C2S4+2S

\$652  
\$652  
\$652  
\$652  
\$652  
\$652

**non-skidding for tight turns & ground undulations**

4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats  
2.5" dia. narrow grooved (1 1/2" dia. spacing) Urethane no flats  
2.5" dia. wide grooved (1" spacing) Urethane 1" flats  
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats  
2.5" smooth Urethane  
2.5" smooth Steel

8.5 lb D2522C25CG  
9 lb D2522C25NG  
8.5 lb D2522C25CGF  
9 lb D2522C25NGF  
9.5 lb D2522C25C  
9.2 lb D2522C25S

\$456  
\$456  
\$456  
\$456  
\$396  
\$376

22.45" body, 25.5" shaft  
22.45" body, 25.5" shaft  
22.45" body, 25.5" shaft  
22.45" body, 25.5" shaft  
22.45" body, 25.5" shaft  
22.25" body, 25.5" shaft

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)  
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)

4 lb D2504C25CGt  
4 lb D2504C25NGt  
4 lb D2504C25CGFt  
4 lb D2504C25NGFt  
4.2 lb D2504C25Ct  
4.2 lb D2504C25St

\$496  
\$496  
\$496  
\$496  
\$496  
\$496

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin independent roller bodies, 25.5" shaft  
2 short twin independent roller bodies, 25.5" shaft  
2 short twin independent roller bodies, 25.5" shaft  
2 short twin independent roller bodies, 25.5" shaft  
2 short twin independent roller bodies, 25.5" shaft  
2 short twin independent roller bodies, 25.5" shaft

**2.5" dia. SINGLE body + 2 bodies outside of brackets**

extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats  
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats  
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats  
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats  
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)

12 lb D3122C25CG+2C  
12 lb D3122C25NG+2C  
12 lb D3122C25CGF+2C  
12 lb D3122C25NGF+2C  
13 lb D3122C25C+2C

\$566  
\$566  
\$566  
\$566  
\$566

**non-skidding for tight turns & ground undulations**

22.45" center body + 2 short outer bodies, 31.87" shaft  
22.45" center body + 2 short outer bodies, 31.87" shaft  
22.45" center body + 2 short outer bodies, 31.87" shaft  
22.45" center body + 2 short outer bodies, 31.87" shaft  
22.25" center body + 2 short outer bodies, 31.87" shaft

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats  
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats  
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats  
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats  
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)

10.5 lb D2522C25CG4  
10.5 lb D2522C25NG4  
10.5 lb D2522C25CGF4  
10.5 lb D2522C25NGF4  
10 lb D2522C25C4

\$636  
\$636  
\$636  
\$636  
\$636

**non-skidding for tight turns & ground undulations**

4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft  
4 short bodies, 25.5" shaft

**2.5" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats  
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats  
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats  
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats  
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)

14 lb D3122C25CG4+2C  
10.5 lb D3122C25NG4+2C  
10.5 lb D3122C25CGF4+2C  
10.5 lb D3122C25NGF4+2C  
14 lb D3122C25C4+2C

\$686  
\$686  
\$686  
\$686  
\$686

**non-skidding for tight turns & ground undulations**

4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft  
4 center bodies + 2 short outer bodies, 31.5" shaft

**John Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats  
2" dia. narrow grooved Urethane no flats  
2" dia. wide grooved Urethane 1" flats  
2" dia. narrow grooved Urethane 1" flats  
2" dia. smooth Urethane  
2" dia. smooth Steel heavy (1/4" wall)

7.8 lb D2926A2CG  
7.8 lb D2926A2NG  
8 lb D2926A2CGF  
8 lb D2926A2NGF  
9.5 lb D2926A2C  
12.5 lb D2926A2S

\$382  
\$382  
\$382  
\$382  
\$362  
\$302

26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.45" body, 29.75" shaft  
26.25" body, 29.75" shaft  
26.25" body, 29.75" shaft

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)  
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

4 lb D2904A2CGt  
4 lb D2904A2NGt  
4 lb D2904A2CGFt  
4 lb D2904A2NGFt  
4 lb D2902A2Ct  
4.2 lb D2904A2Ct  
6 lb D2904A2St

\$452  
\$452  
\$452  
\$452  
\$452  
\$452  
\$452

**non-stripping, non-skidding for tight turns & ground undulations**

2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft  
2 short twin bodies at ends of 29.75" shaft

**2" dia. SINGLE body + 2 bodies outside of brackets**

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like 'extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats'.

**2" dia. FOUR bodies**

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats'.

**2" dia. FOUR bodies + 2 bodies outside of brackets**

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats'.

**2.5" dia. SINGLE body**

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '2.5" dia. wide grooved (1" spacing) Urethane no flats'.

**2.5" dia. TWO opposing end short bodies**

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats'.

**2.5" dia. SINGLE body + 2 bodies outside of brackets**

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like 'extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats'.

**2.5" dia. FOUR bodies**

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats'.

**2.5" dia. FOUR bodies + 2 bodies outside of brackets**

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats'.

**John Deere 22" 3215 & 3225 LIGHT FAIRWAY MOWERS - FRONT & BACK ROLLERS**

**2" dia. SINGLE body**

Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '2" dia. wide grooved Urethane no flats'.

**John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT & BACK ROLLERS (2 styles)**

**2" dia. SINGLE body**

Rollers for QA-5 reels (with 1 flat on one end of the shaft):

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '3" dia. wide grooved Urethane'.

Rollers with 2 flats on 1 end of the shaft:

Table with 4 columns: Description, Weight, Part Number, Price. Includes items like '3" dia. wide grooved Urethane'.

**non-skidding for tight turns & ground undulations**

Table with 4 columns: Description, Part Number, Price. Includes items like '26.45" center body +2 short outer bodies, 35.75" shaft'.

**non-skidding for tight turns & ground undulations**

Table with 4 columns: Description, Part Number, Price. Includes items like '4 short bodies, 29.75" shaft'.

**non-skidding for tight turns & ground undulations**

Table with 4 columns: Description, Part Number, Price. Includes items like '4 center bodies + 2 short outer bodies, 35.75" shaft'.

Table with 4 columns: Description, Part Number, Price. Includes items like '26.45" body, 29.75" shaft'.

**non-stripping, non-skidding for tight turns & ground undulations**

Table with 4 columns: Description, Part Number, Price. Includes items like '2 short twin independent roller bodies, 29.75" shaft'.

**non-skidding for tight turns & ground undulations**

Table with 4 columns: Description, Part Number, Price. Includes items like '26.45" center body + 2 short outer bodies, 35.75" shaft'.

**non-skidding for tight turns & ground undulations**

Table with 4 columns: Description, Part Number, Price. Includes items like '4 short bodies, 29.75" shaft'.

**non-skidding for tight turns & ground undulations**

Table with 4 columns: Description, Part Number, Price. Includes items like '4 center bodies + 2 short outer bodies, 35.75" shaft'.

Call to upgrade with double row angular contact bearings

Table with 4 columns: Description, Part Number, Price. Includes items like '22.45" body, 25.5" shaft'.

Call to upgrade with double row angular contact bearings

Table with 4 columns: Description, Part Number, Price. Includes items like '22.45" body, 25.5" shaft-1 flat'.

**Rollers for QA-5 reels (with 1 flat on 1 end of the shaft):**

**2" dia. SINGLE body**

|  |         |            |              |                                 |           |             |
|--|---------|------------|--------------|---------------------------------|-----------|-------------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb  | D2522C2CG  | <b>\$382</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb  | D2522C2NG  | <b>\$382</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb  | D2522C2CGF | <b>\$382</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb  | D2522C2NGF | <b>\$382</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2" dia. smooth Urethane                  | 7.9 lb  | D2522C2C   | <b>\$362</b> | 22.25" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb | D2522C2S   | <b>\$302</b> | 22.25" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |

**2" dia. SINGLE body + 2 bodies outside of brackets**

|  |       |               |              |  |              |              |
|--|-------|---------------|--------------|--|--------------|--------------|
| extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats   | 12 lb | D3122C2CG+2C  | <b>\$512</b> | 22.45" center body + 2 short outer bodies, 31.5" shaft | SHA3122CDA+2 | <b>\$108</b> |
| extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats | 12 lb | D3122C2NG+2C  | <b>\$512</b> | 22.45" center body + 2 short outer bodies, 31.5" shaft | SHA3122CDA+2 | <b>\$108</b> |
| extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats   | 12 lb | D3122C2CGF+2C | <b>\$512</b> | 22.45" center body + 2 short outer bodies, 31.5" shaft | SHA3122CDA+2 | <b>\$108</b> |
| extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats | 12 lb | D3122C2NGF+2C | <b>\$512</b> | 22.45" center body + 2 short outer bodies, 31.5" shaft | SHA3122CDA+2 | <b>\$108</b> |
| extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)                  | 13 lb | D3122C2C+2C   | <b>\$512</b> | 22.25" center body + 2 short outer bodies, 31.5" shaft | SHA3122CDA+2 | <b>\$108</b> |
| extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)               | 13 lb | D3122C2S+2S   | <b>\$512</b> | 22.25" center body + 2 short outer bodies, 31.5" shaft | SHA3122CDA+2 | <b>\$108</b> |

**2" dia. FOUR bodies**

|   |        |             |              |                                    |             |             |
|---|--------|-------------|--------------|------------------------------------|-------------|-------------|
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb | D2522C2CG4  | <b>\$562</b> | 4 short bodies, 25.5" shaft-1 flat | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 8.5 lb | D2522C2NG4  | <b>\$562</b> | 4 short bodies, 25.5" shaft-1 flat | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb | D2522C2CGF4 | <b>\$562</b> | 4 short bodies, 25.5" shaft-1 flat | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 8.5 lb | D2522C2NGF4 | <b>\$562</b> | 4 short bodies, 25.5" shaft-1 flat | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)                  | 8 lb   | D2522C2C4   | <b>\$562</b> | 4 short bodies, 25.5" shaft-1 flat | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)               | 12 lb  | D2522C2S4   | <b>\$562</b> | 4 short bodies, 25.5" shaft-1 flat | SHA2522CDA4 | <b>\$91</b> |

**2.5" dia. SINGLE body**

|  |        |             |              |                                 |           |             |
|--|--------|-------------|--------------|---------------------------------|-----------|-------------|
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 8.5 lb | D2522C25CG  | <b>\$456</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats | 8.5 lb | D2522C25NG  | <b>\$456</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2.5" dia. wide grooved (1" spacing) Urethane 1" flats          | 8.5 lb | D2522C25CGF | <b>\$456</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats | 8.5 lb | D2522C25NGF | <b>\$456</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2.5" smooth Urethane   | 9.5 lb | D2522C25C   | <b>\$396</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 2.5" smooth Steel  | 9.2 lb | D2522C25S   | <b>\$376</b> | 22.25" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |

**To diminish instances of shadowing lines due to overlap of reels**

|  |        |                |              |  |           |             |
|--|--------|----------------|--------------|--|-----------|-------------|
| 2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats | 8.5 lb | D2522C25CG.22C | <b>\$496</b> | front roller for rear mower heads-use with D2519C25C     | SHA2522CD | <b>\$76</b> |
| 2.5" smooth Urethane   | 9.5 lb | D2519C25C      | <b>\$396</b> | back roller for rear mower heads-use with D2522C25CG.22C | SHA2519CD | <b>\$76</b> |

**2.5" dia. FOUR bodies**

|   |         |              |              |                             |             |             |
|---|---------|--------------|--------------|-----------------------------|-------------|-------------|
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 10.5 lb | D2522C25CG4  | <b>\$636</b> | 4 short bodies, 25.5" shaft | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 10.5 lb | D2522C25NG4  | <b>\$636</b> | 4 short bodies, 25.5" shaft | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 10.5 lb | D2522C25CGF4 | <b>\$636</b> | 4 short bodies, 25.5" shaft | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 10.5 lb | D2522C25NGF4 | <b>\$636</b> | 4 short bodies, 25.5" shaft | SHA2522CDA4 | <b>\$91</b> |
| 4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)                       | 10 lb   | D2522C25C4   | <b>\$636</b> | 4 short bodies, 25.5" shaft | SHA2522CDA4 | <b>\$91</b> |

**3" dia. SINGLE body**

|                               |         |           |              |                                 |           |             |
|-------------------------------|---------|-----------|--------------|---------------------------------|-----------|-------------|
| 3" dia. wide grooved Urethane | 9.5 lb  | D2522C3CG | <b>\$513</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 3" smooth Urethane            | 12 lb   | D2522C3C  | <b>\$483</b> | 22.45" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |
| 3" smooth Steel               | 11.5 lb | D2522C3S  | <b>\$443</b> | 22.25" body, 25.5" shaft-1 flat | SHA2522CD | <b>\$76</b> |

**To diminish instances of shadowing lines due to overlap of reels**

|  |        |               |              |   |           |             |
|--|--------|---------------|--------------|---|-----------|-------------|
| 3" dia. wide grooved Urethane with 2.2" wide smooth ends | 9.5 lb | D2522C3CG.22C | <b>\$543</b> | front roller for rear mower heads-use with D2519C3C     | SHA2522CD | <b>\$76</b> |
| 3" smooth Urethane                                       | 11 lb  | D2519C3C      | <b>\$483</b> | back roller for rear mower heads-use with D2522C3CG.22C | SHA2519CD | <b>\$76</b> |

**Rollers for QA-7 reels (with 2 flats on 1 end of the shaft):**

**2" dia. SINGLE body**

|  |         |            |              |                                     |           |             |
|--|---------|------------|--------------|-------------------------------------|-----------|-------------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb  | D2522F2CG  | <b>\$382</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb  | D2522F2NG  | <b>\$382</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb  | D2522F2CGF | <b>\$382</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb  | D2522F2NGF | <b>\$382</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |
| 2" dia. smooth Urethane                  | 7.9 lb  | D2522F2C   | <b>\$362</b> | 22.25" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb | D2522F2S   | <b>\$302</b> | 22.25" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |

**2" dia. SINGLE body + 2 bodies outside of brackets**

|  |       |               |              |   |              |              |
|--|-------|---------------|--------------|---|--------------|--------------|
| extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats   | 12 lb | D3122F2CG+2C  | <b>\$512</b> | 22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats | SHA3122FDA+2 | <b>\$112</b> |
| extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats | 12 lb | D3122F2NG+2C  | <b>\$512</b> | 22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats | SHA3122FDA+2 | <b>\$112</b> |
| extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats   | 12 lb | D3122F2CGF+2C | <b>\$512</b> | 22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats | SHA3122FDA+2 | <b>\$112</b> |
| extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats | 12 lb | D3122F2NGF+2C | <b>\$512</b> | 22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats | SHA3122FDA+2 | <b>\$112</b> |
| extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)                  | 13 lb | D3122F2C+2C   | <b>\$512</b> | 22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats | SHA3122FDA+2 | <b>\$112</b> |
| extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)               | 13 lb | D3122F2S+2S   | <b>\$512</b> | 22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats | SHA3122FDA+2 | <b>\$112</b> |

**2" dia. FOUR bodies**

|   |        |             |              |  |             |             |
|---|--------|-------------|--------------|--|-------------|-------------|
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb | D2522F2CG4  | <b>\$562</b> | 4 short bodies, 25.5" shaft w/ 2 flats | SHA2522FDA4 | <b>\$98</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 8.5 lb | D2522F2NG4  | <b>\$562</b> | 4 short bodies, 25.5" shaft w/ 2 flats | SHA2522FDA4 | <b>\$98</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb | D2522F2CGF4 | <b>\$562</b> | 4 short bodies, 25.5" shaft w/ 2 flats | SHA2522FDA4 | <b>\$98</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 8.5 lb | D2522F2NGF4 | <b>\$562</b> | 4 short bodies, 25.5" shaft w/ 2 flats | SHA2522FDA4 | <b>\$98</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)                  | 8 lb   | D2522F2C4   | <b>\$562</b> | 4 short bodies, 25.5" shaft w/ 2 flats | SHA2522FDA4 | <b>\$98</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)               | 12 lb  | D2522F2S4   | <b>\$562</b> | 4 short bodies, 25.5" shaft w/ 2 flats | SHA2522FDA4 | <b>\$98</b> |

**2.5" dia. SINGLE body**

|  |        |             |              |                                     |           |             |
|--|--------|-------------|--------------|-------------------------------------|-----------|-------------|
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 8.5 lb | D2522F25CG  | <b>\$456</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats | 8.5 lb | D2522F25NG  | <b>\$456</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$76</b> |
| 2.5" dia. wide grooved (1" spacing) Urethane 1" flats          | 8.5 lb | D2522F25CGF | <b>\$456</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats | 8.5 lb | D2522F25NGF | <b>\$456</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$76</b> |
| 2.5" smooth Urethane   | 9.5 lb | D2522F25C   | <b>\$396</b> | 22.45" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |
| 2.5" smooth Steel  | 9.2 lb | D2522F25S   | <b>\$376</b> | 22.25" body, 25.5" shaft w/ 2 flats | SHA2522FD | <b>\$82</b> |

**To diminish instances of shadowing lines due to overlap of reels**

|  |        |                |              |  |           |             |
|--|--------|----------------|--------------|--|-----------|-------------|
| 2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats | 8.5 lb | D2522F25CG.22C | <b>\$496</b> | front roller for rear mower heads-use with D2519F25C     | SHA2522FD | <b>\$82</b> |
| 2.5" smooth Urethane   | 9.5 lb | D2519F25C      | <b>\$396</b> | back roller for rear mower heads-use with D2522F25CG.22C | SHA2519FD | <b>\$82</b> |

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats  
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats  
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats  
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats  
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)

10.5 lb D2522F25CG4  
10.5 lb D2522F25NG4  
10.5 lb D2522F25CGF4  
10.5 lb D2522F25NGF4  
10 lb D2522F25C4

**\$636**  
**\$636**  
**\$636**  
**\$636**  
**\$636**

**non-skidding for tight turns & ground undulations**

4 short bodies, 25.5" shaft w/ 2 flats  
4 short bodies, 25.5" shaft w/ 2 flats  
4 short bodies, 25.5" shaft w/ 2 flats  
4 short bodies, 25.5" shaft w/ 2 flats  
4 short bodies, 25.5" shaft w/ 2 flats

**3" dia. SINGLE body**

3" dia. wide grooved Urethane  
3" smooth Urethane  
3" smooth Steel

9.5 lb D2522F3CG  
12 lb D2522F3C  
11.5 lb D2522F3S

**\$513**  
**\$483**  
**\$443**

22.45" body, 25.5" shaft w/ 2 flats  
22.45" body, 25.5" shaft w/ 2 flats  
22.25" body, 25.5" shaft w/ 2 flats

**To diminish instances of shadowing lines due to overlap of reels**

3" dia. wide grooved Urethane with 2.2" wide smooth ends  
3" smooth Urethane

9.5 lb D2522F3CG.22C  
11 lb D2519F3C

**\$543**  
**\$483**

front roller for rear mower heads-use with D2519F3C  
back roller for rear mower heads-use with D2522F3CG.22C

**3" dia. TWO opposing end short bodies**

2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies)  
2 bodies 3" smooth Urethane (2x4" wide bodies)

6.5 lb D2505F3CGt  
6 lb D2504F3Ct

**\$583**  
**\$553**

non-stripping, non-skidding for tight turns & ground undulations  
2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end  
2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end

**John Deere 18" 8000A & 6080A PRECISION CUT & E-CUT FAIRWAY - FRONT & BACK ROLLERS**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats  
2" dia. narrow grooved Urethane no flats  
2" dia. wide grooved Urethane 1" flats  
2" dia. narrow grooved Urethane 1" flats  
2" dia. smooth Urethane  
2" dia. smooth Steel heavy (1/4" wall)  
2" dia. smooth Steel heavy (1/4" wall)

6.5 lb D2218C2CG  
6.7 lb D2218C2NG  
6.5 lb D2218C2CGF  
6.7 lb D2218C2NGF  
7.5 lb D2218C2C  
10.5 lb D2218C2S  
9 lb D2216A2S

**\$402**  
**\$402**  
**\$402**  
**\$402**  
**\$362**  
**\$362**  
**\$362**

18.45" body, 22" dia. shaft  
18.45" body, 22" dia. shaft  
18.45" body, 22" dia. shaft  
18.45" body, 22" dia. shaft  
18.45" body, 22" dia. shaft  
18.45" body, 22" dia. shaft  
16.2" body, 22" dia. shaft

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)  
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)  
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

4 lb D2104A2CGt  
4 lb D2104A2NGt  
4 lb D2104A2CGFt  
4 lb D2104A2NGFt  
4.2 lb D2104A2Ct  
4 lb D2102A2Ct  
4.2 lb D2104A2St

**\$452**  
**\$452**  
**\$452**  
**\$452**  
**\$452**  
**\$452**  
**\$452**

non-stripping, non-skidding for tight turns & ground undulations  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats  
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats  
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats  
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats  
extended 2" dia. smooth Urethane (18.45" inner+2x2" outer bodies)  
extended 2" dia. smooth Steel heavy (18.25" inner+2x2" outer bodies)

12 lb D2718A2CG+2C  
12 lb D2718A2NG+2C  
12 lb D2718A2CGF+2C  
12 lb D2718A2NGF+2C  
13 lb D2718A2C+2C  
15 lb D2718A2S+2S

**\$512**  
**\$512**  
**\$512**  
**\$512**  
**\$512**  
**\$512**

non-skidding for tight turns & ground undulations  
18.45" center body + 2 short outer bodies, 27.25" shaft  
18.45" center body + 2 short outer bodies, 27.25" shaft  
18.45" center body + 2 short outer bodies, 27.25" shaft  
18.45" center body + 2 short outer bodies, 27.25" shaft  
18.45" center body + 2 short outer bodies, 27.25" shaft  
19.25" center body + 2 short outer bodies, 27.25" shaft

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)  
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

8.5 lb D2119A2CG4  
8.5 lb D2119A2NG4  
8.5 lb D2119A2CGF4  
8.5 lb D2119A2NGF4  
8 lb D2119A2C4  
12 lb D2119A2S4

**\$562**  
**\$562**  
**\$562**  
**\$562**  
**\$562**  
**\$562**

non-skidding for tight turns & ground undulations  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats  
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats  
2.5" dia. wide grooved (1" spacing) Urethane 1" flats  
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats  
2.5" smooth Urethane  
2.5" smooth Steel

6.7 lb D2218A25CG  
6.7 lb D2218A25NG  
6.7 lb D2218A25CGF  
6.7 lb D2218A25NGF  
7.5 lb D2218A25C  
9.2 lb D2218A25S

**\$496**  
**\$486**  
**\$486**  
**\$486**  
**\$396**  
**\$376**

18.2" body, 22" dia. shaft  
18.2" body, 22" dia. shaft  
18.2" body, 22" dia. shaft  
18.2" body, 22" dia. shaft  
18.2" body, 22" dia. shaft  
18.0" body, 22" dia. shaft

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats  
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats  
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)  
2 bodies 2.5" smooth Urethane (2x2" wide bodies)  
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)

4 lb D2104A25CGt  
4 lb D2104A25NGt  
4 lb D2104A25CGFt  
4 lb D2104A25NGFt  
4.2 lb D2104A25Ct  
4 lb D2102A25Ct  
4.2 lb D2104A25St

**\$496**  
**\$496**  
**\$496**  
**\$496**  
**\$496**  
**\$496**  
**\$496**

non-stripping, non-skidding for tight turns & ground undulations  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft  
2 short twin bodies at ends of a 21.25" shaft

**2.5" dia. SINGLE body + 2 bodies outside of brackets**

extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats  
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats  
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats  
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats  
extended 2.5" smooth Urethane (18.45" inner+2x2" outer bodies)  
extended 2.5" smooth Steel (18.25" inner+2x2" outer bodies)

12 lb D2718A25CG+2C  
12 lb D2718A25NG+2C  
12 lb D2718A25CGF+2C  
12 lb D2718A25NGF+2C  
13 lb D2718A25C+2C  
15 lb D2718A25S+2S

**\$566**  
**\$566**  
**\$566**  
**\$566**  
**\$586**  
**\$606**

non-skidding for tight turns & ground undulations  
18.45" center body + 2 short outer bodies, 27.25" shaft  
18.45" center body + 2 short outer bodies, 27.25" shaft  
18.45" center body + 2 short outer bodies, 27.25" shaft  
18.45" center body + 2 short outer bodies, 27.25" shaft  
18.45" center body + 2 short outer bodies, 27.25" shaft  
19.25" center body + 2 short outer bodies, 27.25" shaft

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats  
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats  
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)  
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)

8.5 lb D2119A25CG4  
8.5 lb D2119A25NG4  
8.5 lb D2119A25CGF4  
8.5 lb D2119A25NGF4  
8 lb D2119A25C4  
12 lb D2119A25S4

**\$636**  
**\$636**  
**\$636**  
**\$636**  
**\$636**  
**\$626**

non-skidding for tight turns & ground undulations  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft  
4 short bodies, 21.25" shaft

**3" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3" dia. wide grooved Urethane, 3" smooth Urethane, and 3" smooth Steel.

**To diminish instances of shadowing lines due to overlap of reels**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats, 2.5" smooth Urethane, 3" dia. wide grooved Urethane with 2.2" wide smooth ends, and 3" smooth Urethane.

**John Deere 26" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)**

**3" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3" dia. wide grooved Urethane, 3" smooth Urethane, and 3" smooth Steel.

**3" dia. SINGLE body (upgraded double row bearings)**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3" dia. wide grooved Urethane with double row bearings, 3" smooth Urethane with double row bearings, and 3" smooth Steel with double row bearings.

**3" dia. TWO opposing end short bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 2 bodies 3" smooth Urethane (2x4" wide bodies) and 2 bodies 3" smooth Urethane (2x5.2" wide bodies).

**3" dia. FOUR bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) and 4 bodies 3" smooth Urethane (4x6.5" wide bodies).

**John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)**

**3" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3" dia. wide grooved Urethane, 3" smooth Urethane, and 3" smooth Steel.

**3" dia. SINGLE body (upgraded double row bearings)**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3" dia. wide grooved Urethane with double row bearings, 3" smooth Urethane with double row bearings, 3" smooth Steel with double row bearings, and 3" smooth Urethane with double row bearings.

**3" dia. FOUR & FIVE bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies) and 4 bodies 3" smooth Urethane (4x6.5" wide bodies).

**John Deere 30" 1900, 1905, 3325 FAIRWAY & 3365 TURF PRO & 365 PTO GANG (2 styles)**

**3" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3" dia. wide grooved Urethane, 3" smooth Urethane, 3" smooth Steel, 3" dia. wide grooved Urethane, 3" smooth Urethane, and 3" smooth Steel.

**3" dia. FOUR bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies) and 4 bodies 3" smooth Urethane (4x6.7" wide bodies).

**John Deere 30" FAIRWAY (305, 303, 756 & 856) - ALL ROLLERS (Choose from 2 styles)**

**3" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3" dia. wide grooved Urethane, 3" smooth Urethane, 3" smooth Steel, 3" dia. wide grooved Urethane, 3" smooth Urethane, and 3" smooth Steel.

**John Deere ROTARY DECK 8800 & 3245C - FRONT ROLLER (With two independent rolling 4" wide roller bodies)**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 2 bodies 5" grooved Urethane (2x4" wide bodies) double row bearings and 2 bodies 5" smooth Urethane (2x4" wide bodies) double row bearings.

**John Deere ROTARY DECK 8800 & 3245C & 1565 - BACK ROLLER (choose from multiple styles to match your needs)**

**3" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3" dia. wide grooved Urethane with double row bearings, 3" smooth Urethane with double row bearings, 3" smooth Steel with double row bearings, 3" dia. wide grooved Urethane with double row bearings, 3" smooth Urethane with double row bearings, 3" smooth Steel with double row bearings, 3" dia. wide grooved Urethane with double row bearings, 3" smooth Urethane with double row bearings, 3" smooth Steel with double row bearings, 3" dia. wide grooved Urethane with double row bearings, 3" smooth Urethane with double row bearings, 3" smooth Steel with double row bearings, 3" dia. wide grooved Urethane with double row bearings, 3" smooth Urethane with double row bearings, 3" smooth Steel with double row bearings.

**3" dia. TWO opposing end short bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings, 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings, and 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings.

**3" dia. THREE bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Shaft Size, and Price. Rows include 3 bodies 3" dia. wide grooved Urethane (3x5.2" wide bodies) double row bearings, 3 bodies 3" smooth Urethane (3x5.2" wide bodies) double row bearings, and 3 bodies 3" smooth Steel (3x5.2" wide bodies) double row bearings.

**3.5" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 3.5" smooth Urethane with double row bearings in various sizes and shaft configurations.

**4" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 4" smooth Steel-double row bearings in various sizes and shaft configurations.

**John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - FRONT ROLLER (With two independent rolling 5.2" wide roller bodies)**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 2 bodies 5" grooved Urethane and 2 bodies 5" smooth Urethane with double row bearings.

**John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - BACK ROLLER**

**3" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 3" dia. wide grooved Urethane and 3" smooth Steel with double row bearings.

**3" dia. TWO opposing end short bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 2 bodies 3" dia. wide grooved Urethane and 2 bodies 3" smooth Steel with double row bearings.

**3" dia. FOUR bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 4 bodies 3" dia. wide grooved Urethane and 4 bodies 3" smooth Urethane with double row bearings.

**John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT CASTER**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 5" grooved Urethane and 5" smooth Urethane with double row bearings.

**John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 3" smooth Urethane and 3" smooth Steel with double row bearings.

**for TORO mowers**

**Toro 22" GREENSMOWERS - FRONT ROLLER: series 1000, 3, 300, 3000, 3050, 3100, 3150 (with 3/8" tap in shaft ends for ball stud)**

(Except TriFlex series without ball stud for basket yoke as follows: 3200, 3250, 3300, 3320, 3370, 3400, 3420 & FLEX 21)

**2" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 2" dia. wide grooved Urethane no flats, 2" dia. narrow grooved Urethane no flats, and 2" dia. wide grooved Urethane 1" flats.

**2" dia. TWO opposing end short bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 2 bodies 2" dia. wide grooved Urethane and 2 bodies 2" dia. narrow grooved Urethane with various configurations.

**2" dia. FOUR bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 4 bodies 2" dia. wide grooved Urethane and 4 bodies 2" dia. narrow grooved Urethane with various configurations.

**2.5" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 2.5" dia. wide grooved (1" spacing) Urethane no flats, 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats, and 2.5" dia. wide grooved (1" spacing) Urethane 1" flats.

**2.5" dia. TWO opposing end short bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 2 bodies 2.5" dia. wide grooved Urethane and 2 bodies 2.5" smooth Urethane with double row bearings.

**2.5" dia. FOUR bodies**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 4 bodies 2.5" dia. wide grooved Urethane and 4 bodies 2.5" smooth Urethane with double row bearings.

**Toro 22" GREENSMOWERS - BACK ROLLER: series 3, 300, 3000, 3050, 3100, 3150**

**2" dia. SINGLE body**

Table with 6 columns: Description, Weight, Part Number, Price, Dimensions, and Part Number/Price. Rows include 2" dia. wide grooved Urethane no flats, 2" dia. narrow grooved Urethane no flats, and 2" dia. wide grooved Urethane 1" flats.

**2" dia. TWO opposing end short bodies**

Table with 3 columns: Description, Part Number, Price. Includes items like 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats, 4 lb T2504A2CGT \$452.

**2" dia. SINGLE body + 2 bodies outside of brackets**

Table with 3 columns: Description, Part Number, Price. Includes items like extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats, 12 lb T3122A2CG+2C \$512.

**2" dia. FOUR bodies**

Table with 3 columns: Description, Part Number, Price. Includes items like 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats, 8.5 lb T2522A2CG4 \$562.

**2" dia. FOUR bodies + 2 bodies outside of brackets**

Table with 3 columns: Description, Part Number, Price. Includes items like 6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats, 13 lb T3122A2CG4+2C \$652.

**2.5" dia. SINGLE body**

Table with 3 columns: Description, Part Number, Price. Includes items like 2.5" dia. wide grooved (1" spacing) Urethane no flats, 9 lb T2522A25CG \$456.

**2.5" dia. TWO opposing end short bodies**

Table with 3 columns: Description, Part Number, Price. Includes items like 2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats, 4 lb T2504A25CGT \$496.

**2.5" dia. FOUR bodies**

Table with 3 columns: Description, Part Number, Price. Includes items like 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats, 10 lb T2522A25CG4 \$636.

**Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3050, 3100, 3150**

(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 21)

Table with 3 columns: Description, Part Number, Price. Includes items like 3" dia. wide grooved Urethane, 9 lb T2520H3CG \$513.

**Toro 21/22" FLEX & TRIFLEX models 21, 2100, 2120, 1021 & e1021 + 3200, 3250, 3300, 3320, 3370, 3400, 3420 - FRONT & BACK ROLLERS**

(these rollers do not accommodate yoke ball studs. They have solid shaft ends without taps; if groomer kit requires tap in shaft ends, change "A" in part # to "S")

**2" dia. SINGLE body**

Table with 3 columns: Description, Part Number, Price. Includes items like 2" dia. wide grooved Urethane no flats, 6.5 lb T2522A2CG \$382.

**2" dia. TWO opposing end short bodies**

Table with 3 columns: Description, Part Number, Price. Includes items like 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats, 4 lb T2504A2CGT \$452.

**2" dia. SINGLE body + 2 bodies outside of brackets**

Table with 3 columns: Description, Part Number, Price. Includes items like extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats, 12 lb T3122A2CG+2C \$512.

**2" dia. FOUR bodies**

Table with 3 columns: Description, Part Number, Price. Includes items like 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats, 8.5 lb T2522A2CG4 \$562.

**non-stripping, non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Part Number, Price. Includes items like 2 short twin bodies at ends of a 25.875" shaft, SHA2522ATA \$91.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Part Number, Price. Includes items like 22.45" center body + 2 short outer bodies, 31.875" shaft, SHA3122ATA+2 \$108.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Part Number, Price. Includes items like 4 short bodies, 25.875" shaft, SHA2522ATA4 \$91.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Part Number, Price. Includes items like 4 center bodies + 2 short outer bodies, 31.875" shaft, SHA3122ATA+2 \$108.

**non-stripping, non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Part Number, Price. Includes items like 22.45" body, 25.875" shaft, SHA2522AT \$76.

**non-stripping, non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Part Number, Price. Includes items like 2 short twin bodies at ends of a 25.875" shaft, SHA2522ATA \$91.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Part Number, Price. Includes items like 4 short bodies, 25.875" shaft, SHA2522ATA4 \$98.

**(fully assembled with body + shaft + bearings + seals)**

Table with 3 columns: Description, Part Number, Price. Includes items like 20.45" body, 25.063" shaft-3/8" taps, SHA2520HT \$90.

**2" dia. FOUR bodies + 2 bodies outside of brackets**

|   |                      |              |
|---|----------------------|--------------|
| 6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats   | 13 lb T3122A2CG4+2C  | <b>\$652</b> |
| 6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats | 13 lb T3122A2NG4+2C  | <b>\$652</b> |
| 6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats   | 13 lb T3122A2CGF4+2C | <b>\$652</b> |
| 6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats | 13 lb T3122A2NGF4+2C | <b>\$652</b> |
| 6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)                  | 13 lb T3122A2C4+2C   | <b>\$652</b> |
| 6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)               | 13 lb T3122A2S4+2S   | <b>\$652</b> |

**2.5" dia. SINGLE body**

|  |                  |              |
|--|------------------|--------------|
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 9 lb T2522A25CG  | <b>\$456</b> |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats | 9 lb T2522A25NG  | <b>\$456</b> |
| 2.5" dia. wide grooved (1" spacing) Urethane 1" flats          | 9 lb T2522A25CGF | <b>\$456</b> |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats | 9 lb T2522A25NGF | <b>\$456</b> |
| 2.5" smooth Urethane   | 9.5 lb T2522A25C | <b>\$396</b> |
| 2.5" smooth Steel  | 10 lb T2522A25S  | <b>\$376</b> |

**2.5" dia. TWO opposing end short bodies**

|   |                   |              |
|---|-------------------|--------------|
| 2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats | 4 lb T2504A25CGt  | <b>\$496</b> |
| 2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)                     | 4.2 lb T2504A25Ct | <b>\$496</b> |

**2.5" dia. FOUR bodies**

|   |                      |              |
|---|----------------------|--------------|
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 10 lb T2522A25CG4    | <b>\$636</b> |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 10.5 lb T2522A25NG4  | <b>\$636</b> |
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 10.5 lb T2522A25CGF4 | <b>\$636</b> |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 10.5 lb T2522A25NGF4 | <b>\$636</b> |
| 4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)                       | 13 lb T2522A25C4     | <b>\$636</b> |
| 4 bodies 2.5" smooth Steel (4x5.55" wide bodies)                          | 13 lb T2522A25S4     | <b>\$626</b> |

**2.5" dia. FOUR bodies + 2 bodies outside of brackets**

|   |                      |              |
|---|----------------------|--------------|
| 6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats | 14 lb T3122A25CG4+2C | <b>\$686</b> |
| 6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)                     | 14 lb T3122A25C4+2C  | <b>\$686</b> |

**Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK ROLLERS (if groomer kit requires tap in ends of shaft, change "C" in part # to "S")****2" dia. SINGLE body**

|  |                   |              |
|--|-------------------|--------------|
| 2" dia. wide grooved Urethane no flats   | 6.2 lb T2319C2CG  | <b>\$382</b> |
| 2" dia. narrow grooved Urethane no flats | 6.4 lb T2319C2NG  | <b>\$382</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.3 lb T2319C2CGF | <b>\$382</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.5 lb T2319C2NGF | <b>\$382</b> |
| 2" dia. smooth Urethane                  | 7.5 lb T2319C2C   | <b>\$362</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 10.5 lb T2319C2S  | <b>\$302</b> |

**2" dia. TWO opposing end short bodies**

|   |                  |              |
|---|------------------|--------------|
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats   | 4 lb T2304C2CGt  | <b>\$452</b> |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats | 4 lb T2304C2NGt  | <b>\$452</b> |
| 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats   | 4 lb T2304C2CGFt | <b>\$452</b> |
| 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats | 4 lb T2304C2NGFt | <b>\$452</b> |
| 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)                     | 4 lb T2302C2Ct   | <b>\$452</b> |
| 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)                  | 4.2 lb T2304C2Ct | <b>\$452</b> |

**2" dia. SINGLE body + 2 bodies outside of brackets**

|  |                    |              |
|--|--------------------|--------------|
| extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats   | 12 lb T2919C2CG+2C | <b>\$512</b> |
| extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats | 12 lb T2919C2NG+2C | <b>\$512</b> |
| extended 2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)                  | 13 lb T2919C2C+2C  | <b>\$512</b> |

**2" dia. FOUR bodies**

|   |                    |              |
|---|--------------------|--------------|
| 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats   | 8.5 lb T2319C2CG4  | <b>\$562</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats | 8.5 lb T2319C2NG4  | <b>\$562</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats   | 8.5 lb T2319C2CGF4 | <b>\$562</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats | 8.5 lb T2319C2NGF4 | <b>\$562</b> |
| 4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)                  | 8.5 lb T2319C2C4   | <b>\$562</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)               | 12 lb T2319C2S4    | <b>\$562</b> |

**2" dia. FOUR bodies + 2 bodies outside of brackets**

|   |                      |              |
|---|----------------------|--------------|
| 6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats   | 13 lb T2919C2CG4+2C  | <b>\$652</b> |
| 6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats | 13 lb T2919C2NG4+2C  | <b>\$652</b> |
| 6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats   | 13 lb T2919C2CGF4+2C | <b>\$652</b> |
| 6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats | 13 lb T2919C2NGF4+2C | <b>\$652</b> |
| 6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)                  | 12 lb T2919C2C4+2C   | <b>\$652</b> |
| 6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)               | 12 lb T2919C2S4+2S   | <b>\$652</b> |

**Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS****2" dia. SINGLE body**

|  |                   |              |
|--|-------------------|--------------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb T2219S2CG  | <b>\$382</b> |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb T2219S2NG  | <b>\$382</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb T2219S2CGF | <b>\$382</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb T2219S2NGF | <b>\$382</b> |
| 2" dia. smooth Urethane                  | 7.5 lb T2219S2C   | <b>\$362</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 10.5 lb T2219S2S  | <b>\$302</b> |

**2" dia. FOUR bodies**

|   |                    |              |
|---|--------------------|--------------|
| 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats   | 8.5 lb T2219S2CG4  | <b>\$562</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats | 8.5 lb T2219S2NG4  | <b>\$562</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats   | 8.5 lb T2219S2CGF4 | <b>\$562</b> |
| 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats | 8.5 lb T2219S2NGF4 | <b>\$562</b> |
| 4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)                  | 8.5 lb T2219S2C4   | <b>\$562</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)               | 12 lb T2219S2S4    | <b>\$562</b> |

**Toro GM1026 & 1600 26" GREENSMOWER - FRONT & BACK ROLLERS****2" dia. SINGLE body**

|  |                   |              |
|--|-------------------|--------------|
| 2" dia. wide grooved Urethane no flats | 7.8 lb T3126A2CG  | <b>\$382</b> |
| 2" dia. wide grooved Urethane 1" flats | 7.8 lb T3126A2CGF | <b>\$382</b> |
| 2" dia. smooth Urethane                | 11 lb T3126A2C    | <b>\$362</b> |
| 2" dia. smooth Steel heavy (1/4" wall) | 13.5 lb T3126A2S  | <b>\$302</b> |

**non-skidding for tight turns & ground undulations**

|   |               |              |
|---|---------------|--------------|
| 4 center bodies + 2 short outer bodies, 31.875" shaft | SHA3122ATA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 31.875" shaft | SHA3122ATA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 31.875" shaft | SHA3122ATA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 31.875" shaft | SHA3122ATA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 31.875" shaft | SHA3122ATA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 31.875" shaft | SHA3122ATA4+2 | <b>\$108</b> |
| 22.45" body, 25.875" shaft                            | SHA2522AT     | <b>\$76</b>  |
| 22.45" body, 25.875" shaft                            | SHA2522AT     | <b>\$76</b>  |
| 22.45" body, 25.87" shaft                             | SHA2522AT     | <b>\$76</b>  |
| 22.45" body, 25.87" shaft                             | SHA2522AT     | <b>\$76</b>  |
| 22.45" body, 25.875" shaft                            | SHA2522AT     | <b>\$76</b>  |
| 22.25" body, 25.875" shaft                            | SHA2522AT     | <b>\$76</b>  |

**non-stripping, non-skidding for tight turns & ground undulations**

|  |            |             |
|--|------------|-------------|
| 2 short twin bodies at ends of a 25.875" shaft | SHA2504ATA | <b>\$91</b> |
| 2 short twin bodies at ends of a 25.875" shaft | SHA2504ATA | <b>\$91</b> |

**non-skidding for tight turns & ground undulations**

|                               |             |             |
|-------------------------------|-------------|-------------|
| 4 short bodies, 25.875" shaft | SHA2522ATA4 | <b>\$98</b> |
| 4 short bodies, 25.875" shaft | SHA2522ATA4 | <b>\$98</b> |
| 4 short bodies, 25.875" shaft | SHA2522ATA4 | <b>\$98</b> |
| 4 short bodies, 25.875" shaft | SHA2522ATA4 | <b>\$98</b> |
| 4 short bodies, 25.875" shaft | SHA2522ATA4 | <b>\$98</b> |
| 4 short bodies, 25.875" shaft | SHA2522ATA4 | <b>\$98</b> |

**non-skidding for tight turns & ground undulations**

|   |               |              |
|---|---------------|--------------|
| 4 center body + 2 short outer bodies, 31.875" shaft | SHA3122ATA4+2 | <b>\$108</b> |
| 4 center body + 2 short outer bodies, 31.875" shaft | SHA3122ATA4+2 | <b>\$108</b> |

|                                 |           |             |
|---------------------------------|-----------|-------------|
| 19.45" body, 23" shaft w/o taps | SHA2319CT | <b>\$76</b> |
| 19.45" body, 23" shaft w/o taps | SHA2319CT | <b>\$76</b> |
| 19.45" body, 23" shaft w/o taps | SHA2319CT | <b>\$76</b> |
| 19.45" body, 23" shaft w/o taps | SHA2319CT | <b>\$76</b> |
| 19.25" body, 23" shaft w/o taps | SHA2319CT | <b>\$76</b> |
| 19.25" body, 23" shaft w/o taps | SHA2319CT | <b>\$76</b> |

**non-stripping, non-skidding for tight turns & ground undulations**

|  |            |             |
|--|------------|-------------|
| 2 short twin bodies at ends of a 23" shaft | SHA2304CTA | <b>\$91</b> |
| 2 short twin bodies at ends of a 23" shaft | SHA2304CTA | <b>\$91</b> |
| 2 short twin bodies at ends of a 23" shaft | SHA2304CTA | <b>\$91</b> |
| 2 short twin bodies at ends of a 23" shaft | SHA2304CTA | <b>\$91</b> |
| 2 short twin bodies at ends of a 23" shaft | SHA2302CTA | <b>\$91</b> |
| 2 short twin bodies at ends of a 23" shaft | SHA2304CTA | <b>\$91</b> |

**non-skidding for tight turns & ground undulations**

|  |              |              |
|--|--------------|--------------|
| 19.45" center body + 2 short outer bodies, 29" shaft | SHA2919CTA+2 | <b>\$108</b> |
| 19.45" center body + 2 short outer bodies, 29" shaft | SHA2919CTA+2 | <b>\$108</b> |
| 19.25" center body + 2 short outer bodies, 29" shaft | SHA2919CTA+2 | <b>\$108</b> |

**non-skidding for tight turns & ground undulations**

|                           |             |             |
|---------------------------|-------------|-------------|
| 4 short bodies, 23" shaft | SHA2319CTA4 | <b>\$91</b> |
| 4 short bodies, 23" shaft | SHA2319CTA4 | <b>\$91</b> |
| 4 short bodies, 23" shaft | SHA2319CTA4 | <b>\$91</b> |
| 4 short bodies, 23" shaft | SHA2319CTA4 | <b>\$91</b> |
| 4 short bodies, 23" shaft | SHA2319CTA4 | <b>\$91</b> |
| 4 short bodies, 23" shaft | SHA2319CTA4 | <b>\$91</b> |

**non-skidding for tight turns & ground undulations**

|   |               |              |
|---|---------------|--------------|
| 4 center bodies + 2 short outer bodies, 29" shaft | SHA2919CTA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 29" shaft | SHA2919CTA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 29" shaft | SHA2919CTA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 29" shaft | SHA2919CTA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 29" shaft | SHA2919CTA4+2 | <b>\$108</b> |
| 4 center bodies + 2 short outer bodies, 29" shaft | SHA2919CTA4+2 | <b>\$108</b> |

**Call to upgrade with double row angular contact bearings**

|                                    |           |             |
|------------------------------------|-----------|-------------|
| 19.45" body, 22.75" shaft w/o taps | SHA2219ST | <b>\$76</b> |
| 19.45" body, 22.75" shaft w/o taps | SHA2219ST | <b>\$76</b> |
| 19.45" body, 22.75" shaft w/o taps | SHA2219ST | <b>\$76</b> |
| 19.45" body, 22.75" shaft w/o taps | SHA2219ST | <b>\$76</b> |
| 19.25" body, 22.75" shaft w/o taps | SHA2219ST | <b>\$76</b> |
| 19.25" body, 22.75" shaft w/o taps | SHA2219ST | <b>\$76</b> |

**non-skidding for tight turns & ground undulations**

|                              |             |             |
|------------------------------|-------------|-------------|
| 4 short bodies, 22.75" shaft | SHA2219STA4 | <b>\$91</b> |
| 4 short bodies, 22.75" shaft | SHA2219STA4 | <b>\$91</b> |
| 4 short bodies, 22.75" shaft | SHA2219STA4 | <b>\$91</b> |
| 4 short bodies, 22.75" shaft | SHA2219STA4 | <b>\$91</b> |
| 4 short bodies, 22.75" shaft | SHA2219STA4 | <b>\$91</b> |
| 4 short bodies, 22.75" shaft | SHA2219STA4 | <b>\$91</b> |



**2" dia. TWO opposing end short bodies**

Table with 3 columns: Description, Weight, Price. Includes items like '2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats'.

**non-stripping, non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '2 short twin bodies at ends of a 31" shaft'.

**2" dia. SINGLE body + 2 bodies outside of brackets**

Table with 3 columns: Description, Weight, Price. Includes items like 'extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats'.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '26.45" center body + 2 short outer bodies, 37" shaft'.

**2" dia. FOUR bodies**

Table with 3 columns: Description, Weight, Price. Includes items like '4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats'.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '4 short bodies, 31" shaft'.

**2" dia. FOUR bodies + 2 bodies outside of brackets**

Table with 3 columns: Description, Weight, Price. Includes items like '6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats'.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '4 center bodies + 2 short outer bodies, 37" shaft'.

**2.5" dia. SINGLE body**

Table with 3 columns: Description, Weight, Price. Includes items like '2.5" dia. wide grooved (1" spacing) Urethane no flats'.

Table with 3 columns: Description, Price, Part Number. Includes items like '27.45" body, 31" shaft'.

**2.5" dia. TWO opposing end short bodies**

Table with 3 columns: Description, Weight, Price. Includes items like '2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)'.

**non-stripping, non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '2 short twin bodies at ends of a 31" shaft'.

**2.5" dia. SINGLE body + 2 bodies outside of brackets**

Table with 3 columns: Description, Weight, Price. Includes items like 'extended 2.5" dia. wide grooved Urethane (27.45" inner+2x2" outer bodies) no flats'.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '27.45" center body + 2 short outer bodies, 37" shaft'.

**2.5" dia. FOUR bodies**

Table with 3 columns: Description, Weight, Price. Includes items like '4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats'.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '4 short bodies, 31" shaft'.

**2.5" dia. FOUR bodies + 2 bodies outside of brackets**

Table with 3 columns: Description, Weight, Price. Includes items like '6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats'.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '4 center bodies + 2 short outer bodies, 37" shaft'.

**Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER**

Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call

**2.5" dia. SINGLE body**

Table with 3 columns: Description, Weight, Price. Includes items like '2.5" dia. wide grooved (1" spacing) Urethane no flats'.

Table with 3 columns: Description, Price, Part Number. Includes items like '22.45" body, 25.87" shaft'.

**Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diameter also available)**

Call to upgrade with double row angular contact bearings

**2" dia. SINGLE body**

Table with 3 columns: Description, Weight, Price. Includes items like '2" dia. wide grooved Urethane 1" flats'.

Table with 3 columns: Description, Price, Part Number. Includes items like '19.45" body, 23" shaft'.

**Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - FRONT**

Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call

**2.5" dia. SINGLE body**

Table with 3 columns: Description, Weight, Price. Includes items like '2.5" dia. wide grooved (1" spacing) Urethane no flats'.

Table with 3 columns: Description, Price, Part Number. Includes items like '22.45" body, 27" shaft'.

**2.5" dia. FOUR bodies**

Table with 3 columns: Description, Weight, Price. Includes items like '4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats'.

**non-skidding for tight turns & ground undulations**

Table with 3 columns: Description, Price, Part Number. Includes items like '4 short bodies, 27" shaft'.

**3" dia. SINGLE body**

|                               |                  |       |                        |           |      |
|-------------------------------|------------------|-------|------------------------|-----------|------|
| 3" dia. wide grooved Urethane | 9.5 lb T2722A3CG | \$513 | 22.45" body, 27" shaft | SHA2722AT | \$76 |
| 3" smooth Urethane            | 12 lb T2722A3C   | \$483 | 22.45" body, 27" shaft | SHA2722AT | \$76 |
| 3" smooth Steel               | 11.5 lb T2722A3S | \$443 | 22.25" body, 27" shaft | SHA2722AT | \$76 |
| 3" dia. wide grooved Urethane | 9.5 lb T2724A3CG | \$513 | 24.45" body, 27" shaft | SHA2724AT | \$76 |
| 3" smooth Urethane            | 12 lb T2724A3C   | \$483 | 24.45" body, 27" shaft | SHA2724AT | \$76 |
| 3" smooth Steel               | 11.5 lb T2724A3S | \$443 | 24.25" body, 27" shaft | SHA2724AT | \$76 |

**3" dia. FOUR bodies**

|  |                  |       |                           |             |      |
|--|------------------|-------|---------------------------|-------------|------|
| 4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)        | 10 lb T2722A3CG4 | \$673 | 4 short bodies, 27" shaft | SHA2722ATA4 | \$91 |
| 4 bodies 3" smooth Urethane (4x5.55" wide bodies)                  | 13 lb T2722A3C4  | \$663 | 4 short bodies, 27" shaft | SHA2722ATA4 | \$91 |
| 4 bodies 3" dia. wide grooved Urethane (2x5.2"+2x6.5" wide bodies) | 10 lb T2724A3CG4 | \$673 | 4 short bodies, 27" shaft | SHA2724ATA4 | \$91 |
| 4 bodies 3" smooth Urethane (2x5.55"+2x6.5" wide bodies)           | 13 lb T2724A3C4  | \$663 | 4 short bodies, 27" shaft | SHA2724ATA4 | \$91 |

**Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - BACK**

**Call to upgrade with double row angular contact bearings**

**2" dia. SINGLE body**

|  |                   |       |                                 |           |      |
|--|-------------------|-------|---------------------------------|-----------|------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb T2522A2CG  | \$382 | 22.45" body, 25.875" shaft      | SHA2522AT | \$76 |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb T2522A2NG  | \$382 | 22.45" body, 25.875" shaft      | SHA2522AT | \$76 |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb T2522A2CGF | \$382 | 22.45" body, 25.875" shaft      | SHA2522AT | \$76 |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb T2522A2NGF | \$382 | 22.45" body, 25.875" shaft      | SHA2522AT | \$76 |
| 2" dia. smooth Urethane                  | 8 lb T2522A2C     | \$362 | 22.25" body, 25.875" shaft      | SHA2522AT | \$76 |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb T2522A2S  | \$302 | 22.25" body, 25.875" shaft      | SHA2522AT | \$76 |
| 2" dia. wide grooved Urethane no flats   | 6.5 lb T2519A2CG  | \$382 | 19.45" body, 25" shaft          | SHA2519AT | \$76 |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb T2519A2NG  | \$382 | 19.45" body, 25" shaft          | SHA2519AT | \$76 |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb T2519A2CGF | \$382 | 19.45" body, 25" shaft          | SHA2519AT | \$76 |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb T2519A2NGF | \$382 | 19.45" body, 25" shaft          | SHA2519AT | \$76 |
| 2" dia. smooth Urethane                  | 7.5 lb T2519A2C   | \$362 | 19.45" body, 25" shaft          | SHA2519AT | \$76 |
| 2" dia. smooth Steel heavy (1/4" wall)   | 10.5 lb T2519A2S  | \$302 | 19.25" body, 25" shaft          | SHA2519AT | \$76 |
| 2" dia. smooth Urethane                  | 8 lb T2321T2C     | \$362 | 21.45" body, 23.75" shaft       | SHA2321TT | \$76 |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb T2321T2S  | \$302 | 21.25" body, 23.75" shaft       | SHA2321TT | \$76 |
| 2" dia. wide grooved Urethane no flats   | 6.2 lb T2319A2CG  | \$382 | 19.45" body, 23" shaft w/o taps | SHA2319AT | \$76 |
| 2" dia. narrow grooved Urethane no flats | 6.4 lb T2319A2NG  | \$382 | 19.45" body, 23" shaft w/o taps | SHA2319AT | \$76 |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb T2319A2CGF | \$382 | 19.45" body, 23" shaft w/o taps | SHA2319AT | \$76 |
| 2" dia. narrow grooved Urethane 1" flats | 6.5 lb T2319A2NGF | \$382 | 19.45" body, 23" shaft w/o taps | SHA2319AT | \$76 |
| 2" dia. smooth Urethane                  | 7.5 lb T2319A2C   | \$362 | 19.25" body, 23" shaft w/o taps | SHA2319AT | \$76 |
| 2" dia. smooth Steel heavy (1/4" wall)   | 10.5 lb T2319A2S  | \$302 | 19.25" body, 23" shaft w/o taps | SHA2319AT | \$76 |

**2" dia. FOUR bodies**

|   |                    |       |                               |             |      |
|---|--------------------|-------|-------------------------------|-------------|------|
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 8.5 lb T2522A2CG4  | \$562 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$91 |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 8.5 lb T2522A2NG4  | \$562 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$91 |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 8.5 lb T2522A2CGF4 | \$562 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$91 |
| 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 8.5 lb T2522A2NGF4 | \$562 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$91 |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)                  | 8.5 lb T2522A2C4   | \$562 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$91 |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)               | 12 lb T2522A2S4    | \$562 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$91 |
| 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats   | 8.5 lb T2519A2CG4  | \$562 | 4 short bodies, 25.875" shaft | SHA2519ATA4 | \$91 |
| 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats | 8.5 lb T2519A2NG4  | \$562 | 4 short bodies, 25.875" shaft | SHA2519ATA4 | \$91 |
| 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats   | 8.5 lb T2519A2CGF4 | \$562 | 4 short bodies, 25.875" shaft | SHA2519ATA4 | \$91 |
| 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats | 8.5 lb T2519A2NGF4 | \$562 | 4 short bodies, 25.875" shaft | SHA2519ATA4 | \$91 |
| 4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)                  | 8.5 lb T2519A2C4   | \$562 | 4 short bodies, 25.875" shaft | SHA2519ATA4 | \$91 |
| 4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)               | 12 lb T2519A2S4    | \$562 | 4 short bodies, 25.875" shaft | SHA2519ATA4 | \$91 |

**2.5" dia. SINGLE body**

|  |                   |       |                           |           |      |
|--|-------------------|-------|---------------------------|-----------|------|
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 9 lb T2522A25CG   | \$456 | 22.45" body, 25.87" shaft | SHA2522AT | \$76 |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats | 9 lb T2522A25NG   | \$456 | 22.45" body, 25.87" shaft | SHA2522AT | \$76 |
| 2.5" dia. wide grooved (1" spacing) Urethane 1" flats          | 9 lb T2522A25CGF  | \$456 | 22.45" body, 25.87" shaft | SHA2522AT | \$76 |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats | 9 lb T2522A25NGF  | \$456 | 22.45" body, 25.87" shaft | SHA2522AT | \$76 |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 8.5 lb T2522C25CG | \$456 | 22.45" body, 25.5" shaft  | SHA2522CT | \$76 |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats | 9 lb T2522C25NG   | \$456 | 22.45" body, 25.5" shaft  | SHA2522CT | \$76 |
| 2.5" dia. wide grooved (1" spacing) Urethane 1" flats          | 9 lb T2522C25CGF  | \$456 | 22.45" body, 25.5" shaft  | SHA2522CT | \$76 |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats | 9 lb T2522C25NGF  | \$456 | 22.45" body, 25.5" shaft  | SHA2522CT | \$76 |
| 2.5" smooth Urethane   | 9.5 lb T2522C25C  | \$396 | 22.45" body, 25.5" shaft  | SHA2522CT | \$76 |
| 2.5" smooth Steel  | 10 lb T2522C25S   | \$376 | 22.25" body, 25.5" shaft  | SHA2522CT | \$76 |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 8.5 lb T2521C25CG | \$456 | 21.45" body, 25.5" shaft  | SHA2521CT | \$76 |
| 2.5" smooth Urethane   | 9.5 lb T2521C25C  | \$396 | 21.45" body, 25.5" shaft  | SHA2521CT | \$76 |
| 2.5" smooth Steel  | 10 lb T2521C25S   | \$376 | 21.25" body, 25.5" shaft  | SHA2521CT | \$76 |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 8 lb T2519A25CG   | \$456 | 19.45" body, 25" shaft    | SHA2519AT | \$76 |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats | 9 lb T2519A25NG   | \$456 | 19.45" body, 25" shaft    | SHA2519AT | \$76 |
| 2.5" dia. wide grooved (1" spacing) Urethane 1" flats          | 9 lb T2519A25CGF  | \$456 | 19.45" body, 25" shaft    | SHA2519AT | \$76 |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats | 9 lb T2519A25NGF  | \$456 | 19.45" body, 25" shaft    | SHA2519AT | \$76 |
| 2.5" smooth Urethane   | 9 lb T2519A25C    | \$396 | 19.45" body, 25" shaft    | SHA2519AT | \$76 |
| 2.5" smooth Steel  | 9 lb T2519A25S    | \$376 | 19.25" body, 25" shaft    | SHA2519AT | \$76 |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 8.5 lb T2321A25CG | \$456 | 21.45" body, 23.75" shaft | SHA2321AT | \$76 |
| 2.5" smooth Urethane   | 9.5 lb T2321A25C  | \$396 | 21.45" body, 23.75" shaft | SHA2321AT | \$76 |
| 2.5" smooth Steel  | 9.2 lb T2321A25S  | \$376 | 21.25" body, 23.75" shaft | SHA2321AT | \$76 |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 8 lb T2319A25CG   | \$456 | 19.45" body, 23" shaft    | SHA2319AT | \$76 |
| 2.5" smooth Urethane   | 9 lb T2319A25C    | \$396 | 19.45" body, 23" shaft    | SHA2319AT | \$76 |
| 2.5" smooth Steel  | 9 lb T2319A25S    | \$376 | 19.25" body, 23" shaft    | SHA2319AT | \$76 |

**2.5" dia. FOUR bodies**

|   |                      |       |                               |             |      |
|---|----------------------|-------|-------------------------------|-------------|------|
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats   | 10 lb T2522A25CG4    | \$636 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$98 |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats | 10.5 lb T2522A25NG4  | \$636 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$98 |
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats   | 10.5 lb T2522A25CGF4 | \$636 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$98 |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats | 10.5 lb T2522A25NGF4 | \$636 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$98 |
| 4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)                       | 13 lb T2522A25C4     | \$636 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$98 |
| 4 bodies 2.5" smooth Steel (4x5.55" wide bodies)                          | 13 lb T2522A25S4     | \$626 | 4 short bodies, 25.875" shaft | SHA2522ATA4 | \$98 |
| 4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats   | 8.5 lb T2519A25CG4   | \$636 | 4 short bodies, 25" shaft     | SHA2519ATA4 | \$91 |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats | 8.5 lb T2519A25NG4   | \$636 | 4 short bodies, 25" shaft     | SHA2519ATA4 | \$91 |
| 4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats   | 8.5 lb T2519A25CGF4  | \$636 | 4 short bodies, 25" shaft     | SHA2519ATA4 | \$91 |
| 4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats | 8.5 lb T2519A25NGF4  | \$636 | 4 short bodies, 25" shaft     | SHA2519ATA4 | \$91 |
| 4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)                       | 8.5 lb T2519A25C4    | \$636 | 4 short bodies, 25" shaft     | SHA2519ATA4 | \$91 |
| 4 bodies 2.5" smooth Steel (4x4.75" wide bodies)                          | 12 lb T2519A25S4     | \$626 | 4 short bodies, 25" shaft     | SHA2519ATA4 | \$91 |

**3" dia. SINGLE body**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists various urethane and steel roller options for a 3-inch diameter single body.

**Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS**

**2.5" dia. SINGLE body**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists various urethane and steel roller options for a 2.5-inch diameter single body.

**To diminish instances of shadowing lines due to overlap of reels**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists specific roller options to reduce shadowing.

**2.5" dia. FOUR bodies**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists roller options for four bodies of various diameters.

**3" dia. SINGLE body**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists various urethane and steel roller options for a 3-inch diameter single body.

**To diminish instances of shadowing lines due to overlap of reels**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists specific roller options to reduce shadowing.

**2.5" Combination roller assemblies to diminish effect of reel overlap shadowing are available**

**Toro SIDEWINDER 27" REEL MOWERS: 2000D, 2300D, 3100D & 216 - FRONT & BACK ROLLERS**

**2.5" dia. SINGLE body**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists roller options for a 2.5-inch diameter single body.

**2.5" dia. FOUR bodies**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists roller options for four bodies of various diameters.

**Call to upgrade with double row angular contact bearings**

(please confirm diameter of body & length of shaft required to fit back roller)

**call for proper application specifics**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists roller options with application specifics.

**non-skidding for tight turns & ground undulations**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists roller options for non-skidding.

**call for proper application specifics**

Table with 5 columns: Description, Weight, Part Number, Price, and Part Number/Price. Lists roller options with application specifics.

**Call to upgrade with double row angular contact bearings**

**3" dia. SINGLE body (FOUR bodies also available)**

|                               |                   |              |                             |           |             |
|-------------------------------|-------------------|--------------|-----------------------------|-----------|-------------|
| 3" dia. wide grooved Urethane | 12.5 lb T3026D3CG | <b>\$513</b> | 26.45" body, 30" shaft      | SHA3026DT | <b>\$76</b> |
| 3" smooth Urethane            | 13 lb T3026D3C    | <b>\$483</b> | 26.45" body, 30" shaft      | SHA3026DT | <b>\$76</b> |
| 3" smooth Steel               | 13 lb T3026D3S    | <b>\$443</b> | 26.25" body, 30" shaft      | SHA3026DT | <b>\$76</b> |
| 3" dia. wide grooved Urethane | 12.8 lb T3227D3CG | <b>\$513</b> | 27.45" body, 32" dia. shaft | SHA3227DT | <b>\$76</b> |
| 3" smooth Urethane            | 13.3 lb T3227D3C  | <b>\$483</b> | 27.45" body, 32" dia. shaft | SHA3227DT | <b>\$76</b> |
| 3" smooth Steel               | 13.3 lb T3227D3S  | <b>\$443</b> | 27.25" body, 32" dia. shaft | SHA3227DT | <b>\$76</b> |

**Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - FRONT ROLLER (check length of body and shaft)**

**3" dia. SINGLE body**

|                               |                   |              |                          |           |             |
|-------------------------------|-------------------|--------------|--------------------------|-----------|-------------|
| 3" dia. wide grooved Urethane | 14 lb T3431U3CG   | <b>\$543</b> | 31.45" body, 34.5" shaft | SHA3431UT | <b>\$76</b> |
| 3" smooth Steel               | 15 lb T3431U3S    | <b>\$443</b> | 31.25" body, 34.5" shaft | SHA3431UT | <b>\$76</b> |
| 3" dia. wide grooved Urethane | 14 lb T3632U3CG   | <b>\$543</b> | 32.45" body, 36" shaft   | SHA3632UT | <b>\$76</b> |
| 3" smooth Steel               | 15 lb T3632U3S    | <b>\$463</b> | 32.25" body, 36" shaft   | SHA3632UT | <b>\$76</b> |
| 2.5" smooth Steel             | 12.5 lb T3431U25S | <b>\$376</b> | 31.25" body, 34.5" shaft | SHA3431UT | <b>\$76</b> |

**3" dia. FOUR bodies**

|  |                    |              |                             |             |             |
|--|--------------------|--------------|-----------------------------|-------------|-------------|
| 5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies) | 12 lb T3431U3CG5   | <b>\$723</b> | 5 short bodies, 34.5" shaft | SHA3431UTA5 | <b>\$99</b> |
| 5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies) | 12.5 lb T3632U3CG5 | <b>\$723</b> | 5 short bodies, 36" shaft   | SHA3632UTA5 | <b>\$99</b> |
| 5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)            | 14 lb T3431U3C5    | <b>\$703</b> | 5 short bodies, 34.5" shaft | SHA3431UTA5 | <b>\$99</b> |
| 5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)            | 14.5 lb T3632U3C5  | <b>\$703</b> | 5 short bodies, 36" shaft   | SHA3632UTA5 | <b>\$99</b> |

**Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - BACK ROLLER**

**2.5" dia. & 3" dia. & 3.5" dia. SINGLE body**

|                                |                   |              |  |           |             |
|--------------------------------|-------------------|--------------|--|-----------|-------------|
| 2.5" smooth Urethane           | 12.5 lb T3429U25C | <b>\$396</b> | 29.45" body, 34.5" shaft                       | SHA3429UT | <b>\$76</b> |
| 2.5" smooth Steel              | 12.5 lb T3429U25S | <b>\$376</b> | 29.25" body, 34.5" shaft                       | SHA3429UT | <b>\$76</b> |
| 3" smooth Urethane             | 15 lb T3429U3C    | <b>\$483</b> | 29.45" body, 34.5" shaft                       | SHA3429UT | <b>\$76</b> |
| 3" smooth Steel                | 14.5 lb T3429U3S  | <b>\$443</b> | 29.25" body, 34.5" shaft                       | SHA3429UT | <b>\$76</b> |
| 3" smooth Urethane (special)   | 15 lb T3429K3C    | <b>\$483</b> | 29.45" body, 34" shaft (confirm specs with us) | SHA3429KT | <b>\$76</b> |
| 3" smooth Steel (special)      | 15 lb T3429K3S    | <b>\$443</b> | 29.25" body, 34" shaft (confirm specs with us) | SHA3429KT | <b>\$76</b> |
| 3.5" smooth Urethane (special) | 18 lb T3429K35C   | <b>\$577</b> | 29.45" body, 34" shaft (confirm specs with us) | SHA3429KT | <b>\$76</b> |

**3" dia. FIVE bodies**

|   |                      |              |                             |             |             |
|---|----------------------|--------------|-----------------------------|-------------|-------------|
| 5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings | 13.5 lb 2T3429A3CGR5 | <b>\$743</b> | 5 short bodies, 34.5" shaft | SHA3429ATA5 | <b>\$91</b> |
| 5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings            | 14 lb 2T3429A3CR5    | <b>\$743</b> | 5 short bodies, 34.5" shaft | SHA3429ATA5 | <b>\$91</b> |

**Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO & PARKMASTER GANG**

|                      |                  |              |                          |           |             |
|----------------------|------------------|--------------|--------------------------|-----------|-------------|
| 3" smooth Urethane   | 14 lb T3227J3C   | <b>\$493</b> | 27.45" body, 32.5" shaft | SHA3227JT | <b>\$76</b> |
| 3" smooth Steel      | 13.5 lb T3227J3S | <b>\$443</b> | 27.25" body, 32.5" shaft | SHA3227JT | <b>\$76</b> |
| 3.5" smooth Urethane | 17 lb T3227J35C  | <b>\$577</b> | 27.45" body, 32.5" shaft | SHA3227JT | <b>\$76</b> |

**Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - FRONT ROLLER (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt**

|  |                 |              |   |           |             |
|--|-----------------|--------------|---|-----------|-------------|
| 5" grooved Urethane (5.2" wide body) double row bearings | 5 lb 2T0505G5CG | <b>\$315</b> | Roller assembly includes sleeves & bolts for mounting to fork | SHA0505GT | <b>\$79</b> |
| 5" smooth Urethane (5.2" wide body) double row bearings  | 5 lb 2T0505G5C  | <b>\$295</b> | Roller assembly includes sleeves & bolts for mounting to fork | SHA0505GT | <b>\$79</b> |

**Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - BACK ROLLER**

**3" dia. SINGLE body**

|  |                     |              |                        |           |             |
|--|---------------------|--------------|------------------------|-----------|-------------|
| 3" dia. wide grooved Urethane with double row bearings | 13.5 lb 2T3329A3CGR | <b>\$543</b> | 29.45" body, 33" shaft | SHA3329AT | <b>\$79</b> |
| 3" smooth Urethane with double row bearings            | 15 lb 2T3329A3CR    | <b>\$533</b> | 29.45" body, 33" shaft | SHA3329AT | <b>\$79</b> |
| 3" smooth Steel with double row bearings               | 15 lb 2T3329A3SR    | <b>\$503</b> | 29.25" body, 33" shaft | SHA3329AT | <b>\$79</b> |

**3" dia. TWO opposing end short bodies**

|   |                      |              |  |            |             |
|---|----------------------|--------------|--|------------|-------------|
| 2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings | 10.5 lb 2T3305A3CGRt | <b>\$603</b> | 2 short twin bodies at ends of a 33" shaft | SHA3305ATA | <b>\$91</b> |
| 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings              | 11 lb 2T3304A3CRt    | <b>\$573</b> | 2 short twin bodies at ends of a 33" shaft | SHA3304ATA | <b>\$91</b> |
| 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings                 | 12 lb 2T3304A3SRt    | <b>\$573</b> | 2 short twin bodies at ends of a 33" shaft | SHA3304ATA | <b>\$91</b> |

**3" dia. FIVE bodies**

|   |                      |              |                           |             |             |
|---|----------------------|--------------|---------------------------|-------------|-------------|
| 5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings | 13.5 lb 2T3329A3CGR5 | <b>\$743</b> | 5 short bodies, 33" shaft | SHA3329ATA5 | <b>\$91</b> |
| 5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings            | 14 lb 2T3329A3CR5    | <b>\$743</b> | 5 short bodies, 33" shaft | SHA3329ATA5 | <b>\$91</b> |

**3.5" dia. SINGLE body**

|   |                   |              |                        |           |             |
|---|-------------------|--------------|------------------------|-----------|-------------|
| 3.5" smooth Urethane with double row bearings | 18 lb 2T3329A35CR | <b>\$617</b> | 29.45" body, 33" shaft | SHA3329AT | <b>\$79</b> |
|---|-------------------|--------------|------------------------|-----------|-------------|

**Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt**

|  |                  |              |   |           |             |
|--|------------------|--------------|---|-----------|-------------|
| 5" grooved Urethane (5.2" wide body) double row bearings | 5 lb 2T0705G5CG  | <b>\$315</b> | Roller assembly includes sleeves & bolts for mounting to fork | SHA0705GT | <b>\$79</b> |
| 5" smooth Urethane (5.2" wide body) double row bearings  | 5.5 lb 2T0705G5C | <b>\$295</b> | Roller assembly includes sleeves & bolts for mounting to fork | SHA0705GT | <b>\$79</b> |

**Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available-please call)**

**3" dia. SINGLE body**

|  |                   |              |                        |           |             |
|--|-------------------|--------------|------------------------|-----------|-------------|
| 3" dia. wide grooved Urethane with double row bearings | 11 lb 2T2824K3CGR | <b>\$543</b> | 24.45" body, 28" shaft | SHA2824KT | <b>\$79</b> |
| 3" smooth Urethane with double row bearings            | 12 lb 2T2824K3CR  | <b>\$533</b> | 24.45" body, 28" shaft | SHA2824KT | <b>\$79</b> |
| 3" smooth Steel with double row bearings               | 11 lb 2T2824K3SR  | <b>\$513</b> | 24.25" body, 28" shaft | SHA2824KT | <b>\$79</b> |

**3" dia. TWO opposing end short bodies**

|   |                      |              |  |             |             |
|---|----------------------|--------------|--|-------------|-------------|
| 2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings | 10.5 lb 2T2805K3CGRt | <b>\$603</b> | 2 short twin bodies at ends of a 28" shaft | SHA2805KtAt | <b>\$91</b> |
| 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings              | 11 lb 2T2804K3CRt    | <b>\$573</b> | 2 short twin bodies at ends of a 28" shaft | SHA2804KtAt | <b>\$91</b> |
| 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings                 | 12 lb 2T2804K3SRt    | <b>\$573</b> | 2 short twin bodies at ends of a 28" shaft | SHA2804KtAt | <b>\$91</b> |

**3" dia. FOUR bodies**

|   |                      |              |                           |             |             |
|---|----------------------|--------------|---------------------------|-------------|-------------|
| 4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings | 12.5 lb 2T2824K3CGR4 | <b>\$703</b> | 4 short bodies, 28" shaft | SHA2824KtA4 | <b>\$91</b> |
| 4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings            | 13.5 lb 2T2824K3CR4  | <b>\$703</b> | 4 short bodies, 28" shaft | SHA2824KtA4 | <b>\$91</b> |

**Toro 22" VERTICUT heads (Call to confirm dimensions of your roller)**

|  |                  |              |                        |           |             |
|--|------------------|--------------|------------------------|-----------|-------------|
| 2" dia. smooth Steel heavy (1/4" wall) | 10 lb T2419A2S   | <b>\$302</b> | 19.25" body, 24" shaft | SHA2419AT | <b>\$76</b> |
| 2" dia. smooth Steel heavy (1/4" wall) | 10.5 lb T2321A2S | <b>\$302</b> | 21.25" body, 23" shaft | SHA2321AT | <b>\$76</b> |

**for RANSOMES mowers (multi-body rollers available)**

**RANSOMES ALL 22" GREENSPLEX & E-PLEX & 160 - FRONT ROLLER**

**2" dia. SINGLE body**

|  |                   |              |                            |           |             |
|--|-------------------|--------------|----------------------------|-----------|-------------|
| 2" dia. wide grooved Urethane no flats   | 6.5 lb R2522A2CG  | <b>\$382</b> | 22.45" body, 25.875" shaft | SHA2522AJ | <b>\$76</b> |
| 2" dia. narrow grooved Urethane no flats | 6.7 lb R2522A2NG  | <b>\$382</b> | 22.45" body, 25.875" shaft | SHA2522AJ | <b>\$76</b> |
| 2" dia. wide grooved Urethane 1" flats   | 6.5 lb R2522A2CGF | <b>\$382</b> | 22.45" body, 25.875" shaft | SHA2522AJ | <b>\$76</b> |
| 2" dia. narrow grooved Urethane 1" flats | 6.7 lb R2522A2NGF | <b>\$382</b> | 22.45" body, 25.875" shaft | SHA2522AJ | <b>\$76</b> |
| 2" dia. smooth Urethane                  | 8 lb R2522A2C     | <b>\$362</b> | 22.25" body, 25.875" shaft | SHA2522AJ | <b>\$76</b> |
| 2" dia. smooth Steel heavy (1/4" wall)   | 11.5 lb R2522A2S  | <b>\$302</b> | 22.25" body, 25.875" shaft | SHA2522AJ | <b>\$76</b> |

|   |                     |              |   |             |             |
|---|---------------------|--------------|---|-------------|-------------|
| <b>2" dia. FOUR bodies</b>  |                     |              |   |             |             |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats                         | 8.5 lb R2522A2CGF4  | <b>\$562</b> | 4 short bodies, 25.875" shaft             | SHA2522AJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)  | 8.5 lb R2522A2C4    | <b>\$562</b> | 4 short bodies, 25.875" shaft             | SHA2522AJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)                                     | 12 lb R2522A2S4     | <b>\$562</b> | 4 short bodies, 25.875" shaft             | SHA2522AJA4 | <b>\$91</b> |
| <b>2.5" dia. SINGLE body</b>  |                     |              |   |             |             |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats   | 9 lb R2522A25CG     | <b>\$456</b> | 22.45" body, 25.875" shaft                | SHA2522AJ   | <b>\$76</b> |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats                                | 9 lb R2522A25NG     | <b>\$456</b> | 22.45" body, 25.875" shaft                | SHA2522AJ   | <b>\$76</b> |
| 2.5" smooth Urethane  | 9.5 lb R2522A25C    | <b>\$396</b> | 22.25" body, 25.875" shaft                | SHA2522AJ   | <b>\$76</b> |
| 2.5" smooth Steel   | 10 lb R2522A25S     | <b>\$376</b> | 22.25" body, 25.875" shaft                | SHA2522AJ   | <b>\$76</b> |
| <b>2.5" dia. FOUR bodies</b>  |                     |              |   |             |             |
| 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats                       | 10.5 lb R2522A25CG4 | <b>\$636</b> | 4 short bodies, 25.875" shaft             | SHA2522AJA4 | <b>\$91</b> |
| 4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)   | 8.5 lb R2522A25C4   | <b>\$636</b> | 4 short bodies, 25.875" shaft             | SHA2522AJA4 | <b>\$91</b> |
| 4 bodies 2.5" smooth Steel (4x5.55" wide bodies)  | 12 lb R2522A25S4    | <b>\$626</b> | 4 short bodies, 25.875" shaft             | SHA2522AJA4 | <b>\$91</b> |
| <b>RANSOMES 300 &amp; 500 GREENSMOWERS - BACK ROLLER</b>                                      |                     |              |   |             |             |
| <b>2" dia. SINGLE body</b>  |                     |              |   |             |             |
| 2" dia. wide grooved Urethane 1" flats  | 6.5 lb R2422S2CGF   | <b>\$382</b> | 22.45" body, 24.25" shaft-3/8" taps       | SHA2422SJ   | <b>\$76</b> |
| 2" dia. smooth Urethane   | 8 lb R2422S2C       | <b>\$362</b> | 22.25" body, 24.25" shaft-3/8" taps       | SHA2422SJ   | <b>\$76</b> |
| 2" dia. smooth Steel heavy (1/4" wall)  | 11.5 lb R2422S2S    | <b>\$302</b> | 22.25" body, 24.25" shaft-3/8" taps       | SHA2422SJ   | <b>\$76</b> |
| 2" dia. wide grooved Urethane 1" flats  | 6.5 lb R2422G2CGF   | <b>\$382</b> | 22.45" body, 24.25" shaft-7/16" taps      | SHA2422GJ   | <b>\$76</b> |
| 2" dia. smooth Urethane   | 8 lb R2422G2C       | <b>\$362</b> | 22.25" body, 24.25" shaft-7/16" taps      | SHA2422GJ   | <b>\$76</b> |
| 2" dia. smooth Steel heavy (1/4" wall)  | 11.5 lb R2422G2S    | <b>\$302</b> | 22.25" body, 24.25" shaft-7/16" taps      | SHA2422GJ   | <b>\$76</b> |
| <b>2" dia. FOUR bodies</b>  |                     |              |   |             |             |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats                         | 8.5 lb R2422S2CGF4  | <b>\$562</b> | 4 bodies @22.3" oal, shaft-3/8" taps      | SHA2422SJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)  | 8.5 lb R2422S2C4    | <b>\$562</b> | 4 short bodies, 24.25" shaft              | SHA2422SJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)                                     | 12 lb R2422S2S4     | <b>\$562</b> | 4 short bodies, 24.25" shaft              | SHA2422SJA4 | <b>\$91</b> |
| 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats                         | 8.5 lb R2422G2CGF4  | <b>\$562</b> | 4 short bodies, 24.25" shaft              | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)  | 8.5 lb R2422G2C4    | <b>\$562</b> | 4 short bodies, 24.25" shaft              | SHA2422GJA4 | <b>\$91</b> |
| 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)                                     | 12 lb R2422G2S4     | <b>\$562</b> | 4 short bodies, 24.25" shaft              | SHA2422GJA4 | <b>\$91</b> |
| <b>RANSOMES MOTOR 180D, 180 TRIPLEX &amp; TRIPLE 18 - ALL ROLLERS</b>                         |                     |              |   |             |             |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats   | 9 lb R2826G25CG     | <b>\$456</b> | 7/16" taps in shaft ends                  | SHA2826GR   | <b>\$76</b> |
| 2.5" smooth Urethane  | 11.5 lb R2826G25C   | <b>\$396</b> | 7/16" taps in shaft ends                  | SHA2826GR   | <b>\$76</b> |
| 2.5" smooth Steel   | 12 lb R2826G25S     | <b>\$376</b> | 26.25" body, 7/16" taps                   | SHA2826GR   | <b>\$76</b> |
| <b>RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/ 6" DIA. REELS - ALL ROLLERS</b>                  |                     |              |   |             |             |
| 3" dia. wide grooved Urethane   | 13 lb R2722R3CG     | <b>\$513</b> | 22.45" body, 27" shaft                    | SHA2722RR   | <b>\$76</b> |
| 3" smooth Urethane  | 15 lb R2722R3C      | <b>\$483</b> | 22.45" body, 27" shaft                    | SHA2722RR   | <b>\$76</b> |
| 3" smooth Steel   | 15 lb R2722R3S      | <b>\$443</b> | 22.45" body, 27" shaft                    | SHA2722RR   | <b>\$76</b> |
| <b>RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER</b>                     |                     |              |   |             |             |
| 3" dia. wide grooved Urethane   | 13 lb R2622A3CG     | <b>\$513</b> | 22.45" body, 26" shaft                    | SHA2622AR   | <b>\$76</b> |
| 3" smooth Urethane  | 15 lb R2622A3C      | <b>\$483</b> | 22.45" body, 26" shaft                    | SHA2622AR   | <b>\$76</b> |
| 3" smooth Steel   | 15 lb R2622A3S      | <b>\$443</b> | 22.45" body, 26" shaft                    | SHA2622AR   | <b>\$76</b> |
| <b>RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLLER</b>                 |                     |              |   |             |             |
| 3" dia. wide grooved Urethane   | 13 lb R2722A3CG     | <b>\$513</b> | 22.45" body, 27.5" shaft                  | SHA2722AR   | <b>\$76</b> |
| 3" smooth Urethane  | 15 lb R2722A3C      | <b>\$483</b> | 22.45" body, 27.5" shaft                  | SHA2722AR   | <b>\$76</b> |
| 3" smooth Steel   | 15 lb R2722A3S      | <b>\$443</b> | 22.45" body, 27.5" shaft                  | SHA2722AR   | <b>\$76</b> |
| <b>RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER</b>                  |                     |              |   |             |             |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats   | 9 lb R2421S25CG     | <b>\$456</b> | 3/8" taps in shaft ends                   | SHA2421SJ   | <b>\$76</b> |
| 2.5" smooth Urethane  | 9.5 lb R2421S25C    | <b>\$396</b> | 3/8" taps in shaft ends                   | SHA2421SJ   | <b>\$76</b> |
| 2.5" smooth Steel   | 10 lb R2421S25S     | <b>\$376</b> | 21.25" body, 3/8" taps                    | SHA2421SJ   | <b>\$76</b> |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats   | 9 lb R2421G25CG     | <b>\$456</b> | 7/16" taps in shaft ends                  | SHA2421GJ   | <b>\$76</b> |
| 2.5" smooth Urethane  | 8 lb R2421G25C      | <b>\$396</b> | 7/16" taps in shaft ends                  | SHA2421GJ   | <b>\$76</b> |
| 2.5" smooth Steel   | 12 lb R2421G25S     | <b>\$376</b> | 21.25" body, 7/16" taps                   | SHA2421GJ   | <b>\$76</b> |
| <b>RANSOMES 26" FAIRWAY 300, 305, 405 &amp; 26" T-PLEX 185D - ALL ROLLERS</b>                 |                     |              |   |             |             |
| 3" dia. wide grooved Urethane   | 13 lb R3026T3CG     | <b>\$513</b> | 26.45" body, 30" shaft                    | SHA3026TR   | <b>\$76</b> |
| 3" smooth Urethane  | 15 lb R3026T3C      | <b>\$493</b> | 26.45" body, 30" shaft                    | SHA3026TR   | <b>\$76</b> |
| 3" smooth Steel   | 15 lb R3026T3S      | <b>\$443</b> | 26.45" body, 30.5" shaft                  | SHA3026TR   | <b>\$76</b> |
| <b>RANSOMES 30" T-PLEX 185D - ALL ROLLERS</b>   |                     |              |   |             |             |
| 3" dia. wide grooved Urethane   | 13 lb R3429T3CG     | <b>\$553</b> | 29.45" body, 34.5" shaft                  | SHA3429TR   | <b>\$76</b> |
| 3" smooth Urethane  | 15 lb R3429T3C      | <b>\$493</b> | 29.45" body, 34" shaft                    | SHA3429TR   | <b>\$76</b> |
| 3" smooth Steel   | 15 lb R3429T3S      | <b>\$453</b> | 29.25" body, 34.5" shaft                  | SHA3429TR   | <b>\$76</b> |
| <b>RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 &amp; 340 (27" REEL) - ALL ROLLERS</b> |                     |              |   |             |             |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats   | 9 lb R3127G25CG     | <b>\$456</b> | 27.45" body, 31.62" dia. shaft-7/16" taps | SHA3127GR   | <b>\$76</b> |
| 2.5" smooth Urethane  | 11.2 lb R3127G25C   | <b>\$396</b> | 27.45" body, 31.62" dia. shaft-7/16" taps | SHA3127GR   | <b>\$76</b> |
| 2.5" smooth Steel   | 12 lb R3127G25S     | <b>\$376</b> | 27.25" body, 31.62" dia. shaft-7/16" taps | SHA3127GR   | <b>\$76</b> |
| 3" dia. wide grooved Urethane   | 12.4 lb R3529A3CG   | <b>\$553</b> | 29.45" body, 35" shaft                    | SHA3529AR   | <b>\$76</b> |
| 3" smooth Urethane  | 15 lb R3529A3C      | <b>\$483</b> | 29.45" body, 35" shaft                    | SHA3529AR   | <b>\$76</b> |
| 3" smooth Steel   | 15 lb R3529A3S      | <b>\$453</b> | 29.25" body, 35" shaft                    | SHA3529AR   | <b>\$76</b> |
| <b>RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER</b>                                     |                     |              |   |             |             |
| 3.5" smooth Urethane  | 27 lb R2722X35C     | <b>\$577</b> | 22.45" body, 27.25" shaft-1/2" dia. ends  | SHA2722XR   | <b>\$76</b> |
| 4" smooth Urethane  | 23 lb R2722X4C      | <b>\$654</b> | 22.45" body, 27.25" shaft                 | SHA2722XR   | <b>\$76</b> |
| 4" smooth Steel   | 27 lb R2722X4S      | <b>\$654</b> | 22.45" body, 32.25" shaft                 | SHA2722XR   | <b>\$76</b> |

**for TRU-TURF Greens Golf Rollers (multi-body rollers available)**

Call to upgrade with double row angular contact bearings

| Tru-Turf Smoothing Heads Rollers for RS48-11E machine  |                     | Multi-body roller options available to minimize skidding |   |
|--|---------------------|--|---|
| 2.5" smooth Urethane   | 9.5 lb T2222S25C    | <b>\$396</b>   | 22.45" body, 22.625" shaft-3/8" taps                      |
| 2.5" smooth Steel  | 9.2 lb T2222S25S    | <b>\$376</b>   | 22.25" body, 22.625" shaft-3/8" taps                      |
| Tru-Turf Smoothing Heads Rollers for RB48-11A machine (4 short & 2 long rollers per machine) |                     | Multi-body roller options available to minimize skidding |   |
| 2.5" smooth Urethane   | 9.5 lb T2222R25C    | <b>\$396</b>   | 22.45" body short rollers, 22.716" shaft (4 per machine)  |
| 2.5" smooth Steel  | 9.2 lb T2222R25S    | <b>\$376</b>   | 22.25" body short rollers, 22.716" shaft (4 per machine)  |
| 2.5" smooth Urethane   | 10 lb T2524R25C     | <b>\$396</b>   | 24.45" body long rollers, 25.078" shaft (2 per machine)   |
| 2.5" smooth Steel  | 9.6 lb T2524R25S    | <b>\$376</b>   | 24.25" body long rollers, 25.078" shaft (2 per machine)   |
| Tru-Turf Smoothing Heads Rollers for R50-11 machine (4 short & 2 long rollers per machine)   |                     | Multi-body roller options available to minimize skidding |   |
| 2.5" smooth Urethane   | 9.5 lb T2222Y25C    | <b>\$396</b>   | 22.45" body short rollers, 22.75" shaft (4 per machine)   |
| 2.5" smooth Steel  | 9.2 lb T2222Y25S    | <b>\$376</b>   | 22.25" body short rollers, 22.75" shaft (4 per machine)   |
| 2.5" smooth Urethane   | 10 lb T2524Y25C     | <b>\$396</b>   | 24.45" body long rollers, 25" shaft (2 per machine)       |
| 2.5" smooth Steel  | 9.6 lb T2524Y25S    | <b>\$396</b>   | 24.25" body long rollers, 25" shaft (2 per machine)       |
| Tru-Turf Smoothing Heads Rollers for GR39 machine  |                     | Multi-body roller options available to minimize skidding |   |
| 2.5" smooth Urethane   | 15.5 lb T3939S25C   | <b>\$616</b>   | 39.45" body, 39.812" dia. shaft-3/8" taps                 |
| 2.5" smooth Steel  | 15.5 lb T3939S25S   | <b>\$646</b>   | 39.25" body, 39.812" dia. shaft-3/8" taps                 |
| Tru-Turf Smoothing Heads Rollers for TR7000C machine   |                     | Multi-body roller options available to minimize skidding |   |
| 2 bodies 2.5" smooth Urethane (2x19.5" wide bodies)  | 15.5 lb TT3939S25Ct | <b>\$676</b>   | 2 body assembly at 39.5" total length, 39.812" dia. shaft |
| 2 bodies 2.5" smooth Steel (2x19.45" wide bodies)  | 15.5 lb TT3939S25S2 | <b>\$686</b>   | 2 body assembly at 39.5" total length, 39.812" dia. shaft |
| Tru-Turf Smoothing Heads Rollers for R52 machine (9 rollers per machine)                     |                     | Multi-body roller options available to minimize skidding |   |
| 2.5" smooth Urethane   | 9 lb T1818S25C      | <b>\$396</b>   | 18.45" body, 18.5" shaft-3/8" taps (9 per machine)        |
| 2.5" smooth Steel  | 8.7 lb T1818S25S    | <b>\$376</b>   | 18.25" body, 18.5" shaft-3/8" taps (9 per machine)        |
| Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine                                     |                     | Multi-body roller options available to minimize skidding |   |
| 2.5" smooth Urethane   | 9.5 lb TT2422S25C   | <b>\$396</b>   | 22.45" body, 24.25" shaft-3/8" taps                       |
| 2.5" smooth Steel  | 9.2 lb TT2422S25S   | <b>\$396</b>   | 22.25" body, 24.25" shaft-3/8" taps                       |

**for DENNIS**

Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)

Call to upgrade with double row angular contact bearings

|                                  |                        |              |                                     |
|----------------------------------|------------------------|--------------|-------------------------------------|
| 3.5" smooth Urethane             | 21 lb D3834G35C        | <b>\$577</b> | 34.45" body, 38.5" shaft-7/16" taps |
| Handlebar bushing (2 per roller) | 2SLEEVE 1.25x.5x1.2 PU | <b>\$33</b>  |                                     |

**for SHIBAURA & HUSTLER (multi-body rollers available)**

Call to upgrade with double row angular contact bearings

| Shibaura G EXE 26 Greens Mower                                 |                   | Multi-body roller options available to minimize skidding |                            |
|--|-------------------|--|----------------------------|
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 10 lb S2826P25CG  | <b>\$486</b>   | 26.45" body, 28.375" shaft |
| 2.5" smooth Urethane   | 12.5 lb S2826P25C | <b>\$416</b>   | 26.45" body, 28.375" shaft |
| 2.5" smooth Steel  | 12.5 lb S2826P25S | <b>\$406</b>   | 26.25" body, 28.375" shaft |
| 2" dia. smooth Urethane  | 8.5 lb S2826P2C   | <b>\$382</b>   | 26.25" body, 28.375" shaft |
| 2" dia. smooth Steel heavy (1/4" wall)                         | 12 lb S2826P2S    | <b>\$322</b>   | 26.25" body, 28.375" shaft |
| Shibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower         |                   | Multi-body roller options available to minimize skidding |                            |
| 2" dia. wide grooved Urethane 1" flats                         | 6.5 lb S2522P2CGF | <b>\$412</b>   | 22.45" body, 25.75" shaft  |
| 2" dia. smooth Urethane  | 8 lb S2522P2C     | <b>\$382</b>   | 22.25" body, 25.75" shaft  |
| 2" dia. smooth Steel heavy (1/4" wall)                         | 11.5 lb S2522P2S  | <b>\$322</b>   | 22.25" body, 25.75" shaft  |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats          | 9 lb S2522P25CG   | <b>\$486</b>   | 22.45" body, 25.75" shaft  |
| 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats | 9 lb S2522P25NG   | <b>\$486</b>   | 22.45" body, 25.75" shaft  |
| 2.5" smooth Urethane   | 11.5 lb S2522P25C | <b>\$416</b>   | 22.45" body, 25.75" shaft  |
| 2.5" smooth Steel  | 12 lb S2522P25S   | <b>\$406</b>   | 22.25" body, 25.75" shaft  |
| Shibaura SR525 Fairway & Hustler 7500 & 7700 Fairway           |                   | Multi-body roller options available to minimize skidding |                            |
| 3" dia. wide grooved Urethane                                  | 10.5 lb S2522P3CG | <b>\$553</b>   | 22.45" body, 25.75" shaft  |
| 3" smooth Urethane   | 12.5 lb S2522P3C  | <b>\$513</b>   | 22.45" body, 25.75" shaft  |
| 3" smooth Steel  | 12.5 lb S2522P3S  | <b>\$523</b>   | 22.25" body, 25.75" shaft  |
| Shibaura SR370   |                   | Multi-body roller options available to minimize skidding |                            |
| 3" dia. wide grooved Urethane                                  | 12.5 lb S2926P3CG | <b>\$553</b>   | 26.45" body, 29.75" shaft  |
| 3" smooth Urethane   | 14 lb S2926P3C    | <b>\$513</b>   | 26.45" body, 29.75" shaft  |
| 3" smooth Steel  | 14 lb S2926P3S    | <b>\$523</b>   | 26.25" body, 29.75" shaft  |

**for BARONESS (multi-body rollers available)**

Call to upgrade with double row angular contact bearings

| Baroness LM66T Greens - Front & back ROLLERS          |                  | Multi-body roller options available to minimize skidding |  |
|---|------------------|--|--|
| 2.5" dia. wide grooved (1" spacing) Urethane no flats | 13 lb B2725H25CG | <b>\$486</b>   | 25.45" body, 27" shaft-M10 taps        |
| 2.5" smooth Urethane                                  | 15 lb B2725H25C  | <b>\$476</b>   | 25.45" body, 27" shaft-M10 taps        |
| 2.5" smooth Steel                                     | 15 lb B2725H25S  | <b>\$456</b>   | 25.25" body, 27" shaft-M10 taps        |
| Baroness LM185 - Front & Back ROLLERS                 |                  | Multi-body roller options available to minimize skidding |  |
| 3" dia. wide grooved Urethane                         | 13 lb B3027K3CG  | <b>\$613</b>   | 27.45" body, 30" shaft-9/16" dia. ends |
| 3" smooth Urethane                                    | 15 lb B3027K3C   | <b>\$573</b>   | 27.45" body, 30" shaft-9/16" dia. ends |
| 3" smooth Steel                                       | 15 lb B3027K3S   | <b>\$523</b>   | 27.25" body, 30" shaft-9/16" dia. ends |
| Baroness LM2700 Fairway - 27.45" ROLLER BODIES        |                  | Multi-body roller options available to minimize skidding |  |
| 3" dia. wide grooved Urethane                         | 13 lb B2727G3CG  | <b>\$613</b>   | 27.45" body, 27.625" shaft-7/16" taps  |
| 3" smooth Urethane                                    | 15 lb B2727G3C   | <b>\$573</b>   | 27.45" body, 27.625" shaft-7/16" taps  |
| 3" smooth Steel                                       | 15 lb B2727G3S   | <b>\$523</b>   | 27.25" body, 27.625" shaft-7/16" taps  |
| 3.5" smooth Urethane                                  | 18 lb B2727G35C  | <b>\$677</b>   | 27.45" body, 27.625" shaft-7/16" taps  |
| 4" smooth Urethane                                    | 23 lb B2727G4C   | <b>\$754</b>   | 27.45" body, 27.625" shaft-7/16" taps  |

**for VENTRAC (multi-body rollers available)**

Call to upgrade with double row angular contact bearings

**Ventrac MJ840 Contour Deck Rotary Mower**

Multi-body roller options available to minimize skidding

| 3" dia. SINGLE body  |                  | Multi-body roller options available to minimize skidding         |                  |
|--|------------------|--|------------------|
| 3" smooth Urethane with double row bearings                        | 11.8 lb V2422S3C | only available through Venture Products                          | SHA2422SV        |
| 3" smooth Steel  | 11.4 lb V2422S3S | \$483 22.05" body, 24.56" shaft-3/8" taps                        | SHA2422SV \$91   |
| 3" dia. TWO opposing end short bodies                              |                  | non-stripping, non-skidding for tight turns & ground undulations |                  |
| 2 bodies 3" dia. wide grooved Urethane (2x4" wide bodies)          | 8 lb V2404S3CGt  | \$583 2 short twin bodies at ends of a 24.56" shaft              | SHA2404SVAt \$91 |
| 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings | 8 lb V2404S3CRt  | \$643 2 short twin bodies at ends of a 24.56" shaft              | SHA2404SVAt \$91 |
| 2 bodies 3" smooth Urethane (2x4" wide bodies)                     | 8 lb V2404S3Ct   | \$553 2 short twin bodies at ends of a 24.56" shaft              | SHA2404SVAt \$91 |
| 2 bodies 3" smooth Steel (2x4" wide bodies)                        | 10 lb V2404S3St  | \$553 2 short twin bodies at ends of a 24.56" shaft              | SHA2404SVAt \$91 |
| Ventrac MR740 Triplex Reel Mower                                   |                  | Multi-body roller options available to minimize skidding         |                  |
| 3" dia. wide grooved Urethane                                      | 9.5 lb V2827S3CG | \$553 27.45" body, 28.78" shaft-3/8" taps, .545" dia ends        | SHA2827SV \$91   |
| 3" smooth Urethane   | 11.5 lb V2827S3C | \$543 27.45" body, 28.78" shaft-3/8" taps, .545" dia ends        | SHA2827SV \$91   |
| 3" smooth Steel  | 11.2 lb V2827S3S | \$483 27.25" body, 28.78" shaft-3/8" taps, .545" dia ends        | SHA2827SV \$91   |

**for SISIS (multi-body rollers available)**

Call to upgrade with double row angular contact bearings

**Sisis Flexi-400 fairway rolling machine- ALL ROLLERS**

Multi-body roller options available to minimize skidding

| 3" smooth Urethane                        | 11.6 lb S2524S3C | \$513 24.45" body, 25.125" shaft-3/8" taps               | SHA2524SS \$91 |
|---|------------------|--|----------------|
| 3" smooth Steel                           | 12 lb S2524S3S   | \$523 24.25" body, 25.125" shaft-3/8" taps               | SHA2524SS \$91 |
| 3.5" smooth Urethane                      | 16 lb S2524S35C  | \$577 24.45" body, 25.125" shaft-3/8" taps               | SHA2524SS \$91 |
| Sisis Veemo MK2 Verticutter - ALL ROLLERS |                  | Multi-body roller options available to minimize skidding |                |
| 3" smooth Urethane                        | 15 lb S3029G3C   | \$513 29.45" body, 30.5" shaft-7/16" taps                | SHA3029GS \$91 |
| 3" smooth Steel                           | 15 lb S3029G3S   | \$523 29.25" body, 30.5" shaft-7/16" taps                | SHA3029GS \$91 |

**for TrueSurface (multi-body rollers available)**

Call to upgrade with double row angular contact bearings

**True Surface V5 rolling machine - FRONT ROLLER**

Multi-body roller options available to minimize skidding

|                    |                 |  |                |
|--------------------|-----------------|--|----------------|
| 3" smooth Urethane | 9.5 lb T2522V3C | \$503 22.45" body, 25.5" shaft-3/8" taps | SHA2522VT \$91 |
| 3" smooth Steel    | 10 lb T2522V3S  | \$463 22.25" body, 25.5" shaft-3/8" taps | SHA2522VT \$91 |

**for NATIONAL**

Call to upgrade with double row angular contact bearings

**National 68 & 84 TRIPLEX & PTO GANG - 30" REELS**

Multi-body roller options available to minimize skidding

| 3" dia. wide grooved Urethane                           | 13 lb N3429I3CG | \$553 29.45" body, 34.5" shaft                           | SHA3429IN \$76 |
|---|-----------------|--|----------------|
| 3" smooth Urethane                                      | 15 lb N3429I3C  | \$493 29.45" body, 34.5" shaft                           | SHA3429IN \$76 |
| 3" smooth Steel   | 15 lb N3429I3S  | \$453 29.25" body, 34.5" shaft                           | SHA3429IN \$76 |
| 3.5" smooth Urethane                                    | 18 lb N3429I35C | \$577 29.45" body, 34.5" shaft                           | SHA3429IN \$76 |
| 4" smooth Urethane                                      | 23 lb N3429I4C  | \$654 29.45" body, 34.5" shaft                           | SHA3229IN \$76 |
| 4" smooth Steel   | 19 lb N3429I4S  | \$654 29.25" body, 34.5" shaft                           | SHA3229IN \$76 |
| National 68 & 84 TRIPLEX & PTO GANG - 25" OUTSIDE REELS |                 | Multi-body roller options available to minimize skidding |                |
| 3" smooth Urethane                                      | 11 lb N2420I3C  | \$483 20.45" body, 24.875" shaft                         | SHA2420IN \$76 |
| 3" smooth Steel   | 11 lb N2420I3S  | \$443 20.25" body, 24.875" shaft                         | SHA2420IN \$76 |
| 3.5" smooth Urethane                                    | 13 lb N2420I35C | \$577 20.45" body, 24.875" shaft                         | SHA2420IN \$76 |

**for BUNTON**

Call to upgrade with double row angular contact bearings

**Bunton 22" WALKING GREENSMOWERS - FRONT**

Multi-body roller options available to minimize skidding

| 2" dia. wide grooved Urethane 1" flats                | 6.5 lb B2422P2CGF | \$412 22.45" body, 24.5" shaft                           | SHA2422PB \$88 |
|---|-------------------|--|----------------|
| 2" dia. smooth Urethane                               | 8 lb B2422P2C     | \$382 22.25" body, 24.5" shaft                           | SHA2422PB \$88 |
| 2" dia. smooth Steel heavy (1/4" wall)                | 11.5 lb B2422P2S  | \$312 22.25" body, 24.5" shaft                           | SHA2422PB \$88 |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats | 9 lb B2422P25CG   | \$486 22.45" body, 24.5" shaft                           | SHA2422PB \$88 |
| 2.5" smooth Urethane                                  | 9.5 lb B2422P25C  | \$476 22.45" body, 24.5" shaft                           | SHA2422PB \$88 |
| 2.5" smooth Steel                                     | 10 lb B2422P25S   | \$456 22.25" body, 24.5" shaft                           | SHA2422PB \$88 |
| Bunton 26" WALKING GREENSMOWER - FRONT                |                   | Multi-body roller options available to minimize skidding |                |
| 2.5" dia. wide grooved (1" spacing) Urethane no flats | 10 lb B2726P25CG  | \$486 26.45" body  | SHA2726PB \$88 |
| 2.5" smooth Urethane                                  | 10.5 lb B2726P25C | \$476 26.45" body  | SHA2726PB \$88 |
| 2.5" smooth Steel                                     | 11 lb B2726P25S   | \$456 26.25" body  | SHA2726PB \$88 |
| Bunton 30" FAIRWAY GANG MOWER - FRONT & BACK ROLLERS  |                   | Multi-body roller options available to minimize skidding |                |
| 3" dia. wide grooved Urethane                         | 13 lb B3629H3CG   | \$613 29.45" body, 36.25" shaft                          | SHA3629HB \$88 |
| 3" smooth Urethane                                    | 15 lb B3629H3C    | \$573 29.45" body, 36" shaft                             | SHA3629HB \$88 |
| 3" smooth Steel                                       | 15 lb B3629H3S    | \$523 29.25" body, 36.25" shaft                          | SHA3629HB \$88 |
| 3.5" smooth Urethane                                  | 18 lb B3629H35C   | \$677 29.25" body, 36.25" shaft                          | SHA3629HB \$88 |

**for KESMAC**

Call to upgrade with double row angular contact bearings

**Kesmac GANG MOWER - ALL ROLLERS**

Multi-body roller options available to minimize skidding

|                               |                 |                                   |                |
|-------------------------------|-----------------|-----------------------------------|----------------|
| 3" dia. wide grooved Urethane | 13 lb K3227A3CG | \$553 27.45" body                 | SHA3227AK \$88 |
| 3" smooth Urethane            | 15 lb K3227A3C  | \$493 27.45" body, 32" dia. shaft | SHA3227AK \$88 |
| 3" smooth Steel               | 15 lb K3227A3S  | \$443 27.25" body, 32" dia. shaft | SHA3227AK \$88 |
| 3.5" smooth Urethane          | 18 lb K3227A35C | \$577 27.45" body, 32" dia. shaft | SHA3227AK \$88 |
| 4" smooth Urethane            | 23 lb K3227A4C  | \$654 27.45" body, 32" dia. shaft | SHA3227AK \$88 |

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

# GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2025

## Competition Roller™ Upgrade Options

### Upgrade to Stainless Steel Bearings on Competition Rollers™

### Upgrade to Double Row Bearings as our Competition2 Rollers™

- upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body)
- available for most rollers greater than 2" dia. (with special machined deep bore bearing housings)

### Add Grease Fittings (set of 2 special flush mount grease fittings)

- grease fittings (set of two) for new Competition Rollers™ or new overhaul kits
- special yellow end seal (set of two) to accommodate grease fitting without new bearing kits

### Bearing Installation Tool Set

- set of 2 tools - aids in installing bearings into roller housing and onto shaft

### Super solid one piece Polyurethane Soft Blow Mallet - FULL SIZE (13" length)

- add a bottle opener to your full size mallet for \$12 extra

### Super solid one piece Polyurethane Soft Blow Mallet - 3/4 SIZE (9.8" length)

### Super solid one piece Polyurethane Soft Blow Mallet - 1/2 SIZE (6.5" length)

- unique utility to add to your tool box

Retail

\$28 BU-COMPSS

\$40

(designate by adding "2" to front of roller part number)



\$24 GFFD316SET

\$29 2SEAL16CUGF SET



\$76 2TOOLSET



\$70 #MALLET13

\$82 #MALLET13BO



\$45 #MALLET9.8

\$33 #MALLET6.5

## Competition Roller™ Overhaul Kits - \*ORIGINAL STYLE\*

### Single row deep groove bearings



- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

### Standard overhaul kit for all single body (except "H" style 2" grooved)

(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$76 OHCOMP

### Stainless steel bearing overhaul kit for all single body (except 2" grooved)

(with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)

\$104 OHCOMPSS

### Overhaul kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19

(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$76 OHCOMPH

### Overhaul kit for twin body roller assemblies (one kit per body - call to confirm)

\$92 OHCOMPNT

### Overhaul kit for 3 & 4 body roller assemblies (one kit per body - call to confirm)

\$78 OHCOMPNA

## Competition2 Roller™ Overhaul Kits \*SERIES 2\* with Double-Row Bearings

### Double row angular contact bearings with corrosion resistant black oxide finish

- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

### Kit for single body deep bore rollers

(with 2 bearings, 6 seals, 2 stainless washers & 4 snap ring retainers)

\$124 OHCOMP2BO

### Kit for single body regular bore rollers

(with 2 bearings, 4 seals, 2 steel washers & 2 snap ring retainers)

\$116 OHCOMP2R

### Kit for twin body regular bore rollers

(with 2 bearings, 4 seals, 2 stainless washers & 2 collar retainers)

\$116 OHCOMP2Rt

## Competition Roller™ Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from the first 6 digits of the roller part number as follows: Roller T2522S2CGF has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).

## Pro Roller™ Bearings (Water Pump Style)

### Replaces Toro #21-8430

Water pump bearing-sealed (shaft is 5/8"od x 1.8"L)

\$26 BWP3

### Replaces Toro #52-3180 & 52-3210

Water pump bearing-sealed (shaft is 5/8"od x 1.8"L with 3/8-24 tap)

\$26 BWP4

### Replaces Jacobsen #101482

Water pump bearing-sealed (shaft is 5/8"od x 1.0"L with 7/16-20 tap)

\$26 BWP5

### Replaces Toro #75-1290, Jacobsen #101481 & John Deere #35741

Water pump bearing-sealed (shaft is 5/8"od x 1.5"L)

\$26 BWP7