# GOLFCO INTERNATIONAL COMPETITION ROLLERS 2025 Retail Price List

US PATENT #5394681

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

-			-			
	Complete Roller	Roller		Replacement		OL -#
	Assemblies	Retall		Overhaul Kit (1	Replacement	Snart
				per body)	Shaft	Retail
for loocheen mourem				(included in new roll	<u>er assemblies)</u>	
for Jacobsen mowers  Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM,	E Dlay C Dlay CD400 9	ECL ID	SE 422 9 222 MOMEDS EDONT DOLLE	D		
2" dia. SINGLE body	E-Plex, G-Plex, GP400 &	ECLIF	SE 122 & 322 MOVVERS - FRONT ROLLE	ĸ		
2" dia. wide grooved Urethane no flats	6.5 lb J2522A2CG	\$382	22.45" body, 25.87" shaft	OHCOMPH	SHA2522AJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb J2522A2NG		22.45" body, 25.87" shaft	OHCOMPH	SHA2522AJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2522A2CGF	\$382	22.45" body, 25.87" shaft	OHCOMPH	SHA2522AJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2522A2NGF		22.45" body, 25.87" shaft	OHCOMPH	SHA2522AJ	\$76
2" dia. smooth Urethane	8 lb J2522A2C		22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2522A2S	\$302	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2" dia. TWO opposing end short bodies	4.11. 1050440001	0.450	non-striping, non-skidding for tight turns & ground u			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2CGt		2 short twin bodies at ends of 25.87" shaft	OHCOMPH	SHA2504AJAt	\$91
<ul> <li>2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats</li> <li>2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats</li> </ul>	4 lb J2504A2NGt 4 lb J2504A2CGFt		2 short twin bodies at ends of 25.87" shaft 2 short twin bodies at ends of 25.87" shaft	OHCOMPHt OHCOMPHt	SHA2504AJAt SHA2504AJAt	\$91 \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2CGI t		2 short twin bodies at ends of 25.87" shaft	OHCOMPHt	SHA2504AJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2502A2Ct		2 short twin bodies at ends of 25.87" shaft	OHCOMPRt	SHA2502AJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A2Ct		2 short twin bodies at ends of 25.87" shaft	OHCOMPRt	SHA2504AJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2504A2St		2 short twin bodies at ends of 25.87" shaft	OHCOMPRt	SHA2504AJAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets		*	non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMPH + 2x OHCOMPH	SHA3122AJA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMPH + 2x OHCOMPH	SHA3122AJA+2	\$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMPH + 2x OHCOMPH	SHA3122AJA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMPH + 2x OHCOMPH	SHA3122AJA+2	\$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMPH	SHA3122AJA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	15 lb J3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMPH	SHA3122AJA+2	\$108
2" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2CG4		4 short bodies, 25.87" shaft	OHCOMPH4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2NG4		4 short bodies, 25.87" shaft	OHCOMPH4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2CGF4		4 short bodies, 25.87" shaft	OHCOMPH4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2522A2NGF4 8.5 lb J2522A2C4		4 short bodies, 25.87" shaft 4 short bodies, 25.87" shaft	OHCOMPH4int&ext (4 kits) OHCOMP4int&ext (4 kits)	SHA2522AJA4 SHA2522AJA4	\$91 \$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2522A2S4		4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4 SHA2522AJA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets	12 ID 32322A234	φ30 <b>2</b>	non-skidding for tight turns & ground undulations	OTTOOWII MITIGER (4 KIIS)	OTTAZOZZADAY	Ψ31
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMPH4int&ext+OHCOMPH (2)	SHA3122AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2NG4+2C	•	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMPH4int&ext+OHCOMPH (2)	SHA3122AJA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMPH4int&ext+OHCOMPH (2)	SHA3122AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMPHt	SHA3122AJA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMPHt	SHA3122AJA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	15 lb J3122A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMPHt	SHA3122AJA4+2	\$108
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J2522A25CG		22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2522A25NG		22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J2522A25CGF		22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 3/4" flats	9 lb J2522A25NGF		22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" smooth Urethane 2.5" smooth Steel	9.5 lb J2522A25C 10 lb J2522A25S		22.45" body, 25.87" shaft 22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS OHCOMP or OHCOMPSS	SHA2522AJ SHA2522AJ	\$76 \$76
2.5" dia. TWO opposing end short bodies	10 lb J2322A233	\$310	non-striping, non-skidding for tight turns & ground u		SI IAZSZZAS	<b>\$70</b>
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A25CGt	\$496	2 short twin bodies at ends of 25.87" shaft	OHCOMPRt (1/body)	SHA2504AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A25NGt		2 short twin bodies at ends of 25.87" shaft	OHCOMPRt (1/body)	SHA2504AJAt	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A25CGFt		2 short twin bodies at ends of 25.87" shaft	OHCOMPRt (1/body)	SHA2504AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A25NGFt		2 short twin bodies at ends of 25.87" shaft	OHCOMPRt (1/body)	SHA2504AJAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A25Ct	\$496	2 short twin bodies at ends of 25.87" shaft	OHCOMPRt (1/body)	SHA2504AJAt	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb J2504A25St	\$496	2 short twin bodies at ends of 25.87" shaft	OHCOMPRt (1/body)	SHA2504AJAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations			
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A25CG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A25NG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A25CGF+2C		22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)		\$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A25NGF+2C		22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)		\$108
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A25C+2C	\$566	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
2.5" dia. FOUR bodies	40 F III 10500405004	***	non-skidding for tight turns & ground undulations	0110011011111		
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25CG4		4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25NG4		4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91 \$91
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25CGF4 10.5 lb J2522A25NGF4		4 short bodies, 25.87" shaft 4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits) OHCOMP4int&ext (4 kits)	SHA2522AJA4 SHA2522AJA4	\$91 \$91
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	9 lb J2522A25C4		4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets	0 10 0202272004	<b>4000</b>	non-skidding for tight turns & ground undulations			,
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb J3122A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A25NG4+2C		4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25CGF4+2C		4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108

## Jacobsen TC-22 GREENSMOWERS - FRONT ROLLER

4 bodies	2"	dia.	wide grooved Urethane (4x5.55" wide bodies) no flats
4 bodies	2"	dia.	narrow grooved Urethane (4x5.55" wide bodies) no flats
4 bodies	2"	dia.	wide grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies	2"	dia.	narrow grooved Urethane (4x5.55" wide bodies) 1" flats
4 hadias	2"	dia	emooth Urethane (4v5.55" wide hodies)

### 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies) Jacobsen TC-22 GREENSMOWERS - BACK ROLLER

### 2" dia. SINGLE body 2" dia. wide grooved Urethane no flats

		2" dia. FOUR bodies
4 bodies	2" dia	wide grooved Urethane (4x5.55" wide bodies) no flats
4 bodies	2" dia	narrow grooved Urethane (4x5.55" wide bodies) no fla

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats

## 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2" dia, smooth Urethane (4x5.55" wide bodies) 4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)

## 2" dia. SINGLE body

2" dia. wide grooved Uretha	ane no flats
2" dia. narrow grooved Ure	thane no flats
2" dia. wide grooved Uretha	ane 1" flats
2" dia. narrow grooved Ure	thane 1" flats

<sup>2&</sup>quot; dia. smooth Urethane

\$592 8.5 lb J2522J2NG4 4 short bodies, 25.87" shaft

8.5 lb J2522J2CGF4 \$592 4 short bodies, 25.87" shaft \$592 4 short bodies, 25.87" shaft

## 8.5 lb J2522J2NGF4

### 8.5 lb J2522J2C4 **\$592** 4 short bodies, 25.87" shaft

## 12 lb J2522J2S4 \$592 4 short bodies, 25.87" shaft

6.5 lb J2522V2CG

6.7 lb J2522V2NG

8.5 lb J2522V2C4

#### 6.5 lb J2522V2CGF \$412 22.45" body, 25.57" shaft threaded **\$412** 22.45" body, 25.57" shaft threaded 6.7 lb J2522V2NGF 8 lb J2522V2C \$392 22.45" body, 25.57" shaft threaded

#### \$332 22.25" body, 25.57" shaft threaded 11.5 lb J2522V2S non-skidding for tight turns & ground undulations

**\$412** 22.45" body, 25.57" shaft threaded

\$412 22.45" body, 25.57" shaft threaded

## 8.5 lb J2522V2CG4

8.5 lb J2522V2CG4	\$582	4 short bodies, 25.57" shaft	OHCOMPH4int&ext
8.5 lb J2522V2NG4	\$582	4 short bodies, 25.57" shaft	OHCOMPH4int&ext
8.5 lb J2522V2CGF4	\$582	4 short bodies, 25.57" shaft	OHCOMPH4int&ext
8.5 lb J2522V2NGF4	\$582	4 short bodies, 25.57" shaft	OHCOMPH4int&ext

#### \$592 4 short bodies, 25.57" shaft \$592 4 short bodies, 25.57" shaft OHCOMP4int&ext 12 lb .12522V2S4 Jacobsen ALL 18" GREENSMOWERS (Eclipse 118, GK 418 & GK 518) - FRONT & BACK ROLLERS (SHAFT is 21.25" without taps in either end)

6.2 lb J2119A2CG	\$382	19.45" body, 21.25" shaft w/o taps	OHCOMPH
6.4 lb J2119A2NG	\$382	19.45" body, 21.25" shaft w/o taps	OHCOMPH

6.2 lb J2119A2CGF	\$382	19.45" body, 21.25" shaft w/o taps	OHCOMPH	SHA2119AJ
6.4 lb J2119A2NGF	\$382	19.45" body, 21.25" shaft w/o taps	OHCOMPH	SHA2119AJ
7.5 lb J2119A2C	\$362	19.25" body, 21.25" shaft w/o taps	OHCOMP	SHA2119AJ
10.5 lb J2119A2S	\$302	19.25" body, 21.25" shaft w/o taps	OHCOMP	SHA2119AJ

OHCOMPH4int&ext

OHCOMPH4int&ext

OHCOMP4int&ext

OHCOMP4int&ext

ОНСОМРН

ОНСОМРН

ОНСОМРН

ОНСОМРН

ОНСОМР

OHCOMP

OHCOMP4int&ext

SHA2522JJA4

SHA2522JJA4

SHA2522JJA4

SHA2522JJA4

SHA2522VJ

SHA2522VJ

SHA2522VJ

SHA2522VJ

SHA2522VJ

SHA2522VJ

SHA2522VJA4

SHA2522VJA4

SHA2522VJA4

SHA2522VJA4

SHA2522VJA4

SHA2522VJA4

SHA2119A.I

SHA2119AJ

\$91

\$91

\$91

\$91

\$80

\$80

\$80

\$80

\$80

\$80

\$91

\$91

\$91

\$91

\$91

\$91

\$76

\$76

\$76

\$76

<sup>2&</sup>quot; dia. smooth Steel heavy (1/4" wall)

	Complete Roller	Rol	ler		Re	placement
	Assemblies	Ret			ul Kit Replacen	nent Shaft
					per body) Shaf ed in new roller a	
2" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground	undulations		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2104A2CGt		2 short twin bodies at ends of 21.25" shaft	OHCOMPHNt	SHA2104AJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2104A2NGt 4 lb J2104A2CGFt	7	2 short twin bodies at ends of 21.25" shaft 2 short twin bodies at ends of 21.25" shaft	OHCOMPHNt OHCOMPHNt	SHA2104AJAt SHA2104AJAt	\$91 \$91
2 bodies 2" dia. wide grooved Orethane (2x4.75" wide bodies) 1" flats 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2104A2CGFt 4 lb J2104A2NGFt	+	2 short twin bodies at ends of 21.25" shaft 2 short twin bodies at ends of 21.25" shaft	OHCOMPHNt	SHA2104AJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2102A2Ct		2 short twin bodies at ends of 21.25" shaft	OHCOMPNt	SHA2102AJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2104A2Ct	\$452	2 short twin bodies at ends of 21.25" shaft	OHCOMPNt	SHA2104AJAt	\$91
<sup>2</sup> bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2104A2St	\$452	2 short twin bodies at ends of 21.25" shaft	OHCOMPNt	SHA2104AJAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb J2719A2CG+2C		19.45" center body + 2 short outer bodies, 27.25" shaft 19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH OHCOMPH + 2x OHCOMPH		\$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb J2719A2NG+2C 12 lb J2719A2CGF+2C	• •	19.45" center body + 2 short outer bodies, 27.25" shaft  19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH OHCOMPH + 2x OHCOMPH	SHA2719AJA+2 SHA2719AJA+2	\$108 \$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb J2719A2NGF+2C		19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH		\$108
extended 2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)	13 lb J2719A2C+2C		19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMPH	SHA2719AJA+2	\$108
extended 2" dia. smooth Steel heavy (19.45" inner+2x2" outer bodies)	13 lb J2719A2S+2S	• •	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMPH	SHA2719AJA+2	\$108
2" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb J2119A2CG4	\$582	4 short bodies, 21.25" shaft	OHCOMPH4int&ext	SHA2119AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb J2119A2NG4		4 short bodies, 21.25" shaft	OHCOMPH4int&ext	SHA2119AJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb J2119A2CGF4		4 short bodies, 21.25" shaft	OHCOMPH4int&ext	SHA2119AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb J2149A2NGF4	+	4 short bodies, 21.25" shaft	OHCOMPH4int&ext OHCOMP4int&ext	SHA2119AJA4 SHA2119AJA4	\$91 \$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies) 4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	8.5 lb J2119A2C4 12 lb J2119A2S4		4 short bodies, 21.25" shaft 4 short bodies, 21.25" shaft	OHCOMP4int&ext	SHA2119AJA4 SHA2119AJA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets	12 10 321 13A204	\$30Z	non-skidding for tight turns & ground undulations	OI ICOMP4III MEXI	311A2119A0A4	<b>451</b>
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb J2719A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCOMPH4int&ext+2C	SHA2719AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb J2719A2NG4+2C		4 center bodies + 2 short outer bodies, 27.25" shaft	OHCOMPH4int&ext+2C	SHA2719AJA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb J2719A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCOMPH4int&ext+2C	SHA2719AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb J2719A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCOMPH4int&ext+2C	SHA2719AJA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	12 lb J2719A2C4+2C	•	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCOMP4int&ext+2C	SHA2719AJA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	12 lb J2719A2S4+2S		4 center bodies + 2 short outer bodies, 27.25" shaft	OHCOMP4int&ext+2C	SHA2719AJA4+2	\$108
Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT ROLLERS	(SHAFT is 21.25" with ta	ps in b	oth ends)			
<u>2" dia. SINGLE body</u> 2" dia. wide grooved Urethane no flats	6.2 lb J2119S2CG	\$382	19.45" body, 21.25" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. narrow grooved Urethane no flats	6.4 lb J2119S2NG		19.45" body, 21.25" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.2 lb J2119S2CGF		19.45" body, 21.25" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.4 lb J2119S2NGF		19.45" body, 21.25" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. smooth Urethane	7.5 lb J2119S2C	\$362	19.25" body, 21.25" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb J2119S2S	\$302	19.25" body, 21.25" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground to	undulations		
<sup>2</sup> bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2104S2CGt		2 short twin bodies at ends of a 21.25" shaft-3/8" taps		SHA2104SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2104S2NGt		2 short twin bodies at ends of a 21.25" shaft-3/8" taps		SHA2104SJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2104S2CGFt		2 short twin bodies at ends of a 21.25" shaft-3/8" taps		SHA2104SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2104S2NGFt		2 short twin bodies at ends of a 21.25" shaft-3/8" taps		SHA2104SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies) 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4 lb J2102S2Ct 4.2 lb J2104S2Ct		2 short twin bodies at ends of a 21.25" shaft-3/8" taps 2 short twin bodies at ends of a 21.25" shaft-3/8" taps		SHA2104SJAt SHA2104SJAt	\$91 \$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2104S2St		2 short twin bodies at ends of a 21.25 shaft-3/8" taps		SHA2104SJAt	\$91
2" dia. FOUR bodies	015 021040201	V-102	non-skidding for tight turns & ground undulations			***
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb J2119S2CG4	\$582	4 short bodies, 21.25" shaft-3/8" taps		SHA2119SJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb J2119S2NG4	\$582	4 short bodies, 21.25" shaft-3/8" taps		SHA2119SJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb J2119S2CGF4	\$582	4 short bodies, 21.25" shaft-3/8" taps		SHA2119SJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb J2119S2NGF4		4 short bodies, 21.25" shaft-3/8" taps		SHA2119SJA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb J2119S2C4		4 short bodies, 21.25" shaft-3/8" taps		SHA2119SJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb J2119S2S4		4 short bodies, 21.25" shaft-3/8" taps		SHA2119SJA4	\$91
Jacobsen 18" Eclipse2 118F GREENSMOWERS - REAR ROLLERS ( 2" dia. SINGLE body	SHAFT IS 20.5 WILL LAPS	ווסט ווו	i enas)			
2" dia. wide grooved Urethane no flats	6.2 lb J2019S2CG	\$382	19.45" body, 20.5" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. narrow grooved Urethane no flats	6.4 lb J2019S2NG		19.45" body, 20.5" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.2 lb J2019S2CGF		19.45" body, 20.5" shaft-3/8" taps		SHA2019SJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.4 lb J2019S2NGF	\$382	19.45" body, 20.5" shaft-3/8" taps		SHA2119SJ	\$76
2" dia. smooth Urethane	7.5 lb J2019S2C		19.25" body, 20.5" shaft-3/8" taps		SHA2019SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb J2019S2S	\$302	19.25" body, 20.5" shaft-3/8" taps		SHA2019SJ	\$76
2" dia. TWO opposing end short bodies	4 lb 1200452004	6450	non-striping, non-skidding for tight turns & ground to	undulations	611420040	604
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2004S2CGt		2 short twin bodies at ends of a 20.5" shaft-3/8" taps 2 short twin bodies at ends of a 20.5" shaft-3/8" taps		SHA2004SJAt SHA2004SJAt	\$91 \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2004S2NGt 4 lb J2004S2CGFt		2 short twin bodies at ends of a 20.5" shaft-3/8" taps 2 short twin bodies at ends of a 20.5" shaft-3/8" taps		SHA2004SJAt	\$91 \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2004S2NGFt	7	2 short twin bodies at ends of a 20.5" shaft-3/8" taps		SHA2004SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2002S2Ct		2 short twin bodies at ends of a 20.5" shaft-3/8" taps		SHA2002SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2004S2Ct	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps		SHA2004SJAt	\$91
<sup>2 bodies</sup> 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2004S2St	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps		SHA2004SJAt	\$91
2" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb J2019S2CG4		4 short bodies, 20.5" shaft-3/8" taps		SHA2019SJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb J2019S2NG4		4 short bodies, 20.5" shaft-3/8" taps		SHA2019SJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb J2019S2CGF4		4 short bodies, 20.5" shaft-3/8" taps		SHA2019SJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats 4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb J2019S2NGF4 8.9 lb J2019S2C4		4 short bodies, 20.5" shaft-3/8" taps 4 short bodies, 20.5" shaft-3/8" taps		SHA2019SJA4 SHA2019SJA4	\$91 \$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb J2019S2S4		4 short bodies, 20.5 shaft-3/6 taps 4 short bodies, 20.5" shaft-3/6" taps		SHA2019SJA4 SHA2019SJA4	\$91 \$91
Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - F		7002	Call to upgrade with double row angular conta	act bearings		,-·
2" dia. SINGLE body			, 5	<b>5</b>		
2" dia. wide grooved Urethane no flats	7.8 lb J2926A2CG	\$382	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2" dia. narrow grooved Urethane no flats	7.8 lb J2926A2NG	\$382	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2" dia. wide grooved Urethane 1" flats	8 lb J2926A2CGF		26.45" body, 29.75" shaft		SHA2926AJ	\$76
2" dia. narrow grooved Urethane 1" flats	8 lb J2926A2NGF		26.45" body, 29.75" shaft		SHA2926AJ	\$76
2" dia. smooth Urethane	9 lb J2926A2C		26.45" body, 29.75" shaft		SHA2926AJ	\$76 \$76
2" dia. smooth Steel heavy (1/4" wall)	12.5 lb J2926A2S	<b>\$302</b>	26.25" body, 29.75" shaft		SHA2926AJ	\$76

	Complete Roller	Ro	ler		Re	placement
	<u>Assemblies</u>	Ret	<u>ail</u>		ıl Kit Replacen per body) Shaf	
2" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground	(include	ed in new roller a	
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2904A2CGt	\$452	2 short twin bodies at ends of 29.75" shaft	unuulations	SHA2904AJAt	\$91
<sup>2</sup> bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2904A2NGt	\$452	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2904A2CGFt	7	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2904A2NGFt 4 lb J2902A2Ct		2 short twin bodies at ends of 29.75" shaft 2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt SHA2902AJAt	\$91 \$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2904A2Ct		2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2904A2St	\$452	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A2CG+2C 12 lb J3526A2NG+2C		26.45" center body +2 short outer bodies, 35.75" shaft 26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMPH + 2x OHCOMPH OHCOMPH + 2x OHCOMPH	SHA3526AJA+2 SHA3526AJA+2	\$108 \$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A2NG+2C	• •	26.45" center body +2 short outer bodies, 35.75" shaft 26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMPH + 2x OHCOMPH  OHCOMPH + 2x OHCOMPH	SHA3526AJA+2 SHA3526AJA+2	\$108 \$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A2NGF+2C		26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMPH + 2x OHCOMPH	SHA3526AJA+2	\$108
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3526A2C+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMPH	SHA3526AJA+2	\$108
extended 2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb J3526A2S+2S	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMPH	SHA3526AJA+2	\$108
2" dia. FOUR bodies	10 lb 10006A0CC4	¢ E O O	non-skidding for tight turns & ground undulations 4 short bodies, 29.75" shaft		SHA2926AJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats 4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A2CG4 10 lb J2926A2NG4		4 short bodies, 29.75" shaft 4 short bodies, 29.75" shaft		SHA2926AJA4 SHA2926AJA4	\$91 \$91
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A2CGF4		4 short bodies, 29.75" shaft		SHA2926AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A2NGF4	\$582	4 short bodies, 29.75" shaft		SHA2926AJA4	\$91
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb J2926A2C4		4 short bodies, 29.75" shaft		SHA2926AJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb J2926A2S4	\$582	4 short bodies, 29.75" shaft		SHA2926AJA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets 6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb J3526A2CG4+2C	\$672	non-skidding for tight turns & ground undulations 4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb J3526A2NG4+2C		4 center bodies + 2 short outer bodies, 35.75 shaft 4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb J3526A2CGF4+2C		4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb J3526A2NGF4+2C	• •	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb J3526A2C4+2C	• •	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies) 2.5" dia. SINGLE body	13 lb J3526A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J2926A25CG	\$456	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2926A25NG		26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J2926A25CGF	\$456	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J2926A25NGF		26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" smooth Urethane 2.5" smooth Steel	11 lb J2926A25C 11 lb J2926A25S		26.45" body, 29.75" shaft 26.25" body, 29.75" shaft		SHA2926AJ SHA2926AJ	\$76 \$76
2.5 Smooth Steel  2.5" dia. TWO opposing end short bodies	11 ID J2920A255	<b>φ3/6</b>	non-striping, non-skidding for tight turns & ground	undulations	SHAZ9Z0AJ	\$76
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2904A25CGt	\$496	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
<sup>2</sup> bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2904A25NGt		2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
<sup>2</sup> bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2904A25CGFt		2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2904A25NGFt		2 short twin bodies at ends of 29.75" shaft 2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt SHA2904AJAt	\$91 \$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies) 2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb J2904A25Ct 6 lb J2904A25St		2 short twin bodies at ends of 29.75" shaft 2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt SHA2904AJAt	\$91 \$91
2.5" dia. SINGLE body + 2 bodies outside of brackets	0 10 0200 17 12001	¥ .00	non-skidding for tight turns & ground undulations			, .
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A25CG+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft		SHA3526AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A25NG+2C		26.45" center body +2 short outer bodies, 35.5" shaft		SHA3526AJA+2	\$108
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A25CGF+2C	\$566 \$566	26.45" center body +2 short outer bodies, 35.5" shaft		SHA3526AJA+2 SHA3526AJA+2	\$108 \$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	12 lb J3526A25NGF+2C 13 lb J3526A25C+2C		26.45" center body +2 short outer bodies, 35.5" shaft 26.45" center body +2 short outer bodies, 35.5" shaft		SHA3526AJA+2	\$108
2.5" dia. FOUR bodies	10 15 00020/1200 120	,,,,,	non-skidding for tight turns & ground undulations			****
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A25CG4	\$636	4 short bodies, 29.75" shaft		SHA2926AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A25NG4		4 short bodies, 29.75" shaft		SHA2926AJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A25CGF4		4 short bodies, 29.75" shaft 4 short bodies, 29.75" shaft		SHA2926AJA4 SHA2926AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats 4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	10 lb J2926A25NGF4 13 lb J2926A25C4		4 short bodies, 29.75" shaft 4 short bodies, 29.75" shaft		SHA2926AJA4 SHA2926AJA4	\$91 \$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets	10 15 02020/12004	<b>4000</b>	non-skidding for tight turns & ground undulations			***
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3526A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3526A25NG4+2C		4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3526A25CGF4+2C		4 center bodies + 2 short outer bodies, 35.75" shaft 4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats 6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	10 lb J3526A25NGF4+2C 13 lb J3526A25C4+2C		4 center bodies + 2 short outer bodies, 35.75" shaft 4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2 SHA3526AJA4+2	\$108 \$108
Jacobsen 26" LF3810 & TRIKING 1471 & 1671 - FRONT & BACK ROL		****	Call to upgrade with double row angular conf	act bearings		,
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J2826A25CG		26.45" body, 28.375" shaft		SHA2826AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J2826A25NG 9 lb J2826A25CGF		26.45" body, 28.375" shaft 26.45" body, 28.375" shaft		SHA2826AJ SHA2826AJ	\$76 \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J2826A25NGF		26.45" body, 28.375" shaft		SHA2826AJ	\$76
2.5" smooth Urethane	11 lb J2826A25C		26.45" body, 28.375" shaft		SHA2826AJ	\$76
2.5" smooth Steel	11 lb J2826A25S	\$376	26.25" body, 28.375" shaft		SHA2826AJ	\$76
2.5" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground	undulations		
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats 2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2804A25CGt 4 lb J2804A25NGt		2 short twin bodies at ends of 28.375" shaft 2 short twin bodies at ends of 28.375" shaft		SHA2804AJAt SHA2804AJAt	\$91 \$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2804A25CGFt		2 short twin bodies at ends of 28.375" shaft		SHA2804AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2804A25NGFt		2 short twin bodies at ends of 28.375" shaft		SHA2804AJAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2804A25Ct		2 short twin bodies at ends of 28.375" shaft		SHA2804AJAt	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2804A25St	\$496	2 short twin bodies at ends of 28.375" shaft		SHA2804AJAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets  extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3426A25CG+2C	\$566	non-skidding for tight turns & ground undulations 26.45" center body +2 short outer bodies, 34.375" shaft		SHA3426AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3426A25NG+2C		26.45" center body +2 short outer bodies, 34.375 shaft 26.45" center body +2 short outer bodies, 34.375" shaft		SHA3426AJA+2	\$108
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3426A25CGF+2C		26.45" center body +2 short outer bodies, 34.375" shaft		SHA3426AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3426A25NGF+2C		26.45" center body +2 short outer bodies, 34.375" shaft		SHA3426AJA+2	\$108
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3426A25C+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft		SHA3426AJA+2	\$108

	Complete Roller	Ro	ler	Rej	placement
	<u>Assemblies</u>	Ret	<u>ail</u>	Overhaul Kit Replaceme (1 per body) Shaft	
2 F" dia FOUR hadiaa			non olidding for tight turns 0 ground undulations	(included in new roller as	
2.5" dia. FOUR bodies  4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2826A25CG4	\$636	non-skidding for tight turns & ground undulations 4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2826A25NG4		4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2826A25CGF4	\$636	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
<sup>4 bodies</sup> 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2826A25NGF4	\$636	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J2826A25C4	\$636	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets	40 lb 12426A2ECC4+2C	***	non-skidding for tight turns & ground undulations	SHA3426AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats 6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3426A25CG4+2C 10 lb J3426A25NG4+2C		4 center bodies + 2 short outer bodies, 34.375" shaft 4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3426A25CGF4+2C		4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3426A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies) 3" dia. SINGLE body	13 lb J3426A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
3" dia. wide grooved Urethane	13 lb J2826A3CG	\$513	26.45" body, 28.375" shaft	SHA2826AJ	\$76
3" smooth Urethane	13.5 lb J2826A3C		26.45" body, 28.375" shaft	SHA2826AJ	\$76
3" smooth Steel	13.5 lb J2826A3S	\$443	26.25" body, 28.375" shaft	SHA2826AJ	\$76
3" dia. FOUR bodies 4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J2826A3CG4	\$683	non-skidding for tight turns & ground undulations 4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J2826A3C4		4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
Jacobsen 26" TR-3 - FRONT & BACK ROLLERS		•	Call to upgrade with double row angular contact bearings		
2.5" dia. SINGLE body					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J3126X25CG		26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J3126X25NG		26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
2.5" dia. wide grooved (1" spacing) Urethane 1" flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J3126X25CGF 9 lb J3126X25NGF		26.45" body, 31.25" shaft-1/2" dia. ends 26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ SHA3126XJ	\$81 \$81
2.5" dia. narrow grooved (1/2" dia. spacing) Uretnane 1" flats 2.5" smooth Urethane	11 lb J3126X25NGF		26.45" body, 31.25" shaft-1/2" dia. ends 26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ SHA3126XJ	\$81 \$81
2.5" smooth Steel	11 lb J3126X25C		26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
2.5" dia. TWO opposing end short bodies		,	non-striping, non-skidding for tight turns & ground undulations		
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3104X25CGt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
<sup>2 bodies</sup> 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3104X25NGt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
<sup>2 bodies</sup> 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3104X25CGFt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
<sup>2</sup> bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3104X25NGFt		2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
<sup>2</sup> bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J3104X25Ct		2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies 2.5" smooth steel (2x4.75" wide bodies)	6 lb J3104X25St	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2.5" dia. FOUR bodies	40 11- 10400705004	***	non-skidding for tight turns & ground undulations		
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25CG4 10 lb J3126X25NG4		4 short bodies, 31.25" shaft-1/2" dia. ends 4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJA4	\$96 \$06
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25NG4		4 short bodies, 31.25" shaft-1/2" dia. ends 4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJA4 SHA3126XJA4	\$96 \$96
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats 4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25CGF4		4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJA4	\$96 \$96
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J3126X25NGF4		4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJA4	\$96
3" dia. SINGLE body	13 15 15 120/2504	ψυτυ	Total Bodies, 01.20 State 1/2 dat. ondo	0111012070711	400
3" dia. wide grooved Urethane	13 lb J3126X3CG	\$513	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
3" smooth Urethane	13.5 lb J3126X3C	\$493	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
3" smooth Steel	13.5 lb J3126X3S	\$453	26.25" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
3" dia. FOUR bodies			non-skidding for tight turns & ground undulations		
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3126X3CG4		4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJA4	\$96
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3126X3C4	\$683	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJA4	\$96
Jacobsen 30" TRIKING 1684D & 1900D - FRONT & BACK ROLLERS			Call to upgrade with double row angular contact bearings		
2.5" dia. SINGLE body	9 lb J3229A25CG	¢ 4 E C	29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats			29.45" body, 32.19" shaft	SHA3229AJ SHA3229AJ	\$76 \$76
<ol> <li>2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats</li> <li>2.5" dia. wide grooved (1" spacing) Urethane 1" flats</li> </ol>	9 lb J3229A25NG 9 lb J3229A25CGF		29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J3229A25NGF		29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" smooth Urethane	12 lb J3229A25C		29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" smooth Steel	12 lb J3229A25S		29.25" body, 32.19" shaft	SHA3229AJ	\$76
2.5" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground undulations		
<sup>2</sup> bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3204A25CGt		2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
<sup>2</sup> bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3204A25NGt		2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3204A25CGFt		2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3204A25NGFt		2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91 504
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J3204A25Ct		2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91 \$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies) 2.5" dia. SINGLE body + 2 bodies outside of brackets	6 lb J3204A25St	<b>#49</b> 6	2 short twin bodies at ends of 32.19" shaft non-skidding for tight turns & ground undulations	SHA3204AJAt	\$91
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3829A25CG+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3829A25NG+2C		29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA+2	\$108
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3829A25CGF+2C		29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3829A25NGF+2C	\$566		SHA3829AJA+2	\$108
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3829A25C+2C		29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA+2	\$108
2.5" dia. FOUR bodies			non-skidding for tight turns & ground undulations		
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3229A25CG4	\$636	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3229A25NG4		4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3229A25CGF4		4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies)1" flats	10 lb J3229A25NGF4		4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J3229A25C4	<b>\$636</b>	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets 6 bodies 2.5" dia wide grooved Urathane (4x6.5" inner+2x2" outer bodies) no flats	10 lb 13830A350C4±3C	¢606	non-skidding for tight turns & ground undulations 4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats 6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3829A25CG4+2C 10 lb J3829A25NG4+2C		4 center bodies + 2 short outer bodies, 38.19" shaft 4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2 SHA3829AJA4+2	\$108 \$108
6 bodies 2.5" dia. harrow grooved Orethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3829A25NG4+2C		4 center bodies + 2 short outer bodies, 36.19 shaft 4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3829A25NGF4+2C		4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb J3829A25C4+2C		4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108

	Complete Roller	Rol	ler	Re	placement
	<u>Assemblies</u>	Ret		Overhaul Kit Replacem	nent Shaft
				(1 per body) Shaft (included in new roller a	
3" dia. SINGLE body				(included in new roller a	SSembles
3" dia. wide grooved Urethane	12.4 lb J3229A3CG		29.45" body, 32.19" shaft	SHA3229AJ	\$76
3" smooth Urethane	15 lb J3229A3C		29.45" body, 32.19" shaft	SHA3229AJ	\$76
3" smooth Steel	15 lb J3229A3S	\$443	29.25" body, 32.19" shaft	SHA3229AJ	\$76
3" dia. FOUR bodies	12 lb J3229A3CG4	¢602	non-skidding for tight turns & ground undulations 4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) 4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3229A3CG4		4 short bodies, 32.19" shaft	SHA3229AJA4 SHA3229AJA4	\$91
Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - FRONT ROLLER	14 ID 33229A3C4	<b>\$603</b>	Call to upgrade with double row angular contact bearings	311A3229A3A4	φ51
3" dia. SINGLE body			can to upgrade with double row angular contact bearings		
3" dia. wide grooved Urethane	9 lb J2119A3CG	\$513	19.45" body, 21.25" shaft	SHA2119AJ	\$76
3" smooth Urethane	10.5 lb J2119A3C		19.45" body, 21.25" shaft	SHA2119AJ	\$76
3" smooth Steel	11 lb J2119A3S	\$443	19.25" body, 21.25" shaft	SHA2119AJ	\$76
3" dia. FOUR bodies			non-skidding for tight turns & ground undulations		
4 bodies 3" dia. wide grooved Urethane (4x4.75" wide bodies)	12 lb J2119A3CG4	\$673	4 short bodies, 21.25" shaft	SHA2119AJA4	\$91
4 bodies 3" smooth Urethane (4x4.75" wide bodies)	14 lb J2119A3C4	\$663	4 short bodies, 21.25" shaft	SHA2119AJA4	\$91
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics		
3" dia. wide grooved Urethane with 2.2" wide smooth ends	8.5 lb J2119A3CG.22C		front roller for rear mower heads-use with J2016G2C	SHA2119AJ	\$76
2" dia. smooth Urethane	6.5 lb J2016G2C	\$362	back roller for rear mower heads-use with J2119A3CG.22C	SHA2016GJ	\$76
Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - BACK ROLLER (w	ith 7/16-20 tap)		Call to upgrade with double row angular contact bearings		
2" dia. SINGLE body 2" dia. smooth Urethane	6.5 lb J2016S2C	\$362	16.25" body, 20.5" shaft-3/8" taps	SHA2016GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb J2016S2S		16.25" body, 20.5" shaft-3/8" taps	SHA2016GJ	\$76
2" dia. smooth Urethane	6.5 lb J2016G2C		16.25" body, 20.5" shaft-7/16" taps	SHA2016GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb J2016G2S		16.25" body, 20.5" shaft-7/16" taps	SHA2016GJ	\$76
2" dia. smooth Urethane	11 lb J2019S2C		19.45" body, 20.5" shaft-3/8" taps	SHA2019SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11 lb J2019S2S		19.25" body, 20.5" shaft-3/8" taps	SHA2019SJ	\$76
2" dia. smooth Urethane	11 lb J2019G2C		19.45" body, 20.5" shaft-7/16" taps	SHA2019SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11 lb J2019G2S	\$302	19.25" body, 20.5" shaft-7/16" taps	SHA2019SJ	\$76
2.5" dia. SINGLE body					•
2.5" smooth Urethane	11 lb J2019S25C		19.45" body, 20.5" shaft-3/8" taps	SHA2019SJ	\$76
2.5" smooth steel	11 lb J2019S25S	\$376	19.25" body, 20.5" shaft-3/8" taps	SHA2019SJ	\$76
Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" & 26" LF530, SLF18	880, LF2500, LF3050, LF381	<mark>0</mark> )	Call to upgrade with double row angular contact bearings		
3" dia. SINGLE body					
3" dia. wide grooved Urethane	9.4 lb J2522A3CG		22.45" body, 25.87" shaft	SHA2522AJ	\$76
3" smooth Urethane 3" smooth Steel	12 lb J2522A3C		22.45" body, 25.87" shaft	SHA2522AJ	\$76
	11.5 lb J2522A3S	\$443	22.25" body, 25.87" shaft	SHA2522AJ	\$76
3" dia. FOUR bodies 4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	12 lb J2522A3CG4	¢672	non-skidding for tight turns & ground undulations 4 short bodies, 25.875" shaft	SHA2522AJA4	\$91
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	14 lb J2522A3C4		4 short bodies, 25.875 shaft	SHA2522AJA4	\$91
To diminish instances of shadowing lines due to overlap of reels	14 ID 02022A3C4	φ003	call for proper application specifics	OT INZUZZADNA	Ψ31
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb J2522A3CG.22C	\$543	front roller for rear mower heads-use with J2419S2C	SHA2522AJ	\$76
2" dia. smooth Urethane (rear roller)	7 lb J2419S2C	\$362	back roller for rear mower heads-use with J2522A3CG.22C	SHA2419SJ	\$76
Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" & 26" LF530, SLF188	0, LF2500, LF3050, LF3810)	)	Call to upgrade with double row angular contact bearings		
2" dia. SINGLE body w/ 3/8" taps in shaft					
2" dia. wide grooved Urethane no flats	6.5 lb J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422S2CGF		22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422S2NGF		22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. smooth Urethane	8 lb J2422S2C		22.25" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422S2S		22.25" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2419S2CGF		19.45" body, 24.25" shaft-3/8" taps 19.25" body, 24.25" shaft-3/8" taps	SHA2419SJ SHA2419SJ	\$76 \$76
2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)	7 lb J2419S2C 10.5 lb J2419S2S		19.25" body, 24.25" shaft-3/8" taps	SHA2419SJ	\$76
2" dia. SINGLE body w/ 7/16" taps in shaft	10.5 10 324 19323	<b>\$302</b>	15.25 body, 24.25 strate-0/6 taps	311A241933	φ/0
2" dia. wide grooved Urethane no flats	6.5 lb J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb J2422G2NG		22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422G2CGF		22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422G2NGF		22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. smooth Urethane	8 lb J2422G2C		22.25" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422G2S	\$302	22.25" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft			non-striping, non-skidding for tight turns & ground undulations		ļ
<sup>2</sup> bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2CGt		2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
<sup>2</sup> bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2NGt	7	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2CGFt		2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2NGFt		2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402S2Ct		2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2402SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S2Ct		2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt SHA2404SJAt	\$91 \$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)  2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft	6 lb J2404S2St	<b>⊅45∠</b>	2 short twin bodies at ends of 24.25" shaft-3/8" taps non-striping, non-skidding for tight turns & ground undulations	STM24U4SJAI	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2CGt		2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2CGFt		2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2NGFt		2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402G2Ct		2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2402GJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6.2 lb J2404G2St	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2" dia. FOUR bodies w/ 3/8" taps in shaft			non-skidding for tight turns & ground undulations		ļ
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2CG4		4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2NG4		4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2CGF4		4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2NGF4		4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422S2C4		4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422S2S4	φ30∠	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
					,

	Complete Roller	Ro	ller	Re	eplacement
	<u>Assemblies</u>	Re	<u>tail</u>	Overhaul Kit Replacen (1 per body) Shaf	
				(included in new roller a	
2" dia. FOUR bodies w/ 7/16" taps in shaft	0.5 11- 1040000004	<b>¢</b> 500	non-skidding for tight turns & ground undulations 4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	***
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2CG4 8.5 lb J2422G2NG4		4 short bodies, 24.25 shaft-7/16 taps 4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4 SHA2422GJA4	\$91 \$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2CGF4		4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2NGF4	\$582	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422G2C4	\$582	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422G2S4	\$582	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
2.5" dia. SINGLE body w/ 3/8" taps in shaft 2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421S25CG	¢ 450	21.45" body, 24.25" shaft-3/8" taps	SHA2421SJ	
2.5" smooth Urethane	8.8 lb J2421S25C		21.45" body, 24.25" shaft-3/8" taps 21.45" body, 24.25" shaft-3/8" taps	SHA2421SJ SHA2421SJ	\$76 \$76
2.5" smooth Steel	9.5 lb J2421S25S		21.25" body, 24.25" shaft-3/8" taps	SHA2421SJ	\$76
2.5" dia. SINGLE body w/ 7/16" taps in shaft		•			
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421G25CG	\$456	21.45" body, 24.25" shaft-7/16" taps	SHA2421GJ	\$76
2.5" smooth Urethane	8.8 lb J2421G25C		21.45" body, 24.25" shaft-7/16" taps	SHA2421GJ	\$76
2.5" smooth Steel	9.5 lb J2421G25S	\$376	21.25" body, 24.25" shaft-7/16" taps	SHA2421GJ	\$76
2.5" dia. TWO opposing end short bodies  2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25CGt	\$496	non-striping, non-skidding for tight turns & ground undulations 2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25NGt		2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25CGFt		2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
<sup>2 bodies</sup> 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25NGFt	\$496	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
<sup>2</sup> bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S25Ct		2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb J2404S25St	\$496	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2.5" dia. FOUR bodies  4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) no flats	10.5 lb J2421S25CG4	6626	non-skidding for tight turns & ground undulations 4 short bodies at ends of 24.25" shaft-3/8" taps	CHV34346 1V4	604
4 bodies 2.5" dia. wide grooved Urethane (2x4.75 + 2x5.55" wide bodies) no flats 4 bodies 2.5" dia. narrow grooved Urethane (2x4.75+2x5.55" wide bodies) no flats	10.5 lb J2421S25UG4 10.5 lb J2421S25NG4		4 short bodies at ends of 24.25" shaft-3/8" taps 4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4 SHA2421SJA4	\$91 \$91
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) 1" flats	10.5 lb J2421S25CGF4		4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) 1" flats	10.5 lb J2421S25NGF4		4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4	\$91
4 bodies 2.5" smooth Urethane (2x4.75"+2x5.55" wide bodies)	9 lb J2421S25C4	\$636	4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4	\$91
Jacobsen 26" LIGHT FAIRWAY LF2500 & 3050 - FRONT & BACK RO	DLLERS		Call to upgrade with double row angular contact bearings		
3" dia. SINGLE body	40 lb 10000V000		00.45% - 400.5% - 10.47% - 1		
3" dia. wide grooved Urethane	13 lb J3026X3CG		26.45" body, 30.5" shaft-1/2" dia. ends	SHA3026XJ	\$76 \$76
3" smooth Urethane 3" smooth Steel	13.5 lb J3026X3C 13.5 lb J3026X3S	\$493 \$453	26.45" body, 30.5" shaft-1/2" dia. ends 26.25" body, 30.5" shaft-1/2" dia. ends	SHA3026XJ SHA3026XJ	\$76 \$76
3" dia. FOUR bodies	13.3 10 33020733	<b>\$433</b>	non-skidding for tight turns & ground undulations	SHASUZUAS	\$10
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3026X3CG4	\$683	4 short bodies, 30.5" shaft-1/2" dia. ends	SHA3026XJA4	\$96
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3026X3C4	\$663	4 short bodies, 30.5" shaft-1/2" dia. ends	SHA3026XJA4	\$96
Jacobsen 30" ST5111, FAIRWAY, GANG, HF5 & HF15 - FRONT & BA	ACK ROLLERS		Call to upgrade with double row angular contact bearings		
3" dia. SINGLE body					
3" dia. wide grooved Urethane 3" smooth Urethane	12.4 lb J3329A3CG 15 lb J3329A3C		29.45" body, 33" shaft 29.45" body, 33" shaft	SHA3329AJ SHA3329AJ	\$76 \$76
3" smooth Steel	15 lb J3329A3C		29.25" body, 33" shaft	SHA3329AJ	\$76 \$76
Jacobsen ROTARY AR-522 & AR-722 26" DECK - FRONT ROLLER	10 15 000207100	<b>V110</b>			***
5" grooved Urethane (4" wide body) double row bearings	10 lb 2J0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	SHA0404GJ	\$76
5" smooth Urethane (4" wide body) double row bearings	11 lb 2J0404G5C		Roller assembly includes sleeves & bolts for mounting to fork	SHA0404GJ	\$76
Jacobsen ROTARY AR-522, AR-722, & AR-5 26" DECK - BACK ROL	LER (must confirm shaft	config	uration on ends)		
3" dia. SINGLE body	12.5 lb 2J2926R3CGR	¢EE2	26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	CHA202CD I	604
<ul><li>3" dia. wide grooved Urethane with double row bearings</li><li>3" smooth Urethane with double row bearings</li></ul>	13.3 lb 2J2926R3CR		26.45" body, 29.42" dia. snaft-large milled flat & pin noie on ends  26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ SHA2926RJ	\$91 \$91
3" smooth Steel with double row bearings	14 lb 2J2926R3SR		26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
3" dia. wide grooved Urethane with double row bearings	12.5 lb 2J2926Q3CGR		26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ	\$91
3" smooth Urethane with double row bearings	13.3 lb 2J2926Q3CR	\$533	26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ	\$91
3" smooth Steel with double row bearings	14 lb 2J2926Q3SR	\$533	26.25" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ	\$91
3" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground undulations		
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2J2905R3CGRt		2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2905RJAt	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	6.2 lb 2J2904R3CRt 8 lb 2J2904R3SRt		2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends 2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2905RJAt SHA2905RJAt	\$98 \$98
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2J2905Q3CGRt		2 short twin bodies, 29.42 dia. shaft-1 large milled flat end & 1 round end	SHA2905QJAt	\$98 \$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb 2J2904Q3CRt		2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2905RJAt	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb 2J2904Q3SRt		2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2905RJAt	\$98
3" dia. FOUR bodies			non-skidding for tight turns & ground undulations		
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb 2J2926R3CGR4		4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJA4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb 2J2926R3CR4	7	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJA4	\$98 \$00
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings 4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	13.5 lb 2J2926Q3CGR4 14 lb 2J2926Q3CR4	\$703 \$703	4 short bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end 4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926QJA4 SHA2926RJA4	\$98 \$98
3.5" dia. SINGLE body	1-10 E02020Q0O1\4	ψιυσ	, augo minos naco pin Holo di Gius	5.1. E32010A4	+00
3.5" smooth Urethane with double row bearings	17 lb 2J2926R35CR	\$617	26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
3.5" smooth Urethane with double row bearings	17 lb 2J2926Q35CR	\$617	26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ	\$91
4" dia. SINGLE body					
4" smooth Urethane-double row bearings	24 lb 2J2926R4CR		26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
4" smooth Steel-double row bearings	27 lb 2J2926R4SR		26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
Jacobsen ROTARY AR-5 26" DECK - BACK ROLLER (must confirm 3" dia. SINGLE body	Shart configuration on er	iusj			
3" dia. wide grooved Urethane with double row bearings	13 lb 2J3026D3CGR	\$543	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
3" smooth Urethane with double row bearings	13.4 lb 2J3026D3CR		26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
3" smooth Steel with double row bearings	14 lb 2J3026D3SR	\$533	26.25" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
3" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground undulations		
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6 lb 2J3005D3CGRt		2 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3005DJAt	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.3 lb 2J3004D3CRt		2 short twin bodies, 30" shaft-specify configuration of shaft ends 2 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3005DJAt SHA3005DJAt	\$98 \$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings 3" dia. FOUR bodies	8 lb 2J3004D3SRt	<b>Ф</b> 043	2 short twin bodies, 30" shaft-specify configuration of shaft ends non-skidding for tight turns & ground undulations	SUMSUUSUJAI	920
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	13.5 lb 2J3026R3CGR4	\$703	4 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3026RJA4	\$98
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	14 lb 2J3026R3CR4		4 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3026DJA4	\$98

					per body) Shaft ed in new roller ass	Retai
3.5" dia. SINGLE body				Iniciaa	ed in new roller ass	emblies
3.5" smooth Urethane with double row bearings	17 lb 2J3026D35CR	\$617	26.45" body, 30" shaft-specify configuration of shaft ends		SHA3026DJ	\$76
4" dia. SINGLE body 4" smooth Urethane-double row bearings	24 lb 2J3026R4CR	\$604	26.45" body, 30" shaft-specify configuration of shaft ends		SHA3026DJ	\$76
4" smooth Steel-double row bearings	28 lb 2J3026R4SR		26.45" body, 30" shaft-specify configuration of shaft ends		SHA3026DJ	\$76
Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
3" dia. SINGLE body		·				
3" dia. wide grooved Urethane with double row bearings	14.5 lb 2J3429R3CGR	-	29.45" body, 34.25" shaft-large milled flat & pin hole on ends		SHA3429RJ	\$91
3" smooth Urethane with double row bearings 3" smooth Steel with double row bearings	15.5 lb 2J3429R3CR 15.5 lb 2J3429R3SR		29.45" body, 34.25" shaft-large milled flat & pin hole on ends 29.25" body, 34.25" shaft-large milled flat & pin hole on ends		SHA3429RJ SHA3429RJ	\$91 \$91
3" dia. TWO opposing end short bodies	13.3 10 203429133313	φυσυ	non-striping, non-skidding for tight turns & ground u	ndulations	311/042910	451
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6.5 lb 2J3405R3CGRt	\$643	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends		SHA3405RJAt	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.7 lb 2J3404R3CRt	\$643	2 short twin bodies, 34.25" shaft-large milled flat $\&$ pin hole on ends		SHA3404RJAt	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8.5 lb 2J3404R3SRt	\$643	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends		SHA3404RJAt	\$98
3" dia. FIVE bodies 5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies) double row bearings	15.5 lb 2J3429R3CGR5	\$743	non-skidding for tight turns & ground undulations 5 short bodies, 34.25" shaft-large milled flat & pin hole on ends		SHA3429RJA5	\$98
5 bodies 3" smooth Urethane (5x5.2" wide bodies) double row bearings	16.5 lb 2J3429R3CR5		5 short bodies, 34.25" shaft-large milled flat & pin hole on ends		SHA3429RJA5	\$98
3.5" dia. SINGLE body						
3.5" smooth Urethane with double row bearings	19 lb 2J3429R35CR	\$617	29.45" body, 34.25" shaft-large milled flat & pin hole on ends		SHA3429RJ	\$91
4" dia. SINGLE body 4" smooth Urethane-double row bearings	06 lb 0 10400D4CD	0004	20 45" heads 24 25" shoft large milled flat 9 nin help an ande		SHA3429RJ	\$91
4" smooth Steel-double row bearings	26 lb 2J3429R4CR 29 lb 2J3429R4SR		29.45" body, 34.25" shaft-large milled flat & pin hole on ends 29.25" body, 34.25" shaft-large milled flat & pin hole on ends		SHA3429RJ SHA3429RJ	\$91
Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER	20 10 200 120111011					***
3" dia. SINGLE body						
3" smooth Urethane with double row bearings	15.5 lb 2J2722X3CR		22.45" body, 27.25" shaft-1/2" dia. ends		SHA2722XJ	\$91
3" smooth Steel with double row bearings	15.5 lb 2J2722X3SR	\$533	22.25" body, 27.25" shaft-1/2" dia. ends		SHA2722XJ	\$91
3.5" dia. SINGLE body 3.5" smooth Urethane with double row bearings	19 lb 2J2722X35CR	\$617	22.45" body, 27.25" shaft-1/2" dia. ends		SHA2722XJ	\$91
4" dia. SINGLE body	TO ID EULT ELACOCIT	ΨΟΙΙ				4
4" smooth Urethane-double row bearings	23 lb 2J2722X4CR	\$694	22.45" body, 27.25" shaft-1/2" dia. ends		SHA2722XJ	\$91
4" smooth Steel-double row bearings	26 lb 2J2722X4SR	\$694	22.25" body, 27.25" shaft-1/2" dia. ends		SHA2722XJ	\$91
for JOHN DEERE mowers						
John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS	- FRONT ROLLER					
2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb D2119A2CG		19.45" body, 21.25" shaft		SHA2119AD	\$76
2" dia. narrow grooved Urethane no flats 2" dia. wide grooved Urethane 1" flats	6.7 lb D2119A2NG 6.5 lb D2119A2CGF		19.45" body, 21.25" shaft 19.45" body, 21.25" shaft		SHA2119AD SHA2119AD	\$76 \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2119A2NGF	-	19.45" body, 21.25" shaft		SHA2119AD	\$76
2" dia. smooth Urethane	7.5 lb D2119A2C		19.25" body, 21.25" shaft		SHA2119AD	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb D2119A2S	\$302	19.25" body, 21.25" shaft		SHA2119AD	\$76
2" dia. TWO opposing end short bodies	4 II - D040440004		non-striping, non-skidding for tight turns & ground u	ndulations		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2CGt 4 lb D2104A2NGt		2 short twin bodies at ends of a 21.25" shaft 2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt SHA2104ADAt	\$91 \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2CGFt		2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
<sup>2</sup> bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2104A2Ct		2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2102A2Ct 4.2 lb D2104A2St		2 short twin bodies at ends of a 21.25" shaft 2 short twin bodies at ends of a 21.25" shaft		SHA2102ADAt SHA2104ADAt	\$91 \$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)  2" dia. SINGLE body + 2 bodies outside of brackets	4.2 ID D2104A25t	<b>\$452</b>	non-skidding for tight turns & ground undulations		SHAZ TU4ADAL	291
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb D2719A2CG+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH	SHA2719ADA+2	\$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb D2719A2NG+2C	T	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH		\$108
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb D2719A2CGF+2C	-	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH	SHA2719ADA+2	\$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats extended 2" dia. smooth Urethane (19.25" inner+2x2" outer bodies)	12 lb D2719A2NGF+2C 13 lb D2719A2C+2C		19.45" center body + 2 short outer bodies, 27.25" shaft 19.25" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH OHCOMP + 2x OHCOMPH	SHA2719ADA+2 SHA2719ADA+2	\$108 \$108
extended 2" dia. smooth Steel heavy (19.25" inner+2x2" outer bodies)	15 lb D2719A2S+2S		19.25" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMPH	SHA2719ADA+2	\$108
2" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2CG4	-	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2NG4		4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats 4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2CGF4 8.5 lb D2119A2NGF4		4 short bodies, 21.25" shaft 4 short bodies, 21.25" shaft		SHA2119ADA4 SHA2119ADA4	\$91 \$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb D2119A2C4	-	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb D2119A2S4	-	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations			
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb D2719A2CG4+2C		4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats 6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb D2719A2NG4+2C 12 lb D2719A2CGF4+2C		4 center bodies + 2 short outer bodies, 27.25" shaft 4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2 SHA2719ADA4+2	\$108 \$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb D2719A2NGF4+2C		4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	13 lb D2719A2C4+2C	-	4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	15 lb D2719A2S4+2S		4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2	\$108
John Deere 22" 220 & 220SL WALKING & 2500, 2400, 2550, 2700, 2 2" dia. SINGLE body	750 & 2243 KIDING GRE	=ENSM	OWERS - FRUNT & BACK RULLERS			
2" dia. wide grooved Urethane no flats	6.5 lb D2522C2CG	\$382	22.45" body, 25.5" shaft		SHA2522CD	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG		22.45" body, 25.5" shaft		SHA2522CD	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522C2CGF		22.45" body, 25.5" shaft		SHA2522CD	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522C2NGF		22.45" body, 25.5" shaft		SHA2522CD	\$76
2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)	7.9 lb D2522C2C 11.5 lb D2522C2S		22.25" body, 25.5" shaft 22.25" body, 25.5" shaft		SHA2522CD SHA2522CD	\$76 \$76
= a.s. omoon otoor nouty (11-4 waii)	10 10 12022020	<b>4002</b>	,,			7. 2

Complete Roller Assemblies Roller

Retail

Replacement
Overhaul Kit Replacement Shaft
(1 per body) Shaft Retail
(included in new roller assemblies)

	Complete Roller	Rol	ler		Re	placement
	<u>Assemblies</u>	Ret	<u>ail</u>		ıl Kit Replacem per body) Shaft	
2" die TMO ennesing and short hadies			non atrimina non alciddina for ticht turns 9 areand	(include	d in new roller as	
2" dia. TWO opposing end short bodies 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C2CGt	\$452	non-striping, non-skidding for tight turns & ground 2 short twin bodies at ends of a 25.5" shaft	undulations	SHA2504CDAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C2NGt		2 short twin bodies at ends of a 25.5" shaft		SHA2504CDAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C2CGFt	\$452	2 short twin bodies at ends of a 25.5" shaft		SHA2504CDAt	\$91
<sup>2</sup> bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C2NGFt	7	2 short twin bodies at ends of a 25.5" shaft		SHA2504CDAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2502C2Ct		2 short twin bodies at ends of a 25.5" shaft		SHA2502CDAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2504C2Ct		2 short twin bodies at ends of a 25.5" shaft		SHA2504CDAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)  2" dia. SINGLE body + 2 bodies outside of brackets	6 lb D2504C2St	\$452	2 short twin bodies at ends of a 25.5" shaft non-skidding for tight turns & ground undulations		SHA2504CDAt	\$91
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMPH + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2NG+2C		22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMPH + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF+2C		22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMPH + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMPH + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122C2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMPH	SHA3122CDA+2	\$108
2" dia. FOUR bodies	0.F.H. D050000004	<b>¢</b> 500	non-skidding for tight turns & ground undulations		011405000044	***
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2CG4 8.5 lb D2522C2NG4		4 short bodies, 25.5" shaft 4 short bodies, 25.5" shaft		SHA2522CDA4 SHA2522CDA4	\$91 \$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NG4 8.5 lb D2522C2CGF4		4 short bodies, 25.5" shaft		SHA2522CDA4	\$91 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NGF4		4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522C2C4	\$582	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522C2S4	\$582	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations			
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	12 lb D3122C2CG4+2C		4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	12 lb D3122C2NG4+2C	+	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats 6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF4+2C 12 lb D3122C2NGF4+2C		4 center bodies + 2 short outer bodies, 31.5" shaft 4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2 SHA3122CDA4+2	\$108 \$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb D3122C2NGF4+2C	•	4 center bodies + 2 short outer bodies, 31.5 shaft 4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2 SHA3122CDA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb D3122C2S4+2S	•	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb D2522C25CG	\$456	22.45" body, 25.5" shaft		SHA2522CD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb D2522C25NG	\$456	22.45" body, 25.5" shaft		SHA2522CD	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522C25CGF		22.45" body, 25.5" shaft		SHA2522CD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb D2522C25NGF		22.45" body, 25.5" shaft		SHA2522CD	\$76
2.5" smooth Urethane 2.5" smooth Steel	9.5 lb D2522C25C 9.2 lb D2522C25S		22.45" body, 25.5" shaft 22.25" body, 25.5" shaft		SHA2522CD SHA2522CD	\$76 \$76
2.5" dia. TWO opposing end short bodies	9.2 10 1020220203	<b>\$310</b>	non-striping, non-skidding for tight turns & ground	undulations	3HA2322CD	\$10
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C25CGt	\$496	2 short twin independent roller bodies, 25.5" shaft	undulutions	SHA2504CDAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C25NGt		2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
<sup>2 bodies</sup> 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C25CGFt	\$496	2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
<sup>2 bodies</sup> 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C25NGFt	\$496	2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
<sup>2</sup> bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb D2504C25Ct		2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb D2504C25St	\$496	2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets	12 lb D3122C25CG+2C	¢ E C C	non-skidding for tight turns & ground undulations 22.45" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2	\$108
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C25CG+2C		22.45" center body + 2 short outer bodies, 31.67" shaft 22.45" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2 SHA3122CDA+2	\$108
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C25CGF+2C		22.45" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2	\$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C25NGF+2C		22.45" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2	\$108
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C25C+2C	\$566	22.25" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2	\$108
2.5" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25CG4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25NG4		4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25CGF4		4 short bodies, 25.5" shaft		SHA2522CDA4	\$91 \$04
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10.5 lb D2522C25NGF4 10 lb D2522C25C4		4 short bodies, 25.5" shaft 4 short bodies, 25.5" shaft		SHA2522CDA4 SHA2522CDA4	\$91 \$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets	10 ID D232202304	φυσυ	non-skidding for tight turns & ground undulations		OTTAZSZZODA4	<b>\$31</b>
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb D3122C25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	10.5 lb D3122C25NG4+2C		4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	10.5 lb D3122C25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	10.5 lb D3122C25NGF4+2C		4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb D3122C25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
John Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER			Call to upgrade with double row angular cont	tact bearings		
2" dia. SINGLE body 2" dia. wide grooved Urethane no flats	7.8 lb D2926A2CG	¢292	26.45" body, 29.75" shaft		SHA2926AD	\$76
2" dia. narrow grooved Urethane no flats	7.8 lb D2926A2CG 7.8 lb D2926A2NG		26.45" body, 29.75" shaft		SHA2926AD SHA2926AD	\$76 \$76
2" dia. wide grooved Urethane 1" flats	8 lb D2926A2CGF		26.45" body, 29.75" shaft		SHA2926AD	\$76
2" dia. narrow grooved Urethane 1" flats	8 lb D2926A2NGF		26.45" body, 29.75" shaft		SHA2926AD	\$76
2" dia. smooth Urethane	9.5 lb D2926A2C		26.25" body, 29.75" shaft		SHA2926AD	\$76
2" dia. smooth Steel heavy (1/4" wall)	12.5 lb D2926A2S	\$302	26.25" body, 29.75" shaft		SHA2926AD	\$76
2" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground $% \left( \mathbf{r}\right) =\mathbf{r}^{\prime }$	undulations		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2904A2CGt		2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2904A2NGt		2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91 \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats 2 bodies 2" dia. parrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2904A2CGFt 4 lb D2904A2NGFt		2 short twin bodies at ends of 29.75" shaft 2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt SHA2904ADAt	\$91 \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2904A2NGFt 4 lb D2902A2Ct		2 short twin bodies at ends of 29.75" shaft 2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt SHA2902ADAt	\$91 \$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2904A2Ct		2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb D2904A2St		2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91
• • • • • • • • • • • • • • • • • • • •						

	Complete Roller	Rol	ler		Re	placement
	<u>Assemblies</u>	Ret	<u>ail</u>		Il Kit Replacem	
					per body) Shaft ed in new roller as	
2" dia. SINGLE body + 2 bodies outside of brackets	40		non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb D3526A2CG+2C 12 lb D3526A2NG+2C		26.45" center body +2 short outer bodies, 35.75" shaft 26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMPH + 2x OHCOMPH OHCOMPH + 2x OHCOMPH	SHA3526ADA+2 SHA3526ADA+2	\$108 \$108
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb D3526A2CGF+2C		26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMPH + 2x OHCOMPH	SHA3526ADA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb D3526A2NGF+2C		26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMPH + 2x OHCOMPH	SHA3526ADA+2	\$108
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb D3526A2C+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMPH	SHA3526ADA+2	\$108
extended 2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb D3526A2S+2S	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMPH	SHA3526ADA+2	\$108
2" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb D2926A2CG4		4 short bodies, 29.75" shaft		SHA2926ADA4 SHA2926ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats 4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb D2926A2NG4 10 lb D2926A2CGF4		4 short bodies, 29.75" shaft 4 short bodies, 29.75" shaft		SHA2926ADA4 SHA2926ADA4	\$91 \$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb D2926A2NGF4		4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb D2926A2C4		4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb D2926A2S4	\$582	4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations			
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb D3526A2CG4+2C		4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb D3526A2NG4+2C		4 center bodies + 2 short outer bodies, 35.75" shaft 4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 SHA3526ADA4+2	\$108 \$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats 6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb D3526A2CGF4+2C 13 lb D3526A2NGF4+2C	•	4 center bodies + 2 short outer bodies, 35.75 shaft 4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb D3526A2C4+2C	•	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	13 lb D3526A2S4+2S	•	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb D2926A25CG		26.45" body, 29.75" shaft		SHA2926AD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb D2926A25NG		26.45" body, 29.75" shaft		SHA2926AD	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb D2926A25CGF		26.45" body, 29.75" shaft		SHA2926AD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats 2.5" smooth Urethane	9.5 lb D2926A25NGF	\$456 \$396	26.45" body, 29.75" shaft 26.45" body, 29.75" shaft		SHA2926AD SHA2926AD	\$76 \$76
2.5" smooth Steel	11 lb D2926A25C 11 lb D2926A25S		26.45" body, 29.75" shaft		SHA2926AD SHA2926AD	\$76
2.5" dia. TWO opposing end short bodies	11 ID D2320A230	ΨΟΙΟ	non-striping, non-skidding for tight turns & ground u	undulations	011112020110	<b>V.</b> 0
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2904A25CGt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2904A25NGt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAt	\$91
<sup>2</sup> bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2904A25CGFt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2904A25NGFt		2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	7 lb D2904A25Ct	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets  extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb D3526A25CG+2C	\$566	non-skidding for tight turns & ground undulations 26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb D3526A25NG+2C		26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb D3526A25CGF+2C		26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb D3526A25NGF+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb D3526A25C+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
2.5" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb D2926A25CG4		4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats 4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb D2926A25NG4 10 lb D2926A25CGF4	\$636 \$636	4 short bodies, 29.75" shaft 4 short bodies, 29.75" shaft		SHA2926ADA4 SHA2926ADA4	\$91 \$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb D2926A25CGF4		4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb D2926A25C4	+	4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations			
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb D3526A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb D3526A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb D3526A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb D3526A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)  John Deere 22" 3215 & 3225 LIGHT FAIRWAY MOWERS - FRONT & BACK ROL	13 lb D3526A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft  Call to upgrade with double row angular conta	not hoorings	SHA3526ADA4+2	\$108
2" dia. SINGLE body	LERS		Call to upgrade with double row angular conta	act bearings		
Combination roller assemblies to diminish effect of reel overlap shadowi	ng are available-please call					
2" dia. wide grooved Urethane no flats	6.7 lb D2522C2CG	\$382	22.45" body, 25.5" shaft		SHA2522CD	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	\$382	22.45" body, 25.5" shaft		SHA2522CD	\$76
2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2CGF		22.45" body, 25.5" shaft		SHA2522CD	\$76
2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2NGF		22.45" body, 25.5" shaft		SHA2522CD	\$76
2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)	7.9 lb D2522C2C 11.5 lb D2522C2S		22.25" body, 25.5" shaft		SHA2522CD	\$76 \$76
John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT & BACK ROLLERS (2 s		<b>\$302</b>	22.25" body, 25.5" shaft  Call to upgrade with double row angular conta	act hearings	SHA2522CD	\$76
2" dia. SINGLE body	rtyles)		can to appraise with double row angular conte	ict bearings		
Rollers for QA-5 reels (with 1 flat on one end of the shaft):						\$72
3" dia. wide grooved Urethane	9.5 lb D2522C3CG	\$513	22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
3" smooth Urethane	12 lb D2522C3C	\$483	22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
3" smooth Steel	11.5 lb D2522C3S	\$443	22.25" body, 25.5" shaft-1 flat		SHA2522CD	\$76
To diminish instances of shadowing lines due to overlap of reels	0.5.11. D05000000000000		call for proper application specifics			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CG.22C				SHA2522CD	\$76 \$76
3" smooth Urethane  Rollers with 2 flats on 1 end of the shaft:	11 lb D2519C3C	ψ <del>4</del> 03	back roller for rear mower heads-use with D2522C3CG.22C		SHA2519CD	\$76 \$72
3" dia. wide grooved Urethane	9.5 lb D2522F3CG	\$513	22.45" body, 25.5" shaft-2 flats on 1 end		SHA2522FD	\$76
3" smooth Urethane	11 lb D2522F3C		22.45" body, 25.5" shaft-2 flats on 1 end		SHA2522FD	\$76
3" smooth Steel	12 lb D2522F3S		22.25" body, 25.5" shaft-2 flats on 1 end		SHA2522FD	\$76
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CG.22C		front roller for rear mower heads-use with D2519F3C		SHA2522FD	\$76
3" smooth Urethane	11 lb D2519F3C	\$483	back roller for rear mower heads-use with D2522F3CG.22C		SHA2519FD	\$76

John Deere 22" 7500/ 8500 & 6700/7700/ 8700 PRECISION CUT & E-CUT FAIRWA	Y (QA5 & QA7 reels)		Call to upgrade with double row angular conta	act bearings (include	d in new roller ass	semblies
Rollers for QA-5 reels (with 1 flat on 1 end of the shaft):				Ū		
2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb D2522C2CG		22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2" dia. narrow grooved Urethane no flats 2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2NG 6.5 lb D2522C2CGF		22.45" body, 25.5" shaft-1 flat 22.45" body, 25.5" shaft-1 flat		SHA2522CD SHA2522CD	\$76 \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522C2NGF		22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2" dia. smooth Urethane	7.9 lb D2522C2C		22.25" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S		22.25" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2" dia. SINGLE body + 2 bodies outside of brackets		•	non-striping, non-skidding for tight turns & ground t	undulations		
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMPH + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMPH + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMPH + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2NGF+2C		22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMPH + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C2C+2C		22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMPH	SHA3122CDA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122C2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMPH	SHA3122CDA+2	\$108
2" dia. FOUR bodies	8.5 lb D2522C2CG4	¢E00	non-skidding for tight turns & ground undulations 4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2CG4 8.5 lb D2522C2NG4		4 short bodies, 25.5" shaft-1 flat 4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4 SHA2522CDA4	\$91 \$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NG4 8.5 lb D2522C2CGF4		4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NGF4		4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522C2C4		4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522C2S4		4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91
2.5" dia. SINGLE body		•	non-skidding for tight turns & ground undulations			
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb D2522C25CG	\$456	22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb D2522C25NG	\$456	22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522C25CGF	\$456	22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb D2522C25NGF	\$456	22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2.5" smooth Urethane	9.5 lb D2522C25C	\$396	22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
2.5" smooth Steel	9.2 lb D2522C25S	\$376	22.25" body, 25.5" shaft-1 flat		SHA2522CD	\$76
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb D2522C25CG.22C		front roller for rear mower heads-use with D2519C25C		SHA2522CD	\$76
2.5" smooth Urethane	9.5 lb D2519C25C	\$396	back roller for rear mower heads-use with D2522C25CG.22C		SHA2519CD	\$76
2.5" dia. FOUR bodies	10 E IL DOESSOSECCA	****	non-skidding for tight turns & ground undulations 4 short bodies, 25.5" shaft		0114050000044	***
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25CG4 10.5 lb D2522C25NG4		4 short bodies, 25.5" shaft 4 short bodies, 25.5" shaft		SHA2522CDA4 SHA2522CDA4	\$91 \$91
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25NG4		4 short bodies, 25.5" shaft 4 short bodies, 25.5" shaft		SHA2522CDA4 SHA2522CDA4	\$91 \$91
4 bodies 2.5" dia. wide grooved Orethalie (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25CGF4		4 short bodies, 25.5" shaft 4 short bodies, 25.5" shaft		SHA2522CDA4 SHA2522CDA4	\$91 \$91
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10.5 lb D2522C25NGF4		4 short bodies, 25.5" shaft		SHA2522CDA4 SHA2522CDA4	\$91
3" dia. SINGLE body	10 10 0202202004	ψυσυ	Tariot Boards, 20.0 Grant		0111202200711	Ψ
3" dia. wide grooved Urethane	9.5 lb D2522C3CG	\$513	22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
3" smooth Urethane	12 lb D2522C3C		22.45" body, 25.5" shaft-1 flat		SHA2522CD	\$76
3" smooth Steel	11.5 lb D2522C3S	\$443	22.25" body, 25.5" shaft-1 flat		SHA2522CD	\$76
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CG.22C	\$543	front roller for rear mower heads-use with D2519C3C		SHA2522CD	\$76
3" smooth Urethane	11 lb D2519C3C	\$483	back roller for rear mower heads-use with D2522C3CG.22C		SHA2519CD	\$76
Rollers for QA-7 reels (with 2 flats on 1 end of the shaft):						
2" dia. SINGLE body	0 F III D05005000	<b>*</b> 200				
2" dia. wide grooved Urethane no flats	6.5 lb D2522F2CG 6.7 lb D2522F2NG		22.45" body, 25.5" shaft w/ 2 flats 22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD SHA2522FD	\$82 \$82
2" dia. narrow grooved Urethane no flats 2" dia. wide grooved Urethane 1" flats	6.5 lb D2522F2NG		22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD SHA2522FD	\$82
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522F2NGF		22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
2" dia. smooth Urethane	7.9 lb D2522F2C		22.25" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522F2S		22.25" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
2" dia. SINGLE body + 2 bodies outside of brackets		****	non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122F2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMPH + 2x OHCOMPH	SHA3122FDA+2	\$112
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122F2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMPH + 2x OHCOMPH	SHA3122FDA+2	\$112
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122F2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMPH + 2x OHCOMPH	SHA3122FDA+2	\$112
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122F2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMPH + 2x OHCOMPH	SHA3122FDA+2	\$112
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122F2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMPH	SHA3122FDA+2	\$112
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122F2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMPH	SHA3122FDA+2	\$112
2" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522F2CG4		4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522F2NG4		4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522F2CGF4		4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4 SHA2522FDA4	\$98 \$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb D2522F2NGF4 8 lb D2522F2C4		4 short bodies, 25.5" shaft w/ 2 flats 4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4 SHA2522FDA4	\$98 \$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522F2C4		4 short bodies, 25.5" shaft w/ 2 flats 4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4 SHA2522FDA4	\$98
2.5" dia. SINGLE body	. L ID DECELI ZOT	<b>4302</b>	non-skidding for tight turns & ground undulations			<b>-</b>
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb D2522F25CG	\$456	22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb D2522F25NG		22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522F25CGF		22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb D2522F25NGF		22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$76
2.5" smooth Urethane	9.5 lb D2522F25C	\$396	22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
2.5" smooth Steel	9.2 lb D2522F25S	\$376	22.25" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb D2522F25CG.22C	\$496	front roller for rear mower heads-use with D2519F25C		SHA2522FD	\$82
2.5" smooth Urethane	9.5 lb D2519F25C	\$396	back roller for rear mower heads-use with D2522F25CG.22C		SHA2519FD	\$82

	Complete Roller	Ro	ller		Re	eplacement
	Assemblies	Ret			ıl Kit Replacen	nent Shaft
					per body) Shaf ed in new roller a	
2.5" dia. FOUR bodies			non-skidding for tight turns & ground undulations	Include		
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522F25CG4		4 short bodies, 25.5" shaft w/ 2 flats 4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4 SHA2522FDA4	\$98 \$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522F25NG4 10.5 lb D2522F25CGF4	+	4 short bodies, 25.5" shaft w/ 2 flats 4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4 SHA2522FDA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522F25NGF4	\$636			SHA2522FDA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb D2522F25C4	\$636	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98
3" dia. SINGLE body						
3" dia. wide grooved Urethane	9.5 lb D2522F3CG		22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
3" smooth Urethane 3" smooth Steel	12 lb D2522F3C 11.5 lb D2522F3S		22.45" body, 25.5" shaft w/ 2 flats 22.25" body, 25.5" shaft w/ 2 flats		SHA2522FD SHA2522FD	\$82 \$82
To diminish instances of shadowing lines due to overlap of reels	11.5 lb D25221 50	ΨΤΤΟ	call for proper application specifics		OTTAZSZZI D	402
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CG.22C	\$543			SHA2522FD	\$82
3" smooth Urethane	11 lb D2519F3C	\$483			SHA2519FD	\$82
3" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground	undulations		
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) 2 bodies 3" smooth Urethane (2x4" wide bodies)	6.5 lb D2505F3CGt 6 lb D2504F3Ct	\$583 \$553			SHA2505FDAt SHA2504FDAt	\$98 \$98
John Deere 18" 8000A & 6080A PRECISION CUT & E-CUT FAIRWAY - FRONT &		φυυυ	Call to upgrade with double row angular conta	act bearings	OTTAZSO4T BAC	Ψ30
2" dia. SINGLE body			3	<b>.</b>		
2" dia. wide grooved Urethane no flats	6.5 lb D2218C2CG	\$402			SHA2218CD	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb D2218C2NG		18.45" body, 22" dia. shaft		SHA2218CD	\$76
2" dia. wide grooved Urethane 1" flats 2" dia. narrow grooved Urethane 1" flats	6.5 lb D2218C2CGF		18.45" body, 22" dia. shaft		SHA2218CD	\$76
2" dia. narrow grooved Oretnane 1" flats 2" dia. smooth Urethane	6.7 lb D2218C2NGF 7.5 lb D2218C2C	\$402 \$362	18.45" body, 22" dia. shaft 18.45" body, 22" dia. shaft		SHA2218CD SHA2218CD	\$76 \$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb D2218C2S	\$362			SHA2218CD	\$76
2" dia. smooth Steel heavy (1/4" wall)	9 lb D2216A2S		16.2" body, 22" dia. shaft		SHA2216AD	\$76
2" dia. TWO opposing end short bodies		·	non-striping, non-skidding for tight turns & ground to	undulations		
<sup>2 bodies</sup> 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2CGt	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
<sup>2</sup> bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
<sup>2 bodies</sup> 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2CGFt		2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2NGFt		2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2104A2Ct 4 lb D2102A2Ct		2 short twin bodies at ends of a 21.25" shaft 2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt SHA2102ADAt	\$91 \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies) 2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	4.2 lb D2104A2St		2 short twin bodies at ends of a 21.25 shaft 2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91 \$91
2" dia. SINGLE body + 2 bodies outside of brackets	4.2 ID D2104A23t	94JZ	non-skidding for tight turns & ground undulations		SI IAZ TOPADAL	491
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A2CG+2C	\$512		OHCOMPH + 2x OHCOMPH	SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A2NG+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH	SHA2718ADA+2	\$108
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A2CGF+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH	SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A2NGF+2C	• •	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMPH + 2x OHCOMPH	SHA2718ADA+2	\$108
extended 2" dia. smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb D2718A2C+2C	\$512		OHCOMP + 2x OHCOMPH	SHA2718ADA+2	\$108
extended 2" dia. smooth Steel heavy (18.25" inner+2x2" outer bodies)	15 lb D2718A2S+2S	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft non-skidding for tight turns & ground undulations	OHCOMP + 2x OHCOMPH	SHA2718ADA+2	\$108
2" dia. FOUR bodies 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2CG4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2NG4	\$582			SHA2119ADA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2CGF4		4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2NGF4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb D2119A2C4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb D2119A2S4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	6.7 lb D2218A25CG		18.2" body, 22" dia. shaft		SHA2218AD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	6.7 lb D2218A25NG		18.2" body, 22" dia. shaft		SHA2218AD	\$76 \$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	6.7 lb D2218A25CGF 6.7 lb D2218A25NGF	\$486 \$486	18.2" body, 22" dia. shaft 18.2" body, 22" dia. shaft		SHA2218AD SHA2218AD	\$76 \$76
2.5" smooth Urethane	7.5 lb D2218A25C	\$396			SHA2218AD	\$76
2.5" smooth Steel	9.2 lb D2218A25S		18.0" body, 22" dia. shaft		SHA2218AD	\$76
2.5" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground to	undulations		
<sup>2 bodies</sup> 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A25CGt	\$496	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
<sup>2</sup> bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A25NGt		2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A25CGFt		2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A25NGFt		2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies) 2 bodies 2.5" smooth Urethane (2x2" wide bodies)	4.2 lb D2104A25Ct 4 lb D2102A25Ct		2 short twin bodies at ends of a 21.25" shaft 2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt SHA2102ADAt	\$91 \$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb D2104A25St		2 short twin bodies at ends of a 21.25 shaft 2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets	4.2 ID D21047 12001	Ψ-100	non-skidding for tight turns & ground undulations			***
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A25CG+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A25NG+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A25CGF+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A25NGF+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended 2.5" smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb D2718A25C+2C	\$586	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended 2.5" smooth Steel (18.25" inner+2x2" outer bodies)  2.5" dia. FOUR bodies	15 lb D2718A25S+2S	\$606	19.25" center body + 2 short outer bodies, 27.25" shaft non-skidding for tight turns & ground undulations		SHA2718ADA+2	\$108
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A25CG4	\$636	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A25NG4		4 short bodies, 21.25 shaft		SHA2119ADA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A25CGF4		4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A25NGF4	\$636	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8 lb D2119A25C4		4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb D2119A25S4	\$626	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91

	Complete Roller	Ro				Replacement
	<u>Assemblies</u>	Ret	<u>tail</u>		ul Kit Replace per body) Sha	
3" dia. SINGLE body					ed in new roller	
3" dia. wide grooved Urethane	6.6 lb D2218C3CG	\$533	18.45" body, 22" dia. shaft		SHA2218CD	\$76
3" smooth Urethane	7.5 lb D2218C3C	\$483	18.45" body, 22" dia. shaft		SHA2218CD	\$76
3" smooth Steel	9.2 lb D2218C3S	\$443			SHA2218CD	\$76
To diminish instances of shadowing lines due to overlap of reels	C 0 II- D004040500 000	£400	call for proper application specifics		0114004040	***
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats 2.5" smooth Urethane	6.8 lb D2218A25CG.22C 7 lb D2215A25C	\$496 \$416			SHA2218AD SHA2215AD	\$91 \$76
3" dia. wide grooved Urethane with 2.2" wide smooth ends	6.8 lb D2218A3CG.22C	\$563			SHA2218AD	\$76
3" smooth Urethane	7 lb D2215A3C		back roller for rear mower heads-use with D2218A3CG.22C		SHA2215AD	\$76
John Deere 26" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLER	S (QA-7 reels)		Call to upgrade with double row angular con	tact bearings		
3" dia. SINGLE body						
3" dia. wide grooved Urethane	11.1 lb D2926F3CG		26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R	SHA2926FD	\$82
3" smooth Urethane 3" smooth Steel	13.5 lb <b>D2926F3C</b> 13.5 lb <b>D2926F3S</b>	\$483 \$443	**	OHCOMP or OHCOMP2R OHCOMP or OHCOMP2R	SHA2926FD SHA2926FD	\$82 \$82
3" dia. SINGLE body (upgraded double row bearings)	13.5 ID <b>D2320F33</b>	<b>\$443</b>	20.23 body, 23.73 share2 hats on 1 end	OF ICOMP OF OF ICOMP2R	31 IA29201 D	402
3" dia. wide grooved Urethane with double row bearings	11 lb 2D2926F3CGR	\$543	26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP2R	SHA2926FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D2926F3CR	\$533	26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP2R	SHA2926FD	\$82
3" smooth Steel with double row bearings	12.5 lb 2D2926F3SR	\$533	26.25" body, 29.75" shaft-2 flats on 1 end	OHCOMP2R	SHA2926FD	\$82
3" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground			
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb D2904F3Ct	\$553		OHCOMPRt or OHCOMP2Rt OHCOMPRt or OHCOMP2Rt		\$98 \$98
2 bodies 3" smooth Urethane (2x5.2" wide bodies)  3" dia. FOUR bodies	6.5 lb D2905F3Ct	<b>გეე</b> ა	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end non-skidding for tight turns & ground undulations	ONCOMPREDI ONCOMPZRE	SHAZ9USFDAL	\$90
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12.5 lb D2926F3CG4	\$673	4 short bodies, 29.75" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R	SHA2926FDA4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	13.5 lb D2926F3C4	+	4 short bodies, 29.75" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R	SHA2926FDA4	\$98
John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLER	S (QA-7 reels)		Call to upgrade with double row angular con-	tact bearings		
3" dia. SINGLE body						
3" dia. wide grooved Urethane	11.1 lb D3329F3CG	\$513		OHCOMP or OHCOMP2R	SHA3329FD	\$82
3" smooth Urethane 3" smooth Steel	13.5 lb <b>D3329F3C</b> 13.5 lb <b>D3329F3S</b>	\$493 \$443		OHCOMP or OHCOMP2R OHCOMP or OHCOMP2R	SHA3329FD SHA3329FD	\$82 \$82
3" dia. SINGLE body (upgraded double row bearings)	10.0 ID <b>D3323F33</b>	ψ <del>44</del> 3	20.20 30dy, 50.0 Sharez hate Off 1 GHU	STIGOWI OF OFFICENCE	OI INOUZUED	¥0£
3" dia. wide grooved Urethane with double row bearings	11 lb 2D3329F3CGR	\$543	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2R	SHA3329FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D3329F3CR	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2R	SHA3329FD	\$82
3" smooth Steel with double row bearings	12.5 lb 2D3329F3SR	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2R	SHA3329FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D3319F3CR	\$533	19.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2R	SHA3319FD	\$82
3" dia. FOUR & FIVE bodies 5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb D3329F3CG5	6700	non-skidding for tight turns & ground undulations 5 short bodies, 33.5" shaft-2 flats on 1 end		011400005045	****
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb D3329F3C4		4 short bodies, 33.5" shaft-2 flats on 1 end		SHA3329FDA5 SHA3329FDA4	\$112 \$112
John Deere 30" 1900, 1905, 3325 FAIRWAY & 3365 TURF PRO & 365 PTO GANG		Ψ000	Call to upgrade with double row angular con	tact bearings	011/00231 5/4	¥112
3" dia. SINGLE body	- (= 5- <b>)</b> -5-5)					
3" dia. wide grooved Urethane	13.5 lb D3229F3CG	\$513	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCOMP or OHCOMP2R	SHA3229FD	\$82
3" smooth Urethane	15 lb D3229F3C	\$483		OHCOMP or OHCOMP2R	SHA3229FD	\$82
3" smooth Steel	15 lb D3229F3S	\$443		OHCOMP or OHCOMP2R	SHA3229FD	\$82
3" dia. wide grooved Urethane 3" smooth Urethane	13.5 lb D3229A3CG 15 lb D3229A3C	\$513 \$483	29.45" body, 32" dia. shaft-1 flat on 1 end 29.45" body, 32" dia. shaft-1 flat on 1 end	OHCOMP or OHCOMP2R OHCOMP or OHCOMP2R	SHA3229AD SHA3229AD	\$76 \$76
3" smooth Steel	15 lb D3229A3S		29.25" body, 32" dia. shaft-1 flat on 1 end	OHCOMP or OHCOMP2R	SHA3229AD	\$76
3" dia. FOUR bodies	10 10 002207100	<b>V</b>	non-skidding for tight turns & ground undulations			
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb D3229F3CG5	\$723	5 short bodies, 32" dia. shaft-2 flats on 1 end		SHA3229FDA5	\$112
4 bodies 3" smooth Urethane (4x6.7" wide bodies)	14 lb D3229F3C4	\$663	5 short bodies, 32" dia. shaft-2 flats on 1 end		SHA3229FDA4	\$112
John Deere 30" FAIRWAY (305, 303, 756 & 856) - ALL ROLLERS (Choose from	n 2 styles)		Call to upgrade with double row angular con	tact bearings		
3" dia. SINGLE body	13.5 lb D3229X3CG	¢ = 2 2	20.45" hady 22.25" shaft 5" dia ands	OHCOMP or OHCOMP2R	SHA3229XD	\$82
3" dia. wide grooved Urethane 3" smooth Urethane	15 lb D3229X3C		29.45" body, 32.25" shaft5" dia. ends 29.45" body, 32.25" shaft5" dia. ends	OHCOMP or OHCOMP2R	SHA3229XD	\$82
3" smooth Steel	15 lb D3229X3S		29.25" body, 32.25" shaft5" dia. ends	OHCOMP or OHCOMP2R	SHA3229XD	\$82
3" dia. wide grooved Urethane	13.5 lb D3029W3CG		29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMP2R	SHA3029WD	\$82
3" smooth Urethane	15 lb D3029W3C	\$493	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMP2R	SHA3029WD	\$82
3" smooth Steel	15 lb D3029W3S	\$453	29.25" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMP2R	SHA3029WD	\$82
John Deere ROTARY DECK 8800 & 3245C - FRONT ROLLER (With two indeper	•		O shouth the health and a stool to be 600 and a stool to the	OUGGMEGE	01140004454	***
2 bodies 5" grooved Urethane (2x4" wide bodies) double row bearings 2 bodies 5" smooth Urethane (2x4" wide bodies) double row bearings	8 lb 2D2304A5CGRt 9.3 lb 2D2304A5CRt		2 short twin bodies at ends of 23" shaft-3 grooves per body 2 short twin bodies at ends of 23" shaft	OHCOMP2Rt OHCOMP2Rt	SHA2304ADAt SHA2304ADAt	\$91 \$91
John Deere ROTARY DECK 8800 & 3245C & 1565 - BACK ROLLER (choose fro						
3" dia. SINGLE body						
3" dia. wide grooved Urethane with double row bearings	9.5 lb 2D2319B3CGR		19.45" body, 23" shaft	OHCOMP2R	SHA2319BD	\$76
3" smooth Urethane with double row bearings	11 lb 2D2319B3CR	\$533		OHCOMP2R	SHA2319BD	\$76
3" smooth Steel with double row bearings	12 lb 2D2319B3SR	\$533 \$542		OHCOMP2R	SHA2319BD	\$76 \$76
<ul><li>3" dia. wide grooved Urethane with double row bearings</li><li>3" smooth Urethane with double row bearings</li></ul>	9.5 lb 2D2419B3CGR 11.5 lb 2D2419B3CR	\$543 \$533		OHCOMP2R OHCOMP2R	SHA2419BD SHA2419BD	\$76 \$76
3" smooth Gretnane with double row bearings 3" smooth Steel with double row bearings	11.5 lb 2D2419B3CR 11 lb 2D2419B3SR	\$533		OHCOMP2R OHCOMP2R	SHA2419BD SHA2419BD	\$76 \$76
3" dia. wide grooved Urethane with double row bearings	9.5 lb 2D2522T3CGR		22.45" body, 25.87" shaft	OHCOMP2R	SHA2522TD	\$76
3" smooth Urethane with double row bearings	12 lb 2D2522T3CR		22.45" body, 25.87" shaft	OHCOMP2R	SHA2522TD	\$76
3" smooth Steel with double row bearings	11.5 lb 2D2522T3SR		22.25" body, 25.87" shaft	OHCOMP2R	SHA2522TD	\$76
3" dia. wide grooved Urethane with double row bearings	9.5 lb 2D2622A3CGR		22.45" body, 26.75" shaft	OHCOMP2R	SHA2622AD	\$76
3" smooth Urethane with double row bearings 3" smooth Steel with double row bearings	12 lb 2D2622A3CR 11.5 lb 2D2622A3SR		22.45" body, 26.75" shaft 22.25" body, 26.75" shaft	OHCOMP2R OHCOMP2R	SHA2622AD SHA2622AD	\$76 \$76
3" smooth Steel with double row bearings  3" dia. TWO opposing end short bodies	וויין וויין אפעעעאטאל	φυυδ	non-striping, non-skidding for tight turns & ground		OI IMZOZZAU	910
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	8 lb 2D2305B3CGRt	\$643	2 short twin bodies at ends of a 23" shaft	OHCOMP2Rt	SHA2305BDAt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb 2D2304B3CRt	\$643		OHCOMP2Rt	SHA2304BDAt	\$91
<sup>2 bodies</sup> 3" smooth Steel (2x4" wide bodies) double row bearings	10 lb 2D2304B3SRt	\$643	2 short twin bodies at ends of a 23" shaft	OHCOMP2Rt	SHA2304BDAt	\$91
3" dia. THREE bodies	44    0000 (000 - 000 -		non-skidding for tight turns & ground undulations			
3 bodies 3" dia. wide grooved Urethane (3x5.2" wide bodies) double row bearings	11 lb 2D2319B3CGR3		3 short bodies, 23" shaft 3 short bodies, 23" shaft		SHA2319BDA3	\$108 \$109
3 bodies 3" smooth Urethane (3x5.2" wide bodies) double row bearings 3 bodies 3" smooth Steel (3x5.2" wide bodies) double row bearings	11 lb 2D2319B3CR3 11 lb 2D2319B3SR3		3 short bodies, 23" shaft 3 short bodies, 23" shaft		SHA2319BDA3 SHA2319BDA3	\$108 \$108
The source, acasto for sourings		+5-10				

	Complete Roller	Rol				Replacement
	<u>Assemblies</u>	Ret	<u>ail</u>	<u>(1</u>	ul Kit Replac per body) Sh	aft Retail
3.5" dia. SINGLE body				(includ	ed in new roller	assemblies)
3.5" smooth Urethane with double row bearings	13.5 lb 2D2319B35CR	\$617	19.45" body, 23" shaft	OHCOMP2R	SHA2319BD	\$76
3.5" smooth Urethane with double row bearings	13.5 lb 2D2419B35CR	+	19.45" body, 24" shaft	OHCOMP2R	SHA2419BD	\$76
3.5" smooth Urethane with double row bearings	13.5 lb 2D2522T35CR	• -	22.45" body, 25.87" shaft 22.45" body, 26.75" shaft	OHCOMP2R OHCOMP2R	SHA2522TD SHA2622AD	\$76
3.5" smooth Urethane with double row bearings  4" dia. SINGLE body	13.5 lb 2D2622A35CR	\$617	22.45 body, 26.75 snart	OHCOMP2R	SHAZ6ZZAD	\$76
4" smooth Steel-double row bearings	20 lb 2D2319B4SR	\$694	19.25" body, 23" shaft		SHA2319BD	\$76
4" smooth Steel-double row bearings	20 lb 2D2419B4SR		19.25" body, 24" shaft		SHA2419BD	\$76
4" smooth Steel-double row bearings	20 lb 2D2522T4SR	\$694	22.25" body, 25.87" shaft		SHA2522TD	\$76
4" smooth Steel-double row bearings	20 lb 2D2622A4SR		22.25" body, 26.75" shaft		SHA2622AD	\$76
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - FRONT RO		_	5.2" wide roller bodies)	01100110001		
2 bodies 5" grooved Urethane (2x5.2" wide bodies) double row bearings 2 bodies 5" smooth Urethane (2x5.2" wide bodies) double row bearings	12 lb 2D2905C5CGRt 13 lb 2D2905C5CRt		2 short twin bodies at ends of 29" shaft-3 grooves per body 2 short twin bodies at ends of 29" shaft	OHCOMP2Rt OHCOMP2Rt	SHA2905CDAt SHA2905CDAt	\$91 \$91
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - BACK ROL		<b>\$625</b>	2 SHORT WILL DOUBLES AT GRIDS OF 29 STRAIT	ONCOMPZKI	SHAZ9USCDAL	\$91
3" dia. SINGLE body	LLIX					
3" dia. wide grooved Urethane with double row bearings	11 lb 2D2926C3CGR	\$543	26.45" body, 29" shaft	OHCOMP2R	SHA2926CD	\$76
3" smooth Urethane with double row bearings	12.5 lb 2D2926C3CR	\$533	26.45" body, 29" shaft	OHCOMP2R	SHA2926CD	\$76
3" smooth Steel with double row bearings	12.5 lb 2D2926C3SR	\$533	26.25" body, 29" shaft	OHCOMP2R	SHA2926CD	\$76
3" smooth Urethane with double row bearings	12.5 lb 2D2919C3CR	\$533	19.45" body, 29" shaft	OHCOMP2R	SHA2919CD	\$76
3" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground u			
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10 lb 2D2905C3CGRt 10 lb 2D2904C3CRt		2 short twin bodies at ends of a 29" shaft	OHCOMP2Rt OHCOMP2Rt	SHA2905CDAt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	11 lb 2D2904C3CRt		2 short twin bodies at ends of a 29" shaft 2 short twin bodies at ends of a 29" shaft	OHCOMP2Rt OHCOMP2Rt	SHA2904CDAt SHA2904CDAt	\$91 \$91
3" dia. FOUR bodies	11 ID 2D2904C35IN	φ043	non-skidding for tight turns & ground undulations	OI ICOMP2Rt	311A2904CDAL	φσι
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12 lb 2D2926C3CGR4	\$703	4 short bodies, 29" shaft		SHA2926CDA4	\$91
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	12 lb 2D2926C3CR4		4 short bodies, 29" shaft		SHA2926CDA4	\$91
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT CASTER						
5" grooved Urethane (4" wide body) double row bearings	5 lb 2D0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2BO	SHA0404GD	\$76
5" smooth Urethane (4" wide body) double row bearings	5 lb 2D0404G5C	\$295	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2BO	SHA0404GD	\$76
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER						
3" smooth Urethane with double row bearings	12.5 lb 2D2925A3CR		25.45" body, 29.25" shaft	OHCOMP2R	SHA2925AD	\$76
3" smooth Steel with double row bearings	12.5 lb 2D2925A3SR	<b>\$533</b>	25.25" body, 29.25" shaft	OHCOMP2R	SHA2925AD	\$76
for TORO mowers						
Toro 22" GREENSMOWERS - FRONT ROLLER: series 1000, 3, 300, 3000, 3050,	3100, 3150 (with 3/8" tap in	shaft end	s for ball stud)			
(Except TriFlex series without ball stud for basket yoke as follows: 3200	<mark>, 3250, 3300, 3320, 3370, 340</mark> 0	0, 3420 &	FLEX 21)			
2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb T2522S2CG		22.45" body, 25.75" shaft-3/8" taps	OHCOMPH	SHA2522ST	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2522S2NG		22.45" body, 25.75" shaft-3/8" taps	OHCOMPH	SHA2522ST	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522S2CGF		22.45" body, 25.75" shaft-3/8" taps	OHCOMPH	SHA2522ST	\$76
2" dia. narrow grooved Urethane 1" flats 2" dia. smooth Urethane	6.7 lb T2522S2NGF 8 lb T2522S2C		22.45" body, 25.75" shaft-3/8" taps 22.25" body, 25.75" shaft-3/8" taps	OHCOMPH OHCOMP or OHCOMPSS	SHA2522ST SHA2522ST	\$76 \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522S2S		22.25" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76
2" dia. TWO opposing end short bodies	11.3 ID 12322323	φ30Z	non-striping, non-skidding for tight turns & ground u		OT IAZ SZZOT	Ψισ
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2CGt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPHt	SHA2504STAt	\$91
<sup>2</sup> bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2NGt		2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPHt	SHA2504STAt	\$91
<sup>2</sup> bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504S2CGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPHt	SHA2504STAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504S2NGFt		2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPHt	SHA2504STAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.2 lb T2502S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPRt or OHCOMPSS		\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4 lb T2504S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPRt or OHCOMPSS	Rt SHA2504STAt	\$91
2" dia. FOUR bodies	0.5.II. T05000004	4=00	non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522S2CG4		4 short bodies, 25.75" shaft-3/8" taps 4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 SHA2522STA4	\$91 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522S2NG4 8.5 lb T2522S2CGF4		4 short bodies, 25.75" shaft-3/6" taps 4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 SHA2522STA4	\$91 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522S2NGF4		4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522S2C4		4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522S2S4	\$582	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4	\$91
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522S25CG		22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522S25NG		22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522S25CGF		22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522S25NGF		22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76
2.5" smooth Urethane	9.5 lb T2522S25C		22.45" body, 25.75" shaft-3/8" taps 22.25" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS OHCOMP or OHCOMPSS	SHA2522ST SHA2522ST	\$76 \$76
2.5" smooth Steel  2.5" dia. TWO opposing end short bodies	10 lb T2522S25S	<b>\$376</b>	non-striping, non-skidding for tight turns & ground u		SHA252251	\$76
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S25CGt	\$496	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPRt or OHCOMPSS	Rt SHA2504STAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504S25Ct		2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPRt or OHCOMPSS		\$91
2.5" dia. FOUR bodies		•	non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522S25CG4	\$636	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522S25NG4	\$636	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522S25CGF4		4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522S25NGF4		4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb T2522S25C4		4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522S25S4	\$626	4 independent roller bodies @22.3" oal, shaft		SHA2522STA4	\$76
Toro 22" GREENSMOWERS - <u>BACK ROLLER</u> : series 3, 300, 3000, 3050, 3100, 3 2" dia. SINGLE body	טפוס					
2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	ОНСОМРН	SHA2522AT	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG		22.45" body, 25.875" shaft	ОНСОМРН	SHA2522AT	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF		22.45" body, 25.875" shaft	ОНСОМРН	SHA2522AT	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF		22.45" body, 25.875" shaft	ОНСОМРН	SHA2522AT	\$76
2" dia. smooth Urethane	8 lb T2522A2C	\$362	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$302	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76

		Complete Roller	Rol		O continued		olacement
		Assemblies	Ret	<u>all</u>	<u>(1 p</u>	l Kit Replacem <u>per body)</u> Shaft	Retail
2" dia. TWO opposing end short bodies				non-striping, non-skidding for tight turns & ground u	ndulations (include	d in new roller as	semblies)
<sup>2</sup> bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats		Γ2504A2CGt		2 short twin bodies at ends of a 25.875" shaft	OHCOMPHt	SHA2522ATAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats		Γ2504A2NGt	7	2 short twin bodies at ends of a 25.875" shaft	OHCOMPH	SHA2522ATAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats		Γ2504A2CGFt Γ2504A2NGFt		2 short twin bodies at ends of a 25.875" shaft 2 short twin bodies at ends of a 25.875" shaft	OHCOMPHt OHCOMPHt	SHA2522ATAt SHA2522ATAt	\$91 \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)		T2504A2NGFt		2 short twin bodies at ends of a 25.875 shaft	OHCOMPRt or OHCOMPSSRt		\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)		Γ2504A2Ct		2 short twin bodies at ends of a 25.875" shaft	OHCOMPRt or OHCOMPSSRt	SHA2522ATAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats		Г3122A2CG+2C		22.45" center body + 2 short outer bodies, 31.875" shaft	OHCOMPH + 2x OHCOMPH	SHA3122ATA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)		Г3122A2NG+2C Г3122A2C+2C		22.45" center body + 2 short outer bodies, 31.875" shaft 22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMPH + 2x OHCOMPH OHCOMP + 2x OHCOMPH	SHA3122ATA+2 SHA3122ATA+2	\$108 \$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)		Γ3122A2C+2C Γ3122A2S+2S		22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMPH	SHA3122ATA+2 SHA3122ATA+2	\$108
2" dia. FOUR bodies		.0.22, 20	***	non-skidding for tight turns & ground undulations			*
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	Γ2522A2CG4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats		Γ2522A2NG4		4 short bodies, 25.875" shaft		SHA2522ATA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats		T2522A2CGF4		4 short bodies, 25.875" shaft		SHA2522ATA4 SHA2522ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)		Γ2522A2NGF4 Γ2522A2C4		4 short bodies, 25.875" shaft 4 short bodies, 25.875" shaft		SHA2522ATA4 SHA2522ATA4	\$91 \$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)		Γ2522A2S4		4 short bodies, 25.875" shaft		SHA2522ATA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations			
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats		Γ3122A2CG4+2C		4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats		Γ3122A2NG4+2C		4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats 6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats		Γ3122A2CGF4+2C Γ3122A2NGF4+2C	+	4 center bodies + 2 short outer bodies, 31.875" shaft 4 center bodies + 2 short outer bodies. 31.875" shaft		SHA3122ATA4+2 SHA3122ATA4+2	\$108 \$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)		T3122A2NGF4+2C	T	4 center bodies + 2 short outer bodies, 31.875 shart 4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2 SHA3122ATA4+2	\$108 \$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)		Γ3122A2S4+2S		4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
2.5" dia. SINGLE body							
2.5" dia. wide grooved (1" spacing) Urethane no flats		T2522A25CG	7	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats		T2522A25NG		22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats		Г2522A25CGF Г2522A25NGF		22.45" body, 25.875" shaft 22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS OHCOMP or OHCOMPSS	SHA2522AT SHA2522AT	\$76 \$76
2.5" smooth Urethane		T2522A25C		22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" smooth Steel		Γ2522A25S		22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. TWO opposing end short bodies				non-striping, non-skidding for tight turns & ground u			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats		Γ2504A25CGt		2 short twin bodies at ends of a 25.875" shaft	OHCOMPRt or OHCOMPSSRt		\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats		Γ2504A25NGt Γ2504A25CGFt		2 short twin bodies at ends of a 25.875" shaft 2 short twin bodies at ends of a 25.875" shaft	OHCOMPRE OF OHCOMPSSRE		\$91 \$04
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats 2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats		T2504A25CGFt T2504A25NGFt		2 short twin bodies at ends of a 25.675 shaft 2 short twin bodies at ends of a 25.875" shaft	OHCOMPRt or OHCOMPSSRt OHCOMPRt or OHCOMPSSRt		\$91 \$91
2 bodies 2.5" smooth Urethane (2x2" wide bodies)		Γ2502A25Ct		2 short twin bodies at ends of a 25.875" shaft	OHCOMPRt or OHCOMPSSRt		\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	Γ2504A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPRt or OHCOMPSSRt	SHA2522ATAt	\$91
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats		T2522A25CG4		4 short bodies, 25.875" shaft		SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats		Γ2522A25NG4 Γ2522A25CGF4		4 short bodies, 25.875" shaft 4 short bodies, 25.875" shaft		SHA2522ATA4 SHA2522ATA4	\$98 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats		T2522A25NGF4		4 short bodies, 25.875" shaft		SHA2522ATA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	Γ2522A25C4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)		Γ2522A25S4	\$626	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98
Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3 (Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & F		3150		(fully assembled with body + shaft + bearings	+ seals)		
3" dia. wide grooved Urethane	,	Г2520H3CG	\$513	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	\$90
3" smooth Urethane		Г2520H3C		20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	\$90
3" smooth Steel		Г2520H3S	\$443	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	\$90
3.5" smooth Urethane		Г2520H35C		20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	\$90
2 bodies 3" smooth Urethane (2x4" wide bodies)		T2504H3CT		2 short twin bodies at ends of a 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HTAt	\$90
Toro 21/22" FLEX & TRIFLEX models 21, 2100, 2120, 1021 & e1021 + 3200, 3250 (these rollers do not accommodate yoke ball studs. They have solid sha					o "S")		
2" dia. SINGLE body	art erius W	mout taps, ii gioon	HOI KIL I	byanto tap in shall thus, thatige A in part # t			
2" dia. wide grooved Urethane no flats	6.5 lb	T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCOMPH	SHA2522AT	\$76
2" dia. narrow grooved Urethane no flats		T2522A2NG		22.45" body, 25.875" shaft	OHCOMPH	SHA2522AT	\$76
2" dia. wide grooved Urethane 1" flats		T2522A2CGF		22.45" body, 25.875" shaft	OHCOMPH	SHA2522AT	\$76
2" dia. narrow grooved Urethane 1" flats 2" dia. smooth Urethane		Г2522A2NGF Г2522A2C		22.45" body, 25.875" shaft 22.25" body, 25.875" shaft	OHCOMPH OHCOMP or OHCOMPSS	SHA2522AT SHA2522AT	\$76 \$76
2" dia. smooth Steel heavy (1/4" wall)		Γ2522A2C Γ2522A2S		22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT SHA2522AT	\$76 \$76
2" dia. TWO opposing end short bodies			***-	non-striping, non-skidding for tight turns & ground u			
<sup>2</sup> bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb <sup>-</sup>	Γ2504A2CGt	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPHt	SHA2522ATAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats		Γ2504A2NGt		2 short twin bodies at ends of a 25.875" shaft	OHCOMPHt	SHA2522ATAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats		Γ2504A2CGFt Γ2504A2NGFt		2 short twin bodies at ends of a 25.875" shaft 2 short twin bodies at ends of a 25.875" shaft	OHCOMPHt OHCOMPHt	SHA2522ATAt SHA2522ATAt	\$91 \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)		Γ2504A2NGFt Γ2502A2Ct		2 short twin bodies at ends of a 25.875 shaft	OHCOMPRt or OHCOMPSSRt		\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)		Γ2504A2Ct		2 short twin bodies at ends of a 25.875" shaft	OHCOMPRt or OHCOMPSSRt		\$91
2" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats		Г3122A2CG+2C		22.45" center body + 2 short outer bodies, 31.875" shaft	OHCOMPH + 2x OHCOMPH	SHA3122ATA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats		Γ3122A2NG+2C		22.45" center body + 2 short outer bodies, 31.875" shaft	OHCOMPH + 2x OHCOMPH OHCOMP + 2x OHCOMPH	SHA3122ATA+2 SHA3122ATA+2	\$108 \$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies) extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)		Г3122A2C+2C Г3122A2S+2S		22.25" center body + 2 short outer bodies, 31.875" shaft 22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMPH	SHA3122ATA+2 SHA3122ATA+2	\$108 \$108
2" dia. FOUR bodies	טוטו	, , , , , , , , , , , , , , , , , ,	ΨU12	non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats		Γ2522A2NG4		4 short bodies, 25.875" shaft		SHA2522ATA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats		T2522A2CGF4		4 short bodies, 25.875" shaft		SHA2522ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)		Γ2522A2NGF4 Γ2522A2C4		4 short bodies, 25.875" shaft 4 short bodies, 25.875" shaft		SHA2522ATA4 SHA2522ATA4	\$91 \$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)		Γ2522A2C4 Γ2522A2S4		4 short bodies, 25.875" shaft		SHA2522ATA4	\$91
, , , , , , , , , , , , , , , , , , , ,			,				

	Complete Roller	Rol	ler		Re	placement
	<u>Assemblies</u>	Ret	<u>ail</u>		ıl Kit Replacem per body) Shaft	
2" die FOLID hadiaa 1.2 hadiaa autaida of hysokata					ed in new roller as	
2" dia. FOUR bodies + 2 bodies outside of brackets  6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb T3122A2CG4+2C	\$672	non-skidding for tight turns & ground undulations 4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb T3122A2NG4+2C	• •	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb T3122A2CGF4+2C	• •	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb T3122A2NGF4+2C	• •	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies) 6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb T3122A2C4+2C 13 lb T3122A2S4+2S	• •	4 center bodies + 2 short outer bodies, 31.875" shaft 4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2 SHA3122ATA4+2	\$108 \$108
2.5" dia. SINGLE body	1310 131227204120	ψ01 Z	rositor socio - 2 sitor ocio, socio, o noro diale		OTH OTELS (TATALE	¥.00
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG		22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats 2.5" smooth Urethane	9 lb T2522A25NGF 9.5 lb T2522A25C		22.45" body, 25.87" shaft 22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS OHCOMP or OHCOMPSS	SHA2522AT SHA2522AT	\$76 \$76
2.5" smooth Steel	10 lb T2522A25S		22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. TWO opposing end short bodies		****	non-striping, non-skidding for tight turns & ground to	undulations		
<sup>2</sup> bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A25CGt	\$496	2 short twin bodies at ends of a 25.875" shaft		SHA2504ATAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft		SHA2504ATAt	\$91
2.5" dia. FOUR bodies 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$636	non-skidding for tight turns & ground undulations 4 short bodies, 25.875" shaft		SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25CG4		4 short bodies, 25.875 shaft		SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4		4 short bodies, 25.875" shaft		SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4				SHA2522ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98
2.5" dia. FOUR bodies + 2 bodies outside of brackets 6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb T3122A25CG4+2C	\$696	non-skidding for tight turns & ground undulations 4 center body + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb T3122A25CG4+2C		4 center body + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108
Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK R						*****
2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.2 lb T2319C2CG		19.45" body, 23" shaft w/o taps		SHA2319CT	\$76
2" dia. narrow grooved Urethane no flats	6.4 lb T2319C2NG		19.45" body, 23" shaft w/o taps		SHA2319CT	\$76 \$76
2" dia. wide grooved Urethane 1" flats 2" dia. narrow grooved Urethane 1" flats	6.3 lb T2319C2CGF 6.5 lb T2319C2NGF		19.45" body, 23" shaft w/o taps 19.45" body, 23" shaft w/o taps		SHA2319CT SHA2319CT	\$76 \$76
2" dia. smooth Urethane	7.5 lb T2319C2C		19.25" body, 23" shaft w/o taps		SHA2319CT	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319C2S		19.25" body, 23" shaft w/o taps		SHA2319CT	\$76
2" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground	undulations		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2304C2CGt		2 short twin bodies at ends of a 23" shaft		SHA2304CTAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2304C2NGt		2 short twin bodies at ends of a 23" shaft		SHA2304CTAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2304C2CGFt 4 lb T2304C2NGFt		2 short twin bodies at ends of a 23" shaft 2 short twin bodies at ends of a 23" shaft		SHA2304CTAt SHA2304CTAt	\$91 \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2302C2Ct		2 short twin bodies at ends of a 23" shaft		SHA2302CTAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2304C2Ct		2 short twin bodies at ends of a 23" shaft		SHA2304CTAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb T2919C2CG+2C	• •	19.45" center body + 2 short outer bodies, 29" shaft	OHCOMPH + 2x OHCOMPH	SHA2919CTA+2	\$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb T2919C2NG+2C	• •	19.45" center body + 2 short outer bodies, 29" shaft	OHCOMPH + 2x OHCOMPH	SHA2919CTA+2 SHA2919CTA+2	\$108
extended 2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)  2" dia. FOUR bodies	13 lb T2919C2C+2C	<b>\$512</b>	19.25" center body + 2 short outer bodies, 29" shaft non-skidding for tight turns & ground undulations	OHCOMP + 2x OHCOMPH	SHA2919C1A+2	\$108
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2319C2CG4	\$582			SHA2319CTA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2319C2NG4	\$582	4 short bodies, 23" shaft		SHA2319CTA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2319C2CGF4	\$582	4 short bodies, 23" shaft		SHA2319CTA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2319C2NGF4	\$582			SHA2319CTA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2319C2C4		4 short bodies, 23" shaft 4 short bodies, 23" shaft		SHA2319CTA4 SHA2319CTA4	\$91 \$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)  2" dia. FOUR bodies + 2 bodies outside of brackets	12 lb T2319C2S4	\$30Z	non-skidding for tight turns & ground undulations		3HA2319C1A4	291
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb T2919C2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb T2919C2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb T2919C2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb T2919C2NGF4+2C		4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	12 lb T2919C2C4+2C		4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)  Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS	12 lb T2919C2S4+2S	<b>\$672</b>	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108
2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb T2219S2CG	\$382	19.45" body, 22.75" shaft w/o taps		SHA2219ST	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2219S2NG		19.45" body, 22.75" shaft w/o taps		SHA2219ST	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2219S2CGF		19.45" body, 22.75" shaft w/o taps		SHA2219ST	\$76
2" dia. narrow grooved Urethane 1" flats 2" dia. smooth Urethane	6.7 lb T2219S2NGF 7.5 lb T2219S2C		19.45" body, 22.75" shaft w/o taps 19.25" body, 22.75" shaft w/o taps		SHA2219ST SHA2219ST	\$76 \$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2219S2S		19.25" body, 22.75" shaft w/o taps		SHA2219ST	\$76
2" dia. FOUR bodies	10.010 12210020	4002	non-skidding for tight turns & ground undulations			***
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2219S2CG4	\$582	4 short bodies, 22.75" shaft		SHA2219STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2219S2NG4	\$582	4 short bodies, 22.75" shaft		SHA2219STA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2219S2CGF4		4 short bodies, 22.75" shaft		SHA2219STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2219S2NGF4		4 short bodies, 22.75" shaft		SHA2219STA4	\$91 \$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies) 4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	8.5 lb T2219S2C4 12 lb T2219S2S4		4 short bodies, 22.75" shaft 4 short bodies, 22.75" shaft		SHA2219STA4 SHA2219STA4	\$91 \$91
Toro GM1026 & 1600 26" GREENSMOWER - FRONT & BACK ROLLERS	12 10 122 100204	400Z	Call to upgrade with double row angular conta	act bearings		<i>7</i> 0.
<u>2" dia. SINGLE body</u>				<b>-</b>		
2" dia. wide grooved Urethane no flats	7.8 lb T3126A2CG		26.45" body, 31" shaft		SHA3126AT	\$76
2" dia. wide grooved Urethane 1" flats	7.8 lb T3126A2CGF		26.45" body, 31" shaft		SHA3126AT	\$76 \$76
2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)	11 lb T3126A2C 13.5 lb T3126A2S		26.45" body, 31" shaft 26.25" body, 31" shaft		SHA3126AT SHA3126AT	\$76 \$76
= ala. olloon. oloo lloary (117 mail)	. 5.5 .5 .5 120/120	7002	<i>*</i>			·

	Complete Roller	Rol	ler		Re	placement
	<u>Assemblies</u>	Ret	<u>ail</u>		Kit Replacem er body) Shaft	
2" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground undulations		in new roller as	
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb T3104A2CGt	\$452	2 short twin bodies at ends of a 31" shaft	5	SHA3104ATAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb T3104A2NGt	\$452	2 short twin bodies at ends of a 31" shaft	5	SHA3104ATAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb T3104A2CGFt		2 short twin bodies at ends of a 31" shaft		SHA3104ATAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb T3104A2NGFt	7	2 short twin bodies at ends of a 31" shaft		SHA3104ATAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies) 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.4 lb T3102A2Ct 4.4 lb T3104A2Ct		2 short twin bodies at ends of a 31" shaft 2 short twin bodies at ends of a 31" shaft		SHA3102ATAt SHA3104ATAt	\$91 \$91
2" dia. SINGLE body + 2 bodies outside of brackets	4.4 ID 13104A2Ct	<b>Ψ432</b>	non-skidding for tight turns & ground undulations	,	SILASTOTATAL	Ψ31
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4 T3726A2CG+2C	\$512	26.45" center body + 2 short outer bodies, 37" shaft OHCOMPH + 2	x OHCOMPH S	SHA3726ATA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4 T3726A2NG+2C	\$512	26.45" center body + 2 short outer bodies, 37" shaft OHCOMPH + 2	x OHCOMPH S	SHA3726ATA+2	\$108
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13.5 lb T3726A2C+2C	\$512	26.45" center body + 2 short outer bodies, 37" shaft OHCOMP + 2x	OHCOMPH S	SHA3726ATA+2	\$108
2" dia. FOUR bodies 4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb T3126A2CG4	\$592	non-skidding for tight turns & ground undulations 4 short bodies, 31" shaft		SHA3126ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb T3126A2NG4		4 short bodies, 31" shaft		SHA3126ATA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb T3126A2CGF4		4 short bodies, 31" shaft		SHA3126ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb T3126A2NGF4	\$582	4 short bodies, 31" shaft	5	SHA3126ATA4	\$91
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	8.5 lb T3126A2C4		4 short bodies, 31" shaft		SHA3126ATA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	12 lb T3126A2S4	\$582	4 short bodies, 31" shaft	5	SHA3126ATA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets  6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb T3726A2CG4+2C	\$672	non-skidding for tight turns & ground undulations 4 center bodies + 2 short outer bodies, 37" shaft	9	SHA3126ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb T3726AC2NG4+2C		4 center bodies + 2 short outer bodies, 37" shaft		SHA3126ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb T3726A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft	5	SHA3126ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb T3726A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft	5	SHA3126ATA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	12 lb T3126A2C4+2C		4 center bodies + 2 short outer bodies, 37" shaft		SHA3126ATA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	12 lb T3126A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 37" shaft	\$	SHA3126ATA4+2	\$108
2.5" dia. SINGLE body 2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb T3127A25CG	\$456	27.45" body, 31" shaft	5	SHA3127AT	\$76
2.5" smooth Urethane	11 lb T3127A25C		27.45" body, 31" shaft		SHA3127AT	\$76
2.5" smooth Steel	11 lb T3127A25S	\$376	27.25" body, 31" shaft	5	SHA3127AT	\$76
2.5" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground undulations			
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	7 lb T3104A25Ct	\$496	2 short twin bodies at ends of a 31" shaft	\$	SHA3104ATAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets  extended 2.5" dia. wide grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4 T3727A25CG+2C	¢ E C C	non-skidding for tight turns & ground undulations  27.45" center body + 2 short outer bodies, 37" shaft		SHA3727ATA+2	6400
extended 2.5" dia. narrow grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4 T3727A25CG+2C		27.45" center body + 2 short outer bodies, 37" shaft 27.45" center body + 2 short outer bodies, 37" shaft		SHA3727ATA+2	\$108 \$108
extended 2.5" smooth Urethane (27.45" inner+2x2" outer bodies)	13.5 lb T3727A25C+2C		27.45" center body + 2 short outer bodies, 37" shaft		SHA3727ATA+2	\$108
2.5" dia. FOUR bodies			non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3128A25CG4		4 short bodies, 31" shaft		SHA3128ATA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3128A25NG4		4 short bodies, 31" shaft		SHA3128ATA4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb T3128A25C4	\$636	4 short bodies, 31" shaft non-skidding for tight turns & ground undulations	\$	SHA3128ATA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets 6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb T3728A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft	5	SHA3728ATA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb T3728A25NG4+2C		4 center bodies + 2 short outer bodies, 37" shaft		SHA3728ATA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb T3728A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft	5	SHA3728ATA4+2	\$108
Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER			Call to upgrade with double row angular contact bearings			
Combination roller assemblies to diminish effect of reel overlap shadow	ing are available-please call					
2.5" dia. SINGLE body 2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.87" shaft		SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG		22.45" body, 25.87" shaft		SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF		22.45" body, 25.87" shaft	5	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	5	SHA2522AT	\$76
2.5" smooth Urethane	9.5 lb T2522A25C		22.45" body, 25.87" shaft		SHA2522AT	\$76
2.5" smooth Steel	10 lb T2522A25S	\$376	22.25" body, 25.87" shaft  Call to upgrade with double row angular contact bearings	\$	SHA2522AT	\$76
Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diamet 2" dia. SINGLE body	er also available)		can to upgrade with double row angular contact bearings			
2" dia. wide grooved Urethane 1" flats	6.5 lb T2319A2CGF	\$382	19.45" body, 23" shaft	5	SHA2319AT	\$76
2" dia. smooth Urethane	7.5 lb T2319A2C	\$362	19.25" body, 23" shaft	5	SHA2319AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319A2S	\$302	19.25" body, 23" shaft	\$	SHA2319AT	\$76
Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWA			Call to upgrade with double row angular contact bearings			
Combination roller assemblies to diminish effect of reel overlap shadow 2.5" dia. SINGLE body	ing are available-please call					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2722A25CG	\$456	22.45" body, 27" shaft	5	SHA2722AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2722A25NG		22.45" body, 27" shaft		SHA2722AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2722A25CGF		22.45" body, 27" shaft		SHA2722AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2722A25NGF		22.45" body, 27" shaft		SHA2722AT	\$76
2.5" smooth Urethane 2.5" smooth Steel	9 lb T2722A25C 9 lb T2722A25S		22.45" body, 27" shaft 22.25" body, 27" shaft		SHA2722AT SHA2722AT	\$76 \$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2724A25CG		24.45" body, 27" shaft		SHA2724AT	\$76
2.5" smooth Urethane	9 lb T2724A25C		24.45" body, 27" shaft		SHA2724AT	\$76
2.5" smooth Steel	9 lb T2724A25S		24.25" body, 27" shaft		SHA2724AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane	8 lb T2319T25CG 9 lb T2319T25C		19.45" body, 23" shaft 19.45" body, 23" shaft		SHA2319TT SHA2319TT	\$76 \$76
2.5" smooth Steel	9 lb T2319T25S		19.25" body, 23" shaft		SHA2319TT	\$76 \$76
2.5" dia. FOUR bodies		****	non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2722A25CG4		4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2722A25NG4		4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2722A25CGF4 10.5 lb T2722A25NGF4		4 short bodies, 27" shaft 4 short bodies, 27" shaft		SHA2722ATA4 SHA2722ATA4	\$98 \$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A25NG14		4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2722A25S4	\$626	4 short bodies, 27" shaft	5	SHA2722ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (2x5.55"+2x6.5" wide bodies) no flats	10 lb T2724A25CG4		4 short bodies, 27" shaft		SHA2724ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2724A25NG4 10.5 lb T2724A25CGF4		4 short bodies, 27" shaft 4 short bodies, 27" shaft		SHA2724ATA4 SHA2724ATA4	\$98 \$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2724A25UGF4		4 short bodies, 27" shaft 4 short bodies, 27" shaft		SHA2724ATA4 SHA2724ATA4	\$98 \$98
4 bodies 2.5" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A25C4		4 short bodies, 27" shaft		SHA2724ATA4	\$98

	Complete Roller	Rol			eplacement
	<u>Assemblies</u>	Ret	<u>ail</u>	Overhaul Kit Replacen (1 per body) Shaf	
2" dia CINCIE badi.				(included in new roller a	
3" dia. SINGLE body 3" dia. wide grooved Urethane	9.5 lb T2722A3CG	\$513	22.45" body, 27" shaft	SHA2722AT	\$76
3" smooth Urethane	12 lb T2722A3C		22.45" body, 27" shaft	SHA2722AT	\$76
3" smooth Steel	11.5 lb T2722A3S	\$443	22.25" body, 27" shaft	SHA2722AT	\$76
3" dia. wide grooved Urethane	9.5 lb T2724A3CG		24.45" body, 27" shaft	SHA2724AT	\$76
3" smooth Urethane	12 lb T2724A3C		24.45" body, 27" shaft	SHA2724AT	\$76
3" smooth Steel  3" dia. FOUR bodies	11.5 lb T2724A3S	\$443	24.25" body, 27" shaft non-skidding for tight turns & ground undulations	SHA2724AT	\$76
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	10 lb T2722A3CG4	\$673	4 short bodies, 27" shaft	SHA2722ATA4	\$91
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A3C4		4 short bodies, 27" shaft	SHA2722ATA4	\$91
4 bodies 3" dia. wide grooved Urethane (2x5.2"+2x6.5" wide bodies)	10 lb T2724A3CG4	\$673	4 short bodies, 27" shaft	SHA2724ATA4	\$91
4 bodies 3" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A3C4	\$663	4 short bodies, 27" shaft	SHA2724ATA4	\$91
Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIR	WAY MOWERS - BACK		Call to upgrade with double row angular contact bearings		
2" dia. SINGLE body	6 F Ib T252242CC	6202	22 45" hadi. 25 075" ahafi	SHA2522AT	\$76
2" dia. wide grooved Urethane no flats 2" dia. narrow grooved Urethane no flats	6.5 lb T2522A2CG 6.7 lb T2522A2NG		22.45" body, 25.875" shaft 22.45" body, 25.875" shaft	SHA2522AT SHA2522AT	\$76 \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF		22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF		22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. smooth Urethane	8 lb T2522A2C		22.25" body, 25.875" shaft	SHA2522AT	\$76
2" dia. smooth Steel heavy (1/4" wall) 2" dia. wide grooved Urethane no flats	11.5 lb T2522A2S 6.5 lb T2519A2CG		22.25" body, 25.875" shaft 19.45" body, 25" shaft	SHA2522AT SHA2519AT	\$76 \$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2519A2NG		19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2519A2CGF		19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2519A2NGF		19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. smooth Urethane	7.5 lb T2519A2C		19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. smooth Steel heavy (1/4" wall) 2" dia. smooth Urethane	10.5 lb T2519A2S 8 lb T2321T2C		19.25" body, 25" shaft 21.45" body, 23.75" shaft	SHA2519AT SHA2321TT	\$76 \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2321T2S		21.25" body, 23.75" shaft	SHA2321TT	\$76
2" dia. wide grooved Urethane no flats	6.2 lb T2319A2CG	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT	\$76
2" dia. narrow grooved Urethane no flats	6.4 lb T2319A2NG		19.45" body, 23" shaft w/o taps	SHA2319AT	\$76
2" dia. wide grooved Urethane 1" flats 2" dia. narrow grooved Urethane 1" flats	6.5 lb T2319A2CGF 6.5 lb T2319A2NGF		19.45" body, 23" shaft w/o taps 19.45" body, 23" shaft w/o taps	SHA2319AT SHA2319AT	\$76 \$76
2" dia. smooth Urethane	7.5 lb T2319A2NGF		19.25" body, 23" shaft w/o taps	SHA2319AT	\$76 \$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319A2S		19.25" body, 23" shaft w/o taps	SHA2319AT	\$76
2" dia. FOUR bodies			non-skidding for tight turns & ground undulations		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4		4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NG4 8.5 lb T2522A2CGF4		4 short bodies, 25.875" shaft 4 short bodies, 25.875" shaft	SHA2522ATA4 SHA2522ATA4	\$91 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4		4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4		4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4		4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2CG4		4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats 4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2NG4 8.5 lb T2519A2CGF4		4 short bodies, 25.875" shaft 4 short bodies, 25.875" shaft	SHA2519ATA4 SHA2519ATA4	\$91 \$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2NGF4		4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A2C4	\$582	4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb T2519A2S4	\$582	4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
2.5" dia. SINGLE body 2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	¢456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25CG 9 lb T2522A25NG		22.45" body, 25.87" shaft	SHA2522AT SHA2522AT	\$76 \$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	7	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2522C25CG		22.45" body, 25.5" shaft	SHA2522CT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522C25NG 9 lb T2522C25CGF		22.45" body, 25.5" shaft 22.45" body, 25.5" shaft	SHA2522CT SHA2522CT	\$76 \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522C25CGF		22.45" body, 25.5" shaft	SHA2522CT	\$76
2.5" smooth Urethane	9.5 lb T2522C25C	\$396	22.45" body, 25.5" shaft	SHA2522CT	\$76
2.5" smooth Steel	10 lb T2522C25S		22.25" body, 25.5" shaft	SHA2522CT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2521C25CG		21.45" body, 25.5" shaft	SHA2521CT	\$76
2.5" smooth Urethane 2.5" smooth Steel	9.5 lb T2521C25C 10 lb T2521C25S		21.45" body, 25.5" shaft 21.25" body, 25.5" shaft	SHA2521CT SHA2521CT	\$76 \$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2519A25CG		19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2519A25NG	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25CGF		19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF		19.45" body, 25" shaft	SHA2519AT	\$76
2.5" smooth Urethane 2.5" smooth Steel	9 lb T2519A25C 9 lb T2519A25S		19.45" body, 25" shaft 19.25" body, 25" shaft	SHA2519AT SHA2519AT	\$76 \$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2321A25CG		21.45" body, 23.75" shaft	SHA2321AT	\$76 \$76
2.5" smooth Urethane	9.5 lb T2321A25C		21.45" body, 23.75" shaft	SHA2321AT	\$76
2.5" smooth Steel	9.2 lb T2321A25S	\$376	21.25" body, 23.75" shaft	SHA2321AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2319A25CG		19.45" body, 23" shaft	SHA2319AT	\$76
2.5" smooth Urethane	9 lb T2319A25C		19.45" body, 23" shaft	SHA2319AT	\$76
2.5" smooth Steel	9 lb T2319A25S	\$376	19.25" body, 23" shaft	SHA2319AT	\$76
2.5" dia. FOUR bodies  4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$636	non-skidding for tight turns & ground undulations 4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4		4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4		4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4		4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4		4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4		4 short bodies, 25" shaft	SHA2519ATA4	\$91 \$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats 4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NG4 8.5 lb T2519A25CGF4		4 short bodies, 25" shaft 4 short bodies, 25" shaft	SHA2519ATA4 SHA2519ATA4	\$91 \$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4		4 short bodies, 25 shaft	SHA2519ATA4	\$91
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4		4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb T2519A25S4	\$626	4 short bodies, 25" shaft	SHA2519ATA4	\$91

	Complete Roller	Ro			Replacement
	<u>Assemblies</u>	Ret	tail east and the state of the	Overhaul Kit Re (1 per body)	
3" dia. SINGLE body				(included in new	
3" dia. SINGLE body 3" dia. wide grooved Urethane	9.5 lb T2522C3CG	\$513	22.45" body, 25.5" shaft	SHA2522C	T \$76
3" smooth Urethane	12 lb T2522C3C		22.45" body, 25.5" shaft	SHA2522C	T \$76
3" smooth Steel	11.5 lb T2522C3S	\$443	*	SHA2522C	
3" dia. wide grooved Urethane	9 lb T2519A3CG	\$513		SHA2519A	· ·
3" smooth Urethane 3" smooth Steel	11 lb T2519A3C 11 lb T2519A3S	\$483 \$443	19.45" body, 25" shaft 19.25" body, 25" shaft	SHA2519A' SHA2519A'	
3" smooth Steel 3" dia. wide grooved Urethane	9 lb T2319T3CG	\$443 \$513		SHA2519A SHA2319T	
3" smooth Urethane	11 lb T2319T3C	\$483	19.45" body, 23" shaft	SHA2319T	· ·
3" smooth Steel	11 lb T2319T3S	\$443	The state of the s	SHA2319T	
Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS			Call to upgrade with double row angular contact bearings		
2.5" dia. SINGLE body			(please confirm diameter of body & length of shaft required to fit back	,	
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG		22.45" body, 25.87" shaft	SHA2522A	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG		22.45" body, 25.87" shaft	SHA2522A	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF		22.45" body, 25.87" shaft	SHA2522A	
<ol> <li>2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats</li> <li>2.5" smooth Urethane</li> </ol>	9 lb T2522A25NGF 9.5 lb T2522A25C		22.45" body, 25.87" shaft 22.45" body, 25.87" shaft	SHA2522A' SHA2522A'	
2.5" smooth Steel	9.5 lb 12522A25C 10 lb T2522A25S		22.25" body, 25.87" shaft	SHA2522A	
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2422A25CG		22.45" body, 24.5" shaft	SHA2422A	· ·
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2422A25NG		22.45" body, 24.5" shaft	SHA2422A	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2422A25CGF		22.45" body, 24.5" shaft	SHA2422A	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2422A25NGF	\$456	22.45" body, 24.5" shaft	SHA2422A	T \$76
2.5" smooth Urethane	9.5 lb T2422A25C	\$396	22.45" body, 24.5" shaft	SHA2422A	T \$76
2.5" smooth Steel	10 lb T2422A25S		22.25" body, 24.5" shaft	SHA2422A	· ·
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2421A25CG	+	21.45" body, 24.5" shaft	SHA2422A	
2.5" smooth Urethane	9.5 lb T2421A25C		21.45" body, 24.5" shaft	SHA2421A	
2.5" smooth Steel	10 lb T2421A25S		21.25" body, 24.5" shaft	SHA2421A	
2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8 lb T2519A25CG 9 lb T2519A25NG	\$456 \$456		SHA2519A' SHA2519A'	· ·
2.5" dia. marrow grooved (1/2" dia. spacing) Orethane no hats  2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25NG 9 lb T2519A25CGF	\$456 \$456		SHA2519A	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF	\$456		SHA2519A	
2.5" smooth Urethane	9 lb T2519A25C	\$396	**	SHA2519A	
2.5" smooth Steel	9 lb T2519A25S		19.25" body, 25" shaft	SHA2519A	
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics		
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	9.5 lb T2522A25CG.22C	\$496	front roller for rear mower heads-use with T2519A25C	SHA2522A	T \$76
2.5" smooth Urethane	11 lb T2519A25C	\$396	back roller for rear mower heads-use with T2522A25CG.22C	SHA2519A	T \$76
2.5" dia. FOUR bodies			non-skidding for tight turns & ground undulations		
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4		4 short bodies, 25.875" shaft	SHA2522A	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$636		SHA2522A	· ·
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4		4 short bodies, 25.875" shaft 4 short bodies, 25.875" shaft	SHA2522A' SHA2522A'	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats 4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10.5 lb T2522A25NGF4 13 lb T2522A25C4	\$636 \$636		SHA2522A	
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4		4 short bodies, 25.875" shaft	SHA2522A	
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4		4 short bodies, 25" shaft	SHA2519A	
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25NG4		4 short bodies, 25" shaft	SHA2519A	
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25CGF4		4 short bodies, 25" shaft	SHA2519A	· ·
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4	\$636	4 short bodies, 25" shaft	SHA2519A	TA4 <b>\$91</b>
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4	+	4 short bodies, 25" shaft	SHA2519A	
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb T2519A25S4	\$626	4 short bodies, 25" shaft	SHA2519A	TA4 \$91
3" dia. SINGLE body	0 F II T0=00.05 =	<b>.</b>			
3" dia. wide grooved Urethane	9.5 lb T2522A3CG		22.45" body, 25.87" shaft	SHA2522A	
3" smooth Urethane 3" smooth Steel	12 lb T2522A3C 11.5 lb T2522A3S		22.45" body, 25.87" shaft 22.25" body, 25.87" shaft	SHA2522A' SHA2522A'	
3" smooth Steel 3" dia. wide grooved Urethane	9.5 lb T2722A3CG		22.25" body, 27" shaft 22.45" body, 27" shaft	SHA2522A SHA2722A	
3" smooth Urethane	9.5 lb 12722A3CG 12 lb T2722A3C		22.45" body, 27" shaft	SHA2722A	
3" smooth Steel	11.5 lb T2722A3S		22.25" body, 27" shaft	SHA2722A	
3" dia. wide grooved Urethane	9.5 lb T2724A3CG		24.45" body, 27" shaft	SHA2724A	
3" smooth Urethane	12 lb T2724A3C		24.45" body, 27" shaft	SHA2724A	
3" smooth Steel	11.5 lb T2724A3S	\$443	24.25" body, 27" shaft	SHA2724A	T \$76
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics		
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb T2722A3CG.22C	\$543		SHA2722A	
3" smooth Urethane	11 lb T2719A3C	\$483	back roller for rear mower heads-use with T2722A3CG.22C	SHA2719A	T \$76
(please confirm diameter of body and length of shaft required to fit BACK ROLLI			all for money and leastion and the		
2.5" Combination roller assemblies to diminish effect of reel overlap shace Toro SIDEWINDER 27" REEL MOWERS: 2000D, 2300D, 3100D & 216 - FRONT 8			call for proper application specifics  Call to upgrade with double row angular contact bearings		
2.5" dia. SINGLE body	A DACK KULLEKS		Call to upgrade with double row angular contact bearings		
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb T3026D25CG	\$456	26.45" body, 30" shaft	SHA3026D	T \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb T3026D25NG		26.45" body, 30" shaft	SHA3026D	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb T3026D25CGF		26.45" body, 30" shaft	SHA3026D	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9.5 lb T3026D25NGF		26.45" body, 30" shaft	SHA3026D	
2.5" smooth Urethane	11 lb T3026D25C	\$396	26.45" body, 30" shaft	SHA3026D	T \$76
2.5" smooth Steel	11 lb T3026D25S		26.45" body, 30" shaft	SHA3026D	
2.5" dia. wide grooved (1" spacing) Urethane no flats	10.3 lb T3227D25CG		27.45" body, 32" dia. shaft	SHA3227D	
2.5" smooth Urethane	11 lb T3227D25C	\$396	27.45" body, 32" dia. shaft	SHA3227D	T \$76
2.5" dia. FOUR bodies	40 H T00000005		non-skidding for tight turns & ground undulations		
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3026D25CG4		4 short bodies, 30" shaft	SHA3026D	· ·
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3026D25NG4		4 short bodies, 30" shaft	SHA3026D	
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb T3026D25CGF4 10 lb T3026D25NGF4		4 short bodies, 30" shaft 4 short bodies, 30" shaft	SHA3026D SHA3026D	
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats 4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb T3026D25NGF4		4 short bodies, 30" shaft 4 short bodies, 30" shaft	SHA3026D SHA3026D	
o oout oronano (TAO.O Mao Boulou)	.0.5 .002052004	+000	,	5. IA0020D	, <del>, , , , , , , , , , , , , , , , , , </del>

	Complete Roller	Rol				Replacement
	<u>Assemblies</u>	Ret	<u>ail</u>	Overh	haul Kit Replac (1 per body) Sh	ement Shaft naft Retail
3" dia. SINGLE body (FOUR bodies also available)				(inclu	uded in new roller	
3" dia. wide grooved Urethane	12.5 lb T3026D3CG	\$513	26.45" body, 30" shaft		SHA3026DT	\$76
3" smooth Urethane	13 lb T3026D3C				SHA3026DT	\$76
3" smooth Steel	13 lb T3026D3S		26.25" body, 30" shaft		SHA3026DT	\$76
3" dia. wide grooved Urethane	12.8 lb T3227D3CG 13.3 lb T3227D3C	7	27.45" body, 32" dia. shaft 27.45" body, 32" dia. shaft		SHA3227DT SHA3227DT	\$76 \$76
3" smooth Urethane 3" smooth Steel	13.3 lb T3227D3C		27.45° body, 32° dia. shaft 27.25° body, 32° dia. shaft		SHA3227DT SHA3227DT	\$76 \$76
Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - FRONT ROLLER (ch		4	Call to upgrade with double row angular conta	act bearings		
3" dia. SINGLE body						
3" dia. wide grooved Urethane	14 lb T3431U3CG		31.45" body, 34.5" shaft		SHA3431UT	\$76 \$76
3" smooth Steel 3" dia wide grooved Urethane	15 lb T3431U3S 14 lb T3632U3CG		31.25" body, 34.5" shaft 32.45" body, 36" shaft		SHA3431UT SHA3632UT	\$76 \$76
3" dia. wide grooved Urethane 3" smooth Steel	14 lb T3632U3CG 15 lb T3632U3S		32.45" body, 36" shaft 32.25" body, 36" shaft		SHA3632UT SHA3632UT	\$76 \$76
2.5" smooth Steel	12.5 lb T3431U25S		32.25" body, 36" shaft 31.25" body, 34.5" shaft		SHA3632UT SHA3431UT	\$76 \$76
3" dia. FOUR bodies	12.0 10 10-10.0	Ψ	non-skidding for tight turns & ground undulations		S	
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12 lb T3431U3CG5		5 short bodies, 34.5" shaft		SHA3431UTA5	\$99
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12.5 lb T3632U3CG5		5 short bodies, 36" shaft		SHA3632UTA5	\$99
5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)	14 lb T3431U3C5		5 short bodies, 34.5" shaft		SHA3431UTA5	\$99
5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)  Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - BACK ROLLE	14.5 lb T3632U3C5	\$70ა	5 short bodies, 36" shaft  Call to upgrade with double row angular conta	bearinge	SHA3632UTA5	\$99
2.5" dia. & 3" dia. & 3.5" dia. SINGLE body	<u>:R</u>		Call to upgrade with double row angular conta	act bearings		
2.5 dia. & 3 dia. & 3.5 dia. SINGLE body 2.5" smooth Urethane	12.5 lb T3429U25C	\$396	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429UT	\$76
2.5" smooth Steel	12.5 lb T3429U25S		29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R		\$76
3" smooth Urethane	15 lb T3429U3C	\$483	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429UT	\$76
3" smooth Steel	14.5 lb T3429U3S		29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R		\$76
3" smooth Urethane (special)	15 lb T3429K3C			OHCOMP or OHCOMP2R		\$76
3" smooth Steel (special)	15 lb T3429K3S		29.25" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMP2R		\$76 \$76
3.5" smooth Urethane (special)	18 lb T3429K35C	\$5//	29.45" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMP2R	SHA3429KT	\$76
3" dia. FIVE bodies 5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3429A3CGR5	\$743	non-skidding for tight turns & ground undulations 5 short bodies, 34.5" shaft		SHA3429ATA5	\$91
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 213429A3CGR5 14 lb 2T3429A3CR5		5 short bodies, 34.5" shaft		SHA3429ATA5 SHA3429ATA5	\$91 \$91
Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO		4	Call to upgrade with double row angular conta	act bearings	-	
3" smooth Urethane	14 lb T3227J3C		27.45" body, 32.5" shaft	OHCOMP or OHCOMP2R	SHA3227JT	\$76
3" smooth Steel	13.5 lb T3227J3S	\$443	27.25" body, 32.5" shaft	OHCOMP or OHCOMP2R		\$76
3.5" smooth Urethane	17 lb T3227J35C		27.45" body, 32.5" shaft	OHCOMP or OHCOMP2R	SHA3227JT	\$76
Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - FRONT ROLLER (include:	es our Competition™ bearings 5 lb 2T0505G5CG		and roller shaft) does not use OEM 5/8" bolt  Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2BO	SHA0505GT	\$79
5" grooved Urethane (5.2" wide body) double row bearings 5" smooth Urethane (5.2" wide body) double row bearings	5 lb 210505G5CG 5 lb 2T0505G5C		Roller assembly includes sleeves & bolts for mounting to fork  Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2BO OHCOMP2BO	SHA0505GT SHA0505GT	\$79 \$79
Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - BACK ROLLER	5 ID 210000000	Ψυ	Roller assertibly includes alcoros a security.	OFICCIVII 250	Oi mooce.	₩
3" dia. SINGLE body						
3" dia. wide grooved Urethane with double row bearings	13.5 lb 2T3329A3CGR		29.45" body, 33" shaft	OHCOMP2R	SHA3329AT	\$79
3" smooth Urethane with double row bearings	15 lb 2T3329A3CR		29.45" body, 33" shaft	OHCOMP2R	SHA3329AT	\$79
3" smooth Steel with double row bearings	15 lb 2T3329A3SR	\$533	29.25" body, 33" shaft	OHCOMP2R	SHA3329AT	\$79
3" dia. TWO opposing end short bodies 2 hodies 3" dia. wide grooved Urethane (2v5.2" wide hodies) double row hearings	10.5 lb 2T3305A3CGRt	<b>*</b> 043	non-striping, non-skidding for tight turns & ground to 2 short twin bodies at ends of a 33" shaft	undulations OHCOMP2Rt	SHA3305ATAt	\$91
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings 2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	10.5 lb 2T3305A3CGRt 11 lb 2T3304A3CRt		2 short twin bodies at ends of a 33" shaft 2 short twin bodies at ends of a 33" shaft	OHCOMP2Rt OHCOMP2Rt	SHA3305ATAt SHA3304ATAt	\$91 \$91
2 bodies 3" smooth Uretnane (2x4" wide bodies) double row bearings 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	11 lb 213304A3CRt 12 lb 2T3304A3SRt		2 short twin bodies at ends of a 33" shaft 2 short twin bodies at ends of a 33" shaft	OHCOMP2Rt OHCOMP2Rt	SHA3304ATAt SHA3304ATAt	\$91 \$91
3" dia. FIVE bodies	12 ID 21 000 T. 100	ψω	non-skidding for tight turns & ground undulations	OFICCIVII 2	Oi mooc	₩
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3329A3CGR5	\$743	5 short bodies, 33" shaft		SHA3329ATA5	\$91
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb 2T3329A3CR5		5 short bodies, 33" shaft		SHA3329ATA5	\$91
3.5" dia. SINGLE body		_				
3.5" smooth Urethane with double row bearings	18 lb 2T3329A35CR		29.45" body, 33" shaft	OHCOMP2R	SHA3329AT	\$79
Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (includes of			,		··· ======	272
5" grooved Urethane (5.2" wide body) double row bearings 5" smooth Urethane (5.2" wide body) double row bearings	5 lb 2T0705G5CG		Roller assembly includes sleeves & bolts for mounting to fork  Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2BO OHCOMP2BO	SHA0705GT SHA0705GT	\$79 \$79
5" smooth Urethane (5.2" wide body) double row bearings  Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available	5.5 lb 2T0705G5C	<b>ბა</b> 10	Roller assembly includes sieeves a poils for mounting to local	OHCOMP2BO	SHA0705GT	\$10
3" dia. SINGLE body	-piease caiij					
3" dia. wide grooved Urethane with double row bearings	11 lb 2T2824K3CGR	\$543	24.45" body, 28" shaft	OHCOMP2R	SHA2824KT	\$79
3" smooth Urethane with double row bearings	12 lb 2T2824K3CR		24.45" body, 28" shaft	OHCOMP2R	SHA2824KT	\$79
3" smooth Steel with double row bearings	11 lb 2T2824K3SR	\$533	24.25" body, 28" shaft	OHCOMP2R	SHA2824KT	\$79
3" dia. TWO opposing end short bodies			non-striping, non-skidding for tight turns & ground t			
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10.5 lb 2T2805K3CGRt		2 short twin bodies at ends of a 28" shaft	OHCOMP2Rt	SHA2805KTAt	\$91 \$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings 2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	11 lb 2T2804K3CRt		2 short twin bodies at ends of a 28" shaft 2 short twin bodies at ends of a 28" shaft	OHCOMP2Rt OHCOMP2Rt	SHA2804KTAt SHA2804KTAt	\$91 \$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings 3" dia. FOUR bodies	12 lb 2T2804K3SRt	<b>\$645</b>	2 short twin bodies at ends of a 28" shaft non-skidding for tight turns & ground undulations	OHCOMP2Rt	SHAZ004N1A	\$91
<u>3" dia. FOUR bodies</u> 4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12.5 lb 2T2824K3CGR4	\$703	4 short bodies, 28" shaft		SHA2824KTA4	\$91
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	13.5 lb 2T2824K3CR4		4 short bodies, 28" shaft		SHA2824KTA4	\$91
Toro 22" VERTICUT heads (Call to confirm dimensions of your roller)			(Sectional rollers with 4 bodies also available	)		
2" dia. smooth Steel heavy (1/4" wall)	10 lb T2419A2S		19.25" body, 24" shaft	OHCOMP	SHA2419AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2321A2S	\$302	21.25" body, 23" shaft	OHCOMP	SHA2321AT	\$76
5 DAMOGNEO						
for RANSOMES mowers (multi-body rollers available RANSOMES ALL 22" GREENSPLEX & E-PLEX & 160 - FRONT ROLLER	e)					
2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb R2522A2CG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb R2522A2NG		22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb R2522A2CGF		22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb R2522A2NGF		22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. smooth Urethane	8 lb R2522A2C		22.25" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb R2522A2S		22.25" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76

		Complete Roller	Rol	ler			Replacement
		<u>Assemblies</u>	Ret	<u>ail</u>		Overhaul Kit Replace (1 per body) Sh	ement Shaft naft Retail
Oll die FOUD besties				and a hiddle of a stable town 0 and and an abdata are		(included in new rolle	
2" dia. FOUR bodies 4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8 5 lh	R2522A2CGF4	\$582	non-skidding for tight turns & ground undulations 4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)		R2522A2C4		4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)		R2522A2S4		4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
2.5" dia. SINGLE body			•				
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2522A25CG	\$456	22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	R2522A25NG		22.45" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2.5" smooth Urethane		R2522A25C		22.25" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2.5" smooth Steel	10 lb	R2522A25S	\$376	22.25" body, 25.875" shaft	OHCOMP	SHA2522AJ	\$76
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats		R2522A25CG4		4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)		R2522A25C4		4 short bodies, 25.875" shaft		SHA2522AJA4 SHA2522AJA4	\$91
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)  RANSOMES 300 & 500 GREENSMOWERS - BACK ROLLER	12 ID	R2522A25S4	\$626	4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
2" dia. SINGLE body							
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422S2CGF	\$382	22.45" body , 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
2" dia. smooth Urethane	8 lb	R2422S2C	\$362	22.25" body , 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422S2S	\$302	22.25" body , 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422G2CGF	\$382	22.45" body , 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
2" dia. smooth Urethane	8 lb	R2422G2C	\$362	22.25" body , 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422G2S	\$302	22.25" body , 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
2" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats		R2422S2CGF4		4 bodies @22.3" oal, shaft-3/8" taps		SHA2422SJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)		R2422S2C4		4 short bodies, 24.25" shaft		SHA2422SJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)		R2422S2S4		4 short bodies, 24.25" shaft		SHA2422SJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats		R2422G2CGF4		4 short bodies, 24.25" shaft		SHA2422GJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)		R2422G2C4		4 short bodies, 24.25" shaft		SHA2422GJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422G2S4	\$582	4 short bodies, 24.25" shaft	4	SHA2422GJA4	\$91
RANSOMES MOTOR 180D, 180 TRIPLEX & TRIPLE 18 - ALL ROLLERS	0 lb	R2826G25CG	\$456	Call to upgrade with double row angular conta 7/16" taps in shaft ends	OHCOMP	SHA2826GR	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats     2.5" smooth Urethane		R2826G25C		7/16" taps in shaft ends	OHCOMP	SHA2826GR	\$76
2.5" smooth Steel		R2826G25S		26.25" body, 7/16" taps	OHCOMP	SHA2826GR	\$76
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/ 6" DIA. REELS - ALL ROLLER.		1120200200	ΨΟΙΟ	Call to upgrade with double row angular conta		01012020011	Ų. ū
3" dia. wide grooved Urethane		R2722R3CG	\$513	22.45" body, 27" shaft	OHCOMP	SHA2722RR	\$76
3" smooth Urethane		R2722R3C		22.45" body, 27" shaft	OHCOMP	SHA2722RR	\$76
3" smooth Steel		R2722R3S		22.45" body, 27" shaft	OHCOMP	SHA2722RR	\$76
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER	R			Call to upgrade with double row angular conta	act bearings		
3" dia. wide grooved Urethane	13 lb	R2622A3CG	\$513	22.45" body, 26" shaft	OHCOMP	SHA2622AR	\$76
3" smooth Urethane	15 lb	R2622A3C	\$483	22.45" body, 26" shaft	OHCOMP	SHA2622AR	\$76
3" smooth Steel	15 lb	R2622A3S	\$443	22.45" body, 26" shaft	OHCOMP	SHA2622AR	\$76
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLL	.ER			Call to upgrade with double row angular conta	-		
3" dia. wide grooved Urethane		R2722A3CG		22.45" body, 27.5" shaft	OHCOMP	SHA2722AR	\$76
3" smooth Urethane		R2722A3C		22.45" body, 27.5" shaft	OHCOMP	SHA2722AR	\$76
3" smooth Steel		R2722A3S	\$443	22.45" body, 27.5" shaft	OHCOMP	SHA2722AR	\$76
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLE		D040400500		Call to upgrade with double row angular conta	-		
2.5" dia. wide grooved (1" spacing) Urethane no flats		R2421S25CG		3/8" taps in shaft ends	OHCOMP	SHA2421SJ	\$76
2.5" smooth Urethane 2.5" smooth Steel		R2421S25C		3/8" taps in shaft ends	OHCOMP	SHA2421SJ	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats		R2421S25S R2421G25CG		21.25" body, 3/8" taps 7/16" taps in shaft ends	OHCOMP	SHA2421SJ SHA2421GJ	\$76 \$76
2.5" smooth Urethane		R2421G25CG		7/16" taps in shaft ends	OHCOMP	SHA2421GJ SHA2421GJ	\$76 \$76
2.5" smooth Steel		R2421G25S	\$376	21.25" body, 7/16" taps	OHCOMP	SHA2421GJ	\$76
RANSOMES 26" FAIRWAY 300, 305, 405 & 26" T-PLEX 185D - ALL ROLLERS	12 10	1124210200	ΨΟΙΟ	Call to upgrade with double row angular conta		010/212100	Ų. ū
3" dia. wide grooved Urethane	13 lb	R3026T3CG	\$513	26.45" body, 30" shaft	OHCOMP or OHC	OMP2R SHA3026TR	\$76
3" smooth Urethane		R3026T3C		26.45" body, 30" shaft	OHCOMP or OHC		\$76
3" smooth Steel	15 lb	R3026T3S		26.45" body, 30.5" shaft	OHCOMP or OHC	OMP2R SHA3026TR	\$76
RANSOMES 30" T-PLEX 185D - ALL ROLLERS				Call to upgrade with double row angular conta	act bearings		
3" dia. wide grooved Urethane	13 lb	R3429T3CG	\$553	29.45" body, 34.5" shaft	OHCOMP or OHC	OMP2R SHA3429TR	\$76
3" smooth Urethane	15 lb	R3429T3C	\$493	29.45" body, 34" shaft	OHCOMP or OHC	OMP2R SHA3429TR	\$76
3" smooth Steel	15 lb	R3429T3S	\$453	29.25" body, 34.5" shaft	OHCOMP or OHC	OMP2R SHA3429TR	\$76
RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) -				Call to upgrade with double row angular conta			
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R3127G25CG		27.45" body, 31 .62" dia. shaft-7/16" taps	OHCOMP or OHC	OMP2R SHA3127GR	\$76
		R3127G25C		27.45" body, 31 .62" dia. shaft-7/16" taps	OHCOMP or OHC		\$76
2.5" smooth Steel		R3127G25S		27.25" body, 31.62" dia. shaft-7/16" taps	OHCOMP or OHC		\$76
3" dia. wide grooved Urethane		R3529A3CG		29.45" body, 35" shaft	OHCOMP or OHC		\$76
3" smooth Urethane		R3529A3C		29.45" body, 35" shaft	OHCOMP or OHC		\$76 \$76
3" smooth Steel	ID ID	R3529A3S	<b>\$453</b>	29.25" body, 35" shaft	OHCOMP or OHC	OMP2R SHA3529AR	\$76
RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER 3.5" smooth Urethane	27 16	D2722Y35C	¢ = 77	Call to upgrade with double row angular conta 22.45" body, 27.25" shaft-1/2" dia. ends	OHCOMP2R	SHA2722XR	\$76
4" smooth Urethane		R2722X35C R2722X4C		22.45" body, 27.25" shaft 22.45" body, 27.25" shaft	OHCOMP2R OHCOMP2R	SHA2722XR SHA2722XR	\$76 \$76
4" smooth Steel		R2722X4S		22.45" body, 27.25" shaft	OHCOMP2R	SHA2722XR	\$76
	10		,	<i>**</i>			÷

for TRU-TURF Greens Golf Rollers (multi-bod	hr wellowe excelleble		Call to upgrade with double row angular co	intact hearings		
u-Turf Smoothing Heads Rollers for RS48-11E machine	v rollers available)	Multi-b	ody roller options available to minimize skid			
2.5" smooth Urethane	9.5 lb T2222S25C		22.45" body, 22.625" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2222ST	\$7
2.5" smooth Steel	9.2 lb T2222S25S		22.25" body, 22.625" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2222ST	\$7
u-Turf Smoothing Heads Rollers for RB48-11A machine (4 short & 2 long ro		Multi-b	ody roller options available to minimize skid			
2.5" smooth Urethane	9.5 lb T2222R25C		22.45" body short rollers, 22.716" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222RT	\$7
2.5" smooth Steel	9.2 lb T2222R25S	\$376	22.25" body short rollers, 22.716" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222RT	\$7
2.5" smooth Urethane	10 lb T2524R25C		24.45" body long rollers, 25.078" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2522RT	\$7
2.5" smooth Steel	9.6 lb T2524R25S		24.25" body long rollers, 25.078" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2522RT	\$7
u-Turf Smoothing Heads Rollers for R50-11 machine (4 short & 2 long rolle			ody roller options available to minimize skid			•
2.5" smooth Urethane	9.5 lb T2222Y25C		22.45" body short rollers, 22.75" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222YT	\$9
2.5" smooth Steel	9.2 lb T2222Y25S		22.25" body short rollers, 22.75" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222YT	\$9
2.5" smooth Urethane	10 lb T2524Y25C		24.45" body long rollers, 25" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2524YT	\$9
2.5" smooth Steel	9.6 lb T2524Y25S		24.25" body long rollers, 25" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2524YT	\$9
u-Turf Smoothing Heads Rollers for GR39 machine	3.0 ID 123241233	7	ody roller options available to minimize skid		01111202111	•
2.5" smooth Urethane	15.5 lb T3939S25C		39.45" body, 39.812" dia. shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA3939ST	\$1
2.5" smooth Steel	15.5 lb T3939S25S		39.25" body, 39.812" dia. shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA3939ST	\$1
u-Turf Smoothing Heads Rollers for TR7000C machine	13.3 ID 139393233		ody roller options available to minimize skid		011/030301	٧.
	15.5 lb TT3939S25Ct		2 body assembly at 39.5" total length, 39.812" dia. shaft	OHCOMP or OHCOMP2R	SHA3939STAt	\$1
podies 2.5" smooth Urethane (2x19.5" wide bodies)						
podies 2.5" smooth Steel (2x19.45" wide bodies)	15.5 lb TT3939S25St		2 body assembly at 39.5" total length, 39.812" dia. shaft	OHCOMP or OHCOMP2R	SHA3939ST	\$1
ru-Turf Smoothing Heads Rollers for R52 machine (9 rollers per machine)	0 lb T40400050		ody roller options available to minimize skid		0114401007	
2.5" smooth Urethane	9 lb T1818S25C		18.45" body, 18.5" shaft-3/8" taps (9 per machine)	OHCOMP or OHCOMP2R	SHA1818ST	\$
2.5" smooth Steel	8.7 lb T1818S25S		18.25" body, 18.5" shaft-3/8" taps (9 per machine)	OHCOMP or OHCOMP2R	SHA1818ST	\$
ru-Turf Smoothing Heads Rollers for TR66 Spikes machine	2 2 11 2 2 2 2 2 2		ody roller options available to minimize skid			
2.5" smooth Urethane	9.5 lb TT2422S25C		22.45" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2422STT	\$
2.5" smooth Steel	9.2 lb TT2422S25S	\$396	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2422STT	\$7
for DENNIS						
ennis Walking mower - ALL ROLLERS (handlebar bushings needed)			Call to upgrade with double row angular co	ntact bearings		
3.5" smooth Urethane	21 lb D3834G35C	\$577	34.45" body, 38.5" shaft-7/16" taps	OHCOMP	SHA3834GD	\$*
Handlebar bushing (2 per roller)	2SLEEVE 1.25x.5x1.2 PU	\$33				
						86
for SHIBAURA & HUSTLER (multi-body rollers	available)		Call to upgrade with double row angular co	ntact bearings		
nibaura G EXE 26 Greens Mower	available	Multi-b	ody roller options available to minimize skid			
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb S2826P25CG		26.45" body, 28.375" shaft	OHCOMP	SHA2826PS	\$8
						\$8
			26 45" hody 28 375" shaft	OHCOMP		
2.5" smooth Urethane	12.5 lb S2826P25C		26.45" body, 28.375" shaft 26.25" body, 28.375" shaft	OHCOMP	SHA2826PS SHA2826PS	
2.5" smooth Steel	12.5 lb S2826P25S	\$406	26.25" body, 28.375" shaft	OHCOMP	SHA2826PS	\$
2.5" smooth Steel 2" dia. smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C	\$406 \$382	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft	OHCOMP	SHA2826PS SHA2826PS	\$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)	12.5 lb S2826P25S	\$406 \$382 \$322	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft	OHCOMP OHCOMP OHCOMP	SHA2826PS	\$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S	\$406 \$382 \$322 Multi-b	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft ody roller options available to minimize skid	OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS	\$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF	\$406 \$382 \$322 Multi-b \$412	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft ody roller options available to minimize skid 22.45" body, 25.75" shaft	OHCOMP OHCOMP OHCOMP Iding OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	\$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C	\$406 \$382 \$322 Multi-b \$412 \$382	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft ody roller options available to minimize skid 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft	OHCOMP OHCOMP OHCOMP Iding OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS	\$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 0dy roller options available to minimize skid 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft	OHCOMP OHCOMP OHCOMP  Iding OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft  22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP OHCOMP OHCOMP Iding OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2S 9 lb S2522P25NG	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$486	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 20.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP OHCOMP OHCOMP Iding OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P25NG 11.5 lb S2522P25C	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$486 \$416	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP OHCOMP OHCOMP Iding OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2S 9 lb S2522P25NG	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$486 \$416	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 20.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel 2.5" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SCG 9 lb S2522P2SNG 11.5 lb S2522P25C 12 lb S2522P25S	\$406 \$382 \$322 <b>Multi-b</b> \$412 \$382 \$322 \$486 \$486 \$416 \$406 <b>Multi-b</b>	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft	OHCOMP OHCOMP Iding OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P25CG 9 lb S2522P25NG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P25S	\$406 \$382 \$322 <b>Multi-b</b> \$412 \$382 \$322 \$486 \$486 \$416 \$406 <b>Multi-b</b>	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft	OHCOMP OHCOMP Iding OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  iibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SCG 9 lb S2522P2SNG 11.5 lb S2522P25C 12 lb S2522P25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP OHCOMP OHCOMP  Iding OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  bibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel bibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P25CG 9 lb S2522P25NG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP	SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
2.5" smooth Steel  2" dia. smooth Urethane  2" dia. smooth Steel heavy (1/4" wall)  sibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower  2" dia. wide grooved Urethane 1" flats  2" dia. smooth Urethane  2" dia. smooth Steel heavy (1/4" wall)  2.5" dia. wide grooved (1" spacing) Urethane no flats  2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats  2.5" smooth Urethane  2.5" smooth Steel  sibaura SR525 Fairway & Hustler 7500 & 7700 Fairway  3" dia. wide grooved Urethane  3" smooth Urethane  3" smooth Urethane  3" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P25G 9 lb S2522P25G 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$486 \$486 \$416 \$406 Multi-b \$553 \$513	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1/" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane 3.5" smooth Steel  nibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel  nibaura SR370	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P25G 9 lb S2522P25G 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513 \$523 Multi-b	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
2.5" smooth Steel  2" dia. smooth Urethane  2" dia. smooth Steel heavy (1/4" wall)  sibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower  2" dia. wide grooved Urethane 1" flats  2" dia. smooth Urethane  2" dia. smooth Steel heavy (1/4" wall)  2.5" dia. wide grooved (1" spacing) Urethane no flats  2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats  2.5" smooth Urethane  2.5" smooth Steel  sibaura SR525 Fairway & Hustler 7500 & 7700 Fairway  3" dia. wide grooved Urethane  3" smooth Urethane  3" smooth Urethane  3" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P25NG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C	\$406 \$382 \$322 Multi-b \$412 \$382 \$486 \$486 \$446 \$406 Multi-b \$553 \$513 \$523 Multi-b \$553	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft	OHCOMP	SHA2826PS SHA2826PS SHA2626PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) ibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1/2" wall) 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Steel ibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel ibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P2SS  10.5 lb S2522P3CG 12.5 lb S2522P3C	\$406 \$382 \$322 Multi-b \$412 \$322 \$486 \$486 \$416 \$406 Multi-b \$553 \$513	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 27.25" body, 25.75" shaft	OHCOMP or OHCOMP2R OHCOMP or OHCOMP2R	SHA2826PS SHA2826PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  iibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel iibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel iibaura SR370 3" dia. wide grooved Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25C 12 lb S2522P25C 12.5 lb S2522P3CG 12.5 lb S2522P3CG 12.5 lb S2522P3CG 12.5 lb S2522P3C	\$406 \$382 \$322 Multi-b \$412 \$322 \$486 \$486 \$416 \$406 Multi-b \$553 \$513	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft	OHCOMP or OHCOMP2R	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  sibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel sibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel sibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" dia. wide grooved Urethane 3" dia. wide grooved Urethane 3" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P2SS  10.5 lb S2522P3CG 12.5 lb S2522P3C	\$406 \$382 \$322 Multi-b \$412 \$322 \$486 \$486 \$416 \$406 Multi-b \$553 \$513	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 27.25" body, 25.75" shaft	OHCOMP or OHCOMP2R	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  iibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1/2" pacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel iibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel iibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel 3" smooth Urethane 3" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P2SS  10.5 lb S2522P3CG 12.5 lb S2522P3C	\$406 \$382 \$322 Multi-b \$412 \$322 \$486 \$486 \$416 \$406 Multi-b \$553 \$513	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 27.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft	OHCOMP OHCOMPO or OHCOMP2R OHCOMP or OHCOMP2R	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  sibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1/2" byacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel  sibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  sibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel  sibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel  sibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P2SS  10.5 lb S2522P3CG 12.5 lb S2522P3C	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513 \$523 Multi-b \$553 \$523	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  bibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel  bibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  bibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel  for BARONESS (multi-body rollers available)  broness LM66T Greens - Front & back ROLLERS	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3S	\$406 \$382 \$322 Multi-b \$412 \$382 \$486 \$446 \$406 Multi-b \$553 \$513 \$523 Multi-b	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 29.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2826PS SHA2826PS SHA2522PS SHA252PS SHA252PS SHA252PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) ibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. mooth Steel heavy (1/4" wall) 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Steel ibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel ibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel  for BARONESS (multi-body rollers available) roness LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SNG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P25S  10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14.5 lb S2522P3S  12.5 lb S2926P3CG 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$486 \$406 Multi-b \$553 \$513 \$523 Multi-b \$553 \$523	26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.55" body, 25.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft	OHCOMP or OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2525PS SHA2525PS SHA2525PS SHA2525PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  ibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel ibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel ibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  for BARONESS (multi-body rollers available)  rroness LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P25NG 11.5 lb S2522P25C 12 lb S2522P25C 12 lb S2522P25C 12 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$523 Multi-b \$553 \$523	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 06.25" body, 28.375" shaft 06.25" body, 28.375" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 26.45" body, 25.75" shaft 26.25" body, 25.75" shaft 26.25" body, 27.5" shaft 26.25" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 27.5" shaft 26.25" body, 27.5" shaft 26.25" body, 27.5" shaft 26.25" body, 27.5" shaft	OHCOMP or OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  iibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel iibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel iibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel iibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel  FOR BARONESS (multi-body rollers available) ironess LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SNG 11.5 lb S2522P25C 12 lb S2522P25S  10.5 lb S2522P25S  10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14.5 lb S2522P3S  12.5 lb S2926P3CG 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513 \$523 Multi-b \$553 \$523	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.55" body, 25.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps	OHCOMP or OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2525PS SHA2525PS SHA2525PS SHA2525PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  bibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1/2" by pacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel  bibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  bibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel  for BARONESS (multi-body rollers available)  aroness LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P2SG 11.5 lb S2522P2SG 12 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S252P3C 14.5 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513 \$523 Multi-b \$476 \$476 \$456 Multi-b	26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps	OHCOMP OF OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  ilibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel ilibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel ilibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  If or BARONESS (multi-body rollers available)  Ironess LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane 3.5" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25G 12.5 lb S2522P25S 10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14.5 lb S2522P3S 12.5 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C 15 lb B2725H25C 15 lb B2725H25C 15 lb B2725H25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$406 Multi-b \$553 \$513 \$523 Multi-b \$486 \$476 \$476 \$476 \$476 \$476 \$476 \$476	26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps 25.45" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  iibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1/2" byacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel iibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel iibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel iibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel iibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel  for BARONESS (multi-body rollers available) ironess LM66T Greens - Front & back ROLLERS 2.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P25G 11.5 lb S2522P25G 12 lb S2522P25S  10.5 lb S2522P25S  10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 14.5 lb S2522P3S  12.5 lb S2522P3S  12.5 lb S2926P3CG 14 lb S2926P3CG 14 lb S2926P3C 15 lb B2725H25CG 15 lb B2725H25C 15 lb B2725H25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$406 Multi-b \$553 \$513 \$523 Multi-b \$486 \$476 \$476 \$476 \$476 \$476 \$476 \$476	26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps	OHCOMP OF OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  ibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel ibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel ibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel  for BARONESS (multi-body rollers available)  roness LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25G 12.5 lb S2522P25S 10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14.5 lb S2522P3S 12.5 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C 15 lb B2725H25C 15 lb B2725H25C 15 lb B2725H25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$486 \$446 \$406 Multi-b \$553 \$513 \$523 Multi-b \$486 \$476 \$476 \$456 Multi-b	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 27.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.245" body, 25.75" shaft 22.245" body, 25.75" shaft 22.245" body, 25.75" shaft 22.25" body, 25.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps 25.45" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  ibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel ibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel ibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  for BARONESS (multi-body rollers available) roness LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane 3.5" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P25G 11.5 lb S2522P25G 12 lb S2522P25S  10.5 lb S2522P25S  10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 14.5 lb S2522P3S  12.5 lb S2522P3S  12.5 lb S2926P3CG 14 lb S2926P3CG 14 lb S2926P3C 15 lb B2725H25CG 15 lb B2725H25C 15 lb B2725H25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$523 Multi-b \$486 \$476 \$456 Multi-b \$613 \$523	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 27.5" shaft 22.25" body, 27.5" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 27.5" shaft 26.25" body, 27.5" shaft 27.45" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps 25.25.55" body, 27" shaft-M10 taps 25.25" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2752PS SHA2926PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  iibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel iibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel iibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  ironess LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane 3." smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S  6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P25G 11.5 lb S2522P25G 12 lb S2522P25S  10.5 lb S2522P25S  10.5 lb S2522P3CG 12.5 lb S2522P3C 12.5 lb S2522P3C 14.5 lb S2522P3S  12.5 lb S2522P3S  12.5 lb S2926P3CG 14 lb S2926P3CG 14 lb S2926P3C 15 lb B2725H25CG 15 lb B2725H25C 15 lb B2725H25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513 \$523 Multi-b \$486 \$476 \$456 Multi-b \$456 Multi-b \$456 Multi-b \$453 \$453 Multi-b \$454 Multi-b \$456 Multi-b	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 27.45" body, 25.75" shaft 28.25" body, 25.75" shaft 28.25" body, 25.75" shaft 28.245" body, 25.75" shaft 28.245" body, 25.75" shaft 28.245" body, 25.75" shaft 28.245" body, 25.75" shaft 28.25" body, 25.75" shaft 28.26" body, 27.5" shaft 28.26" body, 29.75" shaft 28.26" body, 29.75" shaft 28.25" body, 29.75" shaft 28.25" body, 27" shaft-M10 taps 28.27" shaft-M10 taps	OHCOMP or OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2752PS SHA2926PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  bibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1/2" pacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel  bibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel  bibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  for BARONESS (multi-body rollers available)  aroness LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Urethane 3." smooth Urethane 3." smooth Urethane 3." smooth Urethane 3." smooth Steel  aroness LM185 - Front & Back ROLLERS 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel  aroness LM185 - Front & Back ROLLERS 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 11.5 lb S2522P2SG 11.5 lb S2522P2SG 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14.5 lb S2522P3S 12.5 lb S2926P3CG 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C 13 lb B2725H25C 15 lb B2725H25C 15 lb B2725H25S	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513 \$523 Multi-b \$486 \$476 \$456 Multi-b \$613 \$573 \$513	26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 26.25" body, 28.375" shaft 27.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.245" body, 25.75" shaft 22.245" body, 25.75" shaft 22.245" body, 25.75" shaft 22.25" body, 25.75" shaft 26.45" body, 27.5" shaft 26.45" body, 27.5" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps 25.25" body, 27" shaft-M10 taps 27.45" body, 30" shaft-9/16" dia. ends 27.45" body, 30" shaft-9/16" dia. ends 27.25" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMP2R OHCOMP	SHA2826PS SHA2626PS SHA2626PS SHA2522PS SHA252PS SHA2522PS SHA252PS SHA2522PS	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  bibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel  bibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  bibaura SR370 3" dia. wide grooved Urethane 3" smooth Steel  for BARONESS (multi-body rollers available)  aroness LM66T Greens - Front & back ROLLERS 2.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Steel  aroness LM185 - Front & Back ROLLERS 3" dia. wide grooved Urethane 3" smooth Urethane 3." smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25G 11.5 lb S2522P25G 12.5 lb S2522P25S 10.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C 15 lb B2725H25C 15 lb B2725H25C 15 lb B2725H25S 13 lb B3027K3CG 15 lb B3027K3C 15 lb B3027K3C 15 lb B2727G3CG 15 lb B2727G3CG 15 lb B2727G3CG	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$406 Multi-b \$553 \$513 \$523 Multi-b \$486 \$476 \$456 Multi-b \$613 \$573 \$573	26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 27.5" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.25" body, 30" shaft-9/16" dia. ends 27.45" body, 30" shaft-9/16" dia. ends 27.45" body, 30" shaft-9/16" dia. ends 27.25" body, 30" shaft-9/16" dia. ends 27.45" body, 27.625" shaft-7/16" taps	OHCOMP OF OHCOMP2R OHCOMP OF OHCOMP2R OHCOMP OF OHCOMP2R OHCOMP OHCOMP2R OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2926PS SHA2926PS SHA2926PS SHA2926PS SHA2775HK SHA3027KK SHA3027KK SHA3027KK SHA3027KK	
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  nibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel  nibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  nibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel  for BARONESS (multi-body rollers available)  aroness LM66T Greens - Front & back ROLLERS 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel  aroness LM185 - Front & Back ROLLERS 3" dia. wide grooved Urethane 3" smooth Steel	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P2SG 11.5 lb S2522P2SG 12 lb S2522P2SS 10.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C 15 lb B2725H25C 15 lb B2725H25C 15 lb B2725H25S 13 lb B3027K3CG 15 lb B3027K3C 15 lb B2727G3CG 15 lb B2727G3CG 15 lb B2727G3C 15 lb B2727G3C 15 lb B2727G3C	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$406 Multi-b \$553 \$513 \$523 Multi-b \$486 \$476 \$476 \$476 \$476 \$473 \$573 \$523 Multi-b	26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 27.5" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 29.75" shaft 26.25" body, 27.5" shaft 26.25" body, 27.5" shaft 27.45" body, 27" shaft-M10 taps 25.45" body, 30" shaft-9116" dia. ends 27.45" body, 30" shaft-9116" dia. ends 27.45" body, 30" shaft-916" dia. ends 27.45" body, 30" shaft-916" dia. ends 27.45" body, 30" shaft-916" dia. ends 27.45" body, 27.625" shaft-7116" taps 27.25" body, 27.625" shaft-7116" taps	OHCOMP or OHCOMP2R OHCOMP OHCOMPOR OHCO	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA2725HK SHA2727GK SHA2727GK SHA2727GK	\$
2.5" smooth Steel 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall)  hibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower 2" dia. wide grooved Urethane 1" flats 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats 2.5" smooth Urethane 2.5" smooth Steel  hibaura SR525 Fairway & Hustler 7500 & 7700 Fairway 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  hibaura SR370 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Steel  for BARONESS (multi-body rollers available)  aroness LM66T Greens - Front & back ROLLERS 2.5" smooth Urethane 2.5" smooth Steel  aroness LM185 - Front & Back ROLLERS 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Steel  aroness LM185 - Front & Back ROLLERS 3" dia. wide grooved Urethane 3" smooth Urethane 3" dia. wide grooved Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Urethane 3" smooth Urethane	12.5 lb S2826P25S 8.5 lb S2826P2C 12 lb S2826P2C 12 lb S2826P2S 6.5 lb S2522P2CGF 8 lb S2522P2C 11.5 lb S2522P2S 9 lb S2522P2SG 9 lb S2522P2SG 11.5 lb S2522P25G 11.5 lb S2522P25G 12.5 lb S2522P25S 10.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 12.5 lb S2522P3C 14 lb S2926P3C 14 lb S2926P3C 14 lb S2926P3C 15 lb B2725H25C 15 lb B2725H25C 15 lb B2725H25S 13 lb B3027K3CG 15 lb B3027K3C 15 lb B3027K3C 15 lb B2727G3CG 15 lb B2727G3CG 15 lb B2727G3CG	\$406 \$382 \$322 Multi-b \$412 \$382 \$322 \$486 \$416 \$406 Multi-b \$553 \$513 \$523 Multi-b \$486 \$476 \$456 Multi-b \$613 \$573 \$523 \$613	26.25" body, 28.375" shaft 22.45" body, 25.75" shaft 22.25" body, 25.75" shaft 22.25" body, 25.75" shaft 22.45" body, 25.75" shaft 22.25" body, 27.5" shaft 26.45" body, 29.75" shaft 26.45" body, 29.75" shaft 26.25" body, 27" shaft-M10 taps 25.45" body, 27" shaft-M10 taps 25.25" body, 30" shaft-9/16" dia. ends 27.45" body, 30" shaft-9/16" dia. ends 27.45" body, 30" shaft-9/16" dia. ends 27.25" body, 30" shaft-9/16" dia. ends 27.45" body, 27.625" shaft-7/16" taps	OHCOMP or OHCOMP2R OHCOMP OHCOMP2R OHCOMP OHCOMP2R OHCOMP	SHA2826PS SHA2826PS SHA2826PS SHA2522PS SHA252PS SHA2522PS	

Complete Roller Assemblies Roller Replacement
Overhaul Kit Replacement Shaft
(1 per body) Shaft Retail
(included in new coller assemblies) Retail

· · · · · · · · · · · · · · · · · · ·						
The NUMB Contion Device   The Number   The	for VENTRAC (multi-body rollers available)					
## ST and Autor growth growth probably for Peering ## 18.8 0.2002/2555	entrac MJ840 Contour Deck Rotary Mower		Multi-b	ody roller options available to minimize sl	kidding	
### 1 4 b. V422336 ### 7 db midt growned brefiner power declared in the control of the control power and address of the control power and power declared in the control power and power declared in the control power and power an	3" dia. SINGLE body					
## 15th In Vision December and abort bedieses ## 57 dis Autice growth and a Sirt and in 15th Card Card Card Card Card Card Card Card	· · · · · · · · · · · · · · · · · · ·		-			
March   Control   Contro		11.4 lb V2422S3S	\$483			SHA2422SV
Section   Common				non-striping, non-skidding for tight turns & gro	ound undulations	
March   Common Developer   Com	odies 3" dia. wide grooved Urethane (2x4" wide bodies)	8 lb V2404S3CGt	\$583	2 short twin bodies at ends of a 24.56" shaft	OHCOMPRt	SHA2404SVAt
The control Share (Cast wide bodies)	odies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb 2V2404S3CRt	\$643	2 short twin bodies at ends of a 24.56" shaft	OHCOMP2Rt	SHA2404SVAt
### Value body or policy prefer seed Mover    15 th V28275SC   55 th 276275SC   55 th 27627	odies 3" smooth Urethane (2x4" wide bodies)	8 lb V2404S3Ct	\$553	2 short twin bodies at ends of a 24.56" shaft	OHCOMPRt	SHA2404SVAt
### Value body or policy prefer seed Mover    15 th V28275SC   55 th 276275SC   55 th 27627	odies 3" smooth Steel (2x4" wide bodies)	10 lb V2404S3St	\$553	2 short twin bodies at ends of a 24.56" shaft	OHCOMPRt	SHA2404SVAt
8" da. wide growned Unefraine 3" smooth Unefraine 11.5 b. VOZETSSC 5" start St	, ,				kiddina	
8° month Usefages		9.5 lb V2827S3CG		•		SHA2827SV
1	· · · · · · · · · · · · · · · · · · ·		-			
For SISIS   multi-body rollers available    Call to upgrade with double row angular contact bearings   Multi-body roller options available to minimize skidding   Size						
	3 SINOULI Steel	11.2 ID V2021535	<b>\$403</b>	27.25 bouy, 26.76 share-5/6 taps, :545 dia enus	ONCOMP 01 ONCOMP2R	3HAZ02/3V
Fig. 14 Face   18   18   18   18   18   18   18   1	for SISIS (multi-body rollers available)			Call to upgrade with double row angular	contact bearings	
3° smooth Userhame  10 b 50264555	is Flexi-400 fairway rolling machine- ALL ROLLERS		Multi-b	ody roller options available to minimize sl	kidding	
3** smooth Userhame (16 b 5 50264555		11.6 lb S2524S3C		•		SHA2524SS
3.5" amonth Urethrane   *** termom MAX "Protecture" - ALL ROLLERS			-		OHCOMP or OHCOMP2R	SHA2524SS
15   15   15   15   15   15   15   15						
3° smooth Steel  15 ib S0009G3CS  15 ib		.5.2 5252-6000				
### Call to upgrade with double row angular contact bearings #### Call to upgrade with double row angular contact bearings ####################################		15 lb \$3020G3C				SHARIORGE
### FOR TrueSurface (multi-body rollers available) ### Burface Vir folling machine - FRONT ROLLER ### 3" smooth Urethane ### 3" smooth Steel ### 10 to 12522V3C ### 35 324 feet to 19 25 50 324 feet t			-			
### Surface VS rolling machine - FRONT ROLLER    3" smooth Urehame	o sulonili oleei	10 10 03029638	<b>\$523</b>	29.25 Dody, 30.5 snaft-//16" taps	OHCOMP or OHCOMP2R	ъна3029GS
### Surface Vs Folling machine - FRONT ROLLER    3' smooth Urethane						
3° smooth Urethrane 9,5 b T 25/22/3S \$483 32 25° beny 35° sended to be 100 b T 25/22/3S \$483 32 25° beny 35° sended to be 100 b T 25/22/3S \$483 32 25° beny 35° sended to be 100 b T 25/22/3S  To 10 b T 25/22/3S \$483 32 25° beny 35° sended to be 100 b T 25/22/3S  To 10 b T 25/22/3S  To 25/25 b T	for TrueSurface (multi-body rollers available)		B			
3° smooth Steel   10 ib T2522VSS	· ·	0.5.11. 70500) (0.0		•		01110000000
Call to upgrade with double row angular contact bearings						
	3" smooth Steel	10 lb 12522V3S	\$483	22.25" body, 25.5" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2522VT
Include 88 & 84 TRIPLEX & PTO GANG - 30" REELS   Multi-body roller options available to minimize skidding   3" dia. Wide grooved Urethane   13 ib. N342913CG   \$553 2847 body, 94.5" shaft   0+000MP or OHOOMPR   8HA4529N   3" smooth Urethane   15 ib. N342913C   \$453 2847 body, 94.5" shaft   0+000MP or OHOOMPR   8HA4529N   3.5" smooth Urethane   18 ib. N342913CG   \$577 2847 body, 94.5" shaft   0+000MP or OHOOMPR   8HA4529N   3.5" smooth Urethane   23 ib. N342914C   \$554 2847 body, 94.5" shaft   0+000MP or OHOOMPR   8HA4529N   4" smooth Urethane   23 ib. N342914C   \$554 2847 body, 94.5" shaft   0+000MP or OHOOMPR   8HA4529N   4" smooth Urethane   19 ib. N342914C   \$554 2847 body, 94.5" shaft   0+000MP or OHOOMPR   8HA4529N   4" smooth Urethane   11 ib. N242013C   \$440 2013CC   \$440 2013CC						
3° shade wide grooved Urethane   13 lb N342913CG   \$553   244 hosty, 245 hant   0+course or hockers or hockers or shadadown   0+course or hockers or hockers or hockers or shadadown   0+course or hockers or hockers or hockers or shadadown   0+course or hockers or hockers or shadadown   0+course						
3 's month Urethane 3 's month Steel 4 15 lb N342908C 5 's month Steel 4 15 lb N342908C 5 's month Urethane 4 's month Urethane 5 's month Urethane 1 lb N342908C 5 's see						
3° smooth Urehane	· · · · · · · · · · · · · · · · · · ·		\$553	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429IN
3.5° smooth Urethane	3" smooth Urethane	15 lb N3429l3C	\$493	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429IN
4" smooth Urethane 4" smooth Steel 19 lb N3429MC \$55.4 225* bedy, 34.5* hatth 0HCOMP® OHCOMP® \$14,3229MN \$19 lb N3429MS \$55.4 225* bedy, 34.5* hatth 0HCOMP® OHCOMP® \$14,3229MN \$10 lb R8.4 24 TRIPLEX & PTO GANG - 25" OUTSIDE REELS 3" smooth Urethane 11 lb N2420I3S 3.5* smooth Urethane 11 lb N2420I3S 3.5* smooth Urethane 11 lb N2420I3S 3.5* smooth Urethane 13 lb N2420I3S 3.5* smooth Urethane 14 lb N2420I3S 3.5* smooth Urethane 15 lb B2422P2CG 5.1 da. smooth Urethane 16 lb B2422P2CG 5.1 da. smooth Urethane 17 da. smooth Steel heavy (14" wall) 18 lb B2422P2CS 3.5* smooth Urethane 2.5* smooth Urethane 3.5* smooth Urethane 3.5* smooth Urethane 3.5* smooth Urethane 3.5* smooth Steel heavy (14" wall) 3.5* smooth Steel heavy (14" wall) 3.5* smooth Steel heavy (14" wall) 4.5* smooth Steel heavy (14" wall) 4.5* smooth Urethane 4.5* smooth Steel 4.5* smooth Urethane 4.5* smooth Steel 4.5* smooth Urethane 4.5* smooth Steel 4.5* smooth	3" smooth Steel	15 lb N3429l3S	\$453	29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429IN
4" smooth Urethane 4" smooth Steel 19 lb N3429MS 55.4 225° bedy, 34.5° whath 0HCOMP or OHCOMP28 10 lb N3429MS 55.4 225° bedy, 34.5° whath 0HCOMP or OHCOMP28 10 lb N3429MS 3" smooth Urethane 3" smooth Urethane 11 lb N24203C 3" smooth Urethane 11 lb N24203C 3" smooth Urethane 11 lb N24203S 44.5 205° bedy, 24.8° whath 0HCOMP or OHCOMP28 10 HCOMP or OHCOMP28 11 HCOMP or OHCOMP28 11 HCOMP or OHCOMP28 12 HCOMP or OHCOMP28 12 HCOMP or OHCOMP28 13 HCOMP or OHCOMP28 14 HCOMP or OHCOMP28 15 HCOMP	3.5" smooth Urethane	18 lb N3429I35C	\$577	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429IN
4"smooth Steel					OHCOMP or OHCOMP2R	SHA3229IN
3" smooth Urethane 3" smooth Urethane 11 lb N242013C 3" smooth Steel 11 lb N242013S 3" smooth Steel 11 lb N242013S 3" smooth Urethane 13 lb N242013S 3" smooth Urethane 11 lb N242013S 3" smooth Urethane 12 "da. smooth Urethane 13 lb N242013S 3" smooth Urethane 14 lb S222P2C 3		19 10 110429140				OI IAGEESIIV
3 smooth Steel		44 15 10400100		•		01140400111
3.5" smooth Urethane			-			
Call to upgrade with double row angular contact bearings			-		OHCOMP or OHCOMP2R	SHA2420IN
According to the content of the co	3.5" smooth Urethane	13 lb N2420I35C	\$577	20.45" body, 24.875" shaft	OHCOMP or OHCOMP2R	SHA2420IN
According to the content of the co						
2" dia. wide grooved Urethane 1" flats 6.5 lb B2422P2CGF 2" dia. smooth Urethane 8 lb B2422P2C 5382 2225 body, 24.5" shaft 0HCOMP SHA2422PB 2" dia. smooth Steel heavy (1/4" wall) 11.5 lb B2422P2S 5312 2225 body, 24.5" shaft 0HCOMP SHA2422PB 2.5" dia. wide grooved (1" spacing) Urethane no flats 9 lb B2422P25CG 5486 22.5" smooth Urethane 9.5 lb B2422P25CG 5476 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Urethane 9.5 lb B2422P25CG 5476 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Urethane 9.5 lb B2422P25CG 5476 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Urethane 10 lb B2422P25CG 5476 22.5" body 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Urethane 10 lb B2422P25CG 5476 22.5" body 0HCOMP SHA2422PB 2.5" smooth Urethane 10 lb B2726P25CG 5486 24.5" body 0HCOMP SHA2422PB 2.5" smooth Urethane 10 lb B2726P25CG 5486 24.5" body 0HCOMP SHA2728PB 2.5" smooth Urethane 10 lb B2726P25C 5476 26.45" body 0HCOMP SHA2728PB 2.5" smooth Urethane 11 lb B2726P25C 5476 26.45" body 0HCOMP SHA2728PB 2.5" smooth Urethane 13 lb B3629H3C 5573 29.45" body, 36" shaft 0HCOMP or OHCOMP2 SHA322BB 3" smooth Urethane 15 lb B3629H3C 5573 29.45" body, 36" shaft 0HCOMP or OHCOMP2 SHA322BB 3" smooth Urethane 18 lb B3629H3C 5573 29.25" body, 36.25" shaft 0HCOMP or OHCOMP2 SHA322BB 3" smooth Urethane 18 lb B3629H3C 5573 29.25" body, 38.25" shaft 0HCOMP or OHCOMP2 SHA322BB 3" smooth Urethane 18 lb B3629H3C 5573 29.25" body, 38.25" shaft 0HCOMP or OHCOMP2 SHA322BB 3" smooth Urethane 18 lb B3629H3C 5573 29.25" body, 38.25" shaft 0HCOMP or OHCOMP2 SHA322BB 3" smooth Urethane 15 lb K3227A3C 545 body, 32" dia. shaft 0HCOMP or OHCOMP2 SHA3227AK 3" smooth Urethane 15 lb K3227A3C 5443 27.25" body, 32" dia. shaft 0HCOMP or OHCOMP2 SHA3227AK 3" smooth Urethane 15 lb K3227A3S 5443 27.25" body, 32" dia. shaft 0HCOMP or OHCOMP2 SHA3227AK 3" smooth Urethane 15 lb K3227A3S 5443 27.25" body, 32" dia. shaft 0HCOMP or OHCOMP2 SHA3227AK 3.5" smooth Urethane 15 lb K3227A35C 5445 body, 32" dia. shaft 0HCOMP or OHCOMP2 SHA3227AK 3.5" shadt 0HCOMP or O	= 0 0					
2" dia. smooth Urethane 2" dia. smooth Urethane 2" dia. smooth Steel heavy (1/4" wall) 11.5 ib B2422P2SC 3382 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" dia. smooth Steel heavy (1/4" wall) 2.5" dia. wide grooved (1" spacing) Urethane no flats 9.5 ib B2422P2SC 4.6" 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Urethane 9.5 ib B2422P2SC 4.7" 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Steel 10 ib B2422P2SC 4.7" 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 3.5" smooth Steel 10 ib B2422P2SC 4.7" 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 3.5" smooth Urethane 10 ib B2422P2SC 4.7" 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 3.5" smooth Urethane 10 ib B2422P2SC 4.7" 22.5" shaft 0HCOMP SHA2422PB 3.5" smooth Urethane 10 ib B2726P2SC 4.7" 20 4.5" body 0HCOMP SHA2726PB 3.5" smooth Urethane 11 ib B2726P2SC 4.7" 20 4.5" body 0HCOMP SHA2726PB 3.5" smooth Urethane 13 ib B3629H3C 3" smooth Urethane 15 ib B3629H3C 5.5" smooth Urethane 15 ib B3629H3C 5.5" smooth Urethane 16 ib B3629H3C 5.5" smooth Urethane 17 ib B3629H3C 5.5" smooth Urethane 18 ib B3629H3SC 5.5" 29 4.5" body, 36.25" shaft 0HCOMP or OHCOMP2R SHA3229HB 3" smooth Urethane 18 ib B3629H3SC 5.5" 29 2.5" body, 36.25" shaft 0HCOMP or OHCOMP2R SHA3229HB 3" smooth Urethane 18 ib B3629H3SC 5.5" 29 2.5" body, 36.25" shaft 0HCOMP or OHCOMP2R SHA3229HB 3" smooth Urethane 18 ib B3629H3SC 5.5" 29 2.5" body, 36.25" shaft 0HCOMP or OHCOMP2R SHA3229HB 3" smooth Urethane 18 ib B3629H3SC 5.5" 27 2.5" body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3227AK 3" smooth Urethane 18 ib K3227A3SC 5.5" 27 2.5" body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 ib K3227A3SC 5.5" 27 27 body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 ib K3227A3SC 5.5" 27 27 body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 ib K3227A3SC 5.5" 27 27 body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3227AK						
2" dia. smooth Steel heavy (1/4" wall)  11.5 lb B2422P2S 2.5" dia. wide grooved (1" spacing) Urethane no flats 9 lb B2422P2SCG \$486 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Urethane 9.5 lb B2422P2SC 2.5" smooth Verthane 9.5 lb B2422P2SC \$476 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Steel 10 lb B2422P2SC \$476 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Steel 10 lb B2422P2SC \$476 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Steel 10 lb B2726P2SC 3486 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2726P2SC 3486 22.45" body, 24.5" shaft 0HCOMP SHA242PB 3448 22.5" smooth Urethane 10.5 lb B2726P2SC 3486 28.45" body 0HCOMP SHA2726PB 3486 28.55" body 0HCOMP SHA2726PB 3486 28.55" body 0HCOMP SHA2726PB 3486 28.25" body 0HCOMP SHA2726PB 3486 28.55" body 0HCOMP SHA2726PB 3487 28.55" body 0HCOMP SHA2726PB 3486 28.55" body 0HCOMP SHA2726PB 3486 28.55" body 0HCOMP or OHCOMP2R SHA3829HB 3" smooth Urethane 15 lb B3629H3C \$573 29.45" body, 36.25" shaft 0HCOMP or OHCOMP2R SHA3829HB 3.5" smooth Urethane 18 lb B3629H3C \$677 29.25" body, 36.25" shaft 0HCOMP or OHCOMP2R SHA3829HB 3" smooth Urethane 18 lb B3629H3C \$677 29.25" body, 36.25" shaft 0HCOMP or OHCOMP2R SHA3829HB 3" smooth Urethane 15 lb K32277A3C \$493 27.45" body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3827AK 3" smooth Urethane 15 lb K32277A3C \$493 27.45" body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3827AK 3.5" smooth Urethane 18 lb K32277A3C \$493 27.45" body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3827AK 3.5" smooth Urethane 18 lb K3227A35C \$577 27.45" body, 32" dia. shaft 0HCOMP or OHCOMP2R SHA3827AK	· ·	6.5 lb B2422P2CGF				
2.5" dia. wide grooved (1" spacing) Urethane no flats 9 lb B2422P25CG \$486 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Urethane 9.5 lb B2422P25C \$476 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422P25CS \$456 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422P25CS \$456 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422P25CS \$456 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422P25CS \$456 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422P25CS \$456 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422P25CS \$456 22.25" body SHA2422PB 10 lb B2422P25CS \$456 26.25" body OHCOMP SHA2422PB 10 lb B2422P25CS \$456 body OHCOMP SHA2422PB 11 lb B2426P25CS \$456 26.25" body OHCOMP SHA2428PB 11 lb B2426P25CS \$456 26.25" body OHCOMP SHA242PB 11 lb B2426P25CS \$456 26.25" body OHCOMP SHA242PB 10 lb B2422PB 11 lb B2426P25CS \$456 26.25" body OHCOMP SHA242PB 10 lb B2422PB 11 lb B2426P25CS \$456 26.25" body OHCOMP OHCOMP SHA242PB 10 lb B2422PB 11 lb B2426P25CS \$456 26.25" body OHCOMP OHCOMP OHCOMP SHA242PB 10 lb B2422PB 11 lb B2422PB	2" dia. smooth Urethane	8 lb B2422P2C	\$382	22.25" body, 24.5" shaft	OHCOMP	SHA2422PB
2.5" dia. wide grooved (1" spacing) Urethane no flats 9 lb B2422P25CG \$486 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 2.5" smooth Urethane 9.5 lb B2422P25CS \$476 22.45" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422P25S \$456 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422PB 10 lb B2422P25S \$456 22.25" body, 24.5" shaft 0HCOMP SHA2422PB 10 lb B2422PB 10 lb B2422PB2B2B 10 lb B2422PB 10 lb B2422PB2B2B 10 lb B2422PB 10 lb B2422PB2B2B 10 lb B2422PB2B2B 10 lb B	2" dia. smooth Steel heavy (1/4" wall)	11.5 lb B2422P2S	\$312	22.25" body, 24.5" shaft	OHCOMP	SHA2422PB
2.5" smooth Urethane	• • • • • • • • • • • • • • • • • • • •	9 lb B2422P25CG	\$486	22.45" body, 24.5" shaft	OHCOMP	SHA2422PB
2.5" smooth Steel 10 lb B2422P2SS \$45 22.25" body, 24.5" shaft OHCOMP SHA2422PB Multi-Dody roller options available to minimize skidding 2.5" dia. wide grooved (1" spacing) Urethane no flats 10 lb B2726P2SCG \$486 28.45" body OHCOMP SHA2728PB 2.5" smooth Urethane 2.5" smooth Steel 11 lb B2726P2SCS \$45 28.25" body OHCOMP SHA2728PB 2.5" smooth Steel 11 lb B2726P2SS \$45 28.25" body OHCOMP SHA2728PB 2.5" smooth Steel 11 lb B2726P2SS \$45 28.25" body OHCOMP SHA2728PB 2.5" smooth Steel 11 lb B2726P2SS \$45 28.25" body OHCOMP OHCOMP SHA2728PB 2.5" smooth Steel 11 lb B2726P2SS \$45 28.25" body OHCOMP OHCOMP SHA2728PB 2.5" smooth Steel 11 lb B2726P2SS \$45 28.25" body OHCOMP OHCOMP SHA2728PB 2.5" smooth Steel 11 lb B2726P2SS \$45 28.25" body Se2" shaft OHCOMP or OHCOMP SHA2728PB 2.5" smooth Urethane 15 lb B3629H3CG \$613 29.45" body, 36.25" shaft OHCOMP or OHCOMP SHA3829HB 3" smooth Urethane 15 lb B3629H3C \$573 29.45" body, 36.25" shaft OHCOMP or OHCOMP SHA3829HB 3.5" smooth Urethane 18 lb B3629H3C \$677 29.25" body, 36.25" shaft OHCOMP or OHCOMP SHA3829HB 3.5" smooth Urethane 18 lb B3629H3C \$677 29.25" body, 36.25" shaft OHCOMP or OHCOMP SHA3829HB 3" smooth Urethane 18 lb B3629H3C \$677 29.25" body, 36.25" shaft OHCOMP or OHCOMP SHA3829HB 3" smooth Urethane 15 lb K3227ASC \$453 27.45" body Steel OHCOMP or OHCOMP SHA3827AK 3" smooth Urethane 15 lb K3227ASC \$493 27.45" body, 32" dia. shaft OHCOMP or OHCOMP SHA3227AK 3" smooth Urethane 15 lb K3227ASC \$443 27.25" body, 32" dia. shaft OHCOMP or OHCOMP SHA3227AK 3.5" smooth Urethane 18 lb K3227ASC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP SHA3227AK 3.5" smooth Urethane 18 lb K3227ASC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP SHA3227AK 3.5" smooth Urethane 18 lb K3227ASC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP SHA3227AK 3.5" smooth Urethane 18 lb K3227ASC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP SHA3227AK 3.5" sha3227AK 3.5" smooth Urethane 3.5" sm					OHCOMP	SHA2422PB
Multi-body roller options available to minimize skidding						
2.5" dia. wide grooved (1" spacing) Urethane no flats 2.5" dia. wide grooved (1" spacing) Urethane no flats 10.5 lb B2726P25C 5.5" smooth Urethane 2.5" smooth Urethane 2.5" smooth Steel 11 lb B2726P25C 3.5" smooth Steel 3.5" smooth Steel 3.5" smooth Steel 3.5" smooth Urethane 3.5" smo		10 ID D2422F 200				21.11 TE 1.EE1 D
2.5" smooth Urethane		10 lb P0706D0500				0114070000
2.5" smooth Steel 11 lb B2726P25S \$456 26.25" body OHCOMP SHA2726PB  nton 30" FAIRWAY GANG MOWER - FRONT & BACK ROLLERS  Multi-body roller options available to minimize skidding  3" dia. wide grooved Urethane 13 lb B3629H3C \$613 29.45" body, 36.25" shaft OHCOMP or OHCOMP2R SHA3629HB 3" smooth Urethane 15 lb B3629H3C \$573 29.45" body, 36° shaft OHCOMP or OHCOMP2R SHA3629HB 3" smooth Urethane 15 lb B3629H3S \$523 29.25" body, 36.25" shaft OHCOMP or OHCOMP2R SHA3629HB 3.5" smooth Urethane 18 lb B3629H3SC \$677 29.25" body, 36.25" shaft OHCOMP or OHCOMP2R SHA3629HB  TORKESMAC  Call to upgrade with double row angular contact bearings  Wulti-body roller options available to minimize skidding  3" dia. wide grooved Urethane 13 lb K3227A3CG \$53 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3" smooth Urethane 15 lb K3227A3S \$443 27.25" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 lb K3227A3SC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 lb K3227A3SC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 lb K3227A3SC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 lb K3227A3SC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 lb K3227A3SC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 18 lb K3227A3SC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK						
Multi-body roller options available to minimize skidding   3" dia. wide grooved Urethane   13 lb 83629H3CG   \$613 29.45" body, 36.25" shaft   OHCOMP or OHCOMP2R   SHA3629HB   3" smooth Urethane   15 lb 83629H3C   \$573 29.45" body, 36" shaft   OHCOMP or OHCOMP2R   SHA3629HB   3" smooth Steel   15 lb 83629H3C   \$573 29.25" body, 36.25" shaft   OHCOMP or OHCOMP2R   SHA3629HB   3.5" smooth Urethane   18 lb 83629H3SC   \$677 29.25" body, 36.25" shaft   OHCOMP or OHCOMP2R   SHA3629HB						
3" dia. wide grooved Urethane 13 lb B3629H3CG \$613 29.45" body, 36.25" shaft OHCOMP or OHCOMP2R SHA3629HB 3" smooth Urethane 15 lb B3629H3C \$573 29.45" body, 36 shaft OHCOMP or OHCOMP2R SHA3629HB 3" smooth Steel 3" smooth Steel 15 lb B3629H3S \$523 29.25" body, 36.25" shaft OHCOMP or OHCOMP2R SHA3629HB 3.5" smooth Urethane 18 lb B3629H3SC \$677 29.25" body, 36.25" shaft OHCOMP or OHCOMP2R SHA3629HB 3.5" smooth Urethane  Call to upgrade with double row angular contact bearings  **Call to upgrade with double row angular contact bearings  **Multi-body roller options available to minimize skidding 3" dia. wide grooved Urethane 3" smooth Urethane 13 lb K3227A3C \$553 27.45" body 3" smooth Urethane 15 lb K3227A3C \$493 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3" smooth Steel 3.5" smooth Urethane 18 lb K3227A3SC \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK 3.5" smooth Urethane 8 SHA3227AK		11 lb B2726P25S				SHA2726PB
3" smooth Urethane	nton 30" FAIRWAY GANG MOWER - FRONT & BACK ROLLERS			•		
3" smooth Urethane	3" dia. wide grooved Urethane	13 lb B3629H3CG	\$613	29.45" body, 36.25" shaft	OHCOMP or OHCOMP2R	SHA3629HB
3" smooth Steel	· · · · · · · · · · · · · · · · · · ·				OHCOMP or OHCOMP2R	SHA3629HB
Second Forkes   18 lb B3629H35C   Second Forkes   Second For			•			
For KESMAC         Call to upgrade with double row angular contact bearings           smac GANG MOWER - ALL ROLLERS         Multi-body roller options available to minimize skidding           3" dia. wide grooved Urethane         13 lb K3227A3CG         \$553         27.45" body         OHCOMP or OHCOMP2R         SHA3227AK           3" smooth Urethane         15 lb K3227A3C         \$493         27 45" body, 32" dia. shaft         OHCOMP or OHCOMP2R         SHA3227AK           3" smooth Steel         15 lb K3227A3S         \$443         27.25" body, 32" dia. shaft         OHCOMP or OHCOMP2R         SHA3227AK           3.5" smooth Urethane         18 lb K3227A3SC         \$577         27.45" body, 32" dia. shaft         OHCOMP or OHCOMP2R         SHA3227AK						
smac GANG MOWER - ALL ROLLERS         Multi-body roller options available to minimize skidding           3" dia. wide grooved Urethane         13 lb K3227A3CG         \$553         27.45° body         OHCOMP or OHCOMP2R         SHA3227AK           3" smooth Urethane         15 lb K3227A3C         \$493         27.45° body. 32° dia. shaft         OHCOMP or OHCOMP2R         SHA3227AK           3" smooth Steel         15 lb K3227A3S         \$443         27.25° body, 32° dia. shaft         OHCOMP or OHCOMP2R         SHA3227AK           3.5" smooth Urethane         18 lb K3227A35C         \$577         27.45° body, 32° dia. shaft         OHCOMP or OHCOMP2R         SHA3227AK	5.5 SINOUN DIEUMIE	IO ID DOUZSESSO	<b>ф011</b>	EU.EU DOUY, DU.EU SHBIL	GISOME OF ORCOMEZK	OI INJUZZI ID
smac GANG MOWER - ALL ROLLERS         Multi-body roller options available to minimize skidding           3" dia. wide grooved Urethane         13 lb K3227A3CG         \$553         27.45" body         OHCOMP or OHCOMP2 or OHCO	for KESMAC			Call to ungrade with double row angular	contact bearings	
3" dia. wide grooved Urethane       13 lb K3227A3CG       \$53       27.45" body       OHCOMP or OHCOMP2R       SHA3227AK         3" smooth Urethane       15 lb K3227A3C       \$493       27.45" body. 32" dia. shaft       OHCOMP or OHCOMP2R       SHA3227AK         3" smooth Steel       15 lb K3227A3S       \$443       27.25" body. 32" dia. shaft       OHCOMP or OHCOMP2R       SHA3227AK         3.5" smooth Urethane       18 lb K3227A35C       \$577       27.45" body. 32" dia. shaft       OHCOMP or OHCOMP2R       SHA3227AK			Multi-b	. 0	•	
3" smooth Urethane       15 lb K3227A3C       \$493       27.45" body, 32" dia, shaft       OHCOMP or OHCOMP2R       SHA3227AK         3" smooth Steel       15 lb K3227A3S       \$43       27.25" body, 32" dia, shaft       OHCOMP or OHCOMP2R       SHA3227AK         3.5" smooth Urethane       18 lb K3227A35C       \$577       27.45" body, 32" dia, shaft       OHCOMP or OHCOMP2R       SHA3227AK		13 lb K3227A3CG		•		SHA3227AK
3" smooth Steel       15 lb K3227A3S       \$43       27.25° body, 32° dia. shaft       OHCOMP or OHCOMP2R       SHA3227AK         3.5" smooth Urethane       18 lb K3227A35C       \$57       27.45° body, 32° dia. shaft       OHCOMP or OHCOMP2R       SHA3227AK	•		-			
3.5" smooth Urethane 18 lb K3227A35C \$577 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK						
4" smooth Urethane 23 lb K3227A4C \$654 27.45" body, 32" dia. shaft OHCOMP or OHCOMP2R SHA3227AK			-			
	4" smooth Urethane	23 lb K3227A4C	\$654	27.45" body, 32" dia. shaft	OHCOMP or OHCOMP2R	SHA3227AK

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

## **GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2025**

## **Competition Roller<sup>™</sup> Upgrade Options**

Upgrade to Stainless Steel Bearings on Competition Rollers™

Upgrade to Double Row Bearings as our Competition2 Rollers™

-upgrade select Competition Rollers  $^{\text{TM}}$  to double row bearings with black oxide finish (per body) -available for most rollers greater than 2" dia. (with special machined deep bore bearing housings)

Add Grease Fittings (set of 2 special flush mount grease fittings)

-grease fittings (set of two) for new Competition Rollers™ or new overhaul kits

-special yellow end seal (set of two) to accommodate grease fitting without new bearing kits

**Bearing Installation Tool Set** 

-set of 2 tools - aids in installing bearings into roller housing and onto shaft

Super solid one piece Polyurethane Soft Blow Mallet - FULL SIZE (13" length) #MALLET13

-add a bottle opener to your full size mallet for \$12 extra #MALLET13BO

Super solid one piece Polyurethane Soft Blow Mallet - 3/4 SIZE (9.8" length) #MALLET9.8

Super solid one piece Polyurethane Soft Blow Mallet - 1/2 SIZE (6.5" length) #MALLET6.5

-unique utility to add to your tool box



**BU-COMPSS** \$28

> GFFD316SFT **2SEAL16CUGF SET**

2TOOLSET

\$40

(designate by adding "2" to front of











## Competition Roller<sup>™</sup> Overhaul Kits - \*ORIGINAL STYLE\*

Single row deep groove bearings

Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commerical mower applications.

Standard overhaul kit for all single body (except "H" style 2" grooved) \$76 OHCOMP

(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers) \$104 OHCOMPSS Stainless steel bearing overhaul kit for all single body (except 2" grooved)

(with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)

**OHCOMPH** Overhaul kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19

Overhaul kit for twin body roller assemblies (one kit per body - call to confirm \$92 OHCOMPNt

OHCOMPN4 Overhaul kit for 3 & 4 body roller assemblies (one kit per body - call to confirm)

## Competition2 Roller<sup>™</sup> Overhaul Kits \*SERIES 2\* with Double-Row Bearings

Double row angular contact bearings with corrosion resistant black oxide finish

Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commerical mower applications.

Kit for single body deep bore rollers

(with 2 bearings, 6 seals, 2 stainless washers & 4 snap ring retainers) Kit for single body regular bore rollers

\$116 OHCOMP2R (with 2 bearings, 4 seals, 2 steel washers & 2 snap ring retainers)

\$116 OHCOMP2Rt Kit for twin body regular bore rollers

(with 2 bearings, 4 seals, 2 stainless washers & 2 collar retainers)

Competition Roller \*\*

Shafts\*

(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from the first 6 digits of the roller part number as follows: Roller T2522S2CGF has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).

## Pro Roller<sup>™</sup> Bearings (Water Pump Style)

\$26 BWP3 Replaces Toro #21-8430 Water pump bearing-sealed (shaft is 5/8"od x 1.8"L)

BWP4 Replaces Toro #52-3180 & 52-3210 \$26 Water pump bearing-sealed (shaft is 5/8"od x 1.8"L with 3/8-24 tap)

Replaces Jacobsen #101482

Water pump bearing-sealed (shaft is 5/8"od x 1.0"L with 7/16-20 tap) \$26 BWP7 Replaces Toro #75-1290, Jacobsen #101481 & John Deere #35741

Water pump bearing-sealed (shaft is 5/8"od x 1.5"L)

\$124 OHCOMP2BO

BWP5