

GOLFCO INTERNATIONAL COMPETITION ROLLERS

2025 Retail Price List

US PATENT #5394681

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

	Complete Roller Assemblies	Roller Retail		Replacement Overhaul Kit (1 per body)	Replacement Shaft	Shaft Retail
(included in new roller assemblies)						
for Jacobsen mowers						
Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 & ECLIPSE 122 & 322 MOWERS - FRONT ROLLER						
2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb J2522A2CG	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb J2522A2NG	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2522A2CGF	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2522A2NGF	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$76
2" dia. smooth Urethane	8 lb J2522A2C	\$382	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2522A2S	\$322	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2" dia. TWO opposing end short bodies						
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations	OHCOMP	SHA2504AJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2NGt	\$452	2 short twin bodies at ends of 25.87" shaft	OHCOMP	SHA2504AJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2CGFt	\$452	2 short twin bodies at ends of 25.87" shaft	OHCOMP	SHA2504AJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2NGFt	\$452	2 short twin bodies at ends of 25.87" shaft	OHCOMP	SHA2504AJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2502A2Ct	\$452	2 short twin bodies at ends of 25.87" shaft	OHCOMP	SHA2502AJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A2Ct	\$452	2 short twin bodies at ends of 25.87" shaft	OHCOMP	SHA2504AJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2504A2St	\$452	2 short twin bodies at ends of 25.87" shaft	OHCOMP	SHA2504AJAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets						
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2CG+2C	\$512	non-skidding for tight turns & ground undulations	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	15 lb J3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
2" dia. FOUR bodies						
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2CG4	\$582	non-skidding for tight turns & ground undulations	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2NG4	\$582	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2CGF4	\$582	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2NGF4	\$582	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2522A2C4	\$582	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2522A2S4	\$582	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2CG4+2C	\$672	non-skidding for tight turns & ground undulations	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	15 lb J3122A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J2522A25CG	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2522A25NG	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 3/4" flats	9 lb J2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" smooth Urethane	9.5 lb J2522A25C	\$396	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" smooth Steel	10 lb J2522A25S	\$376	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" dia. TWO opposing end short bodies						
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations	OHCOMPt or OHCOMPSS	SHA2504AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A25NGt	\$496	2 short twin bodies at ends of 25.87" shaft	OHCOMPt or OHCOMPSS	SHA2504AJAt	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A25CGFt	\$496	2 short twin bodies at ends of 25.87" shaft	OHCOMPt or OHCOMPSS	SHA2504AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A25NGFt	\$496	2 short twin bodies at ends of 25.87" shaft	OHCOMPt or OHCOMPSS	SHA2504AJAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A25Ct	\$496	2 short twin bodies at ends of 25.87" shaft	OHCOMPt or OHCOMPSS	SHA2504AJAt	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb J2504A25St	\$496	2 short twin bodies at ends of 25.87" shaft	OHCOMPt or OHCOMPSS	SHA2504AJAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets						
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A25CG+2C	\$566	non-skidding for tight turns & ground undulations	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A25NG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A25CGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A25NGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A25C+2C	\$566	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
2.5" dia. FOUR bodies						
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25CG4	\$636	non-skidding for tight turns & ground undulations	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25NG4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25CGF4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25NGF4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	9 lb J2522A25C4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb J3122A25CG4+2C	\$686	non-skidding for tight turns & ground undulations	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108

				Complete Roller Assemblies	Roller Retail			Overhaul Kit	Replacement Shaft
Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex,GP400 & ECLIPSE 122 & 322 MOWERS - BACK ROLLER									all
<u>2" dia. SINGLE body w/ 3/8" taps in shaft</u>					<u>(included in new roller assemblies)</u>				
2" dia. wide grooved Urethane no flats	6.5 lb	J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76		
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76		
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76		
2" dia. smooth Urethane	8 lb	J2422S2C	\$382	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422SJ	\$76		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422S2S	\$322	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422SJ	\$76		
<u>2" dia. SINGLE body w/ 7/16" taps in shaft</u>									
2" dia. wide grooved Urethane no flats	6.5 lb	J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76		
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76		
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76		
2" dia. smooth Urethane	8 lb	J2422G2C	\$382	22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2422GJ	\$76		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422G2S	\$322	22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2422GJ	\$76		
<u>2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft</u>					non-stripping, non-skidding for tight turns & ground undulations				
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404S2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	OHCOMPt	SHA2404SJAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404S2NGt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	OHCOMPt	SHA2404SJAt	\$91		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404S2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	OHCOMPt	SHA2404SJAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404S2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	OHCOMPt	SHA2404SJAt	\$91		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2402S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	OHCOMPt or OHCOMPSS	SHA2402SJAt	\$91		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2404S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	OHCOMPt or OHCOMPSS	SHA2404SJAt	\$91		
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2404S2St	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	OHCOMPt or OHCOMPSS	SHA2404SJAt	\$91		
<u>2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft</u>					non-stripping, non-skidding for tight turns & ground undulations				
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404G2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	OHCOMPt	SHA2404GJAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404G2NGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	OHCOMPt	SHA2404GJAt	\$91		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	OHCOMPt	SHA2404GJAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	OHCOMPt	SHA2404GJAt	\$91		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2402G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	OHCOMPt or OHCOMPSS	SHA2402GJAt	\$91		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2404G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	OHCOMPt or OHCOMPSS	SHA2404GJAt	\$91		
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6.2 lb	J2404G2St	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	OHCOMPt or OHCOMPSS	SHA2404GJAt	\$91		
<u>2" dia. FOUR bodies w/ 3/8" taps in shaft</u>					non-skidding for tight turns & ground undulations				
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2422S2CG4	\$582	4 short bodies, 24.25" shaft-3/8" taps	OHCOMP4int&ext	SHA2422SJ4A	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2422S2NG4	\$582	4 short bodies, 24.25" shaft-3/8" taps	OHCOMP4int&ext	SHA2422SJ4A	\$91		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2CGF4	\$582	4 short bodies, 24.25" shaft-3/8" taps	OHCOMP4int&ext	SHA2422SJ4A	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2NGF4	\$582	4 short bodies, 24.25" shaft-3/8" taps	OHCOMP4int&ext	SHA2422SJ4A	\$91		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	J2422S2C4	\$582	4 short bodies, 24.25" shaft-3/8" taps	OHCOMP4int&ext	SHA2422SJ4A	\$91		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	J2422S2S4	\$582	4 short bodies, 24.25" shaft-3/8" taps	OHCOMP4int&ext	SHA2422SJ4A	\$91		
<u>2" dia. FOUR bodies w/ 7/16" taps in shaft</u>					non-skidding for tight turns & ground undulations				
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2422G2CG4	\$582	4 short bodies, 24.25" shaft-7/16" taps	OHCOMP4int&ext	SHA2422GJ4A	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2422G2NG4	\$582	4 short bodies, 24.25" shaft-7/16" taps	OHCOMP4int&ext	SHA2422GJ4A	\$91		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2422G2CGF4	\$582	4 short bodies, 24.25" shaft-7/16" taps	OHCOMP4int&ext	SHA2422GJ4A	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2422G2NGF4	\$582	4 short bodies, 24.25" shaft-7/16" taps	OHCOMP4int&ext	SHA2422GJ4A	\$91		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	J2422G2C4	\$582	4 short bodies, 24.25" shaft-7/16" taps	OHCOMP4int&ext	SHA2422GJ4A	\$91		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	J2422G2S4	\$582	4 short bodies, 24.25" shaft-7/16" taps	OHCOMP4int&ext	SHA2422GJ4A	\$91		
Jacobsen TC-22 GREENSMOWERS - FRONT ROLLER									
<u>2" dia. SINGLE body</u>									
2" dia. wide grooved Urethane no flats	6.5 lb	J2522J2CG	\$412	22.45" body, 25.87" shaft	OHCOMP	SHA2522JJ	\$80		
2" dia. narrow grooved Urethane no flats	6.7 lb	J2522J2NG	\$412	22.45" body, 25.87" shaft	OHCOMP	SHA2522JJ	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2522J2CGF	\$412	22.45" body, 25.87" shaft	OHCOMP	SHA2522JJ	\$80		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2522J2NGF	\$412	22.45" body, 25.87" shaft	OHCOMP	SHA2522JJ	\$80		
2" dia. smooth Urethane	8 lb	J2522J2C	\$392	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522JJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2522J2S	\$332	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522JJ	\$80		
<u>2" dia. FOUR bodies</u>					non-skidding for tight turns & ground undulations				
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2522J2CG4	\$592	4 short bodies, 25.87" shaft	OHCOMP4int&ext	SHA2522JJ4A	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2522J2NG4	\$592	4 short bodies, 25.87" shaft	OHCOMP4int&ext	SHA2522JJ4A	\$91		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2522J2CGF4	\$592	4 short bodies, 25.87" shaft	OHCOMP4int&ext	SHA2522JJ4A	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2522J2NGF4	\$592	4 short bodies, 25.87" shaft	OHCOMP4int&ext	SHA2522JJ4A	\$91		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	J2522J2C4	\$592	4 short bodies, 25.87" shaft	OHCOMP4int&ext	SHA2522JJ4A	\$91		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	J2522J2S4	\$592	4 short bodies, 25.87" shaft	OHCOMP4int&ext	SHA2522JJ4A	\$91		
Jacobsen TC-22 GREENSMOWERS - BACK ROLLER									
<u>2" dia. SINGLE body</u>									
2" dia. wide grooved Urethane no flats	6.5 lb	J2522V2CG	\$412	22.45" body, 25.57" shaft threaded	OHCOMP	SHA2522VJ	\$80		
2" dia. narrow grooved Urethane no flats	6.7 lb	J2522V2NG	\$412	22.45" body, 25.57" shaft threaded	OHCOMP	SHA2522VJ	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2522V2CGF	\$412	22.45" body, 25.57" shaft threaded	OHCOMP	SHA2522VJ	\$80		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2522V2NGF	\$412	22.45" body, 25.57" shaft threaded	OHCOMP	SHA2522VJ	\$80		
2" dia. smooth Urethane	8 lb	J2522V2C	\$392	22.45" body, 25.57" shaft threaded	OHCOMP or OHCOMPSS	SHA2522VJ	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2522V2S	\$332	22.25" body, 25.57" shaft threaded	OHCOMP or OHCOMPSS	SHA2522VJ	\$80		
<u>2" dia. FOUR bodies</u>					non-skidding for tight turns & ground undulations				
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2522V2CG4	\$582	4 short bodies, 25.57" shaft	OHCOMP4int&ext	SHA2522VJ4A	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2522V2NG4	\$582	4 short bodies, 25.57" shaft	OHCOMP4int&ext	SHA2522VJ4A	\$91		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2522V2CGF4	\$582	4 short bodies, 25.57" shaft	OHCOMP4int&ext	SHA2522VJ4A	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2522V2NGF4	\$582	4 short bodies, 25.57" shaft	OHCOMP4int&ext	SHA2522VJ4A	\$91		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	J2522V2C4	\$592	4 short bodies, 25.57" shaft	OHCOMP4int&ext	SHA2522VJ4A	\$91		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	J2522V2S4	\$592	4 short bodies, 25.57" shaft	OHCOMP4int&ext	SHA2522VJ4A	\$91		
Jacobsen ALL 18" GREENSMOWERS (Eclipse 118, GK 418 & GK 518) - FRONT & BACK ROLLERS (SHAFT is 21.25" without taps in either end)									
<u>2" dia. SINGLE body</u>									
2" dia. wide grooved Urethane no flats	6.2 lb	J2119A2CG	\$382	19.45" body, 21.25" shaft w/o taps	OHCOMP	SHA2119AJ	\$76		
2" dia. narrow grooved Urethane no flats	6.4 lb	J2119A2NG	\$382	19.45" body, 21.25" shaft w/o taps	OHCOMP	SHA2119AJ	\$76		
2" dia. wide grooved Urethane 1" flats	6.2 lb	J2119A2CGF	\$382	19.45" body, 21.25" shaft w/o taps	OHCOMP	SHA2119AJ	\$76		
2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2119A2NGF	\$382	19.45" body, 21.25" shaft w/o taps	OHCOMP	SHA2119AJ	\$76		
2" dia. smooth Urethane	7.5 lb	J2119A2C	\$382	19.25" body, 21.25" shaft w/o taps	OHCOMP or OHCOMPSS	SHA2119AJ	\$76		
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2119A2S	\$322	19.25" body, 21.25" shaft w/o taps	OHCOMP or OHCOMPSS	SHA2119AJ	\$76		

			Complete Roller Assemblies	Roller Retail	Replacement Kit		
					Overhaul Kit	Replacement Shaft	
					(1 per body)	Shaft Retail	
					(included in new roller assemblies)		
2" dia. TWO opposing end short bodies							
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104A2NGt	\$452	2 short twin bodies at ends of 21.25" shaft	OHCMPHNt	
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104A2CGFt	\$452	2 short twin bodies at ends of 21.25" shaft	OHCMPHNt	
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104A2NGFt	\$452	2 short twin bodies at ends of 21.25" shaft	OHCMPHNt	
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2102A2Ct	\$452	2 short twin bodies at ends of 21.25" shaft	OHCMPNt or OHCMPNtSS	
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2104A2Ct	\$452	2 short twin bodies at ends of 21.25" shaft	OHCMPNt or OHCMPNtSS	
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2104A2St	\$452	2 short twin bodies at ends of 21.25" shaft	OHCMPNt or OHCMPNtSS	
2" dia. SINGLE body + 2 bodies outside of brackets							
extended	2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	J2719A2CG+2C	\$512	non-skidding for tight turns & ground undulations		
extended	2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	J2719A2NG+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCMPH + 2x OHCMPH	
extended	2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb	J2719A2CGF+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCMPH + 2x OHCMPH	
extended	2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb	J2719A2NGF+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCMPH + 2x OHCMPH	
extended	2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)	13 lb	J2719A2C+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCMP + 2x OHCMPH	
extended	2" dia. smooth Steel heavy (19.45" inner+2x2" outer bodies)	13 lb	J2719A2S+2S	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCMP + 2x OHCMPH	
2" dia. FOUR bodies							
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119A2CG4	\$582	non-skidding for tight turns & ground undulations		
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119A2NG4	\$582	4 short bodies, 21.25" shaft	OHCMPH4int&ext	
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119A2CGF4	\$582	4 short bodies, 21.25" shaft	OHCMPH4int&ext	
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2149A2NGF4	\$582	4 short bodies, 21.25" shaft	OHCMPH4int&ext	
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	J2119A2C4	\$582	4 short bodies, 21.25" shaft	OHCMP4int&ext	
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2119A2S4	\$582	4 short bodies, 21.25" shaft	OHCMP4int&ext	
2" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies	2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb	J2719A2CG4+2C	\$672	non-skidding for tight turns & ground undulations		
6 bodies	2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb	J2719A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCMPH4int&ext+2C	
6 bodies	2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb	J2719A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCMPH4int&ext+2C	
6 bodies	2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb	J2719A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCMPH4int&ext+2C	
6 bodies	2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	12 lb	J2719A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCMP4int&ext+2C	
6 bodies	2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	12 lb	J2719A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	OHCMP4int&ext+2C	
Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT ROLLERS (SHAFT is 21.25" with taps in both ends)							
2" dia. SINGLE body							
	2" dia. wide grooved Urethane no flats	6.2 lb	J2119S2CG	\$382	19.45" body, 21.25" shaft-3/8" taps	SHA2119SJ	
	2" dia. narrow grooved Urethane no flats	6.4 lb	J2119S2NG	\$382	19.45" body, 21.25" shaft-3/8" taps	SHA2119SJ	
	2" dia. wide grooved Urethane 1" flats	6.2 lb	J2119S2CGF	\$382	19.45" body, 21.25" shaft-3/8" taps	SHA2119SJ	
	2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2119S2NGF	\$382	19.45" body, 21.25" shaft-3/8" taps	SHA2119SJ	
	2" dia. smooth Urethane	7.5 lb	J2119S2C	\$382	19.25" body, 21.25" shaft-3/8" taps	SHA2119SJ	
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2119S2S	\$322	19.25" body, 21.25" shaft-3/8" taps	SHA2119SJ	
2" dia. TWO opposing end short bodies							
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104S2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104S2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	SHA2104SJAt	
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104S2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	SHA2104SJAt	
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104S2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	SHA2104SJAt	
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2102S2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	SHA2104SJAt	
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2104S2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	SHA2104SJAt	
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2104S2St	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	SHA2104SJAt	
2" dia. FOUR bodies							
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119S2CG4	\$582	non-skidding for tight turns & ground undulations		
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119S2NG4	\$582	4 short bodies, 21.25" shaft-3/8" taps	SHA2119SJ4A	
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119S2CGF4	\$582	4 short bodies, 21.25" shaft-3/8" taps	SHA2119SJ4A	
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119S2NGF4	\$582	4 short bodies, 21.25" shaft-3/8" taps	SHA2119SJ4A	
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	J2119S2C4	\$582	4 short bodies, 21.25" shaft-3/8" taps	SHA2119SJ4A	
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2119S2S4	\$582	4 short bodies, 21.25" shaft-3/8" taps	SHA2119SJ4A	
Jacobsen 18" Eclipse2 118F GREENSMOWERS - REAR ROLLERS (SHAFT is 20.5" with taps in both ends)							
2" dia. SINGLE body							
	2" dia. wide grooved Urethane no flats	6.2 lb	J2019S2CG	\$382	19.45" body, 20.5" shaft-3/8" taps	SHA2119SJ	
	2" dia. narrow grooved Urethane no flats	6.4 lb	J2019S2NG	\$382	19.45" body, 20.5" shaft-3/8" taps	SHA2119SJ	
	2" dia. wide grooved Urethane 1" flats	6.2 lb	J2019S2CGF	\$382	19.45" body, 20.5" shaft-3/8" taps	SHA2019SJ	
	2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2019S2NGF	\$382	19.45" body, 20.5" shaft-3/8" taps	SHA2119SJ	
	2" dia. smooth Urethane	7.5 lb	J2019S2C	\$382	19.25" body, 20.5" shaft-3/8" taps	SHA2019SJ	
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2019S2S	\$322	19.25" body, 20.5" shaft-3/8" taps	SHA2019SJ	
2" dia. TWO opposing end short bodies							
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2004S2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2004S2NGt	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	SHA2004SJAt	
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2004S2CGFt	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	SHA2004SJAt	
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2004S2NGFt	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	SHA2004SJAt	
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2002S2Ct	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	SHA2002SJAt	
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2004S2Ct	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	SHA2004SJAt	
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2004S2St	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	SHA2004SJAt	
2" dia. FOUR bodies							
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2019S2CG4	\$582	non-skidding for tight turns & ground undulations		
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2019S2NG4	\$582	4 short bodies, 20.5" shaft-3/8" taps	SHA2019SJ4A	
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2019S2CGF4	\$582	4 short bodies, 20.5" shaft-3/8" taps	SHA2019SJ4A	
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2019S2NGF4	\$582	4 short bodies, 20.5" shaft-3/8" taps	SHA2019SJ4A	
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.9 lb	J2019S2C4	\$582	4 short bodies, 20.5" shaft-3/8" taps	SHA2019SJ4A	
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2019S2S4	\$582	4 short bodies, 20.5" shaft-3/8" taps	SHA2019SJ4A	
Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - FRONT & BACK ROLLERS							
2" dia. SINGLE body							
	2" dia. wide grooved Urethane no flats	7.8 lb	J2926A2CG	\$382	26.45" body, 29.75" shaft	SHA2926AJ	
	2" dia. narrow grooved Urethane no flats	7.8 lb	J2926A2NG	\$382	26.45" body, 29.75" shaft	SHA2926AJ	
	2" dia. wide grooved Urethane 1" flats	8 lb	J2926A2CGF	\$382	26.45" body, 29.75" shaft	SHA2926AJ	
	2" dia. narrow grooved Urethane 1" flats	8 lb	J2926A2NGF	\$382	26.45" body, 29.75" shaft	SHA2926AJ	
	2" dia. smooth Urethane	9 lb	J2926A2C	\$382	26.45" body, 29.75" shaft	SHA2926AJ	
	2" dia. smooth Steel heavy (1/4" wall)	12.5 lb	J2926A2S	\$322	26.25" body, 29.75" shaft	SHA2926AJ	

		Complete Roller Assemblies	Roller Retail	Replacement		
				Overhaul Kit	Replacement Shaft	Shaft Retail
				(1 per body)	Shaft	
				(included in new roller assemblies)		
2" dia. TWO opposing end short bodies						
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2904A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2904A2NGt	\$452	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2904A2CGFt	\$452	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2904A2NGFt	\$452	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2902A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft	SHA2902AJAt	\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2904A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2904A2St	\$452	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets						
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A2CG+2C	\$512	non-skidding for tight turns & ground undulations		
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A2NG+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A2CGF+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A2NGF+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3526A2C+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb J3526A2S+2S	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
2" dia. FOUR bodies						
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A2CG4	\$582	non-skidding for tight turns & ground undulations		
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A2NG4	\$582	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A2CGF4	\$582	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A2NGF4	\$582	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb J2926A2C4	\$582	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb J2926A2S4	\$582	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb J3526A2CG4+2C	\$672	non-skidding for tight turns & ground undulations		
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb J3526A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb J3526A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb J3526A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb J3526A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	13 lb J3526A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
2.5" dia. SINGLE body						
2.5" dia.	wide grooved (1" spacing) Urethane no flats	9 lb J2926A25CG	\$456	26.45" body, 29.75" shaft	SHA2926AJ	\$76
2.5" dia.	narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2926A25NG	\$456	26.45" body, 29.75" shaft	SHA2926AJ	\$76
2.5" dia.	wide grooved (1" spacing) Urethane 1" flats	9 lb J2926A25CGF	\$456	26.45" body, 29.75" shaft	SHA2926AJ	\$76
2.5" dia.	narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J2926A25NGF	\$456	26.45" body, 29.75" shaft	SHA2926AJ	\$76
2.5" smooth Urethane		11 lb J2926A25C	\$396	26.45" body, 29.75" shaft	SHA2926AJ	\$76
2.5" smooth Steel		11 lb J2926A25S	\$376	26.25" body, 29.75" shaft	SHA2926AJ	\$76
2.5" dia. TWO opposing end short bodies						
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2904A25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2904A25NGt	\$496	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2904A25CGFt	\$496	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2904A25NGFt	\$496	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2904A25Ct	\$496	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2904A25St	\$496	2 short twin bodies at ends of 29.75" shaft	SHA2904AJAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets						
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A25CG+2C	\$566	non-skidding for tight turns & ground undulations		
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A25NG+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A25CGF+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A25NGF+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
extended	2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3526A25C+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
2.5" dia. FOUR bodies						
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A25CG4	\$636	non-skidding for tight turns & ground undulations		
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A25NG4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A25CGF4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A25NGF4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J2926A25C4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3526A25CG4+2C	\$686	non-skidding for tight turns & ground undulations		
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3526A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3526A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3526A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb J3526A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
Jacobsen 26" LF3810 & TRIKING 1471 & 1671 - FRONT & BACK ROLLERS						
2.5" dia. SINGLE body						
2.5" dia.	wide grooved (1" spacing) Urethane no flats	9 lb J2826A25CG	\$456	26.45" body, 28.375" shaft	SHA2826AJ	\$76
2.5" dia.	narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2826A25NG	\$456	26.45" body, 28.375" shaft	SHA2826AJ	\$76
2.5" dia.	wide grooved (1" spacing) Urethane 1" flats	9 lb J2826A25CGF	\$456	26.45" body, 28.375" shaft	SHA2826AJ	\$76
2.5" dia.	narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J2826A25NGF	\$456	26.45" body, 28.375" shaft	SHA2826AJ	\$76
2.5" smooth Urethane		11 lb J2826A25C	\$396	26.45" body, 28.375" shaft	SHA2826AJ	\$76
2.5" smooth Steel		11 lb J2826A25S	\$376	26.25" body, 28.375" shaft	SHA2826AJ	\$76
2.5" dia. TWO opposing end short bodies						
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2804A25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2804A25NGt	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2804A25CGFt	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2804A25NGFt	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2804A25Ct	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2804A25St	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets						
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3426A25CG+2C	\$566	non-skidding for tight turns & ground undulations		
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3426A25NG+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3426A25CGF+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3426A25NGF+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108
extended	2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3426A25C+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108

	Complete Roller Assemblies	Roller Retail	Overhaul Kit	Replacement Shaft (1 per body)	Replacement Shaft Retail (included in new roller assemblies)
<u>2.5" dia. FOUR bodies</u>					
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2826A25CG4	\$636			
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2826A25NG4	\$636		SHA2826AJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2826A25CGF4	\$636		SHA2826AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2826A25NGF4	\$636		SHA2826AJA4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J2826A25C4	\$636		SHA2826AJA4	\$91
<u>2.5" dia. FOUR bodies + 2 bodies outside of brackets</u>					
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3426A25CG4+2C	\$686		SHA3426AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3426A25NG4+2C	\$686		SHA3426AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3426A25CGF4+2C	\$686		SHA3426AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3426A25NGF4+2C	\$686		SHA3426AJA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb J3426A25C4+2C	\$686		SHA3426AJA4+2	\$108
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	13 lb J2826A3CG	\$513		SHA2826AJ	\$76
3" smooth Urethane	13.5 lb J2826A3C	\$483		SHA2826AJ	\$76
3" smooth Steel	13.5 lb J2826A3S	\$443		SHA2826AJ	\$76
<u>3" dia. FOUR bodies</u>					
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J2826A3CG4	\$683		SHA2826AJA4	\$91
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J2826A3C4	\$683		SHA2826AJA4	\$91
Jacobsen 26" TR-3 - FRONT & BACK ROLLERS					
<u>2.5" dia. SINGLE body</u>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J3126X25CG	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J3126X25NG	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J3126X25CGF	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J3126X25NGF	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
2.5" smooth Urethane	11 lb J3126X25C	\$396	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
2.5" smooth Steel	11 lb J3126X25S	\$376	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
<u>2.5" dia. TWO opposing end short bodies</u>					
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3104X25CGt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3104X25NGt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3104X25CGFt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3104X25NGFt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J3104X25Ct	\$506	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies 2.5" smooth steel (2x4.75" wide bodies)	6 lb J3104X25St	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
<u>2.5" dia. FOUR bodies</u>					
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25CG4	\$636	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25NG4	\$636	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25CGF4	\$636	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25NGF4	\$636	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J3126X25C4	\$646	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	13 lb J3126X3CG	\$513	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
3" smooth Urethane	13.5 lb J3126X3C	\$493	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
3" smooth Steel	13.5 lb J3126X3S	\$453	26.25" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
<u>3" dia. FOUR bodies</u>					
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3126X3CG4	\$683	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3126X3C4	\$683	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
Jacobsen 30" TRIKING 1684D & 1900D - FRONT & BACK ROLLERS					
<u>2.5" dia. SINGLE body</u>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J3229A25CG	\$456	29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J3229A25NG	\$456	29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J3229A25CGF	\$456	29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J3229A25NGF	\$456	29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" smooth Urethane	12 lb J3229A25C	\$396	29.45" body, 32.19" shaft	SHA3229AJ	\$76
2.5" smooth Steel	12 lb J3229A25S	\$376	29.25" body, 32.19" shaft	SHA3229AJ	\$76
<u>2.5" dia. TWO opposing end short bodies</u>					
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3204A25CGt	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3204A25NGt	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3204A25CGFt	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3204A25NGFt	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J3204A25Ct	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb J3204A25St	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
<u>2.5" dia. SINGLE body + 2 bodies outside of brackets</u>					
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3829A25CG+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3829A25NG+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3829A25CGF+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3829A25NGF+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3829A25C+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
<u>2.5" dia. FOUR bodies</u>					
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3229A25CG4	\$636	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3229A25NG4	\$636	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3229A25CGF4	\$636	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3229A25NGF4	\$636	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J3229A25C4	\$636	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
<u>2.5" dia. FOUR bodies + 2 bodies outside of brackets</u>					
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3829A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3829A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3829A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3829A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb J3829A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft	SHA3829AJA4+2	\$108

		Complete Roller Assemblies	Roller Retail	Overhaul Kit (1 per body) (included in new roller assemblies)	Replacement Shaft Retail
3" dia. SINGLE body					
3" dia. wide grooved Urethane	12.4 lb	J3229A3CG	\$513	29.45" body, 32.19" shaft	
3" smooth Urethane	15 lb	J3229A3C	\$483	29.45" body, 32.19" shaft	SHA3229AJ \$76
3" smooth Steel	15 lb	J3229A3S	\$443	29.25" body, 32.19" shaft	SHA3229AJ \$76
3" dia. FOUR bodies					
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb	J3229A3CG4	\$683	4 short bodies, 32.19" shaft	SHA3229AJA4 \$91
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb	J3229A3C4	\$683	4 short bodies, 32.19" shaft	SHA3229AJA4 \$91
Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - FRONT ROLLER					
3" dia. SINGLE body					
3" dia. wide grooved Urethane	9 lb	J2119A3CG	\$513	19.45" body, 21.25" shaft	SHA2119AJ \$76
3" smooth Urethane	10.5 lb	J2119A3C	\$483	19.45" body, 21.25" shaft	SHA2119AJ \$76
3" smooth Steel	11 lb	J2119A3S	\$443	19.25" body, 21.25" shaft	SHA2119AJ \$76
3" dia. FOUR bodies					
4 bodies 3" dia. wide grooved Urethane (4x4.75" wide bodies)	12 lb	J2119A3CG4	\$673	4 short bodies, 21.25" shaft	SHA2119AJA4 \$91
4 bodies 3" smooth Urethane (4x4.75" wide bodies)	14 lb	J2119A3C4	\$663	4 short bodies, 21.25" shaft	SHA2119AJA4 \$91
To diminish instances of shadowing lines due to overlap of reels					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	8.5 lb	J2119A3CG.22C	\$543	front roller for rear mower heads-use with J2016G2C	SHA2119AJ \$76
2" dia. smooth Urethane	6.5 lb	J2016G2C	\$382	back roller for rear mower heads-use with J2119A3CG.22C	SHA2016GJ \$76
Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - BACK ROLLER (with 7/16-20 tap)					
2" dia. SINGLE body					
2" dia. smooth Urethane	6.5 lb	J2016S2C	\$382	16.25" body, 20.5" shaft-3/8" taps	SHA2016GJ \$76
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb	J2016S2S	\$312	16.25" body, 20.5" shaft-3/8" taps	SHA2016GJ \$76
2" dia. smooth Urethane	6.5 lb	J2016G2C	\$382	16.25" body, 20.5" shaft-7/16" taps	SHA2016GJ \$76
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb	J2016G2S	\$312	16.25" body, 20.5" shaft-7/16" taps	SHA2016GJ \$76
2" dia. smooth Urethane	11 lb	J2019S2C	\$382	19.45" body, 20.5" shaft-3/8" taps	SHA2019SJ \$76
2" dia. smooth Steel heavy (1/4" wall)	11 lb	J2019S2S	\$322	19.25" body, 20.5" shaft-3/8" taps	SHA2019SJ \$76
2" dia. smooth Urethane	11 lb	J2019G2C	\$382	19.45" body, 20.5" shaft-7/16" taps	SHA2019SJ \$76
2" dia. smooth Steel heavy (1/4" wall)	11 lb	J2019G2S	\$322	19.25" body, 20.5" shaft-7/16" taps	SHA2019SJ \$76
2.5" dia. SINGLE body					
2.5" smooth Urethane	11 lb	J2019S25C	\$396	19.45" body, 20.5" shaft-3/8" taps	SHA2019SJ \$76
2.5" smooth steel	11 lb	J2019S25S	\$376	19.25" body, 20.5" shaft-3/8" taps	SHA2019SJ \$76
Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810)					
3" dia. SINGLE body					
3" dia. wide grooved Urethane	9.4 lb	J2522A3CG	\$513	22.45" body, 25.87" shaft	SHA2522AJ \$76
3" smooth Urethane	12 lb	J2522A3C	\$483	22.45" body, 25.87" shaft	SHA2522AJ \$76
3" smooth Steel	11.5 lb	J2522A3S	\$443	22.25" body, 25.87" shaft	SHA2522AJ \$76
3" dia. FOUR bodies					
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	12 lb	J2522A3CG4	\$673	4 short bodies, 25.875" shaft	SHA2522AJA4 \$91
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	14 lb	J2522A3C4	\$663	4 short bodies, 25.875" shaft	SHA2522AJA4 \$91
To diminish instances of shadowing lines due to overlap of reels					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	J2522A3CG.22C	\$543	front roller for rear mower heads-use with J2419S2C	SHA2522AJ \$76
2" dia. smooth Urethane (rear roller)	7 lb	J2419S2C	\$382	back roller for rear mower heads-use with J2522A3CG.22C	SHA2419SJ \$76
Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810)					
2" dia. SINGLE body w/ 3/8" taps in shaft					
2" dia. wide grooved Urethane no flats	6.5 lb	J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ \$76
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ \$76
2" dia. smooth Urethane	8 lb	J2422S2C	\$382	22.25" body, 24.25" shaft-3/8" taps	SHA2422SJ \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422S2S	\$322	22.25" body, 24.25" shaft-3/8" taps	SHA2422SJ \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2419S2CGF	\$382	19.45" body, 24.25" shaft-3/8" taps	SHA2419SJ \$76
2" dia. smooth Urethane	7 lb	J2419S2C	\$382	19.25" body, 24.25" shaft-3/8" taps	SHA2419SJ \$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2419S2S	\$322	19.25" body, 24.25" shaft-3/8" taps	SHA2419SJ \$76
2" dia. SINGLE body w/ 7/16" taps in shaft					
2" dia. wide grooved Urethane no flats	6.5 lb	J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ \$76
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ \$76
2" dia. smooth Urethane	8 lb	J2422G2C	\$382	22.25" body, 24.25" shaft-7/16" taps	SHA2422GJ \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422G2S	\$322	22.25" body, 24.25" shaft-7/16" taps	SHA2422GJ \$76
2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404S2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404S2NGt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404S2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404S2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2402S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2402SJAt \$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2404S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt \$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2404S2St	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt \$91
2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404G2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404G2NGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2402G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2402GJAt \$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2404G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt \$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6.2 lb	J2404G2St	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt \$91
2" dia. FOUR bodies w/ 3/8" taps in shaft					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2422S2CG4	\$582	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJAt \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2422S2NG4	\$582	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJAt \$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2CGF4	\$582	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJAt \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2NGF4	\$582	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJAt \$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	J2422S2C4	\$582	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJAt \$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	J2422S2S4	\$582	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJAt \$91

	Complete Roller Assemblies	Roller Retail	Overhaul Kit (1 per body) (included in new roller assemblies)	Replacement Shaft Shaft Retail
2" dia. FOUR bodies w/ 7/16" taps in shaft				
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2CG4	\$582		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2NG4	\$582	SHA2422GJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2CGF4	\$582	SHA2422GJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2NGF4	\$582	SHA2422GJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422G2C4	\$582	SHA2422GJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422G2S4	\$582	SHA2422GJA4	\$91
2.5" dia. SINGLE body w/ 3/8" taps in shaft				
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421S25CG	\$456	SHA2421SJ	\$76
2.5" smooth Urethane	8.8 lb J2421S25C	\$396	SHA2421SJ	\$76
2.5" smooth Steel	9.5 lb J2421S25S	\$376	SHA2421SJ	\$76
2.5" dia. SINGLE body w/ 7/16" taps in shaft				
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421G25CG	\$456	SHA2421GJ	\$76
2.5" smooth Urethane	8.8 lb J2421G25C	\$396	SHA2421GJ	\$76
2.5" smooth Steel	9.5 lb J2421G25S	\$376	SHA2421GJ	\$76
2.5" dia. TWO opposing end short bodies				
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25CGt	\$496	SHA2404SJA4	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25NGt	\$496	SHA2404SJA4	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25CGFt	\$496	SHA2404SJA4	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25NGFt	\$496	SHA2404SJA4	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S25Ct	\$496	SHA2404SJA4	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb J2404S25St	\$496	SHA2404SJA4	\$91
2.5" dia. FOUR bodies				
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) no flats	10.5 lb J2421S25CG4	\$636	SHA2421SJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) no flats	10.5 lb J2421S25NG4	\$636	SHA2421SJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) 1" flats	10.5 lb J2421S25CGF4	\$636	SHA2421SJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) 1" flats	10.5 lb J2421S25NGF4	\$636	SHA2421SJA4	\$91
4 bodies 2.5" smooth Urethane (2x4.75"+2x5.55" wide bodies)	9 lb J2421S25C4	\$636	SHA2421SJA4	\$91
Jacobsen 26" LIGHT FAIRWAY LF2500 & 3050 - FRONT & BACK ROLLERS				
3" dia. SINGLE body				
3" dia. wide grooved Urethane	13 lb J3026X3CG	\$513	SHA3026XJ	\$76
3" smooth Urethane	13.5 lb J3026X3C	\$493	SHA3026XJ	\$76
3" smooth Steel	13.5 lb J3026X3S	\$453	SHA3026XJ	\$76
3" dia. FOUR bodies				
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3026X3CG4	\$683	SHA3026XJA4	\$96
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3026X3C4	\$663	SHA3026XJA4	\$96
Jacobsen 30" ST5111, FAIRWAY, GANG, HF5 & HF15 - FRONT & BACK ROLLERS				
3" dia. SINGLE body				
3" dia. wide grooved Urethane	12.4 lb J3329A3CG	\$513	SHA3329AJ	\$76
3" smooth Urethane	15 lb J3329A3C	\$483	SHA3329AJ	\$76
3" smooth Steel	15 lb J3329A3S	\$443	SHA3329AJ	\$76
Jacobsen ROTARY AR-522 & AR-722 26" DECK - FRONT ROLLER				
5" grooved Urethane (4" wide body) double row bearings	10 lb 2J0404G5CG	\$315	SHA0404GJ	\$76
5" smooth Urethane (4" wide body) double row bearings	11 lb 2J0404G5C	\$295	SHA0404GJ	\$76
Jacobsen ROTARY AR-522, AR-722, & AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)				
3" dia. SINGLE body				
3" dia. wide grooved Urethane with double row bearings	12.5 lb 2J2926R3CGR	\$553	SHA2926RJ	\$91
3" smooth Urethane with double row bearings	13.3 lb 2J2926R3CR	\$533	SHA2926RJ	\$91
3" smooth Steel with double row bearings	14 lb 2J2926R3SR	\$533	SHA2926RJ	\$91
3" dia. wide grooved Urethane with double row bearings	12.5 lb 2J2926Q3CGR	\$553	SHA2926QJ	\$91
3" smooth Urethane with double row bearings	13.3 lb 2J2926Q3CR	\$533	SHA2926QJ	\$91
3" smooth Steel with double row bearings	14 lb 2J2926Q3SR	\$533	SHA2926QJ	\$91
3" dia. TWO opposing end short bodies				
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2J2905R3CGRt	\$613	SHA2905RJA4	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb 2J2904R3CRt	\$573	SHA2905RJA4	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb 2J2904R3SRt	\$573	SHA2905RJA4	\$98
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2J2905Q3CGRt	\$613	SHA2905QJA4	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb 2J2904Q3CRt	\$573	SHA2905RJA4	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb 2J2904Q3SRt	\$573	SHA2905RJA4	\$98
3" dia. FOUR bodies				
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb 2J2926R3CGR4	\$703	SHA2926RJA4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb 2J2926R3CR4	\$703	SHA2926RJA4	\$98
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb 2J2926Q3CGR4	\$703	SHA2926QJA4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb 2J2926Q3CR4	\$703	SHA2926RJA4	\$98
3.5" dia. SINGLE body				
3.5" smooth Urethane with double row bearings	17 lb 2J2926R35CR	\$617	SHA2926RJ	\$91
3.5" smooth Urethane with double row bearings	17 lb 2J2926Q35CR	\$617	SHA2926QJ	\$91
4" dia. SINGLE body				
4" smooth Urethane-double row bearings	24 lb 2J2926R4CR	\$694	SHA2926RJ	\$91
4" smooth Steel-double row bearings	27 lb 2J2926R4SR	\$694	SHA2926RJ	\$91
Jacobsen ROTARY AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)				
3" dia. SINGLE body				
3" dia. wide grooved Urethane with double row bearings	13 lb 2J3026D3CGR	\$543	SHA3026DJ	\$76
3" smooth Urethane with double row bearings	13.4 lb 2J3026D3CR	\$533	SHA3026DJ	\$76
3" smooth Steel with double row bearings	14 lb 2J3026D3SR	\$533	SHA3026DJ	\$76
3" dia. TWO opposing end short bodies				
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6 lb 2J3005D3CGRt	\$643	SHA3005DJA4	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.3 lb 2J3004D3CRt	\$643	SHA3005DJA4	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb 2J3004D3SRt	\$643	SHA3005DJA4	\$98
3" dia. FOUR bodies				
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	13.5 lb 2J3026R3CGR4	\$703	SHA3026RJA4	\$98
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	14 lb 2J3026R3CR4	\$703	SHA3026DJJA4	\$98
non-skidding for tight turns & ground undulations				
4 short bodies, 24.25" shaft-7/16" taps				
4 short bodies, 24.25" shaft-7/16" taps				
4 short bodies, 24.25" shaft-7/16" taps				
4 short bodies, 24.25" shaft-7/16" taps				
4 short bodies, 24.25" shaft-7/16" taps				
4 short bodies, 24.25" shaft-7/16" taps				
4 short bodies, 24.25" shaft-7/16" taps				
4 short bodies, 24.25" shaft-7/16" taps				
non-stripping, non-skidding for tight turns & ground undulations				
2 short twin bodies at ends of 24.25" shaft-3/8" taps				
2 short twin bodies at ends of 24.25" shaft-3/8" taps				
2 short twin bodies at ends of 24.25" shaft-3/8" taps				
2 short twin bodies at ends of 24.25" shaft-3/8" taps				
2 short twin bodies at ends of 24.25" shaft-3/8" taps				
2 short twin bodies at ends of 24.25" shaft-3/8" taps				
2 short twin bodies at ends of 24.25" shaft-3/8" taps				
2 short twin bodies at ends of 24.25" shaft-3/8" taps				
non-skidding for tight turns & ground undulations				
4 short bodies at ends of 24.25" shaft-3/8" taps				
4 short bodies at ends of 24.25" shaft-3/8" taps				
4 short bodies at ends of 24.25" shaft-3/8" taps				
4 short bodies at ends of 24.25" shaft-3/8" taps				
4 short bodies at ends of 24.25" shaft-3/8" taps				
4 short bodies at ends of 24.25" shaft-3/8" taps				
4 short bodies at ends of 24.25" shaft-3/8" taps				
4 short bodies at ends of 24.25" shaft-3/8" taps				
Call to upgrade with double row angular contact bearings				
26.45" body, 30.5" shaft-1/2" dia. ends				
26.45" body, 30.5" shaft-1/2" dia. ends				
26.25" body, 30.5" shaft-1/2" dia. ends				
non-skidding for tight turns & ground undulations				
4 short bodies, 30.5" shaft-1/2" dia. ends				
4 short bodies, 30.5" shaft-1/2" dia. ends				
Call to upgrade with double row angular contact bearings				
29.45" body, 33" shaft				
29.45" body, 33" shaft				
29.25" body, 33" shaft				
Roller assembly includes sleeves & bolts for mounting to fork				
Roller assembly includes sleeves & bolts for mounting to fork				
26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends				
26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends				
26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends				
26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end				
26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end				
26.25" body, 29.42" dia. shaft-1 large milled flat end & 1 round end				
non-stripping, non-skidding for tight turns & ground undulations				
2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends				
2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends				
2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends				
2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end				
2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end				
2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end				
non-skidding for tight turns & ground undulations				
4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends				
4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends				
4 short bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end				
4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends				
26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends				
26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end				
26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends				
26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends				
non-stripping, non-skidding for tight turns & ground undulations				
2 short twin bodies, 30" shaft-specify configuration of shaft ends				
2 short twin bodies, 30" shaft-specify configuration of shaft ends				
2 short twin bodies, 30" shaft-specify configuration of shaft ends				
non-skidding for tight turns & ground undulations				
4 short twin bodies, 30" shaft-specify configuration of shaft ends				
4 short twin bodies, 30" shaft-specify configuration of shaft ends				

	Complete Roller Assemblies	Roller Retail		Overhaul Kit (1 per body) (included in new roller assemblies)	Replacement Shaft Replacement Shaft Replacement Shaft
3.5" dia. SINGLE body					
3.5" smooth Urethane with double row bearings	17 lb 2J3026D35CR	\$617	26.45" body, 30" shaft-specify configuration of shaft ends		
4" dia. SINGLE body					
4" smooth Urethane-double row bearings	24 lb 2J3026R4CR	\$694	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
4" smooth Steel-double row bearings	28 lb 2J3026R4SR	\$694	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm shaft configuration on ends)					
3" dia. SINGLE body					
3" dia. wide grooved Urethane with double row bearings	14.5 lb 2J3429R3CGR	\$543	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
3" smooth Urethane with double row bearings	15.5 lb 2J3429R3CR	\$533	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
3" smooth Steel with double row bearings	15.5 lb 2J3429R3SR	\$533	29.25" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
3" dia. TWO opposing end short bodies					
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6.5 lb 2J3405R3CGRt	\$643	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3405RJAt	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.7 lb 2J3404R3CRt	\$643	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3404RJAt	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8.5 lb 2J3404R3SRt	\$643	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3404RJAt	\$98
3" dia. FIVE bodies					
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies) double row bearings	15.5 lb 2J3429R3CGR5	\$743	5 short bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJAs	\$98
5 bodies 3" smooth Urethane (5x5.2" wide bodies) double row bearings	16.5 lb 2J3429R3CR5	\$743	5 short bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJAs	\$98
3.5" dia. SINGLE body					
3.5" smooth Urethane with double row bearings	19 lb 2J3429R35CR	\$617	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
4" dia. SINGLE body					
4" smooth Urethane-double row bearings	26 lb 2J3429R4CR	\$694	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
4" smooth Steel-double row bearings	29 lb 2J3429R4SR	\$694	29.25" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER					
3" dia. SINGLE body					
3" smooth Urethane with double row bearings	15.5 lb 2J2722X3CR	\$533	22.45" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
3" smooth Steel with double row bearings	15.5 lb 2J2722X3SR	\$533	22.25" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
3.5" dia. SINGLE body					
3.5" smooth Urethane with double row bearings	19 lb 2J2722X35CR	\$617	22.45" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
4" dia. SINGLE body					
4" smooth Urethane-double row bearings	23 lb 2J2722X4CR	\$694	22.45" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
4" smooth Steel-double row bearings	26 lb 2J2722X4SR	\$694	22.25" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
for JOHN DEERE mowers					
John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS - FRONT ROLLER					
2" dia. SINGLE body					
2" dia. wide grooved Urethane no flats	6.5 lb D2119A2CG	\$382	19.45" body, 21.25" shaft	SHA2119AD	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb D2119A2NG	\$382	19.45" body, 21.25" shaft	SHA2119AD	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb D2119A2CGF	\$382	19.45" body, 21.25" shaft	SHA2119AD	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2119A2NGF	\$382	19.45" body, 21.25" shaft	SHA2119AD	\$76
2" dia. smooth Urethane	7.5 lb D2119A2C	\$382	19.25" body, 21.25" shaft	SHA2119AD	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb D2119A2S	\$322	19.25" body, 21.25" shaft	SHA2119AD	\$76
2" dia. TWO opposing end short bodies					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2CGt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2104A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2102A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2102ADAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	4.2 lb D2104A2St	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets					
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb D2719A2CG+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb D2719A2NG+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb D2719A2CGF+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb D2719A2NGF+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. smooth Urethane (19.25" inner+2x2" outer bodies)	13 lb D2719A2C+2C	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. smooth Steel heavy (19.25" inner+2x2" outer bodies)	15 lb D2719A2S+2S	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
2" dia. FOUR bodies					
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2CG4	\$582	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2NG4	\$582	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2CGF4	\$582	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2NGF4	\$582	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb D2119A2C4	\$582	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb D2119A2S4	\$582	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets					
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb D2719A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb D2719A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb D2719A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb D2719A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	13 lb D2719A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	15 lb D2719A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
John Deere 22" 220 & 220SL WALKING & 2500, 2400, 2550, 2700, 2750 & 2243 RIDING GREENSMOWERS - FRONT & BACK ROLLERS					
2" dia. SINGLE body					
2" dia. wide grooved Urethane no flats	6.5 lb D2522C2CG	\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522C2CGF	\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522C2NGF	\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
2" dia. smooth Urethane	7.9 lb D2522C2C	\$382	22.25" body, 25.5" shaft	SHA2522CD	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	\$322	22.25" body, 25.5" shaft	SHA2522CD	\$76

		Complete Roller Assemblies	Roller Retail	Replacement			
				Overhaul Kit (1 per body) (included in new roller assemblies)	Replacement Shaft	Retail	
<u>2" dia. TWO opposing end short bodies</u>							
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C2NGt	\$452	SHA2504CDAt			\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C2CGFt	\$452	SHA2504CDAt			\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C2NGFt	\$452	SHA2504CDAt			\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2502C2Ct	\$452	SHA2502CDAt			\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2504C2Ct	\$452	SHA2504CDAt			\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb D2504C2St	\$452	SHA2504CDAt			\$91
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>							
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2CG+2C	\$512	non-skidding for tight turns & ground undulations			
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108
extended	2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108
extended	2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122C2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108
<u>2" dia. FOUR bodies</u>							
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2CG4	\$582	non-skidding for tight turns & ground undulations			
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2NG4	\$582	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2CGF4	\$582	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NGF4	\$582	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies	2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522C2C4	\$582	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies	2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522C2S4	\$582	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
<u>2" dia. FOUR bodies + 2 bodies outside of brackets</u>							
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	12 lb D3122C2CG4+2C	\$672	non-skidding for tight turns & ground undulations			
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	12 lb D3122C2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb D3122C2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies	2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb D3122C2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies	2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb D3122C2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
<u>2.5" dia. SINGLE body</u>							
2.5" dia.	wide grooved (1" spacing) Urethane no flats	8.5 lb D2522C25CG	\$456	non-stripping, non-skidding for tight turns & ground undulations			
2.5" dia.	narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb D2522C25NG	\$456	22.45" body, 25.5" shaft		SHA2522CD	\$76
2.5" dia.	wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522C25CGF	\$456	22.45" body, 25.5" shaft		SHA2522CD	\$76
2.5" dia.	narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb D2522C25NGF	\$456	22.45" body, 25.5" shaft		SHA2522CD	\$76
2.5" smooth Urethane		9.5 lb D2522C25C	\$396	22.45" body, 25.5" shaft		SHA2522CD	\$76
2.5" smooth Steel		9.2 lb D2522C25S	\$376	22.25" body, 25.5" shaft		SHA2522CD	\$76
<u>2.5" dia. TWO opposing end short bodies</u>							
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2504C25NGt	\$496	2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C25CGFt	\$496	2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2504C25NGFt	\$496	2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb D2504C25Ct	\$496	2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb D2504C25St	\$496	2 short twin independent roller bodies, 25.5" shaft		SHA2504CDAt	\$91
<u>2.5" dia. SINGLE body + 2 bodies outside of brackets</u>							
extended	2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C25CG+2C	\$566	non-skidding for tight turns & ground undulations			
extended	2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C25NG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2	\$108
extended	2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C25CGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2	\$108
extended	2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C25NGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2	\$108
extended	2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C25C+2C	\$566	22.25" center body + 2 short outer bodies, 31.87" shaft		SHA3122CDA+2	\$108
<u>2.5" dia. FOUR bodies</u>							
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25CG4	\$636	non-skidding for tight turns & ground undulations			
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25NG4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25CGF4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25NGF4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	10 lb D2522C25C4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91
<u>2.5" dia. FOUR bodies + 2 bodies outside of brackets</u>							
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb D3122C25CG4+2C	\$686	non-skidding for tight turns & ground undulations			
6 bodies	2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	10.5 lb D3122C25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	10.5 lb D3122C25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	10.5 lb D3122C25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
6 bodies	2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb D3122C25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2	\$108
John Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER							
<u>2" dia. SINGLE body</u>							
2" dia.	wide grooved Urethane no flats	7.8 lb D2926A2CG	\$382	non-stripping, non-skidding for tight turns & ground undulations			
2" dia.	narrow grooved Urethane no flats	7.8 lb D2926A2NG	\$382	26.45" body, 29.75" shaft		SHA2926AD	\$76
2" dia.	wide grooved Urethane 1" flats	8 lb D2926A2CGF	\$382	26.45" body, 29.75" shaft		SHA2926AD	\$76
2" dia.	narrow grooved Urethane 1" flats	8 lb D2926A2NGF	\$382	26.45" body, 29.75" shaft		SHA2926AD	\$76
2" dia.	smooth Urethane	9.5 lb D2926A2C	\$382	26.25" body, 29.75" shaft		SHA2926AD	\$76
2" dia.	smooth Steel heavy (1/4" wall)	12.5 lb D2926A2S	\$322	26.25" body, 29.75" shaft		SHA2926AD	\$76
<u>2" dia. TWO opposing end short bodies</u>							
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2904A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2904A2NGt	\$452	2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2904A2CGFt	\$452	2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2904A2NGFt	\$452	2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2902A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft		SHA2902ADAt	\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2904A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb D2904A2St	\$452	2 short twin bodies at ends of 29.75" shaft		SHA2904ADAt	\$91

		Complete Roller Assemblies	Roller Retail	Overhaul Kit (1 per body)	Replacement Shaft	Replacement Retail
2" dia. SINGLE body + 2 bodies outside of brackets						
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb D3526A2CG+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2 \$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb D3526A2NG+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2 \$108
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb D3526A2CGF+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2 \$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb D3526A2NGF+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2 \$108
extended	2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb D3526A2C+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2 \$108
extended	2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb D3526A2S+2S	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2 \$108
2" dia. FOUR bodies						
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb D2926A2CG4	\$582	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb D2926A2NG4	\$582	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb D2926A2CGF4	\$582	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb D2926A2NGF4	\$582	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb D2926A2C4	\$582	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb D2926A2S4	\$582	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
2" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb D3526A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb D3526A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb D3526A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb D3526A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb D3526A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	13 lb D3526A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
2.5" dia. SINGLE body						
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb D2926A25CG	\$456	26.45" body, 29.75" shaft		SHA2926AD \$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb D2926A25NG	\$456	26.45" body, 29.75" shaft		SHA2926AD \$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb D2926A25CGF	\$456	26.45" body, 29.75" shaft		SHA2926AD \$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9.5 lb D2926A25NGF	\$456	26.45" body, 29.75" shaft		SHA2926AD \$76
	2.5" smooth Urethane	11 lb D2926A25C	\$396	26.45" body, 29.75" shaft		SHA2926AD \$76
	2.5" smooth Steel	11 lb D2926A25S	\$376	26.45" body, 29.75" shaft		SHA2926AD \$76
2.5" dia. TWO opposing end short bodies						
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2904A25CGt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADA1 \$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2904A25NGt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADA1 \$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2904A25CGFt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADA1 \$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2904A25NGFt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADA1 \$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	7 lb D2904A25Ct	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADA1 \$91
2.5" dia. SINGLE body + 2 bodies outside of brackets						
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb D3526A25CG+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2 \$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb D3526A25NG+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2 \$108
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb D3526A25CGF+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2 \$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb D3526A25NGF+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2 \$108
extended	2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb D3526A25C+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2 \$108
2.5" dia. FOUR bodies						
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb D2926A25CG4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb D2926A25NG4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb D2926A25CGF4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb D2926A25NGF4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)	13 lb D2926A25C4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4 \$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb D3526A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb D3526A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb D3526A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb D3526A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
6 bodies	2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb D3526A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2 \$108
John Deere 22" 3215 & 3225 LIGHT FAIRWAY MOWERS - FRONT & BACK ROLLERS						
2" dia. SINGLE body						
Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call						
	2" dia. wide grooved Urethane no flats	6.7 lb D2522C2CG	\$382	22.45" body, 25.5" shaft		SHA2522CD \$76
	2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	\$382	22.45" body, 25.5" shaft		SHA2522CD \$76
	2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2CGF	\$382	22.45" body, 25.5" shaft		SHA2522CD \$76
	2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2NGF	\$382	22.45" body, 25.5" shaft		SHA2522CD \$76
	2" dia. smooth Urethane	7.9 lb D2522C2C	\$382	22.25" body, 25.5" shaft		SHA2522CD \$76
	2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	\$322	22.25" body, 25.5" shaft		SHA2522CD \$76
John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT & BACK ROLLERS (2 styles)						
2" dia. SINGLE body						
Rollers for QA-5 reels (with 1 flat on one end of the shaft):						
	3" dia. wide grooved Urethane	9.5 lb D2522C3CG	\$513	22.45" body, 25.5" shaft-1 flat		SHA2522CD \$76
	3" smooth Urethane	12 lb D2522C3C	\$483	22.45" body, 25.5" shaft-1 flat		SHA2522CD \$76
	3" smooth Steel	11.5 lb D2522C3S	\$443	22.25" body, 25.5" shaft-1 flat		SHA2522CD \$76
To diminish instances of shadowing lines due to overlap of reels						
	3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CG.22C	\$543	front roller for rear mower heads-use with D2519C3C		SHA2522CD \$76
	3" smooth Urethane	11 lb D2519C3C	\$483	back roller for rear mower heads-use with D2522C3CG.22C		SHA2519CD \$76
Rollers with 2 flats on 1 end of the shaft:						
	3" dia. wide grooved Urethane	9.5 lb D2522F3CG	\$513	22.45" body, 25.5" shaft-2 flats on 1 end		SHA2522FD \$76
	3" smooth Urethane	11 lb D2522F3C	\$483	22.45" body, 25.5" shaft-2 flats on 1 end		SHA2522FD \$76
	3" smooth Steel	12 lb D2522F3S	\$443	22.25" body, 25.5" shaft-2 flats on 1 end		SHA2522FD \$76
To diminish instances of shadowing lines due to overlap of reels						
	3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CG.22C	\$543	front roller for rear mower heads-use with D2519F3C		SHA2522FD \$76
	3" smooth Urethane	11 lb D2519F3C	\$483	back roller for rear mower heads-use with D2522F3CG.22C		SHA2519FD \$76

			Complete Roller Assemblies	Roller Retail				Overhaul Kit	Replacement Shaft	Replacement Retail		
John Deere 22" 7500/ 8500 & 6700/7700/ 8700 PRECISION CUT & E-CUT FAIRWAY (QA5 & QA7 reels)					Call to upgrade with double row angular contact bearings					(1 per body)	Shaft	Retail
Rollers for QA-5 reels (with 1 flat on 1 end of the shaft):										(included in new roller assemblies)		
2" dia. SINGLE body												
2" dia. wide grooved Urethane no flats			6.5 lb	D2522C2CG	\$382	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2" dia. narrow grooved Urethane no flats			6.7 lb	D2522C2NG	\$382	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2" dia. wide grooved Urethane 1" flats			6.5 lb	D2522C2CGF	\$382	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2" dia. narrow grooved Urethane 1" flats			6.7 lb	D2522C2NGF	\$382	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2" dia. smooth Urethane			7.9 lb	D2522C2C	\$382	22.25" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2" dia. smooth Steel heavy (1/4" wall)			11.5 lb	D2522C2S	\$322	22.25" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2" dia. SINGLE body + 2 bodies outside of brackets					non-stripping, non-skidding for tight turns & ground undulations							
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats			12 lb	D3122C2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108		
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats			12 lb	D3122C2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108		
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats			12 lb	D3122C2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108		
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats			12 lb	D3122C2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108		
extended	2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)			13 lb	D3122C2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108		
extended	2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)			13 lb	D3122C2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2	\$108		
2" dia. FOUR bodies					non-skidding for tight turns & ground undulations							
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats			8.5 lb	D2522C2CG4	\$582	4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91		
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats			8.5 lb	D2522C2NG4	\$582	4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91		
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats			8.5 lb	D2522C2CGF4	\$582	4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91		
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats			8.5 lb	D2522C2NGF4	\$582	4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91		
4 bodies	2" dia. smooth Urethane (4x5.55" wide bodies)			8 lb	D2522C2C4	\$582	4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91		
4 bodies	2" dia. smooth Steel heavy (4x5.55" wide bodies)			12 lb	D2522C2S4	\$582	4 short bodies, 25.5" shaft-1 flat		SHA2522CDA4	\$91		
2.5" dia. SINGLE body					non-skidding for tight turns & ground undulations							
2.5" dia. wide grooved (1" spacing) Urethane no flats			8.5 lb	D2522C25CG	\$456	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats			8.5 lb	D2522C25NG	\$456	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2.5" dia. wide grooved (1" spacing) Urethane 1" flats			8.5 lb	D2522C25CGF	\$456	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats			8.5 lb	D2522C25NGF	\$456	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2.5" smooth Urethane			9.5 lb	D2522C25C	\$396	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
2.5" smooth Steel			9.2 lb	D2522C25S	\$376	22.25" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
To diminish instances of shadowing lines due to overlap of reels					call for proper application specifics							
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats			8.5 lb	D2522C25CG.22C	\$496	front roller for rear mower heads-use with D2519C25C			SHA2522CD	\$76		
2.5" smooth Urethane			9.5 lb	D2519C25C	\$396	back roller for rear mower heads-use with D2522C25CG.22C			SHA2519CD	\$76		
2.5" dia. FOUR bodies					non-skidding for tight turns & ground undulations							
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats			10.5 lb	D2522C25CG4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91		
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats			10.5 lb	D2522C25NG4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91		
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats			10.5 lb	D2522C25CGF4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91		
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats			10.5 lb	D2522C25NGF4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91		
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)			10 lb	D2522C25C4	\$636	4 short bodies, 25.5" shaft		SHA2522CDA4	\$91		
3" dia. SINGLE body												
3" dia. wide grooved Urethane			9.5 lb	D2522C3CG	\$513	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
3" smooth Urethane			12 lb	D2522C3C	\$483	22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
3" smooth Steel			11.5 lb	D2522C3S	\$443	22.25" body, 25.5" shaft-1 flat			SHA2522CD	\$76		
To diminish instances of shadowing lines due to overlap of reels					call for proper application specifics							
3" dia. wide grooved Urethane with 2.2" wide smooth ends			9.5 lb	D2522C3CG.22C	\$543	front roller for rear mower heads-use with D2519C3C			SHA2522CD	\$76		
3" smooth Urethane			11 lb	D2519C3C	\$483	back roller for rear mower heads-use with D2522C3CG.22C			SHA2519CD	\$76		
Rollers for QA-7 reels (with 2 flats on 1 end of the shaft):												
2" dia. SINGLE body												
2" dia. wide grooved Urethane no flats			6.5 lb	D2522F2CG	\$382	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2" dia. narrow grooved Urethane no flats			6.7 lb	D2522F2NG	\$382	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2" dia. wide grooved Urethane 1" flats			6.5 lb	D2522F2CGF	\$382	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2" dia. narrow grooved Urethane 1" flats			6.7 lb	D2522F2NGF	\$382	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2" dia. smooth Urethane			7.9 lb	D2522F2C	\$382	22.25" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2" dia. smooth Steel heavy (1/4" wall)			11.5 lb	D2522F2S	\$322	22.25" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2" dia. SINGLE body + 2 bodies outside of brackets					non-skidding for tight turns & ground undulations							
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats			12 lb	D3122F2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2	\$112		
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats			12 lb	D3122F2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2	\$112		
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats			12 lb	D3122F2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2	\$112		
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats			12 lb	D3122F2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2	\$112		
extended	2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)			13 lb	D3122F2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2	\$112		
extended	2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)			13 lb	D3122F2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2	\$112		
2" dia. FOUR bodies					non-skidding for tight turns & ground undulations							
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats			8.5 lb	D2522F2CG4	\$582	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98		
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats			8.5 lb	D2522F2NG4	\$582	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98		
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats			8.5 lb	D2522F2CGF4	\$582	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98		
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats			8.5 lb	D2522F2NGF4	\$582	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98		
4 bodies	2" dia. smooth Urethane (4x5.55" wide bodies)			8 lb	D2522F2C4	\$582	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98		
4 bodies	2" dia. smooth Steel heavy (4x5.55" wide bodies)			12 lb	D2522F2S4	\$582	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98		
2.5" dia. SINGLE body					non-skidding for tight turns & ground undulations							
2.5" dia. wide grooved (1" spacing) Urethane no flats			8.5 lb	D2522F25CG	\$456	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats			8.5 lb	D2522F25NG	\$456	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$76		
2.5" dia. wide grooved (1" spacing) Urethane 1" flats			8.5 lb	D2522F25CGF	\$456	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats			8.5 lb	D2522F25NGF	\$456	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$76		
2.5" smooth Urethane			9.5 lb	D2522F25C	\$396	22.45" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
2.5" smooth Steel			9.2 lb	D2522F25S	\$376	22.25" body, 25.5" shaft w/ 2 flats			SHA2522FD	\$82		
To diminish instances of shadowing lines due to overlap of reels					call for proper application specifics							
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats			8.5 lb	D2522F25CG.22C	\$496	front roller for rear mower heads-use with D2519F25C			SHA2522FD	\$82		
2.5" smooth Urethane			9.5 lb	D2519F25C	\$396	back roller for rear mower heads-use with D2522F25CG.22C			SHA2519FD	\$82		

		Complete Roller Assemblies	Roller Retail	Replacement Overhaul Kit (1 per body) (included in new roller assemblies)		Replacement Shaft	Retail
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522F25CG4	\$636	4 short bodies, 25.5" shaft w/ 2 flats			
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522F25NG4	\$636	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522F25CGF4	\$636	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522F25NGF4	\$636	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	10 lb D2522F25C4	\$636	4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4	\$98
3" dia. SINGLE body							
	3" dia. wide grooved Urethane	9.5 lb D2522F3CG	\$513	22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
	3" smooth Urethane	12 lb D2522F3C	\$483	22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
	3" smooth Steel	11.5 lb D2522F3S	\$443	22.25" body, 25.5" shaft w/ 2 flats		SHA2522FD	\$82
To diminish instances of shadowing lines due to overlap of reels				call for proper application specifics			
	3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CG.22C	\$543	front roller for rear mower heads-use with D2519F3C		SHA2522FD	\$82
	3" smooth Urethane	11 lb D2519F3C	\$483	back roller for rear mower heads-use with D2522F3CG.22C		SHA2519FD	\$82
3" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	3" dia. wide grooved Urethane (2x5.2" wide bodies)	6.5 lb D2505F3CGt	\$583	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end		SHA2505FDAI	\$98
2 bodies	3" smooth Urethane (2x4" wide bodies)	6 lb D2504F3Ct	\$553	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end		SHA2504FDAI	\$98
John Deere 18" 8000A & 6080A PRECISION CUT & E-CUT FAIRWAY - FRONT & BACK ROLLERS				Call to upgrade with double row angular contact bearings			
2" dia. SINGLE body							
	2" dia. wide grooved Urethane no flats	6.5 lb D2218C2CG	\$402	18.45" body, 22" dia. shaft		SHA2218CD	\$76
	2" dia. narrow grooved Urethane no flats	6.7 lb D2218C2NG	\$402	18.45" body, 22" dia. shaft		SHA2218CD	\$76
	2" dia. wide grooved Urethane 1" flats	6.5 lb D2218C2CGF	\$402	18.45" body, 22" dia. shaft		SHA2218CD	\$76
	2" dia. narrow grooved Urethane 1" flats	6.7 lb D2218C2NGF	\$402	18.45" body, 22" dia. shaft		SHA2218CD	\$76
	2" dia. smooth Urethane	7.5 lb D2218C2C	\$382	18.45" body, 22" dia. shaft		SHA2218CD	\$76
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb D2218C2S	\$362	18.45" body, 22" dia. shaft		SHA2218CD	\$76
	2" dia. smooth Steel heavy (1/4" wall)	9 lb D2216A2S	\$362	16.2" body, 22" dia. shaft		SHA2216AD	\$76
2" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2CGt	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2104A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2102A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2102ADAI	\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	4.2 lb D2104A2St	\$452	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations			
extended	2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A2CG+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2718ADA+2	\$108
extended	2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A2NG+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2718ADA+2	\$108
extended	2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A2CGF+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2718ADA+2	\$108
extended	2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A2NGF+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2718ADA+2	\$108
extended	2" dia. smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb D2718A2C+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2718ADA+2	\$108
extended	2" dia. smooth Steel heavy (18.25" inner+2x2" outer bodies)	15 lb D2718A2S+2S	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2718ADA+2	\$108
2" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2CG4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2NG4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2CGF4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2NGF4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb D2119A2C4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb D2119A2S4	\$582	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
2.5" dia. SINGLE body							
	2.5" dia. wide grooved (1" spacing) Urethane no flats	6.7 lb D2218A25CG	\$496	18.2" body, 22" dia. shaft		SHA2218AD	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	6.7 lb D2218A25NG	\$486	18.2" body, 22" dia. shaft		SHA2218AD	\$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	6.7 lb D2218A25CGF	\$486	18.2" body, 22" dia. shaft		SHA2218AD	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	6.7 lb D2218A25NGF	\$486	18.2" body, 22" dia. shaft		SHA2218AD	\$76
	2.5" smooth Urethane	7.5 lb D2218A25C	\$396	18.2" body, 22" dia. shaft		SHA2218AD	\$76
	2.5" smooth Steel	9.2 lb D2218A25S	\$376	18.0" body, 22" dia. shaft		SHA2218AD	\$76
2.5" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A25CGt	\$496	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A25NGt	\$496	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A25CGFt	\$496	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A25NGFt	\$496	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb D2104A25Ct	\$496	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2 bodies	2.5" smooth Urethane (2x2" wide bodies)	4 lb D2102A25Ct	\$496	2 short twin bodies at ends of a 21.25" shaft		SHA2102ADAI	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb D2104A25St	\$496	2 short twin bodies at ends of a 21.25" shaft		SHA2104ADAI	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations			
extended	2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A25CG+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended	2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb D2718A25NG+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended	2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A25CGF+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended	2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb D2718A25NGF+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended	2.5" smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb D2718A25C+2C	\$586	18.45" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
extended	2.5" smooth Steel (18.25" inner+2x2" outer bodies)	15 lb D2718A25S+2S	\$606	19.25" center body + 2 short outer bodies, 27.25" shaft		SHA2718ADA+2	\$108
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies	2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A25CG4	\$636	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A25NG4	\$636	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A25CGF4	\$636	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A25NGF4	\$636	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2.5" smooth Urethane (4x4.75" wide bodies)	8 lb D2119A25C4	\$636	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91
4 bodies	2.5" smooth Steel (4x4.75" wide bodies)	12 lb D2119A25S4	\$626	4 short bodies, 21.25" shaft		SHA2119ADA4	\$91

			Complete Roller Assemblies	Roller Retail	Replacement Shaft		
						Overhaul Kit (1 per body)	Replacement Shaft Retail (included in new roller assemblies)
3" dia. SINGLE body							
3" dia. wide grooved Urethane	6.6 lb	D2218C3CG	\$533	18.45" body, 22" dia. shaft			
3" smooth Urethane	7.5 lb	D2218C3C	\$483	18.45" body, 22" dia. shaft		SHA2218CD	\$76
3" smooth Steel	9.2 lb	D2218C3S	\$443	18.25" body, 22" dia. shaft		SHA2218CD	\$76
To diminish instances of shadowing lines due to overlap of reels				call for proper application specifics			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	6.8 lb	D2218A25CG.22C	\$496	front roller for rear mower heads-use with D2215A25C		SHA2218AD	\$91
2.5" smooth Urethane	7 lb	D2215A25C	\$416	back roller for rear mower heads-use with D2218A25CG.22C		SHA2215AD	\$76
3" dia. wide grooved Urethane with 2.2" wide smooth ends	6.8 lb	D2218A3CG.22C	\$563	front roller for rear mower heads-use with D2215A3C		SHA2218AD	\$76
3" smooth Urethane	7 lb	D2215A3C	\$503	back roller for rear mower heads-use with D2218A3CG.22C		SHA2215AD	\$76
John Deere 26" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)				Call to upgrade with double row angular contact bearings			
3" dia. SINGLE body							
3" dia. wide grooved Urethane	11.1 lb	D2926F3CG	\$513	26.45" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA2926FD	\$82
3" smooth Urethane	13.5 lb	D2926F3C	\$483	26.45" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA2926FD	\$82
3" smooth Steel	13.5 lb	D2926F3S	\$443	26.25" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA2926FD	\$82
3" dia. SINGLE body (upgraded double row bearings)							
3" dia. wide grooved Urethane with double row bearings	11 lb	2D2926F3CGR	\$543	26.45" body, 29.75" shaft-2 flats on 1 end	OHCMP2R	SHA2926FD	\$82
3" smooth Urethane with double row bearings	12.5 lb	2D2926F3CR	\$533	26.45" body, 29.75" shaft-2 flats on 1 end	OHCMP2R	SHA2926FD	\$82
3" smooth Steel with double row bearings	12.5 lb	2D2926F3SR	\$533	26.25" body, 29.75" shaft-2 flats on 1 end	OHCMP2R	SHA2926FD	\$82
3" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb	D2904F3Ct	\$553	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	OHCMPRt or OHCMP2Rt	SHA2904FDAI	\$98
2 bodies 3" smooth Urethane (2x5.2" wide bodies)	6.5 lb	D2905F3Ct	\$553	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	OHCMPRt or OHCMP2Rt	SHA2905FDAI	\$98
3" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12.5 lb	D2926F3CG4	\$673	4 short bodies, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA2926FDA4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	13.5 lb	D2926F3C4	\$663	4 short bodies, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA2926FDA4	\$98
John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)				Call to upgrade with double row angular contact bearings			
3" dia. SINGLE body							
3" dia. wide grooved Urethane	11.1 lb	D3329F3CG	\$513	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA3329FD	\$82
3" smooth Urethane	13.5 lb	D3329F3C	\$493	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA3329FD	\$82
3" smooth Steel	13.5 lb	D3329F3S	\$443	29.25" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA3329FD	\$82
3" dia. SINGLE body (upgraded double row bearings)							
3" dia. wide grooved Urethane with double row bearings	11 lb	2D3329F3CGR	\$543	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2R	SHA3329FD	\$82
3" smooth Urethane with double row bearings	12.5 lb	2D3329F3CR	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2R	SHA3329FD	\$82
3" smooth Steel with double row bearings	12.5 lb	2D3329F3SR	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2R	SHA3329FD	\$82
3" smooth Urethane with double row bearings	12.5 lb	2D3319F3CR	\$533	19.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2R	SHA3319FD	\$82
3" dia. FOUR & FIVE bodies				non-skidding for tight turns & ground undulations			
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb	D3329F3CG5	\$723	5 short bodies, 33.5" shaft-2 flats on 1 end		SHA3329FDA5	\$112
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb	D3329F3C4	\$663	4 short bodies, 33.5" shaft-2 flats on 1 end		SHA3329FDA4	\$112
John Deere 30" 1900, 1905, 3325 FAIRWAY & 3365 TURF PRO & 365 PTO GANG (2 styles)				Call to upgrade with double row angular contact bearings			
3" dia. SINGLE body							
3" dia. wide grooved Urethane	13.5 lb	D3229F3CG	\$513	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA3229FD	\$82
3" smooth Urethane	15 lb	D3229F3C	\$483	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA3229FD	\$82
3" smooth Steel	15 lb	D3229F3S	\$443	29.25" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCMP2R	SHA3229FD	\$82
3" dia. wide grooved Urethane	13.5 lb	D3229A3CG	\$513	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCMP2R	SHA3229AD	\$76
3" smooth Urethane	15 lb	D3229A3C	\$483	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCMP2R	SHA3229AD	\$76
3" smooth Steel	15 lb	D3229A3S	\$443	29.25" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCMP2R	SHA3229AD	\$76
3" dia. FOUR & FIVE bodies				non-skidding for tight turns & ground undulations			
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb	D3229F3CG5	\$723	5 short bodies, 32" dia. shaft-2 flats on 1 end		SHA3229FDA5	\$112
4 bodies 3" smooth Urethane (4x6.7" wide bodies)	14 lb	D3229F3C4	\$663	5 short bodies, 32" dia. shaft-2 flats on 1 end		SHA3229FDA4	\$112
John Deere 30" FAIRWAY (305, 303, 756 & 856) - ALL ROLLERS (Choose from 2 styles)				Call to upgrade with double row angular contact bearings			
3" dia. SINGLE body							
3" dia. wide grooved Urethane	13.5 lb	D3229X3CG	\$523	29.45" body, 32.25" shaft-.5" dia. ends	OHCMP or OHCMP2R	SHA3229XD	\$82
3" smooth Urethane	15 lb	D3229X3C	\$493	29.45" body, 32.25" shaft-.5" dia. ends	OHCMP or OHCMP2R	SHA3229XD	\$82
3" smooth Steel	15 lb	D3229X3S	\$453	29.25" body, 32.25" shaft-.5" dia. ends	OHCMP or OHCMP2R	SHA3229XD	\$82
3" dia. wide grooved Urethane	13.5 lb	D3029W3CG	\$543	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCMP2R	SHA3029WD	\$82
3" smooth Urethane	15 lb	D3029W3C	\$493	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCMP2R	SHA3029WD	\$82
3" smooth Steel	15 lb	D3029W3S	\$453	29.25" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCMP2R	SHA3029WD	\$82
John Deere ROTARY DECK 8800 & 3245C - FRONT ROLLER (With two independent rolling 4" wide roller bodies)							
2 bodies 5" grooved Urethane (2x4" wide bodies) double row bearings	8 lb	2D2304A5CGRt	\$645	2 short twin bodies at ends of 23" shaft-3 grooves per body	OHCMP2Rt	SHA2304ADAi	\$91
2 bodies 5" smooth Urethane (2x4" wide bodies) double row bearings	9.3 lb	2D2304A5CRt	\$625	2 short twin bodies at ends of 23" shaft	OHCMP2Rt	SHA2304ADAi	\$91
John Deere ROTARY DECK 8800 & 3245C & 1565 - BACK ROLLER (choose from multiple styles to match your needs)							
3" dia. SINGLE body							
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2319B3CGR	\$543	19.45" body, 23" shaft	OHCMP2R	SHA2319BD	\$76
3" smooth Urethane with double row bearings	11 lb	2D2319B3CR	\$533	19.45" body, 23" shaft	OHCMP2R	SHA2319BD	\$76
3" smooth Steel with double row bearings	12 lb	2D2319B3SR	\$533	19.25" body, 23" shaft	OHCMP2R	SHA2319BD	\$76
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2419B3CGR	\$543	19.45" body, 24" shaft	OHCMP2R	SHA2419BD	\$76
3" smooth Urethane with double row bearings	11.5 lb	2D2419B3CR	\$533	19.45" body, 24" shaft	OHCMP2R	SHA2419BD	\$76
3" smooth Steel with double row bearings	11 lb	2D2419B3SR	\$533	19.25" body, 24" shaft	OHCMP2R	SHA2419BD	\$76
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2522T3CGR	\$543	22.45" body, 25.87" shaft	OHCMP2R	SHA2522TD	\$76
3" smooth Urethane with double row bearings	12 lb	2D2522T3CR	\$533	22.45" body, 25.87" shaft	OHCMP2R	SHA2522TD	\$76
3" smooth Steel with double row bearings	11.5 lb	2D2522T3SR	\$533	22.25" body, 25.87" shaft	OHCMP2R	SHA2522TD	\$76
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2622A3CGR	\$543	22.45" body, 26.75" shaft	OHCMP2R	SHA2622AD	\$76
3" smooth Urethane with double row bearings	12 lb	2D2622A3CR	\$533	22.45" body, 26.75" shaft	OHCMP2R	SHA2622AD	\$76
3" smooth Steel with double row bearings	11.5 lb	2D2622A3SR	\$533	22.25" body, 26.75" shaft	OHCMP2R	SHA2622AD	\$76
3" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	8 lb	2D2305B3CGRt	\$643	2 short twin bodies at ends of a 23" shaft	OHCMP2Rt	SHA2305BDAi	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb	2D2304B3CRt	\$643	2 short twin bodies at ends of a 23" shaft	OHCMP2Rt	SHA2304BDAi	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	10 lb	2D2304B3SRt	\$643	2 short twin bodies at ends of a 23" shaft	OHCMP2Rt	SHA2304BDAi	\$91
3" dia. THREE bodies				non-skidding for tight turns & ground undulations			
3 bodies 3" dia. wide grooved Urethane (3x5.2" wide bodies) double row bearings	11 lb	2D2319B3CGR3	\$663	3 short bodies, 23" shaft		SHA2319BDA3	\$108
3 bodies 3" smooth Urethane (3x5.2" wide bodies) double row bearings	11 lb	2D2319B3CR3	\$643	3 short bodies, 23" shaft		SHA2319BDA3	\$108
3 bodies 3" smooth Steel (3x5.2" wide bodies) double row bearings	11 lb	2D2319B3SR3	\$643	3 short bodies, 23" shaft		SHA2319BDA3	\$108

	Complete Roller Assemblies	Roller Retail		Overhaul Kit (1 per body) (included in new roller assemblies)	Replacement Shaft Retail
3.5" dia. SINGLE body					
3.5" smooth Urethane with double row bearings	13.5 lb 2D2319B35CR	\$617	19.45" body, 23" shaft	OHCOMP2R	
3.5" smooth Urethane with double row bearings	13.5 lb 2D2419B35CR	\$617	19.45" body, 24" shaft	OHCOMP2R	SHA2419BD \$76
3.5" smooth Urethane with double row bearings	13.5 lb 2D2522T35CR	\$617	22.45" body, 25.87" shaft	OHCOMP2R	SHA2522TD \$76
3.5" smooth Urethane with double row bearings	13.5 lb 2D2622A35CR	\$617	22.45" body, 26.75" shaft	OHCOMP2R	SHA2622AD \$76
4" dia. SINGLE body					
4" smooth Steel-double row bearings	20 lb 2D2319B4SR	\$694	19.25" body, 23" shaft	OHCOMP2R	SHA2319BD \$76
4" smooth Steel-double row bearings	20 lb 2D2419B4SR	\$694	19.25" body, 24" shaft	OHCOMP2R	SHA2419BD \$76
4" smooth Steel-double row bearings	20 lb 2D2522T4SR	\$694	22.25" body, 25.87" shaft	OHCOMP2R	SHA2522TD \$76
4" smooth Steel-double row bearings	20 lb 2D2622A4SR	\$694	22.25" body, 26.75" shaft	OHCOMP2R	SHA2622AD \$76
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - FRONT ROLLER (With two independent rolling 5.2" wide roller bodies)					
2 bodies 5" grooved Urethane (2x5.2" wide bodies) double row bearings	12 lb 2D2905C5CGRt	\$645	2 short twin bodies at ends of 29" shaft-3 grooves per body	OHCOMP2Rt	SHA2905CDAI \$91
2 bodies 5" smooth Urethane (2x5.2" wide bodies) double row bearings	13 lb 2D2905C5CRt	\$625	2 short twin bodies at ends of 29" shaft	OHCOMP2Rt	SHA2905CDAI \$91
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - BACK ROLLER					
3" dia. SINGLE body					
3" dia. wide grooved Urethane with double row bearings	11 lb 2D2926C3CGR	\$543	26.45" body, 29" shaft	OHCOMP2R	SHA2926CD \$76
3" smooth Urethane with double row bearings	12.5 lb 2D2926C3CR	\$533	26.45" body, 29" shaft	OHCOMP2R	SHA2926CD \$76
3" smooth Steel with double row bearings	12.5 lb 2D2926C3SR	\$533	26.25" body, 29" shaft	OHCOMP2R	SHA2926CD \$76
3" smooth Urethane with double row bearings	12.5 lb 2D2919C3CR	\$533	19.45" body, 29" shaft	OHCOMP2R	SHA2919CD \$76
3" dia. TWO opposing end short bodies					
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10 lb 2D2905C3CGRt	\$643	2 short twin bodies at ends of a 29" shaft	OHCOMP2Rt	SHA2905CDAI \$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	10 lb 2D2904C3CRt	\$643	2 short twin bodies at ends of a 29" shaft	OHCOMP2Rt	SHA2904CDAI \$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	11 lb 2D2904C3SRt	\$643	2 short twin bodies at ends of a 29" shaft	OHCOMP2Rt	SHA2904CDAI \$91
3" dia. FOUR bodies					
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12 lb 2D2926C3CGR4	\$703	4 short bodies, 29" shaft		SHA2926CDA4 \$91
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	12 lb 2D2926C3CR4	\$703	4 short bodies, 29" shaft		SHA2926CDA4 \$91
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT CASTER					
5" grooved Urethane (4" wide body) double row bearings	5 lb 2D0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2BO	SHA0404GD \$76
5" smooth Urethane (4" wide body) double row bearings	5 lb 2D0404G5C	\$295	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2BO	SHA0404GD \$76
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER					
3" smooth Urethane with double row bearings	12.5 lb 2D2925A3CR	\$533	25.45" body, 29.25" shaft	OHCOMP2R	SHA2925AD \$76
3" smooth Steel with double row bearings	12.5 lb 2D2925A3SR	\$533	25.25" body, 29.25" shaft	OHCOMP2R	SHA2925AD \$76

for TORO mowers

Toro 22" GREENSMOWERS - FRONT ROLLER: series 1000, 3, 300, 3000, 3050, 3100, 3150 (with 3/8" tap in shaft ends for ball stud)

(Except TriFlex series without ball stud for basket yoke as follows: 3200, 3250, 3300, 3320, 3370, 3400, 3420 & FLEX 21)

2" dia. SINGLE body					
2" dia. wide grooved Urethane no flats	6.5 lb T2522S2CG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCOMP	SHA2522ST \$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2522S2NG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCOMP	SHA2522ST \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522S2CGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCOMP	SHA2522ST \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522S2NGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCOMP	SHA2522ST \$76
2" dia. smooth Urethane	8 lb T2522S2C	\$382	22.25" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522S2S	\$322	22.25" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST \$76
2" dia. TWO opposing end short bodies					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2CGt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMP	SHA2504STAt \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2NGt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMP	SHA2504STAt \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504S2CGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMP	SHA2504STAt \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504S2NGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMP	SHA2504STAt \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.2 lb T2502S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPRI or OHCOMPSSRI	SHA2502STAt \$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4 lb T2504S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPRI or OHCOMPSSRI	SHA2504STAt \$91
2" dia. FOUR bodies					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522S2CG4	\$582	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522S2NG4	\$582	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522S2CGF4	\$582	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522S2NGF4	\$582	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522S2C4	\$582	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522S2S4	\$582	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$91
2.5" dia. SINGLE body					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522S25CG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522S25NG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST \$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522S25CGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522S25NGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST \$76
2.5" smooth Urethane	9.5 lb T2522S25C	\$396	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST \$76
2.5" smooth Steel	10 lb T2522S25S	\$376	22.25" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST \$76
2.5" dia. TWO opposing end short bodies					
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S25CGt	\$496	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPRI or OHCOMPSSRI	SHA2504STAt \$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504S25Ct	\$496	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPRI or OHCOMPSSRI	SHA2504STAt \$91
2.5" dia. FOUR bodies					
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522S25CG4	\$636	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522S25NG4	\$636	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522S25CGF4	\$636	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522S25NGF4	\$636	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb T2522S25C4	\$636	4 short bodies, 25.75" shaft-3/8" taps		SHA2522STA4 \$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522S25S4	\$626	4 independent roller bodies @22.3" oal, shaft		SHA2522STA4 \$76

Toro 22" GREENSMOWERS - BACK ROLLER: series 3, 300, 3000, 3050, 3100, 3150

2" dia. SINGLE body					
2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT \$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT \$76
2" dia. smooth Urethane	8 lb T2522A2C	\$382	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$322	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT \$76

		Complete Roller Assemblies	Roller Retail	Replacement		
				Overhaul Kit (1 per body) (included in new roller assemblies)	Replacement Shaft	Replacement Shaft Retail
2" dia. TWO opposing end short bodies						
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2NGt	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPHT	
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2CGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPHT	SHA2522ATAt
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2NGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPHT	SHA2522ATAt
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2502A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2" dia. SINGLE body + 2 bodies outside of brackets						
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2CG+2C	\$512	non-skidding for tight turns & ground undulations		
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2
extended	2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb T3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2
extended	2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb T3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2
2" dia. FOUR bodies						
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	\$582	non-skidding for tight turns & ground undulations		
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
2" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb T3122A2CG4+2C	\$672	non-skidding for tight turns & ground undulations		
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb T3122A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb T3122A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb T3122A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2
6 bodies	2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb T3122A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2
6 bodies	2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb T3122A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2
2.5" dia. SINGLE body						
2.5" dia.	wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT
2.5" dia.	narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT
2.5" dia.	wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT
2.5" dia.	narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT
2.5" smooth	Urethane	9.5 lb T2522A25C	\$396	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT
2.5" smooth	Steel	10 lb T2522A25S	\$376	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT
2.5" dia. TWO opposing end short bodies						
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A25NGt	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A25CGFt	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A25NGFt	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2 bodies	2.5" smooth Urethane (2x2" wide bodies)	4 lb T2502A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2.5" dia. FOUR bodies						
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$636	non-skidding for tight turns & ground undulations		
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft		SHA2522ATA4
Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3050, 3100, 3150						
(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 21)						
3" dia.	wide grooved Urethane	9 lb T2520H3CG	\$513	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT
3" smooth	Urethane	10.5 lb T2520H3C	\$483	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT
3" smooth	Steel	11 lb T2520H3S	\$443	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT
3.5" smooth	Urethane	12.5 lb T2520H35C	\$577	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT
2 bodies	3" smooth Urethane (2x4" wide bodies)	6.3 lb T2504H3CT	\$553	2 short twin bodies at ends of a 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HTAt
Toro 21/22" FLEX & TRIFLEX models 21, 2100, 2120, 1021 & e1021 + 3200, 3250, 3300, 3320, 3370, 3400, 3420 - FRONT & BACK ROLLERS						
(these rollers do not accommodate yoke ball studs. They have solid shaft ends without taps; if groomer kit requires tap in shaft ends, change "A" in part # to "S")						
2" dia. SINGLE body						
2" dia.	wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT
2" dia.	narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT
2" dia.	wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT
2" dia.	narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT
2" dia.	smooth Urethane	8 lb T2522A2C	\$382	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT
2" dia.	smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$322	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT
2" dia. TWO opposing end short bodies						
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2NGt	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPHT	SHA2522ATAt
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2CGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPHT	SHA2522ATAt
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2NGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPHT	SHA2522ATAt
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2502A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	OHCOMPPr or OHCOMPSSRt	SHA2522ATAt
2" dia. SINGLE body + 2 bodies outside of brackets						
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2CG+2C	\$512	non-skidding for tight turns & ground undulations		
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2
extended	2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb T3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2
extended	2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb T3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2
2" dia. FOUR bodies						
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	\$582	non-skidding for tight turns & ground undulations		
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4
4 bodies	2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	\$582	4 short bodies, 25.875" shaft		SHA2522ATA4

		Complete Roller Assemblies	Roller Retail	Replacement Overhaul Kit Replacement Shaft (1 per body) Shaft Retail (included in new roller assemblies)	
2" dia. FOUR bodies + 2 bodies outside of brackets					
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb T3122A2CG4+2C	\$672	non-skidding for tight turns & ground undulations	
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb T3122A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2 \$108
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb T3122A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2 \$108
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb T3122A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2 \$108
6 bodies	2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb T3122A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2 \$108
6 bodies	2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb T3122A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2 \$108
2.5" dia. SINGLE body					
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS SHA2522AT \$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS SHA2522AT \$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS SHA2522AT \$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS SHA2522AT \$76
	2.5" smooth Urethane	9.5 lb T2522A25C	\$396	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS SHA2522AT \$76
	2.5" smooth Steel	10 lb T2522A25S	\$376	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS SHA2522AT \$76
2.5" dia. TWO opposing end short bodies					
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations	
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft	SHA2504ATAi \$91
2.5" dia. FOUR bodies					
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$636	non-skidding for tight turns & ground undulations	
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4 \$98
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4 \$98
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4 \$98
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4 \$98
4 bodies	2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft	SHA2522ATA4 \$98
2.5" dia. FOUR bodies + 2 bodies outside of brackets					
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb T3122A25CG4+2C	\$686	non-skidding for tight turns & ground undulations	
6 bodies	2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb T3122A25C4+2C	\$686	4 center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2 \$108
Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK ROLLERS (if groomer kit requires tap in ends of shaft, change "C" in part # to "S")					
2" dia. SINGLE body					
	2" dia. wide grooved Urethane no flats	6.2 lb T2319C2CG	\$382	19.45" body, 23" shaft w/o taps	SHA2319CT \$76
	2" dia. narrow grooved Urethane no flats	6.4 lb T2319C2NG	\$382	19.45" body, 23" shaft w/o taps	SHA2319CT \$76
	2" dia. wide grooved Urethane 1" flats	6.3 lb T2319C2CGF	\$382	19.45" body, 23" shaft w/o taps	SHA2319CT \$76
	2" dia. narrow grooved Urethane 1" flats	6.5 lb T2319C2NGF	\$382	19.45" body, 23" shaft w/o taps	SHA2319CT \$76
	2" dia. smooth Urethane	7.5 lb T2319C2C	\$382	19.25" body, 23" shaft w/o taps	SHA2319CT \$76
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319C2S	\$322	19.25" body, 23" shaft w/o taps	SHA2319CT \$76
2" dia. TWO opposing end short bodies					
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2304C2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations	
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2304C2NGt	\$452	2 short twin bodies at ends of a 23" shaft	SHA2304CTAi \$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2304C2CGFt	\$452	2 short twin bodies at ends of a 23" shaft	SHA2304CTAi \$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2304C2NGFt	\$452	2 short twin bodies at ends of a 23" shaft	SHA2304CTAi \$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2302C2Ct	\$452	2 short twin bodies at ends of a 23" shaft	SHA2302CTAi \$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2304C2Ct	\$452	2 short twin bodies at ends of a 23" shaft	SHA2304CTAi \$91
2" dia. SINGLE body + 2 bodies outside of brackets					
extended	2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb T2919C2CG+2C	\$512	non-skidding for tight turns & ground undulations	
extended	2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb T2919C2NG+2C	\$512	19.45" center body + 2 short outer bodies, 29" shaft	OHCOMP + 2x OHCOMP SHA2919CTA4+2 \$108
extended	2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)	13 lb T2919C2C+2C	\$512	19.25" center body + 2 short outer bodies, 29" shaft	OHCOMP + 2x OHCOMP SHA2919CTA4+2 \$108
2" dia. FOUR bodies					
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2319C2CG4	\$582	non-skidding for tight turns & ground undulations	
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2319C2NG4	\$582	4 short bodies, 23" shaft	SHA2319CTA4 \$91
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2319C2CGF4	\$582	4 short bodies, 23" shaft	SHA2319CTA4 \$91
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2319C2NGF4	\$582	4 short bodies, 23" shaft	SHA2319CTA4 \$91
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2319C2C4	\$582	4 short bodies, 23" shaft	SHA2319CTA4 \$91
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb T2319C2S4	\$582	4 short bodies, 23" shaft	SHA2319CTA4 \$91
2" dia. FOUR bodies + 2 bodies outside of brackets					
6 bodies	2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb T2919C2CG4+2C	\$672	non-skidding for tight turns & ground undulations	
6 bodies	2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb T2919C2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft	SHA2919CTA4+2 \$108
6 bodies	2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb T2919C2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft	SHA2919CTA4+2 \$108
6 bodies	2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb T2919C2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft	SHA2919CTA4+2 \$108
6 bodies	2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	12 lb T2919C2C4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft	SHA2919CTA4+2 \$108
6 bodies	2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	12 lb T2919C2S4+2S	\$672	4 center bodies + 2 short outer bodies, 29" shaft	SHA2919CTA4+2 \$108
Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS					
2" dia. SINGLE body					
	2" dia. wide grooved Urethane no flats	6.5 lb T2219S2CG	\$382	19.45" body, 22.75" shaft w/o taps	SHA2219ST \$76
	2" dia. narrow grooved Urethane no flats	6.7 lb T2219S2NG	\$382	19.45" body, 22.75" shaft w/o taps	SHA2219ST \$76
	2" dia. wide grooved Urethane 1" flats	6.5 lb T2219S2CGF	\$382	19.45" body, 22.75" shaft w/o taps	SHA2219ST \$76
	2" dia. narrow grooved Urethane 1" flats	6.7 lb T2219S2NGF	\$382	19.45" body, 22.75" shaft w/o taps	SHA2219ST \$76
	2" dia. smooth Urethane	7.5 lb T2219S2C	\$382	19.25" body, 22.75" shaft w/o taps	SHA2219ST \$76
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2219S2S	\$322	19.25" body, 22.75" shaft w/o taps	SHA2219ST \$76
2" dia. FOUR bodies					
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2219S2CG4	\$582	non-skidding for tight turns & ground undulations	
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2219S2NG4	\$582	4 short bodies, 22.75" shaft	SHA2219STA4 \$91
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2219S2CGF4	\$582	4 short bodies, 22.75" shaft	SHA2219STA4 \$91
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2219S2NGF4	\$582	4 short bodies, 22.75" shaft	SHA2219STA4 \$91
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2219S2C4	\$582	4 short bodies, 22.75" shaft	SHA2219STA4 \$91
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb T2219S2S4	\$582	4 short bodies, 22.75" shaft	SHA2219STA4 \$91
Toro GM1026 & 1600 26" GREENSMOWER - FRONT & BACK ROLLERS					
2" dia. SINGLE body					
	2" dia. wide grooved Urethane no flats	7.8 lb T3126A2CG	\$382	Call to upgrade with double row angular contact bearings	
	2" dia. wide grooved Urethane 1" flats	7.8 lb T3126A2CGF	\$382	26.45" body, 31" shaft	SHA3126AT \$76
	2" dia. smooth Urethane	11 lb T3126A2C	\$382	26.45" body, 31" shaft	SHA3126AT \$76
	2" dia. smooth Steel heavy (1/4" wall)	13.5 lb T3126A2S	\$322	26.25" body, 31" shaft	SHA3126AT \$76

		Complete Roller Assemblies	Roller Retail	Replacement
				Overhaul Kit (1 per body) Replacement Shaft Retail
				(included in new roller assemblies)
2" dia. TWO opposing end short bodies				
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb T3104A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb T3104A2NGt	\$452	2 short twin bodies at ends of a 31" shaft
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb T3104A2CGFt	\$452	2 short twin bodies at ends of a 31" shaft
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb T3104A2NGFt	\$452	2 short twin bodies at ends of a 31" shaft
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4.4 lb T3102A2Ct	\$452	2 short twin bodies at ends of a 31" shaft
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.4 lb T3104A2Ct	\$452	2 short twin bodies at ends of a 31" shaft
2" dia. SINGLE body + 2 bodies outside of brackets				
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4 T3726A2CG+2C	\$512	non-skidding for tight turns & ground undulations
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4 T3726A2NG+2C	\$512	26.45" center body + 2 short outer bodies, 37" shaft
extended	2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13.5 lb T3726A2C+2C	\$512	OHCOMP + 2x OHCOMP
2" dia. FOUR bodies				
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb T3126A2CG4	\$582	non-skidding for tight turns & ground undulations
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb T3126A2NG4	\$582	4 short bodies, 31" shaft
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb T3126A2CGF4	\$582	4 short bodies, 31" shaft
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb T3126A2NGF4	\$582	4 short bodies, 31" shaft
4 bodies	2" dia. smooth Urethane (4x6.5" wide bodies)	8.5 lb T3126A2C4	\$582	4 short bodies, 31" shaft
4 bodies	2" dia. smooth Steel heavy (4x6.5" wide bodies)	12 lb T3126A2S4	\$582	4 short bodies, 31" shaft
2" dia. FOUR bodies + 2 bodies outside of brackets				
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb T3726A2CG4+2C	\$672	non-skidding for tight turns & ground undulations
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb T3726AC2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb T3726A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb T3726A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft
6 bodies	2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	12 lb T3126A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft
6 bodies	2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	12 lb T3126A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 37" shaft
2.5" dia. SINGLE body				
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb T3127A25CG	\$456	27.45" body, 31" shaft
	2.5" smooth Urethane	11 lb T3127A25C	\$396	27.45" body, 31" shaft
	2.5" smooth Steel	11 lb T3127A25S	\$376	27.25" body, 31" shaft
2.5" dia. TWO opposing end short bodies				
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	7 lb T3104A25Ct	\$496	non-stripping, non-skidding for tight turns & ground undulations
2.5" dia. SINGLE body + 2 bodies outside of brackets				
extended	2.5" dia. wide grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4 T3727A25CG+2C	\$566	non-skidding for tight turns & ground undulations
extended	2.5" dia. narrow grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4 T3727A25NG+2C	\$566	27.45" center body + 2 short outer bodies, 37" shaft
extended	2.5" smooth Urethane (27.45" inner+2x2" outer bodies)	13.5 lb T3727A25C+2C	\$566	27.45" center body + 2 short outer bodies, 37" shaft
2.5" dia. FOUR bodies				
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3128A25CG4	\$636	non-skidding for tight turns & ground undulations
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3128A25NG4	\$636	4 short bodies, 31" shaft
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)	13 lb T3128A25C4	\$636	4 short bodies, 31" shaft
2.5" dia. FOUR bodies + 2 bodies outside of brackets				
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb T3728A25CG4+2C	\$686	non-skidding for tight turns & ground undulations
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb T3728A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft
6 bodies	2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb T3728A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft
Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER				Call to upgrade with double row angular contact bearings
Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call				
2.5" dia. SINGLE body				
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.87" shaft
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.87" shaft
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft
	2.5" smooth Urethane	9.5 lb T2522A25C	\$396	22.45" body, 25.87" shaft
	2.5" smooth Steel	10 lb T2522A25S	\$376	22.25" body, 25.87" shaft
Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diameter also available)				Call to upgrade with double row angular contact bearings
2" dia. SINGLE body				
	2" dia. wide grooved Urethane 1" flats	6.5 lb T2319A2CGF	\$382	19.45" body, 23" shaft
	2" dia. smooth Urethane	7.5 lb T2319A2C	\$382	19.25" body, 23" shaft
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319A2S	\$322	19.25" body, 23" shaft
Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - FRONT				Call to upgrade with double row angular contact bearings
Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call				
2.5" dia. SINGLE body				
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2722A25CG	\$456	22.45" body, 27" shaft
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2722A25NG	\$456	22.45" body, 27" shaft
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2722A25CGF	\$456	22.45" body, 27" shaft
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2722A25NGF	\$456	22.45" body, 27" shaft
	2.5" smooth Urethane	9 lb T2722A25C	\$396	22.45" body, 27" shaft
	2.5" smooth Steel	9 lb T2722A25S	\$376	22.25" body, 27" shaft
	2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2724A25CG	\$456	24.45" body, 27" shaft
	2.5" smooth Urethane	9 lb T2724A25C	\$396	24.45" body, 27" shaft
	2.5" smooth Steel	9 lb T2724A25S	\$376	24.25" body, 27" shaft
	2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2319T25CG	\$456	19.45" body, 23" shaft
	2.5" smooth Urethane	9 lb T2319T25C	\$396	19.45" body, 23" shaft
	2.5" smooth Steel	9 lb T2319T25S	\$376	19.25" body, 23" shaft
2.5" dia. FOUR bodies				
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2722A25CG4	\$636	non-skidding for tight turns & ground undulations
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2722A25NG4	\$636	4 short bodies, 27" shaft
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2722A25CGF4	\$636	4 short bodies, 27" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2722A25NGF4	\$636	4 short bodies, 27" shaft
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A25C4	\$636	4 short bodies, 27" shaft
4 bodies	2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2722A25S4	\$626	4 short bodies, 27" shaft
4 bodies	2.5" dia. wide grooved Urethane (2x5.55"+2x6.5" wide bodies) no flats	10 lb T2724A25CG4	\$636	4 short bodies, 27" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2724A25NG4	\$636	4 short bodies, 27" shaft
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2724A25CGF4	\$636	4 short bodies, 27" shaft
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2724A25NGF4	\$636	4 short bodies, 27" shaft
4 bodies	2.5" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A25C4	\$636	4 short bodies, 27" shaft

	Complete Roller Assemblies	Roller Retail	Replacement Overhaul Kit (1 per body) <u>(included in new roller assemblies)</u>	Replacement Shaft Retail
3" dia. SINGLE body				
3" dia. wide grooved Urethane	9.5 lb T2722A3CG	\$513	22.45" body, 27" shaft	
3" smooth Urethane	12 lb T2722A3C	\$483	22.45" body, 27" shaft	SHA2722AT \$76
3" smooth Steel	11.5 lb T2722A3S	\$443	22.25" body, 27" shaft	SHA2722AT \$76
3" dia. wide grooved Urethane	9.5 lb T2724A3CG	\$513	24.45" body, 27" shaft	SHA2724AT \$76
3" smooth Urethane	12 lb T2724A3C	\$483	24.45" body, 27" shaft	SHA2724AT \$76
3" smooth Steel	11.5 lb T2724A3S	\$443	24.25" body, 27" shaft	SHA2724AT \$76
3" dia. FOUR bodies				
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	10 lb T2722A3CG4	\$673	non-skidding for tight turns & ground undulations	SHA2722AT4 \$91
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A3C4	\$663	4 short bodies, 27" shaft	SHA2722AT4 \$91
4 bodies 3" dia. wide grooved Urethane (2x5.2"+2x6.5" wide bodies)	10 lb T2724A3CG4	\$673	4 short bodies, 27" shaft	SHA2724AT4 \$91
4 bodies 3" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A3C4	\$663	4 short bodies, 27" shaft	SHA2724AT4 \$91
Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - BACK				
2" dia. SINGLE body				
2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	SHA2522AT \$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	SHA2522AT \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	SHA2522AT \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	SHA2522AT \$76
2" dia. smooth Urethane	8 lb T2522A2C	\$382	22.25" body, 25.875" shaft	SHA2522AT \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$322	22.25" body, 25.875" shaft	SHA2522AT \$76
2" dia. wide grooved Urethane no flats	6.5 lb T2519A2CG	\$382	19.45" body, 25" shaft	SHA2519AT \$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2519A2NG	\$382	19.45" body, 25" shaft	SHA2519AT \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2519A2CGF	\$382	19.45" body, 25" shaft	SHA2519AT \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2519A2NGF	\$382	19.45" body, 25" shaft	SHA2519AT \$76
2" dia. smooth Urethane	7.5 lb T2519A2C	\$382	19.45" body, 25" shaft	SHA2519AT \$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2519A2S	\$322	19.25" body, 25" shaft	SHA2519AT \$76
2" dia. smooth Urethane	8 lb T2321T2C	\$382	21.45" body, 23.75" shaft	SHA2321TT \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2321T2S	\$322	21.25" body, 23.75" shaft	SHA2321TT \$76
2" dia. wide grooved Urethane no flats	6.2 lb T2319A2CG	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT \$76
2" dia. narrow grooved Urethane no flats	6.4 lb T2319A2NG	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2319A2CGF	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT \$76
2" dia. narrow grooved Urethane 1" flats	6.5 lb T2319A2NGF	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT \$76
2" dia. smooth Urethane	7.5 lb T2319A2C	\$382	19.25" body, 23" shaft w/o taps	SHA2319AT \$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319A2S	\$322	19.25" body, 23" shaft w/o taps	SHA2319AT \$76
2" dia. FOUR bodies				
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	\$582	non-skidding for tight turns & ground undulations	SHA2522AT4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	\$582	4 short bodies, 25.875" shaft	SHA2522AT4 \$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	\$582	4 short bodies, 25.875" shaft	SHA2522AT4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	\$582	4 short bodies, 25.875" shaft	SHA2522AT4 \$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	\$582	4 short bodies, 25.875" shaft	SHA2522AT4 \$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	\$582	4 short bodies, 25.875" shaft	SHA2522AT4 \$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2CG4	\$582	4 short bodies, 25.875" shaft	SHA2519AT4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2NG4	\$582	4 short bodies, 25.875" shaft	SHA2519AT4 \$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2CGF4	\$582	4 short bodies, 25.875" shaft	SHA2519AT4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2NGF4	\$582	4 short bodies, 25.875" shaft	SHA2519AT4 \$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A2C4	\$582	4 short bodies, 25.875" shaft	SHA2519AT4 \$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb T2519A2S4	\$582	4 short bodies, 25.875" shaft	SHA2519AT4 \$91
2.5" dia. SINGLE body				
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.87" shaft	SHA2522AT \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.87" shaft	SHA2522AT \$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft	SHA2522AT \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	SHA2522AT \$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2522C25CG	\$456	22.45" body, 25.5" shaft	SHA2522CT \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522C25NG	\$456	22.45" body, 25.5" shaft	SHA2522CT \$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522C25CGF	\$456	22.45" body, 25.5" shaft	SHA2522CT \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522C25NGF	\$456	22.45" body, 25.5" shaft	SHA2522CT \$76
2.5" smooth Urethane	9.5 lb T2522C25C	\$396	22.45" body, 25.5" shaft	SHA2522CT \$76
2.5" smooth Steel	10 lb T2522C25S	\$376	22.25" body, 25.5" shaft	SHA2522CT \$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2521C25CG	\$456	21.45" body, 25.5" shaft	SHA2521CT \$76
2.5" smooth Urethane	9.5 lb T2521C25C	\$396	21.45" body, 25.5" shaft	SHA2521CT \$76
2.5" smooth Steel	10 lb T2521C25S	\$376	21.25" body, 25.5" shaft	SHA2521CT \$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2519A25CG	\$456	19.45" body, 25" shaft	SHA2519AT \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2519A25NG	\$456	19.45" body, 25" shaft	SHA2519AT \$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25CGF	\$456	19.45" body, 25" shaft	SHA2519AT \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF	\$456	19.45" body, 25" shaft	SHA2519AT \$76
2.5" smooth Urethane	9 lb T2519A25C	\$396	19.45" body, 25" shaft	SHA2519AT \$76
2.5" smooth Steel	9 lb T2519A25S	\$376	19.25" body, 25" shaft	SHA2519AT \$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2321A25CG	\$456	21.45" body, 23.75" shaft	SHA2321AT \$76
2.5" smooth Urethane	9.5 lb T2321A25C	\$396	21.45" body, 23.75" shaft	SHA2321AT \$76
2.5" smooth Steel	9.2 lb T2321A25S	\$376	21.25" body, 23.75" shaft	SHA2321AT \$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2319A25CG	\$456	19.45" body, 23" shaft	SHA2319AT \$76
2.5" smooth Urethane	9 lb T2319A25C	\$396	19.45" body, 23" shaft	SHA2319AT \$76
2.5" smooth Steel	9 lb T2319A25S	\$376	19.25" body, 23" shaft	SHA2319AT \$76
2.5" dia. FOUR bodies				
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$636	non-skidding for tight turns & ground undulations	SHA2522AT4 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4 \$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4 \$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4 \$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft	SHA2522AT4 \$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4	\$636	4 short bodies, 25" shaft	SHA2519AT4 \$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25NG4	\$636	4 short bodies, 25" shaft	SHA2519AT4 \$91
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25CGF4	\$636	4 short bodies, 25" shaft	SHA2519AT4 \$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4	\$636	4 short bodies, 25" shaft	SHA2519AT4 \$91
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4	\$636	4 short bodies, 25" shaft	SHA2519AT4 \$91
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb T2519A25S4	\$626	4 short bodies, 25" shaft	SHA2519AT4 \$91

		Complete Roller Assemblies	Roller Retail	Overhaul Kit (1 per body) (included in new roller assemblies)	Replacement Shaft	Replacement Retail
3" dia. SINGLE body						
3" dia. wide grooved Urethane		9.5 lb T2522C3CG	\$513	22.45" body, 25.5" shaft		
3" smooth Urethane		12 lb T2522C3C	\$483	22.45" body, 25.5" shaft	SHA2522CT	\$76
3" smooth Steel		11.5 lb T2522C3S	\$443	22.25" body, 25.5" shaft	SHA2522CT	\$76
3" dia. wide grooved Urethane		9 lb T2519A3CG	\$513	19.45" body, 25" shaft	SHA2519AT	\$76
3" smooth Urethane		11 lb T2519A3C	\$483	19.45" body, 25" shaft	SHA2519AT	\$76
3" smooth Steel		11 lb T2519A3S	\$443	19.25" body, 25" shaft	SHA2519AT	\$76
3" dia. wide grooved Urethane		9 lb T2319T3CG	\$513	19.45" body, 23" shaft	SHA2319TT	\$76
3" smooth Urethane		11 lb T2319T3C	\$483	19.45" body, 23" shaft	SHA2319TT	\$76
3" smooth Steel		11 lb T2319T3S	\$443	19.25" body, 23" shaft	SHA2319TT	\$76
Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS						
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats		9 lb T2522A25CG	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats		9 lb T2522A25NG	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats		9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats		9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" smooth Urethane		9.5 lb T2522A25C	\$396	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" smooth Steel		10 lb T2522A25S	\$376	22.25" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats		9 lb T2422A25CG	\$456	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats		9 lb T2422A25NG	\$456	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats		9 lb T2422A25CGF	\$456	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats		9 lb T2422A25NGF	\$456	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" smooth Urethane		9.5 lb T2422A25C	\$396	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" smooth Steel		10 lb T2422A25S	\$376	22.25" body, 24.5" shaft	SHA2422AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats		9 lb T2421A25CG	\$456	21.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" smooth Urethane		9.5 lb T2421A25C	\$396	21.45" body, 24.5" shaft	SHA2421AT	\$76
2.5" smooth Steel		10 lb T2421A25S	\$376	21.25" body, 24.5" shaft	SHA2421AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats		8 lb T2519A25CG	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats		9 lb T2519A25NG	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats		9 lb T2519A25CGF	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats		9 lb T2519A25NGF	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" smooth Urethane		9 lb T2519A25C	\$396	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" smooth Steel		9 lb T2519A25S	\$376	19.25" body, 25" shaft	SHA2519AT	\$76
To diminish instances of shadowing lines due to overlap of reels						
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats		9.5 lb T2522A25CG.22C	\$496	front roller for rear mower heads-use with T2519A25C	SHA2522AT	\$76
2.5" smooth Urethane		11 lb T2519A25C	\$396	back roller for rear mower heads-use with T2522A25CG.22C	SHA2519AT	\$76
2.5" dia. FOUR bodies						
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats		10 lb T2522A25CG4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats		10.5 lb T2522A25NG4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats		10.5 lb T2522A25CGF4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats		10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)		13 lb T2522A25C4	\$636	4 short bodies, 25.875" shaft	SHA2522AT4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)		13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft	SHA2522AT4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats		8.5 lb T2519A25CG4	\$636	4 short bodies, 25" shaft	SHA2519AT4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats		8.5 lb T2519A25NG4	\$636	4 short bodies, 25" shaft	SHA2519AT4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats		8.5 lb T2519A25CGF4	\$636	4 short bodies, 25" shaft	SHA2519AT4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats		8.5 lb T2519A25NGF4	\$636	4 short bodies, 25" shaft	SHA2519AT4	\$91
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)		8.5 lb T2519A25C4	\$636	4 short bodies, 25" shaft	SHA2519AT4	\$91
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)		12 lb T2519A25S4	\$626	4 short bodies, 25" shaft	SHA2519AT4	\$91
3" dia. SINGLE body						
3" dia. wide grooved Urethane		9.5 lb T2522A3CG	\$513	22.45" body, 25.87" shaft	SHA2522AT	\$76
3" smooth Urethane		12 lb T2522A3C	\$483	22.45" body, 25.87" shaft	SHA2522AT	\$76
3" smooth Steel		11.5 lb T2522A3S	\$443	22.25" body, 25.87" shaft	SHA2522AT	\$76
3" dia. wide grooved Urethane		9.5 lb T2722A3CG	\$513	22.45" body, 27" shaft	SHA2722AT	\$76
3" smooth Urethane		12 lb T2722A3C	\$483	22.45" body, 27" shaft	SHA2722AT	\$76
3" smooth Steel		11.5 lb T2722A3S	\$443	22.25" body, 27" shaft	SHA2722AT	\$76
3" dia. wide grooved Urethane		9.5 lb T2724A3CG	\$513	24.45" body, 27" shaft	SHA2724AT	\$76
3" smooth Urethane		12 lb T2724A3C	\$483	24.45" body, 27" shaft	SHA2724AT	\$76
3" smooth Steel		11.5 lb T2724A3S	\$443	24.25" body, 27" shaft	SHA2724AT	\$76
To diminish instances of shadowing lines due to overlap of reels						
3" dia. wide grooved Urethane with 2.2" wide smooth ends		9.5 lb T2722A3CG.22C	\$543	front roller for rear mower heads-use with T2719A3C	SHA2722AT	\$76
3" smooth Urethane		11 lb T2719A3C	\$483	back roller for rear mower heads-use with T2722A3CG.22C	SHA2719AT	\$76
(please confirm diameter of body and length of shaft required to fit BACK ROLLER)						
2.5" Combination roller assemblies to diminish effect of reel overlap shadowing are available						
Toro SIDEWINDER 27" REEL MOWERS: 2000D, 2300D, 3100D & 216 - FRONT & BACK ROLLERS						
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats		10 lb T3026D25CG	\$456	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats		9.5 lb T3026D25NG	\$456	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats		9.5 lb T3026D25CGF	\$456	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats		9.5 lb T3026D25NGF	\$456	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" smooth Urethane		11 lb T3026D25C	\$396	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" smooth Steel		11 lb T3026D25S	\$376	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats		10.3 lb T3227D25CG	\$456	27.45" body, 32" dia. shaft	SHA3227DT	\$76
2.5" smooth Urethane		11 lb T3227D25C	\$396	27.45" body, 32" dia. shaft	SHA3227DT	\$76
2.5" dia. FOUR bodies						
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats		10 lb T3026D25CG4	\$636	4 short bodies, 30" shaft	SHA3026DT4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats		10 lb T3026D25NG4	\$636	4 short bodies, 30" shaft	SHA3026DT4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats		10 lb T3026D25CGF4	\$636	4 short bodies, 30" shaft	SHA3026DT4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats		10 lb T3026D25NGF4	\$636	4 short bodies, 30" shaft	SHA3026DT4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)		13 lb T3026D25C4	\$636	4 short bodies, 30" shaft	SHA3026DT4	\$91

		Complete Roller Assemblies	Roller Retail	Replacement Shaft	
				Overhaul Kit (1 per body)	Replacement Shaft
					Retail
3" dia. SINGLE body (FOUR bodies also available)					
3" dia. wide grooved Urethane	12.5 lb	T3026D3CG	\$513	26.45" body, 30" shaft	
3" smooth Urethane	13 lb	T3026D3C	\$483	26.45" body, 30" shaft	SHA3026DT \$76
3" smooth Steel	13 lb	T3026D3S	\$443	26.25" body, 30" shaft	SHA3026DT \$76
3" dia. wide grooved Urethane	12.8 lb	T3227D3CG	\$513	27.45" body, 32" dia. shaft	SHA3227DT \$76
3" smooth Urethane	13.3 lb	T3227D3C	\$483	27.45" body, 32" dia. shaft	SHA3227DT \$76
3" smooth Steel	13.3 lb	T3227D3S	\$443	27.25" body, 32" dia. shaft	SHA3227DT \$76
Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - FRONT ROLLER (check length of body and shaft)			Call to upgrade with double row angular contact bearings		
3" dia. SINGLE body					
3" dia. wide grooved Urethane	14 lb	T3431U3CG	\$543	31.45" body, 34.5" shaft	SHA3431UT \$76
3" smooth Steel	15 lb	T3431U3S	\$443	31.25" body, 34.5" shaft	SHA3431UT \$76
3" dia. wide grooved Urethane	14 lb	T3632U3CG	\$543	32.45" body, 36" shaft	SHA3632UT \$76
3" smooth Steel	15 lb	T3632U3S	\$463	32.25" body, 36" shaft	SHA3632UT \$76
2.5" smooth Steel	12.5 lb	T3431U25S	\$376	31.25" body, 34.5" shaft	SHA3431UT \$76
3" dia. FIVE bodies					
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12 lb	T3431U3CG5	\$723	5 short bodies, 34.5" shaft	SHA3431UTA5 \$99
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12.5 lb	T3632U3CG5	\$723	5 short bodies, 36" shaft	SHA3632UTA5 \$99
5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)	14 lb	T3431U3C5	\$703	5 short bodies, 34.5" shaft	SHA3431UTA5 \$99
5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)	14.5 lb	T3632U3C5	\$703	5 short bodies, 36" shaft	SHA3632UTA5 \$99
Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - BACK ROLLER			Call to upgrade with double row angular contact bearings		
2.5" dia. & 3" dia. & 3.5" dia. SINGLE body					
2.5" smooth Urethane	12.5 lb	T3429U25C	\$396	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R SHA3429UT \$76
2.5" smooth Steel	12.5 lb	T3429U25S	\$376	29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R SHA3429UT \$76
3" smooth Urethane	15 lb	T3429U3C	\$483	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R SHA3429UT \$76
3" smooth Steel	14.5 lb	T3429U3S	\$443	29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R SHA3429UT \$76
3" smooth Urethane (special)	15 lb	T3429K3C	\$483	29.45" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMP2R SHA3429KT \$76
3" smooth Steel (special)	15 lb	T3429K3S	\$443	29.25" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMP2R SHA3429KT \$76
3.5" smooth Urethane (special)	18 lb	T3429K35C	\$577	29.45" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMP2R SHA3429KT \$76
3" dia. FIVE bodies					
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb	2T3429A3CGR5	\$743	5 short bodies, 34.5" shaft	SHA3429ATA5 \$91
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb	2T3429A3CR5	\$743	5 short bodies, 34.5" shaft	SHA3429ATA5 \$91
Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO & PARKMASTER GANG			Call to upgrade with double row angular contact bearings		
3" smooth Urethane	14 lb	T3227J3C	\$493	27.45" body, 32.5" shaft	OHCOMP or OHCOMP2R SHA3227JT \$76
3" smooth Steel	13.5 lb	T3227J3S	\$443	27.25" body, 32.5" shaft	OHCOMP or OHCOMP2R SHA3227JT \$76
3.5" smooth Urethane	17 lb	T3227J35C	\$577	27.45" body, 32.5" shaft	OHCOMP or OHCOMP2R SHA3227JT \$76
Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - FRONT ROLLER (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt					
5" grooved Urethane (5.2" wide body) double row bearings	5 lb	2T0505G5CG	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2B0 SHA0505GT \$79
5" smooth Urethane (5.2" wide body) double row bearings	5 lb	2T0505G5C	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2B0 SHA0505GT \$79
Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - BACK ROLLER					
3" dia. SINGLE body					
3" dia. wide grooved Urethane with double row bearings	13.5 lb	2T3329A3CGR	\$543	29.45" body, 33" shaft	OHCOMP2R SHA3329AT \$79
3" smooth Urethane with double row bearings	15 lb	2T3329A3CR	\$533	29.45" body, 33" shaft	OHCOMP2R SHA3329AT \$79
3" smooth Steel with double row bearings	15 lb	2T3329A3SR	\$533	29.25" body, 33" shaft	OHCOMP2R SHA3329AT \$79
3" dia. TWO opposing end short bodies					
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10.5 lb	2T3305A3CGRt	\$643	2 short twin bodies at ends of a 33" shaft	OHCOMP2Rt SHA3305ATAt \$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb	2T3304A3CRt	\$643	2 short twin bodies at ends of a 33" shaft	OHCOMP2Rt SHA3304ATAt \$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	12 lb	2T3304A3SRt	\$643	2 short twin bodies at ends of a 33" shaft	OHCOMP2Rt SHA3304ATAt \$91
3" dia. FIVE bodies					
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb	2T3329A3CGR5	\$743	5 short bodies, 33" shaft	SHA3329ATA5 \$91
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb	2T3329A3CR5	\$743	5 short bodies, 33" shaft	SHA3329ATA5 \$91
3.5" dia. SINGLE body					
3.5" smooth Urethane with double row bearings	18 lb	2T3329A35CR	\$617	29.45" body, 33" shaft	OHCOMP2R SHA3329AT \$79
Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt					
5" grooved Urethane (5.2" wide body) double row bearings	5 lb	2T0705G5CG	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2B0 SHA0705GT \$79
5" smooth Urethane (5.2" wide body) double row bearings	5.5 lb	2T0705G5C	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2B0 SHA0705GT \$79
Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available-please call)					
3" dia. SINGLE body					
3" dia. wide grooved Urethane with double row bearings	11 lb	2T2824K3CGR	\$543	24.45" body, 28" shaft	OHCOMP2R SHA2824KT \$79
3" smooth Urethane with double row bearings	12 lb	2T2824K3CR	\$533	24.45" body, 28" shaft	OHCOMP2R SHA2824KT \$79
3" smooth Steel with double row bearings	11 lb	2T2824K3SR	\$533	24.25" body, 28" shaft	OHCOMP2R SHA2824KT \$79
3" dia. TWO opposing end short bodies					
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10.5 lb	2T2805K3CGRt	\$643	2 short twin bodies at ends of a 28" shaft	OHCOMP2Rt SHA2805KTAt \$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb	2T2804K3CRt	\$643	2 short twin bodies at ends of a 28" shaft	OHCOMP2Rt SHA2804KTAt \$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	12 lb	2T2804K3SRt	\$643	2 short twin bodies at ends of a 28" shaft	OHCOMP2Rt SHA2804KTAt \$91
3" dia. FOUR bodies					
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12.5 lb	2T2824K3CGR4	\$703	4 short bodies, 28" shaft	SHA2824KTAt \$91
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	13.5 lb	2T2824K3CR4	\$703	4 short bodies, 28" shaft	SHA2824KTAt \$91
Toro 22" VERTICUT heads (Call to confirm dimensions of your roller)					
(Sectional rollers with 4 bodies also available)					
2" dia. smooth Steel heavy (1/4" wall)	10 lb	T2419A2S	\$322	19.25" body, 24" shaft	OHCOMP SHA2419AT \$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2321A2S	\$322	21.25" body, 23" shaft	OHCOMP SHA2321AT \$76
for RANSOMES mowers (multi-bodv rollers available)					
RANSOMES ALL 22" GREENSPLEX & E-PLEX & 160 - FRONT ROLLER					
2" dia. SINGLE body					
2" dia. wide grooved Urethane no flats	6.5 lb	R2522A2CG	\$382	22.45" body, 25.875" shaft	OHCOMP SHA2522AJ \$76
2" dia. narrow grooved Urethane no flats	6.7 lb	R2522A2NG	\$382	22.45" body, 25.875" shaft	OHCOMP SHA2522AJ \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCOMP SHA2522AJ \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	R2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCOMP SHA2522AJ \$76
2" dia. smooth Urethane	8 lb	R2522A2C	\$382	22.25" body, 25.875" shaft	OHCOMP SHA2522AJ \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2522A2S	\$322	22.25" body, 25.875" shaft	OHCOMP SHA2522AJ \$76

			Complete Roller Assemblies	Roller Retail	Replacement Shaft			
						Overhaul Kit (1 per body)	Replacement Shaft	Retail
						(included in new roller assemblies)		

	Complete Roller Assemblies	Roller Retail		Replacement Shaft Retail	
					Overhaul Kit Replacement Shaft Retail (included in new roller assemblies)
for TRU-TURF Greens Golf Rollers (multi-body rollers available)					
Tru-Turf Smoothing Heads Rollers for RS48-11E machine		Multi-body roller options available to minimize skidding			
2.5" smooth Urethane	9.5 lb T2222S25C	\$396	22.45" body, 22.625" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2222ST \$76
2.5" smooth Steel	9.2 lb T2222S25S	\$376	22.25" body, 22.625" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2222ST \$76
Tru-Turf Smoothing Heads Rollers for RB48-11A machine (4 short & 2 long rollers per machine)		Multi-body roller options available to minimize skidding			
2.5" smooth Urethane	9.5 lb T2222R25C	\$396	22.45" body short rollers, 22.716" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222RT \$76
2.5" smooth Steel	9.2 lb T2222R25S	\$376	22.25" body short rollers, 22.716" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222RT \$76
2.5" smooth Urethane	10 lb T2524R25C	\$396	24.45" body long rollers, 25.078" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2522RT \$76
2.5" smooth Steel	9.6 lb T2524R25S	\$376	24.25" body long rollers, 25.078" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2522RT \$76
Tru-Turf Smoothing Heads Rollers for R50-11 machine (4 short & 2 long rollers per machine)		Multi-body roller options available to minimize skidding			
2.5" smooth Urethane	9.5 lb T2222Y25C	\$396	22.45" body short rollers, 22.75" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222YT \$91
2.5" smooth Steel	9.2 lb T2222Y25S	\$376	22.25" body short rollers, 22.75" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222YT \$91
2.5" smooth Urethane	10 lb T2524Y25C	\$396	24.45" body long rollers, 25" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2524YT \$91
2.5" smooth Steel	9.6 lb T2524Y25S	\$396	24.25" body long rollers, 25" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2524YT \$91
Tru-Turf Smoothing Heads Rollers for GR39 machine		Multi-body roller options available to minimize skidding			
2.5" smooth Urethane	15.5 lb T3939S25C	\$616	39.45" body, 39.812" dia. shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA3939ST \$100
2.5" smooth Steel	15.5 lb T3939S25S	\$646	39.25" body, 39.812" dia. shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA3939ST \$100
Tru-Turf Smoothing Heads Rollers for TR7000C machine		Multi-body roller options available to minimize skidding			
2 bodies 2.5" smooth Urethane (2x19.5" wide bodies)	15.5 lb TT3939S25Ct	\$676	2 body assembly at 39.5" total length, 39.812" dia. shaft	OHCOMP or OHCOMP2R	SHA3939STAt \$100
2 bodies 2.5" smooth Steel (2x19.45" wide bodies)	15.5 lb TT3939S25St	\$686	2 body assembly at 39.5" total length, 39.812" dia. shaft	OHCOMP or OHCOMP2R	SHA3939ST \$100
Tru-Turf Smoothing Heads Rollers for R52 machine (9 rollers per machine)		Multi-body roller options available to minimize skidding			
2.5" smooth Urethane	9 lb T1818S25C	\$396	18.45" body, 18.5" shaft-3/8" taps (9 per machine)	OHCOMP or OHCOMP2R	SHA1818ST \$76
2.5" smooth Steel	8.7 lb T1818S25S	\$376	18.25" body, 18.5" shaft-3/8" taps (9 per machine)	OHCOMP or OHCOMP2R	SHA1818ST \$76
Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine		Multi-body roller options available to minimize skidding			
2.5" smooth Urethane	9.5 lb TT2422S25C	\$396	22.45" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2422STT \$76
2.5" smooth Steel	9.2 lb TT2422S25S	\$396	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2422STT \$76

for DENNIS					
Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)		Call to upgrade with double row angular contact bearings			
3.5" smooth Urethane	21 lb D3834G35C	\$577	34.45" body, 38.5" shaft-7/16" taps	OHCOMP	SHA3834GD \$106
Handlebar bushing (2 per roller)	2SLEEVE 1.25x.5x1.2 PU	\$33			

for SHIBAURA & HUSTLER (multi-body rollers available)					
Shibaura G EXE 26 Greens Mower		Multi-body roller options available to minimize skidding			
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb S2826P25CG	\$486	26.45" body, 28.375" shaft	OHCOMP	SHA2826PS \$88
2.5" smooth Urethane	12.5 lb S2826P25C	\$416	26.45" body, 28.375" shaft	OHCOMP	SHA2826PS \$88
2.5" smooth Steel	12.5 lb S2826P25S	\$406	26.25" body, 28.375" shaft	OHCOMP	SHA2826PS \$88
2" dia. smooth Urethane	8.5 lb S2826P2C	\$382	26.25" body, 28.375" shaft	OHCOMP	SHA2826PS \$88
2" dia. smooth Steel heavy (1/4" wall)	12 lb S2826P2S	\$322	26.25" body, 28.375" shaft	OHCOMP	SHA2826PS \$88
Shibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower		Multi-body roller options available to minimize skidding			
2" dia. wide grooved Urethane 1" flats	6.5 lb S2522P2CGF	\$412	22.45" body, 25.75" shaft	OHCOMP	SHA2522PS \$88
2" dia. smooth Urethane	8 lb S2522P2C	\$382	22.25" body, 25.75" shaft	OHCOMP	SHA2522PS \$88
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb S2522P2S	\$322	22.25" body, 25.75" shaft	OHCOMP	SHA2522PS \$88
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb S2522P25CG	\$486	22.45" body, 25.75" shaft	OHCOMP	SHA2522PS \$88
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb S2522P25NG	\$486	22.45" body, 25.75" shaft	OHCOMP	SHA2522PS \$88
2.5" smooth Urethane	11.5 lb S2522P25C	\$416	22.45" body, 25.75" shaft	OHCOMP	SHA2522PS \$88
2.5" smooth Steel	12 lb S2522P25S	\$406	22.25" body, 25.75" shaft	OHCOMP	SHA2522PS \$88
Shibaura SR525 Fairway & Hustler 7500 & 7700 Fairway		Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	10.5 lb S2522P3CG	\$553	22.45" body, 25.75" shaft	OHCOMP or OHCOMP2R	SHA2522PS \$88
3" smooth Urethane	12.5 lb S2522P3C	\$513	22.45" body, 25.75" shaft	OHCOMP or OHCOMP2R	SHA2522PS \$88
3" smooth Steel	12.5 lb S2522P3S	\$523	22.25" body, 25.75" shaft	OHCOMP or OHCOMP2R	SHA2522PS \$88
Shibaura SR370		Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	12.5 lb S2926P3CG	\$553	26.45" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926PS \$88
3" smooth Urethane	14 lb S2926P3C	\$513	26.45" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926PS \$88
3" smooth Steel	14 lb S2926P3S	\$523	26.25" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926PS \$88

for BARONESS (multi-body rollers available)					
Baroness LM66T Greens - Front & back ROLLERS		Multi-body roller options available to minimize skidding			
2.5" dia. wide grooved (1" spacing) Urethane no flats	13 lb B2725H25CG	\$486	25.45" body, 27" shaft-M10 taps	OHCOMP	SHA2725HK \$91
2.5" smooth Urethane	15 lb B2725H25C	\$476	25.45" body, 27" shaft-M10 taps	OHCOMP	SHA2725HK \$91
2.5" smooth Steel	15 lb B2725H25S	\$456	25.25" body, 27" shaft-M10 taps	OHCOMP	SHA2725HK \$91
Baroness LM185 - Front & Back ROLLERS		Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	13 lb B3027K3CG	\$613	27.45" body, 30" shaft-9/16" dia. ends	OHCOMP	SHA3027KK \$91
3" smooth Urethane	15 lb B3027K3C	\$573	27.45" body, 30" shaft-9/16" dia. ends	OHCOMP	SHA3027KK \$91
3" smooth Steel	15 lb B3027K3S	\$523	27.25" body, 30" shaft-9/16" dia. ends	OHCOMP	SHA3027KK \$91
Baroness LM2700 Fairway - 27.45" ROLLER BODIES		Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	13 lb B2727G3CG	\$613	27.45" body, 27.625" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA2727GK \$91
3" smooth Urethane	15 lb B2727G3C	\$573	27.45" body, 27.625" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA2727GK \$91
3" smooth Steel	15 lb B2727G3S	\$523	27.25" body, 27.625" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA2727GK \$91
3.5" smooth Urethane	18 lb B2727G35C	\$677	27.45" body, 27.625" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA2727GK \$91
4" smooth Urethane	23 lb B2727G4C	\$754	27.45" body, 27.625" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA2727GK \$91

	Complete Roller Assemblies	Roller Retail		Overhaul Kit	Replacement Shaft Retail	Replacement
						</

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

GOLFCO INTERNATIONAL

COMPETITION ROLLERS™ 2025

Competition Roller™ Upgrade Options

Retail

Upgrade to Stainless Steel Bearings on Competition Rollers™

Upgrade to Double Row Bearings as our Competition2 Rollers™

- upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body)
- available for most rollers greater than 2" dia. (with special machined deep bore bearing housings)

Add Grease Fittings (set of 2 special flush mount grease fittings)

- grease fittings (set of two) for new Competition Rollers™ or new overhaul kits
- special yellow end seal (set of two) to accommodate grease fitting without new bearing kits

Bearing Installation Tool Set

- set of 2 tools - aids in installing bearings into roller housing and onto shaft

Super solid one piece Polyurethane Soft Blow Mallet - FULL SIZE (13" length)

- add a bottle opener to your full size mallet for \$12 extra

Super solid one piece Polyurethane Soft Blow Mallet - 3/4 SIZE (9.8" length)

Super solid one piece Polyurethane Soft Blow Mallet - 1/2 SIZE (6.5" length)

- unique utility to add to your tool box

\$28 BU-COMPSS

\$40

(designate by adding "2" to front of roller part number)

\$24 GFFD316SET

\$29 2SEAL16CUGF SET

\$76 2TOOLSET

\$70 #MALLET13

\$82 #MALLET13BO

\$45 #MALLET9.8

\$33 #MALLET6.5



Competition Roller™ Overhaul Kits - *ORIGINAL STYLE*

Single row deep groove bearings



- Only GolfcO bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Standard overhaul kit for all single body (except "H" style 2" grooved)
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$76 OHCOMP

Stainless steel bearing overhaul kit for all single body (except 2" grooved)
(with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)

\$104 OHCOMPSS

Overhaul kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$76 OHCOMPH

Overhaul kit for twin body roller assemblies (one kit per body - call to confirm)

\$92 OHCOMPnt

Overhaul kit for 3 & 4 body roller assemblies (one kit per body - call to confirm)

\$78 OHCOMPn4

Competition2 Roller™ Overhaul Kits *SERIES 2* with Double-Row Bearings

Double row angular contact bearings with corrosion resistant black oxide finish

- Only GolfcO bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Kit for single body deep bore rollers

(with 2 bearings, 6 seals, 2 stainless washers & 4 snap ring retainers)

\$124 OHCOMP2BO

Kit for single body regular bore rollers

(with 2 bearings, 4 seals, 2 steel washers & 2 snap ring retainers)

\$116 OHCOMP2R

Kit for twin body regular bore rollers

(with 2 bearings, 4 seals, 2 stainless washers & 2 collar retainers)

\$116 OHCOMP2Rt

Competition Roller™ Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from the first 6 digits of the roller part number as follows: Roller T2522S2CGF has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).

Pro Roller™ Bearings (Water Pump Style)

Replaces Toro #21-8430

Water pump bearing-sealed (shaft is 5/8"od x 1.8"L)

\$26 BWP3

Replaces Toro #52-3180 & 52-3210

Water pump bearing-sealed (shaft is 5/8"od x 1.8"L with 3/8-24 tap)

\$26 BWP4

Replaces Jacobsen #101482

Water pump bearing-sealed (shaft is 5/8"od x 1.0"L with 7/16-20 tap)

\$26 BWP5

Replaces Toro #75-1290, Jacobsen #101481 & John Deere #35741

Water pump bearing-sealed (shaft is 5/8"od x 1.5"L)

\$26 BWP7