

GOLFCO INTERNATIONAL COMPETITION ROLLERS

2025 Retail Price List

US PATENT #5394661

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

		Complete Roller Assemblies	Roller Retail		Replacement Overhaul Kit (1 per body) (included in new roller assemblies)	Replacement Shaft	Shaft Retail
for Jacobsen mowers							
Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 & ECLIPSE 122 & 322 MOWERS - FRONT ROLLER							
2" dia. SINGLE body							
	2" dia. wide grooved Urethane no flats	6.5 lb J2522A2CG	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$76
	2" dia. narrow grooved Urethane no flats	6.7 lb J2522A2NG	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$76
	2" dia. wide grooved Urethane 1" flats	6.5 lb J2522A2CGF	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$76
	2" dia. narrow grooved Urethane 1" flats	6.7 lb J2522A2NGF	\$382	22.45" body, 25.87" shaft	OHCOMP	SHA2522AJ	\$76
	2" dia. smooth Urethane	8 lb J2522A2C	\$382	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
	2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2522A2S	\$322	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2" dia. TWO opposing end short bodies							
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2CGt	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP	SHA2504AJAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2NGt	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP	SHA2504AJAt	\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2CGFt	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP	SHA2504AJAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2NGFt	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP	SHA2504AJAt	\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2502A2Ct	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2502AJAt	\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A2Ct	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAt	\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2504A2St	\$452	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMPSS	SHA2504AJAt	\$91
2" dia. SINGLE body + 2 bodies outside of brackets							
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended	2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended	2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended	2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
extended	2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	15 lb J3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP + 2x OHCOMP	SHA3122AJA+2	\$108
2" dia. FOUR bodies							
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2CG4	\$582	4 short bodies, 25.87" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522AJA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2NG4	\$582	4 short bodies, 25.87" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522AJA4	\$91
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2CGF4	\$582	4 short bodies, 25.87" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522AJA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2NGF4	\$582	4 short bodies, 25.87" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522AJA4	\$91
4 bodies	2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2522A2C4	\$582	4 short bodies, 25.87" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522AJA4	\$91
4 bodies	2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2522A2S4	\$582	4 short bodies, 25.87" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522AJA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies	2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int + ext+OHCOMP (2)	SHA3122AJA4+2	\$108
6 bodies	2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	15 lb J3122A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int + ext+OHCOMP (2)	SHA3122AJA4+2	\$108
2.5" dia. SINGLE body							
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J2522A25CG	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2522A25NG	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 3/4" flats	9 lb J2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
	2.5" smooth Urethane	9.5 lb J2522A25C	\$396	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
	2.5" smooth Steel	10 lb J2522A25S	\$376	22.25" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AJ	\$76
2.5" dia. TWO opposing end short bodies							
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A25CGt	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMP2Rt	SHA2504AJAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A25NGt	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMP2Rt	SHA2504AJAt	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A25CGFt	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMP2Rt	SHA2504AJAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A25NGFt	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMP2Rt	SHA2504AJAt	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A25Ct	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMP2Rt	SHA2504AJAt	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb J2504A25St	\$496	2 short twin bodies at ends of 25.87" shaft	2x OHCOMP or 2x OHCOMP2Rt	SHA2504AJAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets							
extended	2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A25CG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended	2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A25NG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended	2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A25CGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended	2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A25NGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
extended	2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A25C+2C	\$566	22.25" center body + 2 short outer bodies, 31.87" shaft	OHCOMP or OHCOMPSS (3)	SHA3122AJA+2	\$108
2.5" dia. FOUR bodies							
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25CG4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25NG4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25CGF4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25NGF4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	9 lb J2522A25C4	\$636	4 short bodies, 25.87" shaft	OHCOMP4int&ext (4 kits)	SHA2522AJA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb J3122A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
6 bodies	2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	OHCOMP4int&ext+2C (6 kits)	SHA3122AJA4+2	\$108
Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex,GP400 & ECLIPSE 122 & 322 MOWERS - BACK ROLLER							
2" dia. SINGLE body w/ 3/8" taps in shaft							
	2" dia. wide grooved Urethane no flats	6.5 lb J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
	2" dia. narrow grooved Urethane no flats	6.7 lb J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
	2" dia. wide grooved Urethane 1" flats	6.5 lb J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
	2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
	2" dia. smooth Urethane	8 lb J2422S2C	\$382	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422SJ	\$76
	2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422S2S	\$322	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2422SJ	\$76
2" dia. SINGLE body w/ 7/16" taps in shaft							
	2" dia. wide grooved Urethane no flats	6.5 lb J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
	2" dia. narrow grooved Urethane no flats	6.7 lb J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
	2" dia. wide grooved Urethane 1" flats	6.5 lb J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
	2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
	2" dia. smooth Urethane	8 lb J2422G2C	\$382	22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2422GJ	\$76
	2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422G2S	\$322	22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2422GJ	\$76

Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT ROLLERS (SHAFT is 21.25" with taps in both ends)

<u>2" dia. SINGLE body</u>							
2" dia. wide grooved Urethane no flats	6.2 lb	J2119S2CG	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCOMP	SHA2119SJ	\$76
2" dia. narrow grooved Urethane no flats	6.4 lb	J2119S2NG	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCOMP	SHA2119SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.2 lb	J2119S2CGF	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCOMP	SHA2119SJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2119S2NGF	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCOMP	SHA2119SJ	\$76
2" dia. smooth Urethane	7.5 lb	J2119S2C	\$382	19.25" body, 21.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2119SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2119S2S	\$322	19.25" body, 21.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2119SJ	\$76
<u>2" dia. TWO opposing end short bodies</u>							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104S2CGt	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCOMPht	SHA2104SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104S2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCOMPht	SHA2104SJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104S2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCOMPht	SHA2104SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104S2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCOMPht	SHA2104SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2102S2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPISS	SHA2104SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2104S2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPISS	SHA2104SJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2104S2St	\$452	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPISS	SHA2104SJAt	\$91
<u>2" dia. FOUR bodies</u>							
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119S2CG4	\$582	4 short bodies, 21.25" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2119SJ44	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119S2NG4	\$582	4 short bodies, 21.25" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2119SJ44	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119S2CGF4	\$582	4 short bodies, 21.25" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2119SJ44	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119S2NGF4	\$582	4 short bodies, 21.25" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2119SJ44	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	J2119S2C4	\$582	4 short bodies, 21.25" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2119SJ44	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2119S2S4	\$582	4 short bodies, 21.25" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2119SJ44	\$91

Jacobsen 18" Eclipse2 118F GREENSMOWERS - REAR ROLLERS (SHAFT is 20.5" with taps in both ends)

<u>2" dia. SINGLE body</u>								
	2" dia. wide grooved Urethane no flats	6.2 lb	J2019S2CG	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCOMP	SHA2119SJ	\$76
	2" dia. narrow grooved Urethane no flats	6.4 lb	J2019S2NG	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCOMP	SHA2119SJ	\$76
	2" dia. wide grooved Urethane 1" flats	6.2 lb	J2019S2CGF	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCOMP	SHA2019SJ	\$76
	2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2019S2NGF	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCOMP	SHA2119SJ	\$76
	2" dia. smooth Urethane	7.5 lb	J2019S2C	\$382	19.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2019SJ	\$76
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2019S2S	\$322	19.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2019SJ	\$76
<u>2" dia. TWO opposing end short bodies</u>								
	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2004S2CGt	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCOMPht	SHA2004SJAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2004S2NGt	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCOMPht	SHA2004SJAt	\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2004S2CGFt	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCOMPht	SHA2004SJAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2004S2NGFt	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCOMPht	SHA2004SJAt	\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2002S2Ct	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPISS	SHA2002SJAt	\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2004S2Ct	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPISS	SHA2004SJAt	\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2004S2St	\$452	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPISS	SHA2004SJAt	\$91
<u>2" dia. FOUR bodies</u>								
	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2019S2CG4	\$582	4 short bodies, 20.5" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2019SJ44	\$91
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2019S2NG4	\$582	4 short bodies, 20.5" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2019SJ44	\$91
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2019S2CGF4	\$582	4 short bodies, 20.5" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2019SJ44	\$91
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2019S2NGF4	\$582	4 short bodies, 20.5" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2019SJ44	\$91
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.9 lb	J2019S2C4	\$582	4 short bodies, 20.5" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2019SJ44	\$91
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2019S2S4	\$582	4 short bodies, 20.5" shaft-3/8" taps	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2019SJ44	\$91

Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - FRONT & BACK ROLLERS

2" dia. SINGLE body							
	2" dia. wide grooved Urethane no flats	7.8 lb	J2926A2CG	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AJ \$76
	2" dia. narrow grooved Urethane no flats	7.8 lb	J2926A2NG	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AJ \$76
	2" dia. wide grooved Urethane 1" flats	8 lb	J2926A2CGF	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AJ \$76
	2" dia. narrow grooved Urethane 1" flats	8 lb	J2926A2NGF	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AJ \$76
	2" dia. smooth Urethane	9 lb	J2926A2C	\$382	26.45" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926AJ \$76
	2" dia. smooth Steel heavy (1/4" wall)	12.5 lb	J2926A2S	\$322	26.25" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926AJ \$76
2" dia. TWO opposing end short bodies							
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2904A2CGt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPht	SHA2904AJAt \$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2904A2NGt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPht	SHA2904AJAt \$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2904A2CGFt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPht	SHA2904AJAt \$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2904A2NGFt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPht	SHA2904AJAt \$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2902A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPISS	SHA2902AJAt \$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2904A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPISS	SHA2904AJAt \$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2904A2St	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMPt or 2x OHCOMPISS	SHA2904AJAt \$91
2" dia. SINGLE body + 2 bodies outside of brackets							
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3526A2CG+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3526A2NG+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3526A2CGF+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3526A2NGF+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	J3526A2C+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
extended	2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb	J3526A2S+2S	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526AJA+2 \$108
2" dia. FOUR bodies							
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J2926A2CG4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2926AJ44 \$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J2926A2NG4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2926AJ44 \$91
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J2926A2CGF4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2926AJ44 \$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J2926A2NGF4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2926AJ44 \$91
4 bodies	2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb	J2926A2C4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2926AJ44 \$91
4 bodies	2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb	J2926A2S4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4Int + 2x OHCOMP4ext	SHA2926AJ44 \$91
2" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	J3526A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2 \$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	J3526A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2 \$108
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	J3526A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2 \$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	J3526A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2 \$108
6 bodies	2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	J3526A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2 \$108
6 bodies	2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	13 lb	J3526A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526AJA4+2 \$108

<u>2.5" dia. SINGLE body</u>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	J2926A25CG	\$456	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	J2926A25NG	\$456	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	J2926A25CGF	\$456	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	J2926A25NGF	\$456	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" smooth Urethane	11 lb	J2926A25C	\$396	26.45" body, 29.75" shaft		SHA2926AJ	\$76
2.5" smooth Steel	11 lb	J2926A25S	\$376	26.25" body, 29.75" shaft		SHA2926AJ	\$76
<u>2.5" dia. TWO opposing end short bodies</u>							
				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2904A25CGt	\$496	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2904A25NGt	\$496	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2904A25CGFt	\$496	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2904A25NGFt	\$496	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2904A25Ct	\$496	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb	J2904A25St	\$496	2 short twin bodies at ends of 29.75" shaft		SHA2904AJAt	\$91

<u>2.5" dia. SINGLE body + 2 bodies outside of brackets</u>						
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A25CG+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3526A25NG+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A25CGF+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3526A25NGF+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
extended	2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3526A25C+2C	\$566	26.45" center body +2 short outer bodies, 35.5" shaft	SHA3526AJA+2	\$108
<u>2.5" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations		
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A25CG4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2926A25NG4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A25CGF4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2926A25NGF4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J2926A25C4	\$636	4 short bodies, 29.75" shaft	SHA2926AJA4	\$91
<u>2.5" dia. FOUR bodies + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations		
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3526A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3526A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3526A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3526A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
6 bodies	2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb J3526A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526AJA4+2	\$108
Jacobsen 26" LF3810 & TRIKING 1471 & 1671 - FRONT & BACK ROLLERS						
<u>2.5" dia. SINGLE body</u>						
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J2826A25CG	\$456	26.45" body, 28.375" shaft	SHA2826AJ	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2826A25NG	\$456	26.45" body, 28.375" shaft	SHA2826AJ	\$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J2826A25CGF	\$456	26.45" body, 28.375" shaft	SHA2826AJ	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J2826A25NGF	\$456	26.45" body, 28.375" shaft	SHA2826AJ	\$76
	2.5" smooth Urethane	11 lb J2826A25C	\$396	26.45" body, 28.375" shaft	SHA2826AJ	\$76
	2.5" smooth Steel	11 lb J2826A25S	\$376	26.25" body, 28.375" shaft	SHA2826AJ	\$76
<u>2.5" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2804A25CGt	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2804A25NGt	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2804A25CGFt	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2804A25NGFt	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2804A25Ct	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2804A25St	\$496	2 short twin bodies at ends of 28.375" shaft	SHA2804AJAt	\$91
<u>2.5" dia. SINGLE body + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations		
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3426A25CG+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb J3426A25NG+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3426A25CGF+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb J3426A25NGF+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108
extended	2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb J3426A25C+2C	\$566	26.45" center body +2 short outer bodies, 34.375" shaft	SHA3426AJA+2	\$108
<u>2.5" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations		
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2826A25CG4	\$636	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J2826A25NG4	\$636	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2826A25CGF4	\$636	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J2826A25NGF4	\$636	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J2826A25C4	\$636	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
<u>2.5" dia. FOUR bodies + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations		
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3426A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb J3426A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3426A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb J3426A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
6 bodies	2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb J3426A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 34.375" shaft	SHA3426AJA4+2	\$108
<u>3" dia. SINGLE body</u>						
	3" dia. wide grooved Urethane	13 lb J2826A3CG	\$513	26.45" body, 28.375" shaft	SHA2826AJ	\$76
	3" smooth Urethane	13.5 lb J2826A3C	\$483	26.45" body, 28.375" shaft	SHA2826AJ	\$76
	3" smooth Steel	13.5 lb J2826A3S	\$443	26.25" body, 28.375" shaft	SHA2826AJ	\$76
<u>3" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations		
4 bodies	3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J2826A3CG4	\$683	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
4 bodies	3" smooth Urethane (4x6.5" wide bodies)	14 lb J2826A3C4	\$683	4 short bodies, 28.375" shaft	SHA2826AJA4	\$91
Jacobsen 26" TR-3 - FRONT & BACK ROLLERS						
<u>2.5" dia. SINGLE body</u>						
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J3126X25CG	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J3126X25NG	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J3126X25CGF	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J3126X25NGF	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
	2.5" smooth Urethane	11 lb J3126X25C	\$396	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
	2.5" smooth Steel	11 lb J3126X25S	\$376	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$81
<u>2.5" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3104X25CGt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3104X25NGt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3104X25CGFt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3104X25NGFt	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J3104X25Ct	\$506	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
2 bodies	2.5" smooth steel (2x4.75" wide bodies)	6 lb J3104X25St	\$496	2 short twin bodies at ends of 31.25" shaft	SHA3104XJAt	\$96
<u>2.5" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations		
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25CG4	\$636	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25NG4	\$636	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25CGF4	\$636	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25NGF4	\$636	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J3126X25C4	\$646	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
<u>3" dia. SINGLE body</u>						
	3" dia. wide grooved Urethane	13 lb J3126X3CG	\$513	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
	3" smooth Urethane	13.5 lb J3126X3C	\$493	26.45" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
	3" smooth Steel	13.5 lb J3126X3S	\$453	26.25" body, 31.25" shaft-1/2" dia. ends	SHA3126XJ	\$86
<u>3" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations		
4 bodies	3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3126X3CG4	\$683	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
4 bodies	3" smooth Urethane (4x6.5" wide bodies)	14 lb J3126X3C4	\$683	4 short bodies, 31.25" shaft-1/2" dia. ends	SHA3126XJ44	\$96
Jacobsen 30" TRIKING 1684D & 1900D - FRONT & BACK ROLLERS						
<u>2.5" dia. SINGLE body</u>						
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J3229A25CG	\$456	29.45" body, 32.19" shaft	SHA3229AJ	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J3229A25NG	\$456	29.45" body, 32.19" shaft	SHA3229AJ	\$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J3229A25CGF	\$456	29.45" body, 32.19" shaft	SHA3229AJ	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J3229A25NGF	\$456	29.45" body, 32.19" shaft	SHA3229AJ	\$76
	2.5" smooth Urethane	12 lb J3229A25C	\$396	29.45" body, 32.19" shaft	SHA3229AJ	\$76
	2.5" smooth Steel	12 lb J3229A25S	\$376	29.25" body, 32.19" shaft	SHA3229AJ	\$76
<u>2.5" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations		
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3204A25CGt	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J3204A25NGt	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3204A25CGFt	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J3204A25NGFt	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J3204A25Ct	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	6 lb J3204A25St	\$496	2 short twin bodies at ends of 32.19" shaft	SHA3204AJAt	\$91

<u>2.5" dia. SINGLE body + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3829A25CG+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft		SHA3829AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3829A25NG+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft		SHA3829AJA+2	\$108
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3829A25CGF+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft		SHA3829AJA+2	\$108
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3829A25NGF+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft		SHA3829AJA+2	\$108
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	J3829A25C+2C	\$566	29.45" center body +2 short outer bodies, 38.19" shaft		SHA3829AJA+2	\$108
<u>2.5" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J3229A25CG4	\$636	4 short bodies, 32.19" shaft		SHA3229AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J3229A25NG4	\$636	4 short bodies, 32.19" shaft		SHA3229AJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J3229A25CGF4	\$636	4 short bodies, 32.19" shaft		SHA3229AJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J3229A25NGF4	\$636	4 short bodies, 32.19" shaft		SHA3229AJA4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb	J3229A25C4	\$636	4 short bodies, 32.19" shaft		SHA3229AJA4	\$91
<u>2.5" dia. FOUR bodies + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	J3829A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft		SHA3829AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	J3829A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft		SHA3829AJA4+2	\$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb	J3829A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft		SHA3829AJA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb	J3829A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft		SHA3829AJA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	J3829A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 38.19" shaft		SHA3829AJA4+2	\$108
<u>3" dia. SINGLE body</u>				non-skidding for tight turns & ground undulations			
3" dia. wide grooved Urethane	12.4 lb	J3229A3CG	\$513	29.45" body, 32.19" shaft		SHA3229AJ	\$76
3" smooth Urethane	15 lb	J3229A3C	\$483	29.45" body, 32.19" shaft		SHA3229AJ	\$76
3" smooth Steel	15 lb	J3229A3S	\$443	29.25" body, 32.19" shaft		SHA3229AJ	\$76
<u>3" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb	J3229A3CG4	\$683	4 short bodies, 32.19" shaft		SHA3229AJA4	\$91
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb	J3229A3C4	\$683	4 short bodies, 32.19" shaft		SHA3229AJA4	\$91
Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - FRONT ROLLER				Call to upgrade with double row angular contact bearings			
<u>3" dia. SINGLE body</u>				Call to upgrade with double row angular contact bearings			
3" dia. wide grooved Urethane	9 lb	J2119A3CG	\$513	19.45" body, 21.25" shaft		SHA2119AJ	\$76
3" smooth Urethane	10.5 lb	J2119A3C	\$483	19.45" body, 21.25" shaft		SHA2119AJ	\$76
3" smooth Steel	11 lb	J2119A3S	\$443	19.25" body, 21.25" shaft		SHA2119AJ	\$76
<u>3" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x4.75" wide bodies)	12 lb	J2119A3CG4	\$673	4 short bodies, 21.25" shaft		SHA2119AJA4	\$91
4 bodies 3" smooth Urethane (4x4.75" wide bodies)	14 lb	J2119A3C4	\$663	4 short bodies, 21.25" shaft		SHA2119AJA4	\$91
To diminish instances of shadowing lines due to overlap of reels				call for proper application specifics			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	8.5 lb	J2119A3CG.22C	\$543	front roller for rear mower heads-use with J2016G2C		SHA2119AJ	\$76
2" dia. smooth Urethane	8.5 lb	J2016G2C	\$382	back roller for rear mower heads-use with J2119A3CG.22C		SHA2016GJ	\$76
Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - BACK ROLLER (with 7/16-20 tap)				Call to upgrade with double row angular contact bearings			
<u>2" dia. SINGLE body</u>				Call to upgrade with double row angular contact bearings			
2" dia. smooth Urethane	6.5 lb	J2016S2C	\$382	16.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2016GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb	J2016S2S	\$312	16.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2016GJ	\$76
2" dia. smooth Urethane	6.5 lb	J2016G2C	\$382	16.25" body, 20.5" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2016GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb	J2016G2S	\$312	16.25" body, 20.5" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2016GJ	\$76
2" dia. smooth Urethane	11 lb	J2019S2C	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2019SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11 lb	J2019S2S	\$322	19.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2019SJ	\$76
2" dia. smooth Urethane	11 lb	J2019G2C	\$382	19.45" body, 20.5" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2019SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11 lb	J2019G2S	\$322	19.25" body, 20.5" shaft-7/16" taps	OHCOMP or OHCOMPSS	SHA2019SJ	\$76
<u>2.5" dia. SINGLE body</u>				Call to upgrade with double row angular contact bearings			
2.5" smooth Urethane	11 lb	J2019S25C	\$396	19.45" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2019SJ	\$76
2.5" smooth steel	11 lb	J2019S25S	\$376	19.25" body, 20.5" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2019SJ	\$76
Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810)				Call to upgrade with double row angular contact bearings			
<u>3" dia. SINGLE body</u>				Call to upgrade with double row angular contact bearings			
3" dia. wide grooved Urethane	9.4 lb	J2522A3CG	\$513	22.45" body, 25.87" shaft	OHCOMP or OHCOMP2R	SHA2522AJ	\$76
3" smooth Urethane	12 lb	J2522A3C	\$483	22.45" body, 25.87" shaft	OHCOMP or OHCOMP2R	SHA2522AJ	\$76
3" smooth Steel	11.5 lb	J2522A3S	\$443	22.25" body, 25.87" shaft	OHCOMP or OHCOMP2R	SHA2522AJ	\$76
<u>3" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	12 lb	J2522A3CG4	\$673	4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	14 lb	J2522A3C4	\$663	4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
To diminish instances of shadowing lines due to overlap of reels				call for proper application specifics			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	J2522A3CG.22C	\$543	front roller for rear mower heads-use with J2419S2C		SHA2522AJ	\$76
2" dia. smooth Urethane (rear roller)	7 lb	J2419S2C	\$382	back roller for rear mower heads-use with J2522A3CG.22C		SHA2419SJ	\$76
Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810)				Call to upgrade with double row angular contact bearings			
<u>2" dia. SINGLE body w/ 3/8" taps in shaft</u>				Call to upgrade with double row angular contact bearings			
2" dia. wide grooved Urethane no flats	6.5 lb	J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2422SJ	\$76
2" dia. smooth Urethane	8 lb	J2422S2C	\$382	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2422SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422S2S	\$322	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2419S2CGF	\$382	19.45" body, 24.25" shaft-3/8" taps	OHCOMP	SHA2419SJ	\$76
2" dia. smooth Urethane	7 lb	J2419S2C	\$382	19.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2419SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2419S2S	\$322	19.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2419SJ	\$76
<u>2" dia. SINGLE body w/ 7/16" taps in shaft</u>				Call to upgrade with double row angular contact bearings			
2" dia. wide grooved Urethane no flats	6.5 lb	J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCOMP	SHA2422GJ	\$76
2" dia. smooth Urethane	8 lb	J2422G2C	\$382	22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA2422GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422G2S	\$322	22.25" body, 24.25" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA2422GJ	\$76
<u>2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404S2CGT	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP	SHA2404SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404S2NGT	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP	SHA2404SJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404S2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP	SHA2404SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404S2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP	SHA2404SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2402S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS	SHA2402SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2404S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS	SHA2404SJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2404S2St	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS	SHA2404SJAt	\$91
<u>2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404G2CGT	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP	SHA2404GJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2404G2NGT	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP	SHA2404GJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP	SHA2404GJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2404G2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP	SHA2404GJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2402G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP or 2x OHCOMPSS	SHA2402GJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2404G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP or 2x OHCOMPSS	SHA2404GJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6.2 lb	J2404G2St	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMP or 2x OHCOMPSS	SHA2404GJAt	\$91
<u>2" dia. FOUR bodies w/ 3/8" taps in shaft</u>				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2422S2CG4	\$582	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4int +2x OHCOMP4ext	SHA2422SJAA	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2422S2NG4	\$582	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4int +2x OHCOMP4ext	SHA2422SJAA	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2CGF4	\$582	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4int +2x OHCOMP4ext	SHA2422SJAA	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2422S2NGF4	\$582	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4int +2x OHCOMP4ext	SHA2422SJAA	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	J2422S2C4	\$582	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4int +2x OHCOMP4ext	SHA2422SJAA	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	J2422S2S4	\$582	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4int +2x OHCOMP4ext	SHA2422SJAA	\$91

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)

2.5" dia. wide grooved (1" spacing) Urethane no flats
2.5" smooth Urethane
2.5" smooth Steel

2.5" dia. wide grooved (1" spacing) Urethane no flats
2.5" smooth Urethane
2.5" smooth Steel

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)

4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies)
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75+2x5.55" wide bodies)
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies)
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies)
4 bodies 2.5" smooth Urethane (2x4.75"+2x5.55" wide bodies)

3" dia. SINGLE body
3" dia. wide grooved Urethane
3" smooth Urethane
3" smooth Steel

4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)
4 bodies 3" smooth Urethane (4x6.5" wide bodies)
1 each 20" ST5111, FAIRWAY GOLF, H55 & H515, 5"

3" dia. SINGLE body
3" dia. wide grooved Urethane
3" smooth Urethane
3" smooth Steel

5" smooth Urethane (4" wide body) double row bearings
Jacobsen ROTARY AR-522, AR-722, & AR-5 26" DECK -

3" dia. wide grooved Urethane with double row bearings
3" smooth Urethane with double row bearings
3" smooth Steel with double row bearings
3" dia. wide grooved Urethane with double row bearings
3" smooth Urethane with double row bearings
3" smooth Steel with double row bearings

2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings

4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings

3.5" smooth Urethane with double row bearings

4" smooth Urethane-double row bearings
4" smooth Steel-double row bearings
Jacobsen ROTARY AB-5 26" DECK - BACK ROLLER (mu

3" dia. wide grooved Urethane with double row bearings
3" smooth Urethane with double row bearings
3" smooth Steel with double row bearings

2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings

4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings

3.5" smooth Urethane with double row bearings
4" dia. SINGLE body

Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (mu
3" dia. SINGL E body

3" dia. TWO opposing end short bodies
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings

5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies) double row
5 bodies 3" smooth Urethane (5x5.2" wide bodies) double row bearings

3.5" smooth Urethane with double row bearings

[illegible]

\$456 21.45" body, 24.25" shaft-3/8" taps
\$396 21.45" body, 24.25" shaft-3/8" taps
\$376 21.25" body, 24.25" shaft-3/8" taps

\$456 21.45" body, 24.25" shaft-7/16" taps
\$396 21.45" body, 24.25" shaft-7/16" taps
\$376 21.25" body, 24.25" shaft-7/16" taps

[illegible]

\$636 4 short bodies at ends of 24.25" shaft-3/8" taps
\$636 4 short bodies at ends of 24.25" shaft-3/8" taps
\$636 4 short bodies at ends of 24.25" shaft-3/8" taps
\$636 4 short bodies at ends of 24.25" shaft-3/8" taps
\$636 4 short bodies at ends of 24.25" shaft-3/8" taps

\$513 26.45" body, 30.5" shaft-1/2" dia. ends
\$493 26.45" body, 30.5" shaft-1/2" dia. ends
\$453 26.25" body, 30.5" shaft-1/2" dia. ends

\$683 4 short bodies, 30.5" shaft-1/2" dia. ends

\$663 4 short bodies, 30.5" shaft-1/2" dia. ends

\$513 29.45" body, 33.5" shaft
\$483 29.45" body, 33.5" shaft
\$443 29.25" body, 33.5" shaft

\$295 Roller assembly includes sleeves & bolts for mounting to
configuration on ends)

\$573	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on end
\$573	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on end
\$573	26.25" body, 29.42" dia. shaft-large milled flat & pin hole on end
\$573	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round
\$573	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round
\$573	26.25" body, 29.42" dia. shaft-1 large milled flat end & 1 round

\$613	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hc
\$613	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hc
\$613	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hc
\$613	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1
\$613	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1
\$613	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1

\$703 4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on

\$703 4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on

\$703 4 short bodies, 29.42" dia. shaft-1 large milled flat end & 1 r

\$703 4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on

\$627 25.45" body, 29.42" dia. shaft-large milled flat & pin hole
\$627 25.45" body, 29.42" dia. shaft-1 large milled flat end & 1

\$704 25.45" body, 29.42" dia. shaft-large milled flat & pin hole
\$704 26.25" body, 29.42" dia. shaft-large milled flat & pin hole
 (ds)

\$573 25.45" body, 30" shaft-specify configuration of shaft end
\$573 25.45" body, 30" shaft-specify configuration of shaft end
\$573 26.25" body, 30" shaft-specify configuration of shaft end
non-stripping, non-skidding for tight turns &

\$643 2 short twin bodies, 30" shaft-specify configuration of shaft

\$703 4 short twin bodies, 30" shaft-specify configuration of shaft

\$627 25.45" body, 30" shaft-specify configuration of shaft end

\$704 26.45 body, 30" shaft-specify configuration of shaft end
ds)

\$573 29.45" body, 34.25" shaft-large milled flat & pin hole on end

\$573 29.25" body, 34.25" shaft-large milled flat & pin hole on end

\$643 non-striping, non-skidding for tight turns

\$643 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on end

\$643 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on end

\$643 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on end

\$743 5 short bodies, 34.25" shaft-large milled flat & pin hole on

\$627 29.45" body, 34.25" shaft-large milled flat & pin hole on e

4" dia. SINGLE body						
4" smooth Urethane-double row bearings	26 lb	J23429R4C	\$704	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA3429RJ \$91
4" smooth Steel-double row bearings	29 lb	J23429R4SR	\$704	29.25" body, 34.25" shaft-large milled flat & pin hole on ends	OHCOMP2RC	SHA3429RJ \$91
Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER						
3" dia. SINGLE body						
3" smooth Urethane with double row bearings	15.5 lb	J2J722X3C	\$573	22.45" body, 27.25" shaft-1/2" dia. ends	OHCOMP2C	SHA2722XJ \$91
3" smooth Steel with double row bearings	15.5 lb	J2J722X3SR	\$573	22.25" body, 27.25" shaft-1/2" dia. ends	OHCOMP2RC	SHA2722XJ \$91
3.5" dia. SINGLE body						
3.5" smooth Urethane with double row bearings	19 lb	J2J722X35C	\$627	22.45" body, 27.25" shaft-1/2" dia. ends	OHCOMP2C	SHA2722XJ \$91
4" dia. SINGLE body						
4" smooth Urethane-double row bearings	23 lb	J2J722X4C	\$704	22.45" body, 27.25" shaft-1/2" dia. ends	OHCOMP2C	SHA2722XJ \$91
4" smooth Steel-double row bearings	26 lb	J2J722X4SR	\$704	22.25" body, 27.25" shaft-1/2" dia. ends	OHCOMP2RC	SHA2722XJ \$91

for JOHN DEERE mowers

John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS - FRONT ROLLER

2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb	D2119A2CG	\$382	19.45" body, 21.25" shaft	OHCOMP	SHA2119AD \$76
2" dia. narrow grooved Urethane no flats	6.7 lb	D2119A2NG	\$382	19.45" body, 21.25" shaft	OHCOMP	SHA2119AD \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2119A2CGF	\$382	19.45" body, 21.25" shaft	OHCOMP	SHA2119AD \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2119A2NGF	\$382	19.45" body, 21.25" shaft	OHCOMP	SHA2119AD \$76
2" dia. smooth Urethane	7.5 lb	D2119A2C	\$382	19.25" body, 21.25" shaft	OHCOMP or OHCOMPSS	SHA2119AD \$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	D2119A2S	\$322	19.25" body, 21.25" shaft	OHCOMP or OHCOMPSS	SHA2119AD \$76
2" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A2CGt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMPt	SHA2104ADat \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMPt	SHA2119ADat \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMPt	SHA2104ADat \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMPt	SHA2104ADat \$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2104A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2104ADat \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2102A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2102ADat \$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	4.2 lb	D2104A2St	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2104ADat \$91
2" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations		
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	D2719A2CG+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	D2719A2NG+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2CGF+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2NGF+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. smooth Urethane (19.25" inner+2x2" outer bodies)	13 lb	D2719A2C+2C	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
extended 2" dia. smooth Steel heavy (19.25" inner+2x2" outer bodies)	15 lb	D2719A2S+2S	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP	SHA2719ADA+2 \$108
2" dia. FOUR bodies				non-skidding for tight turns & ground undulations		
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A2CG4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2119ADA4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A2NG4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2119ADA4 \$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A2CGF4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2119ADA4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A2NGF4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2119ADA4 \$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb	D2119A2C4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2119ADA4 \$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	D2119A2S4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2119ADA4 \$91
2" dia. FOUR bodies + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations		
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb	D2719A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2 \$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb	D2719A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2 \$108
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2 \$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2 \$108
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	13 lb	D2719A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2 \$108
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	15 lb	D2719A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 27.25" shaft		SHA2719ADA4+2 \$108

John Deere 22" 220 & 220SL WALKING & 2500, 2400, 2550, 2700, 2750 & 2243 RIDING GREENSMOWERS - FRONT & BACK ROLLERS

2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb	D2522C2CG	\$382	22.45" body, 25.5" shaft	OHCOMP	SHA2522CD \$76
2" dia. narrow grooved Urethane no flats	6.7 lb	D2522C2NG	\$382	22.45" body, 25.5" shaft	OHCOMP	SHA2522CD \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2522C2CGF	\$382	22.45" body, 25.5" shaft	OHCOMP	SHA2522CD \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2522C2NGF	\$382	22.45" body, 25.5" shaft	OHCOMP	SHA2522CD \$76
2" dia. smooth Urethane	7.9 lb	D2522C2C	\$382	22.25" body, 25.5" shaft	OHCOMP or OHCOMP2R	SHA2522CD \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	D2522C2S	\$322	22.25" body, 25.5" shaft	OHCOMP or OHCOMP2R	SHA2522CD \$76
2" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2504C2CGt	\$452	2 short twin bodies at ends of a 25.5" shaft	2x OHCOMPt	SHA2504CDat \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2504C2NGt	\$452	2 short twin bodies at ends of a 25.5" shaft	2x OHCOMPt	SHA2504CDat \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2504C2CGFt	\$452	2 short twin bodies at ends of a 25.5" shaft	2x OHCOMPt	SHA2504CDat \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2504C2NGFt	\$452	2 short twin bodies at ends of a 25.5" shaft	2x OHCOMPt	SHA2504CDat \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2502C2Ct	\$452	2 short twin bodies at ends of a 25.5" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2502CDat \$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2504C2Ct	\$452	2 short twin bodies at ends of a 25.5" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2504CDat \$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	D2504C2St	\$452	2 short twin bodies at ends of a 25.5" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2504CDat \$91
2" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations		
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2 \$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2 \$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2 \$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2 \$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	D3122C2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2 \$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	D3122C2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2 \$108
2" dia. FOUR bodies				non-skidding for tight turns & ground undulations		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522C2CG4	\$582	4 short bodies, 25.5" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522C2NG4	\$582	4 short bodies, 25.5" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4 \$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2CGF4	\$582	4 short bodies, 25.5" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2NGF4	\$582	4 short bodies, 25.5" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4 \$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb	D2522C2C4	\$582	4 short bodies, 25.5" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4 \$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	D2522C2S4	\$582	4 short bodies, 25.5" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4 \$91
2" dia. FOUR bodies + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations		
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	12 lb	D3122C2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2 \$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	12 lb	D3122C2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2 \$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2 \$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2 \$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	D3122C2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2 \$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb	D3122C2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.5" shaft		SHA3122CDA4+2 \$108
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb	D2522C25CG	\$456	22.45" body, 25.5" shaft		SHA2522CD \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	D2522C25NG	\$456	22.45" body, 25.5" shaft		SHA2522CD \$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb	D2522C25CGF	\$456	22.45" body, 25.5" shaft		SHA2522CD \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	D2522C25NGF	\$456	22.45" body, 25.5" shaft		SHA2522CD \$76
2.5" smooth Urethane	9.5 lb	D2522C25C	\$396	22.45" body, 25.5" shaft		SHA2522CD \$76
2.5" smooth Steel	9.2 lb	D2522C25S	\$376	22.25" body, 25.5" shaft		SHA2522CD \$76

2.5" dia. TWO opposing end short bodies			non-stripping, non-skidding for tight turns & ground undulations					
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2504C25CGt	\$496	2 short twin independent roller bodies, 25.5" shaft	SHA2504CDAi	\$91	
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2504C25NGt	\$496	2 short twin independent roller bodies, 25.5" shaft	SHA2504CDAi	\$91	
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2504C25CGFt	\$496	2 short twin independent roller bodies, 25.5" shaft	SHA2504CDAi	\$91	
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2504C25NGFt	\$496	2 short twin independent roller bodies, 25.5" shaft	SHA2504CDAi	\$91	
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2504C25Ct	\$496	2 short twin independent roller bodies, 25.5" shaft	SHA2504CDAi	\$91	
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb	D2504C25St	\$496	2 short twin independent roller bodies, 25.5" shaft	SHA2504CDAi	\$91	
2.5" dia. SINGLE body + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations					
extended	2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C25CG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122CDA+2	\$108	
extended	2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C25NG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122CDA+2	\$108	
extended	2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C25CGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122CDA+2	\$108	
extended	2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C25NGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122CDA+2	\$108	
extended	2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	D3122C25C+2C	\$566	22.25" center body + 2 short outer bodies, 31.87" shaft	SHA3122CDA+2	\$108	
2.5" dia. FOUR bodies			non-skidding for tight turns & ground undulations					
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522C25CG4	\$636	4 short bodies, 25.5" shaft	SHA2522CDA4	\$91	
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522C25NG4	\$636	4 short bodies, 25.5" shaft	SHA2522CDA4	\$91	
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522C25CGF4	\$636	4 short bodies, 25.5" shaft	SHA2522CDA4	\$91	
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522C25NGF4	\$636	4 short bodies, 25.5" shaft	SHA2522CDA4	\$91	
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	D2522C25C4	\$636	4 short bodies, 25.5" shaft	SHA2522CDA4	\$91	
2.5" dia. FOUR bodies + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations					
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb	D3122C25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	SHA3122CDA4+2	\$108	
6 bodies	2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	10.5 lb	D3122C25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	SHA3122CDA4+2	\$108	
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	10.5 lb	D3122C25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	SHA3122CDA4+2	\$108	
6 bodies	2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	10.5 lb	D3122C25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	SHA3122CDA4+2	\$108	
6 bodies	2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb	D3122C25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.5" shaft	SHA3122CDA4+2	\$108	
John Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER								
2" dia. SINGLE body			Call to upgrade with double row angular contact bearings					
	2" dia. wide grooved Urethane no flats	7.8 lb	D2926A2CG	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AD	\$76
	2" dia. narrow grooved Urethane no flats	7.8 lb	D2926A2NG	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AD	\$76
	2" dia. wide grooved Urethane 1" flats	8 lb	D2926A2CGF	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AD	\$76
	2" dia. narrow grooved Urethane 1" flats	8 lb	D2926A2NGF	\$382	26.45" body, 29.75" shaft	OHCOMP	SHA2926AD	\$76
	2" dia. smooth Urethane	9.5 lb	D2926A2C	\$382	26.25" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926AD	\$76
	2" dia. smooth Steel heavy (1/4" wall)	12.5 lb	D2926A2S	\$322	26.25" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926AD	\$76
2" dia. TWO opposing end short bodies			non-stripping, non-skidding for tight turns & ground undulations					
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2904A2CGt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMP	SHA2904ADAi	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2904A2NGt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMP	SHA2904ADAi	\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2904A2CGFt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMP	SHA2904ADAi	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2904A2NGFt	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMP	SHA2904ADAi	\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2902A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMP or 2x OHCOMP	SHA2902ADAi	\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2904A2Ct	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMP or 2x OHCOMP	SHA2904ADAi	\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	D2904A2St	\$452	2 short twin bodies at ends of 29.75" shaft	2x OHCOMP or 2x OHCOMP	SHA2904ADAi	\$91
2" dia. SINGLE body + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations					
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	D3526A2CG+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2	\$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	D3526A2NG+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2	\$108
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	D3526A2CGF+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2	\$108
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	D3526A2NGF+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2	\$108
extended	2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	D3526A2C+2C	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2	\$108
extended	2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb	D3526A2S+2S	\$512	26.45" center body +2 short outer bodies, 35.75" shaft	OHCOMP + 2x OHCOMP	SHA3526ADA+2	\$108
2" dia. FOUR bodies			non-skidding for tight turns & ground undulations					
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	D2926A2CG4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4int +2x OHCOMP4ext	SHA2926ADA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	D2926A2NG4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4int +2x OHCOMP4ext	SHA2926ADA4	\$91
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	D2926A2CGF4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4int +2x OHCOMP4ext	SHA2926ADA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	D2926A2NGF4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4int +2x OHCOMP4ext	SHA2926ADA4	\$91
4 bodies	2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb	D2926A2C4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4int +2x OHCOMP4ext	SHA2926ADA4	\$91
4 bodies	2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb	D2926A2S4	\$582	4 short bodies, 29.75" shaft	2x OHCOMP4int +2x OHCOMP4ext	SHA2926ADA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations					
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	D3526A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	D3526A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	D3526A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	D3526A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies	2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	D3526A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies	2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	13 lb	D3526A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
2.5" dia. SINGLE body			non-stripping, non-skidding for tight turns & ground undulations					
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb	D2926A25CG	\$456	26.45" body, 29.75" shaft		SHA2926AD	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb	D2926A25NG	\$456	26.45" body, 29.75" shaft		SHA2926AD	\$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb	D2926A25CGF	\$456	26.45" body, 29.75" shaft		SHA2926AD	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9.5 lb	D2926A25NGF	\$456	26.45" body, 29.75" shaft		SHA2926AD	\$76
	2.5" smooth Urethane	11 lb	D2926A25C	\$396	26.45" body, 29.75" shaft		SHA2926AD	\$76
	2.5" smooth Steel	11 lb	D2926A25S	\$376	26.45" body, 29.75" shaft		SHA2926AD	\$76
2.5" dia. TWO opposing end short bodies			non-stripping, non-skidding for tight turns & ground undulations					
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2904A25CGt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAi	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2904A25NGt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAi	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2904A25CGFt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAi	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2904A25NGFt	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAi	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	7 lb	D2904A25Ct	\$496	2 short twin independent roller bodies, 29.75" shaft		SHA2504ADAi	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations					
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	D3526A25CG+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	D3526A25NG+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	D3526A25CGF+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	D3526A25NGF+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
extended	2.5" smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	D3526A25C+2C	\$566	26.45" center body + 2 short outer bodies, 35.75" shaft		SHA3526ADA+2	\$108
2.5" dia. FOUR bodies			non-skidding for tight turns & ground undulations					
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	D2926A25CG4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	D2926A25NG4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	D2926A25CGF4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	D2926A25NGF4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)	13 lb	D2926A25C4	\$636	4 short bodies, 29.75" shaft		SHA2926ADA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations					
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	D3526A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	D3526A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft		SHA3526ADA4+2	\$108
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb	D3526A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 35.75" shaft			

John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT & BACK ROLLERS (2 styles)

3" dia. SINGLE body			
Rollers for QA-5 reels (with 1 flat on one end of the shaft):			
3" dia. wide grooved Urethane	9.5 lb	D2522C3CG	\$513
3" smooth Urethane	12 lb	D2522C3C	\$483
3" smooth Steel	11.5 lb	D2522C3S	\$443
To diminish instances of shadowing lines due to overlap of reels			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522C3CG.22C	\$543
3" smooth Urethane	11 lb	D2519C3C	\$483
Rollers with 2 flats on 1 end of the shaft:			
3" dia. wide grooved Urethane	9.5 lb	D2522F3CG	\$513
3" smooth Urethane	11 lb	D2522F3C	\$483
3" smooth Steel	12 lb	D2522F3S	\$443
To diminish instances of shadowing lines due to overlap of reels			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522F3CG.22C	\$543
3" smooth Urethane	11 lb	D2519F3C	\$483

John Deere 22" 7500/ 8500 & 6700/7700/ 8700 PRECISION CUT & E-CUT FAIRWAY (QA5 & QA7 reels)

Rollers for QA-5 reels (with 1 flat on 1 end of the shaft):			
2" dia. SINGLE body			
2" dia. wide grooved Urethane no flats	6.5 lb	D2522C2CG	\$382
2" dia. narrow grooved Urethane no flats	6.7 lb	D2522C2NG	\$382
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2522C2CGF	\$382
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2522C2NGF	\$382
2" dia. smooth Urethane	7.9 lb	D2522C2C	\$382
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	D2522C2S	\$322
2" dia. SINGLE body + 2 bodies outside of brackets			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C2CG+2C	\$512
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C2NG+2C	\$512
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2CGF+2C	\$512
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2NGF+2C	\$512
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	D3122C2C+2C	\$512
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	D3122C2S+2S	\$512
2" dia. FOUR bodies			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522C2CG4	\$582
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522C2NG4	\$582
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2CGF4	\$582
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2NGF4	\$582
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb	D2522C2C4	\$582
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	D2522C2S4	\$582
2.5" dia. SINGLE body			
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb	D2522C25CG	\$456
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb	D2522C25NG	\$456
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb	D2522C25CGF	\$456
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb	D2522C25NGF	\$456
2.5" smooth Urethane	9.5 lb	D2522C25C	\$396
2.5" smooth Steel	9.2 lb	D2522C25S	\$376
To diminish instances of shadowing lines due to overlap of reels			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb	D2522C25CG.22C	\$496
2.5" smooth Urethane	9.5 lb	D2519C25C	\$396
2.5" dia. FOUR bodies			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522C25CG4	\$636
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522C25NG4	\$636
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522C25CGF4	\$636
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522C25NGF4	\$636
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	D2522C25C4	\$636
3" dia. SINGLE body			
3" dia. wide grooved Urethane	9.5 lb	D2522C3CG	\$513
3" smooth Urethane	12 lb	D2522C3C	\$483
3" smooth Steel	11.5 lb	D2522C3S	\$443
To diminish instances of shadowing lines due to overlap of reels			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522C3CG.22C	\$543
3" smooth Urethane	11 lb	D2519C3C	\$483
Rollers for QA-7 reels (with 2 flats on 1 end of the shaft):			
2" dia. SINGLE body			
2" dia. wide grooved Urethane no flats	6.5 lb	D2522F2CG	\$382
2" dia. narrow grooved Urethane no flats	6.7 lb	D2522F2NG	\$382
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2522F2CGF	\$382
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2522F2NGF	\$382
2" dia. smooth Urethane	7.9 lb	D2522F2C	\$382
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	D2522F2S	\$322
2" dia. SINGLE body + 2 bodies outside of brackets			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122F2CG+2C	\$512
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122F2NG+2C	\$512
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122F2CGF+2C	\$512
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122F2NGF+2C	\$512
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	D3122F2C+2C	\$512
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	D3122F2S+2S	\$512
2" dia. FOUR bodies			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522F2CG4	\$582
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522F2NG4	\$582
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522F2CGF4	\$582
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522F2NGF4	\$582
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb	D2522F2C4	\$582
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	D2522F2S4	\$582
2.5" dia. SINGLE body			
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb	D2522F25CG	\$456
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb	D2522F25NG	\$456
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb	D2522F25CGF	\$456
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb	D2522F25NGF	\$456
2.5" smooth Urethane	9.5 lb	D2522F25C	\$396
2.5" smooth Steel	9.2 lb	D2522F25S	\$376
To diminish instances of shadowing lines due to overlap of reels			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb	D2522F25CG.22C	\$496
2.5" smooth Urethane	9.5 lb	D2519F25C	\$396
2.5" dia. FOUR bodies			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522F25CG4	\$636
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522F25NG4	\$636
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522F25CGF4	\$636
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522F25NGF4	\$636
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	D2522F25C4	\$636

Call to upgrade with double row angular contact bearings

22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat			SHA2522CD	\$76
22.25" body, 25.5" shaft-1 flat			SHA2522CD	\$76
call for proper application specifics				
front roller for rear mower heads-use with D2519C3C			SHA2522CD	\$76
back roller for rear mower heads-use with D2522C3CG.22C			SHA2519CD	\$76
22.45" body, 25.5" shaft-2 flats on 1 end			SHA2522FD	\$72
22.45" body, 25.5" shaft-2 flats on 1 end			SHA2522FD	\$76
22.25" body, 25.5" shaft-2 flats on 1 end			SHA2522FD	\$76
call for proper application specifics				
front roller for rear mower heads-use with D2519F3C			SHA2522FD	\$76
back roller for rear mower heads-use with D2522F3CG.22C			SHA2519FD	\$76
Call to upgrade with double row angular contact bearings				
22.45" body, 25.5" shaft-1 flat	OHCOMP		SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	OHCOMP		SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	OHCOMP		SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	OHCOMP		SHA2522CD	\$76
22.25" body, 25.5" shaft-1 flat	OHCOMP or OHCOMP2R		SHA2522CD	\$76
22.25" body, 25.5" shaft-1 flat	OHCOMP or OHCOMP2R		SHA2522CD	\$76
non-stripping, non-skidding for tight turns & ground undulations				
22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2		\$108
22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2		\$108
22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2		\$108
22.45" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2		\$108
22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2		\$108
22.25" center body + 2 short outer bodies, 31.5" shaft	OHCOMP + 2x OHCOMP	SHA3122CDA+2		\$108
non-skidding for tight turns & ground undulations				
4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4		\$91
4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4		\$91
4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4		\$91
4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4		\$91
4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4		\$91
4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522CDA4		\$91
non-skidding for tight turns & ground undulations				
22.45" body, 25.5" shaft-1 flat		SHA2522CD		\$76
22.45" body, 25.5" shaft-1 flat		SHA2522CD		\$76
22.45" body, 25.5" shaft-1 flat		SHA2522CD		\$76
22.45" body, 25.5" shaft-1 flat		SHA2522CD		\$76
22.45" body, 25.5" shaft-1 flat		SHA2522CD		\$76
22.25" body, 25.5" shaft-1 flat		SHA2522CD		\$76
call for proper application specifics				
front roller for rear mower heads-use with D2519C25C		SHA2522CD		\$76
back roller for rear mower heads-use with D2522C25CG.22C		SHA2519CD		\$76
non-skidding for tight turns & ground undulations				
4 short bodies, 25.5" shaft		SHA2522CDA4		\$91
4 short bodies, 25.5" shaft		SHA2522CDA4		\$91
4 short bodies, 25.5" shaft		SHA2522CDA4		\$91
4 short bodies, 25.5" shaft		SHA2522CDA4		\$91
4 short bodies, 25.5" shaft		SHA2522CDA4		\$91
22.45" body, 25.5" shaft-1 flat		SHA2522CD		\$76
22.45" body, 25.5" shaft-1 flat		SHA2522CD		\$76
22.25" body, 25.5" shaft-1 flat		SHA2522CD		\$76
call for proper application specifics				
front roller for rear mower heads-use with D2519C3C		SHA2522CD		\$76
back roller for rear mower heads-use with D2522C3CG.22C		SHA2519CD		\$76
22.45" body, 25.5" shaft w/ 2 flats	OHCOMP	SHA2522FD		\$82
22.45" body, 25.5" shaft w/ 2 flats	OHCOMP	SHA2522FD		\$82
22.45" body, 25.5" shaft w/ 2 flats	OHCOMP	SHA2522FD		\$82
22.45" body, 25.5" shaft w/ 2 flats	OHCOMP	SHA2522FD		\$82
22.25" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMP2R	SHA2522FD		\$82
22.25" body, 25.5" shaft w/ 2 flats	OHCOMP or OHCOMP2R	SHA2522FD		\$82
non-skidding for tight turns & ground undulations				
22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2		\$112
22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2		\$112
22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2		\$112
22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2		\$112
22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2		\$112
22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	OHCOMP + 2x OHCOMP	SHA3122FDA+2		\$112
non-skidding for tight turns & ground undulations				
4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522FDA4		\$98
non-skidding for tight turns & ground undulations				
22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD		\$82
22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD		\$76
22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD		\$82
22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD		\$76
22.45" body, 25.5" shaft w/ 2 flats		SHA2522FD		\$82
22.25" body, 25.5" shaft w/ 2 flats		SHA2522FD		\$82
call for proper application specifics				
front roller for rear mower heads-use with D2519F25C		SHA2522FD		\$82
back roller for rear mower heads-use with D2522F25CG.22C		SHA2519FD		\$82
non-skidding for tight turns & ground undulations				
4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4		\$98
4 short bodies, 25.5" shaft w/ 2 flats		SHA2522FDA4		\$98

<u>3" dia. SINGLE body</u>									
3" dia. wide grooved Urethane	9.5 lb	D2522F3CG	\$513	22.45" body, 25.5" shaft w/ 2 flats				SHA2522FD	\$82
3" smooth Urethane	12 lb	D2522F3C	\$483	22.45" body, 25.5" shaft w/ 2 flats				SHA2522FD	\$82
3" smooth Steel	11.5 lb	D2522F3S	\$443	22.25" body, 25.5" shaft w/ 2 flats				SHA2522FD	\$82
To diminish instances of shadowing lines due to overlap of reels									
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522F3CG.22C	\$543	front roller for rear mower heads-use with D2519F3C				SHA2522FD	\$82
3" smooth Urethane	11 lb	D2519F3C	\$483	back roller for rear mower heads-use with D2522F3CG.22C				SHA2519FD	\$82
<u>3" dia. TWO opposing end short bodies</u>									
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies)	6.5 lb	D2505F3CGt	\$583	non-stripping, non-skidding for tight turns & ground undulations					
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb	D2504F3Ct	\$553	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end				SHA2505FDA	\$98
John Deere 18" 8000A & 6080A PRECISION CUT & E-CUT FAIRWAY - FRONT & BACK ROLLERS									
<u>2" dia. SINGLE body</u>									
2" dia. wide grooved Urethane no flats	6.5 lb	D2218C2CG	\$402	18.45" body, 22" dia. shaft	OHCOMP			SHA2218CD	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb	D2218C2NG	\$402	18.45" body, 22" dia. shaft	OHCOMP			SHA2218CD	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2218C2CGF	\$402	18.45" body, 22" dia. shaft	OHCOMP			SHA2218CD	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2218C2NGF	\$402	18.45" body, 22" dia. shaft	OHCOMP			SHA2218CD	\$76
2" dia. smooth Urethane	7.5 lb	D2218C2C	\$382	18.45" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218CD	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	D2218C2S	\$362	18.45" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218CD	\$76
2" dia. smooth Steel heavy (1/4" wall)	9 lb	D2216A2S	\$362	16.2" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2216AD	\$76
<u>2" dia. TWO opposing end short bodies</u>									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2204A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations					
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2204A2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP			SHA2104ADA	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2204A2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP			SHA2104ADA	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2204A2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP			SHA2104ADA	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2204A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP or 2x OHCOMP2R			SHA2104ADA	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2202A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP or 2x OHCOMP2R			SHA2102ADA	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	4.2 lb	D2204A2St	\$452	2 short twin bodies at ends of a 21.25" shaft	2x OHCOMP or 2x OHCOMP2R			SHA2104ADA	\$91
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>									
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2818A2CG+2C	\$532	non-skidding for tight turns & ground undulations					
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2818A2NG+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP			SHA2718ADA+2	\$108
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2818A2CGF+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP			SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2818A2NGF+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP			SHA2718ADA+2	\$108
extended 2" dia. smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb	D2818A2C+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	OHCOMP or 2x OHCOMP			SHA2718ADA+2	\$108
extended 2" dia. smooth Steel heavy (18.25" inner+2x2" outer bodies)	15 lb	D2818A2S+2S	\$532	19.25" center body + 2 short outer bodies, 27.25" shaft	OHCOMP + 2x OHCOMP			SHA2718ADA+2	\$108
<u>2" dia. FOUR bodies</u>									
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2219A2CG4	\$582	non-skidding for tight turns & ground undulations					
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2219A2NG4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext			SHA2119ADA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2219A2CGF4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext			SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2219A2NGF4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext			SHA2119ADA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb	D2219A2C4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext			SHA2119ADA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	D2219A2S4	\$582	4 short bodies, 21.25" shaft	2x OHCOMP4int + 2x OHCOMP4ext			SHA2119ADA4	\$91
<u>2.5" dia. SINGLE body</u>									
2.5" dia. wide grooved (1" spacing) Urethane no flats	6.7 lb	D2218A25CG	\$516	18.2" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218AD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	6.7 lb	D2218A25NG	\$516	18.2" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218AD	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	6.7 lb	D2218A25CGF	\$516	18.2" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218AD	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	6.7 lb	D2218A25NGF	\$516	18.2" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218AD	\$76
2.5" smooth Urethane	7.5 lb	D2218A25C	\$406	18.2" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218AD	\$76
2.5" smooth Steel	9.2 lb	D2218A25S	\$406	18.0" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218AD	\$76
<u>2.5" dia. TWO opposing end short bodies</u>									
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations					
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A25NGt	\$496	2 short twin bodies at ends of a 21.25" shaft				SHA2104ADA	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A25CGFt	\$496	2 short twin bodies at ends of a 21.25" shaft				SHA2104ADA	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A25NGFt	\$496	2 short twin bodies at ends of a 21.25" shaft				SHA2104ADA	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2104A25Ct	\$496	2 short twin bodies at ends of a 21.25" shaft				SHA2104ADA	\$91
2 bodies 2.5" smooth Urethane (2x2" wide bodies)	4 lb	D2102A25Ct	\$496	2 short twin bodies at ends of a 21.25" shaft				SHA2102ADA	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb	D2104A25St	\$496	2 short twin bodies at ends of a 21.25" shaft				SHA2104ADA	\$91
<u>2.5" dia. SINGLE body + 2 bodies outside of brackets</u>									
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A25CG+2C	\$566	non-skidding for tight turns & ground undulations					
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A25NG+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft				SHA2718ADA+2	\$108
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A25CGF+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft				SHA2718ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A25NGF+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft				SHA2718ADA+2	\$108
extended 2.5" smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb	D2718A25C+2C	\$586	18.45" center body + 2 short outer bodies, 27.25" shaft				SHA2718ADA+2	\$108
extended 2.5" smooth Steel (18.25" inner+2x2" outer bodies)	15 lb	D2718A25S+2S	\$606	19.25" center body + 2 short outer bodies, 27.25" shaft				SHA2718ADA+2	\$108
<u>2.5" dia. FOUR bodies</u>									
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A25CG4	\$636	non-skidding for tight turns & ground undulations					
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A25NG4	\$636	4 short bodies, 21.25" shaft				SHA2119ADA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A25CGF4	\$636	4 short bodies, 21.25" shaft				SHA2119ADA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A25NGF4	\$636	4 short bodies, 21.25" shaft				SHA2119ADA4	\$91
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8 lb	D2119A25C4	\$636	4 short bodies, 21.25" shaft				SHA2119ADA4	\$91
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb	D2119A25S4	\$626	4 short bodies, 21.25" shaft				SHA2119ADA4	\$91
<u>3" dia. SINGLE body</u>									
3" dia. wide grooved Urethane	6.6 lb	D2218C3CG	\$533	18.45" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218CD	\$76
3" smooth Urethane	7.5 lb	D2218C3C	\$483	18.45" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218CD	\$76
3" smooth Steel	9.2 lb	D2218C3S	\$443	18.25" body, 22" dia. shaft	OHCOMP or OHCOMP2R			SHA2218CD	\$76
To diminish instances of shadowing lines due to overlap of reels									
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	6.8 lb	D2218A25CG.22C	\$496	call for proper application specifics					
2.5" smooth Urethane	7 lb	D2215A25C	\$416	front roller for rear mower heads-use with D2215A25C	OHCOMP or OHCOMP2R			SHA2218AD	\$91
3" dia. wide grooved Urethane with 2.2" wide smooth ends	6.8 lb	D2218A3CG.22C	\$563	back roller for rear mower heads-use with D2218A25CG.22C	OHCOMP or OHCOMP2R			SHA2215AD	\$76
3" smooth Urethane	7 lb	D2215A3C	\$503	front roller for rear mower heads-use with D2215A3C	OHCOMP or OHCOMP2R			SHA2218AD	\$76
John Deere 26" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)									
<u>3" dia. SINGLE body</u>									
3" dia. wide grooved Urethane	11.1 lb	D2926F3CG	\$513	Call to upgrade with double row angular contact bearings					
3" smooth Urethane	13.5 lb	D2926F3C	\$483	26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R			SHA2926FD	\$82
3" smooth Steel	13.5 lb	D2926F3S	\$463	26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R			SHA2926FD	\$82
<u>3" dia. SINGLE body (upgraded double row bearings)</u>									
3" dia. wide grooved Urethane with double row bearings	11 lb	D2926F3CGR	\$543	26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP2R			SHA2926FD	\$82
3" smooth Urethane with double row bearings	12.5 lb	D2926F3CR	\$533	26.45" body, 29.75" shaft-2 flats on 1 end	OHCOMP2R			SHA2926FD	\$82
3" smooth Steel with double row bearings	12.5 lb	D2926F3SR	\$533	26.25" body, 29.75" shaft-2 flats on 1 end	OHCOMP2R			SHA2926FD	\$82
<u>3" dia. TWO opposing end short bodies</u>									
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb	D2904F3Ct	\$553	non-stripping, non-skidding for tight turns & ground undulations					
2 bodies 3" smooth Urethane (2x5.2" wide bodies)	6.5 lb	D2905F3Ct	\$553	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R			SHA2904FDA	\$98
<u>3" dia. FOUR bodies</u>									
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12.5 lb	D2926F3CG4	\$673	non-skidding for tight turns & ground undulations					
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	13.5 lb	D2926F3C4	\$663	4 short bodies, 29.75" shaft-2 flats on 1 end				SHA2926FDA4	\$98
John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)									
<u>3" dia. SINGLE body</u>									
3" dia. wide grooved Urethane	11.1 lb	D3329F3CG	\$513	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R			SHA3329FD	\$82
3" smooth Urethane	13.5 lb	D3329F3C	\$493	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R			SHA3329FD	\$82
3" smooth Steel	13.5 lb	D3329F3S	\$443	29.25" body, 33.5" shaft-2 flats on 1 end	OHCOMP or OHCOMP2R			SHA3329FD	\$82

3" dia. SINGLE body (upgraded double row bearings)									
3" dia. wide grooved Urethane with double row bearings	11 lb	2D3329F3CGR	\$543	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2R	SHA3329FD	\$82		
3" smooth Urethane with double row bearings	12.5 lb	2D3329F3CSR	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2R	SHA3329FD	\$82		
3" smooth Steel with double row bearings	12.5 lb	2D3329F3CSR	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2R	SHA3329FD	\$82		
3" smooth Urethane with double row bearings	12.5 lb	2D3319F3CSR	\$533	19.45" body, 33.5" shaft-2 flats on 1 end	OHCOMP2R	SHA3319FD	\$82		
3" dia. FOUR & FIVE bodies									
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb	D3329F3CG5	\$723	non-skidding for tight turns & ground undulations					
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb	D3329F3C4	\$663	5 short bodies, 33.5" shaft-2 flats on 1 end		SHA3329FDA5	\$112		
John Deere 30" 1900, 1905, 3325 FAIRWAY & 3365 TURF PRO & 365 PTO GANG (2 styles)									
3" dia. SINGLE body									
3" dia. wide grooved Urethane	13.5 lb	D3229F3CG	\$513	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCOMP or OHCOMP2R	SHA3229FD	\$82		
3" smooth Urethane	15 lb	D3229F3C	\$483	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCOMP or OHCOMP2R	SHA3229FD	\$82		
3" smooth Steel	15 lb	D3229F3S	\$443	29.25" body, 32" dia. shaft-2 flats on 1 end	OHCOMP or OHCOMP2R	SHA3229FD	\$82		
3" dia. wide grooved Urethane	13.5 lb	D3229A3CG	\$513	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCOMP or OHCOMP2R	SHA3229AD	\$76		
3" smooth Urethane	15 lb	D3229A3C	\$483	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCOMP or OHCOMP2R	SHA3229AD	\$76		
3" smooth Steel	15 lb	D3229A3S	\$443	29.25" body, 32" dia. shaft-1 flat on 1 end	OHCOMP or OHCOMP2R	SHA3229AD	\$76		
3" dia. FOUR & FIVE bodies									
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb	D3229F3CG5	\$723	non-skidding for tight turns & ground undulations					
4 bodies 3" smooth Urethane (4x6.7" wide bodies)	14 lb	D3229F3C4	\$663	5 short bodies, 32" dia. shaft-2 flats on 1 end		SHA3229FDA5	\$112		
John Deere 30" FAIRWAY (305, 303, 756 & 856) - ALL ROLLERS (Choose from 2 styles)									
3" dia. SINGLE body									
3" dia. wide grooved Urethane	13.5 lb	D3229X3CG	\$523	29.45" body, 32.25" shaft-5" dia. ends	OHCOMP or OHCOMP2R	SHA3229XD	\$82		
3" smooth Urethane	15 lb	D3229X3C	\$493	29.45" body, 32.25" shaft-5" dia. ends	OHCOMP or OHCOMP2R	SHA3229XD	\$82		
3" smooth Steel	15 lb	D3229X3S	\$453	29.25" body, 32.25" shaft-5" dia. ends	OHCOMP or OHCOMP2R	SHA3229XD	\$82		
3" dia. wide grooved Urethane	13.5 lb	D3029W3CG	\$543	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMP2R	SHA3029WD	\$82		
3" smooth Urethane	15 lb	D3029W3C	\$493	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMP2R	SHA3029WD	\$82		
3" smooth Steel	15 lb	D3029W3S	\$453	29.25" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCOMP or OHCOMP2R	SHA3029WD	\$82		
John Deere ROTARY DECK 8800 & 3245C - FRONT ROLLER (With two independent rolling 4" wide roller bodies)									
2 bodies 5" grooved Urethane (2x4" wide bodies) double row bearings	8 lb	2D2304A5CGt	\$645	2 short twin bodies at ends of 23" shaft-3 grooves per body	OHCOMP2t	SHA2304ADAt	\$91		
2 bodies 5" smooth Urethane (2x4" wide bodies) double row bearings	9.3 lb	2D2304A5Ct	\$625	2 short twin bodies at ends of 23" shaft	OHCOMP2t	SHA2304ADAt	\$91		
John Deere ROTARY DECK 8800 & 3245C & 1565 - BACK ROLLER (choose from multiple styles to match your needs)									
3" dia. SINGLE body									
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2319D3CG	\$553	19.45" body, 23" shaft	OHCOMP2C	SHA2319DD	\$76		
3" smooth Urethane with double row bearings	11 lb	2D2319D3C	\$553	19.45" body, 23" shaft	OHCOMP2C	SHA2319DD	\$76		
3" smooth Steel with double row bearings	12 lb	2D2319B3SR	\$553	19.25" body, 23" shaft	OHCOMP2RC	SHA2319BD	\$76		
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2419D3CG	\$553	19.45" body, 24" shaft	OHCOMP2C	SHA2419DD	\$76		
3" smooth Urethane with double row bearings	11.5 lb	2D2419D3C	\$553	19.45" body, 24" shaft	OHCOMP2C	SHA2419DD	\$76		
3" smooth Steel with double row bearings	11 lb	2D2419B3SR	\$553	19.25" body, 24" shaft	OHCOMP2RC	SHA2419BD	\$76		
3" dia. TWO opposing end short bodies									
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	8 lb	2D2305B3CGRt	\$643	non-stripping, non-skidding for tight turns & ground undulations					
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb	2D2304B3CRt	\$643	2 short twin bodies at ends of a 23" shaft	OHCOMP2Rt	SHA2305BDAt	\$91		
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	10 lb	2D2304B3SRt	\$643	2 short twin bodies at ends of a 23" shaft	OHCOMP2Rt	SHA2304BDAt	\$91		
3" dia. THREE bodies									
3 bodies 3" dia. wide grooved Urethane (3x5.2" wide bodies) double row bearings	11 lb	2D2319B3CGR3	\$663	non-skidding for tight turns & ground undulations					
3 bodies 3" smooth Urethane (3x5.2" wide bodies) double row bearings	11 lb	2D2319B3CR3	\$643	3 short bodies, 23" shaft		SHA2319BDA3	\$108		
3 bodies 3" smooth Steel (3x5.2" wide bodies) double row bearings	11 lb	2D2319B3SR3	\$643	3 short bodies, 23" shaft		SHA2319BDA3	\$108		
3.5" dia. SINGLE body									
3.5" smooth Urethane with double row bearings	13.5 lb	2D2319D35C	\$627	19.45" body, 23" shaft	OHCOMP2C	SHA2319DD	\$76		
3.5" smooth Urethane with double row bearings	13.5 lb	2D2419D35C	\$627	19.45" body, 24" shaft	OHCOMP2C	SHA2419DD	\$76		
4" dia. SINGLE body									
4" smooth Steel-double row bearings	20 lb	2D2319B4SR	\$694	19.25" body, 23" shaft	OHCOMP2RC	SHA2319BD	\$76		
4" smooth Steel-double row bearings	20 lb	2D2419B4SR	\$694	19.25" body, 24" shaft	OHCOMP2RC	SHA2419BD	\$76		
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - FRONT ROLLER (With two independent rolling 5.2" wide roller bodies)									
2 bodies 5" grooved Urethane (2x5.2" wide bodies) double row bearings	12 lb	2D2905C5CGt	\$645	2 short twin bodies at ends of 29" shaft-3 grooves per body	OHCOMP2t	SHA2905CDAAt	\$91		
2 bodies 5" smooth Urethane (2x5.2" wide bodies) double row bearings	13 lb	2D2905C5Ct	\$625	2 short twin bodies at ends of 29" shaft	OHCOMP2t	SHA2905CDAAt	\$91		
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - BACK ROLLER									
3" dia. SINGLE body									
3" dia. wide grooved Urethane with double row bearings	11 lb	2D2925D3CG	\$573	25.45" body, 29" shaft	OHCOMP2C	SHA2925DD	\$76		
3" smooth Urethane with double row bearings	12.5 lb	2D2925D3C	\$573	25.45" body, 29" shaft	OHCOMP2C	SHA2925DD	\$76		
3" smooth Steel with double row bearings	12.5 lb	2D2925C3SR	\$573	25.25" body, 29" shaft	OHCOMP2RC	SHA2925CD	\$76		
3" smooth Urethane with double row bearings	12.5 lb	2D2919D3C	\$573	19.45" body, 29" shaft	OHCOMP2C	SHA2919DD	\$76		
3" dia. TWO opposing end short bodies									
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10 lb	2D2905D3CGt	\$643	non-stripping, non-skidding for tight turns & ground undulations					
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	10 lb	2D2904D3Ct	\$643	2 short twin bodies at ends of a 29" shaft	OHCOMP2t	SHA2905DDAt	\$91		
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	11 lb	2D2904C3SRt	\$643	2 short twin bodies at ends of a 29" shaft	OHCOMP2Rt	SHA2904CDAt	\$91		
3" dia. FOUR bodies									
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12 lb	2D2925C3CGR4	\$703	non-skidding for tight turns & ground undulations					
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	12 lb	2D2925C3CR4	\$703	4 short bodies, 29" shaft		SHA2925CDA4	\$91		
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT CASTER									
5" grooved Urethane (4" wide body) double row bearings	5 lb	2D0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GD	\$76		
5" smooth Urethane (4" wide body) double row bearings	5 lb	2D0404G5C	\$295	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GD	\$76		
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER									
3" smooth Urethane with double row bearings	12.5 lb	2D2925A3C	\$573	25.45" body, 29.25" shaft	OHCOMP2C	SHA2925AD	\$76		
3" smooth Steel with double row bearings	12.5 lb	2D2925A3SR	\$573	25.25" body, 29.25" shaft	OHCOMP2RC	SHA2925AD	\$76		

for TORO mowers

Toro 22" GREENSMOWERS - FRONT ROLLER: series 1000, 3, 300, 3000, 3050, 3100, 3150 (with 3/8" tap in shaft ends for ball stud)
(Except TriFlex series without ball stud for basket yoke as follows: 3200, 3250, 3300, 3320, 3370, 3400, 3420 & FLEX 21)

2" dia. SINGLE body									
2" dia. wide grooved Urethane no flats			6.5 lb	T2522S2CG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCOMP	SHA2522ST	\$76
2" dia. narrow grooved Urethane no flats			6.7 lb	T2522S2NG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCOMP	SHA2522ST	\$76
2" dia. wide grooved Urethane 1" flats			6.5 lb	T2522S2CGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCOMP	SHA2522ST	\$76
2" dia. narrow grooved Urethane 1" flats			6.7 lb	T2522S2NGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCOMP	SHA2522ST	\$76
2" dia. smooth Urethane			8 lb	T2522S2C	\$382	22.25" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76
2" dia. smooth Steel heavy (1/4" wall)			11.5 lb	T2522S2S	\$322	22.25" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76
2" dia. TWO opposing end short bodies									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats			4 lb	T2504S2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats			4 lb	T2504S2NGt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMP	SHA2504STAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats			4 lb	T2504S2CGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMP	SHA2504STAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats			4 lb	T2504S2NGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMP	SHA2504STAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)			4.2 lb	T2502S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS	SHA2502STAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)			4 lb	T2504S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMP or 2x OHCOMPSS	SHA2504STAt	\$91
2" dia. FOUR bodies									
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats			8.5 lb	T2522S2CG4	\$582	non-skidding for tight turns & ground undulations			
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats			8.5 lb	T2522S2NG4	\$582	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522STA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats			8.5 lb	T2522S2CGF4	\$582	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats			8.5 lb	T2522S2NGF4	\$582	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522STA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)			8.5 lb	T2522S2C4	\$582	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522STA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)			12 lb	T2522S2S4	\$582	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522STA4	\$91

<u>2.5" dia. SINGLE body</u>									
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522S25CG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522S25NG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76		
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522S25CGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522S25NGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76		
2.5" smooth Urethane	9.5 lb	T2522S25C	\$396	22.45" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76		
2.5" smooth Steel	10 lb	T2522S25S	\$376	22.25" body, 25.75" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2522ST	\$76		
<u>2.5" dia. TWO opposing end short bodies</u>									
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504S25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations		SHA2504STAt	\$91		
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504S25Ct	\$496	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	OHCOMPt or OHCOMPSSRt	SHA2504STAt	\$91		
<u>2.5" dia. FOUR bodies</u>									
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522S25CG4	\$636	non-skidding for tight turns & ground undulations		SHA2522STA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522S25NG4	\$636	4 short bodies, 25.75" shaft-3/8" taps	OHCOMPt or OHCOMPSSRt	SHA2522STA4	\$98		
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522S25CGF4	\$636	4 short bodies, 25.75" shaft-3/8" taps	OHCOMPt or OHCOMPSSRt	SHA2522STA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522S25NGF4	\$636	4 short bodies, 25.75" shaft-3/8" taps	OHCOMPt or OHCOMPSSRt	SHA2522STA4	\$98		
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	T2522S25C4	\$636	4 short bodies, 25.75" shaft-3/8" taps	OHCOMPt or OHCOMPSSRt	SHA2522STA4	\$98		
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522S25S4	\$626	4 independent roller bodies @22.3" oal, shaft	OHCOMPt or OHCOMPSSRt	SHA2522STA4	\$76		
Toro 22" GREENSMOWERS - BACK ROLLER: series 3, 300, 3000, 3050, 3100, 3150									
<u>2" dia. SINGLE body</u>									
2" dia. wide grooved Urethane no flats	6.5 lb	T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	\$76		
2" dia. narrow grooved Urethane no flats	6.7 lb	T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	\$76		
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	\$76		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	\$76		
2" dia. smooth Urethane	8 lb	T2522A2C	\$382	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	T2522A2S	\$322	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
<u>2" dia. TWO opposing end short bodies</u>									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations		SHA2522ATAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2NGt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt	SHA2522ATAt	\$91		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2CGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt	SHA2522ATAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2NGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$91		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2502A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$91		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$91		
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>									
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2CG+2C	\$512	non-skidding for tight turns & ground undulations		SHA3122ATA+2	\$108		
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2	\$108		
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	T3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2	\$108		
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	T3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2	\$108		
<u>2" dia. FOUR bodies</u>									
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	\$582	non-skidding for tight turns & ground undulations		SHA2522ATA4	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2NG4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522ATA4	\$91		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2CGF4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522ATA4	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2NGF4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522ATA4	\$91		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522A2C4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522ATA4	\$91		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522A2S4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4int + 2x OHCOMP4ext	SHA2522ATA4	\$91		
<u>2" dia. FOUR bodies + 2 bodies outside of brackets</u>									
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2CG4+2C	\$672	non-skidding for tight turns & ground undulations		SHA3122ATA4+2	\$108		
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA4+2	\$108		
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA4+2	\$108		
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA4+2	\$108		
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA4+2	\$108		
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA4+2	\$108		
<u>2.5" dia. SINGLE body</u>									
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
2.5" smooth Urethane	9.5 lb	T2522A25C	\$396	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
2.5" smooth Steel	10 lb	T2522A25S	\$376	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
<u>2.5" dia. TWO opposing end short bodies</u>									
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25CGt	\$496	non-stripping, non-skidding for tight turns & ground undulations		SHA2522ATAt	\$91		
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25NGt	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATAt	\$91		
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A25CGFt	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATAt	\$91		
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A25NGFt	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATAt	\$91		
2 bodies 2.5" smooth Urethane (2x2" wide bodies)	4 lb	T2502A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATAt	\$91		
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATAt	\$91		
<u>2.5" dia. FOUR bodies</u>									
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	\$636	non-skidding for tight turns & ground undulations		SHA2522ATA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	\$636	4 short bodies, 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATA4	\$98		
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CGF4	\$636	4 short bodies, 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	\$636	4 short bodies, 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATA4	\$98		
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	\$636	4 short bodies, 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATA4	\$98		
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522A25S4	\$626	4 short bodies, 25.875" shaft	OHCOMPt or OHCOMPSSRt	SHA2522ATA4	\$98		
Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3050, 3100, 3150									
(fully assembled with body + shaft + bearings + seals)									
(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 21)									
3" dia. wide grooved Urethane	9 lb	T2520H3CG	\$513	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	\$90		
3" smooth Urethane	10.5 lb	T2520H3C	\$483	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	\$90		
3" smooth Steel	11 lb	T2520H3S	\$443	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	\$90		
3.5" smooth Urethane	12.5 lb	T2520H35C	\$577	20.45" body, 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HT	\$90		
2 bodies 3" smooth Urethane (2x4" wide bodies)	6.3 lb	T2504H3CT	\$553	2 short twin bodies at ends of a 25.063" shaft-3/8" taps	OHCOMP or OHCOMPSS	SHA2520HTAt	\$90		
Toro 21/22" FLEX & TRIFLEX models 21, 2100, 2120, 1021 & e1021 + 3200, 3250, 3300, 3320, 3370, 3400, 3420 - FRONT & BACK ROLLERS									
(these rollers do not accommodate yoke ball studs. They have solid shaft ends without taps; if groomer kit requires tap in shaft ends, change "A" in part # to "S")									
<u>2" dia. SINGLE body</u>									
2" dia. wide grooved Urethane no flats	6.5 lb	T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	\$76		
2" dia. narrow grooved Urethane no flats	6.7 lb	T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	\$76		
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	\$76		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCOMP	SHA2522AT	\$76		
2" dia. smooth Urethane	8 lb	T2522A2C	\$382	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	T2522A2S	\$322	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76		
<u>2" dia. TWO opposing end short bodies</u>									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations		SHA2522ATAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2NGt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt	SHA2522ATAt	\$91		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2CGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt	SHA2522ATAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2NGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$91		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2502A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$91		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$91		
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>									
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2CG+2C	\$512	non-skidding for tight turns & ground undulations		SHA3122ATA+2	\$108		
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2	\$108		
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	T3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2	\$108		
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	T3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	OHCOMP + 2x OHCOMP	SHA3122ATA+2	\$108		

2" dia. FOUR bodies				non-skidding for tight turns & ground undulations						
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2522ATA4	\$91		
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2NG4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2522ATA4	\$91		
4 bodies	2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2CGF4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2522ATA4	\$91		
4 bodies	2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2NGF4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2522ATA4	\$91		
4 bodies	2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522A2C4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2522ATA4	\$91		
4 bodies	2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522A2S4	\$582	4 short bodies, 25.875" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2522ATA4	\$91		
2" dia. FOUR bodies + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations						
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108		
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108		
6 bodies	2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108		
6 bodies	2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108		
6 bodies	2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108		
6 bodies	2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108		
2.5" dia. SINGLE body										
2.5" dia. wide grooved (1" spacing) Urethane no flats				9 lb	T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats				9 lb	T2522A25NG	\$456	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats				9 lb	T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats				9 lb	T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" smooth Urethane				9.5 lb	T2522A25C	\$396	22.45" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" smooth Steel				10 lb	T2522A25S	\$376	22.25" body, 25.875" shaft	OHCOMP or OHCOMPSS	SHA2522AT	\$76
2.5" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations						
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25CGt	\$496	2 short twin bodies at ends of a 25.875" shaft		SHA2504ATaT	\$91		
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft		SHA2504ATaT	\$91		
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations						
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98		
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98		
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CGF4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98		
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98		
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	\$636	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98		
4 bodies	2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522A25S4	\$626	4 short bodies, 25.875" shaft		SHA2522ATA4	\$98		
2.5" dia. FOUR bodies + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations						
6 bodies	2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb	T3122A25CG4+2C	\$686	4 center body + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108		
6 bodies	2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb	T3122A25C4+2C	\$686	4 center body + 2 short outer bodies, 31.875" shaft		SHA3122ATA4+2	\$108		
Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK ROLLERS (if groomer kit requires tap in ends of shaft, change "C" in part # to "S")										
2" dia. SINGLE body										
2" dia. wide grooved Urethane no flats				6.2 lb	T2319C2CG	\$382	19.45" body, 23" shaft w/o taps	OHCOMP	SHA2319CT	\$76
2" dia. narrow grooved Urethane no flats				6.4 lb	T2319C2NG	\$382	19.45" body, 23" shaft w/o taps	OHCOMP	SHA2319CT	\$76
2" dia. wide grooved Urethane 1" flats				6.3 lb	T2319C2CGF	\$382	19.45" body, 23" shaft w/o taps	OHCOMP	SHA2319CT	\$76
2" dia. narrow grooved Urethane 1" flats				6.5 lb	T2319C2NGF	\$382	19.45" body, 23" shaft w/o taps	OHCOMP	SHA2319CT	\$76
2" dia. smooth Urethane				7.5 lb	T2319C2C	\$382	19.25" body, 23" shaft w/o taps	OHCOMP or OHCOMPSS	SHA2319CT	\$76
2" dia. smooth Steel heavy (1/4" wall)				10.5 lb	T2319C2S	\$322	19.25" body, 23" shaft w/o taps	OHCOMP or OHCOMPSS	SHA2319CT	\$76
2" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations						
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2304C2CGt	\$452	2 short twin bodies at ends of a 23" shaft	2x OHCOMP	SHA2304CTaT	\$91		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2304C2NGt	\$452	2 short twin bodies at ends of a 23" shaft	2x OHCOMP	SHA2304CTaT	\$91		
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2304C2CGFt	\$452	2 short twin bodies at ends of a 23" shaft	2x OHCOMP	SHA2304CTaT	\$91		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2304C2NGFt	\$452	2 short twin bodies at ends of a 23" shaft	2x OHCOMP	SHA2304CTaT	\$91		
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2302C2Ct	\$452	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2302CTaT	\$91		
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2304C2Ct	\$452	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2304CTaT	\$91		
2" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations						
extended	2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	T2919C2CG+2C	\$512	19.45" center body + 2 short outer bodies, 29" shaft	OHCOMP + 2x OHCOMP	SHA2919CTA+2	\$108		
extended	2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	T2919C2NG+2C	\$512	19.45" center body + 2 short outer bodies, 29" shaft	OHCOMP + 2x OHCOMP	SHA2919CTA+2	\$108		
extended	2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)	13 lb	T2919C2C+2C	\$512	19.25" center body + 2 short outer bodies, 29" shaft	OHCOMP + 2x OHCOMP	SHA2919CTA+2	\$108		
2" dia. FOUR bodies				non-skidding for tight turns & ground undulations						
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2319C2CG4	\$582	4 short bodies, 23" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2319CTA4	\$91		
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2319C2NG4	\$582	4 short bodies, 23" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2319CTA4	\$91		
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2319C2CGF4	\$582	4 short bodies, 23" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2319CTA4	\$91		
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2319C2NGF4	\$582	4 short bodies, 23" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2319CTA4	\$91		
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2319C2C4	\$582	4 short bodies, 23" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2319CTA4	\$91		
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	T2319C2S4	\$582	4 short bodies, 23" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2319CTA4	\$91		
2" dia. FOUR bodies + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations						
6 bodies	2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb	T2919C2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108		
6 bodies	2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb	T2919C2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108		
6 bodies	2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb	T2919C2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108		
6 bodies	2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb	T2919C2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108		
6 bodies	2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	12 lb	T2919C2C4+2C	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108		
6 bodies	2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	12 lb	T2919C2S4+2S	\$672	4 center bodies + 2 short outer bodies, 29" shaft		SHA2919CTA4+2	\$108		
Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS										
2" dia. SINGLE body										
2" dia. wide grooved Urethane no flats				6.5 lb	T2219S2CG	\$382	19.45" body, 22.75" shaft w/o taps	OHCOMP	SHA2219ST	\$76
2" dia. narrow grooved Urethane no flats				6.7 lb	T2219S2NG	\$382	19.45" body, 22.75" shaft w/o taps	OHCOMP	SHA2219ST	\$76
2" dia. wide grooved Urethane 1" flats				6.5 lb	T2219S2CGF	\$382	19.45" body, 22.75" shaft w/o taps	OHCOMP	SHA2219ST	\$76
2" dia. narrow grooved Urethane 1" flats				6.7 lb	T2219S2NGF	\$382	19.45" body, 22.75" shaft w/o taps	OHCOMP	SHA2219ST	\$76
2" dia. smooth Urethane				7.5 lb	T2219S2C	\$382	19.25" body, 22.75" shaft w/o taps	OHCOMP or OHCOMPSS	SHA2219ST	\$76
2" dia. smooth Steel heavy (1/4" wall)				10.5 lb	T2219S2S	\$322	19.25" body, 22.75" shaft w/o taps	OHCOMP or OHCOMPSS	SHA2219ST	\$76
2" dia. FOUR bodies				non-skidding for tight turns & ground undulations						
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2219S2CG4	\$582	4 short bodies, 22.75" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2219STA4	\$91		
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2219S2NG4	\$582	4 short bodies, 22.75" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2219STA4	\$91		
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2219S2CGF4	\$582	4 short bodies, 22.75" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2219STA4	\$91		
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2219S2NGF4	\$582	4 short bodies, 22.75" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2219STA4	\$91		
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2219S2C4	\$582	4 short bodies, 22.75" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2219STA4	\$91		
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	T2219S2S4	\$582	4 short bodies, 22.75" shaft	2x OHCOMP4Int + 2x OHCOMP4Ext	SHA2219STA4	\$91		
Toro GM1026 & 1600 26" GREENSMOWER - FRONT & BACK ROLLERS										
2" dia. SINGLE body										
2" dia. wide grooved Urethane no flats				7.8 lb	T3126A2CG	\$382	26.45" body, 31" shaft	OHCOMP	SHA3126AT	\$76
2" dia. wide grooved Urethane 1" flats				7.8 lb	T3126A2CGF	\$382	26.45" body, 31" shaft	OHCOMP	SHA3126AT	\$76
2" dia. smooth Urethane				11 lb	T3126A2C	\$382	26.45" body, 31" shaft	OHCOMP or OHCOMPSS	SHA3126AT	\$76
2" dia. smooth Steel heavy (1/4" wall)				13.5 lb	T3126A2S	\$322	26.25" body, 31" shaft	OHCOMP or OHCOMPSS	SHA3126AT	\$76
2" dia. TWO opposing end short bodies				non-stripping, non-skidding for tight turns & ground undulations						
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb	T3104A2CGt	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCOMP	SHA3104ATaT	\$91		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb	T3104A2NGt	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCOMP	SHA3104ATaT	\$91		
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb	T3104A2CGFt	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCOMP	SHA3104ATaT	\$91		
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb	T3104A2NGFt	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCOMP	SHA3104ATaT	\$91		
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4.4 lb	T3102A2Ct	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA3102ATaT	\$91		
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.4 lb	T3104A2Ct	\$452	2 short twin bodies at ends of a 31" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA3104ATaT	\$91		
2" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations						
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4	T3726A2CG+2C	\$512	26.45" center body + 2 short outer bodies, 37" shaft	OHCOMP + 2x OHCOMP	SHA3726ATA+2	\$108		
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4	T3726A2NG+2C2							

2" dia. FOUR bodies				non-skidding for tight turns & ground undulations				
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb	T3126A2CG4	\$582	4 short bodies, 31" shaft	2x OHCOMP4Int +2x OHCOMP4ext	SHA3126ATA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb	T3126A2NG4	\$582	4 short bodies, 31" shaft	2x OHCOMP4Int +2x OHCOMP4ext	SHA3126ATA4	\$91
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb	T3126A2CGF4	\$582	4 short bodies, 31" shaft	2x OHCOMP4Int +2x OHCOMP4ext	SHA3126ATA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb	T3126A2NGF4	\$582	4 short bodies, 31" shaft	2x OHCOMP4Int +2x OHCOMP4ext	SHA3126ATA4	\$91
4 bodies	2" dia. smooth Urethane (4x6.5" wide bodies)	8.5 lb	T3126A2C4	\$582	4 short bodies, 31" shaft	2x OHCOMP4Int +2x OHCOMP4ext	SHA3126ATA4	\$91
4 bodies	2" dia. smooth Steel heavy (4x6.5" wide bodies)	12 lb	T3126A2S4	\$582	4 short bodies, 31" shaft	2x OHCOMP4Int +2x OHCOMP4ext	SHA3126ATA4	\$91
2" dia. FOUR bodies + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations				
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	T3726A2CG4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft		SHA3126ATA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	T3726AC2NG4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft		SHA3126ATA4+2	\$108
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	T3726A2CGF4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft		SHA3126ATA4+2	\$108
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	T3726A2NGF4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft		SHA3126ATA4+2	\$108
6 bodies	2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	12 lb	T3126A2C4+2C	\$672	4 center bodies + 2 short outer bodies, 37" shaft		SHA3126ATA4+2	\$108
6 bodies	2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	12 lb	T3126A2S4+2S	\$672	4 center bodies + 2 short outer bodies, 37" shaft		SHA3126ATA4+2	\$108
2.5" dia. SINGLE body				non-stripping, non-skidding for tight turns & ground undulations				
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb	T3127A25CG	\$456	27.45" body, 31" shaft		SHA3127AT	\$76
	2.5" smooth Urethane	11 lb	T3127A25C	\$396	27.45" body, 31" shaft		SHA3127AT	\$76
	2.5" smooth Steel	11 lb	T3127A25S	\$376	27.25" body, 31" shaft		SHA3127AT	\$76
2.5" dia. TWO opposing end short bodies				non-skidding for tight turns & ground undulations				
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	7 lb	T3104A25Ct	\$496	2 short twin bodies at ends of a 31" shaft		SHA3104ATAt	\$91
2.5" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations				
extended	2.5" dia. wide grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4	T3727A25CG+2C	\$566	27.45" center body + 2 short outer bodies, 37" shaft		SHA3727ATA+2	\$108
extended	2.5" dia. narrow grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4	T3727A25NG+2C	\$566	27.45" center body + 2 short outer bodies, 37" shaft		SHA3727ATA+2	\$108
extended	2.5" smooth Urethane (27.45" inner+2x2" outer bodies)	13.5 lb	T3727A25C+2C	\$566	27.45" center body + 2 short outer bodies, 37" shaft		SHA3727ATA+2	\$108
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations				
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3128A25CG4	\$636	4 short bodies, 31" shaft		SHA3128ATA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3128A25NG4	\$636	4 short bodies, 31" shaft		SHA3128ATA4	\$91
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)	13 lb	T3128A25C4	\$636	4 short bodies, 31" shaft		SHA3128ATA4	\$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations				
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	T3728A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft		SHA3728ATA4+2	\$108
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	T3728A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft		SHA3728ATA4+2	\$108
6 bodies	2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	T3728A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 37" shaft		SHA3728ATA4+2	\$108
Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER				Call to upgrade with double row angular contact bearings				
Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call								
2.5" dia. SINGLE body				non-skidding for tight turns & ground undulations				
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.87" shaft		SHA2522AT	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.87" shaft		SHA2522AT	\$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.87" shaft		SHA2522AT	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.87" shaft		SHA2522AT	\$76
	2.5" smooth Urethane	9.5 lb	T2522A25C	\$396	22.45" body, 25.87" shaft		SHA2522AT	\$76
	2.5" smooth Steel	10 lb	T2522A25S	\$376	22.25" body, 25.87" shaft		SHA2522AT	\$76
Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diameter also available)				Call to upgrade with double row angular contact bearings				
2" dia. SINGLE body				non-skidding for tight turns & ground undulations				
	2" dia. wide grooved Urethane 1" flats	6.5 lb	T2319A2CGF	\$382	19.45" body, 23" shaft	OHCOMP	SHA2319AT	\$76
	2" dia. smooth Urethane	7.5 lb	T2319A2C	\$382	19.25" body, 23" shaft	OHCOMP or OHCOMPSS	SHA2319AT	\$76
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2319A2S	\$322	19.25" body, 23" shaft	OHCOMP or OHCOMPSS	SHA2319AT	\$76
Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - FRONT				Call to upgrade with double row angular contact bearings				
Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call								
2.5" dia. SINGLE body				non-skidding for tight turns & ground undulations				
	2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2722A25CG	\$456	22.45" body, 27" shaft		SHA2722AT	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2722A25NG	\$456	22.45" body, 27" shaft		SHA2722AT	\$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2722A25CGF	\$456	22.45" body, 27" shaft		SHA2722AT	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2722A25NGF	\$456	22.45" body, 27" shaft		SHA2722AT	\$76
	2.5" smooth Urethane	9 lb	T2722A25C	\$396	22.45" body, 27" shaft		SHA2722AT	\$76
	2.5" smooth Steel	9 lb	T2722A25S	\$376	22.25" body, 27" shaft		SHA2722AT	\$76
	2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb	T2724A25CG	\$456	24.45" body, 27" shaft		SHA2724AT	\$76
	2.5" smooth Urethane	9 lb	T2724A25C	\$396	24.45" body, 27" shaft		SHA2724AT	\$76
	2.5" smooth Steel	9 lb	T2724A25S	\$376	24.25" body, 27" shaft		SHA2724AT	\$76
	2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb	T2319T25CG	\$456	19.45" body, 23" shaft		SHA2319TT	\$76
	2.5" smooth Urethane	9 lb	T2319T25C	\$396	19.45" body, 23" shaft		SHA2319TT	\$76
	2.5" smooth Steel	9 lb	T2319T25S	\$376	19.25" body, 23" shaft		SHA2319TT	\$76
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations				
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2722A25CG4	\$636	4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2722A25NG4	\$636	4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2722A25CGF4	\$636	4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2722A25NGF4	\$636	4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2722A25C4	\$636	4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies	2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2722A25S4	\$626	4 short bodies, 27" shaft		SHA2722ATA4	\$98
4 bodies	2.5" dia. wide grooved Urethane (2x5.55"+2x6.5" wide bodies) no flats	10 lb	T2724A25CG4	\$636	4 short bodies, 27" shaft		SHA2724ATA4	\$98
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2724A25NG4	\$636	4 short bodies, 27" shaft		SHA2724ATA4	\$98
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2724A25CGF4	\$636	4 short bodies, 27" shaft		SHA2724ATA4	\$98
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2724A25NGF4	\$636	4 short bodies, 27" shaft		SHA2724ATA4	\$98
4 bodies	2.5" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb	T2724A25C4	\$636	4 short bodies, 27" shaft		SHA2724ATA4	\$98
3" dia. SINGLE body				non-skidding for tight turns & ground undulations				
	3" dia. wide grooved Urethane	9.5 lb	T2722A3CG	\$513	22.45" body, 27" shaft		SHA2722AT	\$76
	3" smooth Urethane	12 lb	T2722A3C	\$483	22.45" body, 27" shaft		SHA2722AT	\$76
	3" smooth Steel	11.5 lb	T2722A3S	\$443	22.25" body, 27" shaft		SHA2722AT	\$76
	3" dia. wide grooved Urethane	9.5 lb	T2724A3CG	\$513	24.45" body, 27" shaft		SHA2724AT	\$76
	3" smooth Urethane	12 lb	T2724A3C	\$483	24.45" body, 27" shaft		SHA2724AT	\$76
	3" smooth Steel	11.5 lb	T2724A3S	\$443	24.25" body, 27" shaft		SHA2724AT	\$76
3" dia. FOUR bodies				non-skidding for tight turns & ground undulations				
4 bodies	3" dia. wide grooved Urethane (4x5.2" wide bodies)	10 lb	T2722A3CG4	\$673	4 short bodies, 27" shaft		SHA2722ATA4	\$91
4 bodies	3" smooth Urethane (4x5.55" wide bodies)	13 lb	T2722A3C4	\$663	4 short bodies, 27" shaft		SHA2722ATA4	\$91
4 bodies	3" dia. wide grooved Urethane (2x5.2"+2x6.5" wide bodies)	10 lb	T2724A3CG4	\$673	4 short bodies, 27" shaft		SHA2724ATA4	\$91
4 bodies	3" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb	T2724A3C4	\$663	4 short bodies, 27" shaft		SHA2724ATA4	\$91

Call to upgrade with double row angular contact bearings

non-skidding for tight turns & ground undulations

10/19/25 Page 15

Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS

2.5" dia. SINGLE body	
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF
2.5" smooth Urethane	9.5 lb T2522A25C
2.5" smooth Steel	10 lb T2522A25S
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2422A25CG
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2422A25NG
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2422A25CGF
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2422A25NGF
2.5" smooth Urethane	9.5 lb T2422A25C
2.5" smooth Steel	10 lb T2422A25S
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2421A25CG
2.5" smooth Urethane	9.5 lb T2421A25C
2.5" smooth Steel	10 lb T2421A25S
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2519A25CG
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2519A25NG
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25CGF
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF
2.5" smooth Urethane	9 lb T2519A25C
2.5" smooth Steel	9 lb T2519A25S
To diminish instances of shadowing lines due to overlap of reels	
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	9.5 lb T2522A25CG.22C
2.5" smooth Urethane	11 lb T2519A25C

2.5" dia. FOUR bodies	
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25NG4
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25CGF4
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb T2519A25S4

3" dia. SINGLE body	
3" dia. wide grooved Urethane	9.5 lb T2522A3CG
3" smooth Urethane	12 lb T2522A3C
3" smooth Steel	11.5 lb T2522A3S
3" dia. wide grooved Urethane	9.5 lb T2722A3CG
3" smooth Urethane	12 lb T2722A3C
3" smooth Steel	11.5 lb T2722A3S
3" dia. wide grooved Urethane	9.5 lb T2724A3CG
3" smooth Urethane	12 lb T2724A3C
3" smooth Steel	11.5 lb T2724A3S
To diminish instances of shadowing lines due to overlap of reels	
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb T2722A3CG.22C
3" smooth Urethane	11 lb T2719A3C
(please confirm diameter of body and length of shaft required to fit BACK ROLLER)	
2.5" Combination roller assemblies to diminish effect of reel overlap shadowing are available	

Toro SIDEWINDER 27" REEL MOWERS: 2000D, 2300D, 3100D & 216 - FRONT & BACK ROLLERS

2.5" dia. SINGLE body	
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb T3026D25CG
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb T3026D25NG
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb T3026D25CGF
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9.5 lb T3026D25NGF
2.5" smooth Urethane	11 lb T3026D25C
2.5" smooth Steel	11 lb T3026D25S
2.5" dia. wide grooved (1" spacing) Urethane no flats	10.3 lb T3227D25CG
2.5" smooth Urethane	11 lb T3227D25C
2.5" dia. FOUR bodies	
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3026D25CG4
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3026D25NG4
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb T3026D25CGF4
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb T3026D25NGF4
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb T3026D25C4
3" dia. SINGLE body (FOUR bodies also available)	
3" dia. wide grooved Urethane	12.5 lb T3026D3CG
3" smooth Urethane	13 lb T3026D3C
3" smooth Steel	13 lb T3026D3S
3" dia. wide grooved Urethane	12.8 lb T3227D3CG
3" smooth Urethane	13.3 lb T3227D3C
3" smooth Steel	13.3 lb T3227D3S

Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - FRONT ROLLER (check length of body and shaft)

3" dia. SINGLE body	
3" dia. wide grooved Urethane	14 lb T3431U3CG
3" smooth Steel	15 lb T3431U3S
3" dia. wide grooved Urethane	14 lb T3632U3CG
3" smooth Steel	15 lb T3632U3S
2.5" smooth Steel	12.5 lb T3431U25S
3" dia. FIVE bodies	
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12 lb T3431U3CG5
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12.5 lb T3632U3CG5
5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)	14 lb T3431U3C5
5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)	14.5 lb T3632U3C5

Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - BACK ROLLER

2.5" dia. & 3" dia. & 3.5" dia. SINGLE body	
2.5" smooth Urethane	12.5 lb T3429U25C
2.5" smooth Steel	12.5 lb T3429U25S
3" smooth Urethane	15 lb T3429U3C
3" smooth Steel	14.5 lb T3429U3S
3" smooth Urethane (special)	15 lb T3429K3C
3" smooth Steel (special)	15 lb T3429K3S
3.5" smooth Urethane (special)	18 lb T3429K35C
3" dia. FIVE bodies	
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3429A3CGR5
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb 2T3429A3CR5

Call to upgrade with double row angular contact bearings

(please confirm diameter of body & length of shaft required to fit back roller)

22.45" body, 25.87" shaft	SHA2522AT	\$76
22.45" body, 25.87" shaft	SHA2522AT	\$76
22.45" body, 25.87" shaft	SHA2522AT	\$76
22.45" body, 25.87" shaft	SHA2522AT	\$76
22.45" body, 25.87" shaft	SHA2522AT	\$76
22.25" body, 25.87" shaft	SHA2522AT	\$76
22.45" body, 24.5" shaft	SHA2422AT	\$76
22.45" body, 24.5" shaft	SHA2422AT	\$76
22.45" body, 24.5" shaft	SHA2422AT	\$76
22.25" body, 24.5" shaft	SHA2422AT	\$76
21.45" body, 24.5" shaft	SHA2422AT	\$76
21.45" body, 24.5" shaft	SHA2421AT	\$76
21.25" body, 24.5" shaft	SHA2421AT	\$76
19.45" body, 25" shaft	SHA2519AT	\$76
19.45" body, 25" shaft	SHA2519AT	\$76
19.45" body, 25" shaft	SHA2519AT	\$76
19.45" body, 25" shaft	SHA2519AT	\$76
19.45" body, 25" shaft	SHA2519AT	\$76
19.25" body, 25" shaft	SHA2519AT	\$76

call for proper application specifics

front roller for rear mower heads-use with T2519A25C	SHA2522AT	\$76
back roller for rear mower heads-use with T2522A25CG.22C	SHA2519AT	\$76

non-skidding for tight turns & ground undulations

4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 short bodies, 25" shaft	SHA2519ATA4	\$91

22.45" body, 25.87" shaft	SHA2522AT	\$76
22.45" body, 25.87" shaft	SHA2522AT	\$76
22.25" body, 25.87" shaft	SHA2522AT	\$76
22.45" body, 27" shaft	SHA2722AT	\$76
22.45" body, 27" shaft	SHA2722AT	\$76
22.25" body, 27" shaft	SHA2722AT	\$76
24.45" body, 27" shaft	SHA2724AT	\$76
24.45" body, 27" shaft	SHA2724AT	\$76
24.25" body, 27" shaft	SHA2724AT	\$76

call for proper application specifics

front roller for rear mower heads-use with T2719A3C	SHA2722AT	\$76
back roller for rear mower heads-use with T2722A3CG.22C	SHA2719AT	\$76

call for proper application specifics

Call to upgrade with double row angular contact bearings

26.45" body, 30" shaft	SHA3026DT	\$76
26.45" body, 30" shaft	SHA3026DT	\$76
26.45" body, 30" shaft	SHA3026DT	\$76
26.45" body, 30" shaft	SHA3026DT	\$76
26.45" body, 30" shaft	SHA3026DT	\$76
26.45" body, 30" shaft	SHA3026DT	\$76
27.45" body, 32" dia. shaft	SHA3227DT	\$76
27.45" body, 32" dia. shaft	SHA3227DT	\$76

non-skidding for tight turns & ground undulations

4 short bodies, 30" shaft	SHA3026DTA4	\$91
4 short bodies, 30" shaft	SHA3026DTA4	\$91
4 short bodies, 30" shaft	SHA3026DTA4	\$91
4 short bodies, 30" shaft	SHA3026DTA4	\$91
4 short bodies, 30" shaft	SHA3026DTA4	\$91

26.45" body, 30" shaft	SHA3026DT	\$76
26.45" body, 30" shaft	SHA3026DT	\$76
26.25" body, 30" shaft	SHA3026DT	\$76
27.45" body, 32" dia. shaft	SHA3227DT	\$76
27.45" body, 32" dia. shaft	SHA3227DT	\$76
27.25" body, 32" dia. shaft	SHA3227DT	\$76

Call to upgrade with double row angular contact bearings

31.45" body, 34.5" shaft	SHA3431UT	\$76
31.25" body, 34.5" shaft	SHA3431UT	\$76
32.45" body, 36" shaft	SHA3632UT	\$76
32.25" body, 36" shaft	SHA3632UT	\$76
31.25" body, 34.5" shaft	SHA3431UT	\$76

non-skidding for tight turns & ground undulations

5 short bodies, 34.5" shaft	SHA3431UTA5	\$99
5 short bodies, 36" shaft	SHA3632UTA5	\$99
5 short bodies, 34.5" shaft	SHA3431UTA5	\$99
5 short bodies, 36" shaft	SHA3632UTA5	\$99

Call to upgrade with double row angular contact bearings

29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429UT	\$76
29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429UT	\$76
29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429UT	\$76
29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429UT	\$76
29.45" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMP2R	SHA3429KT	\$76
29.25" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMP2R	SHA3429KT	\$76
29.45" body, 34" shaft (confirm specs with us)	OHCOMP or OHCOMP2R	SHA3429KT	\$76
non-skidding for tight turns & ground undulations			
5 short bodies, 34.5" shaft		SHA3429ATA5	\$91
5 short bodies, 34.5" shaft		SHA3429ATA5	\$91

Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO & PARKMASTER GANG			Call to upgrade with double row angular contact bearings				
3" smooth Urethane	14 lb	T3227J3C	\$493	27.45" body, 32.5" shaft	OHCMP or OHCMP2R	SHA3227JT	\$76
3" smooth Steel	13.5 lb	T3227J3S	\$443	27.25" body, 32.5" shaft	OHCMP or OHCMP2R	SHA3227JT	\$76
3.5" smooth Urethane	17 lb	T3227J35C	\$577	27.45" body, 32.5" shaft	OHCMP or OHCMP2R	SHA3227JT	\$76
Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - FRONT ROLLER (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt							
5" grooved Urethane (5.2" wide body) double row bearings	5 lb	2T0505G3CG	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0505GT	\$79
5" smooth Urethane (5.2" wide body) double row bearings	5 lb	2T0505G5C	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0505GT	\$79
Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - BACK ROLLER							
3" dia. SINGLE body							
3" dia. wide grooved Urethane with double row bearings	13.5 lb	2T3329A3CG	\$573	29.45" body, 33" shaft	OHCMP2C	SHA3329AT	\$79
3" smooth Urethane with double row bearings	15 lb	2T3329A3C	\$573	29.45" body, 33" shaft	OHCMP2C	SHA3329AT	\$79
3" smooth Steel with double row bearings	15 lb	2T3329A3SR	\$573	29.25" body, 33" shaft	OHCMP2R	SHA3329AT	\$79
3" dia. TWO opposing end short bodies							
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10.5 lb	2T3305A3CGt	\$643	2 short twin bodies at ends of a 33" shaft	OHCMP2t	SHA3305ATAt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb	2T3304A3Ct	\$643	2 short twin bodies at ends of a 33" shaft	OHCMP2t	SHA3304ATAt	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	12 lb	2T3304A3SRt	\$643	2 short twin bodies at ends of a 33" shaft	OHCMP2Rt	SHA3304ATAt	\$91
3" dia. FIVE bodies							
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb	2T3329A3CGR5	\$743	5 short bodies, 33" shaft		SHA3329ATA5	\$91
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb	2T3329A3CR5	\$743	5 short bodies, 33" shaft		SHA3329ATA5	\$91
3.5" dia. SINGLE body							
3.5" smooth Urethane with double row bearings	18 lb	2T3329A35C	\$617	29.45" body, 33" shaft	OHCMP2C	SHA3329AT	\$79
Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt							
5" grooved Urethane (5.2" wide body) double row bearings	5 lb	2T0705G5CG	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0705GT	\$79
5" smooth Urethane (5.2" wide body) double row bearings	5.5 lb	2T0705G5C	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0705GT	\$79
Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available-please call)							
3" dia. SINGLE body							
3" dia. wide grooved Urethane with double row bearings	11 lb	2T2824K3CG	\$543	24.45" body, 28" shaft	OHCMP2	SHA2824KT	\$79
3" smooth Urethane with double row bearings	12 lb	2T2824K3C	\$533	24.45" body, 28" shaft	OHCMP2	SHA2824KT	\$79
3" smooth Steel with double row bearings	11 lb	2T2824K3SR	\$533	24.25" body, 28" shaft	OHCMP2R	SHA2824KT	\$79
3" dia. TWO opposing end short bodies							
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10.5 lb	2T2805K3CGt	\$643	2 short twin bodies at ends of a 28" shaft	OHCMP2t	SHA2805KTAT	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb	2T2804K3Ct	\$643	2 short twin bodies at ends of a 28" shaft	OHCMP2t	SHA2804KTAT	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	12 lb	2T2804K3SRt	\$643	2 short twin bodies at ends of a 28" shaft	OHCMP2Rt	SHA2804KTAT	\$91
3" dia. FOUR bodies							
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12.5 lb	2T2824K3CGR4	\$703	4 short bodies, 28" shaft		SHA2824KTA4	\$91
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	13.5 lb	2T2824K3CR4	\$703	4 short bodies, 28" shaft		SHA2824KTA4	\$91
Toro 22" VERTICUT heads (Call to confirm dimensions of your roller)							
2" dia. smooth Steel heavy (1/4" wall)	10 lb	T2419A2S	\$322	19.25" body, 24" shaft	OHCMP	SHA2419AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2321A2S	\$322	21.25" body, 23" shaft	OHCMP	SHA2321AT	\$76
for RANSOMES mowers (multi-body rollers available)							
RANSOMES ALL 22" GREENSPLEX & E-PLEX & 160 - FRONT ROLLER							
2" dia. SINGLE body							
2" dia. wide grooved Urethane no flats	6.5 lb	R2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb	R2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	R2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	\$76
2" dia. smooth Urethane	8 lb	R2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2522A2S	\$322	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AJ	\$76
2" dia. FOUR bodies							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2522A2CGF4	\$582	4 short bodies, 25.875" shaft	2x OHCMP4Int +2x OHCMP4Ext	SHA2522AJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2522A2C4	\$582	4 short bodies, 25.875" shaft	2x OHCMP4Int +2x OHCMP4Ext	SHA2522AJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2522A2S4	\$582	4 short bodies, 25.875" shaft	2x OHCMP4Int +2x OHCMP4Ext	SHA2522AJA4	\$91
2.5" dia. SINGLE body							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2522A25CG	\$456	22.45" body, 25.875" shaft	OHCMP	SHA2522AJ	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	R2522A25NG	\$456	22.45" body, 25.875" shaft	OHCMP	SHA2522AJ	\$76
2.5" smooth Urethane	9.5 lb	R2522A25C	\$396	22.25" body, 25.875" shaft	OHCMP	SHA2522AJ	\$76
2.5" smooth Steel	10 lb	R2522A25S	\$376	22.25" body, 25.875" shaft	OHCMP	SHA2522AJ	\$76
2.5" dia. FOUR bodies							
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	R2522A25CG4	\$636	4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2522A25C4	\$636	4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	12 lb	R2522A25S4	\$626	4 short bodies, 25.875" shaft		SHA2522AJA4	\$91
RANSOMES 300 & 500 GREENSMOWERS - BACK ROLLER							
2" dia. SINGLE body							
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422S2CGF	\$382	22.45" body , 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ	\$76
2" dia. smooth Urethane	8 lb	R2422S2C	\$382	22.25" body , 24.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2422SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422S2S	\$322	22.25" body , 24.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422G2CGF	\$382	22.45" body , 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ	\$76
2" dia. smooth Urethane	8 lb	R2422G2C	\$382	22.25" body , 24.25" shaft-7/16" taps	OHCMP or OHCMPSS	SHA2422GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422G2S	\$322	22.25" body , 24.25" shaft-7/16" taps	OHCMP or OHCMPSS	SHA2422GJ	\$76
2" dia. FOUR bodies							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2422S2CGF4	\$582	4 bodies @22.3" oal, shaft-3/8" taps	2x OHCMP4Int +2x OHCMP4Ext	SHA2422SJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2422S2C4	\$582	4 short bodies, 24.25" shaft	2x OHCMP4Int +2x OHCMP4Ext	SHA2422SJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422S2S4	\$582	4 short bodies, 24.25" shaft	2x OHCMP4Int +2x OHCMP4Ext	SHA2422SJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2422G2CGF4	\$582	4 short bodies, 24.25" shaft	2x OHCMP4Int +2x OHCMP4Ext	SHA2422GJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2422G2C4	\$582	4 short bodies, 24.25" shaft	2x OHCMP4Int +2x OHCMP4Ext	SHA2422GJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422G2S4	\$582	4 short bodies, 24.25" shaft	2x OHCMP4Int +2x OHCMP4Ext	SHA2422GJA4	\$91
RANSOMES MOTOR 180D, 180 TRIPLEX & TRIPLE 18 - ALL ROLLERS							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2826G25CG	\$456	7/16" taps in shaft ends	OHCMP	SHA2826GR	\$76
2.5" smooth Urethane	11.5 lb	R2826G25C	\$396	7/16" taps in shaft ends	OHCMP	SHA2826GR	\$76
2.5" smooth Steel	12 lb	R2826G25S	\$376	26.25" body, 7/16" taps	OHCMP	SHA2826GR	\$76
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/ 6" DIA. REELS - ALL ROLLERS							
3" dia. wide grooved Urethane	13 lb	R2722R3CG	\$513	22.45" body, 27" shaft	OHCMP	SHA2722RR	\$76
3" smooth Urethane	15 lb	R2722R3C	\$483	22.45" body, 27" shaft	OHCMP	SHA2722RR	\$76
3" smooth Steel	15 lb	R2722R3S	\$443	22.45" body, 27" shaft	OHCMP	SHA2722RR	\$76
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER							
3" dia. wide grooved Urethane	13 lb	R2622A3CG	\$513	22.45" body, 26" shaft	OHCMP	SHA2622AR	\$76
3" smooth Urethane	15 lb	R2622A3C	\$483	22.45" body, 26" shaft	OHCMP	SHA2622AR	\$76
3" smooth Steel	15 lb	R2622A3S	\$443	22.45" body, 26" shaft	OHCMP	SHA2622AR	\$76
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLLER							
3" dia. wide grooved Urethane	13 lb	R2722A3CG	\$513	22.45" body, 27.5" shaft	OHCMP	SHA2722AR	\$76
3" smooth Urethane	15 lb	R2722A3C	\$483	22.45" body, 27.5" shaft	OHCMP	SHA2722AR	\$76
3" smooth Steel	15 lb	R2722A3S	\$443	22.45" body, 27.5" shaft	OHCMP	SHA2722AR	\$76
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2421S25CG	\$456	3/8" taps in shaft ends	OHCMP	SHA2421SJ	\$76
2.5" smooth Urethane	9.5 lb	R2421S25C	\$396	3/8" taps in shaft ends	OHCMP	SHA2421SJ	\$76
2.5" smooth Steel	10 lb	R2421S25S	\$376	21.25" body, 3/8" taps	OHCMP	SHA2421SJ	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2421G25CG	\$456	7/16" taps in shaft ends	OHCMP	SHA2421GJ	\$76
2.5" smooth Urethane	8 lb	R2421G25C	\$396	7/16" taps in shaft ends	OHCMP	SHA2421GJ	\$76
2.5" smooth Steel	12 lb	R2421G25S	\$376	21.25" body, 7/16" taps	OHCMP	SHA2421GJ	\$76

RANSOMES 26" FAIRWAY 300, 305, 405 & 26" T-PLEX 185D - ALL ROLLERS

3" dia. wide grooved Urethane	13 lb R3026T3CG
3" smooth Urethane	15 lb R3026T3C
3" smooth Steel	15 lb R3026T3S

RANSOMES 30" T-PLEX 185D - ALL ROLLERS

3" dia. wide grooved Urethane	13 lb R3429T3CG
3" smooth Urethane	15 lb R3429T3C
3" smooth Steel	15 lb R3429T3S

RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb R3127G25CG
2.5" smooth Urethane	11.2 lb R3127G25C
2.5" smooth Steel	12 lb R3127G25S
3" dia. wide grooved Urethane	12.4 lb R3529A3CG
3" smooth Urethane	15 lb R3529A3C
3" smooth Steel	15 lb R3529A3S

RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER

3.5" smooth Urethane	27 lb R2722X35C
4" smooth Urethane	23 lb R2722X3C
4" smooth Steel	27 lb R2722X4S

Call to upgrade with double row angular contact bearings

\$513	26.45" body, 30" shaft	OHCOMP or OHCOMP2R	SHA3026TR	\$76
\$493	26.45" body, 30" shaft	OHCOMP or OHCOMP2R	SHA3026TR	\$76
\$443	26.45" body, 30.5" shaft	OHCOMP or OHCOMP2R	SHA3026TR	\$76

Call to upgrade with double row angular contact bearings

\$553	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429TR	\$76
\$493	29.45" body, 34" shaft	OHCOMP or OHCOMP2R	SHA3429TR	\$76
\$453	29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429TR	\$76

Call to upgrade with double row angular contact bearings

\$456	27.45" body, 31.62" dia. shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA3127GR	\$76
\$396	27.45" body, 31.62" dia. shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA3127GR	\$76
\$376	27.25" body, 31.62" dia. shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA3127GR	\$76
\$553	29.45" body, 35" shaft	OHCOMP or OHCOMP2R	SHA3529AR	\$76
\$483	29.45" body, 35" shaft	OHCOMP or OHCOMP2R	SHA3529AR	\$76
\$453	29.25" body, 35" shaft	OHCOMP or OHCOMP2R	SHA3529AR	\$76

Call to upgrade with double row angular contact bearings

\$577	22.45" body, 27.25" shaft-1/2" dia. ends	OHCOMP2R	SHA2722XR	\$76
\$654	22.45" body, 27.25" shaft	OHCOMP2R	SHA2722XR	\$76
\$654	22.45" body, 32.25" shaft	OHCOMP2R	SHA2722XR	\$76

for TRU-TURF Greens Golf Rollers (multi-body rollers available)

Call to upgrade with double row angular contact bearings

Tru-Turf Smoothing Heads Rollers for RS48-11E machine

2.5" smooth Urethane	9.5 lb T2222S25C
2.5" smooth Steel	9.2 lb T2222S25S

Multi-body roller options available to minimize skidding

\$396	22.45" body, 22.625" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2222ST	\$76
\$376	22.25" body, 22.625" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2222ST	\$76

Tru-Turf Smoothing Heads Rollers for RB48-11A machine (4 short & 2 long rollers per machine)

2.5" smooth Urethane	9.5 lb T2222R25C
2.5" smooth Steel	9.2 lb T2222R25S
2.5" smooth Urethane	10 lb T2524R25C
2.5" smooth Steel	9.6 lb T2524R25S

Multi-body roller options available to minimize skidding

\$396	22.45" body short rollers, 22.716" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222RT	\$76
\$376	22.25" body short rollers, 22.716" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222RT	\$76
\$396	24.45" body long rollers, 25.078" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2522RT	\$76
\$376	24.25" body long rollers, 25.078" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2522RT	\$76

Tru-Turf Smoothing Heads Rollers for R50-11 machine (4 short & 2 long rollers per machine)

2.5" smooth Urethane	9.5 lb T2222Y25C
2.5" smooth Steel	9.2 lb T2222Y25S
2.5" smooth Urethane	10 lb T2524Y25C
2.5" smooth Steel	9.6 lb T2524Y25S

Multi-body roller options available to minimize skidding

\$396	22.45" body short rollers, 22.75" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222YT	\$91
\$376	22.25" body short rollers, 22.75" shaft (4 per machine)	OHCOMP or OHCOMP2R	SHA2222YT	\$91
\$396	24.45" body long rollers, 25" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2524YT	\$91
\$396	24.25" body long rollers, 25" shaft (2 per machine)	OHCOMP or OHCOMP2R	SHA2524YT	\$91

Tru-Turf Smoothing Heads Rollers for GR39 machine

2.5" smooth Urethane	15.5 lb T3939S25C
2.5" smooth Steel	15.5 lb T3939S25S

Multi-body roller options available to minimize skidding

\$616	39.45" body, 39.812" dia. shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA3939ST	\$100
\$646	39.25" body, 39.812" dia. shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA3939ST	\$100

Tru-Turf Smoothing Heads Rollers for TR7000C machine

2 bodies 2.5" smooth Urethane (2x19.5" wide bodies)	15.5 lb TT3939S25Ct
2 bodies 2.5" smooth Steel (2x19.45" wide bodies)	15.5 lb TT3939S25St

Multi-body roller options available to minimize skidding

\$676	2 body assembly at 39.5" total length, 39.812" dia. shaft	OHCOMP or OHCOMP2R	SHA3939StAt	\$100
\$686	2 body assembly at 39.5" total length, 39.812" dia. shaft	OHCOMP or OHCOMP2R	SHA3939St	\$100

Tru-Turf Smoothing Heads Rollers for R52 machine (9 rollers per machine)

2.5" smooth Urethane	9 lb T1818S25C
2.5" smooth Steel	8.7 lb T1818S25S

Multi-body roller options available to minimize skidding

\$396	18.45" body, 18.5" shaft-3/8" taps (9 per machine)	OHCOMP or OHCOMP2R	SHA1818ST	\$76
\$376	18.25" body, 18.5" shaft-3/8" taps (9 per machine)	OHCOMP or OHCOMP2R	SHA1818ST	\$76

Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine

2.5" smooth Urethane	9.5 lb TT2422S25C
2.5" smooth Steel	9.2 lb TT2422S25S

Multi-body roller options available to minimize skidding

\$396	22.45" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2422STT	\$76
\$396	22.25" body, 24.25" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2422STT	\$76

for DENNIS

Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)

3.5" smooth Urethane	21 lb D3834G35C
Handlebar bushing (2 per roller)	2SLEEVE 1.25x.5x1.2 PU

Call to upgrade with double row angular contact bearings

\$577	34.45" body, 38.5" shaft-7/16" taps	OHCOMP	SHA3834GD	\$106
\$33				

for SISIS (multi-body rollers available)

Call to upgrade with double row angular contact bearings

Sisis Flexi-400 fairway rolling machine- ALL ROLLERS

3" smooth Urethane	11.6 lb S2524S3C
3" smooth Steel	12 lb S2524S3S
3.5" smooth Urethane	16 lb S2524S35C

Multi-body roller options available to minimize skidding

\$513	24.45" body, 25.125" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2524SS	\$91
\$523	24.25" body, 25.125" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2524SS	\$91
\$577	24.45" body, 25.125" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2524SS	\$91

Sisis Veemo MK2 Verticutter - ALL ROLLERS

3" smooth Urethane	15 lb S3029G3C
3" smooth Steel	15 lb S3029G3S

Multi-body roller options available to minimize skidding

\$513	29.45" body, 30.5" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA3029GS	\$91
\$523	29.25" body, 30.5" shaft-7/16" taps	OHCOMP or OHCOMP2R	SHA3029GS	\$91

for SHIBAURA & HUSTLER (multi-body rollers available)

Call to upgrade with double row angular contact bearings

Shibaura G EXE 26 Greens Mower

2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb S2826P25CG
2.5" smooth Urethane	12.5 lb S2826P25C
2.5" smooth Steel	12.5 lb S2826P25S
2" dia. smooth Urethane	8.5 lb S2826P2C
2" dia. smooth Steel heavy (1/4" wall)	12 lb S2826P2S

Multi-body roller options available to minimize skidding

\$486	26.45" body, 28.375" shaft	OHCOMP or OHCOMP2R	SHA2826PS	\$88
\$416	26.45" body, 28.375" shaft	OHCOMP or OHCOMP2R	SHA2826PS	\$88
\$406	26.25" body, 28.375" shaft	OHCOMP or OHCOMP2R	SHA2826PS	\$88
\$382	26.25" body, 28.375" shaft	OHCOMP or OHCOMPSS	SHA2826PS	\$88
\$322	26.25" body, 28.375" shaft	OHCOMP or OHCOMPSS	SHA2826PS	\$88

Shibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower

2" dia. wide grooved Urethane 1" flats	6.5 lb S2522P2CGF
2" dia. smooth Urethane	8 lb S2522P2C
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb S2522P2S
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb S2522P25CG
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb S2522P25NG
2.5" smooth Urethane	11.5 lb S2522P25C
2.5" smooth Steel	12 lb S2522P25S

Multi-body roller options available to minimize skidding

\$412	22.45" body, 25.75" shaft	OHCOMP	SHA2522PS	\$88
\$382	22.25" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS	\$88
\$322	22.25" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS	\$88
\$486	22.45" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS	\$88
\$486	22.45" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS	\$88
\$416	22.45" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS	\$88
\$406	22.25" body, 25.75" shaft	OHCOMP or OHCOMPSS	SHA2522PS	\$88

Shibaura SR525 Fairway & Hustler 7500 & 7700 Fairway

3" dia. wide grooved Urethane	10.5 lb S2522P3CG
3" smooth Urethane	12.5 lb S2522P3C
3" smooth Steel	12.5 lb S2522P3S

Multi-body roller options available to minimize skidding

\$553	22.45" body, 25.75" shaft	OHCOMP or OHCOMP2R	SHA2522PS	\$88
\$513	22.45" body, 25.75" shaft	OHCOMP or OHCOMP2R	SHA2522PS	\$88
\$523	22.25" body, 25.75" shaft	OHCOMP or OHCOMP2R	SHA2522PS	\$88

Shibaura SR370

3" dia. wide grooved Urethane	12.5 lb S2926P3CG
3" smooth Urethane	14 lb S2926P3C
3" smooth Steel	14 lb S2926P3S

Multi-body roller options available to minimize skidding

\$553	26.45" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926PS	\$88
\$513	26.45" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926PS	\$88
\$523	26.25" body, 29.75" shaft	OHCOMP or OHCOMP2R	SHA2926PS	\$88

for BARONESS (multi-body rollers available)

Call to upgrade with double row angular contact bearings

Baroness LM66T Greens - 25.45" Front & back ROLLERS			Multi-body roller options available to minimize skidding			
2.5" dia. wide grooved (1" spacing) Urethane no flats	13 lb B2725H25CG	\$486	25.45" body, 27" shaft-M10 taps	OHCOMP or OHCOMPSS	SHA2725HK	\$91
2.5" smooth Urethane	15 lb B2725H25C	\$476	25.45" body, 27" shaft-M10 taps	OHCOMP or OHCOMPSS	SHA2725HK	\$91
2.5" smooth Steel	15 lb B2725H25S	\$456	25.25" body, 27" shaft-M10 taps	OHCOMP or OHCOMPSS	SHA2725HK	\$91
Baroness LM185 - 27.45" Front & Back ROLLERS			Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	13 lb B3027K3CG	\$613	27.45" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMP2R	SHA3027KK	\$91
3" smooth Urethane	15 lb B3027K3C	\$573	27.45" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMP2R	SHA3027KK	\$91
3" smooth Steel	15 lb B3027K3S	\$523	27.25" body, 30" shaft-9/16" dia. ends	OHCOMP or OHCOMP2R	SHA3027KK	\$91
Baroness LM2700 Fairway - 27.45" ROLLER BODIES			Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	13 lb 2B2726G3CG	\$613	26.45" body, 27.625" shaft-7/16" taps	OHCOMP2BOC	SHA2726GK	\$91
3" smooth Urethane	15 lb 2B2726G3C	\$593	26.45" body, 27.625" shaft-7/16" taps	OHCOMP2BOC	SHA2726GK	\$91
3" smooth Steel	15 lb 2B2726G3SR	\$573	26.45" body, 27.625" shaft-7/16" taps	OHCOMP2R	SHA2726GK	\$91
3.5" smooth Urethane	18 lb 2B2726G35C	\$677	26.45" body, 27.625" shaft-7/16" taps	OHCOMP2BOC	SHA2726GK	\$91
4" smooth Urethane	23 lb 2B2726G4C	\$754	26.45" body, 27.625" shaft-7/16" taps	OHCOMP2BOC	SHA2726GK	\$91
Baroness LM2810 Fairway - 29.45" ROLLER BODIES			Multi-body roller options available to minimize skidding			
coming soon						

Baroness LM315 - 22.45" ROLLER BODIES			Multi-body roller options available to minimize skidding		
coming soon					

Baroness LM62 - 22.45" ROLLER BODIES			Multi-body roller options available to minimize skidding		
coming soon					

Baroness LS66 Fairway - 27.45" ROLLER BODIES			Multi-body roller options available to minimize skidding		
coming soon					

Baroness LM6690 - ROLLER BODIES			Multi-body roller options available to minimize skidding		
coming soon					

for VENTRAC (multi-body rollers available)

Call to upgrade with double row angular contact bearings

Ventrac MJ840 Contour Deck Rotary Mower			Multi-body roller options available to minimize skidding			
<u>3" dia. SINGLE body</u>						
3" smooth Urethane with double row bearings	11.8 lb 2V2422S3C		only available through Venture Products		OHCOMP2BOC	SHA2422SV
3" smooth Steel	11.4 lb V2422S3S	\$483	22.05" body, 24.56" shaft-3/8" taps		OHCOMP or OHCOMP2R	SHA2422SV \$91
<u>3" dia. TWO opposing end short bodies</u>			non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 3" dia. wide grooved Urethane (2x4" wide bodies)	8 lb V2404S3CGt	\$583	2 short twin bodies at ends of a 24.56" shaft		OHCOMPt	SHA2404SVAIt \$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb 2V2404S3CRt	\$643	2 short twin bodies at ends of a 24.56" shaft		OHCOMP2Rt	SHA2404SVAIt \$91
2 bodies 3" smooth Urethane (2x4" wide bodies)	8 lb V2404S3Ct	\$553	2 short twin bodies at ends of a 24.56" shaft		OHCOMPt	SHA2404SVAIt \$91
2 bodies 3" smooth Steel (2x4" wide bodies)	10 lb V2404S3St	\$553	2 short twin bodies at ends of a 24.56" shaft		OHCOMPt	SHA2404SVAIt \$91
Ventrac MR740 Triplex Reel Mower			Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	9.5 lb V2827S3CG	\$553	27.45" body, 28.78" shaft-3/8" taps, .545" dia ends		OHCOMP or OHCOMP2R	SHA2827SV \$91
3" smooth Urethane	11.5 lb V2827S3C	\$543	27.45" body, 28.78" shaft-3/8" taps, .545" dia ends		OHCOMP or OHCOMP2R	SHA2827SV \$91
3" smooth Steel	11.2 lb V2827S3S	\$483	27.25" body, 28.78" shaft-3/8" taps, .545" dia ends		OHCOMP or OHCOMP2R	SHA2827SV \$91

for TrueSurface (multi-body rollers available)

Call to upgrade with double row angular contact bearings

True Surface V5 rolling machine - FRONT ROLLER			Multi-body roller options available to minimize skidding			
3" smooth Urethane	9.5 lb T2522V3C	\$503	22.45" body, 25.5" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2522VT	\$91
3" smooth Steel	10 lb T2522V3S	\$483	22.25" body, 25.5" shaft-3/8" taps	OHCOMP or OHCOMP2R	SHA2522VT	\$91

for NATIONAL

Call to upgrade with double row angular contact bearings

National 68 & 84 TRIPLEX & PTO GANG - 30" REELS			Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	13 lb N3429I3CG	\$553	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429IN	\$76
3" smooth Urethane	15 lb N3429I3C	\$493	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429IN	\$76
3" smooth Steel	15 lb N3429I3S	\$453	29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429IN	\$76
3.5" smooth Urethane	18 lb N3429I35C	\$577	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3429IN	\$76
4" smooth Urethane	23 lb N3429I4C	\$654	29.45" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3229IN	\$76
4" smooth Steel	19 lb N3429I4S	\$654	29.25" body, 34.5" shaft	OHCOMP or OHCOMP2R	SHA3229IN	\$76
National 68 & 84 TRIPLEX & PTO GANG - 25" OUTSIDE REELS			Multi-body roller options available to minimize skidding			
3" smooth Urethane	11 lb N2420I3C	\$483	20.45" body, 24.875" shaft	OHCOMP or OHCOMP2R	SHA2420IN	\$76
3" smooth Steel	11 lb N2420I3S	\$443	20.25" body, 24.875" shaft	OHCOMP or OHCOMP2R	SHA2420IN	\$76
3.5" smooth Urethane	13 lb N2420I35C	\$577	20.45" body, 24.875" shaft	OHCOMP or OHCOMP2R	SHA2420IN	\$76

for BUNTON

Call to upgrade with double row angular contact bearings

Bunton 22" WALKING GREENSMOWERS - FRONT			Multi-body roller options available to minimize skidding			
2" dia. wide grooved Urethane 1" flats	6.5 lb B2422P2CGF	\$412	22.45" body, 24.5" shaft	OHCOMP	SHA2422PB	\$88
2" dia. smooth Urethane	8 lb B2422P2C	\$382	22.25" body, 24.5" shaft	OHCOMP or OHCOMPSS	SHA2422PB	\$88
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb B2422P2S	\$312	22.25" body, 24.5" shaft	OHCOMP or OHCOMPSS	SHA2422PB	\$88
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb B2422P25CG	\$486	22.45" body, 24.5" shaft	OHCOMP or OHCOMP2R	SHA2422PB	\$88
2.5" smooth Urethane	9.5 lb B2422P25C	\$476	22.45" body, 24.5" shaft	OHCOMP or OHCOMP2R	SHA2422PB	\$88
2.5" smooth Steel	10 lb B2422P25S	\$456	22.25" body, 24.5" shaft	OHCOMP or OHCOMP2R	SHA2422PB	\$88
Bunton 26" WALKING GREENSMOWER - FRONT			Multi-body roller options available to minimize skidding			
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb B2726P25CG	\$486	26.45" body	OHCOMP or OHCOMP2R	SHA2726PB	\$88
2.5" smooth Urethane	10.5 lb B2726P25C	\$476	26.45" body	OHCOMP or OHCOMP2R	SHA2726PB	\$88
2.5" smooth Steel	11 lb B2726P25S	\$456	26.25" body	OHCOMP or OHCOMP2R	SHA2726PB	\$88
Bunton 30" FAIRWAY GANG MOWER - FRONT & BACK ROLLERS			Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	13 lb B3629H3CG	\$613	29.45" body, 36.25" shaft	OHCOMP or OHCOMP2R	SHA3629HB	\$88
3" smooth Urethane	15 lb B3629H3C	\$573	29.45" body, 36" shaft	OHCOMP or OHCOMP2R	SHA3629HB	\$88
3" smooth Steel	15 lb B3629H3S	\$523	29.25" body, 36.25" shaft	OHCOMP or OHCOMP2R	SHA3629HB	\$88
3.5" smooth Urethane	18 lb B3629H35C	\$677	29.25" body, 36.25" shaft	OHCOMP or OHCOMP2R	SHA3629HB	\$88

for KESMAC

Call to upgrade with double row angular contact bearings

Kesmac GANG MOWER - ALL ROLLERS			Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	13 lb K3227A3CG	\$553	27.45" body	OHCOMP or OHCOMP2R	SHA3227AK	\$88
3" smooth Urethane	15 lb K3227A3C	\$493	27.45" body, 32" dia. shaft	OHCOMP or OHCOMP2R	SHA3227AK	\$88
3" smooth Steel	15 lb K3227A3S	\$443	27.25" body, 32" dia. shaft	OHCOMP or OHCOMP2R	SHA3227AK	\$88
3.5" smooth Urethane	18 lb K3227A35C	\$577	27.45" body, 32" dia. shaft	OHCOMP or OHCOMP2R	SHA3227AK	\$88
4" smooth Urethane	23 lb K3227A4C	\$654	27.45" body, 32" dia. shaft	OHCOMP or OHCOMP2R	SHA3227AK	\$88

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2025

Competition Roller™ Upgrade Options

Upgrade to Stainless Steel Bearings on Competition Rollers™

Upgrade to Double Row Bearings as our Competition2 Rollers™

- upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body)
- available for most rollers greater than 2" dia.

Add Grease Fittings (set of 2 special flush mount grease fittings)

- grease fittings (set of two) for new Competition Rollers™ or new overhaul kits
- special yellow end seal (set of two) to accommodate grease fitting without new bearing kits

Bearing Installation Tool Set

- set of 2 tools - aids in installing bearings into roller housing and onto shaft

Super solid one piece Polyurethane Soft Blow Mallet - FULL SIZE (13" length)

- add a bottle opener to your full size mallet for \$12 extra

Super solid one piece Polyurethane Soft Blow Mallet - 3/4 SIZE (9.8" length)

Super solid one piece Polyurethane Soft Blow Mallet - 1/2 SIZE (6.5" length)

- unique utility to add to your tool box

Retail

\$28 BU-COMPSS

\$40

(designate by adding "2" to front of roller part number)

\$24 GFFD316SET

\$29 2SEAL16CUGF SET


\$76 2TOOLSET

\$70 #MALLET13

\$82 #MALLET13BO

\$45 #MALLET9.8

\$33 #MALLET6.5



Competition Roller™ Overhaul Kits - *ORIGINAL STYLE*

Single row deep groove bearings

- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Standard overhaul kit for all single body (except "H" style 2" grooved)

- (with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

Stainless steel bearing overhaul kit for all single body (except 2" grooved)

- (with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)

Overhaul kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19

- (with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

Overhaul kit for twin body roller assemblies (one kit per body - call to confirm)

Overhaul kit for 3 & 4 body roller assemblies (one kit per body - call to confirm)

\$76 OHCOMP

\$104 OHCOMPSS

\$76 OHCOMPH

\$92 OHCOMPnt

\$78 OHCOMP4int & OHCOMP4ext



Competition2 Roller™ Overhaul Kits *SERIES 2* with Double-Row Bearings

Double row angular contact bearings with corrosion resistant black oxide finish

- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Kit for single body deep bore rollers

- (with 2 double row bearings, 6 seals, 2 stainless washers & 4 snap ring retainers)

Kit for single body deep bore rollers with collar retainers

- (with 2 double row bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

Kit for twin body deep bore rollers with collar retainers

- (with 2 double row bearings, 6 seals, 2 stainless washers, 2 snap ring retainers & 2 collars)

Kit for single body regular bore rollers

- (with 2 double row bearings, 4 seals, 2 steel washers & 2 snap ring retainers)

Kit for twin body regular bore rollers

- (with 2 double row bearings, 4 seals, 2 steel washers & 2 collar retainers)

\$124 OHCOMP2

\$124 OHCOMP2C

\$124 OHCOMP2t

\$124 OHCOMP2R

\$124 OHCOMP2Rt

Competition Roller™ Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from the first 6 digits of the roller part number as follows: Roller T2522S2CGF has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).

Pro Roller™ Bearings (Water Pump Style)

Replaces Toro #21-8430

- Water pump bearing-sealed (shaft is 5/8"od x 1.8"L)

Replaces Toro #52-3180 & 52-3210

- Water pump bearing-sealed (shaft is 5/8"od x 1.8"L with 3/8-24 tap)

Replaces Jacobsen #101482

- Water pump bearing-sealed (shaft is 5/8"od x 1.0"L with 7/16-20 tap)

Replaces Toro #75-1290, Jacobsen #101481 & John Deere #35741

- Water pump bearing-sealed (shaft is 5/8"od x 1.5"L)

\$26 BWP3

\$26 BWP4

\$26 BWP5

\$26 BWP7