

# GOLFCO INTERNATIONAL COMPETITION ROLLERS

## Retail Price List 2026 v.10

US PATENT #5394681

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

	Complete Roller Assemblies	Roller Retail		Replacement Kit (bearings, seals, retainers) (These parts are included in new roller assemblies)	Replacement Shaft	Shaft Retail
--	----------------------------------	------------------	--	--	----------------------	-----------------

### for Jacobsen mowers

#### Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 & ECLIPSE 122 & 322 MOWERS - FRONT ROLLER

<b>2" dia. SINGLE body</b>						
2" dia. wide grooved Urethane no flats	6.5 lb J2522A2CG	<b>\$382</b>	22.45" body, 25.87" shaft	OHCMPH	SHA2522AJ	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb J2522A2NG	<b>\$382</b>	22.45" body, 25.87" shaft	OHCMPH	SHA2522AJ	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb J2522A2CGF	<b>\$382</b>	22.45" body, 25.87" shaft	OHCMPH	SHA2522AJ	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2522A2NGF	<b>\$382</b>	22.45" body, 25.87" shaft	OHCMPH	SHA2522AJ	<b>\$80</b>
2" dia. smooth Urethane	8 lb J2522A2C	<b>\$382</b>	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2522A2S	<b>\$362</b>	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ	<b>\$80</b>
<b>2" dia. TWO opposing end short bodies</b>						
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2CGI	<b>\$462</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPHt	SHA2504AJAt	<b>\$96</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A2NGI	<b>\$462</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPHt	SHA2504AJAt	<b>\$96</b>
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2CGFt	<b>\$462</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPHt	SHA2504AJAt	<b>\$96</b>
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A2NGFt	<b>\$462</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPHt	SHA2504AJAt	<b>\$96</b>
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2502A2Ct	<b>\$462</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2502AJAt	<b>\$96</b>
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A2Ct	<b>\$462</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2504AJAt	<b>\$96</b>
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2504A2St	<b>\$462</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2504AJAt	<b>\$96</b>
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>						
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2CG+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122AJA+2	<b>\$108</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A2NG+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122AJA+2	<b>\$108</b>
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2CGF+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122AJA+2	<b>\$108</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A2NGF+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122AJA+2	<b>\$108</b>
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A2C+2C	<b>\$532</b>	22.25" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2	<b>\$108</b>
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	15 lb J3122A2S+2S	<b>\$532</b>	22.25" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2	<b>\$108</b>
<b>2" dia. FOUR bodies</b>						
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2CG4	<b>\$622</b>	4 short bodies, 25.87" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522A2NG4	<b>\$622</b>	4 short bodies, 25.87" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2CGF4	<b>\$622</b>	4 short bodies, 25.87" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522A2NGF4	<b>\$622</b>	4 short bodies, 25.87" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2522A2C4	<b>\$622</b>	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2522A2S4	<b>\$622</b>	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	<b>\$98</b>
<b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>						
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2CG4+2C	<b>\$682</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A2NG4+2C	<b>\$682</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2CGF4+2C	<b>\$682</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A2NGF4+2C	<b>\$682</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A2C4+2C	<b>\$682</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	15 lb J3122A2S4+2S	<b>\$682</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2	<b>\$108</b>
<b>2.5" dia. SINGLE body</b>						
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J2522A25CG	<b>\$456</b>	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J2522A25NG	<b>\$456</b>	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J2522A25CGF	<b>\$456</b>	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 3/4" flats	9 lb J2522A25NGF	<b>\$456</b>	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ	<b>\$80</b>
2.5" smooth Urethane	9.5 lb J2522A25C	<b>\$396</b>	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ	<b>\$80</b>
2.5" smooth Steel	10 lb J2522A25S	<b>\$376</b>	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ	<b>\$80</b>
<b>2.5" dia. TWO opposing end short bodies</b>						
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A25CGt	<b>\$516</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2504AJAt	<b>\$96</b>
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2504A25NGt	<b>\$516</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2504AJAt	<b>\$96</b>
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A25CGFt	<b>\$516</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2504AJAt	<b>\$96</b>
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2504A25NGFt	<b>\$516</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2504AJAt	<b>\$96</b>
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2504A25Ct	<b>\$516</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2504AJAt	<b>\$96</b>
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2504A25St	<b>\$516</b>	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPtSS	SHA2504AJAt	<b>\$96</b>
<b>2.5" dia. SINGLE body + 2 bodies outside of brackets</b>						
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A25CG+2C	<b>\$576</b>	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2	<b>\$108</b>
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb J3122A25NG+2C	<b>\$576</b>	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2	<b>\$108</b>
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A25CGF+2C	<b>\$576</b>	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2	<b>\$108</b>
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb J3122A25NGF+2C	<b>\$576</b>	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2	<b>\$108</b>
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb J3122A25C+2C	<b>\$576</b>	22.25" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2	<b>\$108</b>
<b>2.5" dia. FOUR bodies</b>						
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25CG4	<b>\$676</b>	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb J2522A25NG4	<b>\$676</b>	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25CGF4	<b>\$676</b>	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb J2522A25NGF4	<b>\$676</b>	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	9 lb J2522A25C4	<b>\$676</b>	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	<b>\$98</b>
<b>2.5" dia. FOUR bodies + 2 bodies outside of brackets</b>						
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb J3122A25CG4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb J3122A25NG4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25CGF4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb J3122A25NGF4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2	<b>\$108</b>
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb J3122A25C4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2	<b>\$108</b>

#### Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 & ECLIPSE 122 & 322 MOWERS - BACK ROLLER

<b>2" dia. SINGLE body w/ 3/8" taps in shaft</b>						
2" dia. wide grooved Urethane no flats	6.5 lb J2422S2CG	<b>\$382</b>	22.45" body, 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb J2422S2NG	<b>\$382</b>	22.45" body, 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422S2CGF	<b>\$382</b>	22.45" body, 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422S2NGF	<b>\$382</b>	22.45" body, 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ	<b>\$80</b>
2" dia. smooth Urethane	8 lb J2422S2C	<b>\$382</b>	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2422SJ	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422S2S	<b>\$362</b>	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2422SJ	<b>\$80</b>
<b>2" dia. SINGLE body w/ 7/16" taps in shaft</b>						
2" dia. wide grooved Urethane no flats	6.5 lb J2422G2CG	<b>\$382</b>	22.45" body, 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb J2422G2NG	<b>\$382</b>	22.45" body, 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422G2CGF	<b>\$382</b>	22.45" body, 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422G2NGF	<b>\$382</b>	22.45" body, 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ	<b>\$80</b>
2" dia. smooth Urethane	8 lb J2422G2C	<b>\$382</b>	22.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCMPSS	SHA2422GJ	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422G2S	<b>\$362</b>	22.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCMPSS	SHA2422GJ	<b>\$80</b>



**Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT ROLLERS (SHAFT is 21.25" with taps in both ends)**

<u>2" dia. SINGLE body</u>							
2" dia. wide grooved Urethane no flats	6.2 lb	J2119S2CG	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. narrow grooved Urethane no flats	6.4 lb	J2119S2NG	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. wide grooved Urethane 1" flats	6.2 lb	J2119S2CGF	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2119S2NGF	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. smooth Urethane	7.5 lb	J2119S2C	\$382	19.25" body, 21.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2119SJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2119S2S	\$362	19.25" body, 21.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2119SJ	\$80
<u>2" dia. TWO opposing end short bodies</u>				<b>non-stripping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104S2CGT	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMPH	SHA2104SJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104S2NGT	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMPH	SHA2104SJAT	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104S2CGF1	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMPH	SHA2104SJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104S2NGF1	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMPH	SHA2104SJAT	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2102S2Ct	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2104SJAT	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2104S2Ct	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2104SJAT	\$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2104S2St	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2104SJAT	\$96
<u>2" dia. FOUR bodies</u>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119S2CG4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119SJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119S2NG4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119SJ4A	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119S2CGF4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119SJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119S2NGF4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119SJ4A	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	J2119S2C4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2119SJ4A	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2119S2S4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2119SJ4A	\$98

**Jacobsen 18" Eclipse2 118F GREENSMOWERS - REAR ROLLERS (SHAFT is 20.5" with taps in both ends)**

<u>2" dia. SINGLE body</u>							
2" dia. wide grooved Urethane no flats	6.2 lb	J2019S2CG	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. narrow grooved Urethane no flats	6.4 lb	J2019S2NG	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. wide grooved Urethane 1" flats	6.2 lb	J2019S2CGF	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMPH	SHA2019SJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2019S2NGF	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. smooth Urethane	7.5 lb	J2019S2C	\$382	19.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2019SJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2019S2S	\$362	19.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2019SJ	\$80
<u>2" dia. TWO opposing end short bodies</u>				<b>non-stripping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2004S2CGT	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMPH	SHA2004SJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2004S2NGT	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMPH	SHA2004SJAT	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2004S2CGF1	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMPH	SHA2004SJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2004S2NGF1	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMPH	SHA2004SJAT	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2002S2Ct	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2002SJAT	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2004S2Ct	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2004SJAT	\$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2004S2St	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2004SJAT	\$96
<u>2" dia. FOUR bodies</u>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2019S2CG4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2019SJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2019S2NG4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2019SJ4A	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2019S2CGF4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2019SJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2019S2NGF4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2019SJ4A	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.9 lb	J2019S2C4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2019SJ4A	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2019S2S4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2019SJ4A	\$98

**Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - FRONT & BACK ROLLERS**

<u>2" dia. SINGLE body</u>							
2" dia. wide grooved Urethane no flats	7.8 lb	J2926A2CG	\$382	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. narrow grooved Urethane no flats	7.8 lb	J2926A2NG	\$382	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. wide grooved Urethane 1" flats	8 lb	J2926A2CGF	\$382	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. narrow grooved Urethane 1" flats	8 lb	J2926A2NGF	\$382	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. smooth Urethane	9 lb	J2926A2C	\$382	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	12.5 lb	J2926A2S	\$362	26.25" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
<u>2" dia. TWO opposing end short bodies</u>				<b>non-stripping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A2CGT	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMPH	SHA2904AJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A2NGT	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMPH	SHA2904AJAT	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A2CGF1	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMPH	SHA2904AJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A2NGF1	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMPH	SHA2904AJAT	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.2 lb	J2902A2Ct	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2904A2Ct	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2904A2St	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>				<b>non-skidding for tight turns &amp; ground undulations</b>			
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3526A2CG+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3526A2NG+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3526A2CGF+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3526A2NGF+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	J3526A2NGF+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb	J3526A2S+2S	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMP + 2x OHCMPCS	SHA3526AJA+2	\$108
<u>2" dia. FOUR bodies</u>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J2926A2CG4	\$622	4 short bodies, 29.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2926AJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J2926A2NG4	\$622	4 short bodies, 29.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2926AJ4A	\$98
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J2926A2CGF4	\$622	4 short bodies, 29.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2926AJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J2926A2NGF4	\$622	4 short bodies, 29.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2926AJ4A	\$98
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb	J2926A2C4	\$622	4 short bodies, 29.75" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2926AJ4A	\$98
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb	J2926A2S4	\$622	4 short bodies, 29.75" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2926AJ4A	\$98
<u>2" dia. FOUR bodies + 2 bodies outside of brackets</u>				<b>non-skidding for tight turns &amp; ground undulations</b>			
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	J3526A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	J3526A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	J3526A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	J3526A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	J3526A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	13 lb	J3526A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3526AJA4+2	\$108

<u>2.5" dia. SINGLE body</u>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	J2926A25CG	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	J2926A25NG	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	J2926A25CGF	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	J2926A25NGF	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" smooth Urethane	11 lb	J2926A25C	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" smooth Steel	11 lb	J2926A25S	\$456	26.25" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
<u>2.5" dia. TWO opposing end short bodies</u>				<b>non-stripping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A25CGT	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A25NGT	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A25CGF1	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A25NGF1	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2904A25Ct	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb	J2904A25St	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96



**Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 & SLF1 Elite - FRONT ROLLER** **Call to upgrade with double row angular contact bearings**

<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	9 lb J2119A3CG	\$533	19.45" body, 21.25" shaft	OHCMP or OHCOMPSS	SHA2119AJ	\$80	
3" smooth Urethane	10.5 lb J2119A3C	\$533	19.45" body, 21.25" shaft	OHCMP or OHCOMPSS	SHA2119AJ	\$80	
3" smooth Steel	11 lb J2119A3S	\$533	19.25" body, 21.25" shaft	OHCMP or OHCOMPSS	SHA2119AJ	\$80	
<b>3" dia. FOUR bodies</b>							
4 bodies 3" dia. wide grooved Urethane (4x4.75" wide bodies)	12 lb J2119A3CG4	\$723	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119AJA4	\$98	
4 bodies 3" smooth Urethane (4x4.75" wide bodies)	14 lb J2119A3C4	\$723	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119AJA4	\$98	
<b>To diminish instances of shadowing lines due to overlap of reels</b>							
3" dia. wide grooved Urethane with 2.2" wide smooth ends	8.5 lb J2119A3CGF.22C	\$553	front roller for rear mower heads-use with J2016G2C	OHCMP or OHCOMPSS	SHA2119AJ	\$80	
2" dia. smooth Urethane	6.5 lb J2016G2C	\$382	back roller for rear mower heads-use with J2119A3CGF.22C	OHCMP or OHCOMPSS	SHA2016GJ	\$80	

**Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 & SLF1 Elite - BACK ROLLER (with 7/16-20 tap)** **Call to upgrade with double row angular contact bearings**

<b>2" dia. SINGLE body</b>							
2" dia. smooth Urethane	6.5 lb J2016S2C	\$382	16.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2016GJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb J2016S2S	\$362	16.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2016GJ	\$80	
2" dia. smooth Urethane	6.5 lb J2016G2C	\$382	16.25" body, 20.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2016GJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb J2016G2S	\$362	16.25" body, 20.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2016GJ	\$80	
2" dia. smooth Urethane	11 lb J2019S2C	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11 lb J2019S2S	\$362	19.45" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2" dia. smooth Urethane	11 lb J2019G2C	\$382	19.45" body, 20.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11 lb J2019G2S	\$362	19.25" body, 20.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
<b>2.5" dia. SINGLE body</b>							
2.5" smooth Urethane	11 lb J2019S25C	\$456	19.45" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2.5" smooth steel	11 lb J2019S25S	\$456	19.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	

**Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810)** **Call to upgrade with double row angular contact bearings**

<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	9.4 lb J2522A3CG	\$533	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AJ	\$80	
3" smooth Urethane	12 lb J2522A3C	\$533	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AJ	\$80	
3" smooth Steel	11.5 lb J2522A3S	\$533	22.25" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AJ	\$80	
<b>3" dia. FOUR bodies</b>							
4 bodies 3" dia. wide grooved Urethane (4x5.5" wide bodies)	12 lb J2522A3CG4	\$723	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$98	
4 bodies 3" smooth Urethane (4x5.5" wide bodies)	14 lb J2522A3C4	\$723	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$98	
<b>To diminish instances of shadowing lines due to overlap of reels</b>							
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb J2522A3CGF.22C	\$553	front roller for rear mower heads-use with J2419S2C	OHCMP or OHCOMPSS	SHA2522AJ	\$80	
2" dia. smooth Urethane (rear roller)	7 lb J2419S2C	\$382	back roller for rear mower heads-use with J2522A3CGF.22C	OHCMP or OHCOMPSS	SHA2419SJ	\$80	

**Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810)** **Call to upgrade with double row angular contact bearings**

<b>2" dia. SINGLE body w/ 3/8" taps in shaft</b>							
2" dia. wide grooved Urethane no flats	6.5 lb J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2422SJ	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2422SJ	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2422SJ	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2422SJ	\$80	
2" dia. smooth Urethane	8 lb J2422S2C	\$382	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422SJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422S2S	\$362	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422SJ	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb J2419S2CGF	\$382	19.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2419SJ	\$80	
2" dia. smooth Urethane	7 lb J2419S2C	\$382	19.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2419SJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb J2419S2S	\$362	19.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2419SJ	\$80	
<b>2" dia. SINGLE body w/ 7/16" taps in shaft</b>							
2" dia. wide grooved Urethane no flats	6.5 lb J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMP	SHA2422GJ	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMP	SHA2422GJ	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMP	SHA2422GJ	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMP	SHA2422GJ	\$80	
2" dia. smooth Urethane	8 lb J2422G2C	\$382	22.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2422GJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422G2S	\$362	22.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2422GJ	\$80	
<b>2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft</b>							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2CGT	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT	SHA2404SJA4	\$96	
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2NGT	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT	SHA2404SJA4	\$96	
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2CGFT	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT	SHA2404SJA4	\$96	
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2NGFT	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT	SHA2404SJA4	\$96	
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402S2C	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2402SJA4	\$96	
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404G2Ct	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2404S2St	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
<b>2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft</b>							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2CGT	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT	SHA2404GJA4	\$96	
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2NGT	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT	SHA2404GJA4	\$96	
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2CGFT	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT	SHA2404GJA4	\$96	
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2NGFT	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT	SHA2404GJA4	\$96	
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402G2C	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2402GJA4	\$96	
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404G2Ct	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404GJA4	\$96	
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2404G2St	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404GJA4	\$96	
<b>2" dia. FOUR bodies w/ 3/8" taps in shaft</b>							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2CG4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2NG4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2CGF4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2NGF4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422S2C4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422S2S4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
<b>2" dia. FOUR bodies w/ 7/16" taps in shaft</b>							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2CG4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2NG4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2CGF4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2NGF4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422G2C4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422G2S4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
<b>2.5" dia. SINGLE body w/ 3/8" taps in shaft</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421S25CG	\$456	21.45" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2421SJ	\$80	
2.5" smooth Urethane	8.8 lb J2421S25C	\$396	21.45" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2421SJ	\$80	
2.5" smooth Steel	9.5 lb J2421S25S	\$376	21.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2421SJ	\$80	
<b>2.5" dia. SINGLE body w/ 7/16" taps in shaft</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421G25CG	\$456	21.45" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2421GJ	\$80	
2.5" smooth Urethane	8.8 lb J2421G25C	\$396	21.45" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2421GJ	\$80	
2.5" smooth Steel	9.5 lb J2421G25S	\$376	21.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2421GJ	\$80	
<b>2.5" dia. TWO opposing end short bodies</b>							
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25CGT	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25NGT	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25CGFT	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25NGFT	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S25Ct	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2404S25St	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	

<b>2.5" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) no flats	10.5 lb J2421S25CG4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) no flats	10.5 lb J2421S25NG4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) 1" flats	10.5 lb J2421S25CGF4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) 1" flats	10.5 lb J2421S25NGF4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
4 bodies 2.5" smooth Urethane (2x4.75"+2x5.55" wide bodies)	9 lb J2421S25C4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
<b>Jacobsen 26" LIGHT FAIRWAY LF2500 &amp; 3050 - FRONT &amp; BACK ROLLERS</b>				<b>Call to upgrade with double row angular contact bearings</b>			
<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	13 lb J3026X3CG	\$533	26.45" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	\$80	
3" smooth Urethane	13.5 lb J3026X3C	\$533	26.45" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	\$80	
3" smooth Steel	13.5 lb J3026X3S	\$533	26.25" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	\$80	
<b>3" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3026X3CG4	\$723	4 short bodies, 30.5" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026XJA4	\$96	
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3026X3C4	\$723	4 short bodies, 30.5" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026XJA4	\$96	
<b>Jacobsen 26" TR-3 &amp; F305 fairway - FRONT &amp; BACK ROLLERS</b>				<b>Call to upgrade with double row angular contact bearings</b>			
<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J3126X25CG	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J3126X25NG	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J3126X25CGF	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J3126X25NGF	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" smooth Urethane	11 lb J3126X25C	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" smooth Steel	11 lb J3126X25S	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
<b>2.5" dia. TWO opposing end short bodies</b>				<b>non-striping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb J3104X25CGt	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb J3104X25NGt	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb J3104X25CGFt	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb J3104X25NGFt	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J3104X25Ct	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" smooth steel (2x4.75" wide bodies)	6 lb J3104X25St	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
<b>2.5" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25CG4	\$676	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25NG4	\$676	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25CGF4	\$676	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25NGF4	\$676	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J3126X25C4	\$646	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
<b>3" dia. SINGLE body</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
3" dia. wide grooved Urethane	13 lb J3126X3CG	\$533	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$86	
3" smooth Urethane	13.5 lb J3126X3C	\$533	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$86	
3" smooth Steel	13.5 lb J3126X3S	\$533	26.25" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$86	
<b>3" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3126X3CG4	\$723	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3126X3C4	\$723	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
<b>Jacobsen 30" ST5111, FAIRWAY, GANG, HF5 &amp; HF15 - FRONT &amp; BACK ROLLERS</b>				<b>Call to upgrade with double row angular contact bearings</b>			
<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	12.4 lb J3329A3CG	\$533	29.45" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	\$80	
3" smooth Urethane	15 lb J3329A3C	\$533	29.45" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	\$80	
3" smooth Steel	15 lb J3329A3S	\$533	29.25" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	\$80	
<b>Jacobsen ROTARY AR-522 &amp; AR-722 26" DECK - FRONT ROLLER</b>							
5" grooved Urethane (4" wide body) double row bearings	10 lb J2J040G5CG	\$345	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GJ	\$80	
5" smooth Urethane (4" wide body) double row bearings	11 lb J2J040G5C	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GJ	\$80	
5" grooved Urethane (4" wide body) single row bearings	10 lb J0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0404GJ	\$80	
5" smooth Urethane (4" wide body) single row bearings	11 lb J0404G5C	\$385	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0404GJ	\$80	
<b>Jacobsen ROTARY AR-522, AR-722, &amp; AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)</b>							
<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane with double row bearings	12.5 lb J2J2925R3CG	\$583	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	\$96	
3" smooth Urethane with double row bearings	13.3 lb J2J2925R3C	\$583	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	\$96	
3" smooth Steel with double row bearings	14 lb J2J2925R3SR	\$583	25.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2RC	SHA2925RJ	\$96	
3" smooth Steel with single row bearings	14 lb J2J2925R3S	\$583	25.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C or OHCOMP2C	SHA2925RJ	\$96	
3" dia. wide grooved Urethane with double row bearings	12.5 lb J2J2925Q3CG	\$583	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2C	SHA2925QJ	\$96	
3" smooth Urethane with double row bearings	13.3 lb J2J2925Q3C	\$583	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2C	SHA2925QJ	\$96	
3" smooth Steel with double row bearings	14 lb J2J2925Q3SR	\$583	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2RC	SHA2925QJ	\$96	
3" smooth Steel with single row bearings	14 lb J2J2925Q3S	\$583	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2C or OHCOMP2C	SHA2925QJ	\$96	
<b>3" dia. TWO opposing end short bodies</b>				<b>non-striping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb J2J2905R3CGt	\$623	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2T	SHA2905RJA	\$98	
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb J2J2904R3Ct	\$623	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2T	SHA2904RJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb J2J2904R3SRt	\$623	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2Rt	SHA2904RJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	8 lb J2J2904R3S	\$623	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMPt or 2x OHCOMPtSS	SHA2904RJA	\$98	
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb J2J2905Q3CGt	\$623	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMP2T	SHA2905QJA	\$98	
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb J2J2904Q3Ct	\$623	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMP2T	SHA2904QJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb J2J2904Q3SRt	\$623	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMP2Rt	SHA2904QJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	8 lb J2J2904Q3S	\$623	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMPt or 2x OHCOMPtSS	SHA2904QJA	\$98	
<b>3" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb J2J2925R3CGR4	\$763	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925RJA4	\$98	
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb J2J2925R3CR4	\$763	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925RJA4	\$98	
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb J2J2925Q3CGR4	\$763	4 short bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925QJA4	\$98	
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb J2J2925Q3CR4	\$763	4 short bodies, 29.42" dia. shaft-1 large milled flat & pin hole on ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925QJA4	\$98	
<b>3.5" dia. SINGLE body</b>							
3.5" smooth Urethane with double row bearings	17 lb J2J2925R35C	\$627	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	\$96	
3.5" smooth Urethane with double row bearings	17 lb J2J2925Q35C	\$627	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2C	SHA2925QJ	\$96	
<b>4" dia. SINGLE body</b>							
4" smooth Urethane-double row bearings	24 lb J2J2925R4C	\$704	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	\$96	
<b>Jacobsen ROTARY AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)</b>							
<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane with double row bearings	13 lb J2J3025D3CG	\$583	25.45" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C	SHA3025DJ	\$80	
3" smooth Urethane with double row bearings	13.4 lb J2J3025D3C	\$583	25.45" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C	SHA3025DJ	\$80	
3" smooth Steel with double row bearings	14 lb J2J3025D3SR	\$583	25.25" body, 30" shaft-specify configuration of shaft ends	OHCOMP2RC	SHA3025DJ	\$80	
3" smooth Steel with single row bearings	14 lb J3025D3S	\$523	25.25" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C or OHCOMP2C	SHA3025DJ	\$80	
<b>3" dia. TWO opposing end short bodies</b>				<b>non-striping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6 lb J2J3005D3CGt	\$663	2 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2T	SHA3005DJA	\$98	
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.3 lb J2J3004D3Ct	\$663	2 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2T	SHA3004DJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb J2J3004D3SRt	\$663	2 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2Rt	SHA3004DJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	8 lb J3004D3S	\$623	2 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMPt or 2x OHCOMPtSS	SHA3004DJA	\$98	
<b>3" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	13.5 lb J2J3025R3CGR4	\$763	4 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA3025RJA4	\$98	
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	14 lb J2J3025R3CR4	\$763	4 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA3025RJA4	\$98	
<b>3.5" dia. SINGLE body</b>							
4" smooth Urethane-double row bearings	17 lb J2J3025D35C	\$627	25.45" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C	SHA3025DJ	\$80	
<b>4" dia. SINGLE body</b>							
4" smooth Urethane-double row bearings	24 lb J2J3025D4C	\$704	25.45" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C	SHA3025DJ	\$80	

**Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm shaft configuration on ends)**

<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane with double row bearings	14.5 lb	2J3429R3CG	\$583	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCMP2C	SHA3429RJ	\$96		
3" smooth Urethane with double row bearings	15.5 lb	2J3429R3C	\$583	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCMP2C	SHA3429RJ	\$96		
3" smooth Steel with double row bearings	15.5 lb	2J3429R3SR	\$583	29.25" body, 34.25" shaft-large milled flat & pin hole on ends	OHCMP2RC	SHA3429RJ	\$96		
3" smooth Steel with single row bearings	15.5 lb	J3429R3S	\$543	29.25" body, 34.25" shaft-large milled flat & pin hole on ends	OHCMP2C or OHCMP2CS	SHA3429RJ	\$96		
<b>3" dia. TWO opposing end short bodies</b>									
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6.2 lb	2J3405R3CGt	\$663	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCMP2T	SHA3405RJAt	\$98		
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb	2J3404R3Ct	\$663	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCMP2T	SHA3404RJAt	\$98		
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8.5 lb	2J3404R3SRt	\$663	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCMP2RT	SHA3404RJAt	\$98		
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	8.5 lb	J3404R3St	\$623	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCMP2T or 2x OHCMP2SS	SHA3404RJAt	\$98		
<b>3" dia. FOUR bodies</b>									
5 bodies 3" dia. wide grooved Urethane (4x6.7" wide bodies) double row bearings	15.5 lb	2J3429R3CGR4	\$763	4 short bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCMP2R4ext + 3x OHCMP2R4int	SHA3429RJ4A	\$98		
5 bodies 3" smooth Urethane (4x6.7" wide bodies) double row bearings	16.5 lb	2J3429R3CR4	\$763	4 short bodies, 34.25" shaft-large milled flat & pin hole on ends	2x OHCMP2R4ext + 3x OHCMP2R4int	SHA3429RJ4A	\$98		
<b>3.5" dia. SINGLE body</b>									
3.5" smooth Urethane with double row bearings	19 lb	2J3429R35C	\$627	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCMP2C	SHA3429RJ	\$96		
<b>4" dia. SINGLE body</b>									
4" smooth Urethane-double row bearings	26 lb	2J3429R4C	\$724	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	OHCMP2C	SHA3429RJ	\$96		

**Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER**

<b>3" dia. SINGLE body</b>									
3" smooth Urethane with double row bearings	15.5 lb	2J2722X3C	\$583	22.45" body, 27.25" shaft-1/2" dia. ends	OHCMP2C	SHA2722XJ	\$91		
3" smooth Steel with double row bearings	15.5 lb	2J2722X3SR	\$583	22.25" body, 27.25" shaft-1/2" dia. ends	OHCMP2RC	SHA2722XJ	\$91		
3" smooth Steel with single row bearings	15.5 lb	J2722X3S	\$543	22.25" body, 27.25" shaft-1/2" dia. ends	OHCMP2C or OHCMP2CS	SHA2722XJ	\$91		
<b>3.5" dia. SINGLE body</b>									
3.5" smooth Urethane with double row bearings	19 lb	2J2722X35C	\$627	22.45" body, 27.25" shaft-1/2" dia. ends	OHCMP2C	SHA2722XJ	\$91		
<b>4" dia. SINGLE body</b>									
4" smooth Urethane-double row bearings	23 lb	2J2722X4C	\$724	22.45" body, 27.25" shaft-1/2" dia. ends	OHCMP2C	SHA2722XJ	\$91		

**for JOHN DEERE mowers**

**John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS - FRONT ROLLER**

<b>2" dia. SINGLE body</b>									
2" dia. wide grooved Urethane no flats	6.5 lb	D2119A2CG	\$382	19.45" body, 21.25" shaft	OHCMPH	SHA2119AD	\$80		
2" dia. narrow grooved Urethane no flats	6.7 lb	D2119A2NG	\$382	19.45" body, 21.25" shaft	OHCMPH	SHA2119AD	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2119A2CGF	\$382	19.45" body, 21.25" shaft	OHCMPH	SHA2119AD	\$80		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2119A2NGF	\$382	19.45" body, 21.25" shaft	OHCMPH	SHA2119AD	\$80		
2" dia. smooth Urethane	7.5 lb	D2119A2C	\$382	19.25" body, 21.25" shaft	OHCMP or OHCMPSS	SHA2119AD	\$80		
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	D2119A2S	\$362	19.25" body, 21.25" shaft	OHCMP or OHCMPSS	SHA2119AD	\$80		
<b>2" dia. TWO opposing end short bodies</b>									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A2CGt	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt	SHA2104ADAt	\$96		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A2NGt	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt	SHA2104ADAt	\$96		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A2CGFt	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt	SHA2104ADAt	\$96		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A2NGFt	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt	SHA2104ADAt	\$96		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2104A2Ct	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt or 2x OHCMPHtSS	SHA2104ADAt	\$96		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2102A2Ct	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt or 2x OHCMPHtSS	SHA2102ADAt	\$96		
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	D2104A2St	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt or 2x OHCMPHtSS	SHA2104ADAt	\$96		
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>									
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	D2719A2CG+2C	\$532	19.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2719ADA+2	\$108		
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	D2719A2NG+2C	\$532	19.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2719ADA+2	\$108		
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2CGF+2C	\$532	19.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2719ADA+2	\$108		
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2NGF+2C	\$532	19.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2719ADA+2	\$108		
extended 2" dia. smooth Urethane (19.25" inner+2x2" outer bodies)	13 lb	D2719A2C+2C	\$532	19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2719ADA+2	\$108		
extended 2" dia. smooth Steel heavy (19.25" inner+2x2" outer bodies)	15 lb	D2719A2S+2S	\$532	19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPCS	SHA2719ADA+2	\$108		
<b>2" dia. FOUR bodies</b>									
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A2CG4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98		
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A2NG4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98		
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A2CGF4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98		
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A2NGF4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98		
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb	D2119A2C4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98		
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	D2119A2S4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98		
<b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>									
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb	D2719A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA2719ADA4+2	\$108		
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb	D2719A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA2719ADA4+2	\$108		
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA2719ADA4+2	\$108		
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb	D2719A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA2719ADA4+2	\$108		
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	13 lb	D2719A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int + 2x OHCMPHCS	SHA2719ADA4+2	\$108		
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	15 lb	D2719A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 27.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int + 2x OHCMPCS	SHA2719ADA4+2	\$108		

**John Deere 22" 220 & 220SL WALKING & 2500, 2400, 2550, 2700, 2750 & 2243 RIDING GREENSMOWERS - FRONT & BACK ROLLERS**

<b>2" dia. SINGLE body</b>									
2" dia. wide grooved Urethane no flats	6.5 lb	D2522C2CG	\$382	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD	\$80		
2" dia. narrow grooved Urethane no flats	6.7 lb	D2522C2NG	\$382	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2522C2CGF	\$382	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD	\$80		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2522C2NGF	\$382	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD	\$80		
2" dia. smooth Urethane	7.9 lb	D2522C2C	\$382	22.25" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CD	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	D2522C2S	\$362	22.25" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CD	\$80		
<b>2" dia. TWO opposing end short bodies</b>									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2504C2CGt	\$462	2 short twin bodies at ends of a 25.5" shaft	2x OHCMPHt	SHA2504CDAt	\$96		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2504C2NGt	\$462	2 short twin bodies at ends of a 25.5" shaft	2x OHCMPHt	SHA2504CDAt	\$96		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2504C2CGFt	\$462	2 short twin bodies at ends of a 25.5" shaft	2x OHCMPHt	SHA2504CDAt	\$96		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2504C2NGFt	\$462	2 short twin bodies at ends of a 25.5" shaft	2x OHCMPHt	SHA2504CDAt	\$96		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2502C2Ct	\$462	2 short twin bodies at ends of a 25.5" shaft	2x OHCMPHt or 2x OHCMPHtSS	SHA2502CDAt	\$96		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2504C2Ct	\$462	2 short twin bodies at ends of a 25.5" shaft	2x OHCMPHt or 2x OHCMPHtSS	SHA2504CDAt	\$96		
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	D2504C2St	\$462	2 short twin bodies at ends of a 25.5" shaft	2x OHCMPHt or 2x OHCMPHtSS	SHA2504CDAt	\$96		
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>									
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C2CG+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122CDA+2	\$108		
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	D3122C2NG+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122CDA+2	\$108		
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2CGF+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122CDA+2	\$108		
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	D3122C2NGF+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122CDA+2	\$108		
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	D3122C2C+2C	\$532	22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122CDA+2	\$108		
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	D3122C2S+2S	\$532	22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCMPCS	SHA3122CDA+2	\$108		
<b>2" dia. FOUR bodies</b>									
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522C2CG4	\$622	4 short bodies, 25.5" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522CDA4	\$98		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	D2522C2NG4	\$622	4 short bodies, 25.5" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522CDA4	\$98		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2CGF4	\$622	4 short bodies, 25.5" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522CDA4	\$98		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	D2522C2NGF4	\$622	4 short bodies, 25.5" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522CDA4	\$98		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb	D2522C2C4	\$622	4 short bodies, 25.5" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522CDA4	\$98		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	D2522C2S4	\$622	4 short bodies, 25.5" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522CDA4	\$98		



<b>2.5" dia. FOUR bodies + 2 bodies outside of brackets</b>			<b>non-skidding for tight turns &amp; ground undulations</b>		
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb D3526A25CG4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 <b>\$108</b>
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb D3526A25NG4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 <b>\$108</b>
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb D3526A25CGF4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 <b>\$108</b>
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb D3526A25NGF4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 <b>\$108</b>
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb D3526A25C4+2C	<b>\$726</b>	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 <b>\$108</b>
<b>John Deere 22" 3215 &amp; 3225 LIGHT FAIRWAY MOWERS - FRONT &amp; BACK ROLLERS</b>			<b>Call to upgrade with double row angular contact bearings</b>		
<b>2" dia. SINGLE body</b>			<b>Call to upgrade with double row angular contact bearings</b>		
<b>Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call</b>					
2" dia. wide grooved Urethane no flats	6.7 lb D2522C2CG	<b>\$382</b>	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD <b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	<b>\$382</b>	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD <b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2CGF	<b>\$382</b>	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD <b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2NGF	<b>\$382</b>	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD <b>\$80</b>
2" dia. smooth Urethane	7.9 lb D2522C2C	<b>\$382</b>	22.25" body, 25.5" shaft	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	<b>\$362</b>	22.25" body, 25.5" shaft	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
<b>John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT &amp; BACK ROLLERS (2 styles)</b>			<b>Call to upgrade with double row angular contact bearings</b>		
<b>3" dia. SINGLE body</b>			<b>Call to upgrade with double row angular contact bearings</b>		
<b>Rollers for QA-5 reels (with 1 flat on one end of the shaft):</b>					
3" dia. wide grooved Urethane	9.5 lb D2522C3CG	<b>\$533</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
3" smooth Urethane	12 lb D2522C3C	<b>\$533</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
3" smooth Steel	11.5 lb D2522C3S	<b>\$533</b>	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
<b>To diminish instances of shadowing lines due to overlap of reels</b>					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CGF.22C	<b>\$553</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
3" smooth Urethane	11 lb D2519C3C	<b>\$533</b>	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2519CD <b>\$80</b>
<b>Rollers with 2 flats on 1 end of the shaft:</b>					
3" dia. wide grooved Urethane	9.5 lb D2522F3CG	<b>\$533</b>	22.45" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2522FD <b>\$80</b>
3" smooth Urethane	11 lb D2522F3C	<b>\$533</b>	22.45" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2522FD <b>\$80</b>
3" smooth Steel	12 lb D2522F3S	<b>\$533</b>	22.25" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2522FD <b>\$80</b>
<b>To diminish instances of shadowing lines due to overlap of reels</b>					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CGF.22C	<b>\$553</b>	22.45" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2522FD <b>\$80</b>
3" smooth Urethane	11 lb D2519F3C	<b>\$533</b>	22.25" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2519FD <b>\$80</b>
<b>John Deere 22" 7500 / 8500 &amp; 6700/7700 / 8700 PRECISION CUT &amp; E-CUT FAIRWAY (QA5 &amp; QA7 reels)</b>			<b>Call to upgrade with double row angular contact bearings</b>		
<b>Rollers for QA-5 reels (with 1 flat on 1 end of the shaft):</b>					
<b>2" dia. SINGLE body</b>					
2" dia. wide grooved Urethane no flats	6.5 lb D2522C2CG	<b>\$382</b>	22.45" body, 25.5" shaft-1 flat	OHCMPH	SHA2522CD <b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	<b>\$382</b>	22.45" body, 25.5" shaft-1 flat	OHCMPH	SHA2522CD <b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522C2CGF	<b>\$382</b>	22.45" body, 25.5" shaft-1 flat	OHCMPH	SHA2522CD <b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522C2NGF	<b>\$382</b>	22.45" body, 25.5" shaft-1 flat	OHCMPH	SHA2522CD <b>\$80</b>
2" dia. smooth Urethane	7.9 lb D2522C2C	<b>\$382</b>	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	<b>\$362</b>	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>					
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2CG+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122CDA+2 <b>\$108</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2NG+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122CDA+2 <b>\$108</b>
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122CDA+2 <b>\$108</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2NGF+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122CDA+2 <b>\$108</b>
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C2C+2C	<b>\$532</b>	22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCMP + 2x OHCOMPCHS	SHA3122CDA+2 <b>\$108</b>
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122C2S+2S	<b>\$532</b>	22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCMP + 2x OHCOMPCHS	SHA3122CDA+2 <b>\$108</b>
<b>2" dia. FOUR bodies</b>					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2CG4	<b>\$622</b>	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2NG4	<b>\$622</b>	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2CGF4	<b>\$622</b>	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NGF4	<b>\$622</b>	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522C2C4	<b>\$622</b>	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522C2S4	<b>\$622</b>	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
<b>2.5" dia. SINGLE body</b>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb D2522C25CG	<b>\$456</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb D2522C25NG	<b>\$456</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522C25CGF	<b>\$456</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb D2522C25NGF	<b>\$456</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
2.5" smooth Urethane	9.5 lb D2522C25C	<b>\$456</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
2.5" smooth Steel	9.2 lb D2522C25S	<b>\$456</b>	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
<b>To diminish instances of shadowing lines due to overlap of reels</b>					
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb D2522C25CGF.22C	<b>\$516</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
2.5" smooth Urethane	9.5 lb D2519C25C	<b>\$456</b>	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2519CD <b>\$80</b>
<b>2.5" dia. FOUR bodies</b>					
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25CG4	<b>\$676</b>	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25NG4	<b>\$676</b>	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25CGF4	<b>\$676</b>	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25NGF4	<b>\$676</b>	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb D2522C25C4	<b>\$676</b>	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 <b>\$98</b>
<b>3" dia. SINGLE body</b>					
3" dia. wide grooved Urethane	9.5 lb D2522C3CG	<b>\$513</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
3" smooth Urethane	12 lb D2522C3C	<b>\$513</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
3" smooth Steel	11.5 lb D2522C3S	<b>\$513</b>	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
<b>To diminish instances of shadowing lines due to overlap of reels</b>					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CGF.22C	<b>\$543</b>	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD <b>\$80</b>
3" smooth Urethane	11 lb D2519C3C	<b>\$523</b>	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2519CD <b>\$80</b>
<b>Rollers for QA-7 reels (with 2 flats on 1 end of the shaft):</b>					
<b>2" dia. SINGLE body</b>					
2" dia. wide grooved Urethane no flats	6.5 lb D2522F2CG	<b>\$382</b>	22.45" body, 25.5" shaft w/ 2 flats	OHCMPH	SHA2522FD <b>\$82</b>
2" dia. narrow grooved Urethane no flats	6.7 lb D2522F2NG	<b>\$382</b>	22.45" body, 25.5" shaft w/ 2 flats	OHCMPH	SHA2522FD <b>\$82</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522F2CGF	<b>\$382</b>	22.45" body, 25.5" shaft w/ 2 flats	OHCMPH	SHA2522FD <b>\$82</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522F2NGF	<b>\$382</b>	22.45" body, 25.5" shaft w/ 2 flats	OHCMPH	SHA2522FD <b>\$82</b>
2" dia. smooth Urethane	7.9 lb D2522F2C	<b>\$382</b>	22.25" body, 25.5" shaft w/ 2 flats	OHCMP or OHCOMPSS	SHA2522FD <b>\$82</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522F2S	<b>\$362</b>	22.25" body, 25.5" shaft w/ 2 flats	OHCMP or OHCOMPSS	SHA2522FD <b>\$82</b>
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>					
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122F2CG+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMPH + 2x OHCOMPCHS	SHA3122FDA+2 <b>\$112</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122F2NG+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMPH + 2x OHCOMPCHS	SHA3122FDA+2 <b>\$112</b>
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122F2CGF+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMPH + 2x OHCOMPCHS	SHA3122FDA+2 <b>\$112</b>
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122F2NGF+2C	<b>\$532</b>	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMPH + 2x OHCOMPCHS	SHA3122FDA+2 <b>\$112</b>
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122F2C+2C	<b>\$532</b>	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMP + 2x OHCOMPCHS	SHA3122FDA+2 <b>\$112</b>
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122F2S+2S	<b>\$532</b>	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMP + 2x OHCOMPCHS	SHA3122FDA+2 <b>\$112</b>
<b>2" dia. FOUR bodies</b>					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522F2CG4	<b>\$622</b>	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 <b>\$98</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522F2NG4	<b>\$622</b>	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 <b>\$98</b>
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522F2CGF4	<b>\$622</b>	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 <b>\$98</b>
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522F2NGF4	<b>\$622</b>	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 <b>\$98</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522F2C4	<b>\$622</b>	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 <b>\$98</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522F2S4	<b>\$622</b>	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 <b>\$98</b>

<b>2.5" dia. SINGLE body</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb	D2522F25CG	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb	D2522F25NG	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb	D2522F25CGF	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb	D2522F25NGF	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" smooth Urethane	9.5 lb	D2522F25C	\$396	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" smooth Steel	9.2 lb	D2522F25S	\$376	22.25" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
<b>To diminish instances of shadowing lines due to overlap of reels</b>				<b>call for proper application specifics</b>			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb	D2522F25CGF.22C	\$523	front roller for rear mower heads-use with D2519F3C	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" smooth Urethane	9.5 lb	D2519F25C	\$456	back roller for rear mower heads-use with D2522F25CGF.22C	OHCMP or OHCMPSS	SHA2519FD	\$82
<b>2.5" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522F25CG4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522F25NG4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522F25CGF4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522F25NGF4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	D2522F25C4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	9.5 lb	D2522F3CG	\$533	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
3" smooth Urethane	12 lb	D2522F3C	\$533	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
3" smooth Steel	11.5 lb	D2522F3S	\$533	22.25" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
<b>To diminish instances of shadowing lines due to overlap of reels</b>				<b>call for proper application specifics</b>			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522F3CGF.22C	\$553	front roller for rear mower heads-use with D2519F3C	OHCMP or OHCMPSS	SHA2522FD	\$82
3" smooth Urethane	11 lb	D2519F3C	\$533	back roller for rear mower heads-use with D2522F3CGF.22C	OHCMP or OHCMPSS	SHA2519FD	\$82
<b>3" dia. TWO opposing end short bodies</b>				<b>non-striping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 3" dia. wide grooved Urethane (2x4.5" wide bodies)	6 lb	D2505F3CGT	\$623	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end	2x OHCMP1 or 2x OHCMP1SS	SHA2505FDAI	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb	D2504F3Ct	\$623	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end	2x OHCMP1 or 2x OHCMP1SS	SHA2504FDAI	\$98
<b>John Deere 18" 8000A &amp; 6080A PRECISION CUT &amp; E-CUT FAIRWAY - FRONT &amp; BACK ROLLERS</b>				<b>Call to upgrade with double row angular contact bearings</b>			
<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane no flats	6.5 lb	D2218C2CG	\$402	18.45" body, 22" dia. shaft	OHCMPH	SHA2218CD	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	D2218C2NG	\$402	18.45" body, 22" dia. shaft	OHCMPH	SHA2218CD	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2218C2CGF	\$402	18.45" body, 22" dia. shaft	OHCMPH	SHA2218CD	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2218C2NGF	\$402	18.45" body, 22" dia. shaft	OHCMPH	SHA2218CD	\$80
2" dia. smooth Urethane	7.5 lb	D2218C2C	\$402	18.45" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	D2218C2S	\$402	18.45" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
2" dia. smooth Steel heavy (1/4" wall)	9 lb	D2216A2S	\$402	16.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2216AD	\$80
<b>2" dia. TWO opposing end short bodies</b>				<b>non-striping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2204A2CGt	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt	SHA2104ADA1	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2204A2NGt	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt	SHA2104ADA1	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2204A2CGFt	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt	SHA2104ADA1	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2204A2NGFt	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPHt	SHA2104ADA1	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2204A2Ct	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2202A2Ct	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2102ADA1	\$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	D2204A2St	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2818A2CG+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2818A2NG+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2718ADA+2	\$108
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2818A2CGF+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2818A2NGF+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHCS	SHA2718ADA+2	\$108
extended 2" dia. smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb	D2818A2C+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2x OHCMPHCS	SHA2718ADA+2	\$108
extended 2" dia. smooth Steel heavy (18.25" inner+2x2" outer bodies)	15 lb	D2818A2S+2S	\$532	19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2x OHCMPCS	SHA2718ADA+2	\$108
<b>2" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2219A2CG4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2219A2NG4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2219A2CGF4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2219A2NGF4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb	D2219A2C4	\$622	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	D2219A2S4	\$622	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	6.7 lb	D2218A25CG	\$516	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	6.7 lb	D2218A25NG	\$516	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	6.7 lb	D2218A25CGF	\$516	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	6.7 lb	D2218A25NGF	\$516	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" smooth Urethane	7.5 lb	D2218A25C	\$406	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" smooth Steel	9.2 lb	D2218A25S	\$406	18.0" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
<b>2.5" dia. TWO opposing end short bodies</b>				<b>non-striping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A25CGt	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A25NGt	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A25CGFt	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A25NGFt	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2104A25Ct	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" smooth Urethane (2x2" wide bodies)	4.2 lb	D2102A25Ct	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2102ADA1	\$96
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb	D2104A25St	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
<b>2.5" dia. SINGLE body + 2 bodies outside of brackets</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A25CG+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPCS	SHA2718ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A25NG+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPCS	SHA2718ADA+2	\$108
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A25CGF+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPCS	SHA2718ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A25NGF+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPCS	SHA2718ADA+2	\$108
extended 2.5" smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb	D2718A25C+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPCS	SHA2718ADA+2	\$108
extended 2.5" smooth Steel (18.25" inner+2x2" outer bodies)	15 lb	D2718A25S+2S	\$576	19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPCS	SHA2718ADA+2	\$108
<b>2.5" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A25CG4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A25NG4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A25CGF4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A25NGF4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8 lb	D2119A25C4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb	D2119A25S4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	6.6 lb	D2218C3CG	\$533	18.45" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
3" smooth Urethane	7.5 lb	D2218C3C	\$483	18.45" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
3" smooth Steel	9.2 lb	D2218C3S	\$443	18.25" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
<b>To diminish instances of shadowing lines due to overlap of reels</b>				<b>call for proper application specifics</b>			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	6.8 lb	D2218A25CGF.22C	\$516	front roller for rear mower heads-use with D2215A25C	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" smooth Urethane	7 lb	D2215A25C	\$516	back roller for rear mower heads-use with D2218A25CGF.22C	OHCMP or OHCMPSS	SHA2215AD	\$80
3" dia. wide grooved Urethane with 2.2" wide smooth ends	6.8 lb	D2218A3CGF.22C	\$553	front roller for rear mower heads-use with D2215A3C	OHCMP or OHCMPSS	SHA2218AD	\$80
3" smooth Urethane	7 lb	D2215A3C	\$553	back roller for rear mower heads-use with D2218A3CGF.22C	OHCMP or OHCMPSS	SHA2215AD	\$80
<b>John Deere 26" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT &amp; BACK ROLLERS (QA-7 reels)</b>				<b>Call to upgrade with double row angular contact bearings</b>			
<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	11.1 lb	D2926F3CG	\$523	26.45" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMPSS	SHA2926FD	\$82
3" smooth Urethane	13.5 lb	D2926F3C	\$523	26.45" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMPSS	SHA2926FD	\$82
3" smooth Steel	13.5 lb	D2926F3S	\$523	26.25" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMPSS	SHA2926FD	\$82

<b>3" dia. SINGLE body (upgraded double row bearings)</b>									
3" dia. wide grooved Urethane with double row bearings	11 lb	2D2925F3CG	\$573	25.45" body, 29.75" shaft-2 flats on 1 end	OHCMP2C	SHA2925FD	\$82		
3" smooth Urethane with double row bearings	12.5 lb	2D2925F3C	\$573	25.45" body, 29.75" shaft-2 flats on 1 end	OHCMP2C	SHA2925FD	\$82		
3" smooth Steel with double row bearings	12.5 lb	2D2925F3SR	\$573	25.25" body, 29.75" shaft-2 flats on 1 end	OHCMP2CR	SHA2925FD	\$82		
<b>3" dia. TWO opposing end short bodies</b>									
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb	D2904F3Ct	\$623	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	2x OHCOMP1 or 2x OHCOMP1SS	SHA2904FDA1	\$98		
2 bodies 3" smooth Urethane (2x5.2" wide bodies)	6.5 lb	D2905F3Ct	\$623	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	2x OHCOMP1 or 2x OHCOMP1SS	SHA2905FDA1	\$98		
<b>3" dia. FOUR bodies</b>									
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12.5 lb	D2926F3CG4	\$723	4 short bodies, 29.75" shaft-2 flats on 1 end	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926FDA4	\$98		
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	13.5 lb	D2926F3C4	\$723	4 short bodies, 29.75" shaft-2 flats on 1 end	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926FDA4	\$98		
<b>John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT &amp; BACK ROLLERS (QA-7 reels)</b>									
<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane	11.1 lb	D3329F3CG	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3329FD	\$82		
3" smooth Urethane	13.5 lb	D3329F3C	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3329FD	\$82		
3" smooth Steel	13.5 lb	D3329F3S	\$533	29.25" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3329FD	\$82		
<b>3" dia. SINGLE body (upgraded double row bearings)</b>									
3" dia. wide grooved Urethane with double row bearings	11 lb	2D3329F3CG	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2	SHA3329FD	\$82		
3" smooth Urethane with double row bearings	12.5 lb	2D3329F3C	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2	SHA3329FD	\$82		
3" smooth Steel with double row bearings	12.5 lb	2D3329F3SR	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2R	SHA3329FD	\$82		
3" smooth Urethane with double row bearings	12.5 lb	2D3319F3C	\$573	19.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2	SHA3319FD	\$82		
<b>3" dia. FIVE bodies</b>									
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb	D3329F3CG5	\$723	5 short bodies, 33.5" shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3329FDA5	\$112		
5 bodies 3" smooth Urethane (4x5.55" x 1x6.5" wide bodies) double row bearings	14 lb	D3329F3C4	\$723	5 short bodies, 33.5" shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3329FDA5	\$112		
<b>John Deere 30" 1900, 1905, 3325 FAIRWAY &amp; 3365 TURF PRO &amp; 365 PTO GANG (2 styles)</b>									
<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane	13.5 lb	D3229F3CG	\$533	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3229FD	\$82		
3" smooth Urethane	15 lb	D3229F3C	\$533	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3229FD	\$82		
3" smooth Steel	15 lb	D3229F3S	\$533	29.25" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3229FD	\$82		
3" dia. wide grooved Urethane	13.5 lb	D3229A3CG	\$533	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCOMPSS	SHA3229AD	\$80		
3" smooth Urethane	15 lb	D3229A3C	\$533	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCOMPSS	SHA3229AD	\$80		
3" smooth Steel	15 lb	D3229A3S	\$533	29.25" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCOMPSS	SHA3229AD	\$80		
<b>3" dia. FIVE bodies</b>									
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb	D3229F3CG5	\$793	5 short bodies, 32" dia. shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3229FDA5	\$112		
5 bodies 3" smooth Urethane (4x5.55" x 1x6.5" wide bodies) double row bearings	14 lb	D3229F3C4	\$723	5 short bodies, 32" dia. shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3229FDA4	\$112		
<b>John Deere 30" FAIRWAY (305, 303, 756 &amp; 856) - ALL ROLLERS (Choose from 2 styles)</b>									
<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane	13.5 lb	D3229X3CG	\$533	29.45" body, 32.25" shaft-5" dia. ends	OHCMP or OHCOMPSS	SHA3229XD	\$82		
3" smooth Urethane	15 lb	D3229X3C	\$533	29.45" body, 32.25" shaft-5" dia. ends	OHCMP or OHCOMPSS	SHA3229XD	\$82		
3" smooth Steel	15 lb	D3229X3S	\$533	29.25" body, 32.25" shaft-5" dia. ends	OHCMP or OHCOMPSS	SHA3229XD	\$82		
3" dia. wide grooved Urethane	13.5 lb	D3029W3CG	\$533	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCOMPSS	SHA3029WD	\$82		
3" smooth Urethane	15 lb	D3029W3C	\$533	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCOMPSS	SHA3029WD	\$82		
3" smooth Steel	15 lb	D3029W3S	\$533	29.25" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCOMPSS	SHA3029WD	\$82		
<b>John Deere ROTARY DECK 8800 &amp; 3245C - FRONT ROLLER (With two independent rolling 4" wide roller bodies)</b>									
2 bodies 5" grooved Urethane (2x4" wide bodies) double row bearings	8 lb	2D2304D5CGt	\$675	2 short twin bodies at ends of 23" shaft-3 grooves per body	2x OHCOMP2T	SHA2304DDA1	\$96		
2 bodies 5" smooth Urethane (2x4" wide bodies) double row bearings	9.3 lb	2D2304D5Ct	\$655	2 short twin bodies at ends of 23" shaft	2x OHCOMP2T	SHA2304DDA1	\$96		
2 bodies 5" grooved Urethane (2x4" wide bodies) single row bearings	8 lb	D2304D5CGt	\$635	2 short twin bodies at ends of 23" shaft-3 grooves per body	2x OHCOMP1 or 2x OHCOMP1SS	SHA2304DDA1	\$96		
2 bodies 5" smooth Urethane (2x4" wide bodies) single row bearings	9.3 lb	D2304D5Ct	\$615	2 short twin bodies at ends of 23" shaft	2x OHCOMP1 or 2x OHCOMP1SS	SHA2304DDA1	\$96		
<b>John Deere ROTARY DECK 8800 &amp; 3245C &amp; 1565 - BACK ROLLER (choose from multiple styles to match your needs)</b>									
<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2319D3CG	\$583	19.45" body, 23" shaft	OHCMP2C	SHA2319DD	\$80		
3" smooth Urethane with double row bearings	11 lb	2D2319D3C	\$583	19.45" body, 23" shaft	OHCMP2C	SHA2319DD	\$80		
3" smooth Steel with double row bearings	12 lb	2D2319D3SR	\$583	19.25" body, 23" shaft	OHCMP2CR	SHA2319DD	\$80		
3" smooth Steel with single row bearings	12 lb	D2319D3S	\$533	19.25" body, 23" shaft	OHCMP or OHCOMPSS	SHA2319DD	\$80		
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2419D3CG	\$583	19.45" body, 24" shaft	OHCMP2C	SHA2419DD	\$80		
3" smooth Urethane with double row bearings	11.5 lb	2D2419D3C	\$583	19.45" body, 24" shaft	OHCMP2C	SHA2419DD	\$80		
3" smooth Steel with double row bearings	12 lb	2D2419D3SR	\$583	19.25" body, 23" shaft	OHCMP2CR	SHA2419DD	\$80		
3" smooth Steel with single row bearings	11 lb	D2419D3S	\$533	19.25" body, 24" shaft	OHCMP or OHCOMPSS	SHA2419DD	\$80		
<b>3" dia. TWO opposing end short bodies</b>									
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6 lb	2D2305D3CGt	\$663	2 short twin bodies at ends of a 23" shaft	2x OHCOMP2T	SHA2305DDA1	\$96		
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb	2D2304D3Ct	\$663	2 short twin bodies at ends of a 23" shaft	2x OHCOMP2T	SHA2304DDA1	\$96		
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	10 lb	D2304D3St	\$623	2 short twin bodies at ends of a 23" shaft	2x OHCOMP1 or 2x OHCOMP1SS	SHA2304DDA1	\$96		
<b>3" dia. THREE bodies</b>									
3 bodies 3" wide grooved Urethane (3x5.2" wide bodies) double row bearings	11 lb	2D2319D3CGR3	\$723	3 short bodies, 23" shaft	3x OHCOMP2RC	SHA2319DDA3	\$108		
3 bodies 3" smooth Urethane (3x5.55" wide bodies) double row bearings	11 lb	2D2319D3CR3	\$723	3 short bodies, 23" shaft	3x OHCOMP2RC	SHA2319DDA3	\$108		
3 bodies 3" smooth Steel (3x5.2" wide bodies) single row bearings	11 lb	D2319D3S3	\$693	3 short bodies, 23" shaft	2x OHCOMP4ext + 1x OHCOMP4int	SHA2319DDA3	\$108		
<b>3.5" dia. SINGLE body</b>									
3.5" smooth Urethane with double row bearings	13.5 lb	2D2319D35C	\$677	19.45" body, 23" shaft	OHCMP2C	SHA2319DD	\$80		
3.5" smooth Urethane with double row bearings	13.5 lb	2D2419D35C	\$677	19.45" body, 24" shaft	OHCMP2C	SHA2419DD	\$80		
<b>4" dia. SINGLE body</b>									
4" smooth Urethane-double row bearings	26 lb	2D2319D4C	\$774	19.25" body, 23" shaft	OHCMP2C	SHA2319DD	\$80		
<b>John Deere ROTARY DECK 9009A &amp; 7400A (2016 &amp; newer) 27" cut - FRONT ROLLER (With two independent rolling 5.2" wide roller bodies)</b>									
2 bodies 5" grooved Urethane (2x5.2" wide bodies) double row bearings	12 lb	2D2905D5CGt	\$675	2 short twin bodies at ends of 29" shaft-3 grooves per body	2x OHCOMP2T	SHA2905DDA1	\$96		
2 bodies 5" smooth Urethane (2x5.2" wide bodies) double row bearings	13 lb	2D2905D5Ct	\$655	2 short twin bodies at ends of 29" shaft	2x OHCOMP2T	SHA2905DDA1	\$96		
2 bodies 5" grooved Urethane (2x5.2" wide bodies) single row bearings	12 lb	D2905D5CGt	\$635	2 short twin bodies at ends of 29" shaft-3 grooves per body	2x OHCOMP1 or 2x OHCOMP1SS	SHA2905DDA1	\$96		
2 bodies 5" smooth Urethane (2x5.2" wide bodies) single row bearings	13 lb	D2905D5Ct	\$615	2 short twin bodies at ends of 29" shaft	2x OHCOMP1 or 2x OHCOMP1SS	SHA2905DDA1	\$96		
<b>John Deere ROTARY DECK 9009A &amp; 7400A (2016 &amp; newer) 27" cut - BACK ROLLER</b>									
<b>3" dia. SINGLE body</b>									
3" dia. wide grooved Urethane with double row bearings	11 lb	2D2925D3CG	\$583	25.45" body, 29" shaft	OHCMP2C	SHA2925DD	\$80		
3" smooth Urethane with double row bearings	12.5 lb	2D2925D3C	\$583	25.45" body, 29" shaft	OHCMP2C	SHA2925DD	\$80		
3" smooth Steel with double row bearings	12.5 lb	2D2925D3SR	\$583	25.25" body, 29" shaft	OHCMP2CR	SHA2925DD	\$80		
3" smooth Steel with single row bearings	12.5 lb	D2925D3S	\$533	25.25" body, 29" shaft	OHCMP or OHCOMPSS	SHA2925DD	\$80		
3" smooth Urethane with double row bearings	12.5 lb	2D2919D3C	\$583	19.45" body, 29" shaft	OHCMP2C	SHA2919DD	\$80		
<b>3" dia. TWO opposing end short bodies</b>									
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb	2D2905D3CGt	\$663	2 short twin bodies at ends of a 29" shaft	2x OHCOMP2T	SHA2905DDA1	\$96		
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	10 lb	2D2904D3Ct	\$663	2 short twin bodies at ends of a 29" shaft	2x OHCOMP2T	SHA2904DDA1	\$96		
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	11 lb	D2904D3St	\$623	2 short twin bodies at ends of a 29" shaft	2x OHCOMP1 or 2x OHCOMP1SS	SHA2904DDA1	\$96		
<b>3" dia. FOUR bodies</b>									
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12 lb	2D2925C3CGR4	\$723	4 short bodies, 29" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925CDA4	\$98		
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	12 lb	2D2925C3CR4	\$763	4 short bodies, 29" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925CDA4	\$98		
<b>John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT ROLLER</b>									
5" grooved Urethane (4" wide body) double row bearings	5 lb	2D0404G5CG	\$345	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0404GD	\$80		
5" smooth Urethane (4" wide body) double row bearings	5 lb	2D0404G5C	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0404GD	\$80		
5" grooved Urethane (4" wide body) single row bearings	5 lb	D0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP or OHCOMPSS	SHA0404GD	\$80		
5" smooth Urethane (4" wide body) single row bearings	5 lb	D0404G5C	\$285	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP or OHCOMPSS	SHA0404GD	\$80		
<b>John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER</b>									
3" smooth Urethane with double row bearings	12.5 lb	2D2925A3C	\$583	25.45" body, 29.25" shaft	OHCMP2C	SHA2925AD	\$80		
3" smooth Steel with double row bearings	12.5 lb	2D2925A3SR	\$583	25.25" body, 29.25" shaft	OHCMP2CR	SHA2925AD	\$80		
3" smooth Steel with single row bearings	12.5 lb	2D2925A3S	\$533	25.25" body, 29.25" shaft	OHCMP or OHCOMPSS	SHA2925AD	\$80		

**for TORO mowers**

**Toro 22" GREENSMOWERS - FRONT ROLLER: series 1000, 3, 300, 3000, 3050, 3100, 3150, 3250-D (with 3/8" tap in shaft ends for ball stud) (Except TriFlex series without ball stud for basket yoke as follows: 3300, 3320, 3370, 3400, 3420 & FLEX 21)**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb	T2522S2CG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	T2522S2NG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2522S2CGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2522S2NGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80
2" dia. smooth Urethane	8 lb	T2522S2C	\$382	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	T2522S2S	\$362	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504S2CGT	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMPHT	SHA2504STAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504S2NGT	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMPHT	SHA2504STAt	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504S2CGFt	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMPHT	SHA2504STAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504S2NGFt	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMPHT	SHA2504STAt	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2502S2Ct	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPtSS	SHA2502STAt	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504S2Ct	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPtSS	SHA2504STAt	\$96

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522S2CG4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522S2NG4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522S2CGF4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522S2NGF4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522S2C4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522S2S4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522S25CG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522S25NG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522S25CGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522S25NGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" smooth Urethane	9.5 lb	T2522S25C	\$396	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80
2.5" smooth Steel	10 lb	T2522S25S	\$376	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522ST	\$80

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504S25CGT	\$516	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPtSS	SHA2504STAt	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504S25Ct	\$516	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPtSS	SHA2504STAt	\$96

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522S25CG4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522S25NG4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522S25CGF4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522S25NGF4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	T2522S25C4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522S25S4	\$626	4 short bodies, 25.75" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ST4A	\$98

**Toro 22" GREENSMOWERS - BACK ROLLER: series 3, 300, 3000, 3050, 3100, 3150, 3250-D**

**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb	T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. smooth Urethane	8 lb	T2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	T2522A2S	\$362	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80

**2" dia. TWO opposing end short bodies**

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2CGT	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPHT	SHA2522ATAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2NGT	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPHT	SHA2522ATAt	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2CGFt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPHT	SHA2522ATAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2NGFt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPHT	SHA2522ATAt	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2502A2Ct	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2522ATAt	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A2Ct	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2522ATAt	\$96

**2" dia. SINGLE body + 2 bodies outside of brackets**

extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2CG+2C	\$532	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2NG+2C	\$532	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	T3122A2C+2C	\$532	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122ATA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	T3122A2S+2S	\$532	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMP + 2x OHCOMPCHS	SHA3122ATA+2	\$108

**2" dia. FOUR bodies**

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2NG4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2NGF4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98

**2" dia. FOUR bodies + 2 bodies outside of brackets**

6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3122ATA4+2	\$108

**2.5" dia. SINGLE body**

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" smooth Urethane	9.5 lb	T2522A25C	\$396	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" smooth Steel	10 lb	T2522A25S	\$376	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80

**2.5" dia. TWO opposing end short bodies**

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25CGT	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2522ATAt	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25NGT	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2522ATAt	\$96
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A25CGFt	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2522ATAt	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A25NGFt	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2522ATAt	\$96
2 bodies 2.5" smooth Urethane (2x2" wide bodies)	4.2 lb	T2502A25Ct	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2522ATAt	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A25Ct	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2522ATAt	\$96

**2.5" dia. FOUR bodies**

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CGF4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522A25S4	\$626	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98

**Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3050, 3100, 3150, 3250-D (fully assembled with body + shaft + bearings + seals)**  
 (Except TriFlex series as follows: 3300, 3320, 3400, 3420 & FLEX 21)

3" dia. wide grooved Urethane	9 lb	T250H3CG	\$533	20.45" body, 25.063" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2520HT	\$90
3" smooth Urethane	10.5 lb	T250H3C	\$533	20.45" body, 25.063" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2520HT	\$90
3" smooth Steel	11 lb	T250H3S	\$533	20.45" body, 25.063" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2520HT	\$90
3.5" smooth Urethane	12.5 lb	T250H35C	\$627	20.45" body, 25.063" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2520HT	\$90
2 bodies 3" smooth Urethane (2x4" wide bodies)	6.3 lb	T2504H3Ct	\$623	2 short twin bodies at ends of a 25.063" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPSS	SHA2520HTAt	\$90

**Toro 21/22" FLEX & TRIFLEX models 21, 2100, 2120, 1021 & e1021 + 3300, 3320, 3370, 3400, 3420 - FRONT & BACK ROLLERS**  
 (these rollers do not accommodate yoke ball studs. They have solid shaft ends without taps; if groomer kit requires tap in shaft ends, change "A" in part # to "S")

<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane no flats	6.5 lb	T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. smooth Urethane	8 lb	T2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	T2522A2S	\$362	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80

<b>2" dia. TWO opposing end short bodies</b>							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2CGt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPHT	SHA2522ATAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2NGt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPHT	SHA2522ATAt	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2CGFt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPHT	SHA2522ATAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2NGFt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPHT	SHA2522ATAt	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2502A2Ct	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A2Ct	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$96

<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>							
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2CG+2C	\$532	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2NG+2C	\$532	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPH + 2x OHCOMPCHS	SHA3122ATA+2	\$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	T3122A2C+2C	\$532	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPt + 2x OHCOMPCHS	SHA3122ATA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	T3122A2S+2S	\$532	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPt + 2x OHCOMPCHS	SHA3122ATA+2	\$108

<b>2" dia. FOUR bodies</b>							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2NG4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2NGF4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98

<b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>							
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3122ATA4+2	\$108

<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" smooth Urethane	9.5 lb	T2522A25C	\$396	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" smooth Steel	10 lb	T2522A25S	\$376	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80

<b>2.5" dia. TWO opposing end short bodies</b>							
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25CGt	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504ATAt	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A25Ct	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504ATAt	\$96
<b>2.5" dia. FOUR bodies</b>							
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CGF4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522A25S4	\$626	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522ATA4	\$98

<b>2.5" dia. FOUR bodies + 2 bodies outside of brackets</b>							
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb	T3122A25CG4+2C	\$726	4 center body + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3122ATA4+2	\$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb	T3122A25C4+2C	\$726	4 center body + 2 short outer bodies, 31.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA3122ATA4+2	\$108

**Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK ROLLERS (if groomer kit requires tap in ends of shaft, change "C" in part # to "S")**

<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane no flats	6.2 lb	T2319C2CG	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319CT	\$80
2" dia. narrow grooved Urethane no flats	6.4 lb	T2319C2NG	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319CT	\$80
2" dia. wide grooved Urethane 1" flats	6.3 lb	T2319C2CGF	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319CT	\$80
2" dia. narrow grooved Urethane 1" flats	6.5 lb	T2319C2NGF	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319CT	\$80
2" dia. smooth Urethane	7.5 lb	T2319C2C	\$382	19.25" body, 23" shaft w/o taps	OHCMP or OHCOMPSS	SHA2319CT	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2319C2S	\$362	19.25" body, 23" shaft w/o taps	OHCMP or OHCOMPSS	SHA2319CT	\$80

<b>2" dia. TWO opposing end short bodies</b>							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2304C2CGt	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPHT	SHA2304CTAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2304C2NGt	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPHT	SHA2304CTAt	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2304C2CGFt	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPHT	SHA2304CTAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2304C2NGFt	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPHT	SHA2304CTAt	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2302C2Ct	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2302CTAt	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2304C2Ct	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2304CTAt	\$96

<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>							
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	T2919C2CG+2C	\$532	19.45" center body + 2 short outer bodies, 29" shaft	1x OHCOMPH + 2x OHCOMPCHS	SHA2919CTA+2	\$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	T2919C2NG+2C	\$532	19.45" center body + 2 short outer bodies, 29" shaft	1x OHCOMPH + 2x OHCOMPCHS	SHA2919CTA+2	\$108
extended 2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)	13 lb	T2919C2C+2C	\$532	19.25" center body + 2 short outer bodies, 29" shaft	1x OHCOMPt + 2x OHCOMPCHS	SHA2919CTA+2	\$108

<b>2" dia. FOUR bodies</b>							
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2319C2CG4	\$622	4 short bodies, 23" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2319CTA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2319C2NG4	\$622	4 short bodies, 23" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2319CTA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2319C2CGF4	\$622	4 short bodies, 23" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2319CTA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2319C2NGF4	\$622	4 short bodies, 23" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2319CTA4	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2319C2C4	\$622	4 short bodies, 23" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2319CTA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	T2319C2S4	\$622	4 short bodies, 23" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2319CTA4	\$98

<b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>							
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb	T2919C2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA2919CTA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb	T2919C2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA2919CTA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb	T2919C2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA2919CTA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb	T2919C2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMP4ext+2x OHCOMP4int+2x OHCOMPCHS	SHA2919CTA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	12 lb	T2919C2C4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA2919CTA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	12 lb	T2919C2S4+2S	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPCHS	SHA2919CTA4+2	\$108

**Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS**

<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane no flats	6.5 lb	T2219S2CG	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	T2219S2NG	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2219S2CGF	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2219S2NGF	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. smooth Urethane	7.5 lb	T2219S2C	\$382	19.25" body, 22.75" shaft w/o taps	OHCMP or OHCMPSS	SHA2219ST	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2219S2S	\$362	19.25" body, 22.75" shaft w/o taps	OHCMP or OHCMPSS	SHA2219ST	\$80
<b>2" dia. FOUR bodies</b>							
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2219S2CG4	\$622	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2219S2NG4	\$622	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2219S2CGF4	\$622	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2219S2NGF4	\$622	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2219S2C4	\$622	4 short bodies, 22.75" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2219STA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	T2219S2S4	\$622	4 short bodies, 22.75" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2219STA4	\$98

**Toro GM1026 & 1600 26" GREENSMOWER - FRONT & BACK ROLLERS**

<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane no flats	7.8 lb	T3126A2CG	\$382	26.45" body, 31" shaft	OHCMPH	SHA3126AT	\$80
2" dia. wide grooved Urethane 1" flats	7.8 lb	T3126A2CGF	\$382	26.45" body, 31" shaft	OHCMPH	SHA3126AT	\$80
2" dia. smooth Urethane	11 lb	T3126A2C	\$382	26.45" body, 31" shaft	OHCMP or OHCMPSS	SHA3126AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	13.5 lb	T3126A2S	\$362	26.25" body, 31" shaft	OHCMP or OHCMPSS	SHA3126AT	\$80
<b>2" dia. TWO opposing end short bodies</b>							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb	T3104A2CGT	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPHt	SHA3104ATA	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb	T3104A2NGT	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPHt	SHA3104ATA	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb	T3104A2CGFT	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPHt	SHA3104ATA	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb	T3104A2NGFT	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPHt	SHA3104ATA	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.4 lb	T3102A2Ct	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCMPSS	SHA3102ATA	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.4 lb	T3104A2Ct	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCMPSS	SHA3104ATA	\$96
<b>2" dia. SINGLE body + 2 bodies outside of brackets</b>							
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4	T3726A2CG+2C	\$532	26.45" center body + 2 short outer bodies, 37" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3726ATA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4	T3726A2NG+2C	\$532	26.45" center body + 2 short outer bodies, 37" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3726ATA+2	\$108
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13.5 lb	T3726A2C+2C	\$532	26.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2x OHCMPHCS	SHA3726ATA+2	\$108
<b>2" dia. FOUR bodies</b>							
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb	T3126A2CG4	\$622	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb	T3126A2NG4	\$622	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb	T3126A2CGF4	\$622	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb	T3126A2NGF4	\$622	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$98
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	8.5 lb	T3126A2C4	\$622	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3126ATA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	12 lb	T3126A2S4	\$622	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3126ATA4	\$98
<b>2" dia. FOUR bodies + 2 bodies outside of brackets</b>							
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	T3726A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	T3726A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	T3726A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	T3726A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	12 lb	T3726A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	12 lb	T3726A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3126ATA4+2	\$108
<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb	T3127A25CG	\$456	27.45" body, 31" shaft	OHCMP or OHCMPSS	SHA3127AT	\$80
2.5" smooth Urethane	11 lb	T3127A25C	\$396	27.45" body, 31" shaft	OHCMP or OHCMPSS	SHA3127AT	\$80
2.5" smooth Steel	11 lb	T3127A25S	\$376	27.25" body, 31" shaft	OHCMP or OHCMPSS	SHA3127AT	\$80
<b>2.5" dia. TWO opposing end short bodies</b>							
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T3104A25Ct	\$516	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCMPSS	SHA3104ATA	\$96
<b>2.5" dia. SINGLE body + 2 bodies outside of brackets</b>							
extended 2.5" dia. wide grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4	T3727A25CG+2C	\$576	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2 OHCMPHCS	SHA3727ATA+2	\$108
extended 2.5" dia. narrow grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4	T3727A25NG+2C	\$576	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2 OHCMPHCS	SHA3727ATA+2	\$108
extended 2.5" smooth Urethane (27.45" inner+2x2" outer bodies)	13.5 lb	T3727A25C+2C	\$576	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2 OHCMPHCS	SHA3727ATA+2	\$108
<b>2.5" dia. FOUR bodies</b>							
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3128A25CG4	\$676	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3128ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3128A25NG4	\$676	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3128ATA4	\$98
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb	T3128A25C4	\$676	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3128ATA4	\$98
<b>2.5" dia. FOUR bodies + 2 bodies outside of brackets</b>							
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	T3728A25CG4+2C	\$726	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3728ATA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	T3728A25NG4+2C	\$726	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3728ATA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	T3728A25C4+2C	\$726	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3728ATA4+2	\$108

**Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER**

<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" smooth Urethane	9.5 lb	T2522A25C	\$396	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" smooth Steel	10 lb	T2522A25S	\$376	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80

**Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diameter also available)**

<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2319A2CGF	\$382	19.45" body, 23" shaft	OHCMPH	SHA2319AT	\$80
2" dia. smooth Urethane	7.5 lb	T2319A2C	\$382	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2319A2S	\$322	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80

**Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - FRONT**

<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2722A25CG	\$456	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2722A25NG	\$456	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2722A25CGF	\$456	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2722A25NGF	\$456	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" smooth Urethane	9 lb	T2722A25C	\$396	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" smooth Steel	9 lb	T2722A25S	\$376	22.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb	T2724A25CG	\$456	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
2.5" smooth Urethane	9 lb	T2724A25C	\$396	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
2.5" smooth Steel	9 lb	T2724A25S	\$376	24.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb	T2319T25CG	\$456	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80
2.5" smooth Urethane	9 lb	T2319T25C	\$396	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80
2.5" smooth Steel	9 lb	T2319T25S	\$376	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80

<b>2.5" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2722A25CG4	\$676	4 short bodies, 27" shaft	OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2722A25NG4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2722A25CGF4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2722A25NGF4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A25C4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2722A25S4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (2x5.55"+2x6.5" wide bodies) no flats	10 lb T2724A25CG4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2724A25NG4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2724A25CGF4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2724A25NGF4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 2.5" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A25C4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	9.5 lb T2722A3CG	\$533	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80	
3" smooth Urethane	12 lb T2722A3C	\$533	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80	
3" smooth Steel	11.5 lb T2722A3S	\$533	22.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80	
3" dia. wide grooved Urethane	9.5 lb T2724A3CG	\$533	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80	
3" smooth Urethane	12 lb T2724A3C	\$533	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80	
3" smooth Steel	11.5 lb T2724A3S	\$533	24.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80	
<b>3" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	10 lb T2722A3CG4	\$723	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A3C4	\$723	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 3" dia. wide grooved Urethane (2x5.2"+2x6.5" wide bodies)	10 lb T2724A3CG4	\$723	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 3" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A3C4	\$723	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
<b>Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - BACK</b>							
<b>2" dia. SINGLE body</b>				<b>Call to upgrade with double row angular contact bearings</b>			
2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80	
2" dia. smooth Urethane	8 lb T2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$362	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2" dia. wide grooved Urethane no flats	6.5 lb T2519A2CG	\$382	19.45" body, 25" shaft	OHCMPH	SHA2519AT	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb T2519A2NG	\$382	19.45" body, 25" shaft	OHCMPH	SHA2519AT	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb T2519A2CGF	\$382	19.45" body, 25" shaft	OHCMPH	SHA2519AT	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2519A2NGF	\$382	19.45" body, 25" shaft	OHCMPH	SHA2519AT	\$80	
2" dia. smooth Urethane	7.5 lb T2519A2C	\$382	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2519A2S	\$362	19.25" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2" dia. smooth Urethane	8 lb T2321T2C	\$382	21.45" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321TT	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2321T2S	\$362	21.25" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321TT	\$80	
2" dia. wide grooved Urethane no flats	6.2 lb T2319A2CG	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319AT	\$80	
2" dia. narrow grooved Urethane no flats	6.4 lb T2319A2NG	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319AT	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb T2319A2CGF	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319AT	\$80	
2" dia. narrow grooved Urethane 1" flats	6.5 lb T2319A2NGF	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319AT	\$80	
2" dia. smooth Urethane	7.5 lb T2319A2C	\$382	19.25" body, 23" shaft w/o taps	OHCMP or OHCMPSS	SHA2319AT	\$80	
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319A2S	\$362	19.25" body, 23" shaft w/o taps	OHCMP or OHCMPSS	SHA2319AT	\$80	
<b>2" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522ATA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522ATA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522ATA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522ATA4	\$98	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2CG4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2519ATA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2NG4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2519ATA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2519ATA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2NGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2519ATA4	\$98	
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb T2519A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2522C25CG	\$456	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522C25NG	\$456	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522C25CGF	\$456	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522C25NGF	\$456	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" smooth Urethane	9.5 lb T2522C25C	\$396	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" smooth Steel	10 lb T2522C25S	\$376	22.25" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2521C25CG	\$456	21.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2521CT	\$80	
2.5" smooth Urethane	9.5 lb T2521C25C	\$396	21.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2521CT	\$80	
2.5" smooth Steel	10 lb T2521C25S	\$376	21.25" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2521CT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2519A25CG	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2519A25NG	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25CGF	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" smooth Urethane	9 lb T2519A25C	\$396	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" smooth Steel	9 lb T2519A25S	\$376	19.25" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2321A25CG	\$456	21.45" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321AT	\$80	
2.5" smooth Urethane	9.5 lb T2321A25C	\$396	21.45" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321AT	\$80	
2.5" smooth Steel	9.2 lb T2321A25S	\$376	21.25" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2319A25CG	\$456	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80	
2.5" smooth Urethane	9 lb T2319A25C	\$396	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80	
2.5" smooth Steel	9 lb T2319A25S	\$376	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80	
<b>2.5" dia. FOUR bodies</b>				<b>non-skidding for tight turns &amp; ground undulations</b>			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25NG4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25CGF4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb T2519A25S4	\$626	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	

<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	9.5 lb	T2522C3CG	\$523	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80
3" smooth Urethane	12 lb	T2522C3C	\$523	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80
3" smooth Steel	11.5 lb	T2522C3S	\$523	22.25" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80
3" dia. wide grooved Urethane	9 lb	T2519A3CG	\$523	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
3" smooth Urethane	11 lb	T2519A3C	\$523	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
3" smooth Steel	11 lb	T2519A3S	\$523	19.25" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
3" dia. wide grooved Urethane	9 lb	T2319T3CG	\$523	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80
3" smooth Urethane	11 lb	T2319T3C	\$523	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80
3" smooth Steel	11 lb	T2319T3S	\$523	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80

**Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS** **Call to upgrade with double row angular contact bearings**

<b>2.5" dia. SINGLE body</b>							
(please confirm diameter of body & length of shaft required to fit back roller)							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" smooth Urethane	9.5 lb	T2522A25C	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" smooth Steel	10 lb	T2522A25S	\$456	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2422A25CG	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2422A25NG	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2422A25CGF	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2422A25NGF	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" smooth Urethane	9.5 lb	T2422A25C	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" smooth Steel	10 lb	T2422A25S	\$456	22.25" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2421A25CG	\$456	21.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" smooth Urethane	9.5 lb	T2421A25C	\$456	21.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2421AT	\$80
2.5" smooth Steel	10 lb	T2421A25S	\$456	21.25" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2421AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb	T2519A25CG	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2519A25NG	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2519A25CGF	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2519A25NGF	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" smooth Urethane	9 lb	T2519A25C	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" smooth Steel	9 lb	T2519A25S	\$456	19.25" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80

<b>To diminish instances of shadowing lines due to overlap of reels</b>							
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	9.5 lb	T2522A25CGF.22C	\$496	call for proper application specifics	front roller for rear mower heads-use with T2519A25C	OHCMP or OHCMPSS	SHA2522AT \$80
2.5" smooth Urethane	11 lb	T2519A25C	\$456	call for proper application specifics	back roller for rear mower heads-use with T2522A25CGF.22C	OHCMP or OHCMPSS	SHA2519AT \$80

<b>2.5" dia. FOUR bodies</b>							
<b>non-skidding for tight turns &amp; ground undulations</b>							
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522A25S4	\$626	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2519A25CG4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2519A25NG4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2519A25CGF4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2519A25NGF4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2519A25C4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb	T2519A25S4	\$626	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98

<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	9.5 lb	T2522A3CG	\$533	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
3" smooth Urethane	12 lb	T2522A3C	\$533	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
3" smooth Steel	11.5 lb	T2522A3S	\$533	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
3" dia. wide grooved Urethane	9.5 lb	T2722A3CG	\$533	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
3" smooth Urethane	12 lb	T2722A3C	\$533	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
3" smooth Steel	11.5 lb	T2722A3S	\$533	22.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
3" dia. wide grooved Urethane	9.5 lb	T2724A3CG	\$533	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
3" smooth Urethane	12 lb	T2724A3C	\$533	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
3" smooth Steel	11.5 lb	T2724A3S	\$533	24.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80

<b>To diminish instances of shadowing lines due to overlap of reels</b>							
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	T2722A3CGF.22C	\$553	call for proper application specifics	front roller for rear mower heads-use with T2719A3C	OHCMP or OHCMPSS	SHA2722AT \$80
3" smooth Urethane	11 lb	T2719A3C	\$533	call for proper application specifics	back roller for rear mower heads-use with T2722A3CGF.22C	OHCMP or OHCMPSS	SHA2719AT \$80

**2.5" Combination roller assemblies to diminish effect of reel overlap shadowing are available** **Call to upgrade with double row angular contact bearings**

<b>Toro SIDEWINDER 27" REEL MOWERS: 2000D, 2300D, 3100D &amp; 216 - FRONT &amp; BACK ROLLERS</b>							
<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb	T3026D25CG	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb	T3026D25NG	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb	T3026D25CGF	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9.5 lb	T3026D25NGF	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" smooth Urethane	11 lb	T3026D25C	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" smooth Steel	11 lb	T3026D25S	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	10.3 lb	T3227D25CG	\$456	27.45" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80
2.5" smooth Urethane	11 lb	T3227D25C	\$456	27.45" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80

<b>2.5" dia. FOUR bodies</b>							
<b>non-skidding for tight turns &amp; ground undulations</b>							
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3026D25CG4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3026D25NG4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	T3026D25CGF4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	T3026D25NGF4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb	T3026D25C4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98

<b>3" dia. SINGLE body (FOUR bodies also available)</b>							
3" dia. wide grooved Urethane	12.5 lb	T3026D3CG	\$533	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
3" smooth Urethane	13 lb	T3026D3C	\$533	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
3" smooth Steel	13 lb	T3026D3S	\$533	26.25" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
3" dia. wide grooved Urethane	12.8 lb	T3227D3CG	\$533	27.45" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80
3" smooth Urethane	13.3 lb	T3227D3C	\$533	27.45" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80
3" smooth Steel	13.3 lb	T3227D3S	\$533	27.25" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80

**Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D & 7000D - FRONT ROLLER (check length of body and shaft)** **Call to upgrade with double row angular contact bearings**

<b>3" dia. SINGLE body</b>							
3" dia. wide grooved Urethane	14 lb	T3431U3CG	\$533	31.45" body, 34.5" shaft	OHCMP or OHCMPSS	SHA3431UT	\$80
3" smooth Steel	15 lb	T3431U3S	\$533	31.25" body, 34.5" shaft	OHCMP or OHCMPSS	SHA3431UT	\$80
3" dia. wide grooved Urethane	14 lb	T3632U3CG	\$533	32.45" body, 36" shaft	OHCMP or OHCMPSS	SHA3632UT	\$80
3" smooth Steel	15 lb	T3632U3S	\$533	32.25" body, 36" shaft	OHCMP or OHCMPSS	SHA3632UT	\$80
2.5" smooth Steel	12.5 lb	T3431U25S	\$456	31.25" body, 34.5" shaft	OHCMP or OHCMPSS	SHA3431UT	\$80

<b>3" dia. FIVE bodies</b>							
<b>non-skidding for tight turns &amp; ground undulations</b>							
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12 lb	T3431U3CG5	\$763	5 short bodies, 34.5" shaft	2x OHCMP4ext + 3x OHCMP4int	SHA3431UT5A	\$99
5 bodies 3" dia. wide grooved Urethane (1x5.55"+4x6.5" wide bodies)	12.5 lb	T3632U3CG5	\$763	5 short bodies, 36" shaft	2x OHCMP4ext + 3x OHCMP4int	SHA3632UT5A	\$99
5 bodies 3" smooth Urethane (1x5.55"+4x6.5" wide bodies)	14 lb	T3431U3C5	\$763	5 short bodies, 34.5" shaft	2x OHCMP4ext + 3x OHCMP4int	SHA3431UT5A	\$99
5 bodies 3" smooth Urethane (1x5.55"+4x6.5" wide bodies)	14.5 lb	T3632U3C5	\$763	5 short bodies, 36" shaft	2x OHCMP4ext + 3x OHCMP4int	SHA3632UT5A	\$99

Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D & 7000D - BACK ROLLER			Call to upgrade with double row angular contact bearings			
<b>2.5" dia. SINGLE body</b>						
2.5" smooth Urethane	12.5 lb T3429U25C	\$456	29.45" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429UT	\$80
2.5" smooth Steel	12.5 lb T3429U25S	\$456	29.25" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429UT	\$80
<b>3" dia. SINGLE body</b>						
3" smooth Urethane	15 lb T3429U3C	\$533	29.45" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429UT	\$80
3" smooth Steel	14.5 lb T3429U3S	\$533	29.25" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429UT	\$80
3" smooth Urethane (special)	15 lb T3429K3C	\$533	29.45" body, 34" shaft (confirm specs with us)	OHCMP or OHCOMPSS	SHA3429KT	\$80
3" smooth Steel (special)	15 lb T3429K3S	\$553	29.25" body, 34" shaft (confirm specs with us)	OHCMP or OHCOMPSS	SHA3429KT	\$80
<b>3.5" dia. SINGLE body</b>						
3.5" smooth Urethane (special)	18 lb T3429K35C	\$627	29.45" body, 34" shaft (confirm specs with us)	OHCMP or OHCOMPSS	SHA3429KT	\$80
<b>3" dia. FIVE bodies</b>						
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3429A3CGR5	\$783	5 short bodies, 34.5" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3429ATA5	\$98
5 bodies 3" smooth Urethane (4x5.55"+1x6.5" bodies) double row bearings	14 lb 2T3429A3CR5	\$783	5 short bodies, 34.5" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3429ATA5	\$98
<b>Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO &amp; PARKMASTER GANG</b>						
<b>Call to upgrade with double row angular contact bearings</b>						
3" smooth Urethane	14 lb T3227J3C	\$553	27.45" body, 32.5" shaft	OHCMP or OHCOMPSS	SHA3227JT	\$80
3" smooth Steel	13.5 lb T3227J3S	\$553	27.25" body, 32.5" shaft	OHCMP or OHCOMPSS	SHA3227JT	\$80
3.5" smooth Urethane	17 lb T3227J35C	\$677	27.45" body, 32.5" shaft	OHCMP or OHCOMPSS	SHA3227JT	\$80
<b>Toro ROTARY DECK 4500D, 4700D, 3500D &amp; 3505D - FRONT ROLLER (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt</b>						
5" grooved Urethane (5.2" wide body) double row bearings	5 lb 2T0505G5CG	\$345	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0505GT	\$80
5" smooth Urethane (5.2" wide body) double row bearings	5 lb 2T0505G5C	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0505GT	\$80
5" grooved Urethane (5.2" wide body) single row bearings	5 lb T0505G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP or OHCOMPSS	SHA0505GT	\$80
5" smooth Urethane (5.2" wide body) single row bearings	5 lb T0505G5C	\$285	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP or OHCOMPSS	SHA0505GT	\$80
<b>Toro ROTARY DECK 4500D, 4700D, 3500D &amp; 3505D - BACK ROLLER</b>						
<b>3" dia. SINGLE body</b>						
3" dia. wide grooved Urethane with double row bearings	13.5 lb 2T3329D3CG	\$583	29.45" body, 33" shaft	OHCMP2C	SHA3329DT	\$80
3" smooth Urethane with double row bearings	15 lb 2T3329D3C	\$583	29.45" body, 33" shaft	OHCMP2C	SHA3329DT	\$80
3" smooth Steel with double row bearings	15 lb 2T3329D3SR	\$583	29.25" body, 33" shaft	OHCMP2RC	SHA3329DT	\$80
3" smooth Steel with single row bearings	15 lb T3329D3S	\$553	29.25" body, 33" shaft	OHCMP or OHCOMPSS	SHA3329DT	\$80
<b>3" dia. TWO opposing end short bodies</b>						
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2T3305D3CGt	\$663	2 short twin bodies at ends of a 33" shaft	2x OHCOMP2T	SHA3305DTAt	\$96
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb 2T3304D3Ct	\$663	2 short twin bodies at ends of a 33" shaft	2x OHCOMP2T	SHA3304DTAt	\$96
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	12 lb T3304D3St	\$623	2 short twin bodies at ends of a 33" shaft	2x OHCOMP1 or 2x OHCOMP1SS	SHA3304DTAt	\$96
<b>3" dia. FIVE bodies</b>						
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3329A3CGR5	\$763	5 short bodies, 33" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3329ATA5	\$98
5 bodies 3" smooth Urethane (4x5.55"+1x6.5" bodies) double row bearings	14 lb 2T3329A3CR5	\$763	5 short bodies, 33" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3329ATA5	\$98
<b>3.5" dia. SINGLE body</b>						
3.5" smooth Urethane with double row bearings	18 lb 2T3329D35C	\$677	29.45" body, 33" shaft	OHCMP2C	SHA3329DT	\$80
<b>Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt</b>						
5" grooved Urethane (5.2" wide body) double row bearings	5 lb 2T0705G5CG	\$345	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0705GT	\$80
5" smooth Urethane (5.2" wide body) double row bearings	5.5 lb 2T0705G5C	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0705GT	\$80
<b>Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available-please call)</b>						
<b>3" dia. SINGLE body</b>						
3" dia. wide grooved Urethane with double row bearings	11 lb 2T2824K3CG	\$583	24.45" body, 28" shaft	OHCMP2	SHA2824KT	\$80
3" smooth Urethane with double row bearings	12 lb 2T2824K3C	\$583	24.45" body, 28" shaft	OHCMP2	SHA2824KT	\$80
3" smooth Steel with double row bearings	11 lb 2T2824K3SR	\$583	24.25" body, 28" shaft	OHCMP2RC	SHA2824KT	\$80
3" smooth Steel with single row bearings	11 lb T2824K3S	\$553	24.25" body, 28" shaft	OHCMP or OHCOMPSS	SHA2824KT	\$80
<b>3" dia. TWO opposing end short bodies</b>						
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2T2805K3CGt	\$663	2 short twin bodies at ends of a 28" shaft	2x OHCOMP2T	SHA2805KTAT	\$96
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb 2T2804K3Ct	\$663	2 short twin bodies at ends of a 28" shaft	2x OHCOMP2T	SHA2804KTAT	\$96
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	12 lb T2804K3St	\$623	2 short twin bodies at ends of a 28" shaft	2x OHCOMP1 or 2x OHCOMP1SS	SHA2804KTAT	\$96
<b>3" dia. FOUR bodies</b>						
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12.5 lb 2T2824K3CGR4	\$763	4 short bodies, 28" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2824KTA4	\$98
4 bodies 3" smooth Urethane (4x5.55" wide bodies) double row bearings	13.5 lb 2T2824K3CR4	\$763	4 short bodies, 28" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2824KTA4	\$98
<b>Toro 22" VERTICUT heads (Call to confirm dimensions of your roller)</b>						
<b>(Sectional rollers with 4 bodies also available)</b>						
2" dia. smooth Steel heavy (1/4" wall)	10 lb T2419A2S	\$362	19.25" body, 24" shaft	OHCMP or OHCOMPSS	SHA2419AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2321A2S	\$362	21.25" body, 23" shaft	OHCMP or OHCOMPSS	SHA2321AT	\$80

**for RANSOMES mowers (multi-body rollers available)**

**RANSOMES ALL 22" GREENSPLEX & E-PLEX & 160 - FRONT ROLLER**

<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane no flats	6.5 lb	R2522A2CG	<b>\$382</b>	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	<b>\$80</b>
2" dia. narrow grooved Urethane no flats	6.7 lb	R2522A2NG	<b>\$382</b>	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2522A2CGF	<b>\$382</b>	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	<b>\$80</b>
2" dia. narrow grooved Urethane 1" flats	6.7 lb	R2522A2NGF	<b>\$382</b>	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	<b>\$80</b>
2" dia. smooth Urethane	8 lb	R2522A2C	<b>\$382</b>	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2522A2S	<b>\$362</b>	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
<b>2" dia. FOUR bodies</b>							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2522A2CGF4	<b>\$622</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2522A2C4	<b>\$622</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2522A2S4	<b>\$622</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	<b>\$98</b>
<b>2.5" dia. SINGLE body</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2522A25CG	<b>\$456</b>	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	R2522A25NG	<b>\$456</b>	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
2.5" smooth Urethane	9.5 lb	R2522A25C	<b>\$456</b>	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
2.5" smooth Steel	10 lb	R2522A25S	<b>\$456</b>	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AJ	<b>\$80</b>
<b>2.5" dia. FOUR bodies</b>							
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	R2522A25CG4	<b>\$676</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2522A25C4	<b>\$676</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	<b>\$98</b>
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	12 lb	R2522A25S4	<b>\$676</b>	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	<b>\$98</b>

**RANSOMES 300 & 500 GREENSMOWERS - BACK ROLLER**

<b>2" dia. SINGLE body</b>							
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422S2CGF	<b>\$382</b>	22.45" body , 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ	<b>\$80</b>
2" dia. smooth Urethane	8 lb	R2422S2C	<b>\$382</b>	22.25" body , 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422SJ	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422S2S	<b>\$322</b>	22.25" body , 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422SJ	<b>\$80</b>
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422G2CGF	<b>\$382</b>	22.45" body , 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ	<b>\$80</b>
2" dia. smooth Urethane	8 lb	R2422G2C	<b>\$382</b>	22.25" body , 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2422GJ	<b>\$80</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422G2S	<b>\$362</b>	22.25" body , 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2422GJ	<b>\$80</b>
<b>2" dia. FOUR bodies</b>							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2422S2CGF4	<b>\$622</b>	4 bodies @22.3" oal, shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	<b>\$98</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2422S2C4	<b>\$622</b>	4 short bodies, 24.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	<b>\$98</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422S2S4	<b>\$622</b>	4 short bodies, 24.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	<b>\$98</b>
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2422G2CGF4	<b>\$622</b>	4 short bodies, 24.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	<b>\$98</b>
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2422G2C4	<b>\$622</b>	4 short bodies, 24.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	<b>\$98</b>
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422G2S4	<b>\$622</b>	4 short bodies, 24.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	<b>\$98</b>

**RANSOMES MOTOR 180D, 180 TRIPLEX & TRIPLE 18 - ALL ROLLERS**

<b>Call to upgrade with double row angular contact bearings</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2826G25CG	<b>\$456</b>	7/16" taps in shaft ends	OHCMP or OHCOMPSS	SHA2826GR	<b>\$80</b>
2.5" smooth Urethane	11.5 lb	R2826G25C	<b>\$456</b>	7/16" taps in shaft ends	OHCMP or OHCOMPSS	SHA2826GR	<b>\$80</b>
2.5" smooth Steel	12 lb	R2826G25S	<b>\$456</b>	26.25" body, 7/16" taps	OHCMP or OHCOMPSS	SHA2826GR	<b>\$80</b>

**RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/ 6" DIA. REELS - ALL ROLLERS**

<b>Call to upgrade with double row angular contact bearings</b>							
3" dia. wide grooved Urethane	13 lb	R2722R3CG	<b>\$553</b>	22.45" body, 27" shaft	OHCMP or OHCOMPSS	SHA2722RR	<b>\$80</b>
3" smooth Urethane	15 lb	R2722R3C	<b>\$553</b>	22.45" body, 27" shaft	OHCMP or OHCOMPSS	SHA2722RR	<b>\$80</b>
3" smooth Steel	15 lb	R2722R3S	<b>\$553</b>	22.25" body, 27" shaft	OHCMP or OHCOMPSS	SHA2722RR	<b>\$80</b>

**RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER**

<b>Call to upgrade with double row angular contact bearings</b>							
3" dia. wide grooved Urethane	13 lb	R2622A3CG	<b>\$553</b>	22.45" body, 26" shaft	OHCMP or OHCOMPSS	SHA2622AR	<b>\$80</b>
3" smooth Urethane	15 lb	R2622A3C	<b>\$553</b>	22.45" body, 26" shaft	OHCMP or OHCOMPSS	SHA2622AR	<b>\$80</b>
3" smooth Steel	15 lb	R2622A3S	<b>\$553</b>	22.25" body, 26" shaft	OHCMP or OHCOMPSS	SHA2622AR	<b>\$80</b>

**RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLLER**

<b>Call to upgrade with double row angular contact bearings</b>							
3" dia. wide grooved Urethane	13 lb	R2722A3CG	<b>\$553</b>	22.45" body, 27.5" shaft	OHCMP or OHCOMPSS	SHA2722AR	<b>\$80</b>
3" smooth Urethane	15 lb	R2722A3C	<b>\$553</b>	22.45" body, 27.5" shaft	OHCMP or OHCOMPSS	SHA2722AR	<b>\$80</b>
3" smooth Steel	15 lb	R2722A3S	<b>\$553</b>	22.25" body, 27.5" shaft	OHCMP or OHCOMPSS	SHA2722AR	<b>\$80</b>

**RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER**

<b>Call to upgrade with double row angular contact bearings</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2421S25CG	<b>\$456</b>	3/8" taps in shaft ends	OHCMP or OHCOMPSS	SHA2421SJ	<b>\$80</b>
2.5" smooth Urethane	9.5 lb	R2421S25C	<b>\$456</b>	3/8" taps in shaft ends	OHCMP or OHCOMPSS	SHA2421SJ	<b>\$80</b>
2.5" smooth Steel	10 lb	R2421S25S	<b>\$456</b>	21.25" body, 3/8" taps	OHCMP or OHCOMPSS	SHA2421SJ	<b>\$80</b>
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2421G25CG	<b>\$456</b>	7/16" taps in shaft ends	OHCMP or OHCOMPSS	SHA2421GJ	<b>\$80</b>
2.5" smooth Urethane	8 lb	R2421G25C	<b>\$456</b>	7/16" taps in shaft ends	OHCMP or OHCOMPSS	SHA2421GJ	<b>\$80</b>
2.5" smooth Steel	12 lb	R2421G25S	<b>\$456</b>	21.25" body, 7/16" taps	OHCMP or OHCOMPSS	SHA2421GJ	<b>\$80</b>

**RANSOMES 26" FAIRWAY 300, 305, 405 & 26" T-PLEX 185D - ALL ROLLERS**

<b>Call to upgrade with double row angular contact bearings</b>							
3" dia. wide grooved Urethane	13 lb	R3026W3CG	<b>\$553</b>	26.45" body, 30.7" shaft	OHCMP or OHCOMPSS	SHA3026WR	<b>\$80</b>
3" smooth Urethane	15 lb	R3026W3C	<b>\$553</b>	26.45" body, 30.7" shaft	OHCMP or OHCOMPSS	SHA3026WR	<b>\$80</b>
3" smooth Steel with single row bearings	15 lb	R3026WT3S	<b>\$553</b>	26.25" body, 30.7" shaft	OHCMP or OHCOMPSS	SHA3026WR	<b>\$80</b>

**RANSOMES 30" T-PLEX 185D - ALL ROLLERS**

<b>Call to upgrade with double row angular contact bearings</b>							
3" dia. wide grooved Urethane	13 lb	R3429T3CG	<b>\$553</b>	29.45" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429TR	<b>\$80</b>
3" smooth Urethane	15 lb	R3429T3C	<b>\$553</b>	29.45" body, 34" shaft	OHCMP or OHCOMPSS	SHA3429TR	<b>\$80</b>
3" smooth Steel	15 lb	R3429T3S	<b>\$553</b>	29.25" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429TR	<b>\$80</b>

**RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS**

<b>Call to upgrade with double row angular contact bearings</b>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R3127G25CG	<b>\$456</b>	27.45" body, 31.62" dia. shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3127GR	<b>\$80</b>
2.5" smooth Urethane	11.2 lb	R3127G25C	<b>\$456</b>	27.45" body, 31.62" dia. shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3127GR	<b>\$80</b>
2.5" smooth Steel	12 lb	R3127G25S	<b>\$456</b>	27.25" body, 31.62" dia. shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3127GR	<b>\$80</b>
3" dia. wide grooved (1" spacing) Urethane	12.4 lb	R3529A3CG	<b>\$553</b>	29.45" body, 35" shaft	OHCMP or OHCOMPSS	SHA3529AR	<b>\$80</b>
3" smooth Urethane	15 lb	R3529A3C	<b>\$553</b>	29.45" body, 35" shaft	OHCMP or OHCOMPSS	SHA3529AR	<b>\$80</b>
3" smooth Steel	15 lb	R3529A3S	<b>\$553</b>	29.25" body, 35" shaft	OHCMP or OHCOMPSS	SHA3529AR	<b>\$80</b>

**RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER**

<b>Call to upgrade with double row angular contact bearings</b>							
3.5" smooth Urethane	27 lb	R2722X35C	<b>\$627</b>	22.45" body, 27.25" shaft-1/2" dia. ends	OHCMP or OHCOMPSS	SHA2722XR	<b>\$80</b>
4" smooth Urethane	23 lb	R2722X4C	<b>\$724</b>	22.45" body, 27.25" shaft	OHCMP or OHCOMPSS	SHA2722XR	<b>\$80</b>

**for DENNIS**

<b>Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)</b>		<b>Call to upgrade with double row angular contact bearings</b>				
3.5" smooth Urethane	21 lb D3834G35C	<b>\$627</b>	34.45" body, 38.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3834GD	<b>\$106</b>
Handlebar bushing (2 per roller)	2SLEEVE 1.25x.5x1.2 PU	<b>\$33</b>				

**for SISIS (multi-body rollers available)**

<b>Sisis Flexi-400 fairway rolling machine- ALL ROLLERS</b>		<b>Multi-body roller options available to minimize skidding</b>				
3" smooth Urethane	11.6 lb S2524S3C	<b>\$533</b>	24.45" body, 25.125" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2524SS	<b>\$91</b>
3" smooth Steel	12 lb S2524S3S	<b>\$533</b>	24.25" body, 25.125" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2524SS	<b>\$91</b>
3.5" smooth Urethane	16 lb S2524S35C	<b>\$627</b>	24.45" body, 25.125" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2524SS	<b>\$91</b>
<b>Sisis Veemo MK2 Verticutter - ALL ROLLERS</b>		<b>Multi-body roller options available to minimize skidding</b>				
3" smooth Urethane	15 lb S3029G3C	<b>\$533</b>	29.45" body, 30.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3029GS	<b>\$91</b>
3" smooth Steel	15 lb S3029G3S	<b>\$533</b>	29.25" body, 30.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3029GS	<b>\$91</b>

**for SHIBAURA & HUSTLER (multi-body rollers available)**

<b>Shibaura G EXE 26 Greens Mower</b>		<b>Multi-body roller options available to minimize skidding</b>				
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb S2826P25CG	<b>\$486</b>	26.45" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	<b>\$88</b>
2.5" smooth Urethane	12.5 lb S2826P25C	<b>\$456</b>	26.45" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	<b>\$88</b>
2.5" smooth Steel	12.5 lb S2826P25S	<b>\$456</b>	26.25" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	<b>\$88</b>
2" dia. smooth Urethane	8.5 lb S2826P2C	<b>\$382</b>	26.25" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	<b>\$88</b>
2" dia. smooth Steel heavy (1/4" wall)	12 lb S2826P2S	<b>\$352</b>	26.25" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	<b>\$88</b>
<b>Shibaura G Flow22 &amp; MG70 &amp; Hustler GM1500 Greens Mower</b>		<b>Multi-body roller options available to minimize skidding</b>				
2" dia. wide grooved Urethane 1" flats	6.5 lb S2522P2CGF	<b>\$412</b>	22.45" body, 25.75" shaft	OHCMP	SHA2522PS	<b>\$88</b>
2" dia. smooth Urethane	8 lb S2522P2C	<b>\$412</b>	22.25" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb S2522P2S	<b>\$412</b>	22.25" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb S2522P25CG	<b>\$486</b>	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb S2522P25NG	<b>\$486</b>	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
2.5" smooth Urethane	11.5 lb S2522P25C	<b>\$486</b>	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
2.5" smooth Steel	12 lb S2522P25S	<b>\$486</b>	22.25" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
<b>Shibaura SR525 Fairway &amp; Hustler 7500 &amp; 7700 Fairway</b>		<b>Multi-body roller options available to minimize skidding</b>				
3" dia. wide grooved Urethane	10.5 lb S2522P3CG	<b>\$553</b>	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
3" smooth Urethane	12.5 lb S2522P3C	<b>\$553</b>	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
3" smooth Steel	12.5 lb S2522P3S	<b>\$553</b>	22.25" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	<b>\$88</b>
<b>Shibaura SR370</b>		<b>Multi-body roller options available to minimize skidding</b>				
3" dia. wide grooved Urethane	12.5 lb S2926P3CG	<b>\$553</b>	26.45" body, 29.75" shaft	OHCMP or OHCOMPSS	SHA2926PS	<b>\$88</b>
3" smooth Urethane	14 lb S2926P3C	<b>\$553</b>	26.45" body, 29.75" shaft	OHCMP or OHCOMPSS	SHA2926PS	<b>\$88</b>
3" smooth Steel	14 lb S2926P3S	<b>\$553</b>	26.25" body, 29.75" shaft	OHCMP or OHCOMPSS	SHA2926PS	<b>\$88</b>

**for TRU-TURF Greens Golf Rollers (multi-body rollers available)**

<b>Tru-Turf Smoothing Heads Rollers for RS48-11E machine</b>		<b>Multi-body roller options available to minimize skidding</b>				
2.5" smooth Urethane	9.5 lb T2222S25C	<b>\$456</b>	22.45" body, 22.625" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2222ST	<b>\$80</b>
2.5" smooth Steel	9.2 lb T2222S25S	<b>\$456</b>	22.25" body, 22.625" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2222ST	<b>\$80</b>
<b>Tru-Turf Smoothing Heads Rollers for RB48-11A machine (4 short &amp; 2 long rollers per machine)</b>		<b>Multi-body roller options available to minimize skidding</b>				
2.5" smooth Urethane	9.5 lb T2222R25C	<b>\$456</b>	22.45" body short rollers, 22.716" shaft (4 per machine)	OHCMP or OHCOMPSS	SHA2222RT	<b>\$80</b>
2.5" smooth Steel	9.2 lb T2222R25S	<b>\$456</b>	22.25" body short rollers, 22.716" shaft (4 per machine)	OHCMP or OHCOMPSS	SHA2222RT	<b>\$80</b>
2.5" smooth Urethane	10 lb T2524R25C	<b>\$456</b>	24.45" body long rollers, 25.078" shaft (2 per machine)	OHCMP or OHCOMPSS	SHA2522RT	<b>\$80</b>
2.5" smooth Steel	9.6 lb T2524R25S	<b>\$456</b>	24.25" body long rollers, 25.078" shaft (2 per machine)	OHCMP or OHCOMPSS	SHA2522RT	<b>\$80</b>
<b>Tru-Turf Smoothing Heads Rollers for R50-11 machine (4 short &amp; 2 long rollers per machine)</b>		<b>Multi-body roller options available to minimize skidding</b>				
2.5" smooth Urethane	9.5 lb T2222Y25C	<b>\$456</b>	22.45" body short rollers, 22.75" shaft (4 per machine)	OHCMP or OHCOMPSS	SHA2222YT	<b>\$91</b>
2.5" smooth Steel	9.2 lb T2222Y25S	<b>\$456</b>	22.25" body short rollers, 22.75" shaft (4 per machine)	OHCMP or OHCOMPSS	SHA2222YT	<b>\$91</b>
2.5" smooth Urethane	10 lb T2524Y25C	<b>\$456</b>	24.45" body long rollers, 25" shaft (2 per machine)	OHCMP or OHCOMPSS	SHA2524YT	<b>\$91</b>
2.5" smooth Steel	9.6 lb T2524Y25S	<b>\$456</b>	24.25" body long rollers, 25" shaft (2 per machine)	OHCMP or OHCOMPSS	SHA2524YT	<b>\$91</b>
<b>Tru-Turf Smoothing Heads Rollers for GR39 machine</b>		<b>Multi-body roller options available to minimize skidding</b>				
2.5" smooth Urethane	15.5 lb T3939S25C	<b>\$596</b>	39.45" body, 39.812" dia. shaft-3/8" taps	OHCMP or OHCOMPSS	SHA3939ST	<b>\$100</b>
2.5" smooth Steel	15.5 lb T3939S25S	<b>\$596</b>	39.25" body, 39.812" dia. shaft-3/8" taps	OHCMP or OHCOMPSS	SHA3939ST	<b>\$100</b>
<b>Tru-Turf Smoothing Heads Rollers for TR7000C machine</b>		<b>Multi-body roller options available to minimize skidding</b>				
2 bodies 2.5" smooth Urethane (2x19.5" wide bodies)	15.5 lb TT3939S25Ct	<b>\$696</b>	2 body assembly at 39.5" total length, 39.812" dia. shaft	2x OHCMP or 2x OHCOMPSS	SHA3939STAt	<b>\$100</b>
2 bodies 2.5" smooth Steel (2x19.45" wide bodies)	15.5 lb TT3939S25St	<b>\$696</b>	2 body assembly at 39.5" total length, 39.812" dia. shaft	2x OHCMP or 2x OHCOMPSS	SHA3939ST	<b>\$100</b>
<b>Tru-Turf Smoothing Heads Rollers for R52 machine (9 rollers per machine)</b>		<b>Multi-body roller options available to minimize skidding</b>				
2.5" smooth Urethane	9 lb T1818S25C	<b>\$456</b>	18.45" body, 18.5" shaft-3/8" taps (9 per machine)	OHCMP or OHCOMPSS	SHA1818ST	<b>\$80</b>
2.5" smooth Steel	8.7 lb T1818S25S	<b>\$456</b>	18.25" body, 18.5" shaft-3/8" taps (9 per machine)	OHCMP or OHCOMPSS	SHA1818ST	<b>\$80</b>
<b>Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine</b>		<b>Multi-body roller options available to minimize skidding</b>				
2.5" smooth Urethane	9.5 lb TT2422S25C	<b>\$456</b>	22.45" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422ST	<b>\$80</b>
2.5" smooth Steel	9.2 lb TT2422S25S	<b>\$456</b>	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422ST	<b>\$80</b>

<b>for BARONESS (multi-body rollers available)</b>		<b>Call to upgrade with double row angular contact bearings</b>			
<b>Baroness LM66T Greens - 25.45" Front &amp; back ROLLERS</b>		<b>Multi-body roller options available to minimize skidding</b>			
2.5" dia. wide grooved (1" spacing) Urethane no flats	13 lb B2725H25CG	<b>\$486</b>	25.45" body, 27" shaft-M10 taps	OHCMP or OHCOMPSS	SHA2725HK <b>\$96</b>
2.5" smooth Urethane	15 lb B2725H25C	<b>\$486</b>	25.45" body, 27" shaft-M10 taps	OHCMP or OHCOMPSS	SHA2725HK <b>\$96</b>
2.5" smooth Steel	15 lb B2725H25S	<b>\$486</b>	25.25" body, 27" shaft-M10 taps	OHCMP or OHCOMPSS	SHA2725HK <b>\$96</b>
<b>Baroness LM185 - 27.45" Front &amp; Back ROLLERS</b>		<b>Multi-body roller options available to minimize skidding</b>			
3" dia. wide grooved Urethane	13 lb B3027K3CG	<b>\$613</b>	27.45" body, 30" shaft-9/16" dia. ends	OHCMP or OHCOMPSS	SHA3027KK <b>\$96</b>
3" smooth Urethane	15 lb B3027K3C	<b>\$613</b>	27.45" body, 30" shaft-9/16" dia. ends	OHCMP or OHCOMPSS	SHA3027KK <b>\$96</b>
3" smooth Steel	15 lb B3027K3S	<b>\$613</b>	27.25" body, 30" shaft-9/16" dia. ends	OHCMP or OHCOMPSS	SHA3027KK <b>\$96</b>
<b>Baroness LM2700 Fairway - 27.45" ROLLER BODIES</b>		<b>Multi-body roller options available to minimize skidding</b>			
3" dia. wide grooved Urethane with double row bearings	13 lb 2B2726G3CG	<b>\$693</b>	26.45" body, 27.625" shaft-7/16" taps	OHCMP2C	SHA2726GK <b>\$96</b>
3" smooth Urethane with double row bearings	15 lb 2B2726G3C	<b>\$693</b>	26.45" body, 27.625" shaft-7/16" taps	OHCMP2C	SHA2726GK <b>\$96</b>
3" smooth Steel with double row bearings	15 lb 2B2726G3SR	<b>\$693</b>	26.45" body, 27.625" shaft-7/16" taps	OHCMP2R	SHA2726GK <b>\$96</b>
3.5" smooth Urethane with double row bearings	18 lb 2B2726G35C	<b>\$737</b>	26.45" body, 27.625" shaft-7/16" taps	OHCMP2C	SHA2726GK <b>\$96</b>
4" smooth Urethane-double row bearings	23 lb 2B2726G4C	<b>\$754</b>	26.45" body, 27.625" shaft-7/16" taps	OHCMP2C	SHA2726GK <b>\$96</b>
<b>Baroness LM2810A Fairway - Front ROLLER BODIES</b>		<b>Multi-body roller options available to minimize skidding</b>			
5" dia. wide grooved Urethane with double row bearings	5 lb 2B0605G5CG	<b>\$345</b>	Roller assembly includes mounting bolts & washers	OHCMP2C	SHA0605GK <b>\$105</b>
5" dia. smooth Urethane with double row bearings	5.5 lb 2B0605G5C	<b>\$385</b>	Roller assembly includes mounting bolts & washers	OHCMP2C	SHA0605GK <b>\$105</b>
<b>Baroness LM2810A Fairway - Rear 29.45" ROLLER BODIES</b>		<b>Multi-body roller options available to minimize skidding</b>			
3" dia. wide grooved Urethane with double row bearings	13 lb 2B3029G3CG	<b>\$663</b>	29.45" body, 30.93" shaft-7/16" taps, mounting bolts & washers	OHCMP2C	SHA3029GK <b>\$105</b>
3" dia. smooth Urethane with double row bearings	15 lb 2B3029G3C	<b>\$663</b>	29.45" body, 30.93" shaft-7/16" taps, mounting bolts & washers	OHCMP2C	SHA3029GK <b>\$105</b>
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb 2B3029G3CGR5	<b>\$893</b>	5 short bodies, 30.93" shaft-7/16" taps, mounting bolts & washers	2x OHCMP2R4ext + 3x OHCMP2R4int	SHA3029GKA5 <b>\$115</b>
5 bodies 3" smooth Urethane (4x5.55"+1x6.5" bodies) double row bearings	16 lb 2B3029G3CR5	<b>\$893</b>	5 short bodies, 30.93" shaft-7/16" taps, mounting bolts & washers	2x OHCMP2R4ext + 3x OHCMP2R4int	SHA3029GKA5 <b>\$115</b>
<b>Baroness LM315 - 22.45" ROLLER BODIES</b> coming soon		<b>Multi-body roller options available to minimize skidding</b>			
<b>Baroness LM62 - 22.45" ROLLER BODIES</b> coming soon		<b>Multi-body roller options available to minimize skidding</b>			
<b>Baroness LS66 Fairway - 27.45" ROLLER BODIES</b> coming soon		<b>Multi-body roller options available to minimize skidding</b>			
<b>Baroness LM6690 - ROLLER BODIES</b> coming soon		<b>Multi-body roller options available to minimize skidding</b>			

<b>for VENTRAC (multi-body rollers available)</b>		<b>Call to upgrade with double row angular contact bearings</b>			
<b>Ventrac MJ840 Contour Deck Rotary Mower</b>		<b>Multi-body roller options available to minimize skidding</b>			
<b>3" dia. SINGLE body</b>					
3" smooth Urethane with double row bearings	11.8 lb 2V2422S3C	only available through Venture Products		OHCMP2C	SHA2422SV
3" smooth Steel with single row bearings	11.4 lb V2422S3S	<b>\$493</b>	22.05" body, 24.56" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422SV <b>\$91</b>
<b>3" dia. TWO opposing end short bodies</b>		<b>non-stripping, non-skidding for tight turns &amp; ground undulations</b>			
2 bodies 3" dia. wide grooved Urethane (2x4" wide bodies)	6 lb V2404S3CGt	<b>\$623</b>	2 short twin bodies at ends of a 24.56" shaft	2x OHCMP or 2x OHCOMPSS	SHA2404SVAt <b>\$96</b>
2 bodies 3" smooth Urethane (2x4" wide bodies)	8 lb V2404S3Ct	<b>\$623</b>	2 short twin bodies at ends of a 24.56" shaft	2x OHCMP or 2x OHCOMPSS	SHA2404SVAt <b>\$96</b>
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	10 lb V2404S3St	<b>\$623</b>	2 short twin bodies at ends of a 24.56" shaft	2x OHCMP or 2x OHCOMPSS	SHA2404SVAt <b>\$96</b>
<b>Ventrac MR740 Triplex Reel Mower</b>		<b>Multi-body roller options available to minimize skidding</b>			
3" dia. wide grooved Urethane	9.5 lb V2827G3CG	<b>\$583</b>	27.45" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCMP or OHCOMPSS	SHA2827SV <b>\$91</b>
3" smooth Urethane	11.5 lb V2827G3C	<b>\$583</b>	27.45" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCMP or OHCOMPSS	SHA2827SV <b>\$91</b>
3" smooth Steel	11.2 lb V2827G3S	<b>\$583</b>	27.25" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCMP or OHCOMPSS	SHA2827SV <b>\$91</b>

<b>for TrueSurface (multi-body rollers available)</b>		<b>Call to upgrade with double row angular contact bearings</b>			
<b>True Surface V5 rolling machine - FRONT ROLLER</b>		<b>Multi-body roller options available to minimize skidding</b>			
3" smooth Urethane with double row bearings	10 lb 2T2522V3C	<b>\$583</b>	22.45" body, 25.5" shaft-3/8" taps	OHCMP2	SHA2522VT <b>\$91</b>
3" smooth Steel with double row bearings	10.5 lb 2T2522V3S	<b>\$583</b>	22.25" body, 25.5" shaft-3/8" taps	OHCMP2	SHA2522VT <b>\$91</b>
3" smooth Urethane	9.5 lb T2522V3C	<b>\$523</b>	22.45" body, 25.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522VT <b>\$91</b>
3" smooth Steel	10 lb T2522V3S	<b>\$523</b>	22.25" body, 25.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522VT <b>\$91</b>

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

# GOLFCO INTERNATIONAL COMPETITION ROLLERS

## Retail Price List 2025 & 2026

US PATENT #5394661

### Competition Roller™ Upgrade Options

Retail

**Upgrade to Stainless Steel Bearings on Competition Rollers™**

\$28 BU-COMPSS

**Upgrade to Double Row Bearings as our Competition2 Rollers™**

\$50

-upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body)  
-available for most rollers greater than 2" dia.

(designate by adding "2" to front of roller part number)

**Add Grease Fittings (set of 2 special flush mount grease fittings)**

-grease fittings (set of two) for new Competition Rollers™ or new overhaul kits  
-special yellow end seal (set of two) to accommodate grease fitting without new bearing kits

\$25 GFFD316SET

\$29 2SEAL16CUGF SET

**Bearing Installation Tool Set**

-set of 2 tools - aids in installing bearings into roller housing and onto shaft

\$78 2TOOLSET

**Super solid one piece Polyurethane Mallet - FULL SIZE (13" length)**

-add a bottle opener to your full size mallet for \$12 extra

\$70 #MALLET13

\$82 #MALLET13BO

**Super solid one piece Polyurethane Mallet - 3/4 SIZE (9.8" length)**

\$45 #MALLET9.8

**Super solid one piece Polyurethane Mallet - 1/2 SIZE (6.5" length)**

-unique utility to add to your tool box

\$33 #MALLET6.5



### Competition Roller™ Overhaul Kits - \*ORIGINAL STYLE\*

**Single row deep groove bearings with corrosion resistant finish**

{ Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

**Standard overhaul kit for all single body (except "H" style 2" grooved)**  
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$85 OHCOMP

**Stainless steel bearing overhaul kit for all single body (except 2" grooved)**  
(with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)

\$109 OHCOMPSS

**Overhaul Kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19**  
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$90 OHCOMPH

**Overhaul Kit for single body roller assemblies with retaining collars**  
(with 2 alloy steel bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

\$99 OHCOMPc

**Overhaul Kit for twin body roller assemblies with retaining collars (one kit per body)**  
(with 2 alloy steel bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

\$99 OHCOMPt



### Competition2 Roller™ Overhaul Kits \*SERIES 2\* with Double-Row Bearings

**Double row angular contact bearings with corrosion resistant black oxide finish**

{ Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

**Overhaul Kit for single body deep bore rollers**  
(with 2 double row bearings, 6 seals, 2 stainless washers & 4 snap ring retainers)

\$124 OHCOMP2

**Overhaul Kit for single body deep bore rollers with retaining collars**  
(with 2 double row bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

\$124 OHCOMP2c

**Overhaul Kit for twin body deep bore rollers with retaining collars**  
(with 2 double row bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

\$124 OHCOMP2t

### Competition Roller™ Overhaul Kits - \*FOR MULTI-BODY\* ROLLER ASSEMBLIES

{ Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

**Overhaul Kit for multi-body regular bore roller assemblies with single row bearings**  
(with 2 alloy steel single row bearings, seals, steel washers, retainers)

call for part numbers & pricing

**Overhaul Kit for multi-body deep bore roller assemblies with double row bearings**  
(with 2 alloy steel double row bearings with black oxide finish, seals, steel washers, retainers)

call for part numbers & pricing

### Competition Roller™ Replacement Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from 6 digits of the roller part number (starting with the first letter) as follows: Roller T2522S2CGF has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).