

GOLFCO INTERNATIONAL COMPETITION ROLLERS

Retail Price List 2026 v.7

US PATENT #5394681

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

	Complete Roller Assemblies	Roller Retail		Replacement Kit (bearings, seals, retainers) (These parts are included in new roller assemblies)	Replacement Shaft	Shaft Retail
--	----------------------------------	------------------	--	--	----------------------	-----------------

for Jacobsen mowers

Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 & ECLIPSE 122 & 322 MOWERS - FRONT ROLLER

2" dia. SINGLE body						
2" dia. wide grooved Urethane no flats	6.5 lb	J2522A2CG	\$382	22.45" body, 25.87" shaft	OHCMPH	SHA2522AJ \$80
2" dia. narrow grooved Urethane no flats	6.7 lb	J2522A2NG	\$382	22.45" body, 25.87" shaft	OHCMPH	SHA2522AJ \$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2522A2CGF	\$382	22.45" body, 25.87" shaft	OHCMPH	SHA2522AJ \$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2522A2NGF	\$382	22.45" body, 25.87" shaft	OHCMPH	SHA2522AJ \$80
2" dia. smooth Urethane	8 lb	J2522A2C	\$382	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ \$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2522A2S	\$362	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ \$80
2" dia. TWO opposing end short bodies						
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2504A2CGI	\$462	2 short twin bodies at ends of 25.87" shaft	2x OHCMPHt	SHA2504AJAt \$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2504A2NGI	\$462	2 short twin bodies at ends of 25.87" shaft	2x OHCMPHt	SHA2504AJAt \$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2504A2CGFt	\$462	2 short twin bodies at ends of 25.87" shaft	2x OHCMPHt	SHA2504AJAt \$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2504A2NGFt	\$462	2 short twin bodies at ends of 25.87" shaft	2x OHCMPHt	SHA2504AJAt \$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2502A2Ct	\$462	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2502AJAt \$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2504A2Ct	\$462	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2504AJAt \$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2504A2St	\$462	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2504AJAt \$96
2" dia. SINGLE body + 2 bodies outside of brackets						
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	J3122A2CG+2C	\$532	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122AJA+2 \$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	J3122A2NG+2C	\$532	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122AJA+2 \$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	J3122A2CGF+2C	\$532	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122AJA+2 \$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	J3122A2NGF+2C	\$532	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122AJA+2 \$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	J3122A2C+2C	\$532	22.25" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPHCS	SHA3122AJA+2 \$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	15 lb	J3122A2S+2S	\$532	22.25" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2 \$108
2" dia. FOUR bodies						
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2522A2CG4	\$622	4 short bodies, 25.87" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4 \$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2522A2NG4	\$622	4 short bodies, 25.87" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4 \$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2522A2CGF4	\$622	4 short bodies, 25.87" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4 \$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2522A2NGF4	\$622	4 short bodies, 25.87" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4 \$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	J2522A2C4	\$622	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4 \$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	J2522A2S4	\$622	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4 \$98
2" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3122A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122AJA4+2 \$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3122A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122AJA4+2 \$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3122A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122AJA4+2 \$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3122A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122AJA4+2 \$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	J3122A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3122AJA4+2 \$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	15 lb	J3122A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2 \$108
2.5" dia. SINGLE body						
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	J2522A25CG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ \$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	J2522A25NG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ \$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	J2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ \$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 3/4" flats	9 lb	J2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ \$80
2.5" smooth Urethane	9.5 lb	J2522A25C	\$396	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ \$80
2.5" smooth Steel	10 lb	J2522A25S	\$376	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AJ \$80
2.5" dia. TWO opposing end short bodies						
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2504A25CGt	\$516	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2504AJAt \$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2504A25NGt	\$516	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2504AJAt \$96
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2504A25CGFt	\$516	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2504AJAt \$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2504A25NGFt	\$516	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2504AJAt \$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2504A25Ct	\$516	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2504AJAt \$96
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb	J2504A25St	\$516	2 short twin bodies at ends of 25.87" shaft	2x OHCMPt or 2x OHCMPSS	SHA2504AJAt \$96
2.5" dia. SINGLE body + 2 bodies outside of brackets						
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	J3122A25CG+2C	\$576	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2 \$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	J3122A25NG+2C	\$576	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2 \$108
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	J3122A25CGF+2C	\$576	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2 \$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	J3122A25NGF+2C	\$576	22.45" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2 \$108
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	J3122A25C+2C	\$576	22.25" center body + 2 short outer bodies, 31.87" shaft	1x OHCMP + 2x OHCMPCS	SHA3122AJA+2 \$108
2.5" dia. FOUR bodies						
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	J2522A25CG4	\$676	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	J2522A25NG4	\$676	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4 \$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	J2522A25CGF4	\$676	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	J2522A25NGF4	\$676	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4 \$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	9 lb	J2522A25C4	\$676	4 short bodies, 25.87" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4 \$98
2.5" dia. FOUR bodies + 2 bodies outside of brackets						
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb	J3122A25CG4+2C	\$726	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2 \$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3122A25NG4+2C	\$726	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2 \$108
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3122A25CGF4+2C	\$726	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2 \$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3122A25NGF4+2C	\$726	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2 \$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	J3122A25C4+2C	\$726	4 center bodies + 2 short outer bodies, 31.87" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3122AJA4+2 \$108

Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 & ECLIPSE 122 & 322 MOWERS - BACK ROLLER

2" dia. SINGLE body w/ 3/8" taps in shaft						
2" dia. wide grooved Urethane no flats	6.5 lb	J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ \$80
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ \$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ \$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ \$80
2" dia. smooth Urethane	8 lb	J2422S2C	\$382	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2422SJ \$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422S2S	\$362	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2422SJ \$80
2" dia. SINGLE body w/ 7/16" taps in shaft						
2" dia. wide grooved Urethane no flats	6.5 lb	J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ \$80
2" dia. narrow grooved Urethane no flats	6.7 lb	J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ \$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ \$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ \$80
2" dia. smooth Urethane	8 lb	J2422G2C	\$382	22.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCMPSS	SHA2422GJ \$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2422G2S	\$362	22.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCMPSS	SHA2422GJ \$80

Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT ROLLERS (SHAFT is 21.25" with taps in both ends)

<u>2" dia. SINGLE body</u>							
2" dia. wide grooved Urethane no flats	6.2 lb	J2119S2CG	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. narrow grooved Urethane no flats	6.4 lb	J2119S2NG	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. wide grooved Urethane 1" flats	6.2 lb	J2119S2CGF	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2119S2NGF	\$382	19.45" body, 21.25" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. smooth Urethane	7.5 lb	J2119S2C	\$382	19.25" body, 21.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2119SJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2119S2S	\$362	19.25" body, 21.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2119SJ	\$80
<u>2" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104S2CGT	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMPH	SHA2104SJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2104S2NGT	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMPH	SHA2104SJAT	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104S2CGF1	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMPH	SHA2104SJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2104S2NGF1	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMPH	SHA2104SJAT	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2102S2Ct	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2104SJAT	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2104S2Ct	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2104SJAT	\$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2104S2St	\$462	2 short twin bodies at ends of a 21.25" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2104SJAT	\$96
<u>2" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119S2CG4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119SJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2119S2NG4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119SJ4A	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119S2CGF4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119SJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2119S2NGF4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119SJ4A	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	J2119S2C4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2119SJ4A	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2119S2S4	\$622	4 short bodies, 21.25" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2119SJ4A	\$98

Jacobsen 18" Eclipse2 118F GREENSMOWERS - REAR ROLLERS (SHAFT is 20.5" with taps in both ends)

<u>2" dia. SINGLE body</u>							
2" dia. wide grooved Urethane no flats	6.2 lb	J2019S2CG	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. narrow grooved Urethane no flats	6.4 lb	J2019S2NG	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. wide grooved Urethane 1" flats	6.2 lb	J2019S2CGF	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMPH	SHA2019SJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.4 lb	J2019S2NGF	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMPH	SHA2119SJ	\$80
2" dia. smooth Urethane	7.5 lb	J2019S2C	\$382	19.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2019SJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	J2019S2S	\$362	19.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2019SJ	\$80
<u>2" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2004S2CGT	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMPH	SHA2004SJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2004S2NGT	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMPH	SHA2004SJAT	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2004S2CGF1	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMPH	SHA2004SJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2004S2NGF1	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMPH	SHA2004SJAT	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2002S2Ct	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2002SJAT	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2004S2Ct	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2004SJAT	\$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2004S2St	\$462	2 short twin bodies at ends of a 20.5" shaft-3/8" taps	2x OHCMP or 2x OHCMPSS	SHA2004SJAT	\$96
<u>2" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2019S2CG4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2019SJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	J2019S2NG4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2019SJ4A	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2019S2CGF4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2019SJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	J2019S2NGF4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2019SJ4A	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.9 lb	J2019S2C4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2019SJ4A	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	J2019S2S4	\$622	4 short bodies, 20.5" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2019SJ4A	\$98

Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - FRONT & BACK ROLLERS

<u>2" dia. SINGLE body</u>							
2" dia. wide grooved Urethane no flats	7.8 lb	J2926A2CG	\$382	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. narrow grooved Urethane no flats	7.8 lb	J2926A2NG	\$382	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. wide grooved Urethane 1" flats	8 lb	J2926A2CGF	\$382	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. narrow grooved Urethane 1" flats	8 lb	J2926A2NGF	\$382	26.45" body, 29.75" shaft	OHCMPH	SHA2926AJ	\$80
2" dia. smooth Urethane	9 lb	J2926A2C	\$382	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	12.5 lb	J2926A2S	\$362	26.25" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
<u>2" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A2CGT	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMPH	SHA2904AJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A2NGT	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMPH	SHA2904AJAT	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A2CGF1	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMPH	SHA2904AJAT	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A2NGF1	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMPH	SHA2904AJAT	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.2 lb	J2902A2Ct	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2904A2Ct	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2904A2St	\$462	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3526A2CG+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12 lb	J3526A2NG+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3526A2CGF+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats	12 lb	J3526A2NGF+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13 lb	J3526A2NGF+2C	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMP + 2x OHCMPHCS	SHA3526AJA+2	\$108
extended 2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)	13 lb	J3526A2S+2S	\$532	26.45" center body +2 short outer bodies, 35.75" shaft	1x OHCMP + 2x OHCMPCS	SHA3526AJA+2	\$108
<u>2" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J2926A2CG4	\$622	4 short bodies, 29.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2926AJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	J2926A2NG4	\$622	4 short bodies, 29.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2926AJ4A	\$98
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J2926A2CGF4	\$622	4 short bodies, 29.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2926AJ4A	\$98
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	J2926A2NGF4	\$622	4 short bodies, 29.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2926AJ4A	\$98
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	13 lb	J2926A2C4	\$622	4 short bodies, 29.75" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2926AJ4A	\$98
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	13 lb	J2926A2S4	\$622	4 short bodies, 29.75" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2926AJ4A	\$98
<u>2" dia. FOUR bodies + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	J3526A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	J3526A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	J3526A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	J3526A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	J3526A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3526AJA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	13 lb	J3526A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPCS	SHA3526AJA4+2	\$108

<u>2.5" dia. SINGLE body</u>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	J2926A25CG	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	J2926A25NG	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	J2926A25CGF	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	J2926A25NGF	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" smooth Urethane	11 lb	J2926A25C	\$456	26.45" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
2.5" smooth Steel	11 lb	J2926A25S	\$456	26.25" body, 29.75" shaft	OHCMP or OHCMPSS	SHA2926AJ	\$80
<u>2.5" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A25CGT	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb	J2904A25NGT	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A25CGF1	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb	J2904A25NGF1	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2904A25Ct	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb	J2904A25St	\$516	2 short twin bodies at ends of 29.75" shaft	2x OHCMP or 2x OHCMPSS	SHA2904AJAT	\$96

Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 & SLF1 Elite - FRONT ROLLER Call to upgrade with double row angular contact bearings

3" dia. SINGLE body							
3" dia. wide grooved Urethane	9 lb J2119A3CG	\$533	19.45" body, 21.25" shaft	OHCMP or OHCOMPSS	SHA2119AJ	\$80	
3" smooth Urethane	10.5 lb J2119A3C	\$533	19.45" body, 21.25" shaft	OHCMP or OHCOMPSS	SHA2119AJ	\$80	
3" smooth Steel	11 lb J2119A3S	\$533	19.25" body, 21.25" shaft	OHCMP or OHCOMPSS	SHA2119AJ	\$80	
3" dia. FOUR bodies							
4 bodies 3" dia. wide grooved Urethane (4x4.75" wide bodies)	12 lb J2119A3CG4	\$723	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119AJA4	\$98	
4 bodies 3" smooth Urethane (4x4.75" wide bodies)	14 lb J2119A3C4	\$723	4 short bodies, 21.25" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2119AJA4	\$98	
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics				
3" dia. wide grooved Urethane with 2.2" wide smooth ends	8.5 lb J2119A3CGF.22C	\$553	front roller for rear mower heads-use with J2016G2C	OHCMP or OHCOMPSS	SHA2119AJ	\$80	
2" dia. smooth Urethane	6.5 lb J2016G2C	\$382	back roller for rear mower heads-use with J2119A3CGF.22C	OHCMP or OHCOMPSS	SHA2016GJ	\$80	

Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 & SLF1 Elite - BACK ROLLER (with 7/16-20 tap) Call to upgrade with double row angular contact bearings

2" dia. SINGLE body							
2" dia. smooth Urethane	6.5 lb J2016S2C	\$382	16.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2016GJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb J2016S2S	\$362	16.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2016GJ	\$80	
2" dia. smooth Urethane	6.5 lb J2016G2C	\$382	16.25" body, 20.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2016GJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb J2016G2S	\$362	16.25" body, 20.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2016GJ	\$80	
2" dia. smooth Urethane	11 lb J2019S2C	\$382	19.45" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11 lb J2019S2S	\$362	19.45" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2" dia. smooth Urethane	11 lb J2019G2C	\$382	19.45" body, 20.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11 lb J2019G2S	\$362	19.25" body, 20.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2.5" dia. SINGLE body							
2.5" smooth Urethane	11 lb J2019S25C	\$456	19.45" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	
2.5" smooth steel	11 lb J2019S25S	\$456	19.25" body, 20.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2019SJ	\$80	

Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810) Call to upgrade with double row angular contact bearings

3" dia. SINGLE body							
3" dia. wide grooved Urethane	9.4 lb J2522A3CG	\$533	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AJ	\$80	
3" smooth Urethane	12 lb J2522A3C	\$533	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AJ	\$80	
3" smooth Steel	11.5 lb J2522A3S	\$533	22.25" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AJ	\$80	
3" dia. FOUR bodies							
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	12 lb J2522A3CG4	\$723	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$98	
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	14 lb J2522A3C4	\$723	4 short bodies, 25.875" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522AJA4	\$98	
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics				
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb J2522A3CGF.22C	\$553	front roller for rear mower heads-use with J2419S2C	OHCMP or OHCOMPSS	SHA2522AJ	\$80	
2" dia. smooth Urethane (rear roller)	7 lb J2419S2C	\$382	back roller for rear mower heads-use with J2522A3CGF.22C	OHCMP or OHCOMPSS	SHA2419SJ	\$80	

Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810) Call to upgrade with double row angular contact bearings

2" dia. SINGLE body w/ 3/8" taps in shaft							
2" dia. wide grooved Urethane no flats	6.5 lb J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2422SJ	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2422SJ	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2422SJ	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2422SJ	\$80	
2" dia. smooth Urethane	8 lb J2422S2C	\$382	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422SJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422S2S	\$362	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422SJ	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb J2419S2CGF	\$382	19.45" body, 24.25" shaft-3/8" taps	OHCMP	SHA2419SJ	\$80	
2" dia. smooth Urethane	7 lb J2419S2C	\$382	19.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2419SJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb J2419S2S	\$362	19.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2419SJ	\$80	
2" dia. SINGLE body w/ 7/16" taps in shaft							
2" dia. wide grooved Urethane no flats	6.5 lb J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMP	SHA2422GJ	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMP	SHA2422GJ	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMP	SHA2422GJ	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	OHCMP	SHA2422GJ	\$80	
2" dia. smooth Urethane	8 lb J2422G2C	\$382	22.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2422GJ	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422G2S	\$362	22.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2422GJ	\$80	
2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2CGT	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT	SHA2404SJA4	\$96	
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2NGT	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT	SHA2404SJA4	\$96	
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2CGFT	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT	SHA2404SJA4	\$96	
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2NGFT	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT	SHA2404SJA4	\$96	
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402S2C	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2402SJA4	\$96	
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404G2Ct	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2404S2St	\$462	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2CGT	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT	SHA2404GJA4	\$96	
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2NGT	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT	SHA2404GJA4	\$96	
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2CGFT	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT	SHA2404GJA4	\$96	
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2NGFT	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT	SHA2404GJA4	\$96	
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402G2C	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2402GJA4	\$96	
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404G2Ct	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404GJA4	\$96	
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2404G2St	\$462	2 short twin bodies at ends of 24.25" shaft-7/16" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404GJA4	\$96	
2" dia. FOUR bodies w/ 3/8" taps in shaft							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2CG4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2NG4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2CGF4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2NGF4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422S2C4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422S2S4	\$622	4 short bodies, 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422SJA4	\$98	
2" dia. FOUR bodies w/ 7/16" taps in shaft							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2CG4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2NG4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2CGF4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2NGF4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422G2C4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422G2S4	\$622	4 short bodies, 24.25" shaft-7/16" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2422GJA4	\$98	
2.5" dia. SINGLE body w/ 3/8" taps in shaft							
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421S25CG	\$456	21.45" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2421SJ	\$80	
2.5" smooth Urethane	8.8 lb J2421S25C	\$396	21.45" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2421SJ	\$80	
2.5" smooth Steel	9.5 lb J2421S25S	\$376	21.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2421SJ	\$80	
2.5" dia. SINGLE body w/ 7/16" taps in shaft							
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421G25CG	\$456	21.45" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2421GJ	\$80	
2.5" smooth Urethane	8.8 lb J2421G25C	\$396	21.45" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2421GJ	\$80	
2.5" smooth Steel	9.5 lb J2421G25S	\$376	21.25" body, 24.25" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA2421GJ	\$80	
2.5" dia. TWO opposing end short bodies							
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25CGT	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25NGT	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25CGFT	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25NGFT	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S25Ct	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb J2404S25St	\$516	2 short twin bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMPHT or 2x OHCOMPSS	SHA2404SJA4	\$96	

2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) no flats	10.5 lb J2421S25CG4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) no flats	10.5 lb J2421S25NG4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) 1" flats	10.5 lb J2421S25CGF4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) 1" flats	10.5 lb J2421S25NGF4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
4 bodies 2.5" smooth Urethane (2x4.75"+2x5.55" wide bodies)	9 lb J2421S25C4	\$676	4 short bodies at ends of 24.25" shaft-3/8" taps	2x OHCOMP4ext + 2x OHCOMP4int	SHA2421SJA4	\$98	
Jacobsen 26" LIGHT FAIRWAY LF2500 & 3050 - FRONT & BACK ROLLERS				Call to upgrade with double row angular contact bearings			
3" dia. SINGLE body							
3" dia. wide grooved Urethane	13 lb J3026X3CG	\$533	26.45" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	\$80	
3" smooth Urethane	13.5 lb J3026X3C	\$533	26.45" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	\$80	
3" smooth Steel	13.5 lb J3026X3S	\$533	26.25" body, 30.5" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3026XJ	\$80	
3" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3026X3CG4	\$723	4 short bodies, 30.5" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026XJA4	\$96	
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3026X3C4	\$723	4 short bodies, 30.5" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3026XJA4	\$96	
Jacobsen 26" TR-3 & F305 fairway - FRONT & BACK ROLLERS				Call to upgrade with double row angular contact bearings			
2.5" dia. SINGLE body							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb J3126X25CG	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb J3126X25NG	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb J3126X25CGF	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb J3126X25NGF	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" smooth Urethane	11 lb J3126X25C	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" smooth Steel	11 lb J3126X25S	\$456	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$81	
2.5" dia. TWO opposing end short bodies				non-striping, non-skidding for tight turns & ground undulations			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb J3104X25CGt	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.2 lb J3104X25NGt	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb J3104X25CGFt	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.2 lb J3104X25NGFt	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J3104X25Ct	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2 bodies 2.5" smooth steel (2x4.75" wide bodies)	6 lb J3104X25St	\$516	2 short twin bodies at ends of 31.25" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA3104XJA	\$96	
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25CG4	\$676	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb J3126X25NG4	\$676	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25CGF4	\$676	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb J3126X25NGF4	\$676	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb J3126X25C4	\$646	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
3" dia. SINGLE body							
3" dia. wide grooved Urethane	13 lb J3126X3CG	\$533	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$86	
3" smooth Urethane	13.5 lb J3126X3C	\$533	26.45" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$86	
3" smooth Steel	13.5 lb J3126X3S	\$533	26.25" body, 31.25" shaft-1/2" dia. ends	OHCOMP or OHCOMPSS	SHA3126XJ	\$86	
3" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3126X3CG4	\$723	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3126X3C4	\$723	4 short bodies, 31.25" shaft-1/2" dia. ends	2x OHCOMP4ext + 2x OHCOMP4int	SHA3126XJA4	\$96	
Jacobsen 30" ST5111, FAIRWAY, GANG, HF5 & HF15 - FRONT & BACK ROLLERS				Call to upgrade with double row angular contact bearings			
3" dia. SINGLE body							
3" dia. wide grooved Urethane	12.4 lb J3329A3CG	\$533	29.45" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	\$80	
3" smooth Urethane	15 lb J3329A3C	\$533	29.45" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	\$80	
3" smooth Steel	15 lb J3329A3S	\$533	29.25" body, 33.5" shaft	OHCOMP or OHCOMPSS	SHA3329AJ	\$80	
Jacobsen ROTARY AR-522 & AR-722 26" DECK - FRONT ROLLER							
5" grooved Urethane (4" wide body) double row bearings	10 lb J2J040G5CG	\$345	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GJ	\$80	
5" smooth Urethane (4" wide body) double row bearings	11 lb J2J040G5C	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP2	SHA0404GJ	\$80	
5" grooved Urethane (4" wide body) single row bearings	10 lb J0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0404GJ	\$80	
5" smooth Urethane (4" wide body) single row bearings	11 lb J0404G5C	\$385	Roller assembly includes sleeves & bolts for mounting to fork	OHCOMP or OHCOMPSS	SHA0404GJ	\$80	
Jacobsen ROTARY AR-522, AR-722, & AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)							
3" dia. SINGLE body							
3" dia. wide grooved Urethane with double row bearings	12.5 lb J2J2925R3CG	\$573	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	\$96	
3" smooth Urethane with double row bearings	13.3 lb J2J2925R3C	\$573	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	\$96	
3" smooth Steel with double row bearings	14 lb J2J2925R3SR	\$573	25.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2RC	SHA2925RJ	\$96	
3" smooth Steel with single row bearings	14 lb J2J2925R3S	\$573	25.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C or OHCOMP2SS	SHA2925RJ	\$96	
3" dia. wide grooved Urethane with double row bearings	12.5 lb J2J2925Q3CG	\$573	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2C	SHA2925QJ	\$96	
3" smooth Urethane with double row bearings	13.3 lb J2J2925Q3C	\$573	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2C	SHA2925QJ	\$96	
3" smooth Steel with double row bearings	14 lb J2J2925Q3SR	\$573	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2RC	SHA2925QJ	\$96	
3" smooth Steel with single row bearings	14 lb J2J2925Q3S	\$573	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2C or OHCOMP2SS	SHA2925QJ	\$96	
3" dia. TWO opposing end short bodies				non-striping, non-skidding for tight turns & ground undulations			
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb J2J2905R3CGt	\$623	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2T	SHA2905RJA	\$98	
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb J2J2904R3Ct	\$623	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2T	SHA2904RJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb J2J2904R3SRt	\$623	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2Rt	SHA2904RJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	8 lb J2J2904R3S	\$623	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMPt or 2x OHCOMPtSS	SHA2904RJA	\$98	
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb J2J2905Q3CGt	\$623	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMP2T	SHA2905QJA	\$98	
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb J2J2904Q3Ct	\$623	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMP2T	SHA2904QJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb J2J2904Q3SRt	\$623	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMP2Rt	SHA2904QJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	8 lb J2J2904Q3S	\$623	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMPt or 2x OHCOMPtSS	SHA2904QJA	\$98	
3" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb J2J2925R3CGR4	\$763	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925RJA4	\$98	
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb J2J2925R3CR4	\$763	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925RJA4	\$98	
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb J2J2925Q3CGR4	\$763	4 short bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925QJA4	\$98	
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb J2J2925Q3CR4	\$763	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925QJA4	\$98	
3.5" dia. SINGLE body							
3.5" smooth Urethane with double row bearings	17 lb J2J2925R35C	\$627	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	\$96	
3.5" smooth Urethane with double row bearings	17 lb J2J2925Q35C	\$627	25.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	OHCOMP2C	SHA2925QJ	\$96	
4" dia. SINGLE body							
4" smooth Urethane-double row bearings	24 lb J2J2925R4C	\$704	25.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	OHCOMP2C	SHA2925RJ	\$96	
Jacobsen ROTARY AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)							
3" dia. SINGLE body							
3" dia. wide grooved Urethane with double row bearings	13 lb J2J3025D3CG	\$583	25.45" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C	SHA3025DJ	\$80	
3" smooth Urethane with double row bearings	13.4 lb J2J3025D3C	\$583	25.45" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C	SHA3025DJ	\$80	
3" smooth Steel with double row bearings	14 lb J2J3025D3SR	\$583	25.25" body, 30" shaft-specify configuration of shaft ends	OHCOMP2RC	SHA3025DJ	\$80	
3" smooth Steel with single row bearings	14 lb J3025D3S	\$523	25.25" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C or OHCOMP2SS	SHA3025DJ	\$80	
3" dia. TWO opposing end short bodies				non-striping, non-skidding for tight turns & ground undulations			
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6 lb J2J3005D3CGt	\$663	2 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2T	SHA3005DJA	\$98	
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.3 lb J2J3004D3Ct	\$663	2 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2T	SHA3004DJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb J2J3004D3SRt	\$663	2 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2Rt	SHA3004DJA	\$98	
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	8 lb J3004D3S	\$623	2 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMPt or 2x OHCOMPtSS	SHA3004DJA	\$98	
3" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	13.5 lb J2J3025R3CGR4	\$763	4 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA3025RJA4	\$98	
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	14 lb J2J3025R3CR4	\$763	4 short twin bodies, 30" shaft-specify configuration of shaft ends	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA3025RJA4	\$98	
3.5" dia. SINGLE body							
4" smooth Urethane-double row bearings	17 lb J2J3025D35C	\$627	25.45" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C	SHA3025DJ	\$80	
4" dia. SINGLE body							
4" smooth Urethane-double row bearings	24 lb J2J3025D4C	\$704	25.45" body, 30" shaft-specify configuration of shaft ends	OHCOMP2C	SHA3025DJ	\$80	

Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm shaft configuration on ends)

Table with columns for part description, quantity, part number, price, and part number. Includes sub-sections for 3" dia. SINGLE body, 3" dia. TWO opposing end short bodies, and 3" dia. FOUR bodies.

Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER

Table with columns for part description, quantity, part number, price, and part number. Includes sub-sections for 3" dia. SINGLE body and 4" dia. SINGLE body.

for JOHN DEERE mowers

John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS - FRONT ROLLER

Table with columns for part description, quantity, part number, price, and part number. Includes sub-sections for 2" dia. SINGLE body, 2" dia. TWO opposing end short bodies, 2" dia. SINGLE body + 2 bodies outside of brackets, and 2" dia. FOUR bodies + 2 bodies outside of brackets.

John Deere 22" 220 & 220SL WALKING & 2500, 2400, 2550, 2700, 2750 & 2243 RIDING GREENSMOWERS - FRONT & BACK ROLLERS

Table with columns for part description, quantity, part number, price, and part number. Includes sub-sections for 2" dia. SINGLE body, 2" dia. TWO opposing end short bodies, and 2" dia. SINGLE body + 2 bodies outside of brackets.

2.5" dia. FOUR bodies + 2 bodies outside of brackets			non-skidding for tight turns & ground undulations		
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb D3526A25CG4+2C	\$726	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 \$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb D3526A25NG4+2C	\$726	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 \$108
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb D3526A25CGF4+2C	\$726	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 \$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	10 lb D3526A25NGF4+2C	\$726	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 \$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb D3526A25C4+2C	\$726	4 center bodies + 2 short outer bodies, 35.75" shaft	2x OHCOMP4ext + 2x OHCOMP4int + 2x OHCOMPSS	SHA3526ADA4+2 \$108
John Deere 22" 3215 & 3225 LIGHT FAIRWAY MOWERS - FRONT & BACK ROLLERS			Call to upgrade with double row angular contact bearings		
2" dia. SINGLE body					
Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call					
2" dia. wide grooved Urethane no flats	6.7 lb D2522C2CG	\$382	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD \$80
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	\$382	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD \$80
2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2CGF	\$382	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD \$80
2" dia. wide grooved Urethane 1" flats	6.7 lb D2522C2NGF	\$382	22.45" body, 25.5" shaft	OHCMPH	SHA2522CD \$80
2" dia. smooth Urethane	7.9 lb D2522C2C	\$382	22.25" body, 25.5" shaft	OHCMP or OHCOMPSS	SHA2522CD \$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	\$362	22.25" body, 25.5" shaft	OHCMP or OHCOMPSS	SHA2522CD \$80
John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT & BACK ROLLERS (2 styles)			Call to upgrade with double row angular contact bearings		
3" dia. SINGLE body					
Rollers for QA-5 reels (with 1 flat on one end of the shaft):					
3" dia. wide grooved Urethane	9.5 lb D2522C3CG	\$533	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
3" smooth Urethane	12 lb D2522C3C	\$533	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
3" smooth Steel	11.5 lb D2522C3S	\$533	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
To diminish instances of shadowing lines due to overlap of reels					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CGF.22C	\$553	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
3" smooth Urethane	11 lb D2519C3C	\$533	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2519CD \$80
Rollers with 2 flats on 1 end of the shaft:					
3" dia. wide grooved Urethane	9.5 lb D2522F3CG	\$533	22.45" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2522FD \$80
3" smooth Urethane	11 lb D2522F3C	\$533	22.45" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2522FD \$80
3" smooth Steel	12 lb D2522F3S	\$533	22.25" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2522FD \$80
To diminish instances of shadowing lines due to overlap of reels					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522F3CGF.22C	\$553	22.45" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2522FD \$80
3" smooth Urethane	11 lb D2519F3C	\$533	22.25" body, 25.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA2519FD \$80
John Deere 22" 7500 / 8500 & 6700/7700 / 8700 PRECISION CUT & E-CUT FAIRWAY (QA5 & QA7 reels)			Call to upgrade with double row angular contact bearings		
Rollers for QA-5 reels (with 1 flat on 1 end of the shaft):					
2" dia. SINGLE body					
2" dia. wide grooved Urethane no flats	6.5 lb D2522C2CG	\$382	22.45" body, 25.5" shaft-1 flat	OHCMPH	SHA2522CD \$80
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	\$382	22.45" body, 25.5" shaft-1 flat	OHCMPH	SHA2522CD \$80
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522C2CGF	\$382	22.45" body, 25.5" shaft-1 flat	OHCMPH	SHA2522CD \$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522C2NGF	\$382	22.45" body, 25.5" shaft-1 flat	OHCMPH	SHA2522CD \$80
2" dia. smooth Urethane	7.9 lb D2522C2C	\$382	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	\$362	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
2" dia. SINGLE body + 2 bodies outside of brackets					
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2CG+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122CDA+2 \$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2NG+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122CDA+2 \$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122CDA+2 \$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2NGF+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft	1x OHCMPH + 2x OHCOMPCHS	SHA3122CDA+2 \$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C2C+2C	\$532	22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCMP + 2x OHCOMPCHS	SHA3122CDA+2 \$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122C2S+2S	\$532	22.25" center body + 2 short outer bodies, 31.5" shaft	1x OHCMP + 2x OHCOMPCHS	SHA3122CDA+2 \$108
2" dia. FOUR bodies					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2CG4	\$622	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2NG4	\$622	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2CGF4	\$622	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NGF4	\$622	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522C2C4	\$622	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522C2S4	\$622	4 short bodies, 25.5" shaft-1 flat	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
2.5" dia. SINGLE body					
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb D2522C25CG	\$456	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb D2522C25NG	\$456	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522C25CGF	\$456	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb D2522C25NGF	\$456	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
2.5" smooth Urethane	9.5 lb D2522C25C	\$456	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
2.5" smooth Steel	9.2 lb D2522C25S	\$456	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
To diminish instances of shadowing lines due to overlap of reels					
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb D2522C25CGF.22C	\$516	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
2.5" smooth Urethane	9.5 lb D2519C25C	\$456	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2519CD \$80
2.5" dia. FOUR bodies					
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25CG4	\$676	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25NG4	\$676	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25CGF4	\$676	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25NGF4	\$676	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb D2522C25C4	\$676	4 short bodies, 25.5" shaft	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522CDA4 \$98
3" dia. SINGLE body					
3" dia. wide grooved Urethane	9.5 lb D2522C3CG	\$513	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
3" smooth Urethane	12 lb D2522C3C	\$513	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
3" smooth Steel	11.5 lb D2522C3S	\$513	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
To diminish instances of shadowing lines due to overlap of reels					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CGF.22C	\$543	22.45" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2522CD \$80
3" smooth Urethane	11 lb D2519C3C	\$523	22.25" body, 25.5" shaft-1 flat	OHCMP or OHCOMPSS	SHA2519CD \$80
Rollers for QA-7 reels (with 2 flats on 1 end of the shaft):					
2" dia. SINGLE body					
2" dia. wide grooved Urethane no flats	6.5 lb D2522F2CG	\$382	22.45" body, 25.5" shaft w/ 2 flats	OHCMPH	SHA2522FD \$82
2" dia. narrow grooved Urethane no flats	6.7 lb D2522F2NG	\$382	22.45" body, 25.5" shaft w/ 2 flats	OHCMPH	SHA2522FD \$82
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522F2CGF	\$382	22.45" body, 25.5" shaft w/ 2 flats	OHCMPH	SHA2522FD \$82
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522F2NGF	\$382	22.45" body, 25.5" shaft w/ 2 flats	OHCMPH	SHA2522FD \$82
2" dia. smooth Urethane	7.9 lb D2522F2C	\$382	22.25" body, 25.5" shaft w/ 2 flats	OHCMP or OHCOMPSS	SHA2522FD \$82
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522F2S	\$362	22.25" body, 25.5" shaft w/ 2 flats	OHCMP or OHCOMPSS	SHA2522FD \$82
2" dia. SINGLE body + 2 bodies outside of brackets					
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122F2CG+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMPH + 2x OHCOMPCHS	SHA3122FDA+2 \$112
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122F2NG+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMPH + 2x OHCOMPCHS	SHA3122FDA+2 \$112
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122F2CGF+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMPH + 2x OHCOMPCHS	SHA3122FDA+2 \$112
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122F2NGF+2C	\$532	22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMPH + 2x OHCOMPCHS	SHA3122FDA+2 \$112
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122F2C+2C	\$532	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMP + 2x OHCOMPCHS	SHA3122FDA+2 \$112
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122F2S+2S	\$532	22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	1x OHCMP + 2x OHCOMPCHS	SHA3122FDA+2 \$112
2" dia. FOUR bodies					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522F2CG4	\$622	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 \$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522F2NG4	\$622	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 \$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522F2CGF4	\$622	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 \$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522F2NGF4	\$622	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 \$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522F2C4	\$622	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 \$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522F2S4	\$622	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCOMP4ext + 2x OHCOMP4int	SHA2522FDA4 \$98

2.5" dia. SINGLE body				non-skidding for tight turns & ground undulations			
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb	D2522F25CG	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb	D2522F25NG	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb	D2522F25CGF	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb	D2522F25NGF	\$456	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" smooth Urethane	9.5 lb	D2522F25C	\$396	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" smooth Steel	9.2 lb	D2522F25S	\$376	22.25" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
To diminish instances of shadowing lines due to overlap of reels				call for proper application specifics			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb	D2522F25CGF.22C	\$523	front roller for rear mower heads-use with D2519F25C	OHCMP or OHCMPSS	SHA2522FD	\$82
2.5" smooth Urethane	9.5 lb	D2519F25C	\$456	back roller for rear mower heads-use with D2522F25CGF.22C	OHCMP or OHCMPSS	SHA2519FD	\$82
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522F25CG4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522F25NG4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522F25CGF4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522F25NGF4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	D2522F25C4	\$676	4 short bodies, 25.5" shaft w/ 2 flats	2x OHCMP4ext + 2x OHCMP4int	SHA2522FDA4	\$98
3" dia. SINGLE body							
3" dia. wide grooved Urethane	9.5 lb	D2522F3CG	\$533	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
3" smooth Urethane	12 lb	D2522F3C	\$533	22.45" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
3" smooth Steel	11.5 lb	D2522F3S	\$533	22.25" body, 25.5" shaft w/ 2 flats	OHCMP or OHCMPSS	SHA2522FD	\$82
To diminish instances of shadowing lines due to overlap of reels				call for proper application specifics			
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522F3CGF.22C	\$553	front roller for rear mower heads-use with D2519F3C	OHCMP or OHCMPSS	SHA2522FD	\$82
3" smooth Urethane	11 lb	D2519F3C	\$533	back roller for rear mower heads-use with D2522F3CGF.22C	OHCMP or OHCMPSS	SHA2519FD	\$82
3" dia. TWO opposing end short bodies				non-striping, non-skidding for tight turns & ground undulations			
2 bodies 3" dia. wide grooved Urethane (2x4.5" wide bodies)	6 lb	D2505F3CGT	\$623	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end	2x OHCMP1 or 2x OHCMP1SS	SHA2505FDAI	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb	D2504F3C	\$623	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end	2x OHCMP1 or 2x OHCMP1SS	SHA2504FDAI	\$98
John Deere 18" 8000A & 6080A PRECISION CUT & E-CUT FAIRWAY - FRONT & BACK ROLLERS							
2" dia. SINGLE body				Call to upgrade with double row angular contact bearings			
2" dia. wide grooved Urethane no flats	6.5 lb	D2218C2CG	\$402	18.45" body, 22" dia. shaft	OHCMPH	SHA2218CD	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	D2218C2NG	\$402	18.45" body, 22" dia. shaft	OHCMPH	SHA2218CD	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	D2218C2CGF	\$402	18.45" body, 22" dia. shaft	OHCMPH	SHA2218CD	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2218C2NGF	\$402	18.45" body, 22" dia. shaft	OHCMPH	SHA2218CD	\$80
2" dia. smooth Urethane	7.5 lb	D2218C2C	\$402	18.45" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	D2218C2S	\$402	18.45" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
2" dia. smooth Steel heavy (1/4" wall)	9 lb	D2216A2S	\$402	16.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2216AD	\$80
2" dia. TWO opposing end short bodies				non-striping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2204A2CGT	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPH	SHA2104ADA1	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2204A2NGT	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPH	SHA2104ADA1	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2204A2CGF1	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPH	SHA2104ADA1	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2204A2NGF1	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMPH	SHA2104ADA1	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2204A2C1	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2202A2C1	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2102ADA1	\$96
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	D2204A2S1	\$462	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2818A2CG+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHPCS	SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2818A2NG+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHPCS	SHA2718ADA+2	\$108
extended 2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2818A2CGF+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHPCS	SHA2718ADA+2	\$108
extended 2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2818A2NGF+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMPH + 2x OHCMPHPCS	SHA2718ADA+2	\$108
extended 2" dia. smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb	D2818A2C+2C	\$532	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2x OHCMPHPCS	SHA2718ADA+2	\$108
extended 2" dia. smooth Steel heavy (18.25" inner+2x2" outer bodies)	15 lb	D2818A2S+2S	\$532	19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2x OHCMPHPCS	SHA2718ADA+2	\$108
2" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2219A2CG4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2219A2NG4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2219A2CGF4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2219A2NGF4	\$622	4 short bodies, 21.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2119ADA4	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb	D2219A2C4	\$622	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	D2219A2S4	\$622	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
2.5" dia. SINGLE body							
2.5" dia. wide grooved (1" spacing) Urethane no flats	6.7 lb	D2218A25CG	\$516	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	6.7 lb	D2218A25NG	\$516	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	6.7 lb	D2218A25CGF	\$516	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	6.7 lb	D2218A25NGF	\$516	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" smooth Urethane	7.5 lb	D2218A25C	\$406	18.2" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" smooth Steel	9.2 lb	D2218A25S	\$406	18.0" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" dia. TWO opposing end short bodies				non-striping, non-skidding for tight turns & ground undulations			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A25CGT	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A25NGT	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A25CGF1	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A25NGF1	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2104A25C1	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2 bodies 2.5" smooth Urethane (2x2" wide bodies)	4.2 lb	D2102A25C1	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2102ADA1	\$96
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	6 lb	D2104A25S1	\$516	2 short twin bodies at ends of a 21.25" shaft	2x OHCMP1 or 2x OHCMP1SS	SHA2104ADA1	\$96
2.5" dia. SINGLE body + 2 bodies outside of brackets				non-skidding for tight turns & ground undulations			
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A25CG+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPHPCS	SHA2718ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A25NG+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPHPCS	SHA2718ADA+2	\$108
extended 2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A25CGF+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPHPCS	SHA2718ADA+2	\$108
extended 2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A25NGF+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPHPCS	SHA2718ADA+2	\$108
extended 2.5" smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb	D2718A25C+2C	\$576	18.45" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPHPCS	SHA2718ADA+2	\$108
extended 2.5" smooth Steel (18.25" inner+2x2" outer bodies)	15 lb	D2718A25S+2S	\$576	19.25" center body + 2 short outer bodies, 27.25" shaft	1x OHCMP + 2 OHCMPHPCS	SHA2718ADA+2	\$108
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A25CG4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A25NG4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A25CGF4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A25NGF4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8 lb	D2119A25C4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb	D2119A25S4	\$676	4 short bodies, 21.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2119ADA4	\$98
3" dia. SINGLE body							
3" dia. wide grooved Urethane	6.6 lb	D2218C3CG	\$533	18.45" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
3" smooth Urethane	7.5 lb	D2218C3C	\$483	18.45" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
3" smooth Steel	9.2 lb	D2218C3S	\$443	18.25" body, 22" dia. shaft	OHCMP or OHCMPSS	SHA2218CD	\$80
To diminish instances of shadowing lines due to overlap of reels				call for proper application specifics			
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	6.8 lb	D2218A25CGF.22C	\$516	front roller for rear mower heads-use with D2215A25C	OHCMP or OHCMPSS	SHA2218AD	\$80
2.5" smooth Urethane	7 lb	D2215A25C	\$516	back roller for rear mower heads-use with D2218A25CGF.22C	OHCMP or OHCMPSS	SHA2215AD	\$80
3" dia. wide grooved Urethane with 2.2" wide smooth ends	6.8 lb	D2218A3CGF.22C	\$553	front roller for rear mower heads-use with D2215A3C	OHCMP or OHCMPSS	SHA2218AD	\$80
3" smooth Urethane	7 lb	D2215A3C	\$553	back roller for rear mower heads-use with D2218A3CGF.22C	OHCMP or OHCMPSS	SHA2215AD	\$80
John Deere 26" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)							
3" dia. SINGLE body				Call to upgrade with double row angular contact bearings			
3" dia. wide grooved Urethane	11.1 lb	D2926F3CG	\$523	26.45" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMPSS	SHA2926FD	\$82
3" smooth Urethane	13.5 lb	D2926F3C	\$523	26.45" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMPSS	SHA2926FD	\$82
3" smooth Steel	13.5 lb	D2926F3S	\$523	26.25" body, 29.75" shaft-2 flats on 1 end	OHCMP or OHCMPSS	SHA2926FD	\$82

3" dia. SINGLE body (upgraded double row bearings)									
3" dia. wide grooved Urethane with double row bearings	11 lb	2D2925F3CG	\$573	25.45" body, 29.75" shaft-2 flats on 1 end	OHCMP2C	SHA2925FD	\$82		
3" smooth Urethane with double row bearings	12.5 lb	2D2925F3C	\$573	25.45" body, 29.75" shaft-2 flats on 1 end	OHCMP2C	SHA2925FD	\$82		
3" smooth Steel with double row bearings	12.5 lb	2D2925F3SR	\$573	25.25" body, 29.75" shaft-2 flats on 1 end	OHCMP2CR	SHA2925FD	\$82		
3" dia. TWO opposing end short bodies									
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb	D2904F3Ct	\$623	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	2x OHCOMPt or 2x OHCOMPtSS	SHA2904FDAt	\$98		
2 bodies 3" smooth Urethane (2x5.2" wide bodies)	6.5 lb	D2905F3Ct	\$623	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	2x OHCOMPt or 2x OHCOMPtSS	SHA2905FDAt	\$98		
3" dia. FOUR bodies									
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12.5 lb	D2926F3CG4	\$723	4 short bodies, 29.75" shaft-2 flats on 1 end	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926FDA4	\$98		
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	13.5 lb	D2926F3C4	\$723	4 short bodies, 29.75" shaft-2 flats on 1 end	2x OHCOMP4ext + 2x OHCOMP4int	SHA2926FDA4	\$98		
John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)									
3" dia. SINGLE body									
3" dia. wide grooved Urethane	11.1 lb	D3329F3CG	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3329FD	\$82		
3" smooth Urethane	13.5 lb	D3329F3C	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3329FD	\$82		
3" smooth Steel	13.5 lb	D3329F3S	\$533	29.25" body, 33.5" shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3329FD	\$82		
3" dia. SINGLE body (upgraded double row bearings)									
3" dia. wide grooved Urethane with double row bearings	11 lb	2D3329F3CG	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2	SHA3329FD	\$82		
3" smooth Urethane with double row bearings	12.5 lb	2D3329F3C	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2	SHA3329FD	\$82		
3" smooth Steel with double row bearings	12.5 lb	2D3329F3SR	\$573	29.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2R	SHA3329FD	\$82		
3" smooth Urethane with double row bearings	12.5 lb	2D3319F3C	\$573	19.45" body, 33.5" shaft-2 flats on 1 end	OHCMP2	SHA3319FD	\$82		
3" dia. FIVE bodies									
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb	D3329F3CG5	\$723	5 short bodies, 33.5" shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3329FDA5	\$112		
5 bodies 3" smooth Urethane (4x5.55" x 1x6.5" wide bodies) double row bearings	14 lb	D3329F3C4	\$723	5 short bodies, 33.5" shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3329FDA5	\$112		
John Deere 30" 1900, 1905, 3325 FAIRWAY & 3365 TURF PRO & 365 PTO GANG (2 styles)									
3" dia. SINGLE body									
3" dia. wide grooved Urethane	13.5 lb	D3229F3CG	\$533	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3229FD	\$82		
3" smooth Urethane	15 lb	D3229F3C	\$533	29.45" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3229FD	\$82		
3" smooth Steel	15 lb	D3229F3S	\$533	29.25" body, 32" dia. shaft-2 flats on 1 end	OHCMP or OHCOMPSS	SHA3229FD	\$82		
3" dia. wide grooved Urethane	13.5 lb	D3229A3CG	\$533	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCOMPSS	SHA3229AD	\$80		
3" smooth Urethane	15 lb	D3229A3C	\$533	29.45" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCOMPSS	SHA3229AD	\$80		
3" smooth Steel	15 lb	D3229A3S	\$533	29.25" body, 32" dia. shaft-1 flat on 1 end	OHCMP or OHCOMPSS	SHA3229AD	\$80		
3" dia. FIVE bodies									
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb	D3229F3CG5	\$793	5 short bodies, 32" dia. shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3229FDA5	\$112		
5 bodies 3" smooth Urethane (4x5.55" x 1x6.5" wide bodies) double row bearings	14 lb	D3229F3C4	\$723	5 short bodies, 32" dia. shaft-2 flats on 1 end	2x OHCOMP4ext + 3x OHCOMP4int	SHA3229FDA4	\$112		
John Deere 30" FAIRWAY (305, 303, 756 & 856) - ALL ROLLERS (Choose from 2 styles)									
3" dia. SINGLE body									
3" dia. wide grooved Urethane	13.5 lb	D3229X3CG	\$533	29.45" body, 32.25" shaft-5" dia. ends	OHCMP or OHCOMPSS	SHA3229XD	\$82		
3" smooth Urethane	15 lb	D3229X3C	\$533	29.45" body, 32.25" shaft-5" dia. ends	OHCMP or OHCOMPSS	SHA3229XD	\$82		
3" smooth Steel	15 lb	D3229X3S	\$533	29.25" body, 32.25" shaft-5" dia. ends	OHCMP or OHCOMPSS	SHA3229XD	\$82		
3" dia. wide grooved Urethane	13.5 lb	D3029W3CG	\$533	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCOMPSS	SHA3029WD	\$82		
3" smooth Urethane	15 lb	D3029W3C	\$533	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCOMPSS	SHA3029WD	\$82		
3" smooth Steel	15 lb	D3029W3S	\$533	29.25" body, 30" shaft-5/8" dia. ends & 7/16" taps	OHCMP or OHCOMPSS	SHA3029WD	\$82		
John Deere ROTARY DECK 8800 & 3245C - FRONT ROLLER (With two independent rolling 4" wide roller bodies)									
2 bodies 5" grooved Urethane (2x4" wide bodies) double row bearings	8 lb	2D2304D5CGt	\$675	2 short twin bodies at ends of 23" shaft-3 grooves per body	2x OHCOMP2T	SHA2304DDAt	\$96		
2 bodies 5" smooth Urethane (2x4" wide bodies) double row bearings	9.3 lb	2D2304D5Ct	\$655	2 short twin bodies at ends of 23" shaft	2x OHCOMP2T	SHA2304DDAt	\$96		
2 bodies 5" grooved Urethane (2x4" wide bodies) single row bearings	8 lb	D2304D5CGt	\$635	2 short twin bodies at ends of 23" shaft-3 grooves per body	2x OHCOMPt or 2x OHCOMPtSS	SHA2304DDAt	\$96		
2 bodies 5" smooth Urethane (2x4" wide bodies) single row bearings	9.3 lb	D2304D5Ct	\$615	2 short twin bodies at ends of 23" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2304DDAt	\$96		
John Deere ROTARY DECK 8800 & 3245C & 1565 - BACK ROLLER (choose from multiple styles to match your needs)									
3" dia. SINGLE body									
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2319D3CG	\$583	19.45" body, 23" shaft	OHCMP2C	SHA2319DD	\$80		
3" smooth Urethane with double row bearings	11 lb	2D2319D3C	\$583	19.45" body, 23" shaft	OHCMP2C	SHA2319DD	\$80		
3" smooth Steel with double row bearings	12 lb	2D2319D3SR	\$583	19.25" body, 23" shaft	OHCMP2CR	SHA2319DD	\$80		
3" smooth Steel with single row bearings	12 lb	D2319D3S	\$533	19.25" body, 23" shaft	OHCMP or OHCOMPSS	SHA2319DD	\$80		
3" dia. wide grooved Urethane with double row bearings	9.5 lb	2D2419D3CG	\$583	19.45" body, 24" shaft	OHCMP2C	SHA2419DD	\$80		
3" smooth Urethane with double row bearings	11.5 lb	2D2419D3C	\$583	19.45" body, 24" shaft	OHCMP2C	SHA2419DD	\$80		
3" smooth Steel with double row bearings	12 lb	2D2419D3SR	\$583	19.25" body, 23" shaft	OHCMP2CR	SHA2419DD	\$80		
3" smooth Steel with single row bearings	11 lb	D2419D3S	\$533	19.25" body, 24" shaft	OHCMP or OHCOMPSS	SHA2419DD	\$80		
3" dia. TWO opposing end short bodies									
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6 lb	2D2305D3CGt	\$663	2 short twin bodies at ends of a 23" shaft	2x OHCOMP2T	SHA2305DDAt	\$96		
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb	2D2304D3Ct	\$663	2 short twin bodies at ends of a 23" shaft	2x OHCOMP2T	SHA2304DDAt	\$96		
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	10 lb	D2304D3St	\$623	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2304DDAt	\$96		
3" dia. THREE bodies									
3 bodies 3" wide grooved Urethane (3x5.2" wide bodies) double row bearings	11 lb	2D2319D3CGR3	\$723	3 short bodies, 23" shaft	3x OHCOMP2RC	SHA2319DDA3	\$108		
3 bodies 3" smooth Urethane (3x5.55" wide bodies) double row bearings	11 lb	2D2319D3CR3	\$723	3 short bodies, 23" shaft	3x OHCOMP2RC	SHA2319DDA3	\$108		
3 bodies 3" smooth Steel (3x5.2" wide bodies) single row bearings	11 lb	D2319D3S3	\$693	3 short bodies, 23" shaft	2x OHCOMP4ext + 1x OHCOMP4int	SHA2319DDA3	\$108		
3.5" dia. SINGLE body									
3.5" smooth Urethane with double row bearings	13.5 lb	2D2319D35C	\$677	19.45" body, 23" shaft	OHCMP2C	SHA2319DD	\$80		
3.5" smooth Urethane with double row bearings	13.5 lb	2D2419D35C	\$677	19.45" body, 24" shaft	OHCMP2C	SHA2419DD	\$80		
4" dia. SINGLE body									
4" smooth Urethane-double row bearings	26 lb	2D2319D4C	\$774	19.25" body, 23" shaft	OHCMP2C	SHA2319DD	\$80		
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - FRONT ROLLER (With two independent rolling 5.2" wide roller bodies)									
2 bodies 5" grooved Urethane (2x5.2" wide bodies) double row bearings	12 lb	2D2905D5CGt	\$675	2 short twin bodies at ends of 29" shaft-3 grooves per body	2x OHCOMP2T	SHA2905DDAt	\$96		
2 bodies 5" smooth Urethane (2x5.2" wide bodies) double row bearings	13 lb	2D2905D5Ct	\$655	2 short twin bodies at ends of 29" shaft	2x OHCOMP2T	SHA2905DDAt	\$96		
2 bodies 5" grooved Urethane (2x5.2" wide bodies) single row bearings	12 lb	D2905D5CGt	\$635	2 short twin bodies at ends of 29" shaft-3 grooves per body	2x OHCOMPt or 2x OHCOMPtSS	SHA2905DDAt	\$96		
2 bodies 5" smooth Urethane (2x5.2" wide bodies) single row bearings	13 lb	D2905D5Ct	\$615	2 short twin bodies at ends of 29" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2905DDAt	\$96		
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - BACK ROLLER									
3" dia. SINGLE body									
3" dia. wide grooved Urethane with double row bearings	11 lb	2D2925D3CG	\$583	25.45" body, 29" shaft	OHCMP2C	SHA2925DD	\$80		
3" smooth Urethane with double row bearings	12.5 lb	2D2925D3C	\$583	25.45" body, 29" shaft	OHCMP2C	SHA2925DD	\$80		
3" smooth Steel with double row bearings	12.5 lb	2D2925D3SR	\$583	25.25" body, 29" shaft	OHCMP2CR	SHA2925DD	\$80		
3" smooth Steel with single row bearings	12.5 lb	D2925D3S	\$533	25.25" body, 29" shaft	OHCMP or OHCOMPSS	SHA2925DD	\$80		
3" smooth Urethane with double row bearings	12.5 lb	2D2919D3C	\$583	19.45" body, 29" shaft	OHCMP2C	SHA2919DD	\$80		
3" dia. TWO opposing end short bodies									
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb	2D2905D3CGt	\$663	2 short twin bodies at ends of a 29" shaft	2x OHCOMP2T	SHA2905DDAt	\$96		
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	10 lb	2D2904D3Ct	\$663	2 short twin bodies at ends of a 29" shaft	2x OHCOMP2T	SHA2904DDAt	\$96		
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	11 lb	D2904D3St	\$623	2 short twin bodies at ends of a 29" shaft	2x OHCOMPt or 2x OHCOMPtSS	SHA2904DDAt	\$96		
3" dia. FOUR bodies									
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12 lb	2D2925C3CGR4	\$723	4 short bodies, 29" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925CDA4	\$98		
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	12 lb	2D2925C3CR4	\$763	4 short bodies, 29" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2925CDA4	\$98		
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT ROLLER									
5" grooved Urethane (4" wide body) double row bearings	5 lb	2D0404G5CG	\$345	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0404GD	\$80		
5" smooth Urethane (4" wide body) double row bearings	5 lb	2D0404G5C	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0404GD	\$80		
5" grooved Urethane (4" wide body) single row bearings	5 lb	D0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP or OHCOMPSS	SHA0404GD	\$80		
5" smooth Urethane (4" wide body) single row bearings	5 lb	D0404G5C	\$285	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP or OHCOMPSS	SHA0404GD	\$80		
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER									
3" smooth Urethane with double row bearings	12.5 lb	2D2925A3C	\$583	25.45" body, 29.25" shaft	OHCMP2C	SHA2925AD	\$80		
3" smooth Steel with double row bearings	12.5 lb	2D2925A3SR	\$583	25.25" body, 29.25" shaft	OHCMP2CR	SHA2925AD	\$80		
3" smooth Steel with single row bearings	12.5 lb	D2925A3S	\$533	25.25" body, 29.25" shaft	OHCMP or OHCOMPSS	SHA2925AD	\$80		

for TORO mowers

Toro 22" GREENSMOWERS - FRONT ROLLER: series 1000, 3, 300, 3000, 3050, 3100, 3150 (with 3/8" tap in shaft ends for ball stud)
 (Except TriFlex series without ball stud for basket yoke as follows: 3200, 3250, 3300, 3320, 3370, 3400, 3420 & FLEX 21)

2" dia. SINGLE body									
2" dia. wide grooved Urethane no flats	6.5 lb	T2522S2CG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80		
2" dia. narrow grooved Urethane no flats	6.7 lb	T2522S2NG	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2522S2CGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2522S2NGF	\$382	22.45" body, 25.75" shaft-3/8" taps	OHCMPH	SHA2522ST	\$80		
2" dia. smooth Urethane	8 lb	T2522S2C	\$382	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	T2522S2S	\$362	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80		
2" dia. TWO opposing end short bodies									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504S2CGT	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPHt	SHA2504StAt	\$96		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504S2NGT	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPHt	SHA2504StAt	\$96		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504S2CGFt	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPHt	SHA2504StAt	\$96		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504S2NGFt	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPHt	SHA2504StAt	\$96		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2502S2Ct	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPt or 2x OHCMPSS	SHA2502StAt	\$96		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504S2Ct	\$462	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPt or 2x OHCMPSS	SHA2504StAt	\$96		
2" dia. FOUR bodies									
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522S2CG4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522StA4	\$98		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522S2NG4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522StA4	\$98		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522S2CGF4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522StA4	\$98		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522S2NGF4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522StA4	\$98		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522S2C4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2522StA4	\$98		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522S2S4	\$622	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2522StA4	\$98		
2.5" dia. SINGLE body									
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522S25CG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522S25NG	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80		
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522S25CGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522S25NGF	\$456	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80		
2.5" smooth Urethane	9.5 lb	T2522S25C	\$396	22.45" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80		
2.5" smooth Steel	10 lb	T2522S25S	\$376	22.25" body, 25.75" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2522ST	\$80		
2.5" dia. TWO opposing end short bodies									
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504S25CGt	\$516	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPt or 2x OHCMPSS	SHA2504StAt	\$96		
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504S25Ct	\$516	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	2x OHCMPt or 2x OHCMPSS	SHA2504StAt	\$96		
2.5" dia. FOUR bodies									
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522S25CG4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2522StA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522S25NG4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2522StA4	\$98		
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522S25CGF4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2522StA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522S25NGF4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2522StA4	\$98		
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	T2522S25C4	\$676	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2522StA4	\$98		
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522S25S4	\$626	4 short bodies, 25.75" shaft-3/8" taps	2x OHCMP4ext + 2x OHCMP4int	SHA2522StA4	\$98		

Toro 22" GREENSMOWERS - BACK ROLLER: series 3, 300, 3000, 3050, 3100, 3150

2" dia. SINGLE body									
2" dia. wide grooved Urethane no flats	6.5 lb	T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80		
2" dia. narrow grooved Urethane no flats	6.7 lb	T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80		
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80		
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80		
2" dia. smooth Urethane	8 lb	T2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	T2522A2S	\$362	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80		
2" dia. TWO opposing end short bodies									
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2CGt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPHt	SHA2522ATAt	\$96		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2NGt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPHt	SHA2522ATAt	\$96		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2CGFt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPHt	SHA2522ATAt	\$96		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2NGFt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPHt	SHA2522ATAt	\$96		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2502A2Ct	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPt or 2x OHCMPSS	SHA2522ATAt	\$96		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A2Ct	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPt or 2x OHCMPSS	SHA2522ATAt	\$96		
2" dia. SINGLE body + 2 bodies outside of brackets									
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2CG+2C	\$532	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122ATA+2	\$108		
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2NG+2C	\$532	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3122ATA+2	\$108		
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	T3122A2C+2C	\$532	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCMP + 2x OHCMPHCS	SHA3122ATA+2	\$108		
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	T3122A2S+2S	\$532	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCMP + 2x OHCMPSS	SHA3122ATA+2	\$108		
2" dia. FOUR bodies									
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522ATA4	\$98		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2NG4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522ATA4	\$98		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522ATA4	\$98		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2NGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522ATA4	\$98		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98		
2" dia. FOUR bodies + 2 bodies outside of brackets									
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122ATA4+2	\$108		
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122ATA4+2	\$108		
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122ATA4+2	\$108		
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3122ATA4+2	\$108		
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3122ATA4+2	\$108		
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPSS	SHA3122ATA4+2	\$108		
2.5" dia. SINGLE body									
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80		
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80		
2.5" smooth Urethane	9.5 lb	T2522A25C	\$396	22.45" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80		
2.5" smooth Steel	10 lb	T2522A25S	\$376	22.45" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80		
2.5" dia. TWO opposing end short bodies									
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25CGt	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPt or 2x OHCMPSS	SHA2522ATAt	\$96		
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25NGt	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPt or 2x OHCMPSS	SHA2522ATAt	\$96		
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A25CGFt	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPt or 2x OHCMPSS	SHA2522ATAt	\$96		
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A25NGFt	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPt or 2x OHCMPSS	SHA2522ATAt	\$96		
2 bodies 2.5" smooth Urethane (2x2" wide bodies)	4.2 lb	T2502A25Ct	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPt or 2x OHCMPSS	SHA2522ATAt	\$96		
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A25Ct	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCMPt or 2x OHCMPSS	SHA2522ATAt	\$96		
2.5" dia. FOUR bodies									
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98		
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98		
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98		
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522A25S4	\$626	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98		

Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3050, 3100, 3150 (fully assembled with body + shaft + bearings + seals)
 (Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 1)

3" dia. wide grooved Urethane	9 lb	T2520H3CG	\$533	20.45" body, 25.063" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2520HT	\$90
3" smooth Urethane	10.5 lb	T2520H3C	\$533	20.45" body, 25.063" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2520HT	\$90
3" smooth Steel	11 lb	T2520H3S	\$533	20.45" body, 25.063" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2520HT	\$90
3.5" smooth Urethane	12.5 lb	T2520H35C	\$627	20.45" body, 25.063" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2520HT	\$90
2 bodies 3" smooth Urethane (2x4" wide bodies)	6.3 lb	T2504H3Ct	\$623	2 short twin bodies at ends of a 25.063" shaft-3/8" taps	2x OHCOMPt or 2x OHCOMPSS	SHA2520HTAt	\$90

Toro 21/22" FLEX & TRIFLEX models 21, 2100, 2120, 1021 & e1021 + 3200, 3250, 3300, 3320, 3370, 3400, 3420 - FRONT & BACK ROLLERS
 (these rollers do not accommodate yoke ball studs. They have solid shaft ends without taps; if groomer kit requires tap in shaft ends, change "A" in part # to "S")

2" dia. SINGLE body							
2" dia. wide grooved Urethane no flats	6.5 lb	T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80
2" dia. smooth Urethane	8 lb	T2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	T2522A2S	\$362	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80

2" dia. TWO opposing end short bodies							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2CGt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt	SHA2522ATAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A2NGt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt	SHA2522ATAt	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2CGFt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt	SHA2522ATAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2504A2NGFt	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt	SHA2522ATAt	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2502A2Ct	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A2Ct	\$462	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2522ATAt	\$96

2" dia. SINGLE body + 2 bodies outside of brackets							
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2CG+2C	\$532	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPt + 2x OHCOMPt	SHA3122ATA+2	\$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	T3122A2NG+2C	\$532	22.45" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPt + 2x OHCOMPt	SHA3122ATA+2	\$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	T3122A2C+2C	\$532	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPt + 2x OHCOMPt	SHA3122ATA+2	\$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb	T3122A2S+2S	\$532	22.25" center body + 2 short outer bodies, 31.875" shaft	1x OHCOMPt + 2x OHCOMPt	SHA3122ATA+2	\$108

2" dia. FOUR bodies							
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2CG4	\$622	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	T2522A2NG4	\$622	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	T2522A2NGF4	\$622	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	T2522A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	T2522A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98

2" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMPt4ext+2x OHCOMPt4int+2x OHCOMPt	SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	T3122A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMPt4ext+2x OHCOMPt4int+2x OHCOMPt	SHA3122ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMPt4ext+2x OHCOMPt4int+2x OHCOMPt	SHA3122ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	T3122A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMPt4ext+2x OHCOMPt4int+2x OHCOMPt	SHA3122ATA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int + 2x OHCOMPt	SHA3122ATA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb	T3122A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 31.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int + 2x OHCOMPt	SHA3122ATA4+2	\$108

2.5" dia. SINGLE body							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" smooth Urethane	9.5 lb	T2522A25C	\$396	22.45" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80
2.5" smooth Steel	10 lb	T2522A25S	\$376	22.25" body, 25.875" shaft	OHCMP or OHCOMPSS	SHA2522AT	\$80

2.5" dia. TWO opposing end short bodies							
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2504A25CGt	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504ATAt	\$96
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2504A25Ct	\$516	2 short twin bodies at ends of a 25.875" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2504ATAt	\$96
2.5" dia. FOUR bodies							
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	\$676	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CGF4	\$676	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	\$676	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522A25S4	\$626	4 short bodies, 25.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2522ATA4	\$98

2.5" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb	T3122A25CG4+2C	\$726	4 center body + 2 short outer bodies, 31.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int + 2x OHCOMPt	SHA3122ATA4+2	\$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	14 lb	T3122A25C4+2C	\$726	4 center body + 2 short outer bodies, 31.875" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int + 2x OHCOMPt	SHA3122ATA4+2	\$108

Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK ROLLERS (if groomer kit requires tap in ends of shaft, change "C" in part # to "S")

2" dia. SINGLE body							
2" dia. wide grooved Urethane no flats	6.2 lb	T2319C2CG	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319CT	\$80
2" dia. narrow grooved Urethane no flats	6.4 lb	T2319C2NG	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319CT	\$80
2" dia. wide grooved Urethane 1" flats	6.3 lb	T2319C2CGF	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319CT	\$80
2" dia. narrow grooved Urethane 1" flats	6.5 lb	T2319C2NGF	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319CT	\$80
2" dia. smooth Urethane	7.5 lb	T2319C2C	\$382	19.25" body, 23" shaft w/o taps	OHCMP or OHCOMPSS	SHA2319CT	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2319C2S	\$362	19.25" body, 23" shaft w/o taps	OHCMP or OHCOMPSS	SHA2319CT	\$80

2" dia. TWO opposing end short bodies							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2304C2CGt	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt	SHA2304CTAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	T2304C2NGt	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt	SHA2304CTAt	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2304C2CGFt	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt	SHA2304CTAt	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	T2304C2NGFt	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt	SHA2304CTAt	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	T2302C2Ct	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2302CTAt	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	T2304C2Ct	\$462	2 short twin bodies at ends of a 23" shaft	2x OHCOMPt or 2x OHCOMPSS	SHA2304CTAt	\$96

2" dia. SINGLE body + 2 bodies outside of brackets							
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	T2919C2CG+2C	\$532	19.45" center body + 2 short outer bodies, 29" shaft	1x OHCOMPt + 2x OHCOMPt	SHA2919CTA+2	\$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb	T2919C2NG+2C	\$532	19.45" center body + 2 short outer bodies, 29" shaft	1x OHCOMPt + 2x OHCOMPt	SHA2919CTA+2	\$108
extended 2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)	13 lb	T2919C2C+2C	\$532	19.25" center body + 2 short outer bodies, 29" shaft	1x OHCOMPt + 2x OHCOMPt	SHA2919CTA+2	\$108

2" dia. FOUR bodies							
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2319C2CG4	\$622	4 short bodies, 23" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2319CTA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2319C2NG4	\$622	4 short bodies, 23" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2319CTA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2319C2CGF4	\$622	4 short bodies, 23" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2319CTA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2319C2NGF4	\$622	4 short bodies, 23" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2319CTA4	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2319C2C4	\$622	4 short bodies, 23" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2319CTA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	T2319C2S4	\$622	4 short bodies, 23" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int	SHA2319CTA4	\$98

2" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb	T2919C2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMPt4ext+2x OHCOMPt4int+2x OHCOMPt	SHA2919CTA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	13 lb	T2919C2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMPt4ext+2x OHCOMPt4int+2x OHCOMPt	SHA2919CTA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb	T2919C2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMPt4ext+2x OHCOMPt4int+2x OHCOMPt	SHA2919CTA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	13 lb	T2919C2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMPt4ext+2x OHCOMPt4int+2x OHCOMPt	SHA2919CTA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	12 lb	T2919C2C4+2C	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int + 2x OHCOMPt	SHA2919CTA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	12 lb	T2919C2S4+2S	\$682	4 center bodies + 2 short outer bodies, 29" shaft	2x OHCOMPt4ext + 2x OHCOMPt4int + 2x OHCOMPt	SHA2919CTA4+2	\$108

Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS

2" dia. SINGLE body							
2" dia. wide grooved Urethane no flats	6.5 lb	T2219S2CG	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	T2219S2NG	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2219S2CGF	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	T2219S2NGF	\$382	19.45" body, 22.75" shaft w/o taps	OHCMPH	SHA2219ST	\$80
2" dia. smooth Urethane	7.5 lb	T2219S2C	\$382	19.25" body, 22.75" shaft w/o taps	OHCMP or OHCMPSS	SHA2219ST	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2219S2S	\$362	19.25" body, 22.75" shaft w/o taps	OHCMP or OHCMPSS	SHA2219ST	\$80
2" dia. FOUR bodies							
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2219S2CG4	\$622	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2219S2NG4	\$622	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2219S2CGF4	\$622	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2219S2NGF4	\$622	4 short bodies, 22.75" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2219STA4	\$98
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2219S2C4	\$622	4 short bodies, 22.75" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2219STA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	T2219S2S4	\$622	4 short bodies, 22.75" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2219STA4	\$98

Toro GM1026 & 1600 26" GREENSMOWER - FRONT & BACK ROLLERS

2" dia. SINGLE body							
2" dia. wide grooved Urethane no flats	7.8 lb	T3126A2CG	\$382	26.45" body, 31" shaft	OHCMPH	SHA3126AT	\$80
2" dia. wide grooved Urethane 1" flats	7.8 lb	T3126A2CGF	\$382	26.45" body, 31" shaft	OHCMPH	SHA3126AT	\$80
2" dia. smooth Urethane	11 lb	T3126A2C	\$382	26.45" body, 31" shaft	OHCMP or OHCMPSS	SHA3126AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	13.5 lb	T3126A2S	\$362	26.25" body, 31" shaft	OHCMP or OHCMPSS	SHA3126AT	\$80
2" dia. TWO opposing end short bodies							
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb	T3104A2CGI	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPHt	SHA3104ATAi	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4.4 lb	T3104A2NGI	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPHt	SHA3104ATAi	\$96
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb	T3104A2CGFI	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPHt	SHA3104ATAi	\$96
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4.4 lb	T3104A2NGFI	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPHt	SHA3104ATAi	\$96
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.4 lb	T3102A2Ct	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCMPSS	SHA3102ATAi	\$96
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.4 lb	T3104A2Ct	\$462	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCMPSS	SHA3104ATAi	\$96
2" dia. SINGLE body + 2 bodies outside of brackets							
extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4	T3726A2CG+2C	\$532	26.45" center body + 2 short outer bodies, 37" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3726ATA+2	\$108
extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats	12.4	T3726A2NG+2C	\$532	26.45" center body + 2 short outer bodies, 37" shaft	1x OHCMPH + 2x OHCMPHCS	SHA3726ATA+2	\$108
extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)	13.5 lb	T3726A2C+2C	\$532	26.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2x OHCMPHCS	SHA3726ATA+2	\$108
2" dia. FOUR bodies							
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb	T3126A2CG4	\$622	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	8.5 lb	T3126A2NG4	\$622	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb	T3126A2CGF4	\$622	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$98
4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	8.5 lb	T3126A2NGF4	\$622	4 short bodies, 31" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA3126ATA4	\$98
4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)	8.5 lb	T3126A2C4	\$622	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3126ATA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)	12 lb	T3126A2S4	\$622	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3126ATA4	\$98
2" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	T3726A2CG4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	13 lb	T3726A2NG4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	T3726A2CGF4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats	13 lb	T3726A2NGF4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMPH4ext+2x OHCMPH4int+2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)	12 lb	T3726A2C4+2C	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3126ATA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)	12 lb	T3726A2S4+2S	\$682	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3126ATA4+2	\$108
2.5" dia. SINGLE body							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9.5 lb	T3127A25CG	\$456	27.45" body, 31" shaft	OHCMP or OHCMPSS	SHA3127AT	\$80
2.5" smooth Urethane	11 lb	T3127A25C	\$396	27.45" body, 31" shaft	OHCMP or OHCMPSS	SHA3127AT	\$80
2.5" smooth Steel	11 lb	T3127A25S	\$376	27.25" body, 31" shaft	OHCMP or OHCMPSS	SHA3127AT	\$80
2.5" dia. TWO opposing end short bodies							
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	T3104A25Ct	\$516	2 short twin bodies at ends of a 31" shaft	2x OHCMPt or 2x OHCMPSS	SHA3104ATAi	\$96
2.5" dia. SINGLE body + 2 bodies outside of brackets							
extended 2.5" dia. wide grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4	T3727A25CG+2C	\$576	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2 OHCMPHCS	SHA3727ATA+2	\$108
extended 2.5" dia. narrow grooved Urethane (27.45" inner+2x2" outer bodies) no flats	12.4	T3727A25NG+2C	\$576	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2 OHCMPHCS	SHA3727ATA+2	\$108
extended 2.5" smooth Urethane (27.45" inner+2x2" outer bodies)	13.5 lb	T3727A25C+2C	\$576	27.45" center body + 2 short outer bodies, 37" shaft	1x OHCMP + 2 OHCMPHCS	SHA3727ATA+2	\$108
2.5" dia. FOUR bodies							
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3128A25CG4	\$676	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3128ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3128A25NG4	\$676	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3128ATA4	\$98
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb	T3128A25C4	\$676	4 short bodies, 31" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3128ATA4	\$98
2.5" dia. FOUR bodies + 2 bodies outside of brackets							
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	T3728A25CG4+2C	\$726	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3728ATA4+2	\$108
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats	10 lb	T3728A25NG4+2C	\$726	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3728ATA4+2	\$108
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)	13 lb	T3728A25C4+2C	\$726	4 center bodies + 2 short outer bodies, 37" shaft	2x OHCMP4ext + 2x OHCMP4int + 2x OHCMPHCS	SHA3728ATA4+2	\$108

Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER

2.5" dia. SINGLE body							
Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" smooth Urethane	9.5 lb	T2522A25C	\$396	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" smooth Steel	10 lb	T2522A25S	\$376	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80

Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diameter also available)

2" dia. SINGLE body							
2" dia. wide grooved Urethane 1" flats	6.5 lb	T2319A2CGF	\$382	19.45" body, 23" shaft	OHCMPH	SHA2319AT	\$80
2" dia. smooth Urethane	7.5 lb	T2319A2C	\$382	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	T2319A2S	\$322	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80

Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - FRONT

2.5" dia. SINGLE body							
Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2722A25CG	\$456	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2722A25NG	\$456	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2722A25CGF	\$456	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2722A25NGF	\$456	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" smooth Urethane	9 lb	T2722A25C	\$396	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" smooth Steel	9 lb	T2722A25S	\$376	22.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb	T2724A25CG	\$456	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
2.5" smooth Urethane	9 lb	T2724A25C	\$396	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
2.5" smooth Steel	9 lb	T2724A25S	\$376	24.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb	T2319T25CG	\$456	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80
2.5" smooth Urethane	9 lb	T2319T25C	\$396	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80
2.5" smooth Steel	9 lb	T2319T25S	\$376	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80

2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2722A25CG4	\$676	4 short bodies, 27" shaft	OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2722A25NG4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2722A25CGF4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2722A25NGF4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A25C4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2722A25S4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (2x5.55"+2x6.5" wide bodies) no flats	10 lb T2724A25CG4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2724A25NG4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2724A25CGF4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2724A25NGF4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 2.5" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A25C4	\$676	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
3" dia. SINGLE body				non-skidding for tight turns & ground undulations			
3" dia. wide grooved Urethane	9.5 lb T2722A3CG	\$533	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80	
3" smooth Urethane	12 lb T2722A3C	\$533	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80	
3" smooth Steel	11.5 lb T2722A3S	\$533	22.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80	
3" dia. wide grooved Urethane	9.5 lb T2724A3CG	\$533	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80	
3" smooth Urethane	12 lb T2724A3C	\$533	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80	
3" smooth Steel	11.5 lb T2724A3S	\$533	24.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80	
3" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	10 lb T2722A3CG4	\$723	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A3C4	\$723	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2722ATA4	\$98	
4 bodies 3" dia. wide grooved Urethane (2x5.2"+2x6.5" wide bodies)	10 lb T2724A3CG4	\$723	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
4 bodies 3" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A3C4	\$723	4 short bodies, 27" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2724ATA4	\$98	
Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - BACK							
2" dia. SINGLE body				Call to upgrade with double row angular contact bearings			
2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AT	\$80	
2" dia. smooth Urethane	8 lb T2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$362	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2" dia. wide grooved Urethane no flats	6.5 lb T2519A2CG	\$382	19.45" body, 25" shaft	OHCMPH	SHA2519AT	\$80	
2" dia. narrow grooved Urethane no flats	6.7 lb T2519A2NG	\$382	19.45" body, 25" shaft	OHCMPH	SHA2519AT	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb T2519A2CGF	\$382	19.45" body, 25" shaft	OHCMPH	SHA2519AT	\$80	
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2519A2NGF	\$382	19.45" body, 25" shaft	OHCMPH	SHA2519AT	\$80	
2" dia. smooth Urethane	7.5 lb T2519A2C	\$382	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2519A2S	\$362	19.25" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2" dia. smooth Urethane	8 lb T2321T2C	\$382	21.45" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321TT	\$80	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2321T2S	\$362	21.25" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321TT	\$80	
2" dia. wide grooved Urethane no flats	6.2 lb T2319A2CG	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319AT	\$80	
2" dia. narrow grooved Urethane no flats	6.4 lb T2319A2NG	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319AT	\$80	
2" dia. wide grooved Urethane 1" flats	6.5 lb T2319A2CGF	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319AT	\$80	
2" dia. narrow grooved Urethane 1" flats	6.5 lb T2319A2NGF	\$382	19.45" body, 23" shaft w/o taps	OHCMPH	SHA2319AT	\$80	
2" dia. smooth Urethane	7.5 lb T2319A2C	\$382	19.25" body, 23" shaft w/o taps	OHCMP or OHCMPSS	SHA2319AT	\$80	
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319A2S	\$362	19.25" body, 23" shaft w/o taps	OHCMP or OHCMPSS	SHA2319AT	\$80	
2" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2CG4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2NG4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2NGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb T2519A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
2.5" dia. SINGLE body				non-skidding for tight turns & ground undulations			
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2522C25CG	\$456	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522C25NG	\$456	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522C25CGF	\$456	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522C25NGF	\$456	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" smooth Urethane	9.5 lb T2522C25C	\$396	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" smooth Steel	10 lb T2522C25S	\$376	22.25" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2521C25CG	\$456	21.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2521CT	\$80	
2.5" smooth Urethane	9.5 lb T2521C25C	\$396	21.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2521CT	\$80	
2.5" smooth Steel	10 lb T2521C25S	\$376	21.25" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2521CT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2519A25CG	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2519A25NG	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25CGF	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" smooth Urethane	9 lb T2519A25C	\$396	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" smooth Steel	9 lb T2519A25S	\$376	19.25" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2321A25CG	\$456	21.45" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321AT	\$80	
2.5" smooth Urethane	9.5 lb T2321A25C	\$396	21.45" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321AT	\$80	
2.5" smooth Steel	9.2 lb T2321A25S	\$376	21.25" body, 23.75" shaft	OHCMP or OHCMPSS	SHA2321AT	\$80	
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2319A25CG	\$456	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80	
2.5" smooth Urethane	9 lb T2319A25C	\$396	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80	
2.5" smooth Steel	9 lb T2319A25S	\$376	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319AT	\$80	
2.5" dia. FOUR bodies				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25NG4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25CGF4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb T2519A25S4	\$626	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519ATA4	\$98	

3" dia. SINGLE body							
3" dia. wide grooved Urethane	9.5 lb	T2522C3CG	\$523	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80
3" smooth Urethane	12 lb	T2522C3C	\$523	22.45" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80
3" smooth Steel	11.5 lb	T2522C3S	\$523	22.25" body, 25.5" shaft	OHCMP or OHCMPSS	SHA2522CT	\$80
3" dia. wide grooved Urethane	9 lb	T2519A3CG	\$523	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
3" smooth Urethane	11 lb	T2519A3C	\$523	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
3" smooth Steel	11 lb	T2519A3S	\$523	19.25" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
3" dia. wide grooved Urethane	9 lb	T2319T3CG	\$523	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80
3" smooth Urethane	11 lb	T2319T3C	\$523	19.45" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80
3" smooth Steel	11 lb	T2319T3S	\$523	19.25" body, 23" shaft	OHCMP or OHCMPSS	SHA2319TT	\$80

Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS **Call to upgrade with double row angular contact bearings**

2.5" dia. SINGLE body							
(please confirm diameter of body & length of shaft required to fit back roller)							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2522A25CG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2522A25NG	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2522A25CGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2522A25NGF	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" smooth Urethane	9.5 lb	T2522A25C	\$456	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" smooth Steel	10 lb	T2522A25S	\$456	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2422A25CG	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2422A25NG	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2422A25CGF	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2422A25NGF	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" smooth Urethane	9.5 lb	T2422A25C	\$456	22.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" smooth Steel	10 lb	T2422A25S	\$456	22.25" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	T2421A25CG	\$456	21.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2422AT	\$80
2.5" smooth Urethane	9.5 lb	T2421A25C	\$456	21.45" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2421AT	\$80
2.5" smooth Steel	10 lb	T2421A25S	\$456	21.25" body, 24.5" shaft	OHCMP or OHCMPSS	SHA2421AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb	T2519A25CG	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	T2519A25NG	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	T2519A25CGF	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb	T2519A25NGF	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" smooth Urethane	9 lb	T2519A25C	\$456	19.45" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80
2.5" smooth Steel	9 lb	T2519A25S	\$456	19.25" body, 25" shaft	OHCMP or OHCMPSS	SHA2519AT	\$80

To diminish instances of shadowing lines due to overlap of reels							
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	9.5 lb	T2522A25CGF.22C	\$496	call for proper application specifics	front roller for rear mower heads-use with T2519A25C	OHCMP or OHCMPSS	SHA2522AT \$80
2.5" smooth Urethane	11 lb	T2519A25C	\$456	back roller for rear mower heads-use with T2522A25CGF.22C	OHCMP or OHCMPSS	SHA2519AT \$80	

2.5" dia. FOUR bodies							
non-skidding for tight turns & ground undulations							
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb	T2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	T2522A25NG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25CGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	T2522A25NGF4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb	T2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb	T2522A25S4	\$626	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AT4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2519A25CG4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	T2519A25NG4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2519A25CGF4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	T2519A25NGF4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb	T2519A25C4	\$676	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb	T2519A25S4	\$626	4 short bodies, 25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2519AT4A	\$98

3" dia. SINGLE body							
3" dia. wide grooved Urethane	9.5 lb	T2522A3CG	\$533	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
3" smooth Urethane	12 lb	T2522A3C	\$533	22.45" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
3" smooth Steel	11.5 lb	T2522A3S	\$533	22.25" body, 25.87" shaft	OHCMP or OHCMPSS	SHA2522AT	\$80
3" dia. wide grooved Urethane	9.5 lb	T2722A3CG	\$533	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
3" smooth Urethane	12 lb	T2722A3C	\$533	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
3" smooth Steel	11.5 lb	T2722A3S	\$533	22.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2722AT	\$80
3" dia. wide grooved Urethane	9.5 lb	T2724A3CG	\$533	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
3" smooth Urethane	12 lb	T2724A3C	\$533	24.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80
3" smooth Steel	11.5 lb	T2724A3S	\$533	24.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2724AT	\$80

To diminish instances of shadowing lines due to overlap of reels **call for proper application specifics**

3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	T2722A3CGF.22C	\$553	front roller for rear mower heads-use with T2719A3C	OHCMP or OHCMPSS	SHA2722AT	\$80
3" smooth Urethane	11 lb	T2719A3C	\$533	back roller for rear mower heads-use with T2722A3CGF.22C	OHCMP or OHCMPSS	SHA2719AT	\$80

2.5" Combination roller assemblies to diminish effect of reel overlap shadowing are available **call for proper application specifics**

Toro SIDEWINDER 27" REEL MOWERS: 2000D, 2300D, 3100D & 216 - FRONT & BACK ROLLERS **Call to upgrade with double row angular contact bearings**

2.5" dia. SINGLE body							
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb	T3026D25CG	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb	T3026D25NG	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb	T3026D25CGF	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9.5 lb	T3026D25NGF	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" smooth Urethane	11 lb	T3026D25C	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" smooth Steel	11 lb	T3026D25S	\$456	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	10.3 lb	T3227D25CG	\$456	27.45" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80
2.5" smooth Urethane	11 lb	T3227D25C	\$456	27.45" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80

2.5" dia. FOUR bodies							
non-skidding for tight turns & ground undulations							
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3026D25CG4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb	T3026D25NG4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	T3026D25CGF4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb	T3026D25NGF4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb	T3026D25C4	\$676	4 short bodies, 30" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA3026DT4A	\$98

3" dia. SINGLE body (FOUR bodies also available)							
3" dia. wide grooved Urethane	12.5 lb	T3026D3CG	\$533	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
3" smooth Urethane	13 lb	T3026D3C	\$533	26.45" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
3" smooth Steel	13 lb	T3026D3S	\$533	26.25" body, 30" shaft	OHCMP or OHCMPSS	SHA3026DT	\$80
3" dia. wide grooved Urethane	12.8 lb	T3227D3CG	\$533	27.45" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80
3" smooth Urethane	13.3 lb	T3227D3C	\$533	27.45" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80
3" smooth Steel	13.3 lb	T3227D3S	\$533	27.25" body, 32" dia. shaft	OHCMP or OHCMPSS	SHA3227DT	\$80

Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D & 7000D - FRONT ROLLER (check length of body and shaft) **Call to upgrade with double row angular contact bearings**

3" dia. SINGLE body							
3" dia. wide grooved Urethane	14 lb	T3431U3CG	\$533	31.45" body, 34.5" shaft	OHCMP or OHCMPSS	SHA3431UT	\$80
3" smooth Steel	15 lb	T3431U3S	\$533	31.25" body, 34.5" shaft	OHCMP or OHCMPSS	SHA3431UT	\$80
3" dia. wide grooved Urethane	14 lb	T3632U3CG	\$533	32.45" body, 36" shaft	OHCMP or OHCMPSS	SHA3632UT	\$80
3" smooth Steel	15 lb	T3632U3S	\$533	32.25" body, 36" shaft	OHCMP or OHCMPSS	SHA3632UT	\$80
2.5" smooth Steel	12.5 lb	T3431U25S	\$456	31.25" body, 34.5" shaft	OHCMP or OHCMPSS	SHA3431UT	\$80

3" dia. FIVE bodies							
non-skidding for tight turns & ground undulations							
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12 lb	T3431U3CG5	\$763	5 short bodies, 34.5" shaft	2x OHCMP4ext + 3x OHCMP4int	SHA3431UT5A	\$99
5 bodies 3" dia. wide grooved Urethane (1x5.55"+4x6.5" wide bodies)	12.5 lb	T3632U3CG5	\$763	5 short bodies, 36" shaft	2x OHCMP4ext + 3x OHCMP4int	SHA3632UT5A	\$99
5 bodies 3" smooth Urethane (1x5.55"+4x6.5" wide bodies)	14 lb	T3431U3C5	\$763	5 short bodies, 34.5" shaft	2x OHCMP4ext + 3x OHCMP4int	SHA3431UT5A	\$99
5 bodies 3" smooth Urethane (1x5.55"+4x6.5" wide bodies)	14.5 lb	T3632U3C5	\$763	5 short bodies, 36" shaft	2x OHCMP4ext + 3x OHCMP4int	SHA3632UT5A	\$99

Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D & 7000D - BACK ROLLER			Call to upgrade with double row angular contact bearings			
2.5" dia. SINGLE body						
2.5" smooth Urethane	12.5 lb T3429U25C	\$456	29.45" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429UT	\$80
2.5" smooth Steel	12.5 lb T3429U25S	\$456	29.25" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429UT	\$80
3" dia. SINGLE body						
3" smooth Urethane	15 lb T3429U3C	\$533	29.45" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429UT	\$80
3" smooth Steel	14.5 lb T3429U3S	\$533	29.25" body, 34.5" shaft	OHCMP or OHCOMPSS	SHA3429UT	\$80
3" smooth Urethane (special)	15 lb T3429K3C	\$533	29.45" body, 34" shaft (confirm specs with us)	OHCMP or OHCOMPSS	SHA3429KT	\$80
3" smooth Steel (special)	15 lb T3429K3S	\$553	29.25" body, 34" shaft (confirm specs with us)	OHCMP or OHCOMPSS	SHA3429KT	\$80
3.5" dia. SINGLE body						
3.5" smooth Urethane (special)	18 lb T3429K35C	\$627	29.45" body, 34" shaft (confirm specs with us)	OHCMP or OHCOMPSS	SHA3429KT	\$80
3" dia. FIVE bodies						
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3429A3CGR5	\$783	5 short bodies, 34.5" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3429ATA5	\$98
5 bodies 3" smooth Urethane (4x5.55"+1x6.5" bodies) double row bearings	14 lb 2T3429A3CR5	\$783	5 short bodies, 34.5" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3429ATA5	\$98
Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO & PARKMASTER GANG						
Call to upgrade with double row angular contact bearings						
3" smooth Urethane	14 lb T3227J3C	\$553	27.45" body, 32.5" shaft	OHCMP or OHCOMPSS	SHA3227JT	\$80
3" smooth Steel	13.5 lb T3227J3S	\$553	27.25" body, 32.5" shaft	OHCMP or OHCOMPSS	SHA3227JT	\$80
3.5" smooth Urethane	17 lb T3227J35C	\$677	27.45" body, 32.5" shaft	OHCMP or OHCOMPSS	SHA3227JT	\$80
Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - FRONT ROLLER (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt						
5" grooved Urethane (5.2" wide body) double row bearings	5 lb 2T0505G5CG	\$345	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0505GT	\$80
5" smooth Urethane (5.2" wide body) double row bearings	5 lb 2T0505G5C	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0505GT	\$80
5" grooved Urethane (5.2" wide body) single row bearings	5 lb T0505G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP or OHCOMPSS	SHA0505GT	\$80
5" smooth Urethane (5.2" wide body) single row bearings	5 lb T0505G5C	\$285	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP or OHCOMPSS	SHA0505GT	\$80
Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - BACK ROLLER						
3" dia. SINGLE body						
3" dia. wide grooved Urethane with double row bearings	13.5 lb 2T3329D3CG	\$583	29.45" body, 33" shaft	OHCMP2C	SHA3329DT	\$80
3" smooth Urethane with double row bearings	15 lb 2T3329D3C	\$583	29.45" body, 33" shaft	OHCMP2C	SHA3329DT	\$80
3" smooth Steel with double row bearings	15 lb 2T3329D3SR	\$583	29.25" body, 33" shaft	OHCMP2RC	SHA3329DT	\$80
3" smooth Steel with single row bearings	15 lb T3329D3S	\$553	29.25" body, 33" shaft	OHCMP or OHCOMPSS	SHA3329DT	\$80
3" dia. TWO opposing end short bodies						
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2T3305D3CGt	\$663	2 short twin bodies at ends of a 33" shaft	2x OHCOMP2T	SHA3305DTAt	\$96
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb 2T3304D3Ct	\$663	2 short twin bodies at ends of a 33" shaft	2x OHCOMP2T	SHA3304DTAt	\$96
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	12 lb T3304D3St	\$623	2 short twin bodies at ends of a 33" shaft	2x OHCOMP1 or 2x OHCOMP1SS	SHA3304DTAt	\$96
3" dia. FIVE bodies						
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3329A3CGR5	\$763	5 short bodies, 33" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3329ATA5	\$98
5 bodies 3" smooth Urethane (4x5.55"+1x6.5" bodies) double row bearings	14 lb 2T3329A3CR5	\$763	5 short bodies, 33" shaft	2x OHCOMP2R4ext + 3x OHCOMP2R4int	SHA3329ATA5	\$98
3.5" dia. SINGLE body						
3.5" smooth Urethane with double row bearings	18 lb 2T3329D35C	\$677	29.45" body, 33" shaft	OHCMP2C	SHA3329DT	\$80
Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt						
5" grooved Urethane (5.2" wide body) double row bearings	5 lb 2T0705G5CG	\$345	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0705GT	\$80
5" smooth Urethane (5.2" wide body) double row bearings	5.5 lb 2T0705G5C	\$335	Roller assembly includes sleeves & bolts for mounting to fork	OHCMP2	SHA0705GT	\$80
Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available-please call)						
3" dia. SINGLE body						
3" dia. wide grooved Urethane with double row bearings	11 lb 2T2824K3CG	\$583	24.45" body, 28" shaft	OHCMP2	SHA2824KT	\$80
3" smooth Urethane with double row bearings	12 lb 2T2824K3C	\$583	24.45" body, 28" shaft	OHCMP2	SHA2824KT	\$80
3" smooth Steel with double row bearings	11 lb 2T2824K3SR	\$583	24.25" body, 28" shaft	OHCMP2RC	SHA2824KT	\$80
3" smooth Steel with single row bearings	11 lb T2824K3S	\$553	24.25" body, 28" shaft	OHCMP or OHCOMPSS	SHA2824KT	\$80
3" dia. TWO opposing end short bodies						
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2T2805K3CGt	\$663	2 short twin bodies at ends of a 28" shaft	2x OHCOMP2T	SHA2805KTAT	\$96
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb 2T2804K3Ct	\$663	2 short twin bodies at ends of a 28" shaft	2x OHCOMP2T	SHA2804KTAT	\$96
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	12 lb T2804K3St	\$623	2 short twin bodies at ends of a 28" shaft	2x OHCOMP1 or 2x OHCOMP1SS	SHA2804KTAT	\$96
3" dia. FOUR bodies						
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12.5 lb 2T2824K3CGR4	\$763	4 short bodies, 28" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2824KTA4	\$98
4 bodies 3" smooth Urethane (4x5.55" wide bodies) double row bearings	13.5 lb 2T2824K3CR4	\$763	4 short bodies, 28" shaft	2x OHCOMP2R4ext + 2x OHCOMP2R4int	SHA2824KTA4	\$98
Toro 22" VERTICUT heads (Call to confirm dimensions of your roller)						
(Sectional rollers with 4 bodies also available)						
2" dia. smooth Steel heavy (1/4" wall)	10 lb T2419A2S	\$362	19.25" body, 24" shaft	OHCMP or OHCOMPSS	SHA2419AT	\$80
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2321A2S	\$362	21.25" body, 23" shaft	OHCMP or OHCOMPSS	SHA2321AT	\$80

for RANSOMES mowers (multi-body rollers available)

RANSOMES ALL 22" GREENSPLEX & E-PLEX & 160 - FRONT ROLLER

2" dia. SINGLE body

2" dia. wide grooved Urethane no flats	6.5 lb	R2522A2CG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb	R2522A2NG	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2522A2CGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb	R2522A2NGF	\$382	22.45" body, 25.875" shaft	OHCMPH	SHA2522AJ	\$80
2" dia. smooth Urethane	8 lb	R2522A2C	\$382	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2522A2S	\$362	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AJ	\$80

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2522A2CGF4	\$622	4 short bodies, 25.875" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2522AJA4	\$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2522A2C4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2522A2S4	\$622	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	\$98

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2522A25CG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AJ	\$80
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	R2522A25NG	\$456	22.45" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AJ	\$80
2.5" smooth Urethane	9.5 lb	R2522A25C	\$456	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AJ	\$80
2.5" smooth Steel	10 lb	R2522A25S	\$456	22.25" body, 25.875" shaft	OHCMP or OHCMPSS	SHA2522AJ	\$80

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	R2522A25CG4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2522A25C4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	12 lb	R2522A25S4	\$676	4 short bodies, 25.875" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2522AJA4	\$98

RANSOMES 300 & 500 GREENSMOWERS - BACK ROLLER

2" dia. SINGLE body

2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422S2CGF	\$382	22.45" body , 24.25" shaft-3/8" taps	OHCMPH	SHA2422SJ	\$80
2" dia. smooth Urethane	8 lb	R2422S2C	\$382	22.25" body , 24.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2422SJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422S2S	\$322	22.25" body , 24.25" shaft-3/8" taps	OHCMP or OHCMPSS	SHA2422SJ	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422G2CGF	\$382	22.45" body , 24.25" shaft-7/16" taps	OHCMPH	SHA2422GJ	\$80
2" dia. smooth Urethane	8 lb	R2422G2C	\$382	22.25" body , 24.25" shaft-7/16" taps	OHCMP or OHCMPSS	SHA2422GJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422G2S	\$362	22.25" body , 24.25" shaft-7/16" taps	OHCMP or OHCMPSS	SHA2422GJ	\$80

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2422S2CGF4	\$622	4 bodies @22.3" oal, shaft-3/8" taps	2x OHCMPH4ext + 2x OHCMPH4int	SHA2422SJA4	\$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2422S2C4	\$622	4 short bodies, 24.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2422SJA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422S2S4	\$622	4 short bodies, 24.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2422SJA4	\$98
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2422G2CGF4	\$622	4 short bodies, 24.25" shaft	2x OHCMPH4ext + 2x OHCMPH4int	SHA2422GJA4	\$98
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2422G2C4	\$622	4 short bodies, 24.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2422GJA4	\$98
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422G2S4	\$622	4 short bodies, 24.25" shaft	2x OHCMP4ext + 2x OHCMP4int	SHA2422GJA4	\$98

RANSOMES MOTOR 180D, 180 TRIPLEX & TRIPLE 18 - ALL ROLLERS

Call to upgrade with double row angular contact bearings

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2826G25CG	\$456	7/16" taps in shaft ends	OHCMP or OHCMPSS	SHA2826GR	\$80
2.5" smooth Urethane	11.5 lb	R2826G25C	\$456	7/16" taps in shaft ends	OHCMP or OHCMPSS	SHA2826GR	\$80
2.5" smooth Steel	12 lb	R2826G25S	\$456	26.25" body, 7/16" taps	OHCMP or OHCMPSS	SHA2826GR	\$80

RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/ 6" DIA. REELS - ALL ROLLERS

Call to upgrade with double row angular contact bearings

3" dia. wide grooved Urethane	13 lb	R2722R3CG	\$553	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722RR	\$80
3" smooth Urethane	15 lb	R2722R3C	\$553	22.45" body, 27" shaft	OHCMP or OHCMPSS	SHA2722RR	\$80
3" smooth Steel	15 lb	R2722R3S	\$553	22.25" body, 27" shaft	OHCMP or OHCMPSS	SHA2722RR	\$80

RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER

Call to upgrade with double row angular contact bearings

3" dia. wide grooved Urethane	13 lb	R2622A3CG	\$553	22.45" body, 26" shaft	OHCMP or OHCMPSS	SHA2622AR	\$80
3" smooth Urethane	15 lb	R2622A3C	\$553	22.45" body, 26" shaft	OHCMP or OHCMPSS	SHA2622AR	\$80
3" smooth Steel	15 lb	R2622A3S	\$553	22.25" body, 26" shaft	OHCMP or OHCMPSS	SHA2622AR	\$80

RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLLER

Call to upgrade with double row angular contact bearings

3" dia. wide grooved Urethane	13 lb	R2722A3CG	\$553	22.45" body, 27.5" shaft	OHCMP or OHCMPSS	SHA2722AR	\$80
3" smooth Urethane	15 lb	R2722A3C	\$553	22.45" body, 27.5" shaft	OHCMP or OHCMPSS	SHA2722AR	\$80
3" smooth Steel	15 lb	R2722A3S	\$553	22.25" body, 27.5" shaft	OHCMP or OHCMPSS	SHA2722AR	\$80

RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER

Call to upgrade with double row angular contact bearings

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2421S25CG	\$456	3/8" taps in shaft ends	OHCMP or OHCMPSS	SHA2421SJ	\$80
2.5" smooth Urethane	9.5 lb	R2421S25C	\$456	3/8" taps in shaft ends	OHCMP or OHCMPSS	SHA2421SJ	\$80
2.5" smooth Steel	10 lb	R2421S25S	\$456	21.25" body, 3/8" taps	OHCMP or OHCMPSS	SHA2421SJ	\$80
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2421G25CG	\$456	7/16" taps in shaft ends	OHCMP or OHCMPSS	SHA2421GJ	\$80
2.5" smooth Urethane	8 lb	R2421G25C	\$456	7/16" taps in shaft ends	OHCMP or OHCMPSS	SHA2421GJ	\$80
2.5" smooth Steel	12 lb	R2421G25S	\$456	21.25" body, 7/16" taps	OHCMP or OHCMPSS	SHA2421GJ	\$80

RANSOMES 26" FAIRWAY 300, 305, 405 & 26" T-PLEX 185D - ALL ROLLERS

Call to upgrade with double row angular contact bearings

3" dia. wide grooved Urethane	13 lb	R3026W3CG	\$553	26.45" body, 30.7" shaft	OHCMP or OHCMPSS	SHA3026WR	\$80
3" smooth Urethane	15 lb	R3026W3C	\$553	26.45" body, 30.7" shaft	OHCMP or OHCMPSS	SHA3026WR	\$80
3" smooth Steel with single row bearings	15 lb	R3026WT3S	\$553	26.25" body, 30.7" shaft	OHCMP or OHCMPSS	SHA3026WR	\$80

RANSOMES 30" T-PLEX 185D - ALL ROLLERS

Call to upgrade with double row angular contact bearings

3" dia. wide grooved Urethane	13 lb	R3429T3CG	\$553	29.45" body, 34.5" shaft	OHCMP or OHCMPSS	SHA3429TR	\$80
3" smooth Urethane	15 lb	R3429T3C	\$553	29.45" body, 34" shaft	OHCMP or OHCMPSS	SHA3429TR	\$80
3" smooth Steel	15 lb	R3429T3S	\$553	29.25" body, 34.5" shaft	OHCMP or OHCMPSS	SHA3429TR	\$80

RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS

Call to upgrade with double row angular contact bearings

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R3127G25CG	\$456	27.45" body, 31.62" dia. shaft-7/16" taps	OHCMP or OHCMPSS	SHA3127GR	\$80
2.5" smooth Urethane	11.2 lb	R3127G25C	\$456	27.45" body, 31.62" dia. shaft-7/16" taps	OHCMP or OHCMPSS	SHA3127GR	\$80
2.5" smooth Steel	12 lb	R3127G25S	\$456	27.25" body, 31.62" dia. shaft-7/16" taps	OHCMP or OHCMPSS	SHA3127GR	\$80
3" dia. wide grooved (1" spacing) Urethane	12.4 lb	R3529A3CG	\$553	29.45" body, 35" shaft	OHCMP or OHCMPSS	SHA3529AR	\$80
3" smooth Urethane	15 lb	R3529A3C	\$553	29.45" body, 35" shaft	OHCMP or OHCMPSS	SHA3529AR	\$80
3" smooth Steel	15 lb	R3529A3S	\$553	29.25" body, 35" shaft	OHCMP or OHCMPSS	SHA3529AR	\$80

RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER

Call to upgrade with double row angular contact bearings

3.5" smooth Urethane	27 lb	R2722X35C	\$627	22.45" body, 27.25" shaft-1/2" dia. ends	OHCMP or OHCMPSS	SHA2722XR	\$80
4" smooth Urethane	23 lb	R2722X4C	\$724	22.45" body, 27.25" shaft	OHCMP or OHCMPSS	SHA2722XR	\$80

for DENNIS

Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)		Call to upgrade with double row angular contact bearings				
3.5" smooth Urethane	21 lb D3834G35C	\$627	34.45" body, 38.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3834GD	\$106
Handlebar bushing (2 per roller)	2SLEEVE 1.25x.5x1.2 PU	\$33				

for SISIS (multi-body rollers available)

Sisis Flexi-400 fairway rolling machine- ALL ROLLERS		Multi-body roller options available to minimize skidding				
3" smooth Urethane	11.6 lb S2524S3C	\$533	24.45" body, 25.125" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2524SS	\$91
3" smooth Steel	12 lb S2524S3S	\$533	24.25" body, 25.125" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2524SS	\$91
3.5" smooth Urethane	16 lb S2524S35C	\$627	24.45" body, 25.125" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2524SS	\$91
Sisis Veemo MK2 Verticutter - ALL ROLLERS		Multi-body roller options available to minimize skidding				
3" smooth Urethane	15 lb S3029G3C	\$533	29.45" body, 30.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3029GS	\$91
3" smooth Steel	15 lb S3029G3S	\$533	29.25" body, 30.5" shaft-7/16" taps	OHCMP or OHCOMPSS	SHA3029GS	\$91

for SHIBAURA & HUSTLER (multi-body rollers available)

Shibaura G EXE 26 Greens Mower		Multi-body roller options available to minimize skidding				
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb S2826P25CG	\$486	26.45" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	\$88
2.5" smooth Urethane	12.5 lb S2826P25C	\$456	26.45" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	\$88
2.5" smooth Steel	12.5 lb S2826P25S	\$456	26.25" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	\$88
2" dia. smooth Urethane	8.5 lb S2826P2C	\$382	26.25" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	\$88
2" dia. smooth Steel heavy (1/4" wall)	12 lb S2826P2S	\$352	26.25" body, 28.375" shaft	OHCMP or OHCOMPSS	SHA2826PS	\$88
Shibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower		Multi-body roller options available to minimize skidding				
2" dia. wide grooved Urethane 1" flats	6.5 lb S2522P2CGF	\$412	22.45" body, 25.75" shaft	OHCMP	SHA2522PS	\$88
2" dia. smooth Urethane	8 lb S2522P2C	\$412	22.25" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb S2522P2S	\$412	22.25" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb S2522P25CG	\$486	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb S2522P25NG	\$486	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
2.5" smooth Urethane	11.5 lb S2522P25C	\$486	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
2.5" smooth Steel	12 lb S2522P25S	\$486	22.25" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
Shibaura SR525 Fairway & Hustler 7500 & 7700 Fairway		Multi-body roller options available to minimize skidding				
3" dia. wide grooved Urethane	10.5 lb S2522P3CG	\$553	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
3" smooth Urethane	12.5 lb S2522P3C	\$553	22.45" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
3" smooth Steel	12.5 lb S2522P3S	\$553	22.25" body, 25.75" shaft	OHCMP or OHCOMPSS	SHA2522PS	\$88
Shibaura SR370		Multi-body roller options available to minimize skidding				
3" dia. wide grooved Urethane	12.5 lb S2926P3CG	\$553	26.45" body, 29.75" shaft	OHCMP or OHCOMPSS	SHA2926PS	\$88
3" smooth Urethane	14 lb S2926P3C	\$553	26.45" body, 29.75" shaft	OHCMP or OHCOMPSS	SHA2926PS	\$88
3" smooth Steel	14 lb S2926P3S	\$553	26.25" body, 29.75" shaft	OHCMP or OHCOMPSS	SHA2926PS	\$88

for TRU-TURF Greens Golf Rollers (multi-body rollers available)

Tru-Turf Smoothing Heads Rollers for RS48-11E machine		Multi-body roller options available to minimize skidding				
2.5" smooth Urethane	9.5 lb T2222S25C	\$456	22.45" body, 22.625" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2222ST	\$80
2.5" smooth Steel	9.2 lb T2222S25S	\$456	22.25" body, 22.625" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2222ST	\$80
Tru-Turf Smoothing Heads Rollers for RB48-11A machine (4 short & 2 long rollers per machine)		Multi-body roller options available to minimize skidding				
2.5" smooth Urethane	9.5 lb T2222R25C	\$456	22.45" body short rollers, 22.716" shaft (4 per machine)	OHCMP or OHCOMPSS	SHA2222RT	\$80
2.5" smooth Steel	9.2 lb T2222R25S	\$456	22.25" body short rollers, 22.716" shaft (4 per machine)	OHCMP or OHCOMPSS	SHA2222RT	\$80
2.5" smooth Urethane	10 lb T2524R25C	\$456	24.45" body long rollers, 25.078" shaft (2 per machine)	OHCMP or OHCOMPSS	SHA2522RT	\$80
2.5" smooth Steel	9.6 lb T2524R25S	\$456	24.25" body long rollers, 25.078" shaft (2 per machine)	OHCMP or OHCOMPSS	SHA2522RT	\$80
Tru-Turf Smoothing Heads Rollers for R50-11 machine (4 short & 2 long rollers per machine)		Multi-body roller options available to minimize skidding				
2.5" smooth Urethane	9.5 lb T2222Y25C	\$456	22.45" body short rollers, 22.75" shaft (4 per machine)	OHCMP or OHCOMPSS	SHA2222YT	\$91
2.5" smooth Steel	9.2 lb T2222Y25S	\$456	22.25" body short rollers, 22.75" shaft (4 per machine)	OHCMP or OHCOMPSS	SHA2222YT	\$91
2.5" smooth Urethane	10 lb T2524Y25C	\$456	24.45" body long rollers, 25" shaft (2 per machine)	OHCMP or OHCOMPSS	SHA2524YT	\$91
2.5" smooth Steel	9.6 lb T2524Y25S	\$456	24.25" body long rollers, 25" shaft (2 per machine)	OHCMP or OHCOMPSS	SHA2524YT	\$91
Tru-Turf Smoothing Heads Rollers for GR39 machine		Multi-body roller options available to minimize skidding				
2.5" smooth Urethane	15.5 lb T3939S25C	\$596	39.45" body, 39.812" dia. shaft-3/8" taps	OHCMP or OHCOMPSS	SHA3939ST	\$100
2.5" smooth Steel	15.5 lb T3939S25S	\$596	39.25" body, 39.812" dia. shaft-3/8" taps	OHCMP or OHCOMPSS	SHA3939ST	\$100
Tru-Turf Smoothing Heads Rollers for TR7000C machine		Multi-body roller options available to minimize skidding				
2 bodies 2.5" smooth Urethane (2x19.5" wide bodies)	15.5 lb TT3939S25Ct	\$696	2 body assembly at 39.5" total length, 39.812" dia. shaft	2x OHCMP or 2x OHCOMPSS	SHA3939STAt	\$100
2 bodies 2.5" smooth Steel (2x19.45" wide bodies)	15.5 lb TT3939S25St	\$696	2 body assembly at 39.5" total length, 39.812" dia. shaft	2x OHCMP or 2x OHCOMPSS	SHA3939ST	\$100
Tru-Turf Smoothing Heads Rollers for R52 machine (9 rollers per machine)		Multi-body roller options available to minimize skidding				
2.5" smooth Urethane	9 lb T1818S25C	\$456	18.45" body, 18.5" shaft-3/8" taps (9 per machine)	OHCMP or OHCOMPSS	SHA1818ST	\$80
2.5" smooth Steel	8.7 lb T1818S25S	\$456	18.25" body, 18.5" shaft-3/8" taps (9 per machine)	OHCMP or OHCOMPSS	SHA1818ST	\$80
Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine		Multi-body roller options available to minimize skidding				
2.5" smooth Urethane	9.5 lb TT2422S25C	\$456	22.45" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422ST	\$80
2.5" smooth Steel	9.2 lb TT2422S25S	\$456	22.25" body, 24.25" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422ST	\$80

for BARONESS (multi-body rollers available)		Call to upgrade with double row angular contact bearings			
Baroness LM66T Greens - 25.45" Front & back ROLLERS		Multi-body roller options available to minimize skidding			
2.5" dia. wide grooved (1" spacing) Urethane no flats	13 lb B2725H25CG	\$486	25.45" body, 27" shaft-M10 taps	OHCMP or OHCOMPSS	SHA2725HK \$96
2.5" smooth Urethane	15 lb B2725H25C	\$486	25.45" body, 27" shaft-M10 taps	OHCMP or OHCOMPSS	SHA2725HK \$96
2.5" smooth Steel	15 lb B2725H25S	\$486	25.25" body, 27" shaft-M10 taps	OHCMP or OHCOMPSS	SHA2725HK \$96
Baroness LM185 - 27.45" Front & Back ROLLERS		Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	13 lb B3027K3CG	\$613	27.45" body, 30" shaft-9/16" dia. ends	OHCMP or OHCOMPSS	SHA3027KK \$96
3" smooth Urethane	15 lb B3027K3C	\$613	27.45" body, 30" shaft-9/16" dia. ends	OHCMP or OHCOMPSS	SHA3027KK \$96
3" smooth Steel	15 lb B3027K3S	\$613	27.25" body, 30" shaft-9/16" dia. ends	OHCMP or OHCOMPSS	SHA3027KK \$96
Baroness LM2700 Fairway - 27.45" ROLLER BODIES		Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane with double row bearings	13 lb 2B2726G3CG	\$693	26.45" body, 27.625" shaft-7/16" taps	OHCMP2C	SHA2726GK \$96
3" smooth Urethane with double row bearings	15 lb 2B2726G3C	\$693	26.45" body, 27.625" shaft-7/16" taps	OHCMP2C	SHA2726GK \$96
3" smooth Steel with double row bearings	15 lb 2B2726G3SR	\$693	26.45" body, 27.625" shaft-7/16" taps	OHCMP2R	SHA2726GK \$96
3.5" smooth Urethane with double row bearings	18 lb 2B2726G35C	\$737	26.45" body, 27.625" shaft-7/16" taps	OHCMP2C	SHA2726GK \$96
4" smooth Urethane-double row bearings	23 lb 2B2726G4C	\$754	26.45" body, 27.625" shaft-7/16" taps	OHCMP2C	SHA2726GK \$96
Baroness LM2810A Fairway - Front ROLLER BODIES		Multi-body roller options available to minimize skidding			
5" dia. wide grooved Urethane with double row bearings	5 lb 2B0605G5CG	\$415	Roller assembly includes mounting bolts & washers	OHCMP2C	SHA0605GK \$105
5" dia. smooth Urethane with double row bearings	5.5 lb 2B0605G5C	\$415	Roller assembly includes mounting bolts & washers	OHCMP2C	SHA0605GK \$105
Baroness LM2810A Fairway - Rear 29.45" ROLLER BODIES		Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane with double row bearings	13 lb 2B3029G3CG	\$693	29.45" body, 30.93" shaft-7/16" taps, mounting bolts & washers	OHCMP2C	SHA3029GK \$105
3" dia. smooth Urethane with double row bearings	15 lb 2B3029G3C	\$693	29.45" body, 30.93" shaft-7/16" taps, mounting bolts & washers	OHCMP2C	SHA3029GK \$105
5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb 2B3029G3CGR5	\$893	5 short bodies, 30.93" shaft-7/16" taps, mounting bolts & washers	2x OHCMP2R4ext + 3x OHCMP2R4int	SHA3029GKA5 \$115
5 bodies 3" dia. smooth Urethane (4x5.55"+1x6.5" bodies) double row bearings	16 lb 2B3029G3CR5	\$893	5 short bodies, 30.93" shaft-7/16" taps, mounting bolts & washers	2x OHCMP2R4ext + 3x OHCMP2R4int	SHA3029GKA5 \$115
Baroness LM315 - 22.45" ROLLER BODIES coming soon		Multi-body roller options available to minimize skidding			
Baroness LM62 - 22.45" ROLLER BODIES coming soon		Multi-body roller options available to minimize skidding			
Baroness LS66 Fairway - 27.45" ROLLER BODIES coming soon		Multi-body roller options available to minimize skidding			
Baroness LM6690 - ROLLER BODIES coming soon		Multi-body roller options available to minimize skidding			

for VENTRAC (multi-body rollers available)		Call to upgrade with double row angular contact bearings			
Ventrac MJ840 Contour Deck Rotary Mower		Multi-body roller options available to minimize skidding			
3" dia. SINGLE body					
3" smooth Urethane with double row bearings	11.8 lb 2V2422S3C		only available through Venture Products	OHCMP2C	SHA2422SV
3" smooth Steel with single row bearings	11.4 lb V2422S3S	\$493	22.05" body, 24.56" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2422SV \$91
3" dia. TWO opposing end short bodies					
2 bodies 3" dia. wide grooved Urethane (2x4" wide bodies)	6 lb V2404S3CGt	\$623	2 short twin bodies at ends of a 24.56" shaft	2x OHCMP or 2x OHCOMPSS	SHA2404SVAt \$96
2 bodies 3" smooth Urethane (2x4" wide bodies)	8 lb V2404S3Ct	\$623	2 short twin bodies at ends of a 24.56" shaft	2x OHCMP or 2x OHCOMPSS	SHA2404SVAt \$96
2 bodies 3" smooth Steel (2x4" wide bodies) single row bearings	10 lb V2404S3St	\$623	2 short twin bodies at ends of a 24.56" shaft	2x OHCMP or 2x OHCOMPSS	SHA2404SVAt \$96
Ventrac MR740 Triplex Reel Mower		Multi-body roller options available to minimize skidding			
3" dia. wide grooved Urethane	9.5 lb V2827G3CG	\$583	27.45" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCMP or OHCOMPSS	SHA2827SV \$91
3" smooth Urethane	11.5 lb V2827G3C	\$583	27.45" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCMP or OHCOMPSS	SHA2827SV \$91
3" smooth Steel	11.2 lb V2827G3S	\$583	27.25" body, 28.78" shaft-3/8" taps, .545" dia ends	OHCMP or OHCOMPSS	SHA2827SV \$91

for TrueSurface (multi-body rollers available)		Call to upgrade with double row angular contact bearings			
True Surface V5 rolling machine - FRONT ROLLER		Multi-body roller options available to minimize skidding			
3" smooth Urethane with double row bearings	10 lb 2T2522V3C	\$583	22.45" body, 25.5" shaft-3/8" taps	OHCMP2	SHA2522VT \$91
3" smooth Steel with double row bearings	10.5 lb 2T2522V3S	\$583	22.25" body, 25.5" shaft-3/8" taps	OHCMP2	SHA2522VT \$91
3" smooth Urethane	9.5 lb T2522V3C	\$523	22.45" body, 25.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522VT \$91
3" smooth Steel	10 lb T2522V3S	\$523	22.25" body, 25.5" shaft-3/8" taps	OHCMP or OHCOMPSS	SHA2522VT \$91

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

GOLFCO INTERNATIONAL COMPETITION ROLLERS

Retail Price List 2025 & 2026

US PATENT #5394661

Competition Roller™ Upgrade Options

Retail

Upgrade to Stainless Steel Bearings on Competition Rollers™

\$28 BU-COMPSS

Upgrade to Double Row Bearings as our Competition2 Rollers™

\$50

- upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body)
- available for most rollers greater than 2" dia.

(designate by adding "2" to front of roller part number)

Add Grease Fittings (set of 2 special flush mount grease fittings)

- grease fittings (set of two) for new Competition Rollers™ or new overhaul kits
- special yellow end seal (set of two) to accommodate grease fitting without new bearing kits

\$25 GFFD316SET

\$29 2SEAL16CUGF SET

Bearing Installation Tool Set

- set of 2 tools - aids in installing bearings into roller housing and onto shaft

\$78 2TOOLSET

Super solid one piece Polyurethane Mallet - FULL SIZE (13" length)

- add a bottle opener to your full size mallet for \$12 extra

\$70 #MALLET13

\$82 #MALLET13BO

Super solid one piece Polyurethane Mallet - 3/4 SIZE (9.8" length)

\$45 #MALLET9.8

Super solid one piece Polyurethane Mallet - 1/2 SIZE (6.5" length)

- unique utility to add to your tool box

\$33 #MALLET6.5



Competition Roller™ Overhaul Kits - *ORIGINAL STYLE*

Single row deep groove bearings with corrosion resistant finish

- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Standard overhaul kit for all single body (except "H" style 2" grooved)
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$85 OHCOMP

Stainless steel bearing overhaul kit for all single body (except 2" grooved)
(with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)

\$109 OHCOMPSS

Overhaul Kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$90 OHCOMPH

Overhaul Kit for single body roller assemblies with retaining collars
(with 2 alloy steel bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

\$99 OHCOMPc

Overhaul Kit for twin body roller assemblies with retaining collars (one kit per body)
(with 2 alloy steel bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

\$99 OHCOMPt



Competition2 Roller™ Overhaul Kits *SERIES 2* with Double-Row Bearings

Double row angular contact bearings with corrosion resistant black oxide finish

- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Overhaul Kit for single body deep bore rollers
(with 2 double row bearings, 6 seals, 2 stainless washers & 4 snap ring retainers)

\$124 OHCOMP2

Overhaul Kit for single body deep bore rollers with retaining collars
(with 2 double row bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

\$124 OHCOMP2c

Overhaul Kit for twin body deep bore rollers with retaining collars
(with 2 double row bearings, 6 seals, 2 steel washers, 2 snap ring retainers & 2 collars)

\$124 OHCOMP2t

Competition Roller™ Overhaul Kits - *FOR MULTI-BODY* ROLLER ASSEMBLIES

- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Overhaul Kit for multi-body regular bore roller assemblies with single row bearings
(with 2 alloy steel single row bearings, seals, steel washers, retainers)

call for part numbers & pricing

Overhaul Kit for multi-body deep bore roller assemblies with double row bearings
(with 2 alloy steel double row bearings with black oxide finish, seals, steel washers, retainers)

call for part numbers & pricing

Competition Roller™ Replacement Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from 6 digits of the roller part number (starting with the first letter) as follows: Roller T2522S2CGF has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).