

# Colonoscopy Preparation with SUTAB

## NIGHT BEFORE THE COLONOSCOPY

**Note:** Wait 1-2 minutes between each tablet. It is recommended to use a timer.

### 4pm: First Dose

#### The Dosing Regimen

SUTAB is a split-dose (2-day) regimen. A total of 24 tablets is required for complete preparation for colonoscopy. You will take the tablets in two doses of 12 tablets each. Water must be consumed with each dose of SUTAB, and additional water must be consumed after each dose.



#### DOSE 1—On the Day Prior to Colonoscopy

##### Take the tablets with water

**STEP 1** Open 1 bottle of 12 tablets.

**STEP 2** Fill the provided container with 16 ounces of water (up to the fill line). Swallow each tablet with a sip of water, and drink the entire amount of water over 15 to 20 minutes.



**IMPORTANT:** If you experience preparation-related symptoms (for example, nausea, bloating, or cramping), pause or slow the rate of drinking the additional water until your symptoms diminish.

##### Drink additional water

**STEP 3** Approximately 1 hour after the last tablet is ingested, fill the provided container again with 16 ounces of water (up to the fill line), and drink the entire amount over 30 minutes.

**STEP 4** Approximately 30 minutes after finishing the second container of water, fill the provided container with 16 ounces of water (up to the fill line), and drink the entire amount over 30 minutes.

### DOSE 2: 8 hours prior to the colonoscopy:

Open the second bottle of 12 tablets and repeat STEP 1 to STEP 4

**DO NOT DRINK ANY FLUIDS 3 HOURS PRIOR TO PROCEDURE.**

