



Traction SURVEY FORM

Company:		Purchase Order #	
Address:		Date:	
		Job Name:	
Attn.:			
Phone:		Job Location:	
Fax:		Number of Cars	
Email:			

Ship To:		Contact:	
Address:		Phone:	
		Lift Gate Truck:	<input type="checkbox"/> Yes <input type="checkbox"/> No
Requested Ship Date:		Delivery Notification:	<input type="checkbox"/> 24 hrs* <input type="checkbox"/> 48 hrs* *Freight Company Fee Applies. <input type="checkbox"/> Notification by VCI.

Certification: UL/CUL CSA TSSA Other

Office Prints: 11"x17" Submittals

Type: Passenger Freight Overhead Basement MRL Geared Gearless

Controller: Vision (Serial-Link) VF3000 (Discrete) Relay Logic PLC (Other): _____
 PLC (GE RX3i) PLC (A-B CompactLogix) PLC (A-B ControlLogix)

Building Power: _____V - _____φ - _____Hz **Car:** Capacity: _____ Speed: _____

Drive: SSAC 2SAC MG-Set (Open-Loop) MG-Set (Closed-Loop)* DC Drive*
 Variable Freq AC (*Open-Loop ≤150FPM*) Flux Vector AC* (*Closed-Loop ≥200FPM*)
 Synchronous Permanent Magnet AC Drive* *Tach/Encoder required: _____

Landings: No. of Landings: _____ Total Travel: _____ Short Floors
 Front Openings # _____ @ _____ Rear Openings # _____ @ _____

Travel Between Ldgs.: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____
 10 _____ 11 _____ 12 _____ 13 _____ 14 _____ 15 _____ 16 _____ 17 _____ 18 _____ 19 _____ 20 _____
 20 _____ 21 _____ 22 _____ 23 _____ 24 _____ 25 _____ 26 _____ 27 _____ 28 _____ 29 _____ 30 _____

Operation: Selective Collective Single Automatic Pushbutton Call & Send
 Single Button Collective Constant Pressure Pushbutton Real Time Dispatching
 Simplex Duplex Triplex Group Specify: _____
 Operator Interface Unit Machine Room Monitoring Machine Room Monitoring w/Remote Access
 Notes: _____

Doors: GAL MOD GAL MOM GAL MOH GAL MOVFR VCI MODSS Door Controller
 MAC SS MAC STD ECI: _____ Other: _____
 Manual: Fixed Cam Bi-parting Freight Swing Door
 Retiring Cam AC: _____V - _____φ - _____Hz @ _____ Amps DC: _____V- _____Ω- _____ Amps
 Power Freight Manuf. & Model: _____ Auto-open Auto-close



Emergency Fire Svc: A17 '00 A17 '04 A17 '07 A17 '10 A17 '13 A17 _____(year)
 CAN B44-98 CAN B44-00 Local Code / Other: _____
Main Floor: Landing# _____ Label: _____ Alternate Floor: Landing# _____ Label: _____

Fixtures:

	Car / C.O.P.	Hall / Hoistway
Fixture Voltage: Vision Standard <input type="checkbox"/>	115V AC	24V DC
Standard (VF3000/PLC) <input type="checkbox"/>	115V AC	115V AC
Other <input type="checkbox"/>	____V <input type="checkbox"/> AC <input type="checkbox"/> DC	____V <input type="checkbox"/> AC <input type="checkbox"/> DC

- Car Position Indicator Hall Position Indicator- digital Line Per Floor Inputs
- Hall PI's @ Non-Main Ldg. Hall Position Indicator- multi-light Direction Arrows
- C.E. Electronics PI Driver Board (Floor Labels Required) Voice Annunciator
- Call Register Lights ____V AC DC
- Car Travel Lantern ____V AC DC ½ Stroke Gong Programming by VC
- Hall Lanterns ____V AC DC ½ Stroke Gong Programming by VC
- Passing Gong ____V AC DC
- Door Open Bell ____V AC DC
- In-Use Lights ____V AC DC
- Barrier Free Gong ____V AC DC BFG @ Ldg.# _____

Features:

- Hoistway Insp. Access Top Btm _____ Generator Operation Auto Manual Group
- In-Car Inspection Governor Reset Circuit
- Attendant Service Homing Specify Landing #: _____
- Independent Service Hospital Service -- "Code Blue"
- Door Nudging with Timed Electric Eye Cutout Load Weighing Bypass (Device Not Included)
- Infrared Curtain Unit (Nudge on Fire Service) Load Weighing Overload (Device Not Included)
- Safety Edge with Electric Eye Massachusetts EMT Hospital Service
- Card Reader Provisions Reverse Phase Monitor
- Key Lockouts in C.O.P. @ Ldgs.: _____ Emergency Brake
- Car-to-Lobby Switch Rope Brake
- Door Hold Open-- Switch Button Security Service (code entered via car call buttons)
- Drive Applied Harmonic Filter (IEEE 519) Seismic (EQ) Specify Device & Code: _____
- Drive Isolation Transformer Shunt Trip Operation
- Emergency Terminal Slowdown Device (ETSD) _____
- Fan & Light Auto K/O _____
- PI Blanking on Fire Service _____
- Position Indicator Cutout Timeout (5 minutes) _____

Enclosures:

- Wall Mounted Free Standing Back Panel Only Hinged Enclosure
- NEMA 1 NEMA 12 NEMA 4 NEMA 4X Other: _____
- Special Dimensions: ____" H x ____" W x ____" D _____

Landing/Leveling System:

- IP-8300 IP-8700 ELGO Absolute Positioning System (Vision Controllers ONLY)
- NEMA 1 w/Steel Tape NEMA 12/4/4X w/Poly-coated Tape
- Landing/Leveling by Others: Output/Floor Pulsing

