





5M Adaptive Camera Module Specification



2022 V1

It's good for





Outdoor security camera








Dome type security camera







Outdoor Smart Camera Compact design, Powerful in mind

- A camera with built-in CMOS sensor and lens ready to fit in housing with standard 38x38 mm dimension
- Capture 5M high resolution image @30fps to see live streaming anytime.
- Built-in TF card slot, record it on device. Also supports ONVIF connectivity to work along with NVR system for 24 hours recording security.
- Able to capture detail even at 0.01 Lux low light environment.
- Two way communication. Alert the intruder right away when motion detected.

Features




Two way communication



TF Card Slot Built-in




Object Tracking




Smart Al Detection



Crystal Night Vision



NVR ONVIF Supported



Features

- Smart Al detections includes:
 - Motion detection
 - Human detection
 - Sound detection
 - Object tracking














The Spec

Camera:

• Image Sensor: 5MP 1/2.8" CMOS

• Lens: 3.03mm @ F1.6

• FOV: 102°

• Night Mode: Automatic IR cut filter

• DNR: 3D Noise Reduction

Dynamic Range: WDR

Image:

• Resolution: 2880 x 1620

Video Compression: H.265 / H.264

Connectivity:

• Power: PoE Class 0/3(IEEE802.3af)

 Protocol:TCP/IP,HTTP,HTTPS,FTP,DHCP, DDNS,RTP,RTSP,RTMP

Interfaces:

Audio: Mic / Speaker built-in

• TF Card Slot: Built-in

System Requirement:

• Browser: Chrome70+,Firefox 30.0-51,Safari 8.0-11, Edge

And also:

 Connector: RJ-45 cable connector for 10/100Mbps

Power: Max 8W

• Dimension: 38 x 38 mm



Need more Info?

Website:

https://ipcamwin.com/home

Mail Address

3F., No. 588, Ruiguang Rd., Neihu Dist., Taipei City, Taiwan (R.O.C.)