



Outdoor Smart Camera

2022 V1

Outdoor Smart Camera

Protect, Connect, All in One

High performance camera doesn't always have to be bulky and complicated.

More importantly, it should be always connected and provide the image on demand.

Not only being used with the complete NVR system, it should have the capability being standalone camera to be start with.

IPCAMWIN Smart Camera, not only good for professional. It is for you and be professional.



It's good for




Front door monitoring

Backyard safety



Warehouse security



Small business security






Outdoor Smart Camera

Compact design, Powerful in mind

- **Slim but weatherproof design, provide year long security at ease.**
- **Capture 5M high resolution image @30fps to see live streaming anytime.**
- **Built-in TF card slot, record it on device. Also supports ONVIF connectivity to work along with NVR system for 24 hours recording security.**
- **Able to capture detail even at 0.01 Lux low light environment.**
- **Two way communication. Alert the intruder right away when motion detected.**


Features




**Two way
communication**




Object Tracking




TF Card Slot Built-in



Smart AI Detection



Crystal Night Vision





NVR ONVIF Supported



Features

- **Smart AI detections includes:**
 - **Motion detection**
 - **Human detection**
 - **Sound detection**
 - **Object tracking**



The Spec



Camera:

- **Image Sensor: 5MP 1/2.8" CMOS**
- **Lens: 3.03mm @ F1.6**
- **FOV: 102°**
- **Night Mode: Automatic IR cut filter**
- **DNR: 3D Noise Reduction**
- **Dynamic Range: WDR**

Image:

- **Resolution: 2880 x 1620**
- **Video Compression: H.265 / H.264**

Connectivity:

- **Power: PoE Class 0/3(IEEE802.3af)**
- **Protocol:TCP/IP,HTTP,HTTPS,FTP,DHCP,DDNS,RTP,RTSP,RTMP**

Interfaces:

- **Audio: Audio/in x1, Audio/out x1**
- **TF Card Slot: Built-in**

System Requirement:

- **Browser: Chrome70+,Firefox 30.0-51,Safari 8.0-11, Edge**

And also:

- **Operating Condition: -30°C to 60°C**
- **Connector: RJ-45 cable connector for 10/100Mbps**
- **Power: Max 8W**
- **Weatherproof: IP67**
- **Dimension: ø 72.5*178.5mm**

Outdoor Smart Camera

Use the app to connect at anytime needed.

Standalone or grouping with NVR system. All at your choices.

Small and compact in size. Big in computing power and performance.

Feel secured, feel connected.





Need more Info?

Website:

<https://ipcamwin.com/home>

Mail Address

3F., No. 588, Ruiguang Rd., Neihu Dist., Taipei City ,
Taiwan (R.O.C.)