

## Series: Celestial Technical Data



Color Shown: Venus Alpe

The Celestial series brings contemporary sophistication to any space with sleek porcelain floors and ceramic walls in satin and polished finishes. Large-format options, subtle tonal shifts, and clean, minimalist detailing deliver a modern aesthetic that feels both stylish and enduring.

### Specifications\*

All field tiles are sold in full cartons.  
 Mosaics and trims, are sold per piece.

Celestial Rectified Porcelain - 5 Colors
V-2 Shade Variation - 4 PEI
PEI - 4 Hardness - Rectified Porcelain Tile
12" x 24" Pieces per carton 7
12" x 24" S/F Carton - 13.56
24" x 24" Pieces per carton - 5
24" x 24" S/F Carton - 19.38
24" x 48" Pieces per carton - 2
24" x 48" S/F Carton - 15.50
Mosaic, Wall Tile & Bullnose - See next page

\*Note - Check with your sales representative for proper use and application of this product.

### Floor Tile

*Special Order*

AC= Matte

PO=Polished

#### Kahli




- 8062676 KHALI OFF-WHITE 12X24 AC
- 8062677 KHALI OFF-WHITE 12X24 PO
- 8058894 KHALI OFF-WHITE 24X24 AC
- 8055875 KHALI OFF-WHITE 24X24 PO
- 8056003 KHALI OFF-WHITE 24X48 AC
- 8055866 KHALI OFF-WHITE 24X48 PO

#### Mahal Cristal



- 8064577 MAHAL CRISTAL 12x24 AC
- 8064578 MAHAL CRISTAL 12x24 PO
- 8064584 MAHAL CRISTAL 24x24 AC
- 8064585 MAHAL CRISTAL 24x24 PO
- 8064581 MAHAL CRISTAL 24x48 AC
- 8064583 MAHAL CRISTAL 24x48 PO

#### Mahal Marfim




- 8064325 MAHAL MARFIM 12x24 AC
- 8064326 MAHAL MARFIM 12x24 PO
- 8064377 MAHAL MARFIM 24x24 AC
- 8064378 MAHAL MARFIM 24x24 PO
- 8064347 MAHAL MARFIM 24x48 AC
- 8064369 MAHAL MARFIM 24x48 PO

#### Sacara Cristal



- 8062682 SACARA CRISTAL 12X24 AC
- 8062683 SACARA CRISTAL 12X24 PO
- 8062680 SACARA CRISTAL 24X24 AC
- 8062681 SACARA CRISTAL 24X24 PO
- 8062678 SACARA CRISTAL 24X48 AC
- 8062679 SACARA CRISTAL 24X48 PO

#### Venus Alpe



- 8062686 VENUS ALPE 12X24 AC
- 8063097 VENUS ALPE 12X24 PO
- 8062688 VENUS ALPE 24X24 AC
- 8062689 VENUS ALPE 24X24 PO
- 8062684 VENUS ALPE 24X48 AC
- 8062685 VENUS ALPE 24X48 PO

### Mosaic, Wall Tile & Bullnose

**AC= Matte PO=Polished**  
*Special Order*




The Celestial series offers a complete solution for elegant interiors, featuring porcelain floor tiles, coordinating 2x2 mosaics, and matching bullnose pieces. The series is complemented by ceramic wall tiles in satin and polished finishes, this collection combines, subtle shade variations, and delicately detailed surfaces to create a sophisticated, timeless aesthetic for residential and light commercial spaces.

**Edro Wall Tile 13" x 24" (AC)**



8063192 Kahli

**2" x 2" Mosaic**



8063880 MOS Khali 2x2 SQ. AC  
 8063881 MOS Kahali 2x2 SQ. PO



8064580 Mahal Cristal



8064616 MOS Mahal Cristal 2x2 SQ. AC  
 8064617 MOS Mahal Cristal 2x2 SQ. PO




8064579 Mahal Marfim



8064618 MOS Mahal Marfim 2x2 SQ. AC  
 8064619 MOS Mahal Marfim 2x2 SQ. PO




8063193 Sacara Cristal



8063876 MOS Sacara Cristall 2x2 SQ. AC  
 8063877 MOS Sacara Cristal 2x2 SQ. PO



8063194 Venus Alpe



8063878MOS Venus Alpe 2x2 SQ. AC  
 8063879 MOS Venus Alpe 2x2 SQ. PO

### Specifications\*

All field tile is sold in full cartons. Mosaics, trims, liners and accessory pieces are sold per piece.

5 Rectified Ceramic Wall Tiles & 2" x 2" Mosaic
Shade V-2
PEI - 4 Mosaic
Wall Tile - Wall use only
13" x 24" Wall Tile - S/F Carton - 7.32
13" x 24" Wall Tile - pieces per carton - 12
12" x 12" Mosaic - S/F Carton - 9.69
12" x 12" Mosaic - Pieces per carton -10
Coordinating Rectified 4" x 24" Bullnose <b>sold per piece</b>

\*Note - Check with your sales representative for proper use and application of this product.

### 4" x 24" Celestial Bullnose









- 8061400 Khali 4x 24 BN - AC
- 8065985 Mahal Cristal 4x 24 BN - AC
- 8065215 Mahal Marfim 4x 24 BN - AC
- 8064137 Sacara Cristal 4x 24 BN - AC
- 8064138 Venus Alpe 4x 24 BN - AC

- 8060149 Khali 4x24 BN - PO
- 8065986 Mahal Cristal 4x24 BN - PO
- 8065216 Mahal Marfim4x24 BN - PO
- 8064139 Sacara Crista 4x24 BN - PO
- 8064140 Venus Alpe 4x24 BN - PO

## PORCELAIN & CERAMIC TILES

### SIZES AND PACKING

		Finish	Rect.	Work Size	Thick	Faces	Sq. Ft./ Carton	Pieces/ Carton
	13"x24" Wall tile	AC (SATIN)	Yes	320 x 600mm	9.3mm	TBI	16.47	8
	24"x48" Wall/Floor	AC (SATIN)	Yes	600 x 1200 mm	9.5 mm	16-18	15.50	2
		PO (POLISHED)	Yes	600 x 1200 mm	10.5 mm	16-18	15.50	2
	24"x24" Wall/Floor	AC (SATIN)	Yes	600 x 600 mm	8.5 mm	24	19.38	5
		PO (POLISHED)	Yes	600 x 600 mm	9.3 mm	24	19.38	5
	12"x24" Wall/Floor	AC (SATIN)	Yes	299.5 x 600 mm	8.5 mm	24	13.56	7
		PO (POLISHED)	Yes	299.5 x 600 mm	8.5 mm	24	13.56	7
<b>sheet size</b>								
	2"x2" Mosaic	AC (SATIN)	Yes	299.5 x 299.5 mm	8.5 mm	TBI	9.69	10
		PO (POLISHED)	Yes	299.5 x 299.5 mm	TBI	TBI	9.69	10
	4"x24" Bullnose	AC (SATIN)	Yes	95 x 600 mm	8.5 mm	-	-	12
		PO (POLISHED)	Yes	95 x 600 mm	9.3 mm	-	-	12

### USAGE RECOMMENDATION

	Target DCOF <sub>wet</sub>	Ceramic Wall Suitable	Porcelain Suitable
Dry & Level - Interior Floor (Residential / Light Commercial)	N/A		✓
Wet & Level - Interior Floor (Residential / Light Commercial)	≥ 0.42		✓ AC
Shower Floors (Residential / Light Commercial)	≥ 0.42		✓ AC
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60		
Ramps & Inclines	≥ 0.65		
Exterior Walls Applications	N/A		✓
Interior Walls/Backsplashes	N/A	✓	✓
Interior Countertops	N/A		✓
Facades	N/A		✓
Pool Linings	N/A		

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3.

Note: Porcelain tiles are suitable for exterior applications in freezing and non-freezing climates when proper installation methods are followed.

### SUSTAINABILITY



These ceramic and porcelain tiles are low-emitting materials with zero emission of volatile organic compounds (VOC).



Recycled Content:  
Porcelain: TBI Pre-consumer  
TBI Post-consumer  
Ceramic: TBI Pre-consumer  
TBI Post-consumer



Porcelain Tiles are certified, ANSI/ASTM compliant, ≤ 0.5% water absorption.



WALLS



FLOORS



SHOWERS



EXTERIOR



FIRE PROOF



VOC FREE

### INSTALLATION AND CARE

**Grout Joint Recommendation** 1/16" (1mm)

**Shade Variation** V2

Professional tile installation is recommended. For complete installation instructions consult the TCNA Handbook for Ceramic, Glass, and Stone Tile Installation. Follow the grout manufacturer instructions for the complete removal of grout and construction residue from initial installation.

The recommendation for flooring care: sweep or vacuum the surface. Then mop the floor using a mop with water and a neutral cleaner (soap less) or a general household cleaner. Follow it with a clean water rinsed mop and wipe dry the floor to prevent film formation. For wall tiles care, it is recommended using a cloth with water and a neutral cleaner (soap less) or a general household cleaner.

### PERFORMANCE CHARACTERISTICS

	ASTM#	Ceramic Wall Result	Porcelain Result
Water Absorption	C373	≤ 20%	≤ 0.5%
Breaking Strength	C648	≥ 125 lbs	≥ 275 lbs
DCOF WET	ANSI A137.1 ANSI A326.3	N/A	≥ 0.42 AC < 0.42 PO
Frost Resistance	C1026	No	Yes
Scratch Hardness	MOHS	TBI	4-5
Chemical Resistance	C650	Resistant	Resistant
Stain Resistance	C1378	Resistant	Resistant

### QUALITY WARRANTY



Standard quality tiles manufactured by Eliane Ceramic Tiles meet ISO 13006, ANSI A137.1 standards.



The ceramic and porcelain tiles are NOT flammable, except mesh material of mesh mounted mosaics.