



# NORTHFORCE

BUILT TO PERFORM



2026

PRODUCT CATALOG

**MADE IN MAINE | BUILT TO PERFORM**











561 Skowhegan Rd, Norridgewock, ME 04957

TEL: (207)858-4490

scott@northforcemfg.com



**AS OF 2025 NORTH FORCE MFG. HAS SUCCESSFULLY BECOME A NATIONAL ASSOCIATION OF TRAILER MANUFACTURERS MEMBER. OUR UTILITY TRAILER LINE IS NOW COMPLIANT WITH ALL OF THE NATM GUIDELINES AND IN SOME AREAS WE EVEN EXCEED THEIR STANDARDS. PROOF THAT NORTH FORCE IS TRULY BUILT TO PERFORM.**

	STANDARD UTILITY	PG.1
	CLOSED RAIL	PG.2
	EXPANDED RAIL	PG.3
	REMOVEABLE RAIL	PG.4
	RIGHT GATE	PG.5
	EQUIPMENT	PG.6
	TILT DECK	PG.7
	TRUCK BODIES	PG.8
	UTILITY BODIES	PG.9
	HEADACHE RACKS	PG.10



# UTILITY-STANDARD



## Features:

North Force trailers feature rugged reliability with Dexter EZ-Lube axles and proven leaf spring suspension. Our **Maine Made** trailers source local decking with 1" Hemlock plank that is built to take a beating. Custom orders are available, please consult your local dealer for options.

MODEL	5X8	6X10	6X12	7X12	7X14-S	7X14	7X16	7X18
<b>GVWR</b>	2990 LBS	2990 LBS	2990 LBS	2990 LBS	2990 LBS	7000 LBS	7000 LBS	7000 LBS
<b>GAWR</b>	3500 LBS	3500 LBS	3500 LBS	3500 LBS	3500 LBS	3500 LBS	3500 LBS	3500 LBS
<b>CURB WEIGHT</b>	690 LBS	940 LBS	990 LBS	1020 LBS	1269 LBS	1850 LBS	1950 LBS	2420 LBS
<b>PAYLOAD</b>	1980 LBS	1590 LBS	1690 LBS	1690 LBS	1402 LBS	5010 LBS	4885 LBS	4580 LBS
<b># OF AXLES</b>	1	1	1	1	1	2	2	2
<b>BRAKES</b>	NO			YES				
<b>SUSPENSION</b>	LEAF SPRING							
<b>LUBE TYPE</b>	EZ-LUBE							
<b>TIRES</b>	205/75R14	205/75R14	205/75R14	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
<b>FINISH</b>	ENAMEL							
<b>DECK</b>	1" HEMLOCK (LOCALLY SOURCED)							
<b>RAIL TYPE</b>	ANGLE	ANGLE	ANGLE	TUBE	TUBE	TUBE	TUBE	TUBE
<b>LIGHTING</b>	LED							
<b>MSRP</b>	\$1760.00	\$2091.00	\$2414.00	\$2727.00	\$3462.00	\$4061.00	\$4578.00	\$4738.00



# UTILITY- CLOSED RAIL



## Features:

The Closed Rail (CR) utility trailer is designed with capability in mind. Allowing a secure method of transportation for all that loose debris. It also provides convenient tie down locations. This trailer is built for functionality, from leaves and dirt to the homeowner dump run. This trailer will get the job done.

<b>MODEL</b>	<b>5X8-CR</b>	<b>6X10-CR</b>
<b>GVWR</b>	2990 LBS	2990 LBS
<b>GAWR</b>	3500 LBS	3500 LBS
<b>CURB WEIGHT</b>	575 LBS	880 LBS
<b>PAYLOAD</b>	1790 LBS	1990 LBS
<b># OF AXLES</b>	1	1
<b>BRAKES</b>	NO	
<b>SUSPENSION</b>	LEAF SPRING	
<b>LUBE TYPE</b>	EZ-LUBE	
<b>TIRES</b>	175/80R13	205/75R14
<b>FINISH</b>	ENAMEL	
<b>DECK</b>	1" HEMLOCK (LOCALLY SOURCED)	
<b>GATE TYPE</b>	RAMP	RAMP
<b>LIGHTING</b>	LED	
<b>MSRP</b>	<b>\$2096.00</b>	<b>\$2401.00</b>



# UTILITY- EXPANDED RAIL



## Features:

The Expanded Rail utility trailer is designed for that heavier payload weight, featuring rugged reliability with Dexter EZ-Lube axles and proven leaf spring suspension. This trailer also offers mesh sides to secure loads. Our **Maine Made** trailers source local decking with 1" Hemlock plank that is build to take a beating.

<b>MODEL</b>	<b>5X8-EXRH</b>	<b>6X10-EXRH</b>
<b>GVWR</b>	2990 LBS	2990 LBS
<b>GAWR</b>	3500 LBS	3500 LBS
<b>CURB WEIGHT</b>	575 LBS	810 LBS
<b>PAYLOAD</b>	2415 LBS	2180 LBS
<b># OF AXLES</b>	1	1
<b>BRAKES</b>	NO	
<b>SUSPENSION</b>	LEAF SPRING	
<b>LUBE TYPE</b>	EZ-LUBE	
<b>TIRES</b>	175/80R13	205/75R14
<b>FINISH</b>	ENAMEL	
<b>DECK</b>	1" HEMLOCK (LOCALLY SOURCED)	
<b>RAIL TYPE</b>	ANGLE 24" MESH SIDES	
<b>LIGHTING</b>	LED	
<b>MSRP</b>	<b>\$2091.00</b>	<b>\$2380.00</b>



# UTILITY- REMOVABLE RAIL



## Features:

The Removable Rail utility trailer features the ability to remove either the right or left front rails for easy pallet access. This trailer features rugged reliability with Dexter EZ-Lube axles and proven leaf spring suspension. Our **Maine Made** trailers source local decking with 1" Hemlock plank that is build to take a beating.

<b>MODEL</b>	<b>7X12-RR</b>	<b>7X14-SRR</b>	<b>7X14-RR</b>	<b>7X16-RR</b>
<b>GVWR</b>	2990 LBS	2990 LBS	7000 LBS	7000 LBS
<b>GAWR</b>	3500 LBS	3500 LBS	3500 LBS	3500 LBS
<b>CURB WEIGHT</b>	1020 LBS	1269 LBS	1850 LBS	1950 LBS
<b>PAYLOAD</b>	1690 LBS	1402 LBS	5010 LBS	4885 LBS
<b># OF AXLES</b>	1	1	2	2
<b>BRAKES</b>	NO	NO	YES	YES
<b>SUSPENSION</b>	LEAF SPRING			
<b>LUBE TYPE</b>	EZ-LUBE			
<b>TIRES</b>	205/75R15	205/75R15	205/75R15	205/75R15
<b>FINISH</b>	ENAMEL			
<b>DECK</b>	1" HEMLOCK (LOCALLY SOURCED)			
<b>RAIL TYPE</b>	TUBE	TUBE	TUBE	TUBE
<b>LIGHTING</b>	LED			
<b>MSRP</b>	<b>\$2873.00</b>	<b>\$3784.00</b>	<b>\$4264.00</b>	<b>\$4723.00</b>



# UTILITY-RIGHT GATE



## Features:

The Right Gate utility trailer is designed for easy access for side loading ex: ATV's with the ability to remove the gates. This trailer features rugged reliability with Dexter EZ-Lube axles and proven leaf spring suspension. Our Maine **Made** trailers source local decking with 1" Hemlock plank that is built to take a beating. Custom orders are available, please consult your local dealer for options.

<b>MODEL</b>	<b>7X14-RG</b>	<b>7X16-RG</b>
<b>GVWR</b>	7000 LBS	7000 LBS
<b>GAWR</b>	3500 LBS	3500 LBS
<b>CURB WEIGHT</b>	1850 LBS	1998 lbs.
<b>PAYLOAD</b>	5010 LBS	4837 lbs.
<b># OF AXLES</b>	2	2
<b>BRAKES</b>	YES	
<b>SUSPENSION</b>	LEAF SPRING	LEAF SPRING
<b>LUBE TYPE</b>	EZ-LUBE	
<b>TIRES</b>	205/75R15	205/75R15
<b>FINISH</b>	ENAMEL	
<b>DECK</b>	1" HEMLOCK (LOCALLY SOURCED)	
<b>RAIL TYPE</b>	TUBE	TUBE
<b>LIGHTING</b>	LED	
<b>MSRP</b>	<b>\$4545.00</b>	<b>\$4890.00</b>



# EQUIPMENT



## Features:

The Equipment trailer features rugged reliability with Dexter EZ-Lube axles and proven leaf spring suspension. Our **Maine Made** trailers source local decking with 2" Hemlock plank that is built to take a beating. Custom orders are available, please consult your local dealer for options.

<i>MODEL</i>	<b>7X18-12KE</b>	<b>7X18-14KE</b>
<i>GVWR</i>	12000 LBS	14000 LBS
<i>GAWR</i>	6000 LBS	7000 LBS
<i>CURB WEIGHT</i>	3215 LBS	3215 LBS
<i>PAYLOAD</i>	7028 LBS	8628 LBS
<i># OF AXLES</i>	2	2
<i>BRAKES</i>	YES	
<i>SUSPENSION</i>	LEAF SPRING	
<i>LUBE TYPE</i>	EZ-LUBE	
<i>TIRES</i>	205/75R15	205/75R15
<i>FINISH</i>	ENAMEL	
<i>DECK</i>	1" HEMLOCK (LOCALLY SOURCED)	
<i>FRAME</i>	CHANNEL	
<i>LIGHTING</i>	LED	
<i>MSRP</i>	<b>\$5888.00</b>	<b>\$6488.00</b>



# Tilt Deck



## Features:

The Tilt Deck trailer feature rugged reliability with Dexter EZ-Lube axles and proven leaf spring suspension. Our **Maine Made** trailers source local decking with 1" Hemlock plank that is built to take a beating. Custom orders are available, please consult your local dealer for options.

<b>MODEL</b>	<b>6X10-TD</b>	<b>7X12-TD</b>
<b>GVWR</b>	2990 LBS	2990 LBS
<b>GAWR</b>	3500 LBS	3500 LBS
<b>CURB WEIGHT</b>	882	1078
<b>PAYLOAD</b>	1850	1790
<b># OF AXLES</b>	1	1
<b>BRAKES</b>	NO	
<b>SUSPENSION</b>	LEAF SPRING	
<b>LUBE TYPE</b>	EZ-LUBE	
<b>TIRES</b>	205/75R14	205/75R15
<b>FINISH</b>	ENAMEL	
<b>DECK</b>	1" HEMLOCK (LOCALLY SOURCED)	
<b>RAIL TYPE</b>	ANGLE	TUBE
<b>LIGHTING</b>	LED	
<b>MSRP</b>	<b>\$2335.00</b>	<b>\$3191.00</b>



# TRUCK BODIES



All truck bodies require cross members. The number of cross members is dependent on the length of the body. The center brake light is still visible with the North Force truck body installed due to a custom cut out in the headboard. To ensure fitment verify the year, make, model, and the length from the back of the cab to the end of the truck frame. Headboard lights, flood lights, and other lighting are standard wired to reverse or directionals on the vehicle .

MODEL	TB76	TB77	TB78	TB79	TB88	TB89	TB810	TB812
WIDTH	7'				8'			
LENGTH	6'	7'	8'	9'	8'	9'	10'	12'
DECK	STEEL DIAMOND PLATE							
FINISH	ENAMEL							
LIGHTING	LED							
REAR APRON	10" LIT							
SIDE BOARDS	STAKE POCKETS							
HEADBOARD	STANDARD HEIGHT 40" FROM DECK							
HEADBOARD LIGHTS	SURFACE MOUNT OFFERED WITH OR WITHOUT							
FIFTH WHEEL/ GOOSE NECK	OPTIONAL							
HITCH PLATE	OPTIONAL							
TRUCK FITMENT	UNIVERSAL							
WIRING	STANDARD 7 WAY JUNCTION							
MSRP	\$2498.00	\$2656.00	\$2866.00	\$2989.00	\$3,043.00	\$3,244.00	\$3,696.00	\$4,680.00



# UTILITY BODIES



All truck bodies require cross members. The number of cross members is dependent on the length of the body. The center brake light is still visible with the North Force truck body installed due to a custom cut out in the headboard. To ensure fitment verify the year, make, model, and the length from the back of the cab to the end of the truck frame. Headboard lights, flood lights, and other lighting are standard wired to reverse or directionals on the vehicle unless otherwise specified.

MODEL	TB77UT	TB78UT	TB88	TB89
WIDTH	7'		8'	
LENGTH	7'	8'	8'	9'
DECK	STEEL DIAMOND PLATE			
FINISH	ENAMEL			
LIGHTING	LED			
REAR APRON	10" LIT			
BOXES	FULL LENGTH 13" X 16"			
HEADBOARD	STANDARD HEIGHT 40" FROM DECK			
HEADBOARD LIGHTS	SURFACE MOUNT OFFERED WITH OR WITHOUT			
TIE DOWNS	4 D-RINGS MOUNTED INSIDE OF BED			
WIDTH BETWEEN BOXES	52"			
TAILGATE	REMOVEABLE			
TRUCK FITMENT	UNIVERSAL			
WIRING	STANDARD 7 WAY JUNCTION			
MSRP	\$ 3,755.00	\$ 4,050.00	\$ 4,290.00	\$ 4,575.00



# HEADACHE RACKS



The North Force headache rack is designed with stability and simplicity in mind. The standard headache rack comes standard with stop/turn red LEDs and clear reverse LEDs. An auxiliary wire for flood lights or other accessories is left loose for ease of attachment. The heavy duty steel frame and construction is “Built to Perform” the way New Englanders need.

MODEL	TBHAR		TBHARGM150	
DESCRIPTION	HEADACHE RACK "SUPERDUTY" FIT		HEADACHE RACK GM/ F-150 FIT	
WIDTH	74.25 INCHES		72 INCHES	
HEIGHT	25.5 INCHES		22 INCHES	
MATERIAL	DIAMOND PLATE			
FINISH	ENAMEL PAINT			
LIGHTING	LED OR UNLIT			
MOUNTING	DRILL AND BOLT HARDWARE KIT			
COMPATIBILITY	UNIVERSAL			
MSRP (LIT)	\$	765.00	\$	735.00
MSRP (UNLIT)	\$	655.00	\$	625.00

