

Soil Corrosivity Testing (ASTM Packages)

ASTM Test Methods (Analysis Only)

pH, sulfate, resistivity (100% saturation) & chloride	\$210
pH, sulfate, chloride, sulfide & resistivity (100% Saturation)	260
Redox, pH, sulfate, resistivity (100% saturation) & chloride ⁽¹⁾	250
Redox, pH, sulfate, resistivity (100% saturation), chloride & sulfide	300
Redox, pH, sulfate, resistivity (as received & 100% Saturation), & chloride	320
Redox, pH, sulfate, resistivity (as received & 100% Saturation), chloride & sulfide	360

ASTM Test Methods (with Brief Evaluation)

pH, sulfate, resistivity (100% saturation) & chloride	\$260
pH, sulfate, chloride, sulfide & resistivity (100% saturation)	310
Redox, pH, sulfate, resistivity (100% saturation) & chloride ⁽¹⁾	300
Redox, pH, sulfate, resistivity (100% saturation), chloride & sulfide	350
Redox, pH, sulfate, resistivity (as received & 100% Saturation), & chloride	370
Redox, pH, sulfate, resistivity (as received & 100% Saturation), chloride & sulfide	410

⁽¹⁾This package will be the standard package used, unless noted otherwise on your chain of custody or transmittal

**Standard Package includes ASTM Method Nos. D1498 (Redox),
 D4972 (pH), D4327 (Sulfate), G187 (Resistivity), and D4327 (Chloride).
 ASTM D4658M (Sulfide) is used in other packages.**

**Note: There is a \$35.00 charge per sample for
 Regulated Foreign Soil Safeguards**

*For more information regarding soil corrosivity and/or cathodic protection, please
 contact JDH Corrosion Consultants, Inc. at (925) 927-6630*

Prices effective as of 01/01/2025