

**NOTICE OF
PUBLIC HEARING AND SPECIAL MEETING
LIMESTONE COUNTY EMERGENCY SERVICES DISTRICT NO. 2**

The LIMESTONE CO EMERGENCY SERVICES DIST #2 (ESD#2) will hold a meeting at **6:30 PM on August 30, 2022** at West Lake Limestone Fire Department, Main Station 6614 FM 937, Thornton, Texas to consider **adopting a proposed tax rate** for tax year 2022. The proposed tax rate is **\$0.0385 per \$100** of value. The proposed tax rate would increase total taxes in ESD#2 by 12.24%.

All in attendance are required to sign in upon arrival as a part of the public record. Proper order will be maintained and individuals may address the Board once recognized by the presiding officer. Visitors who wish to speak will be expected to state their full names for the public record.

**AGENDA
PUBLIC HEARING ON AUGUST 30, 2022**

The subject matter to be considered during this hearing will include the following:

1. Announcement of the intended adoption of the proposed 2021 tax rate of \$0.0385/\$100 for the district;
2. Comments/questions by the public and discussion of tax rate issues;
3. Adjournment.

**AGENDA
SPECIAL MEETING THE EESD#2 BOARD ON AUGUST 30, 2022**

The subject matter to be considered and acted upon in this special meeting will include the following:

1. Meeting call to order and establishment of a quorum;
2. Pledge to the flag of the United States of America and a moment for prayer/reflection;
3. Citizen Comments Session** (Public comments, relevant to the business of the District, are limited to five minutes per person or a 20-minute limit per subject matter, whichever is less.);
4. Reading and approval of the minutes of the Regular August Meeting;
5. Deliberation and actions on the following agenda items:
 - a. Motion to adopt the Proposed Tax Rate, thus establishing an Adopted Tax Rate of \$0.0385/\$100 valuation,
 - b. Discussion of the progress on the 5-Year Financial Plan
 - c. Discussion of the agreement provided by the John Carlton Law Firm.
6. Adjournment.



Dr. Paul A. Loeffler
President
Limestone County ESD#2