



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

Company Overview

VC Chem is a UK-based supplier of high-performance oilfield chemicals and services, specializing in wellbore cleanout, drilling fluids, lost circulation materials, and completion fluids. We provide comprehensive solutions for the oil and gas industry with a focus on quality, reliability, and technical expertise.

Certification & Compliance

- Supplied with SDS, TDS, CoA, and batch traceability
- Compliant with UK REACH
- Shipped with certificate of analysis

Packaging

- Packaging: 25kg/200-250kg drums, 1000L IBCs,
- Freight Handling: Managed through UK-based dangerous goods freight specialists

6. Technical Support & Field Services

- Chemical selection assistance based on wellbore and fluid conditions
- Remote and on-site deployment support
- Corrosion/scaling/microbial analysis and testing

Quotation & Commercial Terms

- Product selection and required quantities
- Treatment goals and delivery timeline
- CIF-based unit pricing
- Lead time and dispatch schedule
- After-sales support terms



VC Chem Services Ltd Specialize in Oilfield Chemicals (UK)

VC Chem and Services – Full Product Portfolio

Product Range & Classification

Product Code	Chemical Name	Function	Specification / Notes
VC-Caustix	Caustic Soda Flakes	pH Control	—
VC-SodaReg	Soda Ash	pH Control	—
VC-CitroStab	Citric Acid	pH Buffer / Scale Control	—
VC-Guar3500	Guar Gum (3500 CPS)	Viscosifier	High viscosity grade
VC-Guar5000	Guar Gum (5000 CPS)	Viscosifier	Extra high viscosity
VC-GilThin	Gilsonite	WBM Thinner	Chrome-free
VC-CMC-HV	CMC HV	Fluid Loss Control	High viscosity
VC-CMC-LV	CMC LV	Fluid Loss Control	Low viscosity
VC-LigniteR	Lignite – Resinated	Fluid Loss Control	—
VC-LigniteK	Lignite – Potassium	Shale Inhibitor	Inhibitive muds
VC-CaCO3-40	Calcium Carbonate	Bridging Agent	40 mesh
VC-CaCO3-80	Calcium Carbonate	Bridging Agent	80 mesh
VC-CaCO3-100	Calcium Carbonate	Weighting Agent	100 mesh
VC-CaCO3-200	Calcium Carbonate	Weighting Agent	200 mesh
VC-CaCO3-600	Calcium Carbonate	Weighting Agent	600 mesh
VC-Barite390	Barite 3.90sg	Weighting Agent	Non-API
VC-Barite410	Barite 4.10sg	Weighting Agent	API 13A
VC-Barite415	Barite 4.15sg	Weighting Agent	API 13A
VC-Barite420	Barite 4.20sg	Weighting Agent	API 13A
VC-KClPowder	KCl Powder (96–98%)	Completion Brine	Solid form
VC-CaCl2	CaCl2 Powder (94–97%)	Completion Brine	Solid form
VC-CaBr2	Calcium Bromide (1.70sg)	Completion Fluid	Liquid brine



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

VC-MicaF	Mica – Fine	Lost Circulation	—
VC-MicaM	Mica – Medium	Lost Circulation	—
VC-MicaC	Mica – Coarse	Lost Circulation	—
VC-SealF	SealBlend – Fine	LCM Blend	Mixed blend
VC-SealM	SealBlend – Medium	LCM Blend	Mixed blend
VC-SealC	SealBlend – Coarse	LCM Blend	Mixed blend
VC-NutF	Nut Plug – Fine	LCM	Organic blend
VC-NutM	Nut Plug – Medium	LCM	Organic blend
VC-NutC	Nut Plug – Coarse	LCM	Organic blend
VC-BentoAPI	Bentonite API 13A – Treated	Viscosifier	Premium
VC-BentoOCMA	Bentonite – OCMA	Viscosifier	Non-treated
VC-PAC-HV	PAC HV	Fluid Loss Control	Polymer
VC-PAC-LV	PAC LV	Fluid Loss Control	Polymer
VC-PHPA+	PHPA	Shale Stabilizer	High-performance
VC-Polyamine	Polyamine	Shale Inhibitor	—
VC-GlyLC	Glycol CP – LC	Shale Stabilizer	Low concentration
VC-GlyMC	Glycol CP – MC	Shale Stabilizer	Medium concentration
VC-GlyHC	Glycol CP – HC	Shale Stabilizer	High concentration
VC-EmulPrim	Primary Emulsifier	NADF Emulsifier	275°F rated
VC-EmulSec	Secondary Emulsifier	NADF Emulsifier	—
VC-EmulOne	Single-Drum Emulsifier	Simplified OBM blend	—
VC-WetOB	Wetting Agent	Oil Wetting	NADF compatible
VC-PipeFree	Pipe Freeing Agent	Cleanout Aid	Solvent-based
VC-ScavH2S	H ₂ S Scavenger	Gas Removal	—
VC-ScavOxy	Oxygen Scavenger	Corrosion Control	—
VC-Biocide	Biocide	Bacterial Control	Broad spectrum
VC-MutSolv	Mutual Solvent	Cleanout / Surfactant	—
VC-DrillDet	Drilling Detergent	Surfactant / Foam reducer	—
VC-ROPBoost	ROP Enhancer	Rate of Penetration Enhancer	—
VC-LossCtrl	Fluid Loss Product	OBM & WBM	—
VC-ThinOB	NADF Thinner	Rheology Modifier	—

VC-Chem Services Ltd, Glenburnie House, 43 Abergeldie Road, Aberdeen, AB10 6ED UK
 Tel: +44 (0) 1224 465797, Mob: +44 (0) 7711261444, +44 (0) 7568373470
www.vc-chemservices.com
 Company Registered in Scotland No: SC817581



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

Supplementary Product Additions – Verified from OCR

Product Code	Chemical Name	Function	Specification / Notes
VC-NaBr149	Sodium Bromide (1.498sg)	Completion Brine	Liquid
VC-NaClPow	Sodium Chloride Powder	Completion Brine	Dry salt
VC-LimeXtra	Lime	Alkalinity / Emulsion Stability	For OBM
VC-LigniteCF	Lignite – Chrome-Free	WBM Thinner	Low-solids
VC-CorrX-006	Corrosion Inhibitor (WBCU 006)	Corrosion Control	Image Labeled
VC-CleanRKB	DisplaceClean / Clean RKB	Wellbore Cleaner	Surfactant-based
VC-FiberF	Cellulose Fiber – Fine	LCM	Organic fiber LCM
VC-FiberM	Cellulose Fiber – Medium	LCM	Organic fiber LCM
VC-FiberC	Cellulose Fiber – Coarse	LCM	Organic fiber LCM
VC-OneEmul	One Drum Emulsifier	NADF Emulsifier	Single blend
VC-GlyStabLC	Glycol CP – LC	Shale Stabilizer	Low concentration
VC-GlyStabMC	Glycol CP – MC	Shale Stabilizer	Medium concentration
VC-GlyStabHC	Glycol CP – HC	Shale Stabilizer	High concentration
VC-CaCO3-20	Calcium Carbonate	Weighting / Bridging	20 mesh (OCR found)



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

VC-LimeX	Lime	Alkalinity Agent	Emulsion Stability
-----------------	------	------------------	--------------------

VC-Chem Services Ltd, Glenburnie House, 43 Abergeldie Road, Aberdeen, AB10 6ED UK
Tel: +44 (0) 1224 465797, Mob: +44 (0) 7711261444, +44 (0) 7568373470
www.vc-chemservices.com
Company Registered in Scotland No: SC817581



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

1. Well-Bore Cleanout Products

VC Chem Code	Function	Product Name	Key Applications
VCC-WBC-001	Brine Viscosifier	VCC-VisHEC	Viscosity enhancement in completion fluids
VCC-WBC-002	Riser/Line Cleaner	VCC-CleanRCKB	Removing deposits in choke/kill lines
VCC-WBC-003	Cleaning Surfactant	VCC-CleanWB	Wellbore displacement & cleaning
VCC-WBC-004	Solvent	VCC-MutSolv	Dissolving organic deposits
VCC-WBC-005	H ₂ S Scavenger	VCC-H2SGuard	Toxic gas removal in sour wells
VCC-WBC-006	Oxygen Scavenger	VCC-OxyScav	Corrosion prevention in water systems
VCC-WBC-007	Corrosion Inhibitor	VCC-CorrShield	Metal protection in brines
VCC-WBC-008	Biocide	VCC-BioKill	Microbial control in stored fluids



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

2. Water-Based Mud (WBM) Products

VC Chem Code	Function	Product Name	Key Applications
VCC-WBM-001	pH Control	VCC-CausticSoda	Alkali for clay activation
VCC-WBM-002	pH Control	VCC-SodaAsh	Calcium precipitation control
VCC-WBM-003	pH Control	VCC-SodiumBicarb	Mild pH stabilization
VCC-WBM-004	pH Control	VCC-CitricAcid	Iron control & pH reduction
VCC-WBM-005	Viscosifier	VCC-XCDPolymer	Low-solids fluid viscosity
VCC-WBM-006/007	Viscosifier	VCC-Guar3500/5000	Fracturing fluid gels



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

VC Chem Code	Function	Product Name	Key Applications
VCC-WBM-008/010	Fluid Loss Control	VCC-PACHV/LV	API-compliant filtrate reducer
VCC-WBM-009	Viscosifier	VCC-PACR	Rheology modifier
VCC-WBM-011/012	Fluid Loss Control	VCC-StarchHT	High-temp filtrate control
VCC-WBM-013-015	Thinner	VCC-LigniteK/CF	Mud thinning & rheology
VCC-WBM-016	Thinner	VCC-Gilsonite	Seepage loss prevention
VCC-WBM-017/018	Fluid Loss Control	VCC-CNCHV/LV	Low-cost filtrate reducer
VCC-WBM-019-024	Shale Stabilizer	VCC-PHPA/Glycol	Clay inhibition & wellbore stability
VCC-WBM-025	ROP Enhancer	VCC-DrillDeterg	Anti-bit balling agent
VCC-WBM-026	Surfactant	VCC-RigWash	Equipment cleaning

VC-Chem Services Ltd, Glenburnie House, 43 Abergeldie Road, Aberdeen, AB10 6ED UK
Tel: +44 (0) 1224 465797, Mob: +44 (0) 7711261444, +44 (0) 7568373470
www.vc-chemservices.com
Company Registered in Scotland No: SC817581



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

VC Chem Code	Function	Product Name	Key Applications
VCC-WBM-027	Lubricant	VCC-RadiaLube	Friction reduction in WBMs

3. Non-Aqueous Fluid (NAF) Products

VC Chem Code	Function	Product Name	Key Applications
VCC-NAF-001	Alkalinity	VCC-Lime	Emulsion stability enhancer
VCC-NAF-002-004	Viscosifier	VCC-ClayFree/RheoMod	Low-ECD rheology control
VCC-NAF-005	Thinner	VCC-NAFThinner	Rheology optimization
VCC-NAF-006-009	Emulsifier	VCC-Emul275/400HT	High-temp emulsion stability
VCC-NAF-010	Fluid Loss Control	VCC-NAFFLC	HPHT filtrate control

VC-Chem Services Ltd, Glenburnie House, 43 Abergeldie Road, Aberdeen, AB10 6ED UK
Tel: +44 (0) 1224 465797, Mob: +44 (0) 7711261444, +44 (0) 7568373470
www.vc-chemservices.com
Company Registered in Scotland No: SC817581



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

VC Chem Code	Function	Product Name	Key Applications
VCC-NAF-011	Wetting Agent	VCC-OilWetter	Solids wettability control
VCC-NAF-012	Pipe Freeing Agent	VCC-FreeSolv	Stuck pipe prevention

4. Lost Circulation Materials (LCM)

VC Chem Code	Type	Product Name	Particle Size
VCC-LCM-001-003	Cellulose Fiber	VCC-FibreFine/Coarse	Fine → Coarse
VCC-LCM-004-006	Mica	VCC-MicaFine/Coarse	Fine → Coarse
VCC-LCM-007-009	Nut Shell	VCC-NutPlugFine/Coarse	Fine → Coarse
VCC-LCM-010-014	CaCO ₃	VCC-CalCarb10-600	10μ → 600μ
VCC-LCM-015-017	Seal Blend	VCC-SealBlendF/C	Fine → Coarse
VCC-LCM-018-020	Graphite	VCC-GraphiteF/C	Fine → Coarse

5. Dry & Liquid Bulk Products

VC-Chem Services Ltd, Glenburnie House, 43 Abergeldie Road, Aberdeen, AB10 6ED UK
Tel: +44 (0) 1224 465797, Mob: +44 (0) 7711261444, +44 (0) 7568373470
www.vc-chemservices.com
Company Registered in Scotland No: SC817581



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

VC Chem Code	Category	Product Name	Specification
VCC-BULK-001	Salt	VCC-NaCl	Food-grade powder
VCC-BULK-002/003	Salt	VCC-CaCl ₂ /KCl	94-98% purity
VCC-BULK-004/005	Brine	VCC-NaBr/CaBr	1.50sg/1.70sg
VCC-BULK-006-008	Bentonite	VCC-BentAPI/OCMA	API 13A certified
VCC-BULK-009-011	CaCO ₃	VCC-CalCarb40-100	Bridging agent
VCC-BULK-012-017	Barite	VCC-Barite4.2UF	API 13A 200/325 mesh

General Oilfield Chemical Solutions – Product Specification Sheet

General Product Range Overview

Category	VC Series Name	Function & Applications
Paraffin & Wax Inhibitors	VCFLUX™	Dissolves, disperses, and prevents buildup in flowlines and wellbores
Wellbore Cleanout Agents	VCSOLVE™	Removes organic/inorganic deposits, pre-production treatment
Corrosion Inhibitors	VCCOR™	Prevents CO ₂ , H ₂ S and oxygen-induced corrosion in pipelines and tubing

VC-Chem Services Ltd, Glenburnie House, 43 Abergeldie Road, Aberdeen, AB10 6ED UK

Tel: +44 (0) 1224 465797, Mob: +44 (0) 7711261444, +44 (0) 7568373470

www.vc-chemservices.com

Company Registered in Scotland No: SC817581



VC Chem Services Ltd

Specialize in Oilfield Chemicals (UK)

Demulsifiers & Emulsion Breakers	VCDEMUL™	Separates oil-water phases for crude oil treatment
H ₂ S Scavengers	VCSCAV™	Liquid and solid-phase scavengers for sour gas environments
Oxygen Scavengers	VCOX™	Protects against oxygen-related pitting and oxidation
Scale Inhibitors & Removers	VCSCALE™	Controls calcium, barium, and iron scales; sulfate management
Biocides & Microbial Control	VCBIOCIDE™	Bacterial control for SRB, APB in water injection and produced water
Drilling Fluid Additives	VCFLUID™	WBM & OBM additives including viscosifiers, LCMs, and lubricants
Enhanced Oil Recovery (EOR)	VCMEOR™	Microbial and surfactant-based solutions for secondary recovery