





1. Product and Company Identification

Product Name

CAS No.

Gear & Differential Flush

Mixture

Validation Date

16 June 2014

In Case of Emergency Call :

Manufacturer / Supplier

Pheeramas Group Company Limited. 21/492-493 Klongjan Villa 4 Soi Ramkhamhaeng 142, Ramkhamhaeng Rd., Saphansung, Bangkok 10240, Thailand Telephone number : (66) 2728-0845, 2728-0846, 2728-0255 Fax number : (66) 2728-0847 e-mail: info@pheeramas.com Website : www.pheeramas.com

2. Composition and Information on Ingredients

Product Description	Alkaline to nutrPetroleum remoAnti-Gum chem	over			
Ingredient Name		CAS No.	<u>Conc. (% w/w)</u>	EU Classification	<u>WHMIS</u>
					Regulated?
Petroleum purify TBN >12		Mixture.	30-60	Not controlled under DSD (Europe).	No.
Alkaline Base		7778-18-9	1-4.9	Not controlled under DSD (Europe).	No.
Benzenesulfonic acid, C14-24-Branched and Linear Alkyl Derivs., Calcium Salts, Overbased		115733-10-3	30-60	Not controlled under DSD (Europe).	Yes.

3. Hazards Identification

Primary Hazards and Critical Effects	WARNING! CAUSES EYE IRRITATION.
Environmental Hazards	: Not classified as dangerous for the environment according to EC criteria.

MSDS - GEAR & DIFFERENTIAL FLUSH : PAGE 1

สำนักงาน : 21/492-493 หมู่บ้านคลองจั่นวิลล่า 4 ซอยรามคำแหง 142 ถนนรามคำแหง แขวงสะพานสูง เขตสะพานสูง กรุงเทพฯ 10240 OFFICE ADDRESS: 21/492-493 Klongjan Villa 4, Soi Ramkhamhaeng 142, Ramkhamhaeng Rd., Saphansung, Bangkok 10240 THAILAND. TEL: (662) 728-0845-6, 728-0255 FAX: (662) 728-0847 www.pheeramas.com, e-mail : info@pheeramas.com

🖸 ประทยักพลังงาน SAVE ENERGY

อนุรักษ์สิ่งแวกล้อม 0 SAVE ENVIRONMENT



Pheeramas Group Co.,Ltd. EZI[®] is Registered Trademark of Pheeramas Group.





EZI THAILAND TRUSTED QUALITY

Material Safety Data Sheet

4. First Aid Measures Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear. Ingestion : If affected person is conscious, give plenty of water to drink. Drink two large glasses of water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear. Skin Contact : Wash with soap and water. Get medical attention if irritation develops. Eye Contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

5. Fire-Fighting Measures

Extinguishing Media Fire-Fighting Procedures	 In case of fire, use water spray (fog), foam, dry chemicals, or CO2. Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.
Hazardous Decomposition Products	: These products are carbon oxides (CO, CO2), nitrogen oxides (NO, NO2), sulfur Oxides (SO2, SO3). Some metallic oxides.
Flash point	: Close cup: 150°C (302°F). (Pensky-Martens. Minimum)

6. Accidental Release Measures

Personal Precautions	: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (Section 8). Follow all fire fighting procedures (Section 5).
Environmental Precautions and Clean-up Methods	: If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways.

Note: See section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and Storage

Handling: Avoid contact with eyes. Wash thoroughly after handling.Storage: Keep container tightly closed. Keep container in a cool, well-ventilated place.

MSDS – GEAR & DIFFERENTIAL FLUSH : PAGE 2









8. Exposure Controls and Personal Protection

Engineering Controls	: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of
	vapors below their respective threshold limit value.

Personal Protective Equipment

Respiratory System	: Use appropriate respiratory protection if there is the potential to exceed the exposure limit(s).
Skin and Body	: Disposable outer garments when there is the potential for contact with the material.
Hands	: Use chemical resistant, impervious gloves.
Eyes	 Safety goggles are considered minimum protection. Goggles with a face shield may be necessary depending on quantity of material and conditions of use.

Occupational Exposure Limits

Ingredient Name

Calcium sulfate	ACGIH TWA: 10 mg/m ³ OSHA Notes: Respirable TWA: 5 mg/m ³
Mineral Oil	ACGIH TWA: 5 mg/m ³ STEL: 10 mg/ m ³ OSHA TWA: 5 mg/m ³

9. Physical and Chemical Properties

Physical State and Appearance	: Liquid. (Viscous liquid.)
Odor	: Slight.
Vapor Pressure	: 0.15 mm Hg at 70°C.
Specific Gravity	: 1.127 at 15.6/15.6°C (target).
Solubility	: Insoluble in cold water
Viscosity	: 30 cSt at 100°C (target).
Auto-Ignition Temperature	: 130°C (266°F)
Flash Point	: Closed cup: 150°C (302°F). (Pensky-Martens. Minimum)

MSDS – GEAR & DIFFERENTIAL FLUSH : PAGE 3

สำนักงาน : 21/492-493 หมู่บ้านคลองจั่นวิลล่า 4 ซอยรามคำแหง 142 ถนนรามคำแหง แขวงสะพานสูง เขตสะพานสูง กรุงเทพฯ 10240 OFFICE ADDRESS : 21/492-493 Klongjan Villa 4, Soi Ramkhamhaeng 142, Ramkhamhaeng Rd., Saphansung, Bangkok 10240 THAILAND. TEL : (662) 728-0845-6, 728-0255 FAX : (662) 728-0847 www.pheeramas.com, e-mail : info@pheeramas.com

ประหยักพลังงาน SAVE ENERGY อนุรักษ์สิ่งแวกล้อม SAVE ENVIRONMENT



Pheeramas Group Co.,Ltd. EZI® is Registered Trademark of Pheeramas Group.







10. Stability and Read	tivity				
Stability	: The product is stable				
Materials to avoid	: Strong oxidizing a	nd reducing agent	S.		
Conditions to avoid	: High temperatures, sparks, and open flames.				
11. Toxicological Info	ormation				
Routes of Entry	: None known				
Target Organs	: May cause damag	ge to the following	organs: eyes.		
Acute Effects Inhalation	: Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.				
Ingestion	: Practically non-toxic if swallowed.				
Skin Contact	: Non-irritating to the skin.				
Eye Contact	: Irritating to eyes. (Does not meet EU classification criteria.)				
Chronic Effects Adverse Effects	: Not determined.				
Carcinogenic Effects	: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.				
Toxicity Data					
Ingredient Name		<u>Test</u>	<u>Result</u>	Route	Species
Performance Additive		LD50 LD50	25000 mg/kg >10000 mg/kg	Oral Dermal	Rat Rabbit
Other Information	: Not available.				

12. Ecological Information

Environmental Hazards	: Not classified as dangerous for the environment according to EC criteria. Based on calculation.
Environmental Fate	: This product contains components which may be persistent in the environment.
Germany water class	: 1

MSDS - GEAR & DIFFERENTIAL FLUSH : PAGE 4

สำนักงาน : 21/492-493 หมู่บ้านคลองจั่นวิลล่า 4 ซอยรามคำแหง 142 ถนนรามคำแหง แขวงสะพานสูง เขตสะพานสูง กรุงเทพฯ 10240 OFFICE ADDRESS : 21/492-493 Klongjan Villa 4, Soi Ramkhamhaeng 142, Ramkhamhaeng Rd., Saphansung, Bangkok 10240 THAILAND. TEL : (662) 728-0845-6, 728-0255 FAX : (662) 728-0847 www.pheeramas.com, e-mail : info@pheeramas.com

ประหยักพลังงาน SAVE ENERGY อนุรักษ์สิ่งแวกล้อม SAVE ENVIRONMENT ง่างใยผืนโลก SAVE THE EARTH

Pheeramas Group Co.,Ltd. EZI® is Registered Trademark of Pheeramas Group.





13. Disposal Consideration

Waste Handling and Disposal : Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport Information

Regulatory Information	UN number	Proper shipping name	Class	Packing Group	Label	Additional information
DOT	Not					
Classification	Regulated.					
TDG	Not					Not available.
Classification	Regulated.					
ADR/RID Class	Not Regulated.					
IMDG Class	Not Regulated.					-
IATA-DGR	Not					
Class	Regulated.					-

Notice to Reader

The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions.

15. Regulatory Information

Regulations

Risk Phrases	: This product is nt classified according to the EU regulations.
Safety Phrases	: Not applicable.
Additional Warning Phrases	: Not applicable.

MSDS - GEAR & DIFFERENTIAL FLUSH : PAGE 5

สำนักงาน : 21/492-493 หมู่บ้านคลองจั้นวิลล่า 4 ซอยรามคำแหง 142 ถนนรามคำแหง แขวงสะพานสูง เขตสะพานสูง กรุงเทพฯ 10240 OFFICE ADDRESS : 21/492-493 Klongjan Villa 4, Soi Ramkhamhaeng 142, Ramkhamhaeng Rd., Saphansung, Bangkok 10240 THAILAND. TEL : (662) 728-0845-6, 728-0255 FAX : (662) 728-0847 www.pheeramas.com, e-mail : info@pheeramas.com







Pheeramas Group Co.,Ltd. EZI® is Registered Trademark of Pheeramas Group.





บริษัท พีระมาศ กรุ๊ป จำกัด

PHEERAMAS GROUP CO., LTD.

16. Other Information

PREPARATION INFORMATION

Date of Printing : 18 July 2014

Notice to Reader

This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. Car Cosmetic makes no representation as to completeness or accuracy. In no event will Car Cosmetic be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.

ADDRESS CONTACT INFORMATION

Pheeramas Group Company Limited. 21/492-493 Klongjan Villa 4 Soi Ramkhamhaeng 142, Ramkhamhaeng Rd., Saphansung, Bangkok 10240, Thailand Telephone number : (66) 2728-0845, 2728-0846, 2728-0255 Fax number : (66) 2728-0847 e-mail : info@pheeramas.com Website : www.pheeramas.com

* * * END OF MSDS * * *

MSDS - GEAR & DIFFERENTIAL FLUSH : PAGE 6

🔉 ห่วงไยผืนไลก

SAVE THE EARTH

สำนักงาน : 21/492-493 หมู่บ้านคลองจั้นวิลล่า 4 ซอยรามคำแทง 142 ถนนรามคำแทง แขวงสะพานสูง เขตสะพานสูง กรุงเทพฯ 10240 OFFICE ADDRESS : 21/492-493 Klongjan Villa 4, Soi Ramkhamhaeng 142, Ramkhamhaeng Rd., Saphansung, Bangkok 10240 THAILAND. TEL : (662) 728-0845-6, 728-0255 FAX : (662) 728-0847 www.pheeramas.com, e-mail : info@pheeramas.com

TEL . (002) 728-0845-0, 728-0255 FAX . (002)



