

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Zhenjiang Sanyang Decorations Materials Co., Ltd.

Jiangxin Industrial Park, Xinfeng Town, Dantu District, Zhenjiang City, China

For the following product(s):

Vinyl Tile:

Luxury Vinyl Tile Flooring (LVT Flooring) (Maximum thickness: 5mm), Stone Plastic Composite Flooring (SPC Flooring) (Maximum thickness: 8mm), Stone Plastic Composite Flooring (SPC Flooring) with pad (Maximum thickness: 10mm), Wood Plastic Composite Flooring (WPC Flooring) (Maximum thickness: 10mm), Wood Plastic Composite Flooring (WPC Flooring) with pad (Maximum thickness: 12mm)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-20171

Valid from: October 23, 2025 to September 30, 2026

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink that reads "Diana Kirsanova Phillips".

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services