



CATÁLOGO DE APLICATIVOS DE NEGÓCIOS

Do segmento de tecnologias móveis e em nuvem, até soluções de controle de custos e de segurança, a Kyocera está comprometida em oferecer aplicativos de negócios que se integram de forma perfeita e segura aos nossos equipamentos multifuncionais.

Desenvolvidos pela Kyocera ou fornecedores de soluções terceirizados, esses aplicativos otimizam seu investimento em hardware e desenvolvem fluxos de trabalho para atender a todas as suas necessidades de negócios.

TRANSFORME SEU INVESTIMENTO EM HARDWARE EM UMA FERRAMENTA PODEROSA DE FLUXO DE TRABALHO

Os equipamentos multifuncionais Kyocera, ricos em funções, integram-se perfeitamente a praticamente qualquer ambiente Windows ou Mac. Desenvolvidos com base na premiada plataforma de produtos Kyocera, eles combinam produtividade comprovada com uma arquitetura altamente expansível, a fim de conservar o fluxo de suas informações.



Do segmento de tecnologias móveis e na nuvem, até as áreas de controle de custos e de soluções em segurança, a Kyocera está comprometida em fornecer aos clientes aplicativos de negócios aprimorados pela tecnologia HyPAS, a poderosa plataforma de desenvolvimento de software da Kyocera. Desenvolvidos pela Kyocera ou por nossos fornecedores de soluções terceirizados, esses aplicativos otimizam o seu investimento em hardware ao expandirem os recursos de seu equipamento multifuncional - tudo a partir do conforto de um único dispositivo.

Somos capazes de chegar ao ponto principal de seus desafios de negócios mais importantes, utilizando uma abordagem exclusiva e personalizada, que auxiliará a aprimorar o seu fluxo de trabalho de documentos de forma completa, reduzindo custos, aumentando a produtividade e a eficiência do seu ambiente de trabalho e fornecendo resultados excepcionais e confiáveis.

OTIMIZE SEU FLUXO DE TRABALHO DE DOCUMENTOS COM SOLUÇÕES PERSONALIZÁVEIS, QUE SIMPLIFICAM E INTEGRAM-SE COM SEGURANÇA AO SEU EQUIPAMENTO MULTIFUNCIONAL KYOCERA



CAPTURE E DISTRIBUIÇÃO

Transforme documentos físicos em documentos digitais para simplificar os processos de distribuição e armazenamento



CONTROLE DE CUSTOS E SEGURANÇA

Gerencie os custos dos equipamentos multifuncionais enquanto protege os seus ativos e mantém suas informações em segurança



MOBILIDADE E NUVEM

Imprima e digitalize arquivos quando estiver em movimento e tenha acesso aos documentos quando e onde você precisar



GERENCIAMENTO DE DOCUMENTOS

Simplifique o fluxo de trabalho com fáceis recursos de captura, armazenamento, compartilhamento e recuperação de documentos



ADMINISTRAÇÃO DE DISPOSITIVOS EM REDE

Controle os seus dispositivos no local ou remotamente



ADMINISTRAÇÃO DA SAÍDA DE DOCUMENTOS

Potencialize a sua produtividade, realizando impressões em praticamente qualquer ambiente

CAPTURE E DISTRIBUIÇÃO

TRANSFORME A DISTRIBUIÇÃO E O ARMAZENAMENTO DE DOCUMENTOS FÍSICOS EM UM FLUXO DE TRABALHO DIGITAL SIMPLIFICADO.



AccuSender, desenvolvido pela solução de nuvem particular ou no local de Transferência Segura de Arquivos* (SFT, Secure File Transfer) da Biscom

Utilizando Biscom, AccuSender da KYOCERA, desenvolvido pela Biscom, permite aos usuários enviar arquivos em papel de até 100 GB ou mais sem limitações de tamanho de arquivo do servidor de e-mail. O AccuSender também oferece mais segurança através da Biscom, utilizando o algoritmo de criptografia AES de 256 bits FIPS 140-2 do National Institute of Standards and Technology.
*É necessário possuir uma conta Biscom SFT



AccuSender Fax

Impulsione a infraestrutura de rede existente utilizando este aplicativo como ponto de encaminhamento para enviar documentos através de servidores de fax corporativos selecionados que já estão em funcionamento. Anexe facilmente documentos em papel digitalizados como mensagens eletrônicas e transmita ao número de fax do destinatário.



DMConnect Pro

Simplifique o seu fluxo de trabalho de documentos e aumente a produtividade com uma interface gráfica do usuário de fácil utilização, que permite que os arquivos sejam arrastados e soltos (drag and drop). Elimine a necessidade de inserção de dados manualmente com o recurso de Código de Barras 2D da Kyocera e revise as informações digitalizadas antes de encaminhar os documentos com o recurso de validação de dados da Kyocera.



DMConnect

Um aplicativo de negócios robusto que automatiza os processos de negócios baseados em documentos, transformando um equipamento multifuncional Kyocera em um ponto de encaminhamento para o envio de documentos em um sistema de gerenciamento de documentos de uma empresa. Como resultado, as empresas podem capturar, armazenar, recuperar e compartilhar arquivos de forma rápida, fácil e segura.



Exchange Connector*

Digitalize documentos físicos e envie-os como anexos de e-mail identificados pelo usuário a vários destinatários, diretamente do equipamento multifuncional Kyocera, impulsionando os recursos de trilha de auditoria do Microsoft Exchange para fins de segurança e conformidade.



KYOCERA HomePOINT / KYOCERA HomePOINT Advanced

Maximize a produtividade e impulsione a infraestrutura existente com funções intuitivas de digitalização e impressão na pasta início. Sem necessidade de extensões no servidor ou de middleware, o equipamento multifuncional Kyocera compatível com a tecnologia HyPAS torna-se um portal bidirecional para arquivos armazenados na conta do diretório ativo.



Nuance AutoStore

Transforme o painel de controle com tela sensível ao toque do equipamento multifuncional Kyocera em uma interface rica em funções, permitindo que os usuários capturem, processem e encaminhem seus documentos físicos. Organize os documentos digitalizados com eficiência, converta-os em uma variedade de formatos de arquivo e encaminhe-os para praticamente qualquer destino, programado com facilidade.



PinPoint Scan 3

Os usuários de uma organização podem digitalizar e enviar documentos a qualquer um de seus destinos personalizados com um aplicativo único e de fácil instalação.



Private Scan

Aumente a eficiência por meio da simples digitalização e do envio de documentos por e-mail a partir de um equipamento multifuncional Kyocera conectado à rede para a própria caixa de e-mail de um usuário. Uma interface de fácil utilização e configuração rápida, além da integração com o Active Directory, fazem com que esta solução seja simples e segura ao acessar os seus documentos.



Teaching Assistant

Otimize a tarefa de criação, impressão, correção e análise de testes de múltipla escolha, utilizando gabaritos de leitura ótica - permitindo que os educadores se concentrem no ensino e no planejamento das aulas.

	DEPARTAMENTOS LEGAIS	INSTITUIÇÕES DE SAÚDE	INSTITUIÇÕES FINANCEIRAS	INSTITUIÇÕES GOVERNAMENTAIS	INSTITUIÇÕES EDUCACIONAIS	EMPRESAS
AccuSender, desenvolvido pela solução de nuvem particular ou no local de Transferência Segura de Arquivos* (SFT, Secure File Transfer) da Biscom	✓	✓	✓	✓		✓
AccuSender Fax	✓	✓	✓		✓	✓
DMConnect Pro	✓	✓	✓	✓	✓	✓
DMConnect	✓	✓	✓	✓	✓	✓
Exchange Connector*	✓	✓	✓	✓	✓	✓
KYOCERA HomePOINT / KYOCERA HomePOINT Advanced	✓	✓	✓	✓	✓	✓
Nuance AutoStore	✓	✓	✓	✓	✓	✓
PinPoint Scan 3	✓	✓	✓	✓	✓	✓
Private Scan	✓	✓	✓	✓	✓	✓
Teaching Assistant					✓	✓

* Para obter informações sobre disponibilidade, entre em contato com o seu distribuidor local.

POWER, VERSATILITY AND SEAMLESS INTEGRATION.



Empowering your workforce with productivity-boosting features and functionality, the TASKalfa 3253ci Color Multifunctional System raises the bar on maximizing workflow. A versatile array of scanning, input and professional finishing options delivers exceptional results in vibrant, high-impact color. Eco-friendly, and expertly engineered to drive your business forward, the TASKalfa 3253ci exceeds the needs of even the most demanding offices.

- > Vivid Color and Black and White Imaging up to 32 Pages per Minute
- > Exceptional Print Quality at up to 1200 dpi
- > Scalable Paper Capacity for Longer Job Runs
- > Flexible Media Support and Paper Sizes up to 12" x 48"
- > Customizable 10.1" Color Touch Screen with Intuitive, Tablet-Like Usability

- > Diverse Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems and Print Management to Control Devices, User Policies, and Output Costs
- > Professional Finishing Options for a Polished Output, Including a Space-Saving 500-Sheet Internal Finisher
- > Optional EFI® Fiery Controller for Complex Color Workflows
- > Standard USB Host Interface for On-the-Go Printing and Scanning
- > Efficient Color Scanning up to 180 ipm
- > Convenient Wireless Printing and Scanning
- > Apple AirPrint®, Google Cloud Print™, Mopria® and KYOCERA Mobile Print Support

TASKalfa 3253ci

BASIC SPECIFICATIONS

Configuration: Color Multifunctional System – Print/Scan/Copy/Optional Fax
Pages Per Minute: Color and Black – Letter: 32 ppm, Legal: 19 ppm, Ledger: 16 ppm, 12" x 18": 16 ppm (print only)
Warm Up Time: 18 Seconds or Less (Power On)
First Page Out: Copy: 5.3 Seconds or Less Black, 7.0 Seconds or Less Color Print: 5.9 Seconds or Less Black, 7.7 Seconds or Less Color
Display: 10.1" Color Touch Screen Control Panel
Resolution: Up to 1200 x 1200 dpi
Memory / Hard Disk Drive: 4GB RAM / 8GB SSD / 320GB HDD Standard
Duplex: Standard Stackless Duplex Supports Statement (5.5" x 8.5") to Ledger (12" x 18"), 17 lb Bond - 142 lb Index (64 – 256gsm)
Standard Output Tray: Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)
Job Separator Output Tray: Statement – 12" x 18" / 100 sheets
Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A
Typical Electricity Consumption (TEC): 120V: 1.53 kWh/week; 220V: 1.46 kWh/week
Dimensions: 23.7" W x 26.2" D x 31.1" H
Weight: 198.4 lbs
Maximum Monthly Duty Cycle: 125,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching
Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500-sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)
Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets
Paper Size: Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)
Paper Weight: Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)
Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Local Authentication, Network Authentication, Encryption Communication (IPsec, HTTPS, LDAP over SSL, SMTP/POP over SSL, FTP over SSL, SNMPv3), TPM (Trusted Platform Module), Secure Boot (Firmware Authenticity Verification), Run Time Integrity Check, (HDD Overwrite Mode and HDD Data Encryption), Common Criteria (ISO15408 EAL2), IEEE 2600.2

PRINT SPECIFICATION

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.0GHz
PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL-5c), KPD3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850
Print Resolution: Up to 1200 x 1200 dpi
Fonts: 136 KPD3, 93 PCL6, 8 Windows Vista, 1 Bitmap
OS Compatibility: Windows: 7/8.1/10/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2/Server 2016; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS X v10.9 or later; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)
Mobile Printing: Apple AirPrint®, Google Cloud Print™, Mopria®, KYOCERA Mobile Print
Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, IEEE 802.11b/g/n Wireless LAN (communication distance 98.5 feet)
 Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Optional: IEEE 802.11b/g/n (IB-51 for Wireless LAN Interface) (communication distance 328.1 feet)

Specifications and design are subject to change without notice. For the latest on connectivity visit usa.kyoceradocumentsolutions.com. TASKalfa, PRESCRIBE, KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies. Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
 Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
 ©2019 KYOCERA Document Solutions America, Inc.
 v021419

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print
Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux
Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner
Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi
File Formats: TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG Compression / High Compression PDF)
PDF Extension: Searchable PDF (OCR) Option; MS Office File (Option)
Scan Speeds (b&w/color, @300 dpi):
 DP-7120: Simplex: 48 ipm B&W / 48 ipm Color; Duplex: 15 ipm B&W / 15 ipm Color
 DP-7100: Simplex: 80 ipm B&W / 80 ipm Color; Duplex: 48 ipm B&W / 48 ipm Color
 DP-7110: Simplex: 80 ipm BW / 80 ipm Color; Duplex: 160 ipm B&W / 160 ipm Color
 DP-7130 (with Multi-Feed Detection): Simplex: 100 ipm B&W / 100 ipm Color; Duplex: 180 ipm B&W / 180 ipm Color
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0
Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan, Specified Color Removal, Border Erase, Preview
Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"
Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi
Image Mode: Text, Photo, Text/Photo, Graphic/Map
Continuous Copy: 1 – 9999 / Auto Reset to 1
Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip, Specified Color Removal, Preview, ID Card Copy
Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy
Color Adjustment: One Touch, Hue, Auto Exposure, 4 Sharpness
Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Step Increments
Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS*

Type / Capacity:
 DP-7120: Reversing Automatic Document Processor / 50 Sheets
 DP-7100: Reversing Automatic Document Processor / 140 Sheets
 DP-7110: Dual Scan Document Processor / 270 Sheets
 DP-7130: Dual Scan Document Processor / 270 Sheets
Acceptable Originals: 5.5" x 8.5" – 11" x 17"
Acceptable Weights:
 DP-7120: Simplex: 13 lb Bond - 90 lb Index (45 – 160gsm); Duplex: 16 lb - 32 lb Bond (50 – 120gsm)
 DP-7100: Simplex: 13 lb Bond – 90 lb Index (35 – 160gsm); Duplex: 16 lb – 32 lb Bond (50 – 120gsm)
 DP-7110 & DP-7130: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm); Duplex: 16 lb – 120 lb Index (50 – 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12
Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG
Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps
Fax Memory: Standard 170 MB
Driver: Network Fax Driver
Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

OUTPUT & FINISHING OPTIONS*

OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100
Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples
Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 19.60" W x 20.98" D x 6.73" H
OPTIONAL 1,000 SHEET FINISHER DF-7120*
Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER DF-7100*

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 23.91" W x 26.32" D x 41.78" H
Optional Booklet Folder / Tri-fold Unit: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet
Optional Multi-Bin Mailbox: MT-730(B) includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

* Requires PF-7100 or PF-7110
 * Only 1 Document Processor can be installed
 * Only 1 Output Option can be installed
 * Requires Bridge Unit Attachment Kit (AK-7100)
 * Requires DF-7110

