



## Cropcell 7-6-6

Product: Cropcell 7-6-6

Name: Amino Acid Fertilizer

### COMPOSITION:

Determination	Quantity (% p/p)
Free amino acids	3.0%
Total nitrogen	7.00%
Organic nitrogen	7.00%
Phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in water	6.00%
Potassium (K <sub>2</sub> O) soluble in water	6.00%
Total organic matter	69%

- Amino acids obtained through enzymatic hydrolysis of vegetable origin
- pH (550gr/L) at 20°C: 4.0-5.0
- Chloride free
- Heavy metal content below the authorized limits for CLASS A

REGISTRATION NO.: not applicable

FORMULATION: water soluble powder solid

- Soluble fraction in 1/100 (w/v) extract (10g/L): 100%

PRESENTATION:

- 20 kg sack
- 500 kg big bag

**CHARACTERISTICS:**

Cropcell 7-6-6 is a powder NPK solution with 100% guaranteed solubility, especially indicated for the

maintenance of all types of crops. Its balanced concentration in nitrogen, phosphorus and potassium offers a

guarantee of application at any crop development stage.

**RECOMMENDATIONS FOR USE:**

Recommended use for foliar application and fertigation in all types of crops.

Crops	Fertigation dosage
Horticultural crops	Fertigation: 4-8 kg/ha per application, with a total of 20-60 kg/ha per season. Apply every 10-20 days from the first fruit set to improve homogeneity and harvest quality. Foliar: 100-300 mL/hL (100 L of water)
Fruit trees, citrus trees, grapevine and olive groves	Fertigation: 5-10 kg/ha per application, with a total of 50-80 kg/ha per season. Use in pre-flowering and during crop development to promote root-foliage balance. Foliar: 200-400 mL/hL (100 L of water)
Banana and subtropical crops	Fertigation: 4-8 kg/ha per application, with a total of 50-80 kg/ha per season. Apply 3-4 times per season from the beginning of flowering. Foliar: 200-300 mL/hL (100 L of water)
Extensive and industrial crops	Fertigation: 2-5 kg/ha per application, with a total of 15-40 kg/ha per season. Apply 3-4 times per season from the beginning of flowering. Foliar: 200-300 mL/hL (100 L of water)

**Application recommendations:**

In drip irrigation systems, prepare a concentrated mixture before injection with sufficient water. Do not use more

than 100 kg per 1,000 L of water.

Do not mix with alkaline or acid reaction products.

**SAFETY PRECAUTIONS:**

P102: Keep out of the reach of children.

P270: Do not eat, drink or smoke during use.

Store in a well-ventilated place.

The information contained in this document does not eliminate the recommendation to read the product's label and safety data sheet.