


WATER ATOMIZER

RWA is a water atomizer with rotating disc to be installed on a circulating fan. It is produced in plastic in order to optimize weight and corrosion resistance. Each model can work with water at standard pressure without any nozzles in order to avoid any possible problem caused by calcification and water impurities. The water flow can be regulated according to the customer's needs.



Closed

Mid water flow

Completely open



RWA Turbo is a water atomizer with rotating disc and built-in propeller



RWA Turbo O is a professional humidifier with integrated propeller and humidified air outlet diffuser



RWA



RWA Turbo



RWA Turbo - O

ACCESSORIES

SVG - fixing bar on square fans EOR-ERD-BKF



SVX - fixing bar in stainless steel on square fans series EOR/ERD Aeternum


SAF - RWA fixing bar on circulation fans series ACF



NT safety net




Technical features, dimensions and loading possibilities




Dimensions							
Model	A	B	C	D Ø	E Ø	F	G Ø
1 RWA	432	562	307	---	---	---	---
2 RWA Turbo	518	593	485	478	270	---	---
3 RWA Turbo O	400	507	420	88	196	409	---

Note: measures are given in millimeters



Technical features						
Model	Atomizing capacity	Power supply	Protection grade	Weight	Air flow	Absorbed power
	lt/h		IP	kg	m ₃ /h	W
RWA	15 - 40	1 Ph / 3 Ph + N	56	7,5	---	120
RWA Turbo 25	15 - 40	1 Ph	55	13	1800	420
RWA Turbo O 7,5	≤ 7,5	1 Ph	55	13	280	380

Note: 60 Hz version available upon request




Loading possibilities		
Model	Box	Pallet
RWA	510x610x360mm - 1pc - 10kg	1200x1000x2000 - 20pcs - 220kg
RWA Turbo - RWA Turbo O	460x530x620mm - 1pc - 13kg	1200x800x2000 - 6pcs - 100kg




electrical
contractor

ventilation &
Environmental



 01980 671053

 info@1803ltd.co.uk

 www.1803ltd.co.uk