

TTM3500 4GLTE Cellular Contactless Temperature Scanner


Surveillance Camera Temperature Sensor



- 4G LTE Wireless Connection
- Touchless temperature detection
- Real-time video surveillance
- 1080p, H265 format
- Double TF card data storage
- Real time monitoring screen and thermal imaging system
- Second monitoring screen
- Intelligent voice prompts and alarms
- Face detection and snapshot
- GPS / BeiDou dual-mode positioning
- Remote system upgrade

Speaker

Mounting bracket




TTM3500 4GLTE Cellular Contactless Temperature Scanner

The TTM3500 utilizes advanced thermal detection technology to quickly scan external body temperatures and quickly identify potential safety threats and help mitigate large-scale exposure.






Features include:

- $\leq .5^{\circ}\text{C}$ Accuracy
- No-Touch Scanning
- 4G LTE Connected
- Multi-Screen Viewing

TTMB1 introduction



Target Verticals



TTM3500 4GLTE Cellular Contactless Temperature Scanner

Product Specifications

	Detection distance	30~100cm (recommended 50cm)
	Alarm point	37.3°C
display	7" HD display	Human temperature value, thermal image, visible light image
Video program	Video format	H.265
	Audio format	ADPCM, G.711A, G.711U
	Image Resolution	AHD10800P(1920X1080)/AHD720P(1280X720)
	Image Quality	1-8grade (grade 1 is best)
Replay	Replay channel	Support replay locally in device
	Browse mode	According Event, time, video needs
Net works	4G	TD-SCDMA/WCDMA/EVDO/TDD-LTE/FDD-LTE .etc
Positioning	GPS/BD	Positioning, time synchronization
Storage	TF cards	TF card x2
Working	Power in	DC 9~36V
Outlook	Device size	180x162x50mm
	weight	≈1.0KG
Working conditions	Working temp	-30°C~+85°C
	Working humidity	10%~90%RH

5 Size (mm)

