



## PARTS SALES

Order your staircase parts directly from our retail store! Pick up your material same day or have us deliver it next business day.

- Thousands of Stair Parts in stock
- High Quality Wrought Iron Balusters
- Best Powder Coated Iron Finishes in the USA.
- Ready to Stain Wood Free of Knots & Defects
- Friendly & Experienced Sales Staff
- Monday Friday 8am 5pm CST

## INSTALLATION

When you need your project done right the first time, count on our skilled installation team. We only employ master craftsman who have years of experience working with wood, iron, cable and glass systems.





## REMODEL

Schedule a free in-home consultation with one of our stair experts. We will assist you in choosing a design, and then take measurements of your staircase to provide you with an accurate quote. On-site or in our showroom, together we can determine the options that are right for your style and budget. Whether you want an entirely new staircase or simply want to replace your old wood balusters with new wrought iron balusters, we can handle your project from start to finish.





## CUSTOM IRON FABRICATION

We offer complete custom iron fabrication services. We specialize in custom interior and exterior stair railing, balconies, wine room doors and entry gates. Choose a design from our custom fabrication photo gallery or send us a photo or sketch of your ideal design.

## CUSTOM WOOD COMPONENTS

Our custom wood components are available by special order in any domestic or exotic species. Many of our custom wood components are hand crafted in the Amish country to provide you with the highest available quality. Popular wood species include: Red Oak, White Oak, Maple, Cherry, Brazilian Cherry, Hickory, Pecan, Walnut, Mahogany, Alder and more.

## STAINLESS STEEL SYSTEMS

Our stainless steel systems feature railings, cables, bars and fittings in a sleek modern package. These systems utilize 316 marine grade stainless steel which can also be used on exterior balconies and decks.

## **GLASS SYSTEMS**

Glass systems are commonly used in conjunction with wood, iron or stainless steel components to provide a modern look and feel. Glass provides unparalleled views compared to traditional railing systems.













## **Table of Contents**

| WOOD  | 4-30  |
|---|-------|
| Newels & Balusters                                      | 4-20  |
| Handrail & Fittings                                     | 21-24 |
| Treads  | 25-27 |
| Starter Steps   | 28    |
| Lumber & Plywood  | 28    |
| Moulding  | 29    |
| Accessories   | 30    |
| POWDER COATED & STAINLESS STEEL                         | 31-85 |
| Finishes & Patinas                                      | 32-33 |
| Element Modern Railing System                           | 34-35 |
| Horizontal Bar Railing                                  | 36-37 |
| Heights   | 38-39 |
| Harmony   | 40-41 |
| Soho  | 42-43 |
| Foundation  | 44-45 |
| Mega  | 46-47 |
| Wentworth   | 48-51 |
| Aalto   | 52-55 |
| Tuscan  | 56-61 |
| Monte Carlo   | 62-63 |
| Designer  | 64-65 |
| Stainless   | 66-67 |
| Gothic  | 68-69 |
| Round   | 70-73 |
| Versatile   | 74-77 |
| Ribbon  | 78-79 |
| Twist   | 80-83 |
| Accessories   | 84-85 |
| FORGED PANELS   | 86-87 |
| AXIA STAIR & RAILING SYSTEMS<br>(Stainless Steel Cable) | 88-92 |
| SALES & MARKETING SUPPORT                               | 93-95 |
| SAFETY RAILING  | 96    |



Wood | Stair Products Offering

The warmth and strength of wooden stair railings and balustrades are the foundations for handcrafted, old-world craftsmanship and construction. From the hands of artisans to the sleek machining of hard square modern lines, we provide both the traditional and contemporary wood offerings for today's updated staircase needs. HF Stair and Rail has the steel and wood products for today's stairs.







SKANDI



## Modern Scandinavian Style

SKANDI<sup>\*\*</sup> is the intersection of minimal lines with the functional durability of Scandinavian design. Rounded edges create an organic flow, introducing natural lines into the living space.






- Pre-drilled 3/4" x 2" hole
- Includes 3/4" x 2-5/8" dowel pin
- Use as a standard stabilizer connected directly to handrail or use with standard handrail fittings.

#### **Baluster Specifications**

- Pre drilled 1/2" x 2-1/2" hole
- Includes 1/2" x 3" pin
- Use on level steps, balconies or angled kneewalls.



**U.S Patent Pending** 











## Box Newels Non removable caps










Shown with optional base 6-1/2" x 21-3/4" (sold separately) BASE-5000

### Routed Newels Non removable caps







Shown with optional base 6-1/2" x 21-3/4" (sold separately) BASE-5000



Available for: 3-1/4" and 5-1/2" blank newels Sold separately



### **Blank Newels**



### Blank Newel Options: Caps / Bases

3-1/4" and 5-1/2" blank newels shown with optional bases and caps - sold separately Additional configuration options available.





5-1/2"

Square

Newels

Newel Base

**BASE-5000** HT. 21-3/4"

Large


W = 6-1/2"

14\*


21"







#### AVAILABLE SPECIES





RO

WO

PR

-9S

Blank

Newel

3056

HT. 56"

W= 3"

SOLID

RO

WO

Blank

Newel

3048

HT. 48"

W= 3"

SOLID

PR

48



SOLID



1-3/4"

RO

SQUARE-CAP-3000 HT. 1-3/4" W= 3"





Made from 3-4 ply same species material

### Solid Blank Newels 3-1/2" Width



14

## BLANK NEWEL CONSTRUCTION

**TYPE 1 - SOLID** 

- Full color match
- 3-4 Ply solid wood material



## **TYPE 2 - VENEERED**

- Engineered
- Veneer on all 4 sides
- Same species core material















# AUR $\oplus$ hardware collection



US PATENT PENDING 11.04846.0652 / 11.04847.0652 / 11.04848.0652 / 11.04849.0652 / 11.04850.0652

## AUR HARDWARE

FLAT CAP

FLAT ROSETTE

8

US PATENT PENDING 11.04846.0652 11.04847.0652 11.04847.0652 11.04849.0652 11.04849.0652 11.04850.0652 .

## TURNED NEWELS

Our wood products are turned from solid material.







#### We stock additional wood parts in our Conover, North Carolina and Denver, Colorado Distribution Centers!





View or download In-Stock Product Catalogs houseofforgings.net/catalogs

## Wood Products

Our wood products are stocked in the most popular domestic species.



All wood products in non-stock species are available by special order.





Am



All newels stocked in Red Oak (RO), all balusters stocked in prefinished white (PG) - Call for additional species availability.

an Cherry Mahaga CY) (MY)

## HANDRAIL PROFILES




no fittings available



## HANDRAIL FITTINGS







## TREADS/STEPS/LUMBER/PLY

TREADS

CLASSIC TREA

8070-18 x

8070-20 × 60

8070-20 × 72

8070-48 × 48

8070-60 × 60

8070-48-MR 8070-54-MR 8070-60-MR Mitered Return(Mi Overall length incl

REMODEL TRE

**REMODEL TRE** 

MODERN-RETR MODERN-RETR MODERN-RETR

2-1/8"

Oak R 5/8" x

TREAD

RISER

Bull No

Riser 5/8"

TREAD

RISER

RETRO-42 RETRO-54 RETRO-60

8070-24 x

8070

Bull Nose Tread 1-1/16" x 11-1/2" x 42, 48, 54, 60, 72, 84, 96"



11-1/2" X 42" OVERALL 11-1/2" X 54" OVERALL 11-1/2" X 60" OVERALL

8070-42-SQ

8070-54-SQ 8070-60-SQ Single Mitered Return RED OAK 8070-48-MR-SQ RED OAK 8070-54-MR-SQ Double Mitered Return WHITE OAK 8070-48-MR-SQ WHITE OAK 8070-54-MR-SQ Overall length does not include mitered return

11-1/2" X 48" OVERALL 11-1/2" X 54" OVERALL 11-1/2" X 48" OVERALL 11-1/2" X 48" OVERALL 11-1/2" X 54" OVERALL


**1" BULL NOSING** 

### **BULL NOSED LANDING TREAD**

| ADS                     |  |                                       | 8090-6<br>8090-6B           | STRAIGHT<br>BENDING{26<br>6-1/2"                     | pieces)                              |                                   | 3080<br>3080-в | STRAIGHT<br>BENDING<br>(5 pieces) |
|-------------------------|--|---------------------------------------|-----------------------------|--|--------------------------------------|-----------------------------------|----------------|-----------------------------------|
|                         | Bull Nose Tread<br>1-1/16" x 13" x 48, 54, 60, 72, 8       | 84, 96"                               | 1-                          | Profile vi   | ew                                   | 3/4"                              | 1              | -1-1/4"-1                         |
|                         | Bull Nose Tread<br>1-1/16" x 18" x 48, 54, 60, 72, 8       | 34"                                   | 1-1/4".                     | 5-1  | /4"                                  | 1                                 | -1/16"         |                                   |
|                         | Bull Nose Tread<br>1-1/16" x 20" x 60"                     |                                       |                             |  | G TREAD (T&                          | G)                                | Pro            | ofile view                        |
|                         | Bull Nose Tread<br>1-1/16" x 20" x 72"                     |                                       | 8090-6-G                    | STRAIGHT(gro<br>6-1/2"                               |                                      |                                   |                |                                   |
|                         | Bull Nose Tread<br>1-1/16" x 24" x 60", 72", 84", 96       | ", 120"                               | 1                           | Profile vi   | ew                                   | 1/4" 3/4"                         |                |                                   |
|                         | Bull Nose Tread<br>1-1/16" x 48" x 48"                     |                                       | L <sub>1-1/4"</sub>         | 5-1  | /4                                   |                                   |                |                                   |
|                         | Bull Nose Tread<br>1-1/16" x 60" x 60"                     |                                       |                             | STRAIGHT (forg                                       | LUMBER<br>gue & grooved              | )                                 |                |                                   |
|                         | 1-1/16" x 11-1/2" x 48"<br>1-1/16" x 11-1/2" x 54"         | 13/8                                  | Ű.                          | Profile viev   |                                      | 1/4" 3/4"                         |                |                                   |
| AR) (Reve<br>cludes n   | 1-1/16" x 11-1/2" x 60"<br>arsible)<br>nitered return      | 3/8                                   | 8095-12<br>1/4"             | STRAIGHT (ton<br>11-1/4"-<br>Profile viev            | gue & grooved                        | i)<br> 1/4" 3/4"                  |                |                                   |
| 1                       |  |                                       | 8095-3 st                   | IRAIGHT (tongu<br>- 3"<br>Profile viev               | e & grooved)                         | 4-                                |                |                                   |
| lose Trea               | /ITH RISER KIT<br>ad with Cove<br>/*x 10-1/2*x 42, 54, 60* |                                       |                             | REMOD<br>TREAD                                       |                                      | READ WITH<br>ad with Cove         |                | KIT                               |
| x.7-1/2"                | x 42, 54, 60°  | Reversible riser material for 10-1/2" | PAINT<br>or stain or paint. |  | Riser<br>5/8" x 7-1/2"<br>8MR<br>4MR |                                   |                |                                   |
|                         | ITH RISER KIT  | 9-5/8"                                | 7/8"                        |  | EL RETURN T                          |                                   | H RISER        | кіт                               |
| " Oak Tr                | ead w/roundover<br>/2" x 42, 54, 60"                       | 10-1/2"                               |                             | TREAD  | 2-1/8" Oak T<br>Mitered retu         | read w/round<br>m on both en      | lover<br>ds    |                                   |
| Riser<br>x 7-1/2"       | x 42, 54, 60"  | 6"[                                   | 2-1/8                       | RISER  | Oak Riser<br>5/8" x 7-1/2"           | /2" x 48, 54, 60<br>x 48, 54, 60" |                |                                   |
| RO-42<br>RO-54<br>RO-60 | 7  | 9-5/8"                                | 7/8"<br>M(<br>M(            | ODERN-RETR<br>ODERN-RETR<br>ODERN-RETR<br>ODERN-RETR | O-48MR<br>O-54MR                     |                                   | 1              |                                   |

# RetroTread<sup>®</sup>/RetroRiser<sup>®</sup>Kit

## Stair remodeling just got a few steps easier



# RetroCraft'/ RetroRiser Kit

## Re-Style your stairway with beautiful hardwood RetroCraft®



## TREAD CAPS

AVAILABLE SPECIES

Maple

(ME)







FALSE TREAD CAP 8072-6 6-1/2" X 11-1/2"





Red Oak

(RO)

White Oak

(WO)



MODERN TREAD CAP Right Hand 8071-6-SQ-RH 6-1/2" X 11-1/2"



MODERN FALSE TREAD CAP 8072-6-SQ 6-1/2" X 11-1/2"





Alder


(AR)





## STARTER STEPS

## 12" Overall 12" Throat 13-3/4" Overhead view 12" Overall 12" Overall 13-3/4" Overall 13-3/4" Overall 13-3/4" Overall





#### 8015-48 (48" threat) (72" overall) 8015-54 (54" threat) (78" overall) 8015-60 (60" threat) (84" overall) Comes with: 1" Thick Tread, 6-3/4" Tal Riser Cove & Quarter Round Moulding

DOUBLE END STARTING STEP

Diameter: 13-3/4"

#### SINGLE END STARTING STEP Diameter: 13-3/4" 8010-48 (48' throat) (60" overall)

8010-60 (60° throat) (72° overall) 8010-72 (72° throat) (84° overall) Comes with:

1" Thick Tread, 6-3/4" Tail Riser Cove & Quarter Round Moulding

#### 18-1/2" SPECIAL WEDGE SHAPED DOUBLE END STARTING STEP Diameter: 12-3/4" (smail end) Diameter: 18-1/2" (large end) 8915-48 (46" throat) (73-1/2" averal)

8915-48 [48" throat] (73-1/2" overal) 8915-54 [54" throat] (79-1/2" overal) [Reversable]

Comes with: 1" Thick Tread, 6-3/4" Tall Riser Cove & Quarter Round Moulding

#### FALSE END STARTING STEP

Diameter: 13-3/4" Diameter: 17-1/2" Length: 17-5/6" overall Length: 21-3/4" overall 8011 8012

Comes with: 1" Thick Tread, 6-3/4" Tall Riser Cove & Quarter Round Moulding

### STARTER STEP VENEER

Width: 8" Length: 120" RO-VENEER (Red Oak)

 roverall)
 PG-CAP MOULD

 wilding
 RO-6007

 PG-6007
 PG-6007

 NG STEP
 PG-6050

 roverall)
 PG-6050

 roverall)
 PG-PM-1

 roverall)
 Flex-PM-1

 Flex-PM-1
 Flex-PM-1

 Flex-PM-1
 Flex-PM-1

RO-C8

PG-C8

FLEX-C8

RO-PM-2

PG-PM-2

Flex-PM-2







 RO-8050
 Red Cak 7/16" x 3/4" Base Shoe Mould

 Flex-MS-127
 Flexible Smooth 7/16" x 3/4" Base Shoe Mould

 Flex-MS-127-WG
 Flexible Wood Grain 7/16" x 3/4" Base Shoe Mould



 RO-8060
 Red Oak 3/4" x 3/4" Cove Mould

 PG-8060
 Point Grade 3/4" x 3/4" Cove Mould



| RO-8065        | Red Oak 1/2" x 1/2" Cove Mould             |
|----------------|--|
| PG-8065        | Paint Grade 1/2" x 1/2" Cove Mould         |
| Flex-MS-101    | Flexible Smooth 1/2" x 1/2" Cove Mould     |
| Flex-MS-101-WG | Flexible Wood Grain 1/2" x 1/2" Cove Mould |

### PLYWOOD

| 1111000         |  |
|-----------------|--|
| PLY-1/4-MDF     | MDF 1/4" x 4' x 8' Half Sheet 1/4" x 2' x 8'     |
| PLY-3/4-MDF     | MDF 3/4" x 4' x 8'                               |
| PLY-1/8-RO      | Red Oak 1/8" x 4' x 8' Half Sheet 1/4" x 2' x 8' |
| PLY-1/4-RO      | Red Oak 1/4" x 4' x 8' Half Sheet 1/4" x 2' x 8' |
| PLY-1/2-RO      | Red Oak 1/2" x 4' x 8'                           |
| PLY-3/4-RO      | Red Oak 3/4" x 4' x 8'                           |
| PLY-1/8-Birch   | Birch 1/8" x 4' x 8'                             |
| PLY-1/4-Birch   | Birch 1/4" x 4' x 8' Half Sheet 1/4" x 2' x 8'   |
| PLY-1/2-Birch   | Birch 1/2" x 4' x 8'                             |
| PLY-3/4-Birch   | Birch 3/4" x 4' x 8'                             |
| PLY-3/8-Bending | Red Oak 3/8" x 4' x 8' (bending board)           |
|                 |  |

| LUMBER  |   |
|---------|---|
| RO-06   | Red Oak 3/4" x 5-1/2" S4S Lumber        |
| RO-08   | Red Oak 3/4" x 7-1/4" S4S Lumber        |
| RO-08-B | Red Oak 3/4" x 7-1/4" Bending(29 pieces |
| RO-12   | Red Oak 3/4" x 11-1/4" \$4\$ Lumber     |
| MDF-06  | MDF 11/16" x 5-1/4"                     |
| MDF-08  | MDF 11/16" x 7-1/4"                     |
| MDF-12  | MDF 11/16" x 11-1/4"                    |

## WOOD MOULDING

Red Oak 2-1/2" x 11/16" Colonial Casing

Paint Grade 1-1/8" x 3/8" Cap Mould

Red Oak 1-3/4" Flet

Red Ock 1-1/4" Filet

(1/4" Offset)

Paint Grade 1-1/4" Filet

Paint Grade 1-3/4" Filet

Paint Grade 2-1/2" x 11/16" Colonial Casing

Paint Grade 2-1/2" x 11/16" Colonial Casing

Red Oak 11/16" x 1/-1/4" RAB. Panel Mould

Red Oak 11/16" x 1/-1/4" RAB. Panel Mould

Paint Grade 11/16" x 1/-1/4" RAB. Panel Mould Flexible Smooth 11/16" x 1/-1/4" RAB. Panel Mould

Point Grade 11/16" x 1/-1/4" RAB, Panel Mould

Flexible Smooth 11/16" x 1/-1/4" RAB. Panel Mould

Flexible Wood Grain 11/16" x 1/-1/4" RAB. Panel Mould

## ACCESSORIES



FIXED HANDRAIL BRACKET

HFSTB.3004 (SATIN BLACK)

2-1/2" Sq. mounting plate 3-1/2" Extension from wall 3-1/2" Height



ADJUSTABLE HANDRAIL BRACKET

HF17.4002 (STAINLESS STEEL-304)

HFSTB17.4002 (SATIN BLACK)

1-1/2" x 2" Mounting plate 3-1/4" Extension from wall

2-1/2" Height





2-1/16" Rd, mounting plate 3" Extension from wall

HFBC.3003 (BRUSHED CHROME) HFGD.3003 (DORADO GOLD) HFNL.3003 (NICKEL) HFORB.3003 (OIL RUBBED BRONZE) HFORC.3003 (OIL RUBBED COPPER) HFPB.3003 (POLISHED BRASS) HFSC.3003 (SATIN CLEAR) HFAG.3003 (ASH GREY) HFSTB.3003 (SATIN BLACK)


#### WALL RAIL BRACKET

1-1/4" x 2-3/8" Mounting plate 3" Extension from wall

HFBC.3002 (BRUSHED CHROME) HFORB.3002 (OIL RUBBED BRONZE) HFORC.3002 (OIL RUBBED COPPER) HFPB.3002 HFSC.3002 (POLISHED BRASS) (SATIN CLEAR) HFAG.3002 (ASH GREY) HFSTB.3002 (SATIN BLACK)

#### NEWEL MOUNT HANDRAIL BRACKET





1-1/2" Sq. mounting plate 1-3/4" Height ADJUSTABLE

RAIL BOLT KIT S-9600 (includes hex nut, spacer



DOWEL SCREW C-905-2(25 per bag) RAIL BOLT DRIVER S-9600-D (fits machine thread)



sold individually

DRIVER C-905-2D (fits wood screw thread)



HFSTB17.4001 (SATIN BLACK)

HF17.4001 (STAINLESS STEEL-304)

**NEWEL FASTENER** S-9403



Sure Tite



# NEWEL FASTENER



Key Lock

#### NEWEL FASTENER 3009-IS for use with 3" newels 3019-IS for use with 3-1/2" newels



#### Angle Bracket

NEWEL FASTENER S-3007



Flush/Hidden Anchor



#### METAL ROSETTES





HFSTB-7033-C



HFSTB-7033-F

#### WOOD ROSETTES



7033 4"x 5-1/2" (Red Oak)

7037 4"x 5-1/2" (Red Oak)



7039 4"x 4" (Red Oak)

#### **WOOD GLUE & FILLER**







RO-9208 (Red Oak)

#### HF-T-PLUG



**Touch-Up-Paint** HFSTB-12-OZ CAN SATIN BLACK





OIL RUBBED BRONZE

**EPOXY GUN-EPC-101** 

#### EPOXY-EPC-410 EPC-410-BLACK



EPOXY PASTE EPC-7



29






#### Steel | Stair Product Offering

For centuries, the utilitarian versatility of steel railings has provided an elegant foundation for stairways worldwide. Since our inception, House of Forgings has blended old-world aesthetics and forged a new concept of modern charm. Whether it be updated powder-coated angular offerings or sleek stainless products, our metal products create the new designs of the future. HF Stair and Rail has the steel and wood products for today's stairs.






## **Finishes & Patinas**



House of Forgings provides an unsurpassed selection of designs in the highest quality powder coated finishes available. Our hand applied patinas enhance the lines and hammered detail of each unique piece. As interior design trends move forward, count on us to carry the latest styles & finishes.



SATIN CLEAR (SC) This is a clear finish over RAW/unfinished iron, variations in surface color may occur.



DORADO GOLD (GD)



STAINLESS STEEL (Satin Polish)




BRASS (Satin Polish) Passivated to minimize tarnishing, use gloves when handling.



THESE FINISHES HAVE BEEN PROFESSIONALLY PHOTOGRAPHED WITH THE HIGHEST INTEGRITY. OUR GOAL IS TO PRODUCE THE MOST REALISTIC MATCH TO THE ACTUAL FINISHES, HOWEVER SOME SUGHT VARIANCES MAY OCCUR. All images are the sole property of House of Forgings, LLC, and cannot be copied or reproduced without written permission.







|                     |                                    | and a start of the start of the start of the   |  |
|---------------------|------------------------------------|--|--|
| HEAVY DUTY SFT      | ASH GREY                           | HFAG5.1.1 (.078" - 2mm)  | Powder Coated Tubular Round Bar 5/8" Dia. x 8'   |
|                     | STAINLESS STEEL<br>STAINLESS STEEL | HF\$\$5.1.1 (.078'' - 2mm)<br>HF\$\$5.1.1-5 (.078'' - 2mm)   | 304 Grade Stainless Steel Round Bar 5/8" Dia. x 8'<br>304 Grade Stainless Steel Round Bar 5/8" Dia. x 5' |
| Satin Polish Finish | 1                                  | And in case of the local division of the loc |  |

Our heavy duty tubular bar is made with superior 12 gauge(2 mm / 5/56") tube stock for minimal deflection



### The future of balustrade

Round tubular steel infill bars available powder coated, or stainless steel are a fantastic alternative to cable rail. These sleek 5/8" bars are available in a convenient 8' length, or a recently added 5' length ideal for installation and affordable shipping. Create pleasing horizontal infill designs which open the staircase sightline and make your living space feel spacious.

**N**ow available in a convenient 5ft length for less wasted material.

Satin Black (shown)

Stainless Steel (shown)



Stainless Steel (shown)



Ash Grey (shown)



Satin Black (shown)



# HEJGHTS

### AVAILABLE EXCLUSIVELY FROM HOF ACCEPT NO IMITATIONS

| HFSTB16.6.16      | W: 6-3/8" H: 51-3/4" | HFSTB16.6.17<br>w: 6-1/4" H: 51-3/4" | HFSTB16.6.18     | Ň |  | L HFSTB16.6.19      | square balusters  |
|-------------------|----------------------|--------------------------------------|------------------|---|--|---------------------|-------------------|
| HEIGHTS   ANGULAR | included             | HEIGHTS   SQUARED                    | HE GHTS CIRCULAR |   | HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1<br>HSIBIG.3.1 | HEIGHTS   UNIVERSAL | With Hote Parkets |
|                   | For use wit          | h treads up to                       | 4" thick         |   | 115 6  | Patent Pendir       | a                 |

### **Old World meets Modern Industrial**

An industry-first, modern take on traditional European side mount design with a modern industrial interpretation. Dynamic visual sightlines and added accents will make the staircase into a modern art piece. Ash Grey (shown)

Satin Black (shown)


Ash Grey (shown)

Satin Black (shown)

CURATED TRANSITIONAL STYLE

# HARMONY COLLECTION

AVAILABLE EXCLUSIVELY FROM HOF ACCEPT NO IMITATIONS



### **Modern Details with Traditional Accents**

The Harmony Collection draws inspiration from our industry-pioneered Aalto Collection, but with traditional details which harken the European sophistication.



HF16.3.9 Level Base C Base : 1-9/16 HF16.3.6

Level Base Collar - CAST IRON Base : 1-9/16" Rd. - Height: 3/8" - Wt. .15 lbs. HF16.3.60 Level Base Collar - ALUMINUM Base : 1-9/16" Rd. - Height: 3/8" - Wt. .1 lbs.



HF16.3.61 Fits angles up to 40° Angled Base Collar - ALUMINUM Base : 1-9/16" Rd. - Height: 3/8" - Wt. .1 lbs.



EXCLUSIVE

EXCLUSIVE

HF16.3.70 Level Base Collar - ALUMINUM Base : 1.33" Sq. - Height: .35" - Wt. .1 lbs.

HF16.3.71 Fits angles up to 40"

Angled Base Collar - ALUMINUM

Base : 1.33" Sq. - Height: .35" - Wt. .1 lbs.

SATIN BLACK (STB)

HF16.3.19 Level Base Shoe w/Set Screw - ALUMINUM Base : 1-5/16" Sq. - Height: 1" - Wt. 1 lbs.

ASH GREY (AG)

OLLABORATIN

ESIGN C



HF16.3.2 Angle Base Shoe w/Set Screw - ALUMINUM Base : 1-5/16" Sq. - Height: 1-7/8" - Wt. .15 lbs.

### 41

# BALUSTRADE SOHO SOHO

1993

2

### AVAILABLE EXCLUSIVELY FROM HOF AGCEPT NO IMITATIONS

# SOHO" BALUSTRADE

Y·USA

PATENT PENDING

**Striking Accents** of brass and steel describe these contemporary designs. Luxurious brass and stainless steel paired with black iron make a customizable and bold statement.



Passivated to minimize tarnishing, use gloves when handling





### Simple Designs are the most striking

Clean, bold lines and premium finishes create a striking modern take on traditional design. Think wood balusters – in clean – steel.  TUBULAR
 NO COLLARS OR SHOES REQUIRED
 AFFORDABLE STYLE





HFSTB16.5.8-FOUNDATION-SLEEVE Use with 16.5.8 Satin Black newel





### PERFECT FOR NEW CONSTRUCTION OR REMODEL

Create mega impact with these grand balusters

- Ideal for large or small staircases
- Perfect for replacing old wood balusters
- Traditional or modern base shoe/collar options

### **Bold and Stylish**

Larger 5/8" steel is a look of strength and sensibility. Often used in remodel applications, Mega balustrade provides a larger footprint when working out spacing when replacing products.





# WENTWORTH COLLECTION

### Old world sensibility

Inspired by classic English design, the Wentworth collection works in rustic modern and luxury cabin getaways. This ode to old-world metalworking is a one-of-a kind accent for the home.







Satin Clear (shown)



Satin Black (shown)



Oil Rubbed Bronze (shown)

### WENTWORTH Finishes & Patinas ROUND HAND FORGED SQUARE RUSTIC HAMMERED SATIN BLACK OIL RUBBED SATIN CLEAR (STB) BRONZE (SC) (ORB) ACCESSORIES Round level base shoes Round angled base shoes HF16.3.35 HF16.3.36 HF16.3.12 Photos: J. Photos: N. Photos: Q. Round level base collar(modern)

HF16.3.38 HF16.3.39 HF16.3.15

HF16.3.33 HF16.3.31 Photos: C. Photos: G. Photos: P.

> Photos: U. Photos: T.

For photos and full accessory details see pages 84-85 🚄

Square level base shoes Square angled base shoes Square level base collar(modern)

Round newel mounting kit

Square newel mounting kit



Hand forged product, variance in specifications may occur.






**Mid-Century modern** best describes our industry-first Aalto collection. These wonderfully paired geometric designs add a mid-century flare that makes a minimal statement to the home.

AALTO

Ash Grey (shown)





Ash Grey (shown)



Ó

Satin Black (shown)

| AALTO<br>SQUARE |        |          |            |           |          |            |           |             | LACK      |             |           | GRE<br>AG)  |          |          |          | GO       |          |          |          |          |          |
|-----------------|--------|----------|------------|-----------|----------|------------|-----------|-------------|-----------|-------------|-----------|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                 | NEWELS | HF16.5.8 | HF16.5.8-T | BALUSTERS | HF16.2.1 | HF16.2.1-T | HF16.1.30 | HF16.1.30-T | HF16.1.31 | HF16.1.31-T | HF16.1.32 | HF16.1.32-T | HF16.6.1 | HF16.6.2 | HF16.6.3 | HF16.6.4 | HF16.6.5 | HF16.6.7 | HF16.6.8 | HF16.6.9 | HF9.4.11 |
| STB             |        |          |            |           | 1        | 1          | •         |             | •         |             |           |             | 1        | •        |          | •        | •        |          |          |          | -        |
| AG              |        |          | •          |           |          | •          |           | ٠           |           | •           |           | ٠           | •        | •        | •        | •        | •        | •        | •        | •        | •        |
| GD              |        |          | 1          |           |          |            |           |             |           |             |           |             | 10       |          | -        |          |          | •        |          |          |          |


### ACCESSORIES

Level base shoes Level base collars Angled base shoes Adjustable level base shoes Adjustable angle base shoes Level base collars(modern) Angled base collars(modern) Newel mounting kit HF16.3.1, HF16.3.19 HF16.3.4, HF16.3.5, HF16.3.2, HF16.3.30 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.9, HF16.3.60, HF16.3.70 HF16.3.61, HF16.3.71 HF16.2.3


Photos: A. A. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. O2. Q2 Photos: O3. Q3 Photos: T.

For photos and full accessory details see pages 84-85 (





fits all angles up to 40 degrees



### **Classic Italian design**

The craftsmanship in these hand-forged balusters exude character and beauty nearly impossible to duplicate. Our Tuscan series is available in both round forged and square hammered profiles. Bring the rustic charm of old world Italy into your home with this unique series.

Satin Black (shown)





Satin Black (shown)









### ACCESSORIES

| Level base shoes  | HF16.3.26            |
|---|----------------------|
| Level base collars                                      | HF16.3.40, HF16.3.43 |
| Angled base shoes                                       | HF16.3.27            |
| Adjustable level base shoes                             | HF16.3.44, HF16.3.46 |
| Adjustable angle base shoes                             | HF16.3.45, HF16.3.47 |
| Level base collars(modern)                              | HF16.3.10            |
| 이 가 있는 것은 것은 것을 알았다. 이가 이 가지 않을 것은 이다. 것은 이 것을 것이 않을 것을 |                      |

Photos: J. Photos: K. O. Photos: N. Photos: R. Photos: S. Photos: Q.

For photos and full accessory details see pages 84-85 🚝











### ACCESSORIES

| Level base shoes            | HF16.3.25            | ł |
|-----------------------------|----------------------|---|
| Level base collars          | HF16.3.41, HF16.3.42 | F |
| Angled base shoes           | HF16.3.28            | I |
| Adjustable level base shoes | HF16.3.44, HF16.3.46 | F |
| Adjustable angle base shoes | HF16.3.45, HF16.3.47 | 1 |
| Level base collars(modern)  | HF16.3.11            | 1 |
| Newel mounting kit          | HF16.3.31            | 1 |
| 5                           | <b>a</b>             |   |



For photos and full accessory details see pages 84-85 🥔





# MONTE CARLO

### **Classic European Elegance**

Drawing inspiration from the great Roman columns, the Monte Carlo series stands alone in style and elegance. The robust designs complement the grandest estates and sensible French countryside getaways.



Oil Rubbed Bronze (shown)



\*Middle section is hollow cast iron, ends are hollow cast steel

\*Middle section is hollow cast aluminum, ends are hollow cast steel

### ACCESSORIES

| HF16.3.50 | Photos: I.             |
|-----------|------------------------|
| HF16.3.51 | Photos: M.             |
| HF16.3.12 | Photos: Q.             |
| HF16.3.14 | Photos: U.             |
|           | HF16.3.51<br>HF16.3.12 |

For photos and full accesory details see pages 84-85



**Simplicity** is sometimes the most understated elegance. The Designer series offers an upgraded look with a larger bar stock and modern and traditional design cues.







17.

25\*

HF 16.8.10

Ends : 5/8" Sq. Height: 44"

TUBULAR

Wt. 2 lbs.

## Finishes & Patinas

00g

N

16

N

16"

HF 16.8.11


Ends : 5/8" Sq.

Height: 44"

TUBULAR

Wt. 2 lbs.





### ACCESSORIES

HF 16.8.6

Ends : 5/8" Sq. Height: 44" Wt. 2 lbs.

TUBULAR

| Level base shoes           |  |
|----------------------------|--|
| Angled base shoes          |  |
| Level base collars(modern) |  |

HF16.3.38 HF16.3.39 HF16.3.15

Photos: J. C. Photos: N. G. Photos: P.

For photos and full accesory details see pages 84-85

# STAINLESS STEEL

### Sleek and Contemporary

Stainless steel is a mainstay in the modern and contemporary home decor market. The simple, honest lines of this profile is the perfect complement to your urban dwelling.







| NEWEL  |  |
|--|--|
| HF17.1.2-T<br>Ends : 1-3/16" Rd.<br>Height: 47"<br>Wt. 5.7 lbs.<br>TUBULAR |  |

# HF17.11.5-T nds : 9/16" Rd. leight: 44" Vt. 1.25 lbs. "UBULAR

### ACCESSORIES

| Level base collar  |  |
|--------------------|--|
| Newel mounting kit |  |

HF17.11.22 HF17.2.3

Photos: L. Photos: V.

For photos and full accesory details see pages 84-85



# GOTHIC

### Timeless

The inspiration for our Gothic series was the timeless ironwork featured in many European castles and estates. These prominent designs will compliment old-world hardware and fixtures in many homes today.



Satin Black (shown)



Tubular option available in Oil Rubbed Copper(ORC)

### ACCESSORIES

Level base shoes Level base collars Angled base shoes Adjustable level base shoes Adjustable angle base shoes Level base collars(modern) Newel mounting kit HF16.3.3, HF16.3.20, HF16.3.25 HF16.3.41, HF16.3.42 HF16.3.17, HF16.3.28 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.11 HF16.2.3 Photos: A. A. C. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. Photos: T.

For photos and full accesory details see pages 84-85


69

### Satin Black (shown)

### Circle it

The Round collection provides a sleek appearance that strikes a perfect balance between traditional and contemporary. Soft edges and clean lines are a break from harsh square appearances.

# ROUND





Oil Rubbed Bronze (shown)



Satin Black (shown)






# Finishes & Patinas






SATIN BLACK OIL RUBBED (STB) BRONZE (ORB) ASH GREY (AG)

| л   | NEWELS | HF16.5.11 | HF16.5.11-T | HF1.1.19 | BALUSTERS | HF16.2.2 | HF16.2.2-T | HF16.2.7-T | HF16.2.8-T | HF16.1.17 | HF2.11.3 | HF2.11.3-T | HF2.11.4 | HF2.11.4-T | HF16.8.1 | HF16.8.12 | HF16.8.13 |
|-----|--------|-----------|-------------|----------|-----------|----------|------------|------------|------------|-----------|----------|------------|----------|------------|----------|-----------|-----------|
| STB |        | •         | -           | •        |           | •        | •          | •          | •          | •         | •        | •          | •        | •          | •        | •         | •         |
| ORB |        |           |             |          |           |          |            |            |            |           |          | •          |          |            |          |           |           |
| AG  |        |           | •           |          |           |          |            |            |            |           |          |            |          |            |          |           |           |





#### ACCESSORIES

| Level base shoes            | HF16.3.13, HF16.3.26           | Photos: L. J. |
|-----------------------------|--------------------------------|---------------|
| Level base collars          | HF16.3.40, HF16.3.43           | Photos: K. O. |
| Angled base shoes           | HF16.3.16, HF16.3.27           | Photos: M. N. |
| Adjustable level base shoes | HF16.3.44, HF16.3.46           | Photos: R.    |
| Adjustable angle base shoes | HF16.3.45, HF16.3.47           | Photos: S.    |
| Level base shoe, fits 5/8"  | HF16.3.35                      | Photos: J.    |
| Angled base shoe, fits 5/8" | HF16.3.36                      | Photos: N.    |
| Level base collars(modern)  | HF16.3.10, HF16.3.12           | Photos: Q.    |
| Newel mounting kit          | HF16.3.14, HF16.3.33, HF16.2.9 | Photos: U.    |
|                             |                                |               |

For photos and full accesory details see pages 84-85



#### Accent it

The Versatile collection offers endless baluster combinations in this series offers a match for your taste and style. Often used alone these versatile products also work well with the twist and basket series.

Ash Grey (shown)

# VERSATILE



Satin Black (shown)



Oil Rubbed Bronze (shown)





# **Finishes & Patinas**



BRONZE


(ORB)




OIL RUBBED ASH GREY COPPER (AG) (ORC)

|     | NEWELS | HF16.5.8 | HF16.5.8-T | HF16.5.9 | BALUSTERS | HF16.2.1 | HF16.2.1-T | HF16.1.34 | HF16.1.34-T | HF16.1.35 | HF16.1.35-T | HF16.1.45 | HF16.1.45-T | HF2.2.3 | HF16.1.25 | HF16.1.25-T |
|-----|--------|----------|------------|----------|-----------|----------|------------|-----------|-------------|-----------|-------------|-----------|-------------|---------|-----------|-------------|
| STB |        | •        |            | •        |           | •        | ٠          | ٠         | •           | •         | ٠           | ٠         | •           | ٠       | ٠         | •           |
| AG  |        |          |            |          |           |          | ۲          |           | 60          |           |             |           |             |         |           |             |
| ORB |        |          |            |          |           | •        | ٠          |           | •           |           | •           |           |             |         | •         | •           |
| ORC |        |          |            |          |           | •        | •          |           |             |           | •           |           |             |         |           |             |

(STB)





#### ACCESSORIES

Level base shoes Level base collars Angled base shoes Adjustable level base shoes Adjustable angle base shoes Level base collars(modern) Angled base collars(modern) Versatile style knuckle Newel mounting kit HF16.3.1, HF16.3.19,HF16.3.29 HF16.3.4, HF16.3.5, HF16.3.2, HF16.3.30 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.9, HF16.3.60, HF16.3.70 HF16.3.61, HF16.3.71 HF16.5.1 HF16.2.3

Photos: A. A. C. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. O2. Q2 Photos: O3. Q3 Photos: F. Photos: T.

For photos and full accessory details see pages 84-85



The ribbon style twist in this series pairs nicely with balusters from the Scroll and Versatile series. The ribbon is accented nicely by the Oil Rubbed Bronze patina and the Copper Vein finish.



IBB


R

Satin Black (shown)



# **Finishes & Patinas**





#### ACCESSORIES


Level base shoes Level base collars Angled base shoes Adjustable level base shoes Adjustable angle base shoes Level base collars(modern) Angled base collars(modern) Versatile style knuckle Newel mounting kit HF16.3.1, HF16.3.19,HF16.3.29 HF16.3.4, HF16.3.5, HF16.3.2, HF16.3.30 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.9, HF16.3.60, HF16.3.70 HF16.3.61, HF16.3.71 HF16.5.1 HF16.2.3 Photos: A. A. C. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. O2. Q2 Photos: O3. Q3 Photos: F. Photos: T.

For photos and full accesory details see pages 84-85





This popular twist and basket design is a mainstay featured in many new homes. These balusters and newels are offered in an extensive range of finishes and patinas. They combine seamlessly with profiles from the Scroll and Versatile series.





Oil Rubbed Bronze (shown)







# **Finishes & Patinas**




(ORB)




OIL RUBBED ASH GREY COPPER (AG) (ORC)

|     | NEWELS | HF16.5.4 | HF16.5.4-T | HF16.5.5 | HF16.5.5-T | BALUSTERS | HF16.1.1 | HF16.1.1-T | HF16.1.2 | HF16.1.2-T | HF16.1.3 | HF16.1.3-T | HF16.1.4 | HF16.1.4-T | HF16.1.21 | HF16.1.21-T | HF16.1.16 | HF16.1.41 |
|-----|--------|----------|------------|----------|------------|-----------|----------|------------|----------|------------|----------|------------|----------|------------|-----------|-------------|-----------|-----------|
| STB |        | •        |            | •        |            |           | ٠        | ٠          | •        | •          | •        | •          | •        | ٠          | •         | •           | •         | •         |
| AG  |        |          | •          |          | •          |           |          | ٠          |          |            |          | •          |          |            |           | ٠           |           |           |
| ORB |        |          |            |          |            |           | •        | •          | •        | •          | •        | ٠          | •        | ٠          | •         | •           |           |           |
| ORC |        |          |            |          |            |           | •        | •          |          |            | <u>.</u> | ्र         | •        | •          | •         |             |           |           |







#### ACCESSORIES

Level base shoes Level base collars Angled base shoes Adjustable level base shoes Adjustable angle base shoes Level base collars(modern) Angled base collars(modern) Versatile style knuckle Newel mounting kit HF16.3.1, HF16.3.19,HF16.3.29 HF16.3.4, HF16.3.5, HF16.3.2, HF16.3.30 HF16.3.44, HF16.3.46 HF16.3.45, HF16.3.47 HF16.3.9, HF16.3.60, HF16.3.70 HF16.3.61, HF16.3.71 HF16.5.1 HF16.2.3 Photos: A. A. C. Photos: D. H. Photos: E. G. Photos: R. Photos: S. Photos: P. O2. Q2 Photos: O3. Q3 Photos: F. Photos: T.


For photos and full accesory details see pages 84-85

| hoto      | Part #                    | Description ACCESSORY SPECIFICATIONS   | STB      | AG       | ORB    | ORC       | sc   | A.V. |
|-----------|---------------------------|--|----------|----------|--------|-----------|------|------|
|           | 1/2 Square Bo<br>HF16.3.1 | Ibitler Accessudes<br>Level base shoe, its: 1/2" square bakisteri. 1-5/16" square base, aluminum   |          |          |        |           |      |      |
| 77-0<br>1 | HF16.3.19                 | Level base shoe with set screw, fils 1/2" square balusters, 1-5/16" square base, aluminum  |          |          |        |           |      |      |
|           | HF16.3.2                  | Angled base shoe with set screw, fits 1/2" square balaters 1-5/16" base, aluminum  |          | 121      | 1200   | 100       |      | iñ   |
|           | HF16.3.21                 | Level base shoe with screw mount, fits 1/2" square balasters.1-9/16" square base, aluminum   |          | 10.500   | 15.752 | 10210     |      | 132  |
|           | HF16.5.1                  | Venative style intrackie with set screw. Its 1/2" square balates.1-7/16" square case, dominium.  |          |          | 17.53  | 121       |      | í    |
|           | HF16.3.29                 | Oil Rubbed Bronze, level base shoe with set screw, fits 1/2" square balusters, 1-1/4" square base, cast iron   |          |          | 1000   | 10510     |      | 1    |
| 2.<br>2.  | HF16.3.30                 | Cli Rubbed Bronze, angred base shoe with set screw. Itis 1/2" square balasters, 1-3/4" base, cast ion  |          |          | 1978   | iiii      |      | ii   |
| ).        | HF16.3.4                  | Level base collar, fits 1/2" square balusters, 2" square base, aluminum  | •        |          | •      |           |      | ſ    |
| 1.        | HF16.3.5                  | Level base color, the 1/2" source balasters. 1-15/16" round base, aluminum, (OR8 - cast iron)  |          | <b>I</b> | 1263   |           | 1000 | ii   |
|           | HF16.3.9                  | Level base collar, fits 1/2" square balusters, 1-9/16" round base, cast iron   |          |          |        |           |      | 1    |
| 2         | HF16.3.60                 | Level base collar, filtr 1/2" souche ballusten, 1-9/16" round base, duminum  | 104      |          |        |           | im)  | Ĥ    |
| 3.        | HF16.3.61                 | Angled base collar, fits 1/2" square balusters, 1-9/16" round base, aluminum   |          |          |        |           |      | n    |
| 2.        | HF16.3.70                 | Level base collar, fils 1/2" savare balusteri. 1.33" square base, aluminum   | 12       | 1        |        | iiii      | in i | ü    |
| 3.        | HF16.3.71                 | Angled base collar, fits 1/2" square balusters, 1.33" square base, aluminum  |          | -        |        | -         |      | n    |
|           | CONTRACTOR OF CONTRACTOR  | auster Accesessaries   |          |          |        |           |      | ï    |
|           | HF16.3.3                  | Level base shoe, fils 9/16" square balusters,1-5/16" square base, aluminum   | •        | 1        | _      |           | 11.1 |      |
|           | HF16.3.20                 | Level base shoe with set screw. fits 9/16" square ballsters.1-5/16" square base, duminum   |          | 100      | 2.00   | 120       | (m)  | ii   |
|           | HF16.3.17                 | Angled base shoe with set screw, fits 9/16" square balusters,1-5/16" base, aluminum  |          |          | 11926  |           |      | f    |
| E1(       | HF16.3.41                 | Level base collar, fits 9/16" square ballsters 2" square base, cast iron   | 100      | 1        |        |           |      | f    |
|           | HF16.3.42                 | Level base collar, fits 9/16" square balusters. 1-15/16" round base, cast iron   |          | -        |        | -         | -    | n    |
|           | HF16.3.11                 | Level base colar, lits 9/16" square balaters. 1-3/4" round base, call ion  | 1000     | -        | 1000   | 100       | in i | Ĥ    |
| ä         |                           | sector solar solar and a constant of the sector and a constant solar s   | -        | 4        | -      |           | -    | ii.  |
| <u>21</u> | HF16.3.38                 | Level base shoe with set screw, fits 5/8" square balusters, 1-1 /4" square base, cast ron  |          |          |        | 1000      |      | ī    |
| 2         | HF16.3.39                 | Angled base shoe with set screw, fits 5/8" square balusters 1-1/4" base, cast iron   |          | -        |        |           |      | f    |
| •         | HF16.3.15                 | Level base collar, fits 5/8" square ballsfers, 1 3/4" round base cold iron   | 1        | iiii     | 1.20   | -         |      | i    |
|           |                           | an versioner sower an sub-sequence presented in the second source source in the second source |          | -        | -      |           |      | ä    |
| -         | HF34.3.19                 | Level base shoe with set screw, fits 3/4" square ballsters, 1-7/8" square base, aluminum   |          |          |        | 1         |      | 1    |
| 21        | HF34.3.2                  | Angled base shoe with set screw, fits 3/4" square balaters.1-7/8" square base, aluminum  |          |          | 0.00   | 100       |      | ł    |
|           | HF34.3.16                 | Level base collar, fits 3/4" souce balasters, 2" round base, cost iron   |          |          | 1000   | -         | ini. | H    |
| 2         |                           | duster Accessories   |          |          | 10.00  | Contab    | 0    | ii.  |
|           | HF16.3.13                 | Level base shoe, its 9/16" round balusters, 1-5/16" square baze, aluminum  |          |          | -      | 1000      |      | T    |
|           | HF16.3.16                 | Angled base shoe with set screw, fits 9/16" round balasters 1-5/16" base, aluminum   |          |          | -      |           |      | ł    |
| 2         | HF16.3.26                 | Level base shoe with set screw, fils 9/16" round baluster, 1-1/4" square base, oast iron   |          | -        |        | -         |      | H    |
|           | HF16.3.27                 | Angled base shoe with set screw, fits 9/16" round balasters.1-1/4" base, cast iron   |          |          | 10000  |           |      | H    |
|           | HF16.3.10                 | Level base colar, fits 9/16" round balaters, 1-9/16" round base, cast ron  |          | -        | 0.00   | -         | -    | ł    |
| 2         |                           | Level base colar, fits 9/16" round stainless sheet balusters. 1-1/2" round base, stainless steet   |          |          | 10.00  |           |      | 8    |
| _         | HF17.11.22                | Laster Coder Collar, Inis 9716, Toomo sidaness sileer balasteris, 1-172, Toomo baser, sidar ess sileer<br>Juster Accressories  | -        | -        | -      | -         | _    | ÷    |
|           | HF16.3.35                 | Level base shoe with set screw, fits 5/8" round balusters, I+1/4" square base, cast iron   |          |          |        |           |      |      |
|           | HF16.3.36                 | Angled base shoe with set screw, tills 5/8" round balasters, 1-1/4" base, cast iron  | •        | _        | •      | _         | •    | 4    |
|           | HF16.3.50                 | Level base shoe with set screw, fills 5/8" round balusters, 1-5/16" square base, aluminum  |          |          | 800    |           | •    | ļ    |
|           | HF16.3.50                 | Angled base shoe with set screw, fits 5/8" round balusters, 1-5/1.6" base, aluminum  | •        |          | •      |           |      |      |
| 8         | HF16.3.12                 |  | •        |          | 13000  |           |      |      |
| k.        |                           | Level base collar, fits 5/8" round balusters, 1-9/16" round base, cast iron  | •        | •        | •      | _         |      | 4    |
|           |                           | s/Collas - Revible insert allows use with either square arround balusters ranging in size from 172° to 9716°. Epoxy must be used to  | COLUMN 2 | entre    | acrea  |           |      |      |
|           | HF16.3.44                 | Level base shoe, fits 1/2" - 9/16" square or round balusters, 1-5/16" square base, cast iron   |          | _        | _      |           | _    | Ц    |
| 8         | HIF16.3.46                | Level base shoe, fits 1/2" - 9/16" square or round balusters, 1-1/2" square base, cast iron  |          |          |        |           | _    | Ц    |
|           | Newel Mountin             |  |          |          |        |           |      |      |
|           | HF16.2.3                  | Newel mounting kit with level base shoe, fits 1-3/14" square newels, 3-1/8" square base, cast iron   |          | •        |        |           |      | l    |
|           | HF16.3.31                 | Newel mounting kit with level base shoe, fits 1" square newels, 3-1/8" square base, cast iron  | 1.5      |          | 13.45  |           | 1    | ļ    |
| 8         | HF16.3.72                 | Newel mounting kit with level base shoe, fits 1-3/16" square newels, 3.1" square base, .63" height, aluminum   | •        |          | _      | _         |      | l    |
|           | HF16.3.14                 | Newel mounting kill with level base shoe, fith 1-3/16" round newes, 3-1/6" square base, cast iron  | 1        |          | 17223  |           |      | l    |
|           | HF16.3.33                 | Newel mounting kit with level base shoe, fits 1" round newels. 3-1/8" square base, cast iron   | •        | •        |        |           | •    | l    |
| -         | HF17.2.3                  | Newel mounting of with level base collar, this 1-3/16" round stanless sheet newels, 3-1/4" round base, stainless steel   |          |          |        | 1 million |      | ļ    |
| 2.        | HF16.2.9                  | Newer mounting kit, fits 1-3/16" round newels, flange cover sold separately. Flange covers: STB, AG, Stainless, Brass  |          |          |        |           |      |      |
| 4         | Honokal Brack<br>HE3002   | Handrail bracket, 1-1/4" x 2-3/8" mounting plate, extends out 3" from wall, aluminum   | •        | •        | •      | •         | •    |      |
|           | h d a second              | Also available in Brushed Chrome HFBC.3002<br>Handrai bracket, 2:1/16" round mounting plate, extends out 3" from wall, aluminum  |          | 1000     |        | (and)     | 20   |      |
| 5         | HE3003                    |  |          |          | 0.00   |           |      |      |
|           | HE3003<br>HE3004          | Also available in Brahed Chrome HERC2001, Nokel HENL2003<br>Handrail bracket, 2-1/2" square mounting plate, extends out 3-1/2" from wall, aluminum   |          |          |        | •         |      | ļ    |






## FORGED PANELS



1/2" SQUARE IRON 6 BORDEAUX 3/4" SQUARE TUBE 5/8" SQUARE IRON


SEVILLE



#### Modern Cable

Stainless steel cable infill provides a clean, modern aesthetic with highly unabstracted visibility throughout the railing system. Accent with wood newels and rails for a warmer vibe, or pair with steel posts and rail for a modern industrial masterpiece.


#### SWAGED CABLE INFILL KITS FOR WOOD OR METAL POSTS




Outside to outside Level/balcony or angle/stair Steel or wood posts

| 5'  | .15 kgs (.331 lbs)  |
|-----|---------------------|
| 10' | .227 kgs (.5 lbs)   |
| 15' | .303 kgs (.669 lbs) |
| 20' | .383 kgs (.844 lbs) |
|     | 10'<br>15'          |

Pre-assembled kit includes fittings and factory swaged cable in lengths 5'-20'



#### SWAGELESS CABLE INFILL FOR WOOD OR METAL POSTS



Non-Tensioner

Prill / Tap 5/8-24 MLN1/8-1 MLN1/8-1 MLN1/8-1 MLT1/8-1 ML Level/balcony or angle/stair For use with 1/8" cable Wood posts WLN1/8-1 Wood Level Non Tensioner .04 kgs (.092 lbs) WLN1/8-10 Wood Level Non Tensioner(10 pack) .31 kgs (.693 lbs) WLT1/8-1 Wood Level Tensioner .07 kgs (.173 lbs) WLT1/8-10 Wood Level Tensioner(10 pack) .68 kgs (1.5lbs) WSN1/8-1 Wood Stair Non Tensioner .06 kgs (.135 lbs) WSN1/8-10 Wood Stair Non Tensioner(10 pack) .5 kgs (1.12 lbs) WST1/8-1 Wood Stair Tensioner .09 kgs (.217 lbs) WST1/8-10 Wood Stair Tensioner(10 pack) .88 kgs (1.94 lbs) Drill Kit Cable Cutter Driver **HFC18.CUTTER DRIVER PL-LAG/R** AX00.070.625

Inside to inside

| Tensioner |                              | cony or angle/stair                                     | or use with 1/8" cable                    |
|-----------|------------------------------|---|---|
| -1        |                              | Matel Level New Tensioner                               | 0.1  km (0.07  km)                        |
| -1        | <u>MLN1/8-1</u>              | Metal Level Non Tensioner                               | .04 kgs (.087 lbs)                        |
| ,         | <u>MLN1/8-10</u>             | Metal Level Non Tensioner(10 pack)                      | .29 kgs (.638lbs)                         |
| /         | MLT1/8-1                     | Metal Level Tensioner                                   | .07 kgs (.158 lbs)                        |
|           | MLT1/8-10                    | Metal Level Tensioner(10 pack)                          | .61 kgs (1.349 lbs)                       |
| 1000      |                              |   |   |
|           | MSN1/8-1                     | Metal Stair Non Tensioner                               | .05 kgs (.118 lbs)                        |
| 3-1       | MSN1/8-10                    | Metal Stair Non Tensioner(10 pack)                      | .6 kgs (1.349 lbs)                        |
|           | <u>MST1/8-1</u><br>MST1/8-10 | Metal Stair Tensioner<br>Metal Stair Tensioner(10 pack) | .09 kgs (.202 lbs)<br>.81 kgs (1.793 lbs) |
|           | MOT I/O-TO                   |   | .01 kgs (1.730 lbs)                       |
|           | AX00.070                     | HFC18.CUTTER  |   |
|           | UTCABLE100-4                 | 100' coil - 1/8" 1X19 type 316 S/S cable                | 2.07 kgs (4.56 lbs)                       |
|           | UTCABLE500-4                 | 500' spool - 1/8" 1X19 type 316 S/S cable<br>/8" 316)   | 10.02 kgs (22.1 lbs)                      |
|           | MINIMUM BREA                 | KING STRENGTH - Cable Diameter 1/                       | 8" = 1,780 lbs.                           |

1X19 STRAND TYPE 316 STAINLESS STEEL CABLE

AISI 316

# STAIR & RAILING SYSTEMS BLACK **POWDER COATED 304 STAINLESS STEEL**

## **POWDER COATED 304 STAINLESS STEEL**



HANDRAIL POST

(1:10") AX20.004.070.3000.A.STB





# STYLE 👔 QUALITY 🚏 VALUE

We offer the most in-demand, high quality stainless steel stair & railing systems at the lowest price possible. From day one, we set out to do things a little bit different. Our goal has always been to provide stainless systems that are ideal for the residential stair installer/builder while also surpassing the expectations of the most discerning homeowners.

#### Sales Displays & Product Samples


Our wide variety of sales displays will provide you with the tools to sell products. We have sizes to fit your floor space. Custom displays are also available.



Axia Post Systems - Floor Display Dimensions: 56" W x 8" D x 44" H

#### **Product Catalog**

Full line product catalog featuring: Post Railing Systems Round Series Square Series Glass Railing Systems Standoff Series U-Channel Series Installation Accessories





Axia Post Systems - Table Top Display Dimensions: 30" W x 8" D x 24" H


#### Design Guide

Features over thirty pre-configured stair and balcony designs for inspiration and quick quoting. This guide is a valuable sales tool and visual guide to navigate our systems.




#### **Estimation Services**

We offer full estimation services based on your plans. We can also offer quick-quoting based on the designs featured in our design guide.



#### Installation Guides

Get pro level instruction on the best way to install our systems. Loaded with tips and tricks for best results these guides cover all the basics of installation and tools/accessories.





The Stair Artist design tool allows you to create your ideal staircase. With over 25 trim/layout options and hundreds of iron and wood products the design possibilities are endless.

#### ironwoodusa.com/stair-design-tool

#### Step 1

Step 1


Step 1


Load the Stair Design Tool. This tool works best on a PC. Drag & Drop system with tons of layouts and products.

Email us directly through the stair design tool or contact us via phone or email and we can assist you with purchasing and write down your unique your parts or walking you through the installation services we offer.

Load our pre-generated designs or make your own. Don't forget to click SAVE design keys.










66 Overall: my experience using Ironwood Connection was great! We contacted the company and within days we had someone come out for a bid. Our job was done that following week... I love the final look. Even better we were given 3 days estimate from start to completion for our job and it ended up taking 1 day.

> Anna Perez Houzz Reviewer

99

### Visit ironwoodusa.com today!







### Follow us on social media





## Full turn-key installation and removal

48-Hour installation schedule

Next-day pick up!

Automatic pick up options available with our stair package



HH .0-,8 .

Get your safety railing from the stair & railing experts more top Texas builders prefer!

| <b>Balcony Railing</b>           | Specifications - | OSHA Compliant 🗸                          | Rake Railing Specifications - OSHA Compliant 🗸 |   |    |  |  |  |  |  |
|----------------------------------|------------------|---|--|---|----|--|--|--|--|--|
| Height to top plai               | n of Top Rail    | 5'6" to accomodate workers on stills      | Height to top plain of Top Roll                | 42"[+/- 3"] meet OSHA Requirement         |    |  |  |  |  |  |
| Meets Top and Mi<br>Requirements | d-Rai OSHA       | 200 lbs at Top Rail, 150 lbs at mid rail. | Meets Top and Mid-Rail OSHA<br>Requirements    | 200 lbs at Top Rail, 150 lbs at mid rail. |    |  |  |  |  |  |
| Toe Board built in               |                  | 6" Incorporated toe board                 | Toe Soard built in                             | Not required on Stair Rake                |    |  |  |  |  |  |
| Cross Members                    |                  | 19.5" and 39"                             | Cross Members                                  | 19.5" Mid-Raii                            |    |  |  |  |  |  |
| Diameter of Ralln                | 9                | 1.625" - meets OSHA Requirements          | Diameter of Railing                            | 1.625" - meets OSHA Requirements          |    |  |  |  |  |  |
|                                  | -                |   |  |   | 15 |  |  |  |  |  |
|                                  | 0                | 4   |  |   | 1  |  |  |  |  |  |
|                                  |                  |   | lusa.com/safetyrail                            |   |    |  |  |  |  |  |

## THREE LOCATIONS SERVING TEXAS







DALLAS / FORT WORTH 1200 Valwood Pkwy. Carrollton, TX 75006 817.701.2006

HOUSTON 353 Greens Landing Dr. Houston, TX 77038 281.209.0000

AUSTIN / SAN ANTONIO 481 Texas Ave. Round Rock, TX 78664 512.973.8373

## YOUR **#1** STOP FOR STAIR & RAILING PARTS TU **#1** PARTES PARA ESCALONES Y RAILES

- Installer Discount best price Descuento del instalador - mejor precios
- Thousands of parts in stock Millones de partes en la bodega
- Will call pick-up available Listo para levanter
- Conveniently located Centro locacion














PARTS SALES (WILL CALL PICKUP) - TURN KEY INSTALLATION - REMODEL IRON - WOOD - GLASS - STAINLESS STEEL - CABLE - CUSTOM IRON FABRICATION

### SHOWROOM & DESIGN CENTER LOCATIONS

AUSTIN / SAN ANTONIO

481 Texas Ave. Round Rock, TX 78664 512.973.8373

#### HOUSTON

353 Greens Landing Dr. Houston, TX 77038 281.209.0000

#### DALLAS / FORT WORTH

1200 Valwood Pkwy. Carrollton, TX 75006 817.701.2006

#### www.ironwoodusa.com