



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Grate Wall PAO PICKUP 2023 Version



265Kw 3.0T gaoline/137KW 2.4T diesel engine with 9 speed AT Auto gear box(4WD)

www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com

E-mail sales@chinasyp.com afterservice@chinasyp.com

Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

	SANHAI PAO LV1 3.0T Gasoline 4WD	SANHAI PAO LV2 3.0T +48V hybird 4WD	SANHAI PAO LV3 2.4T diesel 4WD
Manufacture :	Great wall	Great wall	Great wall
Type:	Pickup	Pickup	Pickup
Engine :	265kW	265kW	137kW
	(3.0T turbocharging)	(3.0T turbocharging)	(2.0T turbocharging)
Power type:	gasoline engine	gasoline engine+ 48V hybird	gasoline engine
Transmission case :	9 Speed AT	9 Speed AT	9 Speed AT
L×W×H(mm):	5440×1991×1924	5440×1991×1924	5440×1991×1924
Body structure	4 door 5seat Sedan	4 door 5seat Sedan	4door 5seat Sedan
Max speed(km/h):	180	180	155
NEDC comprehensive fuel consumption (L/100km):	11.6	11.6	9.3
WLTC comprehensive fuel consumption (L/100km):	11.6	11.6	9.3



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Vehicle warranty policy:	4 year or 120000Km	4 year or 120000Km	4 year or 120000Km
Warranty policy of the first owner:	Lifetime (consult Manufacture)	Lifetime (consult Manufacture)	Lifetime (consult Manufacture)
Body parameters			
Vehicle length (mm):	5440	5440	5440
Vehicle width (mm):	1991	1991	1991
Vehicle height (mm):	1924	1924	1924
Wheel base (mm):	3350	3350	3350
Unladen mass (kg):	2565	2634	2575
Maximum Full Load Mass (Kg)	3370	3370	3380
Minimum ground clearance (mm):	186	186	186
Approach angle (°):	29	29	29
Passing angle (°):	20	20	20
Maximum Climbing	75	75	75

www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Slope			
Maximum wading depth	80mm	80mm	80mm
Body structure:	Pikcup	Pikcup	Pikcup
Number of doors:	4	4	4
Seats:	5	5	5
Container size:	1500*1520*500	1500*1520*500	1500*1520*500
Maximum volume of trunk (L)::	1140	1140	1140
engine			
Engine model:	GW6Z30	GW6Z30	GW4D24
Displacement (L):	3.0	3.0	2.5
Displacement (mL):	2998	2998	2499
Intake type::	Turbo	Turbo+48V hybird	Turbo
Cylinder arrangement:	(V-type)	V-type)	In line (L-type)
Number of cylinders:	6	6	4



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Number of valves per cylinder (piece):	6	6	4
Valve train:	DOHC	DOHC	DOHC
Cylinder head material:	aluminium alloy	aluminium alloy	aluminium alloy
Cylinder material:	aluminium alloy	aluminium alloy	aluminium alloy
Maximum horsepower (Ps):	360	360	137
Maximum power (kW/rpm):	265/1500-4500	265/1500-4500	137/1500-4500
Maximum torque (Nm/rpm)::	500/1500-4000	500/1500-4000	480/1500-4000
Fuel:	gasoline	gasoline	diesel
Fuel grade:	92#	92#	0#
Oil supply mode:	Direct injection	Direct injection	Direct injection
Environmental standards:	Euro 6	Euro 6	Euro 6
Automatic engine start/stop:	-	-	-
transmission case			
Number of gears:	9	9	9

www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Transmission type:	AT	AT	AT
Transmission name:	9 Speed AT	9Speed AT	9Speed AT
Chassis steering			
Drive mode:	Front drive	Front drive	Front drive
Body structure:	Bearing type	Bearing type	Bearing type
Boost type:	Electric power assistance	Electric power assistance	Electric power assistance
Front suspension type:	double wishbone suspension	double wishbone suspension	double wishbone suspension
Rear suspension type:	Integral axle non independent suspension	Integral axle non independent suspension	Integral axle non independent suspension
Front axle limited slip differential/differential lock:	•	•	•
Center differential locking function:	•	•	•
Rear axle limited slip differential/differential lock:	•	•	•
Wheel braking	•	•	•
Front brake type:	Vented Disc	Vented Disc	Vented Disc



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Rear brake type:	disc	disc	disc
Parking brake type:	Electronic parking	Electronic parking	Electronic parking
Front tire specification:	265/60 R18	265/60 R18	265/60 R18
Rear tire specification:	265/60 R18	265/60 R18	265/60 R18
spare tire::	full size	full size	full size
Security Configuration			
Driver/passenger airbag:	Main ●/auxiliary ●	Main ●/auxiliary ●	Main ●/auxiliary ●
Head airbag (air curtain):	Front ●/Rear ●	Front ●/Rear ●	Front ●/Rear ●
Side airbags:	Front ●/Rear	Front ●/Rear	Front ●/Rear●
Child seat interface:	●	●	●
Tire pressure monitoring device:	●	●	●
Continue driving at zero tire pressure:	-	-	-



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Prompt for unfastened safety belt::	•	•	•
Engine immobilization:	•	•	•
Interior central locking:	•	•	•
Remote key:	•	•	•
Tips for fatigue driving:	•	•	•
Control configuration	•	•	•
ABS:	•	•	•
Braking force distribution (EBD/CBC, etc.):	•	•	•
Brake assist (EBA/BAS/BA, etc.):	•	•	•
Traction control (ASR/TCS, etc.):	•	•	•



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Body stability control (ESP/ESC, etc.):	•	•	•
Uphill assistance:	•	•	•
Gradient descent:	•	•	•
Automatic parking:	•	•	•
Parallel auxiliary:	•	•	•
Lane departure warning system:	•	•	•
Variable suspension:	•	•	•
Variable steering ratio:	•	•	•
Active braking:	•	•	•
External configuration			
Power sunroof:	-•	-•	-•
Panoramic roof:	•	•	•
Sport Surround:	-	-	-
Aluminum alloy wheels:	•	•	•
Luggage rack:	•	•	•



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Remote start:	-●	●	●
Electric rear compartment::	●-	●	●
Inductive trunk:	-	-	-
Internal configuration			
Leather steering wheel:	●	●	●
Steering wheel adjustment:	Up and down ●/far and near ●	Up and down ●/far and near ●	Up and down ●/far and near ●
Multi function steering wheel:	●	●	●
Electric adjustment of steering wheel:	-●	-●	-●
Steering wheel memory:	-	-	-
Steering wheel heating:	-	-	-
Shift paddle:	-	-	-
Parking radar:	Front - / Rear ●	Front - / Rear ●	Front ● / Rear ●
Reversing video image:	●	●-	-●
Panoramic camera:	-●	●	●



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Transparent chassis/540 degree image:	-	-	-
Auto Parking:	-	-	-
Cruise control:	●	-	-
Adaptive cruise:	-	●	●
Keyless entry:	●	●	●
Keyless start::	●	●	●
Trip computer display::	●	●	●
Full LCD instrument panel:	●	●	●
HUD Head Up Digital Display::	●	●	●
220V/230V power supply:	●	●	●
Built in dash cam:	-	-	●
Wireless charging:	50W	50W	50W



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Seat configuration			
Seat material:	Woven	Woven	Woven
Sports seats:	•	•	•
Seat height adjustment:	•	•	•
Driver/passenger seat electric adjustment:	Main •/auxiliary-	Main •/auxiliary •	Main •/auxiliary •
Rear seat electric adjustment:	•	•	•
Rear adjustment of co driver's seat:	•	•	•
Lumbar support adjustment:	•	•	•
Shoulder support adjustment:	•	•	•
Leg support adjustment:	-	-	-
Main/auxiliary seat memory:	M • / A -	M • / A -	M • / A -



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Rear seat memory:	-	-	-
Seat heating:	Front ●/Rear-	Front ●/Rear-	Front ●/Rear-
Seat ventilation:	Front ●/Rear-	Front ●/Rear-	Front ●/Rear-
Seat massage:	-	-	-
Second row back angle adjustment:	●	●	●
Second row independent seats:	Front ●/Rear-	Front ●/Rear-	Front ●/Rear-
Second row seat movement:	-	-	-
Rear seat recline mode:	Scale down	Scale down	Scale down
Center armrest:	Front ●/Rear ●	Front ●/Rear ●	Front ●/Rear ●
Rear cup holder:	●	●	●
Multimedia configuration			
Wi Fi hotspot:	●	●	●
On board navigation system:	●	●	●



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Bluetooth/car phone:	•	•	•
Central control color screen:	•	•	•
Central control screen size:	14.6inch	14.6inch	14.6inch
Front passenger screen size:	•	•	•
Voice control system:	•	•	•
Road rescue call:	-	•	•
Mobile phone interconnection/mapping:	•	•	•
Audio brand:	Infinity	Infinity	Infinity
External audio source interface (AUX/USB, etc.):	•	•	•
Number of speakers:	10 Speaker	10 Speaker	10 Speaker
Light configuration	LED	LED	LED
dipped headlight:	LED	LED	LED



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

high beam:	LED	LED	LED
Front fog lamp:	LED	LED	LED
Daytime running lamp:	•	•	•
Adjustable headlamp height:	•	•	•
Automatic headlights:	•	•	•
Cornering auxiliary lighting:	•	•	•
Servo steering headlight:	•	•	•
Automatic switching of high beam and low beam:	-	-	-
Headlight cleaning device:	-	-	-
Interior atmosphere lamp:	-	-	-
Color changeable atmosphere lamp:	-	•	•
Glass/rear-view mirror			



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Power windows:	Front ●/Rear ●	Front ●/Rear ●	Front ●/Rear ●
One button lifting window:	-	Main - front row - whole vehicle ●	Main - front row - whole vehicle ●
Electric rear-view mirror:	●	●	●
Mirror heating:	●	●	●
Rear view mirror powerfold:	●	●	●
Automatic anti dazzle of rear-view mirror::	●	●	●
Mirror memory:	●	●	●
Electronic exterior rear-view mirror function:	●	●	●
Streaming interior mirror:	●	●	●
Rear side sun blind:	●	●	●
Rear windshield sun blind:	●	●	●
Sunvisor Vanity Mirror:	●	●	●



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD

Rain sensing wiper:	-	-	-
Rear wiper:	●	●	●
Air conditioner/refrigerator	8000cal	8000cal	8000cal
Air conditioning control mode:	auto ●	Auto ●	Auto ●
Rear independent air conditioner:	-	-	-
Rear air outlet:	●	●	●
Temperature zone control:	Two area	Two area	Two area
In vehicle PM2.5 filter::	●	●	●
On board air purifier:	-	-	●
Optional package			
explain:	-	-	-
Appearance color:	Blue/Black/White/Silvery	Blue/Black/White/Silvery	Blue/Black/White/Silvery
Interior color:	Black/white/Yellow/read	Black/white/Yellow/read	Black/white/Yellow/read



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729



四川中植盛和国际贸易有限公司
SICHUAN ZHONGZHI SHENGHE PERFORMANCE CO, LTD



www.chinasyp.com chinasyp.en.made-in-china.com chinasyp.enalibaba.com
E-mail sales@chinasyp.com afterservice@chinasyp.com
Tel : +86 15928080732 TEL/FAX +86 28 85160729