

Im surprised, da6 the writing staff does not have a question mark about this,

no comment was made. The last topic mentioned is no less important than the title of this treatise - there may be some truth in the assertion made, but one does not insert such a sensational assertion as an incidental remark into another topic without any further explanation. What does Mr. Witte base his assertion on, what does he want to justify it with? Does he have proof, evidence, important research results, from observations? If so, it would be most gratifying for all friends of astrology if Mr. Witte would write an extra treatise on this subject, generally comprehensible and detailed.

It would also be desirable that the article "Determination of the un-
exact time of birth" a thorough reworking, u nter avoidance of the cited
deficiency, erfillhre. *Alexander Baradoy.*

N o t e o f t h e s e c t i o n : The Editorial Board does not comment on any article that goes to print, not even by means of a question mark. Each signed article is represented by the author himself, and the editorial board takes responsibility for all signed articles. This is precisely how one-sidedness is avoided, and the possibility is created for the author to express his own ideas, as the example shows.

from

"Astrologische Rundschau", 13th volume
October-November 1922, issue 1/2, page 11-18

Zurn article " Unknown time of birth",

I can't bring myself to rewrite the article "Determining Inaccurate Birth Time" because I have never written such an article, much less think of determining an "inaccurate birth time.

This determination is usually made by the fathers of the children when they are registered in the birth register, and therefore the astrologers are forced to correct this "inaccurate" time of birth.

I have never written of a birth lord, always only of Herrschem and Herren.

If the author, Mr. Baradoy from the sentence page 12 false

Conclusions drawn by putting something in the sentence. which is not in it, like: >>"The birth ruler is correctly the lord of the X. Once again the imagination has run away with the astrologer.

That is precisely the mistake of today's astrologers, that they put too much into the aspects, which the stars do not show.

It is quite clearly stated that the >>ruler<< is the planet which stands on the >>birth meridian" and there has been no mention of the lord of the sign in which the upper meridian lies.

It is precisely this fantasizing that has forced me to reply, because without refutation most readers of the *Astrologische Rundschau* now accept this assumption as correct, since almost all of them are a little lazy in thinking, otherwise many more questions and works would have to come from them. Otherwise many more questions and works would have to be received from them, because 50% of all information in the books is not correct and cannot be correct, since the overall picture of the planets must always be taken into account.

Further, I have said that the earth horoscope is dominated by the d' on the lower meridian ;6. This meridian is now made into the sign of the zodiac, Capricorn, by a wrong interpretation.

I have been writing for two years about a meridian plane of the earth's body which passes through $0^{\circ};6$ and through $0^{\circ}@$ and in which the earth's axis lies, and yet I have not yet been understood.

If the 12 years spent by the gentleman in question on the study of astrological laws are applied to the same extent as the last two, one cannot wonder if the fruits of such study are not better.

Already Ptolemaeus speaks of houses of the ascendant and of those of the natal meridian.

Sepharial also sometimes lists the ruler as the planet which is at the meridian, for example, in 1914 Saturn was the ruler, for it was at about $0^{\circ} \textcircled{R}$; and if the current horoscopes were better evaluated, one could easily find the ruler of one's horoscope in the horoscopes of other people with whom one had the event.

I have reported in detail in the article >>Sensitive Points<< about the individual house systems and also mentioned zenith houses at that time, but they were not discussed further because most researchers do not bother to examine a zenith chart.

If you want to get clarity about the technique of astrology, it is essential that you also evaluate the coordinates of this system. system.

Through my studies in this field, which involved no small amount of arithmetic, for all the celestial positions of the radix, the progressed planets, and the progressed planets must be converted into altitude and azimuth, I found that this horoscope is only relevant to the person himself.

It refers to cases of illness, accidents and death of the person concerned. All events related to other people can be found in the horoscope of the latitude circle of the place of birth (house of the ascendant) and in the meridian horoscope (2 hour houses from the birth meridian).

From within, the following systems result when the pole of each time is assumed.

Pole - Zenith, High, and Azimuth from North Point.

Pole - North Pole, declination, and right ascension from the natal meridian (upper and lower culmination).

Pole of the ecliptic, latitude, and longitude from the ascendant - 90° and finally:

Pole - North Pole, declination, and right ascension from the Earth's meridian (a) - .

Pole E. and (North Pole), latitude, and longitude from the Earth's meridian, *maB*

giving for the course of the earth around the sun.

These last coordinate systems refer to the Earth's center . point as the collection point of the influences of all planets and fixed stars on the Earth's body.

Since the position of the heavenly bodies at a given moment is generally referred to by the word "horoscope", even if the minute is meant rather than the hour (hora), one can also justifiably speak of an earth horoscope, for first of all the influence of the heavenly bodies on the mean point of the earth *must* also be determined in the horoscope of a person, which is already evident from the "geocentric" position of the planets.

This evaluation is not yet made by all astrologers, because the cardinal points are simply left out, and yet it is precisely the center of the earth (determined by the cardinal points) from which we get to feel the power excursions of the stars and not from outside. The transit of a planet only stops, that is, the power current from the centre has found a way out and the circuit with the earth - person - planet - sun - centre of the earth is closed.

In last year's horoscope I gave a guide as to which points are relevant for the center of the earth and thus also for the meridian plane of the earth's body.

If every Schiller, who wants to get clarity about the planets, would determine these sums, the half sums and the differences of the radix planets and compare the sums, as well as the half sums, which have the same value, with each other, the secrets of the planets in his horoscope would soon be revealed to him, as soon as he has an actual horoscope in front of him.

Equal values mean oppositions, quadratures, 45° and 135° of the half .sums to each other.

What has remained to us over time of the teachings of ancient astrologers is hardly recognizable. Most of it has been taken over by the successors

!either not understood at all, or misunderstood, or <by copying without thought and <by misunderstanding, as is evident from the example on page 90, so twisted that the sense of the sentence is completely changed.

It is better if a word, such as "again" is forgotten, and it is left to the reader to think of the right thing to say, rather than to <literate> the matter by such commentary.

If already in this small μ rebuke of the Mr. Baradoy which is to be evaluated nevertheless only as proofreading, so many inconsistencies-

If an article cannot be corrected because there is no proof-reading by the author and sometimes one hardly recognizes the sense of a sentence, if one reads for sums = suns and for debits = fulls, etc., one can imagine how little the omission of >>new<< or the occurrence of 2 typographical or arithmetical errors means.

The main thing is to use the method to determine the unknown time of birth, and if you can't tell that from the chart, you'll never learn astrology.

The method of finding the >>exact<< birth time is quite different.

There is a middle correction with sensitive points, which shows the birth meridian fluctuating between 1 and a fine correction by the sensitive points of a current celestial position.

It is easiest to calculate one's own birth meridian from the horoscopes of other persons with whom one has shared the events that have taken place, because for the other person the radix star was now standing, i.e. the places of the stars in the signs of the zodiac, which are Earth houses at the same time, is decisive; for the Earth meridian plane is always the unifying meridian of all beings.

I speak of beings, ct.a all living and dead beings are subject to the influences of the stars, because with increasing and decreasing distance of the planets (far from the earth - near to the earth) the mole kiile experience a change in the bearing of the atoms.

A dog horoscope can give us information about our person if we are bitten by the dog or if he is not house clean and he has been given priigel.

It is not our own horoscope that shows us our most important planets at first glance, but we learn about these planets from the horoscopes of other people.

Then three planets usually appear, namely the ruler of the day (strong solar aspects), the ruler of the natal meridian (strong meridian aspects) and the ruler of the line of descent (Aszen dent - Descendent) or the horizon. The rulers of the signs in question, which are intersected by the meridian circle and by the horizon, always play a part and one thereby gets to know the rulers of the signs., which are not correctly reproduced in the books.

Here is still a large field lying fallow, which awaits the processing of work-loving astrologers.

The main thing that retired professors of history should occupy themselves with the earth's horoscope; for the ancient astrologers drew their wisdom and knowledge of coming destinies of the people only from the positions of the fixed stars in the points of the signs of the zodiac and mainly factually from the position in 15° tr, 15° 15° M and 15° Q, because here the

The North Pole is the mean of the meridian and the horizon of the Earth, if the North Pole is considered as the zenith or the birth point of the northern hemisphere.

Since the ancient astrologers were aware of the influence of the fixed stars, they compared their powers with those of the known planets and added their names (Regulus d/'It-).

The signs of the zodiac are the houses of the earth body (= I, 'Y').

VI I), they also divided the celestial globe by parallel circles to the equator, each sign was divided into six parts and these parts (the spherical triangles and quadrilaterals) were probably called places.

This division was also used for zenith horoscopes. As is well known (i.e. for the researcher), the parallels to the meridian, to the horizon and to the First Vertical also have an effect, and it is not the same where the constellation of the Pleiades or that of the Great Bear stands in the zenith horoscope of a person.

Here, too, there would still be an area for serious researchers concerning zenith horoscopes, if the large invisible nebulae were taken into account.

Already from the positions of the constellations to the zenith or to the birthplace of a person the ancient astrologers could determine many things, and the planets only underlined what had already been indicated.

The above is also confirmed by the position of the Sun in the 12 signs of the zodiac and the rising and descending signs of the horoscope, since these points (Asc. and Desc.) have the sharpest aspects (D) to the place of birth, for the position of the Sun in most cases already gives the character of each person. Ten years ago the Zentralblatt für Okkultismus even brought the position of the sun from 5 to 5° of the signs and its influence in these. In many cases I was able to recognize the position of the sun of the mother from the facial expression of a person.

If you now add the constellations with the interpretations of the old astrologers, you can almost see what is worth knowing about each person without any planets. The planets then only indicate the time for the individual events.

Therefore it is not the same how a constellation stands to the earth axis or to the north pole.

Through the rückwärtsgehen of the Aries point and through the pendulation of the Earth's axis, in the course of a Platonic year always other constellations will stand in the zenith of the Earth's body (North Pole) and there through perhaps with the fixed stars at the cardinal planes also give the cycles of the people in connection with the zenith horoscopes of the individual persons.

This includes the appearance of great leaders, and one may well assume that Nostradamus worked only by this method, and did not consider the planets at all in his predictions.

We astrologers must work towards the discovery of the laws of astrological technique, which were already known but have been completely lost. Only then, when one has learned to walk, and can calculate every event beforehand, can the time come when one may make simplifications and announce world events. Today's publications of coming wars calculated and predicted on an astrological basis have only served to drag astrology through the mud.

We astrologers must also strive to introduce uniform designations for the leading planetary positions.

It does not go on, if one is to set apart again and again, which planetary position now actually is meant.

The movement of the individual points of the horoscope gives rise to the various directions.

If one starts from the place of birth and considers it as a star? the first result is the course of the place around the earth-axis parallel to the equator.

A complete rotation of the place up to the minute of birth of the next day is counted as one year in astrological technique, each further rotation of the place around the Earth's axis increases the days and in these days the planets will no longer have the positions that the >>radix planets<< held at birth.

I designate these pre-nictitated states as >>progressive<< and thereby also simultaneously indicate the direction of the birth meridian (days times 361° plus birth meridian).

The progressive horoscope, which is decisive for the 40th year of a person, is drawn up on the return of the 40th minute of birth. Do not assume that the difference between the present meridian and the radix meridian is the directional arc, but add 39 complete revolutions of the place of birth. This progressive meridian applies to the birthday of the person concerned.

The radix meridian therefore always shows the day of the year, which, depending on the years of life, is as many days later than the day of birth.

The best way to visualize the course of the progressive meridian during a year is to place the progressive meridian of the birth day or the progressive horoscope at the position of the radix Sun of the disc, and then follow the course of the Sun during the year.

The direction for days of the year is thus carried out with the sidereal time and the arc can be large up to 361° .

During 40 rotations of the place, however, the earth after the moment of birth has put back a certain arc, depending on the position of the sun (near or far from the earth) and this solar arc (0 progr. - 0 rad) is decisive for the directional arc of the years and days.

Note, therefore: A rotation of the place of birth (361°)
- is approximately 1 degree of the ecliptic arc.

The moon, which also moves around the earth, is for this reason connected with the places which run like it around the earth's axis. Thus the moon represents the surface of the earth.

During a lifetime of 84 years the moon goes around the earth three times, if after the minute of birth each day is counted as one year.

But if the moon represents the place of birth, three complete lunations have passed, and each lunation indicates one year for the person born.

Up to three years after birth, or a little more, the Moon may appear as a progressive and lunation Moon. After this time, in the highest case a little over 100 days after the minute of birth, the now appearing precessing planetary positions must again be called "progressive".

I generally liked the addition of
>>tUn<< in suggestion, so that do or Q> do would denote the planetenstands accurately enough.

The drawing or current planet stands that were or will be in the sky during an event should be briefly labeled running or running.

Thus, for me, the question of the "return <through the preerrickly course of the planets<< is erted.

For example, in the article on page 91 >>The Horoscope at the Tomb<< there is talk of Transit t; to T.ransit cf.

If the Planetes ; and cf are meant, they should never be called transiting planets, if no passage has taken place over a Radixplanet.

Mathematically unstatic is the notation ; : cf, which is taught in all books. One should get used to write: cJ' - ; ; + or + cf- ; ; , because then the sense becomes better apparent.

As mentioned in this article, Mars (SchuBwunde) was decisive for death, so the coherence of death and Mars, related to Saturn, appears better in the Atis print +,cf- ; ; .

Of the well known. Doctrines and rules I would like to point out the lords of the signs and the lords of the deaneries.

If we know how the lords of the signs came into being, we cannot attach much value to these lords (see Ptolemy). Astrologers are hardly sure in which signs the planets 4l and 0 fit in, and already a planetary slider has found out that LJJ has its case in 9°Q. The ,Q of Neptune lies approximately 10° R.

The teachings of the old astrologers have been good, but whether what is now being spouted as old teachings and rules are these teachings, I 'strongly doubt'

Only when one has found out the fundamental laws oneself, and then finds in old Schmokern, by means of very brief remarks, that the laws in question must also have been known to the old astrologers, -then one knows that one is on the track of the really good old astrology.

I can only advise all Shiites to cleanse their horoscopes of all ballast, as there are: Lords of the signs, fixed stars, sensitive points, strong and weak points of the planets, and to pay more attention to the connections of the planets with each other.

- If one has got to know the Eigeriart of the planets in the own horoscope, every planet in every horoscope has other effects, only then one can use also the above omissions again, in order to get out with it still more.

However, it is recommended to treat each point separately. The radix chart should show only the planets and the houses in order to have a quick overview of a question.

To the author of the brief, Mr. Baradoy, I express here my thanks for his thorough working through of the article, Tuning the Unknown Time of Birth<<. If every reader were to read through the articles in the same way, and to work over them mainly with the aid of a degree disc, then they too would learn the method of

will soon be clear. The technique now used in most teaching books is still very poor and urgently needs to be corrected.

First and foremost, astrologers must strive to expand the mechanical side of astrology and to penetrate into the inner workings of the radix horoscopes by means of actual horoscopes.

Only then, when one no longer pays attention to the transits alone and only hopes for the draw from them, has one taken a great step forward.

A. Witte.

ASTROLOGISCHE RUNDSCHAU

MONTHLY NEWSLETTER FOR
ASTROLOGICAL RESEARCH



ORGAN OF VARIOUS ASTROLOGICAL SOCIETIES

WRITER

RUDOLF VON SEBOTTENDORF

THEOSOPHICAL PUBLISHING HOUSE • LEIPZIG D R
U C K : D I E T M A R & S O H N E • L A N G E N S A L I A

XII. Year.1

December-January 1922

Issue 3/4:

The Astrologische Rundschau is published monthly with at least 16 pages and contains, apart from contributions from all astrological fields of research, also reports on the activities of astrological societies at home and abroad.

The subscription price for the year is Mk. 14.- for Germany, Mk. 28.- for abroad, and 1 to the Theosophical Publishing House, Leipzig, Inserstrasse 29 einzusenden,

Please address all applications to the Association. Please enclose postage.

The evaluation of an actual planetary image.

From *A. Witte*, Hamburg.

The Earth, considered as a point in its course around the Sun, is influenced by the geocentric positions of the planets with respect to the Sun in the ecliptic plane or parallel to it.

On this point-, extended to a body, acts the Be
The Earth's body's axis lies in the plane of the meridian Cancer-Capricorn and this plane is also at right angles to the Earth's orbit, to the ecliptic.

The opposition of the Earth, the apparently moving Sun, as the representative of the Earth, carries the total influence of the Cancer-Capricorn meridian plane.

As an example, the anniversary of the death of the wife of the ex-emperor, 11 April 1921 6h 15m in the morning, Holland.

1,md both therefore close the aquator em. 2J- and 0 were therefore. fallig on 11 April.

The aquator is further influenced by a planet if the earth or the sun has the same distance from the T-point as a planet has from the sun.

- The cJ is $21^\circ 32'$ from the sun, the f $20^\circ 10' 90'$ from the sun, \langle las mean $20^\circ 51'$ has the same distance as the sun from the T point. cf and f were therefore also calyxed on April 11.

The J ran on the day of April 11 from the declination of cJ $15'' 45'$ to the declination of f $17^\circ 32'$, the mean of both declinations approximately coinciding with the declination of the Moon $16^\circ 47'$ at the time of the event.

The lunar body was still in the middle of both, since it has a diameter of 30° without danger.

cJ and f were drawn out \langle lurch the moon in declination. The conjunction of the Earth's and Moon's orbits lies in the intersection points.n of the two orbits of these bodies in the $.Q$, and $?J$.

This connection of earth and moon was made by the equal distances of the lunar node from the T point and the moon from the lunar node. The Q , lay between T and J , $-:JJ / T$ $28' 18' T$, $=$
 $?J = 27^\circ 41' T$.

The moon indicating the hour of the event was drawn from the $7J$ in the long of the T points.

J was therefore in conjunction with d', f and $'J$. -

0 was associated with $d', f, 2J$ - and 0 .

If the moon has the same distance from the sun as a planet. If the moon is the same distance from the sun as a planet, the moon confirms that planet and indicates the hour of the planet.

$) - 0 = 35^\circ 45', 2j. - 0 = 139^\circ 02', 1j ;_0 = 148^\circ 26'$.

The midpoint shows $43^\circ 44'$ of $180^\circ = 36^\circ 16'$ distance from the sun's long circle. The quadrature of the sun gets the influence of $1) / 4$ and $J1$.

The $S?$ is between J and 0 , $'JJ/0 = S - 43'$. $tf, S? lfd. = 8^\circ 18' 'b$. The moon with the distance of $14^\circ 13'$ from the cJ loses the connection of the cJ with the $7J$; $cf - 'J = 14^\circ 41'$.

Here the J is $28'$ back in the Vollange, above with the c_2 and 0 it was $25'$ forward in the Vollange; the length of the moon is therefore correct to solve the $S?$ and the o' with the $7J$ and the 0 .

$0 - + J) - S?$ is conjugal love, $J) + 7J - cf$ separation of the wife from the spouse; $S? cf cJ$ spouse love, from J) and $7J$ included and $?J cf 0$ Separation from the man \langle lurch f and cJ in married life.

$Q), r:f$ and $S?$ in the VIII. earth house shows the_ death of a bitter Woman.

As a top view of the draw \langle lurch the running sun serves diagram below.

	Z to 0	0toZ	0 -PI.
O	11° 40 g	0° 00 Z	0° 00 Z
J)	17° 25 np	5° 45	24° 15 111
-	16° 42 @	5° 02 l'	24° 58 Z
S?	29° 08 g	17° 28 Z	12° 32 l'
c/	3° 02 np	21° 32 Z	8° 25 l'
2j.	0° 42 Z	19° 02 'd	10° 58
1j	10° 06 '5	28G 26 (5	0° 26 g
0	28° 53)(17° 13 111	-12° 47
f	1-0 50 ;-	20° 10 T	9° 50 np
66	18° 31	6° 51 @	23° 09)(
:c:	20° 50 T	9° 10 np	20° 50 T
X	6° 25 "d	24° 45 np	5° 25
A	29° 08-bi	17° 28 Z	12- 32nl)

The first two columns show the draw of the 'f and the c/ and the influence of the Earth (Z) by 0 and 21-.

The cfth column shows the draw of the -sensitive points of the day. 0 - ct □ 0, 0 - 21-, cf 'f, 0- 0 □ cf 0 'f- cf 21- or also the draw of the sums of cf and 0 as well as 21- and 'f by 0.

The mutual aspects of the first two \$columns also come into effect .

The transits of the current planets over the radix planetary positions give a clue to the event in very few cases.

There were lid. cf rad. and S?, c/ lid. D 1j, 0 of the ex-emperor.

The wife had 'f lf cf 1j rad. and 66 lf c/ 1j rad.

However, one will always observe that current planets draw the sensitive points of the radix and that these draws indicate the event. Some of these points will be described below.

The day with its sensitive points of the Sun, as shown by the three columns, loses out the radix positions and the positions of the advanced planets.

The advanced plans of the emperor, which were decisive for the death of the wife. Wife were as follows:

- 0vorg . 9° 21 T J) rad. 24° 22 111.)
- c/ foregoing 29° 03 'd cf 0 rad. 29° 34 'd. j0 L f.
- 'f vorg. 25° 20 'd cP :Jl rad. 24° 22 nt.
- cf vorg. 29° 03 'd v? rad. 13° 13 Z.

c/ and 'f occurred in conjunction with 0 and :I' as well as and Jl.

0 and cf occurred in conjunction with J), 0 and \. ?.

0 and cf is the spouse, cf cf 'f rad. therefore concerns 0 and 'f the spouse. and because c/ and 'f are complementary planets, the abrogation - as a husband. 0 rad. stands c? 1j rad. (male person), so also 1j with 'f to destroy the spouse property.

cf advanced cf 0 rad. were drawn on the day by 9 and 1j (see columns 1 and 2), 'f advanced c? J) rad. by c!en J) (column 3) and just in case the advanced 0 by the :Jl aus,sgelost.

There are also many other connections with the Radix planets and the sensitive points of the radix.

Z. B.: 0 - J) = J) rad., J) - 0 = d'' + 1j rad., cf + 0 = c/ 1j rad., 'f 0 = cf/1J rad.

The main points of the radix related to the event were (0 1j) male person 16° 01 (0 1j - d"), this person as husband 19° 21)(in □ 1j lfd. 19° 16 np, 0 current 20° 50 T'. *

(J) + 0) female 23° 56 (6 (:J) + 0 - d'), female spouse 27° 10 i

D Q, lfd. 27° 40 ε=[ε_ d" lfd. 12° 22 'cf.

The same points from the current planets (0 + 1j - d") 27° 44- Q.
D J) rad., 0 rad., □ d", 't' advanced. cf .Q progr.

(:J) + 0 - d') = 22° 16) -(cf 't' rad. □ 'i' rad. of the emperor, □ 21- rad.
21° 22) (and cf 't' rad. 22° 36) -(the consort.

In addition, was (0 + J) - d') rad. 4- 40 111. D 1j progr. 5° 27 Q.

in cP (0 - ck::" - d') running 5° 03 'cf and (0 + J) - d') ago 78 03 ; o' cf

X. House rad. and (J) + 0) running 4° 38 'cf.

0 + J) - d" marital union of husband and wife was in opposition of the
spouse J) 0 current

Death of wife rad. = d' + 1j - (J) + 0 - d') = 1j - (:J) + 0)
= 8° 27 ε= is at the mirror point of the i' rad. 7° 03 ε= and advanced
10° 50 l in D to 21-, 0 lfd. and cf to 21- rad.

Death of wife lfd. = 9° 22 111th D 1j i:ad. 9° 03 bl. cP ¥ lfd. 8° 18 ri.
lfd. □ ¥ rad., cf cf' rad.

d' + 1j rad. = death --:-- 5° 43 bl. cP J) - 0Hd . (man's wife)
5° 45 and ¥ lfd. were in conjunction with the tade of the consort. In the
first two columns the Sun set off the 16°. 42 © and the ¥ 17° 28 ;' out in
opposition to and ¥ .

0 - :J) running (husband of wife) 24° 15 111 cf :J) rad. 24° 22 111 shows the
presence of the husband at the death of the wife.

Death of the wife rad. 8° 27 ε= as advanced point = 10° 50 l
cf 21- rad. 11° 41) (and Death of a woman rad. (d' + 1j - ::") = 12° 21 l
in cf with the advanced point firr the death of the wife.

0 + J) - ¥ lfd. = 9° 07 'cf cP death of wife lfd., □ 1j rad. 9° 03 Sl.

0 - ¥ lfd. = 12° 32 }-(, s;2- 'J; = 11° 43)-(, both in □ 21- rad. and
Death of a woman.

Both planets 21- and 1j are lfd. in the np in the XII. House of the Earth.

The positions of the current planets in relation to the meridian plane of
the Earth at 0° Capricorn are latent and are determined by the positions of the
current planets in relation to the Sun on the day in question.

The positions of the planets in relation to the Sun are again latent and
come into effect through the position of the planets in relation to the Moon at
the hour in question.

The positions of the planets in relation to the Moon are also latent and
are determined by the position of the planets in relation to the meridian and
the horizon of the minute in question.

Therefore, lfd. planet, 0 on :O', J) on cf 0, X lfd. cf :J) and A. lfd. D

J) or also ;o' on 0, 0oncf J), J> on X lf and D :J) cf Ascendant. The time

of the event 6h 15m in the morning gives firr Amerongen with
52° 00 north latitude and 5° 28 east longitude the meridian 14n 54 :O' and
the ascendant 6° 50 'cf.

14° 54 is the mean of :J) - 'd' and :J) - 't', d' - Q, 14° 41 T.
't' - Q. I 3° 19 ©, 1j Q, 16° 57 ε=, 21- - J) 13° 17 --, 21- + J) - 0
15° 37 T, 0 :J) = 0 13° 48 ε=.

Alié these points are drawn by d' / 1j Hd. 15° 49 © :O'.

The Ascendant with s> lfd 8° 18 'cf in conjunction is considered Me ridian 15°
35 Z.

(column I) cf lj and 21. d 8 separation by the death of the wife (lj

shows the love of the husband and the d'' .}) + 2j. rad. J.

The Ascendant shows either new connections or disconnections.

	IA on D :J), D'.}) on A	A - Pl.
0	9° 07 ll,	2° 43
J)	14° 52 np	8° 1
	14° 09 ☉	7° 35 ./
<?	260 35 ll,	20° 01
d'	0° 39 np	24° 05
21-	280 09 ./	210 35 'd
lj	7° 33	0° 59)(
0	260 20):(190 46 III.
'I'	290-17 III.	220 43 1'
Po	15° 58	9° 24 ☉
	180 17 T	11° 43 np
X	:3° 52 O	27° 18 np
A	?6° 35	20° 01

with .Q rad. and d', 't' is associated with d', 't', O rad.

The Ascendant loses with the d' lfd. and the 't' lfd. a.us, with J) the death of the consort and the 21- rad. with 0theQ, rad., with 't the 't' rad., with d'' the <? and the cf rad. in column 3; in column 2, lj the Po rad. and Po the 0 prog. in act. 0 A 0 prog. of consort.

The first column contains 0 cf lj rad., cf d' / lj lfd., c? rad., rJ' and 't' in connection with the .Q rad. lj cf X 'rad., 0 D rf.,rad.

Thus i ft\, 't', lj, 0 is associated The .Q in indicates the

D with 0 pr., J) rad., the J) and the 0 shows the 0 rad. and the lj rad.

The day of an event is found by connecting the progressed planets with the sensitive points of the radix charts and the sensitive points of the progressed planets with the radix stars.

The annual horoscope of the earth 1922.

From A. Witte, Hamburg.

The apparently moving sun is the representative of the earth's body in its course around the sun.

The opposition of the Sun's position in the ecliptic is the alignment of the Sun-Earth directrix.

The action of the planets on the earth <a.ls point happens

<l>By the geocentric position of the planets to the Earth-Sun guiding ray.

The action on the earth as a body is determined by the position of the planets in relation to the meridian plane of the earth ☉- , in <ier the earth's axis.

-and which is also perpendicular to the Earth's orbit.

The position of the sun in 0° denotes the yearly returning gravitational point of the earth in the plane of its rotation axis with the north pole as pole.

The North Pole is the M. C. of the Earth's body 00 ☉ is the intersection-point of the earth's meridian with the ecliptic, i.e. the upper meridian or 0. M., the intersection at 0°- is the lower meridian of the earth or U. M.

If the earth is considered as the owner of a horoscope, the course of the earth, the ecliptic is the fundamental circle, and its division from the meridian results in the 12 houses - or signs of the ecliptic.

The course of the Sun is the visible progress of the Earth in its lower meridian 0° :0-, i.e. the Sun is now regarded as the representative of the Earth's body in its meridian 0-:0- and the aspects and positions of the planets to the meridian are determined by the Sun.

The course of the earth around the sun shows the earth as a point, the positions of the planets in relation to the meridian plane of the earth show it as a body, and this point and the sphere are present in every horoscope as a body of influence on which the planets act at the moment when the centre of the planetary system, the sun, is in the meridian plane or in the solstice.

The positions of the radix planets - of a being to the plane. 0-:0- gives the coherence with 9s planets untrue,. at the December 22 each year.

If the planets of Dec. 22 are in aspects with the radix planets, the indicated event will occur with other people, since the Earth in its radiation on Dec. 22 encompasses all of humanity.

The earth's horoscope is therefore relevant to all men, -but at least to all of the northern hemisphere; the position of the sun in the 0°@ must therefore be valid for all of the southern hemisphere, since the zenith is the zenith of the entirety for the inhabitants of that hemisphere.

In 1921 the death of the wife of the friiher Emperor was indicated by the annual horoscope fiir 1921 iry theStaride of the n, 24°38 np c? rt'. and 't' 2 radix and in that of the 0 20 27 } { D to the point O/r, 2° 52 } (.

The sensitive point of the yearly horoscope Ci"-n, 24° 22 ti .stood .in r? J) rad. in a 't' ahead 24° 58 ti and L-0 anterior 9° 00 t .

The point n,-Ci" 50 38stand in cf with Ci" +n, rad. 5° 43 -

The indicating running planets n, and 0 are the family planets of the Exkaiser, as :J) o° 0 and 8 stand c? n, rad. The two indicated the death_essfall by 0 with Ci", 't', 2.


The advanced planets 't' c? J) rad., d' cf 0 rad. and 0 J) rad. gave the death of J) and 0 (consort) by f'and Ci" in the marriage life 0 in the horoscope of the emperor.

Those of J) with 'l', Ci" and 2 on December 22' confirmed the indicated event fiir 1921. cJ n , of the annual horoscope 13° 38 nt was also D :JJ; 't'.

The points of year it 0 - J) 19° 09 ab and J) - 0 10° 51)-(Were drawn on April 11 by 0, 21- and 0 lfd.

By similar combinations of the radix planets with the planets of the yearly horoscope of 1922 every horoscope owner can now read out what is in store for him.

0	Position on 21 Dec 29° 05' 39" t	Stardate 17h 58m 03s }	.. , .
0	,,, 22. ,, <u>00 06' 46" t</u>	" lShOlm 598	m Greenw1dt ..
	Diff. 61' 07"	Oh 3m 56s	
	3667" : 406 = 236s	x, x = <u>236S, 406"</u>	26,1 s.
		3667"	



$d'' 90 23' -$
 $// 0 9° 55' -$

24039, -
 $// 0 23° 27' -$
 220 34, -

The sidereal time for Greenwich is therefore 1Sh 01 m 33s

$$+ \{24h \quad \frac{406''}{- 3667''} \quad \frac{1440s)}{21h 20m 36s}$$

In Greenwich upper meridian = 15h 22m 09s 2300 02'.

For places east of Greenwich, the eastern longitude is added to this meridian to obtain the yearly horoscope for that particular place.

The closer determination of the events of the year for the place that should be considered, then gives the solar horoscope of the place; i.e. the position of the progressed planets in relation to the Sun when the Sun is lull in the lower meridian or in the found meridian of the place of the annual horoscope.

Z. B.: Berlin east lat. $13° 24' + 230° 02' = 243° 26' = 5° 21' \bar{7}$.

Therefore, the day must be taken on which the moving Sun is $5° 21'$ (in conjunction with the corresponding moving planets.

The position of the moon in $5° 21'$ provides information for the individual months.

For the horoscope of a person is considered as a complement to the annual horoscope his solar horoscope; so the position of the current planets.

in 1922, when the sun will be in the same position as at the time of his birth.

The sensitive points of the yearly horoscope are as follows:

Sums of the Planets calculated from 0° :0.

	☉ on	☽ on	♃ au. I c.?	♄ Z on cf'	♅ on 21-j :0 au!	♆ I j I Z au!	♁ I :0 on 'fl.-'--on	♂ 11
0	701211r	21°01'-I	18019'-I	27035'--	160101=	60591=	60181}-{	150401Q
:J	140241	40131=	25031Inr	40471t, /	230221@	1401! I®	130301I	22°52'ld
	:0	24°021I	150201 /	240361	{30111=I	40001--	3019' }-{-	120411Q
c?	40131j'	15°201I	60381 /	150541:£c	=	40291=	240371	30591Q
d'	250311j'-(240361'--	150541'--	25010' Q	13045- Q	250181llp	0531:0	130151x
2j	40471	<u>130111'--</u>	<u>40291:£</u>	c130451	220201Q	23009®	220281/	10501)
0	230221:0	<u>4°001</u>	25018'lp	Q 4034-	230091@	130581@	130171I	220391b
l	1401111:0	30191'-(240371'lp	Q	22°281I	130171I	12°361d	210581=£
0	150301)	{20411Q	30591t, /	30351:0	JO 501)	220391	210581'--	= 1020' j'
p,	22521nt	11°1211'	20301	130151)	00211Q	d	200291 /	290511d
	21023'0			110461Q		210101®		

The Moon and the Lunar Node are reckoned from the Cancer Point and the Libra Point **respectively**; for the Moon is the representative of all the places and all the meridians of the Earth, the Lunar Node is an analogue of the Ascendant of the Earth, the Libra Point.

Differences of the planets also calculated from :0 with the exception of J) and o.

	IJJ on @ I on :0	♃ :? on Z	♄ ld''	on :3'12j. on	♅ ij	Ij au!	♁ I - on :0I'tau!	♂ 016'6 on :£>cl
0	220481llp	2059:0	110411:0	2°251'--	130501j'--	230011)-{	230421:£-	1c40201-0
:J	00-001®	10011' :£c	180531:£	c9°371 /	21°0211	00131I	00541Q	2;0321
I	19049111ll	00001:0	8042':0	29°261	10°511j'-(200021j'--	200431:£>c	110211-0
c?	10071llp	21°18' I	0°001'-a	0°001:0	20091j'--	110201j'--	12001I	2°391b
f'	20023'-0	0°34111I	9°161nt	c8°351I	11025':0	200361	£c	110551)-{
2j	80581@	19009:£>c	270511:£	<u>s0431</u>	00001 :a:	0-	21017- t, /	00301)-{
l	29047')	9°5810	180401'-	d	200491 /	90111":0	90521Q	21019'
0	29006'lt	9°17'j'-(17°591'--	180051:£>c	20005--0	00001:0	00411Q	20038'@
p,	8°281:d	180391Q	270211Q	16°37' /	290301:£>c	29019- d	00001:0	00001'6
	60591@	17010' :£c	<u>250521'--</u>		28°011I	804JInt	90211)	28031I
						70121:0	7°531	t, /

If one has plotted the planets with the help of a degree disc, and then turns the disc in such a way that a planet coincides with elem Capricorn points, then this planet a is subtracted from the sum 279° Planet b. **+**

For example, if 2j. is set to :0 (of the disc) and the state of the c ;? then the point :0 c ; ? - 2l-- is found. **+**

Or also the 2j. of Dec. 22, 1922 i 6° IO :£>c is as many degrees away from the latitude :0 t--c;?~ as the found point of Z.Y.. Of the mirror conjunction :0 /c;?. **t**

So a rotation does not take place with all points in reality, but one has only facilitated the finding of all points by this method of displacement. The points are always the mirror points to a latitude circle, which <lurch the north and Siidpol <ler ecliptic goes, of two other planets respectively the cardinal points and the planet.

The third category of points are the half sums of the planets counted by the Aries point.

	♄		r:J'	2j.	η,	0				
C	IS0361nt,	28030' /	240101 /	2so4s-np	230051nt,	18030 'nt	3009-	22050=-0=	22006'nt	(G)
J)	J)	170 61nt	12046'nt	17023' -0-	11041' -0-	7006'=0=	21045. /	11026'np	10042' -t)	J)
5?			22040' /	2101s-nl	21036'nt,	17000'nt	1040-	21°20-	20036'nt	⌘
r:J'			i	22057'nt	17015'nt	12039'nt	27019' f,l,	1 1000-	16015'nt	⌘
n2				d''	210531d:	17017'--"	10571 f,l,	2103s-np	20053-	d''
1-					=	11035=-0=	260 14' /	15055-np	15010'--	I
i					2+	n,	2(038' ./	11o20'np	10o35-	I
i	half	Totals	the	Planet			0	25°59'nt	250 151/	0
									140 55'11))	t'
										f6

These last pu-nts do not refer to the gravitational point Z of the earth in this horoscope, but are only <1 through their connection with the RadixpJanets and the Radixpoints also connected with the Aries points of the Radix:

The sums and differences, on the other hand, all relate to the cardinal points of the Earth.

According to this method of transposition, sensitive points of a radix chart can also be calculated, iTIdem IV rad. on the planets and the planets on IV. rad. are set.

These found points then relate to the own

- Person. . ;

Regarding the drawing of the planets in the year's horoscope, it should be noted that the point OO Z is pulled along by the moving Sun. and the planets go around the same arc riickwards that the sun describes from Dec. 22.

The The running planets now release the newly arising states, so that the running sun as gravitational point always coincides with. oo Z.

For example, 't' is drawn by 0 lfd. on May 24, because 't' I 5° 40 f,l,

-8 lfd. 20 20)(= 0 lfd. I 3° 20 K

The Synodical Lunation.

From A. Witte, Hamburg.

The birthplace makes a run around the earth's axis parallel to the equator in one day.

After a completed n orbit, the meridian again has the same hour angle, i.e., the same. Difference from the right ascension of the -sun like the previous day...

Now in astrological technique this run of the_ birthplace is a year. '

The Moon occupies a similar position to the Sun as the natal meridian does to the Sun.

A synodic month has passed when the moon again forms the same difference in length with the sun as in the previous month.

Also here one revolution of the moon around the earth is counted equal to one year.

If, however, the moon indicates the same time span in the astrological technique, then it must also be regarded as the representative of all places and all meridians of the earth. It is therefore the representative of the earth's surface.

The place and the moon, whose orbits each signify a year, are represented by the moving sun, which, apparently moving, reproduces the course of the earth; the moving sun is the origin of the annual course of both the meridian and the mande of the lunation, and thus also the origin of the ecliptic for the progressive position of the meridian and the position of the synodic mande....

If the 1st lunation is a year, the days for the sharp aspects of the Moon with the Sun, i.e. for the phases of the Moon, must always remain the same for a given moment of birth.

Therefore, only the days of the twelfth aspect have to be determined for the first synodic lunation.

The 63rd lunation of the former emperor may serve as an example.

27. Jan. 1859.	Next lunation between 25 and 26 Feb. 1859.	
°- rad. 6° 58'	0 6° 24')-(0 70 24')-(
<u>rad. 24o 22' nt</u>	<u>J) 16° 27' I'</u>	<u>0 28° 24' I' (diff. = 11° 57')</u>
<u>72o 36'</u>	<u>79u 57'</u>	<u>69° 00'</u>
	- <u>72° 36'</u>	<u>790 57'</u>
	7°21'	100,57,

So: $\frac{7^{\circ}21' \times 11^{\circ}57'}{10^{\circ}57'} = 8001' + 16^{\circ}27' I' = 0) 24^{\circ}28' I'$
10° 57' 0 70 04')-(

This lunar cycle from 24° 22 np to 24° 29 I' is a year of the 366 ta e of a leap year.

The difference of the moon positions is 390° 04' fGr 366 Tg. For I Tg. therefore 1°+4' of the moon course are to be calculated.

Now the next twelfth aspect of the Moon after birth is determined, here the sixth aspect before the conjunction.

It is between January 28 and 29, 1859 -

0 SO 06' m,	0 7cr55, I'	(Diff. 00 11')	<u>0° 11' X 11° 58' = 12'</u>
<u>0 9o 07' :=</u>	<u>0 19°53' I'</u>		100 57'
IO 0 I'	I IO58'		
	<u>1001'</u>	0 7° 55' I' +	o0 12' = 0 8°07' I'.
		-	0 8°07'm.

The difference between 8° 07 I'' and 24° 22'' is 13° 45',
 I 3o 45' by IO 04' gives 13 days.

The birth took place on 27 Jan. 13 days

9. Febr: fir : J*) 0 var of conjunction.

From this found day the 365 days of the year with 30 and 31 days each

are distributed on the months.

J) * 0	Feb. 9-May 10-IO	. Aug.	Nov. 9.
<u>+</u>	<u>30 dg.</u>	<u>J 31 d d.</u>	<u>J- 30 dd.</u>
J) 0	11. Marz	J) * 8 IO. June	J) 7\8 9 Sept.
<u>+</u>	<u>30 dd.</u>	<u>+</u> 30 dd.	<u>+</u> 31 d d.
J) 0	10. April	J) □ Q IO. July	JJ cP 0 IO. Oct.
<u>+</u>	<u>30 dg.</u>	<u>-t</u> 31 dg.	<u>+</u> 30 dg.
J) (:) IO. May	J) L-. 0 IO. Aug.	J; A0 Nov. 9.	*0 Feb. 9.

The 12th lunation in a year occurs about 10-11 days earlier in the month, so for 60 lunations 53 days had to be subtracted from the day of the first lunation to find the aspect again.

For 2 years, which are still added, 2 days are subtracted, so that 53 days before the 28th January of the year 1865 the 0 with

Die next * B, gives the 6th of December 1863. The next * B, gives the 9. Febr. 1864 of the year 1921.

The death of the ex-emperor's wife occurred on 11 April 1864. The date is J) cf 0 for April 10 on 7 Feb 1864 of the 63rd lunation. The position of the sun is 18° 20', the J) 18° 20 m for the IO. April. The moon of the lunation reckons Io 04' every day, so for April 11 its position would be I 9° 00', if the time of the event is taken into account.

As mutual aspects of 7 Feb 1864 we find 0 18° 00 D. 1j 17° 58, ? cf a' 6° 31 :E on Feb 6, .)k 2j. 25° 50 :E, np a91 8. Feb and lunar aspects J) D. 1j 17° 58, . . . J) 6 21° 15 m,)(, ')-- cf 8, :J) D 2J., 25° 45 m, np

The conjunction of 0 and :ll was in the mirror conjunction I, / 1j and the conjunction of cJ and ? at the upper meridian 7° 15 :0 of the Exkaiser.

The 2J. was in cf with the J) rad. 24° 22 rrt, in the D. cJ rad. 26° 40) { and Y'. 0 rad. 23° 52 l; the . 23° 27 rrt was also in cf with 2j. and J) rad. and in the D. to 't' rad-. Y'. 0 rad.

The conjunction ? cf cf' and 0'6 1j shows the loving man 0, <? with d', 1j; who 1j 17° 58 had [j to cf/ 1j rad. 2° 52).

The 21° 1's) (stood in d with thei 2l- rad. 21° 22) (of the consort. 't' lfd. was 11° 00 cf 1j rad. 11° 22 of consort and 2l- lfd. 9° 52 np c?: lfd. 8 03 H.

The conjunction of 0 and 'J), standing in the middle of 1j and 0, indicated a family event of the Emperor who is 1j and cP0 and J) rad.

The 2l- 25° 45 !It also stood in D to 'J) progr. 25° 12;; and ? progr. 25° 40of the ex-emperor, so that here also the 2J. affected the wife and mother; (d'+1j -Jl) rad. wife and mother; (d'+1j -Jl) rad. cP 2J. rad.; death of the wife by 2J.. Hence death of the consort 2J. rad. Dof the lunation and 2J. lfd. cP lfd. The U:nterference of the Sun of the lunation 18° 24and the Sun Radix 6° 58 m is 11° 26 and the arc of the proflection.

The sun is connected with alien radixplanets as a solid crystallization, it also pushes as a sun of the proflection all planets in the-

The same intervals in front of him and thus creates the state of profec tion.

It read $d' 8^{\circ} 06' T$ 1j rad., DX rad.; $a; 11^{\circ} 00'$ (cf 21- rad.; bl., $12^{\circ} 09'$)
{ \square -21- rad.; 2j. $23^{\circ} 07'$ } (\square 'f rad.

The profec tion arc is fi.ir 1 year $29^{\circ} 08'$, fi.ir 1 week $33.2'$ and Hir 1 day $5'$;
the otherwise i.ual arc 1 year = 30° is an adjustment for convenience.

AS TROLO&ISCBE RUNDSCBAU

MONTHLY NEWSLETTER FOR
ASTROLOGICAL FO.RSCHUNG



ORGAN OF VARIOUS ASTROLOGICAL "
SOCIETIES.

R U DOLF VON SES OTTEN D. OR F

TH E0SOPH ISH ES VERLAG SHAU S ◦LEIPZIG
PRINT: OIETMAR & SQHNE ◦LANGENSALZA

- XII| Year.1

December..January 1922

Issue 3/4 ,

The Astrologische Rundschau is published monthly with at least 16 pages and contains many articles from all fields of astrological research, including reports on the effectiveness of astrology.
Astrological societies of the interior and exterior...

**The subscription price for this volume is Mk. 14.- for the country. The
subscription price is Mk. 28.-, and is payable to the Theosophische
Verlilgshaus, Leipzig,
. Inselstr 11sse 29 einzusenc(en).**

Please address all correspondence to the Association. Please enclose postage.

(column 1) cf 1j and '21- □ 0 shows the love of the man and the separation by the death -of the woman (1j d' 0 = '21- rad.).

The Ascendant shows either new connections or disconnections. ,

	IA to □ 0	□ 0 to A	A - PI.
0	9° 07 g	2° 43 Z	18° 03 Z
J)	14° 52 11'	8° 18	11° 43 I
	140 09 ®	7° 35 I	12° ZZ
	35g 39 11'	209 01 Z	0° 00
d'	28° 09 I	240 05 Z	25° 56 I
'4	7° 33 Z	210 35 '5	28° 26 SI,
1j	26° ZO)	0° 59)	18° 32 g
0	29° 17 III	19° 46 III	0° 15 >-<
I'	15° 58	220 43 'T	z70 1s 111'
Q,	t8o 17 T	9° 24 ®	11° 37 ®
Z	3° 52 d	11° 43 11'	8° 18 '5 "
X	26° 35	27° 18 11'	22° 43
A		20° 01 Z	t° 00 rad.

The Ascendant with - extinguishes the cJ' lfd. and the 't' lfd., with J) the death of the wife and the '21- rad. with 0 the M rad., with 'f the 't' rad., with d' the and the cJ' rad. in column 3; , in column 2, 1j puts the M rad. and Q, the 0 prog. in act. 0 d 0 prog. of the consort.

The first column contains 0 cf 1j rad., cf cJ' / 1J lfd., c? rad., cf' and tp in connection with the M rad. 1J cf X rad., 0 D d' rad.

Thus cf', 't', 1j, 0 with M rad. The .Q in column shows the

□ with 0 pr., J) rad., the J) and the 0 indicates the 0 rad. and the 1j rad. The day of an event is given by the conjunction of the jaufen the planets with the sensitive points of the radix horoscopes and the sensitive points of the current planets with the radix stars.

The annual horoscope of the Earth 192?.

From A. Witte, Hamburg.

The apparently moving sun is the representative of the earth's body in its course around the sun.

The opposition of the Sun's position in the ecliptic is the shift of the Sun-Earth directing ray.

The influence of the planets on the earth as a point happens - by the geocentric position of the planets to the guiding ray earth-'sun.

The effect on the earth as a body is caused by the position of the planets to the meridian plane of the earth ®, -Z, in which the earth axis lies and which is also right-angled to the earth orbit.

The position of the sun in 0° Z indicates the yearly again

The Earth's gravitational point in the plane of its axis of rotation, with the North Pole as its pole.

The North Pole is the M. C. of the Earth's body 0° ® is the Schpitt point of the earth's meridian with the ecliptic, i.e. the upper meridian or

0. M., the point of intersection at 0° Z is the lower meridian of the earth, or U. M.

..... If the earth is regarded as the owner of a horoscope, the course of the earth, the ecliptic, is the fundamental circle, and its division from the meridian gives the 12 houses or signs of the ecliptic. The division of the circle from the meridian gives the 12 houses or signs of the ecliptic.

The course of the Sun is the visible locomotion of the Earth in its Lower Meridian $0^\circ : 0$, i. e. the Sun is now regarded as the representative of the Earth's body 'in its Meridian $\text{\textcircled{R}} : 0$ and the aspects uncj -stel lungen of the planets- to the meridian are ftusgelost by the Sun.

The course of the earth around the sun shows the earth as a point, the positions of the planets in relation to the meridian plane of the earth show it as a body, and this point and the sphere are present in every horoscope as a fluence body on which the planets act at the moment when the centre of the planetary system, the sun, is in the meridian plane or in the solstice.

The positions of the -radix planets of a Being to the plane $\text{\textcircled{R}} : 0$ gives the coherence with the planets approximately on the December 22 each year.

If the planets of Dec. 22 are in aspects with the radix planets, the indicated event will occur with other planets, since the Earth encompasses all of humanity in its radiation on Dec. 22.

The terrestrial horoscope is therefore relevant to all human beings, but at least to all those of the northern hemisphere; the position of the Sun in the $0^\circ \text{\textcircled{R}}$ must therefore be valid for all those of the southern hemisphere, for whose inhabitants the zenith of the south pole is in the totality.

In 1921, the death of the wife of the former emperor was announced. <lrough the annual horoscope fiir 1921 in the state of the $\text{\textcircled{N}}$, $24^\circ 38' \text{np cf } r'$ and ' $\text{\textcircled{I}}$ D <? radix and in that of 0 20 27 }-(D to the point $d' / 1j 2^\circ 52'$)(indicated.

The sensitive point of the yearly horoscope-es o"- $\text{\textcircled{N}}$, $24^\circ 22' \text{cf}$ stood in $r : ?$) rad. in $\text{cf } \text{\textcircled{I}}$ vorg. $24^\circ 58' \text{cf}$ uod $L. 0$ vorg. $9^\circ 00' . \text{\textcircled{I}}$.

The point $\text{\textcircled{N}}$, - a'' ")o 3R - bl , stood in d with $a'' + \text{\textcircled{N}}$, rad. $5^\circ 43' bl$.

The indicating running planets $\text{\textcircled{N}}$, and 0 are the family planets de Exkaiser, since J) cf 0 and 0 cf $\text{\textcircled{N}}$, rad. stand. The two indicated death by 0 with a'' , ' $\text{\textcircled{I}}$, <? n.


The advanced planets ' $\text{\textcircled{I}}$ cf, }) rad., $d' d 0$ rad. and 0 ft!_ - }) rad. indicated the death of }) and 0 (consort) by ' $\text{\textcircled{I}}$ and a'' _ in married life 0 ft!_ J) in the horoscope of the- emperor.

The D of J) with ' $\text{\textcircled{I}}$, a'' and <? on December 22 confirmed the indicated event fiir 1921. $\text{cJ} : n$, of the annual chart $13^\circ 38' \text{ni}$ _ was also D 3, ' $\text{\textcircled{I}}$.

The points of the year es 0 - J) $19^\circ 09'$ and }) - 0 $100 51'$ } (were arri ! 1. April by 0, 21- and 0 lfd. au drawn.

By similar combinations of the radix planets with the planets of the annual horoscope of 1922, each horoscope holder can now read out what lies ahead for him.

0	Position on 21 Dec 29° 05' 39" I	Stardate 17h 58m 03s }	
0	" " 22. " <u>00 06' 46" Z</u>	" " 1Sh Olm 598	in Greenwich.
	Diff. 61' 07"	Oh 3m 36s	
	3667' : 406	236s	"t, x = <u>236s. 406"</u> 26,1 s-
	<u>C r' / 6 . .</u>		3667".



$rJ'' 9^{\circ} 23' -$
 $// 0^{\circ} 9' 55' -$

$\backslash 24^{\circ} 39' -$
 $// 0^{\circ} 23' 27' -$
 $220 \mathbf{34} -$

Dit! So sidereal time for Greenwich is, 18h 01m 33s

$$+ \{ 24^{\text{h}} = \frac{406''}{3667''} \frac{144^{\circ}}{2} + \frac{2111 \ 20\text{m} \ 36\text{s}}{\quad} \}$$

At Greenwich, Upper Meridian = 15h 22m 09s = 2300 02',

For places east of Greenwich, the eastern longitude is added to this meridian to obtain the yearly horoscope for that place.

The closer determination of the events of the year for the place in question is given by the solar horoscope of the place. The solar horoscope of the place then gives the nearer determination of the events of the year for the place which should come into question;

i.e. the position of the current planets to the Sun, if the Sun is current in the lower meridian or in the found meridian of the place of the yearly horoscope.

Z. B.: Berlin east $13^{\circ} 24'$ $+ 230^{\circ} 02' = 243^{\circ} \text{ to } 5^{\circ} 21' /'$.

Therefore, the day must be taken on which the current sun is $5^{\circ} 21'$ in conjunction with the corresponding current planets.

The position of the mande in $5^{\circ} 21' /'$ provides information for the individual

Months.

Fir that. Horoskop of a person is considered complementary to the annual horoscope his solar horoscope; as, the stand per current planets.

south poles.

<ler ecliptic goes, of two other planets respectively the cardinal points
.and the planet.

- The third category of points are the half sums of the Planets reckoned from the Aries point.

	:"		<>	a'	2j.	1i,	0	't	M	↑
8	18°36'rrt	280301 /	24010- /	28048'np	23005'rrt	18030'rrt	3°09':.....	22050'cl:!=		
J)	J)	170 6'rrt	1204 6'rrt	17023'...n.	11041- cl:=	7o06' ccl:=	21045'-1	11026'np		042':J)
			22040- ./	27018' l1	21036'rrt	17000'	1040':.....	21020' :!e		20036'rrt
a'			?	22°57' l1	17015' l1	m	27019' Q,	1 1 000-		16015'rrt <e
f				cl'	21053':!le	2j	1057'Q,	21038'np		20053- cl'
0						12039'111	17017':!le	15055'np		15010- '2j
't	Half	Totals	the	PJaneten		11 o 35' .	260 14' /	11020-np		10035- :!le, n,
361						1i	21038' /	259 59'rrt		25°15' / O
							0	.. " 't		14055'np 'fl
										66

These last points do not refer to the gravitational point :-0 of the earth in this horoscope, but are only connected to the Aries point of the radix through their connection with the radix planets and the radix points. -

The totals and differences, on the other hand, all relate to the cardinal points of the oaths.

- , , , According to this method of transposition, sensitive points of a radix chart can also be calculated by applying IV rad. to _the planets.
' and the planets are set to IV. rad.

These found points then relate to the own person. ct.

As to the drawing of the planets in the yearly horoscope, it should be noted that the point OO :-0 is pulled along by the moving Sun.
and the planets go around the arc rttckwards that the sun describes from Dec. 22 on.

The planets that are in the process of being read out now draw out the new states that are being created, so that the running sun as the gravitational point always coincides with 0° :-0.

For example, 't' is drawn by 0 lfd. on 24 May, because 't' I 5° 40 -

$$0 \text{ rd. } 2^\circ 20 :U: = 0 \text{ rd. } 13^\circ 20 \}_{\underline{\quad}}$$

The Synodical Lunation.

By A. Witte, Hamburg;--,,

The place of birth makes in one day a 1.up around the earth axis parallel to the equator.

After a completed revolution, the meridian again has the same hour angle, i.e. the same difference from the right ascension of the sun as on the previous day.

Now in astrological technique this run of the birthplace. is a year.

The Moon is in a similar position to the Sun as the natal meridian is to the Sun.

A synodic month is -Ossen when the Moon with the Sun- again makes the same difference in length as in the month before.

AS TROLO&ISCBE RUNDSCBAU

MONTHLY NEWSLETTER FOR
ASTROLOGICAL FO.RSCHUNG



ORGAN OF VARIOUS ASTROLOGICAL "
SOCIETIES.

R U DOLF VON SES OTTEN D. OR F

TH E0SOPH ISH ES VERLAG SHAU S ◦LEIPZIG
PRINT: OIETMAR & SQHNE ◦LANGENSALZA

- XII| Year.1

December..January 1922

Issue 3/4 ,

The Astrologische Rundschau is published monthly with at least 16 pages and contains many articles from all fields of astrological research, including reports on the effectiveness of astrology.
Astrological societies of the interior and exterior...

**The subscription price for this volume is Mk. 14.- for the country. The
subscription price is Mk. 28.-, and is payable to the Theosophische
Verlilgshaus, Leipzig,
. Inselstr 11sse 29 einzusenc(en).**

Please address all correspondence to the Association. Please enclose postage.

- The third category of points are the half sums of the Planets reckoned from the Aries point.

	:"		<>	a'	2j.	1i,	0	't	M	↑
8	18°36'rrt	280301 /	24010- /	28048'np	23005'rrt	1803O'rrt	3°09':.....	22050'cl:!=		
J)	J)	170 6'rrt	1204 6'rrt	17023'...n.	11041- cl:=	7oO6' ccl:=	21045'-1	11026'np		042':J)
			22040- ./	27018' l1	21036'rrt	17000'	1040':.....	21020' :!e		20036'rrt
a'>			?	22°57' l1	17015' l1	m	27019' Q,	1 1 000-		16015'rrt <>
f				cl'	21053':!le	2j	1057'Q,	21038'np		20053- cl'
0					12039'111	1i	17017':!le	15055'np		15010- '2j
't	Half	Totals	the	PJaneten			11 o 35' .	11020-np		10035- :!le, n,
361								259 59'rrt		25°15' / O
								0		14055'np 'fl
								..'' 't'		166

These last points do not refer to the gravitational point :-0 of the earth in this horoscope, but are only connected to the Aries point of the radix through their connection with the radix planets and the radix points.

The totals and differences, on the other hand, all relate to the cardinal points of the oaths.

- ,,, According to this method of transposition, sensitive points of a radix chart can also be calculated by applying IV rad. to _the planets. and the planets are set to IV. rad.

These found points then relate to the own person.

As to the drawing of the planets in the yearly horoscope, it should be noted that the point OO :-0 is pulled along by the moving Sun. and the planets go around the arc rttckwarts that the sun describes from Dec. 22 on.

The planets that are in the process of being read out now draw out the new states that are being created, so that the running sun as the gravitational point always coincides with 0° :-0.

For example, 't' is drawn by 0 lfd. on 24 May, because 't' I 5° 40 -

$$0 \text{ rd. } 2^\circ 20 :U: = 0 \text{ rd. } 13^\circ 20 \}_{\underline{\quad}}$$

The Synodical Lunation.

By A. Witte, Hamburg;--,,

The place of birth makes in one day a 1.up around the earth axis parallel to the equator.

After a completed revolution, the meridian again has the same hour angle, i.e. the same difference from the right ascension of the sun as on the previous day.

Now in astrological technique this run of the birthplace. is a year.

The Moon is in a similar position to the Sun as the natal meridian is to the Sun.

A synodic month is -Ossen when the Moon with the Sun- again makes the same difference in length as in the month before.

Also here one revolution of the moon around the earth is counted equal to one year.

But does the moon give the same time in the astrological technique . spagne, he must also be the representative of all places and all meridians. <of the earth. He is therefore the representative of the earth's surface.

The place and the moon, whose orbits each signify a year, are represented by the moving sun, which, apparently moving, reproduces the course of the earth; the moving sun is the origin of the annual course of both the meridian and the moon of the lunation, and thus also the terminating point of the ecliptic for the progressive position of the meridian and the position of the synodic moon.

1st a lunation is a year, so the days for the sharp aspects of the Moon with the Sun, that is, for the phases of the Moon, must remain imtner the same for a given moment of birth.

Thus, one has only to determine the days of the twelfth aspect for the first synodic lunation.

The 63rd lunation of the former emperor may serve as an example.

27. Jan. 1859.	Next lunation between 25 and 26 Feb. 1859.	
2 rad. 6° 58'	0 6° 24' } {0 7o 24' } {	
<u>rad. 24° 22' nt</u>	. ' J) 16° 27' ./	'J:) 28° 24' ./ (diff. = 11° 57')
<u>72o 36'</u>	<u>79° 57'</u>	<u>69° 00'</u>
	<u>72° 36'</u>	<u>790 57'</u>
	7° 21'	10° 57' .

$$\underline{\text{So: } -7^{\circ}21' \times 11^{\circ}57'} = 8001' \text{ + } 16^{\circ}27' ./ = \text{J) } 24^{\circ}28' \dot{i}$$

10° 57' 0 70 04')-(

This moon run from 24° 22 np to 240 29 ./ is a year of 366-

Days of a leap year.

The difference of the lunar positions is 390° 04' for 366 days. For i days therefore I^{0+4'} of the lunar course are to be calculated.

Now the next twelfth aspect of the Moon is determined after the birth, or the sixth aspect before the conjunction.

It is between the 28th and 29th of January 1859...

0 so 06',	'.11 7° 55' ./ (Diff z. oo 11')	<u>oo 11' X 11° 58' = 12'</u>
<u>0 9o 07' . 0 19° 53' ..' ..</u>		<u>100 57'</u>
1° 011	11° 58'	
	<u>1 001'</u>	:J) 7o 55- ./0° 12- :'.1>8° 07'./.
		<u>0 8° 07' m,</u>

The difference between 8° 07' ./ and 24° 22' :it is 13° 45',
1-3° 45' by lo. 04' gives 1 3 days.

The birth took place on 27 Jan. ...
— 13 days

9. Feb. fiir '.1*1 0 before the conjunction.

From this found day, the 365 days of the year
-with 30 and 31 days each aut the M@ate distributed.

J) <u>0</u> 9 Feb.	10. Ma	+ 30 dg.	+ 31 dd.
	<u>+ 31 dd.</u>		
J) :J... 0 11. Marz	J) 0 IO. June	J) 7/8 <u>Y. Sept.</u>	:J D G Dec. 10
- J) cf 0 10 April	J) D 0 10 July	J) cf 0 10. Oct.	:); CJ 0 2. Jan.
<u>+ 30 Tg.</u>	<u>+ 31 Tg.</u>	<u>+ 30 T g.</u>	<u>+ 31. dg.</u>
J) :J... C:) IO. May	J) D 0 10 Aug.	:); 7/0 9 Nov.	:J) * 0 9 Feb.

The 12th lunation in a year occurs about 10-11 days earlier.

- in months, so for 60 lunations 53 days had to be subtracted from the day of the first lunation to find the aspect again.

For 2 years, which are still added, 2 days are subtracted, so that 53 days before the 28th January of the year 1865 the 0 with

the next be, reckoned for the 60th year*, gives the 6th of December 1863. The next is 4 Janr. 1864 and the on 3 february 1864 is mar.

The death of the ex-emperor's wife occurred on 11 April 1921. Decisive is J) cf. 0 for the 10th of April on the 7th of February 1864 of the 63rd lunation. The position of the sun is 18° 20 , the J) 18° 20 for the 10th of April.

The moon of the lunation calculates itir each day 14', thus fir the IL April would be 19° 00 , if the time of the event is taken into account.

Ats mutual aspects.of 7 Feb 1864 we find 0 18° 00
6lj17°58= !!=:;? o cf' 6*31 Zam 6 febr, 2j. 25°50
z,np on 8.

Feb. and lunar aspects J) 6 lj 17° 58 , =!=:; :i) D t 21°.. 15 , :U; , :J) cf 8, :J) 2j., 25° 45 , np,

The conjunction of 0 and 'J) was in the mirror conjunction *i7lj* and the conjunction of *cJ'* and '¥ at the upper meridian 7° 15 **Z of** the Exkaiser.

The 2J. was in *cf* with the J) rad. 24° 22 nt, in the 6 *cJ'* rad. 26° 40 H and 'J... 0 rad. 23° 52 *l*; the 23° 27 nt was also *in a* with 2J. and 3 r d rad. and in the 6 to 't' rad. 'J... 0 rad .

. The conjunction ';;? 0 *cf'* and 0 6. lj shows the loving man 0, ';;? with *d'*, lj; which had lj 17° 58 =!=:; [bl to *cJ'* / lj rad. 2° 52 :n:.

"oer t 21° 15) (stood in 0 with the 2J. rad. 21° 22 :n: of the consort. 't' lfd. was 11° 00 *cf* lj rad. 11° 22 of consort and 2l.. lfd. 9) c 52 np *cf* lfd. 8 03 H.

The conjunction of 0 and 'J), standing in the middle of lj and 0, indicated a family event of **the** emperor, who is lj and © *cf* 0 and J) rad.

The 2J. 25°.45 nt also stood in D to 'J) progr. 25° 12 and.d '¥ pr:ogr. 25° 40 of the ex-emperor, so that here too the 2J. influenced the wife and mother. wife and mother; (d'+ lj -J)) rad. *cf* 21- rad.; death of the wife by 2J.. Therefore death of the wife © by 21- rad. 0 © of the Lunation and 2j. lf. *cf*

t lfd. The difference of the Sun of lunation 18° 24 and the Sun of radix 6° 58 is 11° 26 and the arc of the profection.

The sun is connected with alien radixplanets as a solid crystallization, it also pushes as a sun of the profection all planets in the-.

-lben intervals and creates the status of the professionals...
 hon.

It stood $c' 8^{\circ} 06'$ $T D 1j$ rad., $\square X$ rad.; $11^{\circ} 00'$ $(cl' 2j, rad.; bl' 12^{\circ} 00')$

$\{ \square -2j, rad.; 2j, 23^{\circ} 07' \} : (\square 't' rad.$

The projection arc is $29^{\circ} 08'$ for 1 year, $33.2'$ for 1 week, and $5'$ for 1 day; the usual arc of 1 year = 30° is an adjustment for convenience.

Lectures on Astrology.

By *W. Kathan, Munich.*

Recently the well-known Munich astrologer A. M. Grimm began a lecture cycle in Munich with two lectures, the contents of which I would like to discuss in the following paper. The first time the subject chosen was "The Wahrheit iibber die Astrologie", while Mr. Grimm, in his second lecture, spoke of "Was
 c o n t i n u e t h e a s t r o l o g i c a t i o n o f w i t h t h e W i s s c h a f t ? " spoke. Since in our time spiritual science is again constantly acquiring new adherents and pushing back the materialistic views,

It is a worthy task that Mr. Grimm has set himself, in which he takes up the cudgels for astrology and uses his whole personality to restore this queen of science of former times to its rightful place in the world of scholarship.

In the first lecture, "Die Wahrheit ilber die Astrologie" ("The truth about astrology"), Grimm starts from Article 54 of the Bavarian Police Criminal Code, according to which fortune-telling, card-playing, dream-interpreting, treasure-digging and similar juggleries and their performance for pay or for other gain are forbidden.

To reproduce this paragraph would go too far in this treatise. Now, in Munich, a fierce feud is being waged by the authorities against astrologers on the basis of this paragraph, although not a word about astrology is to be found in it. According to Article 54, only the bartering and cheating of superstitious or slightly credible persons is forbidden, but how does astrology come under this heading? ... Bthe terms fortune-telling and jugglery? There is a confusion here between the concepts of ordinary fortune telling and scientific prognostication; for the astrologer by no means gives iibernati.ultural powers - that is the main strength of astrology.

which is the main strength of this paragraph. but works exactly like other scientists according to mathematical formulas and empirical and statistical rules and laws, which are applied combinatorially.

Astrology as the most ancient science, whose origin goes back to the beginnings of human thought and has appeared in various forms as religion, philosophy and secret doctrine, has now been transformed into natural science.

The aspirations of the modern astrologer are constantly developing it, and it is necessary to bring it to public and general recognition. The materialistic world-view is at its end, and signs of spiritual progress are already making themselves felt everywhere.

The same way astrology is given the due recognition also from the side of the exact science.

As the

ASTROLOGICAL RUNDSCHAU- MONTHLY NEWSLETTER FOR ASTROLOGICAL RESEARCH



ORGAN OF VARIOUS ASTROLOGICAL
SOCIETIES

WRITER

RUDOLF VON SEBOTTENDORF

TH-EO SO PH IS c-H ES VER LAGS HAUS oLEIPZIG

PRINTING: DIETMAR- & SOHNE oLANGENSALZA

XII. Year.1

February-Mar: t 922

Issue 5/6

The Astrologische Rundschau is published monthly with at least 16 pages and contains, apart from contributions from all fields of astrological research, also announcements about the activities of the astrological societies at home and abroad.

1.

The subscription price for this year's issue is Mk. 14 for Germany and Mk. 28 for abroad, and must be sent to the Theosophical Publishing House, Leipzig, Inselstrasse 29.

Please address all applications to the Association. Please enclose postage.

. The profection and the lnation.

From *A. Witte*, Hamburg.

Through the movement of the individual celestial bodies in our solar system, the various directions are formed.

A year has passed when the Sun is again at 0° Capricorn, calculated from the previous position of the Sun at 0° Capricorn. One revolution of the earth around the sun is therefore one year.

A day is completed when the sun is again in the lower meridian of the place, calculated from midnight of one day to midnight of the next. A daily rotation of the place around the earth's axis equals one year in astrological calculation.

So there is a connection between the birth meridian. of a person and the running Sun. The intersection of the natal

meridian with the ecliptic is always about the same arc, -which he was ahead of the sun at the time of his birth, will also precede the rising sun.

If the Sun is in **00** Capricorn, then $\mu\mu$ X. House has a certain position in the ecliptic.

Thea. Stand is relevant to the person in conjunction with the annual horoscope of the **Earth**.

The moon as brother of all earth inhabitants and as representative of all places of the earth moves similarly around the earth axis as the places:

A lunar year is thus elapsed from the full moon of one month to the full moon of the other; a full synodic moon is also counted as one year in astrological technique.

During this time the sun has advanced an average of 30° , which is equivalent to 29.53 days. If the earth were to pass through 10 of the ecliptic in each day, there would still be **112** or $30'$ of are missing the full 30° .

Since the course of the earth around the sun is of different speed and the earth only in the months of December and January moves back 30° in $29\frac{1}{2}$ days, in June and July it even stays back $26'$ and $27'$ in 10 days each, so by taking 30° in the ecliptic for these 29.53 days of a synodic month one has again made concessions to convenience.

The perfection of a year is therefore the arc which the Earth traverses in the ecliptic during a synodic month. Therefore, a lunar year is elapsed for the birth eye or for a horoscope when the Moon is again at the same distance from the progressive Sun as at birth.

If all the days of the ond phases are calculated for the first lunation after birth, all the phases of the following lunation also fall on the days in question.

The sun, which in this time has advanced nearly 30° , attracts by solid crystallization with the radix planets all the ecliptic points with and it is sonrit understandable. that not only the Sun, -but also the planets and the cardinal points of birth can be directed with the arc of perfection. -

In a year, after the 12th lunation, the year **will be** reduced by 10-11 days; the 12th lunation occurs 10-11 days before the next birth day. For example, the lunation for the year 24. completed life.,sjahr 21 days before the birthday of the. second year after birth are.

The lunar position of this synodic lunar course for a given day of a year is found when the position of the moon is determined by the preceding and the coming lunation. :

These stands will be approximately 360 $+$ $3.0^\circ = 390^\circ$ from each other away and it corresponds to this arc 365 days.

Calculate the first 12-part aspect after birth (distance from 0 and J) rad. less the multiple of 30°) by determining the corresponding number of days for the degrees and minutes.

and adding them to the birth day, one has for all aspects of the moon the days in question, if after 3 lunar aspects each--

	Month	Days
Jan 1.	1	0
1. Feb.	2	31
1. ml:rz	3	60
1. April	4	91
1. May	5	121
1. June	6	152
1. July	7	182

	Month	TTage-
1. Aug.	8	213
Sept. 1.	9	244
1. Oct.	10	274
1. Nov.	11	305
1. Dec.	12	335
1. Jan.	1	366
1. Feb.	2	397

If now the difference of the lunar position of the aspect and the radix by the factor, then one gets the days from the birthday to the aspect of the Moon; for control also the difference of the Moon of the conjunction with the radix position is established and 'also this. Difference multiplied by the factor and added as days to the birthday.

In the following lunations, this day of the year is always the same for the corresponding aspect of the Sun and Moon.

However, it is easier to find the synodic month with the conjunction, because after 12 lunations it occurs 10-11 days earlier in the month. With 24 lunations one subtracts 21 days, with 36 Lunations for 36 years 31 days etc. For the missing years, the 10 days are distributed among the years accordingly, so that for 32 completed years one has to add about 6 days to 21 days a n d thus obtains the aspect 26 days earlier.

The position of the sun for a certain day of the lunation can then easily be taken from the ephemerides. If then the course of the moon is distributed for the time from a twelfth aspect to the chosen day, by calculating approximately 32° for 30 days, one has only to add the days from the aspect to the position of the sun and to record the position of the moon according to the respective aspect.

The difference of this found sun position with the radix position of the sun is the arc of the profection.

The M o n d of the Lunation represents the .p r o g r e s s i v e M e r i d i a n. and the opposition of the I a u f e n d s o n n e.. The progressive meridian is the course of the birthplace around the earth's axis e.

Note now not only the aspects of the Moon with the planets (Lunar Aspects), but also the perennial of the planets to the radix constellations and to the natal meridian.

Since the Mohd covers approximately one degree of length in one day, it is considered to be the representative of the moving earth and this is connected with the cardinal instincts by the position of its axis to the ecliptic. This is the reason for the coherence of the planets.
-with the radix planets

The Mutual Aspects make it easy to determine the month of the event. The aspects of the planets with the radix planets indicate the nearer time in the month.

Of course, only the persons possessing 3 or 4 years of ephemerides according to their year of birth, can know the above measurements.

However, it does provide very interesting and revealing information, also about the horoscopes of the other persons involved.

But if you only want to use the profection arc, calculate 30° for each year, $2^\circ 40'$ for each month and $5'$ for each day, then subtract $52'$ for each year and $1'$ for each week. The result is the correct chart with which all the radix planets must be directed.

ASTROLOG-IS-Ø-E FEDERAL BUILDING

MONTH,SSCHRIFT .FOR
ASTROLOGICAL RESEARCH



ORGAN VE SCHIEOENER ASTROLOGICAL
SOCIETIES

WRITER

RUDOLF VON SEBOTTENDORF

THE OS O PH I SC H ES VER LAGS HAU S ◦ LEI P Z I

G D-RUCK: DIETMAR & SOHNE ◦-LANGENSALZA

Xii. Year.1

June-July 1922

Issue 9/10-

The Astrologische Rundschau is published monthly with at least 16 pages and contains, in addition to contributions from all astrological fields of research, also announcements about the activity of the Astrologische Rundschau.

Astrological societies of Jn.: and abroad.

The purchase price for this year's volume is Mk. 20 for Germany
and Mk. 40 for abroad, and must be sent to the Theosophische
Verlagsbau, Leipzig, Inselstrasse 29,

All correspondence should be addressed to the address below. Please enclose postage.

The ratio . of the sensitive points to each other.

From A. Witte, Hamburg.

It may not have become clear to some why a pla net has to be added or subtracted to get a sensitive point?

If we take the planetary position of the explosion in Oppau on September 21, 1921, as a basis for the examples given, we obtain the following sensitive points, if the planetary lines, although they are already sensitive points of the ecliptic for the future, are retained with their designations.

The first sensitive points that arise are the mirror points to the earth meridian $\textcircled{R}-t$; the points marked Anareta.

The second category are the half sums of the planets which unite in their point the craters of both planets and which act on the planet with which the point, called the mirror conjunction, has sharp aspects.

The third category are the mirror points to a planet, and first of all the mirror points of the cardinal points $\textcircled{=}$, $\%$, 'T' and \textcircled{R} , which coincide with the anareta .

To the third belong also the differences of the planets, which are drawn by directions, since they are future points.

The fourth category contains the points formed by the sum of two planets, which are also future points.

From the second sequence now emerge those which are now to come; for to dtfn half sums the planets can also form mirror points, in that the distance of the planet in question from the mirror conjunction is as great as the distance of the newly formed point from the mirror conjunction. If, for example, a planet lies in the middle of two planets, it has a distance of 0° from the mirror conjunction to the sides and is influenced equally by both planets. E.G.

$$\begin{matrix} \text{'t;} + \text{j} \\ -2- \end{matrix} = 0; \text{t;} + \text{:J} > = -0 + 0; \text{-;f;} + \text{J} - 0 = 0-$$

The point, therefore, which is influenced by two planets, is influenced by subtracted from the two to obtain the sensitive point. If the point is not in the middle of two planets, but outside of them, it is aspected splitter, so it also belongs to the future points.

An example is given by the drawing meridian, because $d' + X - 't' = 't'$;
 $'d' + X - :J) = J)$; $'t' - d' + 't' = X$; $'t' + 't' - d' = X$.

This last point again directs Uber to the third category.

The second point, on the other hand, $d' X - :J) = :J)$ agrees with the first because $:J) O 't' z u X + d'' - 't' = J)$ and $J) + 'f' - d' = X$.

Another development of the punkle is $'J) - ('f + d'') \underline{-}; - X$.
 $-;f; -$ But X is the mirror point to the earth meridian.


The local meridian $D -;f; - d''$ is $X = -;f; - d''$ or $X + d' = t$; and the ascendant $d - ; f; - 0$ is $A = -; f; - 0$ or $A + 0 = -;f; or \textcircled{=}$.

The results belong to the fourth category, but they also show that in the Earth meridian everything must ultimately be drawn out in order to appear liberally.

The planetary position on September 21, 1921, in the morning 7h 32m for Oppau near Ludwigshafen was:

0	27°45 np	24°09 Q	1; 270 59 np	Q 19003 <small>cf=</small>
.]	13042 t5	d' 1009 np	0 6°51 }	X 28055 ©
	180 46 <small>cf=</small>	21.2900np	't' 15°03	A. 22024&


Sensitive points:



$+ . -d' = \textcircled{C} + \textcircled{A} - d''$

$0+t' = 0 + 0 = 0+J! - 0 = 0$

$\textcircled{C} + 0 + '.] \quad \textcircled{C}$



. Bird opposite shows the third, fourth and fifth categories of sensitive points. It shows how first the difference of two planets is formed by the distance of the moon from the mirror conjunct / 0 in the mirror point to it. is formed.

Whether from the point 270° or subtracted to obtain the pure difference, remains the same for the value, although not the same for the state of the point, since it is at.0 - J) 23°09 :-0 on the other hand at ::0- + 0 - :J; 22° 09 cf= the ascendant is 22° 24 cf=. The pu ct then lies in another earth house. The right thing to do is to set the mood

$\frac{+0}{2}$

on the (:0-J)) urid takes the maBgebend = 23° 09 cf=.

now emerging stand fiir 0 -as

- The sum of two planets is formed. only by the difference or as shown above.

as the mirror point $(\odot + _0 + J)J$ of the

mirror point

the .

Since the 't' is D :J), - the mood therefore has the same value, so it is
 <) +t' - d'' = X and the mirror point of the rJ' D X Hd. is therefore j, - d' = X or
 the point J:l+t'-d'' = ;t,-d' = **J** + 't' = ::6 was on the day in question and in the
min''irte in question in
 -Dppau Hillig because in the yearly horoscope <las event J) D 't' and 't' cf, cf
 cf', d' lS was indicated in the Ascendant fiir Oppau.

The points daiir are $d'' + X = 0 + A$ or $d'' + X - 0 = A$ or
 $d' - 0 = A - X$.

The conclusion of the sensitive points forms the sixth category referring
 to the sum or to the half-sum of two planets; however, it is possible to extend
 the series by referring again to a point.

Thus '¥ - in the meridian of the year and 0 as latent force in the current
 meridian are to be addressed as two cratts to which the locus can refer by
 subtracting from the meridian + <;? = X -

$(0 + <;?) = 27^\circ 55 \}$. cf 0, lj, '2t- or 0 + iti + <;? = X or lj + iti + <;? = X.
 . or $0 + \$ - X = (Z - <;?)$ or $0 + 0 + <;? - X = z$;

The point VA (, 't' + 0) $0^\circ 30 \text{ } \odot$ shows the fallenness fiir the earth at Oppau
 and CC+ 't' $28^\circ 45 \text{ nt.} = '21- / J 28^\circ 30 \text{ nt. or. J) + 't' - '21- l li} = 0^\circ 15 \text{ 'l}$ iallig in the
 descendent ,of the earth.

X- d''/lj = 14021 DJ), D 't'; X - (d'' + $\text{ff} 29^\circ 47 \text{ Q. r:} ? rJ + lj,$
 - od'', :J>+ 't'-X=29°50b □d'' + lj; 8, lj, '21--(:J)+ 't'-X)= 27°55⊙to
 $29^\circ 10 \text{ } \odot. J) + 't' -- A=6^\circ 23 \}$ { 0 0; 0 - (:J>+ 't'-A)= 29° 32 } { r: ? 'lL
 So }) + 't' - 0 = A and :J) + 't' - (d'' + lj) = X.

J) + 't' - (r:J + lj + \$) = 22° 46 1ll. in the advanced n Meridiandes
 +) annual horoscope,s un9 {d'' + n, =
 5o59 z:z DJ:; - = 59 51 d, <;? - (d'' + lj
 + 0) = 18° 10: != cf ; <;?/d'' - (d'' + n. + 0) = 21040: !=cf Ascendant.

The interpretation of the individual points cannot be discussed further,
 since they have a different meaning for a general event than for the individual
 person.

In general, however, the theorem fiir dje Astrolc;>gie applies:
 "By the sensitive-n points- you shall know them" !

ASTROLOB ISCBE ROUND SHOW

MONTHLY NEWSLETTER FOR
ASTROLOGICAL RESEARCH



ORGAN OF VARIOUS ASTROLOGIERS
COMPANIES

WRITER

RUDOLF VON SEBOTTENDORF

THEOSOPHISCHE VERLAGS HAUS OLEIPZIG
PRINTING: DIETMAR & SOHNE LANGENSALZA

II. year |

AugustmSeptember 1922

| Issue

11/12

The Astrologische Rundschau is published every month and contains at least 16 pages, in **addition to** contributions to all fields of astrological research, it also contains information about the activities of the astrological societies in Germany and abroad;

The subscription price for the year is Mk. 20,
Abroad Mk. 40,-, and 1st to the Theosophical Publishing House, Leipzig,
....., Inselstrasse 29,

Please address all correspondence to the publisher. Please enclose postage:

Star charts of Uranus and Neptune.

A. Witte, Hamburg.

In order to be able to quickly enter the locations of the planets Uranus and Neptune in the horoscopes of historical persons, simplified charts of both celestial bodies are presented here.

The calculation which appears from the instructions on the boards,

hardly anything can be added.

When determining the celestial position for a particular day, it is important to note whether the Sun is between the planet and 10° or $6'$, or between 10° and $6'$ and the planet; in the first case, the Sun is between the planet and 10° and $6'$.

In the first case, the value for the solar course is to be added to the found conjunction of the planet with the sun. In the second case the value *must* be added to the previous conjunction.

As the place of the planet appears at the turn of the year on two years; so with the next conjunction is to be taken from that year.

The difference for the solar course must be used from the first found conjunction, i.e. the one with the period increase, to the next one of the found year.

Declaration of the uranium table.

The course of the planet Uranus by the course of the earth distributes itself with the running sun with each 10° further from the Konjunktion on, as the following differences show.

Example.

Aug. Strindberg, b. 22 Jan. -J 849.

$$\begin{aligned} 03 \text{ stand } 2^\circ 13' &= 302^\circ 13' \\ &+ 360000 \\ &662^\circ 13' \end{aligned}$$

$$\begin{aligned} 0001848 &= -378^\circ 12' \\ &2840.0.1' \end{aligned}$$

$$\text{sub. } 4^\circ 01' = + 00 26'$$

$$.01848 = 18^\circ 12'' 1'$$

$$\text{Level } 0 = 18^\circ 3W T'$$

Period (84 years to 105').

	Years		Years		Years
1	84	1005'	11	924	11050'
2	168	2 09	12	1008	12 54
3	252	3 14	13	1092	13 59
4	336	4 18	14	1176	15 03
5	420	5 23	15	1260	16 08
6	504	6 27	16	1344	17 12
7	588	7 32	17	1428	18 17
8	672	8 36	18	1512	19 21
9	756	9 41	19	1596	20 26
10	840	10 45	20	1680	21 30

If by addition or subtraction one comes to the state of the 0

at the turn of the year, so one calculates a -10 Parallel year-

and: add 440 The Result. at gives approximately - He searched conjunction

period increase. /

From 1907 onwards, the period growth *must be* deducted from the next year, since 1906 and 1907 show the same level at the turn of the year.

Calculation example.

Wanted: State of the 0 on January 22, 1487 julian.

Year 1487

The difference from 1907-1008:

5 periods + 420 years

$4^\circ 12'$ is relevant.

$$\text{maBgebend } 1908 = J20 49' :0-$$

$$0 = 302^\circ$$

$$5 \text{ periods } - 50.23'$$

$$0 = 0 d 0 3^\circ 14' 'Z (1486)$$

$$14870 d \theta \quad 7^\circ 26' :0$$

$$25^\circ = + 1^\circ 26'$$

December 29, 1487.

Sfaricre = 4^\circ 40' 'Z.

7.25 06	2 9 36 310	1 14 1 17 1 21 1 25 1 29 1 33
8 29 51	3 13 34 320	1 38 1-4-3 1 48 1 53 1 58 2 03
9 4np	4 17 32 330	2 2 2 2 2 2 2 36
37		08 13 18 24 30
1880 9-24	5 21 30 340	2 2 2 2 3 3 12

1 14 11	6 25 28	38 44 51 58 05
2 18 58	7 29 26	3 3 3 3 3 3 49
		60 11 18 26 34 42 4 30

3 23 46	8 31'24	R.	3 3 4 4 12 4
4 28 33	9 7 22	D.	46 54 03 21-
5	1930 11 21		14 00 14 05 14 09 14 14 14 18 14 23
:D:20-3-			0 07 0 08 0 09 0 11 0 12 0 13-

3 18 32
4 20 47

7 26 45
8 28 57
9 111J)09

2 4 55
3 7 06
4 9 17

Explanation of the Neptune table.

The rücklaufigkeit of the planet 't' by the course of the earth distributes itself with the running sun with each **100** further from the Konjunk tion on, as above solar course shows.

Calculation example:

		-			
		+			
Aug. Strindberg, born 22 January		Periods (165 years 2° 52').			
184 '.	Status 0 20 13'	302° 13'	2	1165 years 2° 52'	5 45
		302° 13'		330	„ 5 45
		<u>360° 00'</u>	3	495	„ 8 37
		6620 13'	4	660	„ 11 30
't' 00	1848 = -330004-		5	825	„ - 14 22
		<u>332° 09'</u>	6	990	„ 17 15
			7	1165	„ 20 07
2° x 00021 = +0004'			8	1320	„ 23 00
330° = + IOOII			9	1485	„ 25 52
't' 1848 = 0004' }			10	1650	„ 28 45
Stand 't' : - Io 09' }					

If, by addition or subtraction, one arrives at the state of the 'r at the turn of the year **S0 - 10 dS**", one calculates as a check. - f <> parallel year (18f5) and add 22 Da:s ResuHat anniienid gives the searched conjunction **period** increase.

Example: Searched 't' of 0 - in the year 1165

$$\begin{aligned}
 & 4 \text{ I;eriods } 660 \\
 & \quad \underline{\text{Year } 1825} \\
 & \quad \text{'t' } 182590 \text{ } 18' \text{ } d5'' \\
 & 4 \text{ periods } \dots - 110 \text{ } 30' \\
 & - \text{'t' of } 0 \text{ } 1165 . \quad 28048' \text{ } - / ? \\
 & \quad \text{'t' } 1815 = 190 \text{ } 37' \text{ } - / \\
 & \quad \underline{+ 22^\circ -} \\
 & \quad \quad 11^\circ \text{ } 37' \text{ } - : 6
 \end{aligned}$$

Therefore 't' 1926 is relevant 't' 1926 = 110 30' - : 6

$$\begin{aligned}
 & - 4 \text{ periods } - 11 \text{ } 30' \\
 & - . 0 \text{ of 't' rt } 65 = 00 \text{ } 00' \text{ } - : 6 ,
 \end{aligned}$$

From 1825 onwards, the period increase must always be subtracted from the next year, since 18 4 and 1825 show the same state of affairs at the turn of the year. The yearly growth is the same.

from

"Astrologische Rundschau", 13th volume
October-November 1922, issue 1/2, page 11-18

Zurn article " Unknown time of birth",

I can't bring myself to rewrite the article "Determining Inaccurate Birth Time", because I have never written such an article, much less think of "determining an inaccurate birth time".

This determination is usually made by the fathers of the children when they are registered in the birth register, and therefore the astrologers are forced to correct this "inaccurate" time of birth.

I have never written of a birth lord, always only of Herrschem and Herren.

If the author, Mr. Baradoy from the sentence page 12 false

Conclusions drawn by putting something in the sentence, which is not in it, like: >>"The birth ruler is correctly the lord of the X. Once again the imagination has run away with the astrologer.

That is precisely the mistake of today's astrologers, that they put too much into the aspects, which the stars do not show.

It is quite clearly stated that the "ruler" is the planet which stands on the "natal meridian" and there has been no mention of the lord of the sign in which the upper meridian lies. -

It is precisely this fantasizing that has forced me to reply, because without refutation most readers of the *Astrologische Rundschau* now accept this assumption as correct, since almost all of them are a little lazy in thinking, otherwise many more questions and works would have to come from them. Otherwise many more questions and works would have to be received from them, because 50% of all information in the books is not correct and cannot be correct, since the overall picture of the planets must always be taken into account.

Further, I have said that the earth chart is dominated by the d' on the lower meridian ;6. The meridian is now transformed into a wrong interpretation made the zodiac sign of Capricorn.

I have been writing for two years about a meridian plane of the earth's body which passes through $0^{\circ};6$ and through $0^{\circ}@$ and in which the earth's axis lies, and yet I have not yet been understood.

If the 12 years spent by the gentleman in question on the study of astrological laws are applied to the same extent as the last two, one cannot wonder if the fruits of such study are not better.

Already Ptolemaeus speaks of houses of the ascendant and of those of the natal meridian.

Sepharial also sometimes lists the ruler as the planet which is at the meridian, so in 1914 Saturn was the ruler, for it was at about $0^{\circ} \textcircled{R}$; and if the actual horoscopes were better evaluated, one could easily find the ruler of one's horoscope in the horoscopes of other people with whom one had the event.

I have reported in detail in the article >>Sensitive Points<< about the individual house systems and also mentioned zenith houses at that time, but they were not discussed further because most researchers do not bother to examine a zenith chart.

If you want to get clarity about the technique of astrology, it is essential that you also evaluate the coordinates of this system. system.

Through my studies in this field, which involved no small amount of arithmetic, for all the celestial positions of the radix, the progressed, the advanced and the moving planets must be converted into altitude and azimuth, I found that this horoscope is only relevant to the person himself.

It refers to cases of illness, accidents and death of the person concerned. All events related to other people can be found in the horoscope of the latitude circle of the place of birth (house of the ascendant) and in the meridian horoscope (2 hour houses from the birth meridian).

From within, the following systems result when the pole of each time is assumed.

Pole -Zenith , High, and Azimuth from North Point.

Pole - north pole, declination, and right ascension from the natal meridian (upper and lower culmination).

Pole of the ecliptic, latitude, and longitude from the ascendant - 90° and finally:

Pole -north pole , declination, and right ascension from the earth meridian @-

Pole E. and (North Pole), latitude, and longitude from the Earth's meridian, *maB*

giving for the course of the earth around the sun.

These last coordinate systems refer to the Earth's center . point as the collection point of the influences of all planets and fixed stars on the Earth's body.

Since the position of the heavenly bodies at a given moment is generally referred to by the word "horoscope", even if it is not the hour but the minute that is meant, one can also rightly speak of an earth horoscope, for first of all the influence of the heavenly bodies on the mean point of the earth *must also be* determined in the horoscope of a person, which is already evident from the "geocentric" position of the planets.

This evaluation is not yet made by all astrologers, because the cardinal points are simply left out, and yet it is precisely the center of the earth (determined by the cardinal points) from which we get to feel the power excursions of the stars and not from outside. The transit of a planet only stops, that is, the power current from the centre has found a way out and the circuit with the earth - person - planet - sun - centre of the earth is closed.

In last year's horoscope I gave a guide as to which points are relevant for the center of the earth and thus also for the meridian plane of the earth's body. -

If every Schiller, who wants to get clarity about the planets, would determine these sums, the half sums and the differences of the radix planets and compare the sums, as well as the half sums, which have the same value, with each other, the secrets of the planets in his horoscope would soon be revealed to him, as soon as he has an actual horoscope in front of him.

Equal values mean oppositions, quadratures, 45° and 135° of the half .sums to each other.

What has remained to us over time of the teachings of ancient astrologers is hardly recognizable. Most of it has been taken over by the successors

!either not understood at all, or misunderstood, or <by copying without thought and <by misunderstanding, as is evident from the example on page 90, so twisted that the sense of the sentence is completely altered. -

It is better if a word, such as "again" is forgotten, and it is left to the reader to think of the right thing to say, rather than to <literate> the matter by such commentary.

If already in this small μ rebuke of the Mr. Baradoy which is to be evaluated nevertheless only as proofreading, so many inconsistencies-

If an article cannot be corrected because there is no proof-reading by the author and sometimes one hardly recognizes the sense of a sentence, if one reads for sums = suns and for debits = fulls, etc., one can imagine how little the omission of >>new<< or the occurrence of 2 typographical or arithmetical errors means.

The main thing is to use the method to determine the unknown time of birth, and if you can't tell that from the chart, you'll never learn astrology.

The method of finding the >>exact<< birth time is quite different.

There is a middle correction with sensitive points, which shows the birth meridian fluctuating between 1 and a fine correction by the sensitive points of a current celestial position.

It is easiest to calculate one's own birth meridian from the horoscopes of other persons with whom one has shared the events that have taken place, because for the other person the radix star was now standing, i.e. the places of the stars in the signs of the zodiac, which are Earth houses at the same time, is decisive; for the Earth meridian plane is always the unifying meridian of all beings.

I speak of beings, ct.a all living and dead beings are subject to the influences of the stars, because with increasing and decreasing distance of the planets (far from the earth - near to the earth) the mole kiile experience a change in the bearing of the atoms.

A dog horoscope can give us information about our person if we are bitten by the dog or if he is not house clean and he has been given priigel.

It is not our own horoscope that shows us our most important planets at first glance, but we learn about these planets from the horoscopes of other people.

Then three planets usually appear, namely the ruler of the day (strong solar aspects), the ruler of the natal meridian (strong meridian aspects) and the ruler of the line of descent (Aszen dent - Descendent) or the horizon. The rulers of the signs in question, which are intersected by the meridian circle and by the horizon, always play a part and one thereby gets to know the rulers of the signs, which are not correctly reproduced in the books.

Here is still a large field lying fallow, which awaits the processing of work-loving astrologers.

The main thing that retired professors of history should occupy themselves with the earth's horoscope; for the ancient astrologers drew their wisdom and knowledge of coming destinies of the people only from the positions of the fixed stars in the points of the signs of the zodiac and mainly factually from the position in 15° tr, 15° 15° M and 15° Q, because here the

The North Pole is the mean of the meridian and the horizon of the Earth, if the North Pole is considered as the zenith or the birth point of the northern hemisphere.

Since the ancient astrologers were aware of the influence of the fixed stars, they compared their powers with those of the known planets and added their names (Regulus d'/It-).

The signs of the zodiac are the houses of the earth body (= I, 'Y').

VI I), they also divided the celestial globe by parallel circles to the equator, each sign was divided into six parts and these parts (the spherical triangles and quadrilaterals) were probably called places.

This division was also used for zenith horoscopes. As is well known (i.e. for the researcher), the parallels to the meridian, to the horizon and to the First Vertical also have an effect, and it is not the same where the constellation of the Pleiades or that of the Great Bear stands in the zenith horoscope of a person.

Here, too, there would still be an area for serious researchers concerning zenith horoscopes, if the large invisible nebulae were taken into account.

Already from the positions of the constellations to the zenith or to the birthplace of a person the ancient astrologers could determine many things, and the planets only underlined what had already been indicated.

The above is also confirmed by the position of the Sun in the 12 signs of the zodiac and the rising and descending signs of the horoscope, since these points (Asc. and Desc.) have the sharpest orbital aspects (D) to the place of birth, for the position of the Sun in most cases already gives the character of each person. Ten years ago the *Zentralblatt für Okkultismus* even brought the position of the sun from 5 to 5° of the signs and its influence in these. In many cases I was able to recognize the position of the sun of the mother from the facial expression of a person.

If you now add the constellations with the interpretations of the old astrologers, you can almost see without any planets what is worth knowing about each person. The planets then only indicate the time for the individual events.

Therefore it is not the same how a constellation stands to the earth axis or to the north pole.

Through the rückwärtsgehen of the Aries point and through the pendulation of the Earth's axis, in the course of a Platonic year always other constellations will be in the zenith of the Earth's corpus (North Pole) and there through perhaps with the fixed stars at the cardinal planes also give the cycles of the people in connection with the zenith horoscopes of the individual persons.

This includes the appearance of great leaders, and one may well assume that Nostradamus worked only by this method, and did not consider the planets at all in his predictions.

We astrologers must work towards the discovery of the laws of astrological technique, which were already known but have been completely lost. Only then, when one has learned to walk, and can calculate every event beforehand, can the time come when one may make simplifications and announce world events. Today's publications of coming wars calculated and predicted on an astrological basis have only served to drag astrology through the mud.

We astrologers must also strive to introduce uniform designations for the leading planetary positions.

It does not go on, if one is to set apart again and again, which planetary position now actually is meant.

The movement of the individual points of the horoscope gives rise to the various directions.

If one starts from the place of birth and considers it as a star? the first result is the course of the place around the earth-axis parallel to the equator.

A complete rotation of the place up to the minute of birth of the next day is counted as one year in astrological technique, each further rotation of the place around the Earth's axis increases the days and in these days the planets will no longer have the positions that the >>radix planets<< held at birth.

I designate these pre-nictitated states as >>progressive<< and thereby also simultaneously indicate the direction of the birth meridian (days times 361° plus birth meridian).

The progressive horoscope, which is decisive for the 40th year of a person, is drawn up on the return of the 40th minute of birth. Do not assume that the difference between the present meridian and the radix meridian is the directional arc, but add 39 complete revolutions of the place of birth. This progressive meridian applies to the birthday of the person concerned.

The radix meridian therefore always shows the day of the year, which, depending on the years of life, is as many days later than the day of birth.

The best way to visualize the course of the progressive meridian during a year is to place the progressive meridian of the birth day or the progressive horoscope at the position of the radix Sun of the disc, and then follow the course of the Sun during the year.

The direction for days of the year is thus carried out with the sidereal time and the arc can be large up to 361° .

During 40 rotations of the place, however, the earth after the moment of birth has put back a certain arc, depending on the position of the sun (near or far from the earth) and this solar arc (0 progr. - 0 rad) is decisive for the directional arc of the years and days.

Note, therefore: A rotation of the place of birth (361°)
- is approximately 1 degree of the ecliptic arc.

The moon, which also moves around the earth, is for this reason connected with the places which run like it around the earth's axis. Thus the moon represents the surface of the earth.

During a lifetime of 84 years the moon goes around the earth three times, if after the minute of birth each day is counted as one year.

But if the moon represents the place of birth, three complete lunations have passed, and each lunation indicates one year for the person born.

Up to three years after birth, or a little more, the Moon may appear as a progressive and lunation Moon. After this time, in the highest case a little over 100 days after the minute of birth, the now appearing precessing planetary positions must again be called "progressive".

I generally liked the addition of >>tUn<< in suggestion, so that do or Q> do would denote the planetenstands accurately enough.

The drawing or current planet stands that were or will be in the sky during an event should be briefly labeled running or running.

Thus, for me, the question of the "return <through the preerrickly course of the planets<< is erted.

For example, in the article on page 91 >>The Horoscope at the Tomb<< there is talk of Transit t; to T.ransit cf.

If the Planetes ; and cf are meant, they should never be called transiting planets, if no passage has taken place over a Radixplanet.

Mathematically unstatic is the notation ; : cf, which is taught in all books. One should get used to write: cJ' - ; ; + or + cf - ; ; , because then the sense becomes better apparent.

As mentioned in this article, Mars (SchuBwunde) was decisive for death, so the coherence of death and Mars, related to Saturn, appears better in the Atis print +,cf - ; ;.

Of the well known. Doctrines and rules I would like to point out the lords of the signs and the lords of the deaneries.

If we know how the lords of the signs came into being, we cannot attach much value to these lords (see Ptolemy). Astrologers are hardly sure in which signs the planets 4l and 0 fit in, and already a planetary slider has found out that LJJ has its case in 9°Q. The ,Q of Neptune lies approximately 10° R.

The teachings of the old astrologers have been good, but whether what is now being spouted as old teachings and rules are these teachings, I 'strongly doubt'

Only when one has found out for oneself the fundamental laws and then finds in old Schmokern, through very brief remarks, that the laws in question must also have been known to the old astrologers,-then one knows that one is on the trail of the really good old astrology.

I can only advise all Shiites to cleanse their horoscopes of all ballast, as there are: Lords of the signs, fixed stars, sensitive points, strong and weak points of the planets, and to pay more attention to the connections of the planets with each other.

- If one has got to know the Eigeriart of the planets in the own horoscope, every planet in every horoscope has other effects, only then one can also use the above omissions again, in order to get out with it still more.

However, it is recommended to treat each point separately. The radix chart should show only the planets and the houses in order to have a quick overview of a question.

To the author of the brief, Mr. Baradoy, I express here my thanks for his thorough working through of the article, Tuning the Unknown Time of Birth<<. If every reader were to read through the articles in the same way, and to work over them mainly with the aid of a graduated disc, then they too would learn the method of

will soon be clear. The technique now used in most teaching books is still very poor and urgently needs to be corrected.

First and foremost, astrologers must strive to expand the mechanical side of astrology and to penetrate into the inner workings of the radix horoscopes by means of actual horoscopes.

Only then, when one no longer pays attention to the transits alone and only hopes for the draw from them, has one taken a great step forward.

A. Witte.

Astrological leaflets

Organ of the Astrological Society in Berlin

• -Zentral

"Organ für wissenschaftliche Astrologie

... ..

Unser-Verlag G. m. b. H., Berlin-Pankow, Breite Straße '34

Editor: M. E r i c h W i n k e l.

5. Jahrgang-----Monat-Juli-1923----- H^A

Abonnement-Bedingungen

Vierteljährig--i-Pl--v-or-a-us--f-ur.

Germany and Austria **M. :500.-**, plus M. 90.- postage, for the **rest of the country**

Abroad **M. 600.-**, zuzügl. M. 180.- postage.

The first transneptunian planet Cupido?

From A. Witte, Hamburg.

The French astronomer Le Verrier had assumed <through> perturbations of the calculated orbit of Neptune that there must be another planet behind this planet causing these perturbations and <thus> calculated its place in the zodiacal sign of Cancer.

If events in the life of men and people are given by orbital locations, then one must also be in a position. <By events of individual people and people, planetary locations to be able to determine.

The location of the planet in the sign Cancer was now the starting point of the following astrological calculations.

- By constructing a graphical fall curve of the planets' distances from the Sun, at equal angular intervals from each other, I arrived at an approximate distance of this ver mute planet.

With the aid of this distance and the orbital chain derived from it, starting from the position in Cancer, the following table, which was first calculated as a circular line and then corrected by transits and planetary directions, has now been produced.

I am now dependent on the cooperation of many astrologists to coritrolate the calculated planetary locations and mainly to establish .to be able to check whether the eccentricity is set correctly, since I have already corrected the stands in my material.

For this reason the planet has been brought back to 1640, so that also the horoscopes of historical persons can be examined, if the planetary positions are calculated correctly with Neu gebauer's planetary tables.

Here historians could earn a merit if they provided astrologers with material of events and correct planets standing at that time.

Below are some ways of calculating the correct position each time <through directions with the solar arc (0 per.gr. - 0 rad.) or <through transits. The correct position can also be determined by sensitive points, if astrologers have a good command of these points with their variations.

This planet has a very big impact on marital relations...

relationships, engagements and also on marital separations; he is of the sign of the Tlerkr isign Wage, the Mars sign Wile J. and makes engagements and marriages with Mars.

with Jupiter engagements, also ip bad aspects with him,

- but which will be rescinded at a later date.

Sometimes also giese Zusammengestirnung leads the death of the family head.

The conjunction with the Moon and Venus brings engagements, rates and family growth. His two main opponents are Saturn and Neptune; but even with Neptune he brings marriages when the latter is as a representative of Eros aufft.)ht Wfil. e strongly associated with Venus and

Mars connected 1st.

Uranus, in conjunction with Mars, gives rise to sudden marriages and sudden family events, additions to the family, deaths and divorces, which are also brought about by Neptune as the complementary planet of Mars.

Are its rays strongly associated with the sun and in bad aspects-, he will always have an aversion to the marriage, which is broken, however, if it goes together as a running planet with -cler sun.

Since the planet Cupido (whose planetary sign is that of Jupiter with Venus suspended in it), which I have given this name because of the harmonious conjunction of the planets Venus and Jupiter in the sign of Wage, is, according to the table, at present in conjunction with Neptune in the sign of Lowe, the time has now come for astronomers to ascertain by exact measurements the deviation of Neptune from its calculated orbit, and thus to determine mathematically from the storms the planet Pluto, the ruler of the underworld, the invisible one, as Le Verrier has named him. The planet Pluto, the ruler of the underworld, the invisible one, as Le Verrier called him, can be determined mathematically from the disturbances; for such a favorable time will not return for 440 years.

The invisibility of the planet is perhaps due to the fact that the reflection of the solar emanation, in this palle, appears in light-blue toning, and this parbe is little distinguished from the night brain 1mr.

With increasing distance van the sun, the emana tion becomes more subtle, causing the parbe:

With greater distance the ray type appears more as a parb, which is not the case with the planets orbiting closer to the sun, since the reflection of the near sunlight outshines the parb.

- The reflex of the solar emanation through the planets expressed in parabolas, would be approximately at:

blue-red	c/ red-yellow	ti- griln	C. light blue -
<? redPb	. yellow	O bluegreen	K. indigo blue
O yellow red	2y. green-blue	W. green-blue	D. violet blue

The yellow type of radiation always has the greatest luminous intensity; compare the "-. r- and i'-rays of radium emanation. It is the r-rays which have the greatest penetration power, and the damaging effect of too long irradiation will no longer be unknown to anyone.

One now involuntarily arrives at an analogy as to why it is that the planetoids are located just here; a trailing radiation from a large planet would destroy it with its radiation, but divided into 900 and more planets, the reflex of the emanation can now have a beneficial effect.

The destroy_I).ge WJrl{ung_derver jnigJen_rays van Mars\.

and 'J'eptune is lei_c;_h,it_rclear, since they are complementary. Also \ Uranus as a war maker and destroyer of peace (Venus),

If Saturn and Neptune are united with Venus, it is always possible to conclude that Venus (love) is underdripping, since the colours of the oegen appear here. The radiant of Neptune and Saturn together are not the same. always "dead persons" as complementary to the :earth.

The next trans-Neptunplanet ^{huX} K. with the oegen color indigo blue to the planets Jupiter and Mars is therefore hostile to the constellation of these planets and thus brings annulment of engagements and little inclination for the marriage covenant.

According to previous research, he is the tterr of the zodiacal X sign Virgo and is ma8gebend fir Freudenmadchen, unver-: ' married women, nannen and widows.

He's the planet that causes the most breakups, J...

furthermore, it is decisive for diseases and hospitals. :-> ;,;v

- In this sense, the second must be used to determine its location each time. The orbit of this planet, too, may be considered almost fixed, but much material of far distant events must still be pri.ifted, and many parallel directions made. The orbit of this planet, too, can be considered almost fixed, but much material from far distant events must be pri.ifted, and many parallel directions made, in order to be able to determine its latitude and ascending node.

Mlt material 'of exact ancient ttrosopes and exact event-days would be of great help to me and I therefore ask astra- logists and ttistorians to send <l through the publisher so that they can be sent to me van dart, collected. -

For the second, I still lack the name of a Greek goddess; the name "Kronos", which is considered because this planet also has great importance for the historical events of Germany, has, however, too little relation to the general occurrences caused by this planet.

The name *must*, if possible, represent the above terms united. The planetary sign of this planet is that of the cross with a waning crescent moon on the upper left side, whose lower horn intersects the lower bar. (Cf).

The third planet now being pursued, which is the tterr of the sign Lowe, has as such. because it is the supreme war-

planet . appears as producer and creator, the **1** -sign with the arrow on it and the name " Deus" receive.

Below are some control calculations for the transneptunian planet Cupido.

Marriage of Princess Louise on 24 May 1913.

C lfd. $3^{\circ} 42' Q$ in D to **a**; rad. $3^{\circ} 43' TJJ$.

C lfd. $4^{\circ} 57' Q O$ \llcorner rad. $4^{\circ} 53' b?$. on 18 March 1914.

Birth of the son.

J) rad. $15^{\circ} 06' :rr. +0$ Bg. $20^{\circ} 17'$ (Heira,t) = $5^{\circ} 23' \textcircled{R}$ -

d C rad. $5^{\circ} 31' \textcircled{R}$ -

Reception is 1 month later, 6 to 8' more; the **+** conjunction of the progressed Moon then coincides with the radix Cupido.

C rad. $5^{\circ} 31' \textcircled{R}$ - 0 Bg. $20^{\circ} 17' = 25^{\circ} 48' \textcircled{R}$ - D 21- rad. $23'' 29$,y thus acted 2 **+** years earlier.

The running W $23^{\circ} 54' \textcircled{R}$ in J' to the lfd J $> 23^{\circ} 49' :O$ on the day of toot time thus touches the 2J. rad. and the preg. Cupido. -

The J $>$ rad. $15^{\circ} 06'):($ stands in d with W rad. $11^{\circ} 19' i$, the advanced 0 stood $11^{\circ} 02' 8$ in $t::$ to the W rad., the running Iz $17^{\circ} 18$

10 in $t::$ to the C rad. $17^{\circ} 27' CT$ of the former Emperor and the advanced W of the Emperor stood $17^{\circ} 20' d$, thus in conjunction with C rad. Since $cf d W$ and $W \square$ in the horoscope of the father, W appears as *Eros*, which is also confirmed in the case of the Princess Louise, since this W $11^{\circ} 19'$ It has a conjunction with the $:2l- 11^{\circ} 41' :rr$ Of the father and the latter is in $c?$ to the radix Sun as the advanced planet. The radix 2J. of the husband is in $t::$ to the C rad. of his wife, thus also got the $t::$ of the advanced Moon of his wife.

The progressive stands, J $> 16^{\circ} 56'$ TJJ. and \llcorner $16^{\circ} 33'$ in strong Connection with the C rad. $17^{\circ} 27' d$ and with the natal meridian of the princess, showed her as loving BraU/t in the horoscope of the emperor.

Second example:

Goethe, born 28 Aug. 1749. radix 0 = $5^{\circ} 06' nt$

C 1848 = $ts- 23 \llcorner \llcorner$. $15^{\circ} 23 \llcorner \llcorner$.

0 Lau£ $259^{\circ} 44'$ $00 23 \llcorner \llcorner$.

A1)1 Aug. 28, 1749.

State C

$15^{\circ} 00 \llcorner \llcorner$.

June 6, 1816, death of wife 0 lfd. $15^{\circ} :rr.$

On 19 -oct. 1806. marriage with Chr. Vulpius C lfd. $5^{\circ} 06' X$.

$? 0$ rad. $5^{\circ} 06' 11J1$.

The half-sum 0 / J $>$ is friendship, *parents*, marriage = $8^{\circ} 11' H.$. The sum is the mirror point of the Aries point to the semi-sum, it therefore shows connections with other inhabitants.

of the globe.

(0 J \rightarrow) $16^{\circ} \neq IQ 0$ Bg. $37^{\circ} 56' 24^{\circ} 17' 11J1$ (Oewissens marriage with Chr. Vulpius on 13 July 1788).

X rad. = $24^{\circ} 00' 11J1$.

(0 J \rightarrow) in J' **a**; rad. in the 2nd house, D Iz rad. on the Ascendant, indicates in *i* the conjunct planet of friendship, while Saturn indicates conjunctions, separations, and death \llcorner ler with Goethe living in friendship.

e rad. 18° 57 Z.: + 0 Bg. 37° 56' = 26° 53 X, cf 2/. rad. 26° 11

X = J' Qrad . 26° 24 X. The prescribed e on the 4th liause thus brought the connection with Chr. Vulpius and the love gltick ((.l.; !j), in the meridian of Goethe, i.e. Goethe himself as representative of the love-glory, the woman @-

Now the love luck of this woman (¥ + 2/- 0) 3° 18 nt in the years 1788 0 Bg. 37° 56' = 11° 34 ;;;r. in D to the wheel. '.] 11° 15 X. It was therefore 9 + 2/-=0 + .] or " Liebesglick eider Frau" (Q + 2/- '.) + 0 Bg. = 0 rad. (0 + .]) = 0° 12 . + 0 Bg. 37° 56' = 8° 08 }(. □ 0/'] 8° 11 :a:.

So it was connected ? , 2/- Liebesglick, 0,)) Friendship and), @ the Fraq. The sum)) 0 0° 12+z: was July 13.

1788 e from the 29° 50 @, thus confirming this woman = -0) The wife of Goethe () + C 21° 11 :n: 0 Bg. 37° 56' 29° 07 @ wurde also drawn by the e lfd.

9 rad. 26° 24 IIII + 0 Bg. 1788 = 4° 20 III*. cl' rad. 3° 58 , 0

brought the sexual union, rJ' preg. 11° 34 Z.: was drawn by the running Cupido 11° 11 Z.: the sum (cl' C) rad. conjugal conjunction 18° 38 IIII, which held a ;* of the running Sun 20 @ he was violated as vorg. 26° 34.8vom W rad. ;?6° 40 @ standing on the 8th liause, so that an official marriage did not

occurOnly the conjunction of this sum with the radix brought the official marriage (() 4° 41) III), which took place on 19 Octob. 1806. Connection with a woman 26° 20 8was in conjunct tion with 0lfd . 25° £:., with it lfd. 25° 51 u and with the points (C + radC lfd1788) 26° 11 8.

@rad.+0 Bg. 56° 03' = 15° 00 Yl:., C rad. 15° 00 :t. 0 progr. 1° 09 III. ran*ilber (+)) erad. 0° 12 Z.: and went at.if the point of lieirat (0 +)) + C) rad. 1° 21 'rf: towards. C rad. :+ 0 Bg. = 11° 03 Z.: stood in the point of the current C 11° U Z.: (1788) and had passed the point (0 rad. + C current 1788) - 10° 12 Z.: Death- of the wife on 6 June 1816.

0 rad. + 0 Bg. - 10° 48 III.. D C lfd. 1788. 11° 11 Z:..

(C rad. D cl' vorg. 1788. 11° 34 :t. □ (0 rad. + 0 Bg. 1806). 11° 03 Z:.. D (0 rad. + C lfd. 1806). 10° 12 Z:..

(C. rad. + 0 Bg. 1816) = 20° 42 Z.

(0 rad. + C rad.) :Husband = 20° 06 'rf.

@ rad. + 0 Bg . = 24° 39 Y d 0 / C rad. 25° 03 1' , d (cl' +)

1816 24° 25 Y..

€ lfd. 9° 11 :t. d 0! 1)) 8° 11 :t. d o' l lz rad. 9° 22 :t.

04). Separation of :marriage [(cl') - +)) + 0Bg . 1816 = 8°

(0 + C) rad. + 0 Bg. 25° 48 @ d W rad. 26° 40 on 8. liause.

The point fir :husband of the wife (0 + C -)) rad. 8° 51 TI stood in J' at the current e 9° 11 :t.

. This point (0 + C -)) + 0Bg . 14° 32 6) went into quadrature with the 1/rad. 15° 05 III. and brought the separation from the :E.hefrau (J> + C - 0) 21° 11 l(by C lid. 20° 39 "X.

(d' + lz) rad. 18° 43 bl_ rises in J to \$ rad. 18° 57 -

d' l lz rad. 9° -22 1: was conjunct \$ on the day of death.

current, 9° 11 R.

d'f/lz 0Bg. = 15° 04 r : lz rad. 15° OS TIL..

The frau bezoven to the tteirat (e + J) - C) 15° 12 t: thus got the O of d' / >. advanced and also clearly shows the point (d' + C) 1806 14° 41 11. (marital union).

(\$ + J> --C) + 0 Bg. 1806 = 11° 15 @ .6 J> rad. 11° 15 <

(\$ + J> + C) the married woman, i.e. the connection with

another human 15° 128

+ 0 Bg. 1806 = 11° 15 1: □))

.rad. 11° 15 x.

(\$ + J> + C) + 0 Bg. (1816) = 20° 54 1: □ C current 1816 20°.

39 X.

It is clear from all of the directions that ® was decisive for Chr.

Vulpius.

The planet Cupido ran in the time of the conjugal union from 9°

33to20° 39 X and thus closed the arc ® to J).

The latitudes, if the mean of 1° 05' is taken as a preliminary, are ftir:

100 'o'	1° 05'	5)!	00 59'	30)(O' 42'	25	00	20 b)	0° 11'
150"	J0 05'	16'						25 fJ	0° 16'
20 "	J0 04'	15 "	00 56'	5 ®	00 38'	30	00 11'	30 Q	0022-
25 "	J0 03'	10 "	O' 53'	10 (,;g	00 33'	5	00 06'	5 np	0027'
30 "	J0 0J'	20 "	O' 50'	15 @	(1127'	10 £;2	0° 00-	10 np	0033'
		25 "	0° 46'	20 @	00 22-15 Q		+ (06'		

Cupid's run in 1923-24.

8. Jun.	16° 07 Q	21 Aug.	17° 51 Q	31st Oct.	1go 15 J	9 Jan.	18° 52 0	
18. "	16° 19 S2	31. "	18° 07 Q	Nov 10	1go 19 Q	19. "	18° 41 Q	
29. "	16° 31 J	Sep 11	18° 22 S2	20. "	-	191 20 0	28. "	18° 29 S2:
9. July	16° 45 S2:	21. "	ISo 36 62	30. "	19° 19 Q	7. fehr.	18° 17 Q	
19. "	11° 0052	I. Oct.	18° 4952	JO. Dec.	t9° 16Q	17th. "	18° 04'9	
30. "	17° 16 Q	11. "	19100 D	20. "	19° 10 S2	27. "	17° 52 Q	
Aug 9,	17° 32 0	121. "	19° 09 0 T	30. "	-Jgo 02 D.	19. Millrz	17° 40 51	

So I ask all astrologers to follow the course and note the differences of the TransHe with the radix planets, so that in the course of perhaps two years enough material will be gathered to be able to control the eccentricity.

Editor's note: The calculation tables for Neptune and Cupirlo will follow in the next issue.

ASTROLOGISCHE BLATTER

MONTHLY NEWSLETTER
FOR RESEARCH AND PRACTICAL WORK IN
ALL AREAS OF WISSENSHIP LICHEN
ASTROLOGY

ORGAN OF THE BERGINER

AS 'FROG O G I S C H E N G E S E G G S C H A P f

SCH R I P f G E I f E, R: M. E R I C H W I N K E G

INHA F: . T



F. Glahn: Sun and Mand in the Horoscope	67
Glahn: On our own account	70
A. Witte: Table of the Planet Neptune for All Time	71
A. Scheidt: Calculations of the lunar longitudes	76
A. M. Grimm: pas Problem of Horoskophauser (SchluB) .	78
Dr. J. F. Planas: On Death	80
M. Erich Winkel: The quarter&horoscope_ for the summer 1923 after the manner of Ptolemaeus-	83
The Second Astrological Congress in Leipzig	84
O. pollner: the lords of the 12 houses of the natal chart and their effect in the 12 celestial fields ' ,	86
Horoscope of a short life	86
Max Valier: The Universe as an Organism	87
Some hints	91
BOOK LOOK	92

Table of the planet Neptune for all time.

By A. Witte, Hambwrg.

Fundamental for the following table is the sidereal transit time. 164, 788 29 years (in tropical. years). (Tables of the Hamburg Sternwarte 19-15). The return by the course of the earth distributes itself with the running sun with each 10° further from the conjunction, as adjoining solar course shows.

The moving Sun in 8-10° r6 is the beginning of the year. If the moving Sun has not yet reached the place of the planet in the year of birth, the position of the previous year is to be taken, as in the following example.

In doubtful cases (0 running between 8-10° r6) calculate as a control one - 10 parallel year and add 22°; the result shows approximately the sought conjunction.

Apsidal Periods:		
		Years
1	2° 47'	165
2	5° 34	330
3	8° 21	495
4	110 08	660
5	13 55	825
6	16 42	990
7	19 29	1155
8	22 16	1320
9	25 03	1485
10	27 50	1650
11	30 37	1815
12	33 24	1980
13	36 11	2145
14	38 58	2310
15	41 45	2475
16	44 32	2640
17	47 19	2805
18	50 06	2970
19	52 53	3135
20	55 39	3300

Example:
 October 27, 7 B.C. historically =
 27 October, 6 BC astronomical
 11 periods 1815 years - 6 years =
 1809 0 O tp 6° 31 J?'
 Sun position 1 57 nt
 so ma6gebend 18084° 20 J?'
 Period increment - 30° 37'
 7 BC historical = 3° 43 nt
 Sun position 1° 57 nt
 Course of the sun = 358° 14

 00 W 3° 43 nt
 350° = + 1° 45'
2.2' X 8¼ = + 0° 18'
 IP location = . 5° 46 nt

For dates before 1660.

If, by adding the years and subtracting the period increment, one arrives at a position before the turn of the year, and if the turn of the year is within the period increment, the increment must be subtracted from the following year. If the turn of the year is within the period increment, the increment must be subtracted from the following year.

Occurs at the turn of the year (8-10 r6) on two years.

Example: Searched 0 O tp in the year 180 AD.

10 periods 1650 years
 1830 = 20° 17 t6
 10 periods - 27° 50
22° 17 ;?'

The position lies before the turn of the year and this within the two positions, therefore is ma6gebendend 1831 = 22° 28 t6
- 27° 50

In 1800 O tp 24° 38 J?'

.Synodjso he course of the planet Neptune.

Lord of the sign III

1660	8 <i>ro</i> 42	1703	11', 57	1746	18@34	1789	23 <i>toQJ</i> 08
	18 42	414	13		720 47	1790	25 18
2	10 53	5	16 28	8	23 01		
3	13 05	6	18 43	9	25 14	1	27 28
4	<i>lii</i> 17	7	20 58	175027	28	2	29 38
517	30	823	13			3	<i>Int</i> 48
6	19 41	925	28	1	29 41	4	3 58
721	53	171027	43	2	1 [<i>;</i> 254	5	6 08
8	"24 05				34 07	6	8 19
926	17	I	29 58		46 20	7	10 ,29
	167028 30		2	2>: JH		58 33	812 39
			34 30	6	10 46	9	14 49
1	0 42	4	6 45	7	12 58	1800	16 59
	22 54	5	9 00	8	15 11		
3	5 07	6	11 16	9	17 24	1	19 09
4	7 20	7	13 31	1760	19 36		221 19
	59 32	815	47				323 29
6	11 45	9	18 02	1	21 49	4	25 39
7	13 58	1720	20 17	2	24 , 02	5	27 49
8	16 11			3	26 14	6	0,, ? (OO
918	24		122 33	4	28 26	7	2 10
1680	20 37		224 48	5	<i>Onp</i> 38	8	4 20
			327 03	6	2 50	9	6 31
	122 51		429 18	7	5 03	1810	.8 41
2	25 04	5	1): (33	8	7 14		
	327 17		63 48	9	9 26	1	10 62
	429 30		76 03	1770	11 37	2	13 02
5	<i>:l)-(44</i>	8	8 18			3	<i>Hi</i> 18
6	3 57	9	10 32		113 49	4	17 25
	76 11	173012	47	2	16 01	519 35	
	88 24			3	18 12	6	21 46-
910	38		115 02	4	<i>:W</i> 24	7	23 57
	169012 52		217	16	5 22	35	826 08
		3	19 31	6	24 46	9	28 19
	115 06	421	46	726	58	1820	0 <i>t0</i> 31
	217 19		24 00	8	29 09		
	319 34	6	26 l	9	<i>ltoQJ</i> 20	1	20 42
421	48	7	28 29	1780	3 31	2	4 54
524	02	8	0@43				7 05
626	16	9	2 57	1	5 42	ti	9 17
7	28 31	1740	5 11	2	7 53		9 17
8	0', '45			3.	10 04	6	11 29
9	2 59		17 25	412	15	7	13 40
1700	5 14	2	9 39	5	14 211	8	15 52
		3	11 53	616	36	9	18 04
1	7 28	414	06	718	47	1830	20 17
2	9 43	5	16 20	820	57		

Synodic sound of the planet Cupid

Lord of the sign μ

1640	15S41	1687	20 np30	1734	25 48	1781	0 15	1828	6''('04
1	17 048	21 535	27 13	2		1	39 9 7	28	
2	18 269	23 16		6	28 86	3	3 04	1830	8 51
3	19 49 1	1690 24	4 40	7	0 ;? (00	4	4 281	10 15	
4	21 11	1	26 02	8	1	24	5 5 52	2	11 39
5	22 342	27 26			92 48	6	7 16	8	13 03
6	23 568	28 49	1740 4	12		7	8 404 14	26	
7	25 19	4	0 μ 12'	-	1 5 36.	8	10 04	5	15 50
8	26 41	5	1 35		27 00	9	11	29	6 17
13									
9	28 04		62 58	3	8 23	1790	12 53	7	18 37
1650	29 26	7	4 21	4	9 4.7	1	14 17	8	20 01
1	0 [;249		85 44	5	11 11	2	15 419 21	24	
	22 12	9	7 086	12	85	3	17 05	1840	22 48
3	3 34	1700	8 31	7	13	594	18 29	1	24 11
4	4 57	1	9 548 15	23	5 19 532	25	35		
5	6 19	2	11 17	9	16 47	6	21	183	26 58
6	7 42,	3	12 40	1750	18 10	7	22 42	4	28 22
7	9 06	4	14 04	1	19 348	24	06	5	29 45
8	10	27	5 15 27	2	20 589	25	306 1t509		
9	11 50	6	16 503	22	22	1800	26 547	2	32
1660	13 13	7	18 14	4	23 461	28	18	8	3 56
1	14 l:ffi	8	19 39	5	25 10	2	29 429 5	19	
2	15 58	9	21 00	6	26 34		31} (06	1850	6 42
3	17 21 1	1710	22 247 27	58			42	30	1 8 06
4	18 44	1	23 47	8	29	22	5 3 54	2	9 29
5	20 06	2	25 10	9	0 t6 47	6	5 18	3	10 53
6	21 29	3	26 34 17	60 2	11	7	6 42	4	12 16
7	22 52	4	27 57	1	3 35	8	i 06	5	13 39
8	24 15	5	29 20	2	4 59		99 30	61	1. 02
9	25 38	6	0 nt, 44	3	6 23 18	10	10 54	7	16 26
1670	27 01		72 07	4	7 47	1	12 18	8	17 49
1	28 24		83 319	t.	2 13 4	29	19 12		
2	29 46	9	4. 549	3		15	06 1860	20	36
8	1 np09	1720	6 IS	7	10 85	4	16 30	1	21 59
4	2 32		17 428	11	59 17 54	2	23 22		
5	3 55	2	9 059	18	24 6 19	183	24 45		
6	5	183	10 29	1770	14 48	7	20 424		26 09
7	6 40	4	11 521	16		128	22 06	5	27 32
8	8 035 18	16	2 17 36			9	23 306	28	55
9	9 27	6	14 39	3	19 00	1820	24 53	7	0.1: 18
		1680	10	49	7 16	034	20 241	26	17
		12 12	8 17 27			5	21 48		
		9 18 51				6	28 13	3	29 05 1870
	2 13 35	1730	20 14	7	24	37	4 0''' ('29	1	5 50
	3 14 58		211 21 38	9	8 26 025	1	53	2	7 13
5	4 16	2	23 02		27 26			63	163 8 35
6	17 44	19	07 . 3	24	25 1780	8	507 4 404	10	00

Ascending node 10 Q, inclination against the ecliptic $1^{\circ}00$ to $1^{\circ}10'$

Synodical run

Year	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
1875	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
6	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	
7	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50		
8	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50			
9	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50				
1880	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50					
1	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50						
2	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50							
3	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50								
4	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50									
5	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50										
6	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50											
7	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50												
8	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50													
9	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50														
1890	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50															
1	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																
2	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																	
3	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																		
4	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																			
5	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																				
6	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																					
7	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																						
8	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																							
9	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																								
1900	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																									
1	37	38	39	40	41	42	43	44	45	46	47	48	49	50																										
2	38	39	40	41	42	43	44	45	46	47	48	49	50																											
3	39	40	41	42	43	44	45	46	47	48	49	50																												
4	40	41	42	43	44	45	46	47	48	49	50																													
5	41	42	43	44	45	46	47	48	49	50																														
6	42	43	44	45	46	47	48	49	50																															
7	43	44	45	46	47	48	49	50																																
8	44	45	46	47	48	49	50																																	
9	45	46	47	48	49	50																																		
1910	46	47	48	49	50																																			
1	47	48	49	50																																				
2	48	49	50																																					
3	49	50																																						
4	50																																							
5																																								
6																																								
7																																								
8																																								
9																																								
1920																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1930																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1940																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1950																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1960																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1970																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1980																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1990																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
2000																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								

The rotational speed of the planet C. through the course of the Ertle is distributed with of the moving sun with 10° each further from the ken-

an, as adjacent-standing. Sun course shows.

Example: Aug. Strindberg born 22 January 1849

Orad. 80° 2' 18' C 1848 38° 56' 30 56'6

Run 268° 17' = - 00 22' Level C = 8° 34'0'

0 lfd. in 8°- 10° io is beginning of year. If the Sun has not yet reached the place of the planet in the year of birth, the year is

d. Status from the previous-the years, as in the above example.

Fttr Oaten before 1640. apsidal period 262 Jabre + 2° 58'

If the years are added and the increase of the periods is subtracted. If the position before the turn of the year lies within the period increment, the increment must be subtracted from the following year, i.e. the same position of the planet occurs at the turn of the year (8 : 100io) on two years. Example: 00 C 1 year 981

3 periods + 786 10° 35 io - 1767

-8° 54' (3Xadvance) 1° 4J iodaher 1768 11° 59 "io - 89M

0 d C 981 = 3⁸ 05io

ASTROLOGISCHE BLATTER

MONTHLY NEWSLETTER
FOR RESEARCH AND PRACTICAL WORK IN
ALL AREAS OF WISSENSHIP LICHEN
ASTROLOGY

ORGAN OF THE BERGINER

AS 'FROG O G I S C H E N G E S E G G S C H A P f

SCH R I P f G E I f E, R: M. E R I C H W I N K E G

INHA F: . T



F. Glahn: Sun and Mand in the Horoscope	67
Glahn: On our own account	70
A. Witte: Table of the Planet Neptune for All Time	71
A. Scheidt: Calculations of the lunar longitudes	76
A. M. Grimm: pas Problem of Horoskophauser (SchluB) .	78
Dr. J. F. Planas: On Death	80
M. Erich Winkel: The quarter&horoscope_ for the summer 1923 after the manner of Ptolemaeus-	83
The Second Astrological Congress in Leipzig	84
O. pollner: the lords of the 12 houses of the natal chart and their effect in the 12 celestial fields ' ,	86
Horoscope of a short life	86
Max Valier: The Universe as an Organism	87
Some hints	91
BOOK LOOK	92

Table of the planet Neptune for all time.

By A. Witte, Hambwrg.

Fundamental for the following table is the sidereal transit time. 164, 788 29 years (in tropical. years). (Tables of the Hamburg Sternwarte 19-15). The return by the course of the earth distributes itself with the running sun with each 10° further from the conjunction, as adjoining solar course shows.

The moving Sun in 8-10° r6 is the beginning of the year. If the moving Sun has not yet reached the place of the planet in the year of birth, the position of the previous year is to be taken, as in the following example.

In doubtful cases (0 running between 8-10° r6) calculate as a control one - 10 parallel year and add 22°; the result shows approximately the sought conjunction.

Apsidal Periods:		
	Years	
1	2° 47'	165
2	5° 34	330
3	8° 21	495
4	110 08	660
5	13 55	825
6	16 42	990
7	19 29	1155
8	22 16	1320
9	25 03	1485
10	27 50	1650
11	30 37	1815
12	33 24	1980
13	36 11	2145
14	38 58	2310
15	41 45	2475
16	44 32	2640
17	47 19	2805
18	50 06	2970
19	52 53	3135
20	55 39	3300

Example:
 October 27, 7 B.C. historically =
 27 October, 6 BC astronomical
 11 periods 1815 years - 6 years =
 1809 0 O tp 6° 31 J?'
 Sun position 1 57 nt
 so ma6gebend 18084° 20 J?'
 Period increment - 30° 37'
 7 BC historical = 3° 43 nt
 Sun position 1° 57 nt
 Course of the sun = 358° 14

 00 W 3° 43 nt
 350° = + 1° 45'
2.2' X 8¼ = + 0° 18'
 IP location = . 5° 46 nt

For dates before 1660.

If, by adding the years and subtracting the period increment, one arrives at a position before the turn of the year, and if the turn of the year is within the period increment, the increment must be subtracted from the following year. If the turn of the year is within the period increment, the increment must be subtracted from the following year.

Occurs at the turn of the year (8-10 r6) on two years.

Example: Searched 0 O tp in the year 180 AD.

10 Periods 1650 years
 1830 = 20° 17 t6
 10 periods - 27° 50
22° 17 ;?'

The position lies before the turn of the year and this within the two positions, therefore is ma6gebendend 1831 = 22° 28 t6
- 27° 50

In 1800 O tp 24° 38 J?'

.Synodjso he course of the planet Neptune.

Lord of the sign III

1660	8 <i>ro</i> 42	1703	11', 57	1746	18@34	1789	23 <i>toQJ</i> 08
	18 42	414	13		720 47	1790	25 18
2	10 53	5	16 28	8	23 01		
3	13 05	6	18 43	9	25 14	1	27 28
4	<i>lii</i> 17	7	20 58	175027	28	2	29 38
517	30	823	13			3	<i>Int</i> 48
6	19 41	925	28	1	29 41	4	3 58
721	53	171027	43	2	1 [<i>;</i> 254	5	6 08
8	"24 05				34 07	6	8 19
926	17	I	29 58		46 20	7	10 , 29
	167028 30		2	2>: JH		58 33	812 39
			34 30	6	10 46	9	14 49
1	0 42	4	6 45	7	12 58	1800	16 59
	22 54	5	9 00	8	15 11		
3	5 07	6	11 16	9	17 24	1	19 09
4	7 20	7	13 31	1760	19 36		221 19
	59 32	815	47				323 29
6	11 45	9,	18 02	1	21 49	4	25 39
7	13 58	1720	20 17	2	24. 02	5	27 49
8	16 11			3	26 14	6	0,, ? (OO
918	24		122 33	4	28 26	7	2, 10
1680	20 37		224 48	5	<i>Onp</i> 38	8	4 20
			327 03	6	2 50	9	6 31
	122 51		429 18	7	5 03	1810	.8 41
2	25 04	5	1): (33	8	7 14		
	327 17		63 48	9	9 26	1	10 62
	429 30		76 03	1770	11 37	2	13 02
5	<i>:l)-(44</i>	8	8 18			3	<i>Hi</i> 18
6	3 57	9	10 32		113 49	4	17 25
	76 11	173012	47	2	16 01	519 35	
	88 24			3	18 12	6	21 46-
910	38		115 02	4	<i>:W</i> 24	7	23 57
	169012 52		217	16	5 22	35	826 08
		3	19 31	6	24 46	9	28 19
	115 06	421	46	726	58	1820	0 <i>t0</i> 31
	217 19		24 00	8	29 09		
	319 34	6	26 l	9	<i>ltoQJ</i> 20	1	20 42
421	48	7	28 29	1780	3 31	2	4 54
524	02	8	0@43				7 05
626	16	9	2 57	1	5 42	ti	9 17
7	28 31	1740	5 11	2	7 53		9 17
8	0', '45			3.	10 04	6	11 29
9	2 59		17 25	412	15	7	13 40
1700	5 14	2	9 39	5	14 211	8	15 52
		3	11 53	616	36	9	18 04
1	7 28	414	06	718	47	1830	20 17
2	9 43	5	16 20	820	57		

Synodic sound of the planet Cupid

Lord of the sign μ

1640	15S41	1687	20 np30	1734	25 48	1781	0 15	1828	6''('04
1	17 048	21 535	27 13	2		1	39 9 7	28	
2	18 269	23 16		6	28 86	3	3 04	1830	8 51
3	19 49 1	690 24	4 40	7	0 ;? (00	4	4 281	10 15	
4	21 11	1	26 02	8	1	24	5 5 52	2	11 39
5	22 342	27 26			92 48	6	7 16	8	13 03
6	23 568	28 49	1740 4	12		7	8 404 14	26	
7	25 19	4	0 μ 12'	-	1 5 36.	8	10 04	5	15 50
8	26 41	5	1 35		27 00	9	11	29	6 17
13									
9	28 04		62 58	3	8 23	1790	12 53	7	18 37
1650	29 26	7	4 21	4	9 4.7	1	14 17	8	20 01
1	0 [;249		85 44	5	11 11	2	15 419 21	24	
	22 12	9	7 086	12	85	3	17 05	1840	22 48
3	3 34	1700	8 31	7	13	594	18 29	1	24 11
4	4 57	1	9 548 15	23	5 19 532	25	35		
5	6 19	2	11 17	9	16 47	6	21	183	26 58
6	7 42,	3	12 40	1750	18 10	7	22 42	4	28 22
7	9 06	4	14 04	1	19 348	24	06	5	29 45
8	10	27	5 15 27	2	20 589	25	306 1t509		
9	11 50	6	16 503	22	22	1800	26 547	2	32
1660	13 13	7	18 14	4	23 461	28	18	8	3 56
1	14 l:ffi	8	19 39	5	25 10	2	29 429 5	19	
2	15 58	9	21 00	6	26 34		31} (06	1850	6 42
3	17 21 1	1710	22 247 27	58			42	301	8 06
4	18 44	1	23 47	8	29	22	5 3 54	2	9 29
5	20 06	2	25 10	9	0 t6 47	6	5 18	3	10 53
6	21 29	3	26 34 17	60 2	11	7	6 42	4	12 16
7	22 52	4	27 57	1	3 35	8	i 06	5	13 39
8	24 15	5	29 20	2	4 59		99 30	61'	. 02
9	25 38	6	0 nt, 44	3	6 23 1810	10	54	7	16 26
1670	27 01		72 07	4	7 47	1	12 18	8	17 49
1	28 24		83 319	t.	2 13 429	19	12		
2	29 46	9	4. 549	3		15	06 1860	20	36
8	1 np09	1720	6 IS	7	10 85	4	16 30	1	21 59
4	2 32		17 428	11	59 17 54	2	23 22		
5	3 55	2	9 059	18	24 6 19	183	24 45		
6	5	183	10 29	1770	14 48	7	20 424		26 09
7	6 40	4	11 521	16		128	22 06	5	27 32
8	8 035 18	16	2 17 36			9	23 306	28	55
9	9 27	6	14 39	3	19 00	1820	24 53	7	0.m:18
		1680	10	497 16	034 20	241 26	17	8	1 41
		12 12	8	17 27	5	21 48		2	27 419 3 04
	2 13 35		9 18 51		6 28 13	3	29 05	1870	4 27
	3 14 58	1730	20 14	7	24	37	4	0''' ('29	1 5 50
	4 16		211 21 38	9	8 26 025	1 53		2	7 13
5	17 44	2	23 02		27 26		63	163	8 35
6		19	07 .	3	24 25 1780		8 507 4	404	10 00

Ascending node 10 Q, inclination against the ecliptic $1^{\circ}00$ to $1^{\circ}10$?

Synodical run

Year	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
1875	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
6	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	
7	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50		
8	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50			
9	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50				
1880	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50					
1	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50						
2	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50							
3	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50								
4	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50									
5	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50										
6	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50											
7	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50												
8	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50													
9	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50														
1890	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50															
1	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																
2	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																	
3	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																		
4	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																			
5	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																				
6	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																					
7	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																						
8	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																							
9	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																								
1900	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50																									
1	37	38	39	40	41	42	43	44	45	46	47	48	49	50																										
2	38	39	40	41	42	43	44	45	46	47	48	49	50																											
3	39	40	41	42	43	44	45	46	47	48	49	50																												
4	40	41	42	43	44	45	46	47	48	49	50																													
5	41	42	43	44	45	46	47	48	49	50																														
6	42	43	44	45	46	47	48	49	50																															
7	43	44	45	46	47	48	49	50																																
8	44	45	46	47	48	49	50																																	
9	45	46	47	48	49	50																																		
1910	46	47	48	49	50																																			
1	47	48	49	50																																				
2	48	49	50																																					
3	49	50																																						
4	50																																							
5																																								
6																																								
7																																								
8																																								
9																																								
1920																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1930																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1940																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1950																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1960																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1970																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1980																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
1990																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								
2000																																								
1																																								
2																																								
3																																								
4																																								
5																																								
6																																								
7																																								
8																																								
9																																								

The rotational speed of the planet C. through the course of the Ertle is distributed with of the moving sun with 10° each further from the ken-

an, as adjacent-standing. Sun course shows.

Example: Aug. Strindberg born 22 January 1849

Orad. 80° 2' 18' C 1848 38° 56' 30 56'6

Run 268° 17' = - 00 22' Level C = 8° 34'0'

0 Ifd. in 8°- 10° io is beginning of year. If the Sun has not yet reached the place of the planet in the year of birth, the year is

d. Status from the previous-the years, as in the above example.

Fttr Oaten before 1640. apsidal period 262 Jabre + 2° 58'

If the years are added and the increase of the periods is subtracted. If the position before the turn of the year lies within the period increment, the increment must be subtracted from the following year, i.e. the same position of the planet occurs at the turn of the year (8 : 100io) on two years. Example: 00 C 1 year 981

3 periods + 786 10° 35 io - 1767

-8° 54' (3Xadvance) 1° 4J iodaher 1768 11° 59 "io - 89M

0 d C 981 = 3⁸ 05io

