










STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

'PHYSIQUE' Gymnastics Catalog

PARALLEL BARS: Competition & Training (Conforming to FIG Specifications)









| | |
|---|---|
|  | <p>Competition Parallel Bars: 1001 Conforming to FIG Specifications</p> <ul style="list-style-type: none"> - 1001A Taishan, China FIG Approved Fiber Glass with wood veneer finish and maple wood core Fiber Glass Wood veneer finish - 1001B 'PHYSIQUE' Multi-Laminated wooden bars with 16mm \varnothing bar insert <p>Bar Length: 350 cm Height Adjustment: 160 cm – 210 cm Width Adjustment: 42 cm – 62 cm. Including Tie-Down system</p> |
|  | <p>Junior Parallel Bars: 1002</p> <ul style="list-style-type: none"> - 1002A Fiber Glass Wood veneer finish - 1002B Multi-Laminated wooden bars with 16mm \varnothing bar insert. <p>Bar Length: 270 cm Height Adjustment: 120 cm – 160 cm Width Adjustment: 32 cm – 52 cm. Including Tie-Down System</p> |
|  | <p>Low Parallel Bars: 1003</p> <ul style="list-style-type: none"> - 1003A Bar Length: - 350 cm - 1003B Bar Length: - 270 cms <p>Height: 40 cms Width Adjustment: 32 cm – 52 cm. Multi-Laminated wooden bars with 16mm \varnothing bar insert.</p> |
|  | <p>Kids Parallel Bars: 1004</p> <p>Bar Length: 180 cm Height Adjustable: 95 cm – 135 cm Width Adjustable: 32 cm – 52 cm Multi-Laminated wooden bars with 16mm \varnothing bar insert.</p> |
|  | <p>Parallel Bar Landing Mat Configuration: 1005 Total area: 48m² (Conforming to FIG Specifications)</p> <ul style="list-style-type: none"> - Size: 1200cm x 600cm x 20cm (T) - Quantity: 200cm×400cm×20cm (1pcs) / 300cm×190cm×40cm (2pcs of folding mats) / 220cm×265cm×20cm (2pcs) / 247cm×69cm×10cm (1pcs) / 212cm×41cm×10cm (1pcs) / 200cm×200cm×20cm (1pcs) |
|  | <p>Parallel Bar Training Blocks: 1006</p> <p>Block size: 140 (L) x 50 (W) x 120 (H) cm, Width Adjustment: 40 cm to 80 cms. Steel frame with ply top covered with 1" HD XPE foam and non-tearing cover.</p> |
|  | <p>Parallel Bar Spare Rails: 1007</p> <ul style="list-style-type: none"> - 1007A Taishan, China FIG Approved Fiber Glass with wood veneer finish and maple wood core - 1007B Multi-Laminated wooden bars with 16mm \varnothing bar insert |
|  | <p>Crash Move Mat for Parallel Bars: 1008</p> <p>150cm (L) x 90cm (W) x 15cm (H)</p> |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
 Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

HORIZONTAL BARS: Competition & Training (Conforming to FIG Specifications)

| | |
|---|--|
|  | <p>Competition Horizontal Bar: 2001</p> <ul style="list-style-type: none"> - 2001A Taishan, China FIG Approved Spring Steel Bar - 2001B 'PHYSIQUE' 28mmØ heavy duty spring steel <p>Conforming to FIG Specification. Height Adjustment: 270 cm – 305 cm Bar Width: 240 cm</p> |
|  | <p>Multi-Function Horizontal Bar: 2002</p> <p>Height Adjustment: 180 cm – 230 cm Bar Width: 240 cm Bar Ø: 28mm heavy duty spring steel</p> |
|  | <p>Kids Horizontal Bar: 2003</p> <p>Height Adjustment: 1.3 and 1.7m Rail Length: 180cms Bar Ø: 28mm heavy duty spring steel</p> |
|  | <p>Low Single Bar: 2004</p> <ul style="list-style-type: none"> - 2004A 28mm Ø Spring Steel Bar - 2004B 40mm Multi-laminated Wooden Bars <p>Height: 40 cm Length: 240cm Bar Ø: 4cm</p> |
|  | <p>Horizontal Bar Landing Mat Configuration: 2005 Total area: 24m² (Conforming to FIG Specifications)</p> <ul style="list-style-type: none"> - Size: 1200cm × 200cm × 20cm (T) - Quantity: 300cm×200cm×20cm (4pcs) |
|  | <p>Spare Bar for Horizontal Bar with collar: 2006</p> <ul style="list-style-type: none"> - 2006A Taishan, China FIG Approved Spring Steel Bar - 2006B 'PHYSIQUE' 28mm Ø Steel Spring Bar <p>Bar Width: 240 cm Bar Ø: 28mm heavy duty spring steel</p> |
|  | <p>Release Move Mat for Horizontal Bars: 2007</p> <p>Length: 140cm Inner Width: 40mm Thickness: 2" Non-tearing cover with nylon handle.</p> |
|  | <p>Rotation Trainer: 2008</p> <p>High Bar Height: 95 – 130cm Adjustable Low Bar Height: 30cm Bar Length: 180cm Bar Ø: 4 cm</p> |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
 Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

UNEVEN BARS: Competition & Training (Conforming to FIG Specifications)

| | |
|--|---|
| | <p>Competition Uneven Bar: 3001 Conforming to FIG Specifications</p> <ul style="list-style-type: none"> - 3001A Taishan, China FIG Approved Fiber Glass with wood veneer finish and maple wood core - 3001B 'PHYSIQUE' Multi-Laminated wooden bars with 16mm Ø bar insert. <p>High Bar Height: 230 – 280cm Low Bar Height: 150 – 200cm Width: 110 – 1850cm Bar Ø: 4cm Bar Length: 240cm</p> |
| | <p>Junior Uneven Bar: 3002</p> <ul style="list-style-type: none"> - 3002A Fiber Glass Wood veneer finish - 3002B Multi-Laminated wooden bars with 16mm Ø bar insert <p>High Bar Height Adjustable: 210 cm – 240 cm. Low Bar Height Adjustment: 140 cm – 170 cm . Width Adjustment 60 – 140 cm Bar Ø: 4cm. Bar Length: 240cm.</p> |
| | <p>Kids Uneven / Asymmetrical Bars: 3003</p> <p>Bar Ø: 4cm; Bar length: 70cm; Height adjustment of low bar: 95cm - 135cm in 5cm increments Height adjustment of high bar is 155cm-195cm in 5cm increments Distance between Bars: 32 cm – 52 cm.</p> |
| | <p>Uneven Bar Landing Mat Configuration: 3004 Total area: 28m² (Conforming to FIG Specifications)</p> <ul style="list-style-type: none"> - Size: 1400cm × 200cm × 20cm (T) - Quantity: 300cm × 200cm × 20cm (4pcs) / 200cm × 200cm × 20cm (1pcs) |
| | <p>Spare Rails for Uneven Bar: 3005</p> <ul style="list-style-type: none"> - 3005A Taishan, China FIG Approved Fiber Glass with wood veneer finish and maple wood core - 3005B 'PHYSIQUE' Multi-Laminated wooden bars with 16mm Ø bar insert |
| | <p>Release Move Mat for Uneven Bars: 3006 Length: 140cm Inner Width: 40mm Thickness: 2" Non-tearing cover with nylon handle.</p> |

BALANCE BEAM: Competition & Training (Conforming to FIG Specifications)

| | |
|--|---|
| | <p>Competition Balance Beam: 4001 Conforming to FIG Specification.</p> <p>Beam length: 500cm; Upper width: 10cm; Height: 16cm. Height Adjustment: 70 cm – 125 cm in 5 cm increments. Anti-Skid, PU Leather cover.</p> |
|--|---|



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
 Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

BALANCE BEAM: Competition & Training (Conforming to FIG Specifications)

| | |
|--|--|
| | <p>Low Balance Beam: 4002</p> <ul style="list-style-type: none"> - 4002A 5m / 16.5' (L) x 30cm (H) - 4002B 3m / 10' (L) x 30cm (H) <p>Anti-Skid, PU Leather Cover</p> |
| | <p>Foam Balance Beam: 4003</p> <ul style="list-style-type: none"> - 4003A 2.5m (L) x 250mm (B/W) x 150mm (T/W) x 80mm (H) - 4003B 4m (L) x 300mm (B/W) x 200mm (T/W) x 300mm (H) <p>Anti-Skid, PU Leather Cover ** (B/W = Bottom Width; T/W = Top Width)</p> |
| | <p>Widening Board for Balance Beam: 4004</p> <p>Size: 250cm (L) x 20cm (W) Board top made from high density foam and non-skid leatherette cover Features: Special safety belt to be fixed on the balance beam surface, suitable for junior practitioners.</p> |
| | <p>Balance Beam Training Pads: 4005</p> <p>Size: 185 cm (L) x 8cm (W) PU Foam Filler of 1" with heavy duty vinyl cover Can be positioned anywhere on the beam.</p> |
| | <p>Balance Beam Mat Configuration: 4006 Total area: 66m² (Conforming to FIG Specifications)</p> <ul style="list-style-type: none"> - Size: 1700cm x 600cm x 20cm - Quantity: 200cm x 300cm x 20cm (7pcs) / 300cm x 200cm x 40cm (2pcs of folding mat) |

RING TOWER: Competition & Training (Conforming to FIG Specifications)







| | |
|--|--|
| | <p>Competition Rings: 5001 Conforms to FIG Specifications.</p> <ul style="list-style-type: none"> - 5001A Taishan, China FIG Approved Fiber Glass with wood veneer finish and maple wood core - 5001B 'PHYSIQUE' Multi-Laminated wooden rings. <p>Size: 590cm (H) Distance Between Columns: 316 cm Distance Between rings: 50 cm Ring Height Adjustment: 80cm – 270 cms. Rings with good moisture absorption. Damping device is adjustable by rotating the damping spring to adjust the impact absorption strength, and ring height can be adjusted by a lock quickly and simply.</p> |
|--|--|



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

RING TOWER: Competition & Training (Conforming to FIG Specifications)








| | |
|---|---|
|  | <p>Kids Rings: 5002</p> <p>Ring diameter: 16cm; Ring height adjustment: 105 cm – 135 cm in 5 cm increments. Rings are multi-laminated wooden rings. The columns are equipped with special lifting locking handles, can adjust the rings height quickly. The columns and base are connected by special clamp devices, which strengthen the stability and safety.</p> |
|  | <p>Rings Strength Machine: 5003</p> <p>Size: 250 cm (L) × 60 cm (W) × 75 – 125 cm (H). Size of the sliding board: 70 x 34 cm, covered with special fiber leather, inner is plywood board and high-load sponge. Equipped with special rolling devices, which make it slide smoothly. Rings are multi-laminated wooden rings. Features: Smooth sliding, flexible height adjustment, and stable standing.</p> |
|  | <p>Wall Mounted Gymnastics Rings: 5004</p> <p>Multi-Laminated wooden rings. Arm length: 180cm, rings' distance: 50cm. Rings are made of composite wood with good moisture absorption. Height adjustment scope from rings to the ground is 80cm-270cm, adjustable.</p> |
|  | <p>Rings Mat Configuration: 5005 Total area: 12m² (Conforming to FIG Specifications)</p> <ul style="list-style-type: none"> - Size: 600cm×200cm×20cm - Quantity: 300cm × 200cm × 20cm (1pcs) / 200cm×150cm×20cm (2pcs) |
|  | <p>Rings Cross Brace Trainer: 5006</p> <p>Size: 35 cm × 18 cm. The elastic band adopts nylon rubber, and the wide elastic band is built in the framework. Medium elasticity makes arm touching comfortable. The framework is welded by high-quality carbon steel tube and hooks, equipped with special hanging device</p> |
|  | <p>Spare Rings with Nylon Strap and Wire Rope: 5007</p> <ul style="list-style-type: none"> - 5007A Taishan, China FIG Approved Fiber Glass with wood veneer finish and maple wood core - 5007B 'PHYSIQUE' Multi-Laminated wooden rings. |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

POMMEL HORSE: Competition & Training (Conforming to FIG Specifications)








| | |
|---|--|
|  | <p>Competition Pommel Horse: 6001 Conforming to FIG Specifications.</p> <ul style="list-style-type: none"> - 6001A Taishan, China FIG Approved Fiberglass pommels with wood veneer finish and steel core and aluminum base - 6001B 'PHYSIQUE' Multi-Laminated wooden pommels. <p>Size: 160 cm (L) x 35 cm (W) x 28 cm (H) of pommel Anti-Skid, synthetic leatherette cover Pommel Height: 12cm; Distance between Pommels: 40 - 45cm, adjustable; Height Adjustable: 95 cm – 125 cm in 5cm increments.</p> |
|  | <p>Low Pommel Horse: 6002</p> <ul style="list-style-type: none"> - 6002A Fiberglass pommels - 6002B Multi-Laminated wooden pommels. <p>Pommel Top Conforming to FIG Specifications. Size: 160 cm (L) x 35 cm (W) x 28 cm (H) of pommel Anti-Skid, synthetic leatherette cover Pommel Height: 12cm; Distance between Pommels: 40 - 45cm, adjustable.</p> |
|  | <p>Mushroom Trainer: 6003</p> <ul style="list-style-type: none"> - 6003A Adjustable Mushroom Trainer. - 6003B Adjustable Mushroom Trainer with 1 nos. Pommels - 6003C Adjustable Mushroom Trainer with 2 nos. Pommels <p>Mushroom Head: 60cmØ Height Adjustable from 50cm – 70cm in 5cm increments Anti-Skid, synthetic leatherette cover Multi-Laminated wooden pommels.</p> |
|  | <p>Full Rotation Mushroom Trainer: 6004</p> <p>Mushroom Table: 150cmØ Mushroom Head: 60cmØ Height Adjustable from 50cm – 70cm in 5cm increments Anti-Skid, synthetic leatherette cover</p> |
|  | <p>Wall Fixed Mushroom Trainer: 6005</p> <p>Can be used with PHY-6003 & 6004 Wall Mounted frame Height adjustable from 250cm to 300 cm.</p> |
|  | <p>Pommel Horse Mat Configuration: 6006 Total area: 16m² (Conforming to FIG Specifications)</p> <ul style="list-style-type: none"> - Size: 400cm×400cm×10cm - Quantity: 400cmx200cmx10cm (2pcs) Total protection area: 16m² |
|  | <p>Spare Pommel Grips: 6007</p> <ul style="list-style-type: none"> - 6007A Taishan, China FIG Approved Fiberglass pommels with wood veneer finish and steel core and aluminum base - 6007B 'PHYSIQUE' Multi-Laminated wooden pommels. |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
 Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

VAULT: Competition & Training (Conforming to FIG Specifications)



| | |
|---|---|
|  | <p>Competition Vault Table: 7001 Conforming to FIG Specifications. Size: 120cm (H) x 95 cm (W) Moulded Table Top with Anti-Skid, PU Leather Height Adjustable from 105 cm – 135 cm in 5 cm increments with heavy duty steel base Hydraulic based height adjustment system. With base protective pads.</p> |
|  | <p>Spring Boards: 7002 Conforming to FIG Specifications</p> <ul style="list-style-type: none"> - 7002A: Senior: 9 spring: Double Flex Hard 120 cm (L) x 60 cm (W) x 20 cm (H) - 7002B: Senior: 9 spring: Steel Base – Hard 120 cm (L) x 60 cm (W) x 20 cm (H) - 7002C: Senior: 6 Spring: Double Flex Soft 120 cm (L) x 60 cm (W) x 20 (H) - 7002D: Senior: 6 spring: Steel Base – Soft 120 cm (L) x 60 cm (W) x 20 cm (H) - 7002E: Junior: 2 springs: 90cm (L) x 60 cm (W) x 20 cm (H) - 7002F: Junior: 6 springs: 100 cm (L) x 50 cm (W) x 20 cm (H) |
|  | <p>Runway Mat: 7003 Conforming to FIG Specifications Size: 3' (W) x 25m (L) x 25mm / 1" thickness</p> <ul style="list-style-type: none"> - 7003A Made from Crosslink foam with anti-skid and anti-static carpet surface laminated to the foam. - 7003B Made from High Density XPE foam with anti-skid and anti-static carpet surface laminated to the foam. - 7003C Dollamur-FlexiRoll™ Runway Mat with carpet top heat bonded onto foam. |
|  | <p>Round-Off Mat for Spring Board: 7004 Conforming to FIG Specifications. Dimensions: 120 cm (L) x 100 cm (W) x 20 cm (H). Ideal for the safety of gymnasts, especially when performing round-off vaults. Fits all springboards.</p> |
|  | <p>Foam Vaulting Table: 7005 Size: 130cm (L) x 120 cm (H) x 95cm (W) 3 Connecting Pieces for use in men's or women's vaulting programs Add or remove blocks to adjust height Top Block 36"W x 46"L x 24"H Centre Block 36"W x 46"L x 15 1/2"H Bottom Block - 36"W x 46"L x 12-1/2"H</p> |
|  | <p>Vault Hand Mat: 7006 Specs: 1.2m x 1m x 30mm Thick HD XPE Foam with Anti-Skid PU Leather Cover</p> |
|  | <p>Vault Mat Configuration: 7007 Total area: 16m² (Conforming to FIG Specifications)</p> <ul style="list-style-type: none"> - Size: 800cm x 300cm x 20cm - Quantity: 300cm x 200cm x 20cm (4pcs) Total area: 24m² |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

VAULT: Competition & Training (Conforming to FIG Specifications)

| | |
|---|--|
|  | <p>Vaulting Horse: 7008</p> <p>Size: 125 cm (L) x 78 cm (W) x 125cm (H) Made of Teakwood 4 section Vaulting Horse 2" Cushion top.</p> |
|  | <p>Vaulting Buck: 7009</p> <p>Moulded Table Top with Anti-Skid, synthetic leatherette cover</p> <ul style="list-style-type: none"> - 7009A Small Vaulting Buck: Buck Size: 50 cm (L) x 35 cm (W) x 28 cm (H) Height Adjustable: 80 cm – 110 cm in 5cm increments - 7009B Large Vaulting Buck: Buck Size: 60 cm (L) x 35 cm (W) x 28 cm (H) Height Adjustable: 100 cm – 140 cm in 5cm increments |

FLOOR EXERCISE: Competition & Training (Conforming to FIG Specifications)

| | |
|---|--|
|  | <p>Artistic Gymnastic Floor: 8001 Conforming to FIG Specifications. Size: 14m x 14 m / Performance Area: 12m x 12m Carpet size 14m x 2m x 7nos. Performance area marked by adhesive velcro Floor system consists of 66 nos. floor panels of 18mm marine ply with springs positioned precisely to achieve best performance. Connected by aluminum H-Channels, PP Plates for Joint flexibility and velcro strapping to secure the floor Covered with 50mm thick imported laminated carpet top cushion. Joints covered by Velcro Side Blocks to close the complete system.</p> |
|  | <p>Rhythmic Gymnastics Floor: 8002 Size: 14m x 14m, Conforming to FIG Specifications. Imported RG Carpet: 14m x 14m. 3 strips of 14m x 4m & 1 strip of 14m x 2m Carpet size 14m x 2m x 7nos. Performance area marked by adhesive velcro Floor system consists of dynamic floor panels of 9mm + 9mm marine ply with imported EVA foam blocks of 70mm x 70mm x 70mm (H) laminated to the ply. Dynamic ply with interconnecting brackets have a perfect stable floor. Covered with 10mm thick laminated cushion. Carpet joint with velcro beneath the surface.</p> |
|  | <p>Tumbling Strip: 8003</p> <ul style="list-style-type: none"> - 8003A Dollamur-FlexiRoll™ carpet top: Imported 12m (L) x 2m (W) x 50mm (T) rolls of high-density crosslink foam – 1 piece. Side blocks covers for strip. - 8003B High Density Cross Link XPE Foam with anti-static and anti-skid carpet. - 14m (L) x 2m (W) <p>Sprung Floor with 90mm springs and nylon caps with Cross link block supports of 50mm x 50mm x 70mm 18mm heavy marine ply with PP interconnectors and aluminium H-channels.</p> |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

TRAMPOLINE: Competition & Training (Conforming to FIG Specifications)

| | |
|--|--|
| | <p>Competition Trampoline: 1152 Conforming to FIG Specifications Frame: 520 x 305 x 115cm Jumping Bed: 426 x 213cm Web Bed with stitched in anchor bars Springs: 110 Steel Springs + 08 Corner Springs Frame Pads: 32mm Roller Stands: 1 pair lifting roller stands</p> |
| | <p>Competition Double-Mini Trampoline: 1096 Frame: 350 x 190 x 70cm Jumping Bed: 292 x 92cm Web Bed: 13mm nylon web bed with stitched in anchor bars Springs: 98 Steel Springs + 08 Corner Springs Frame Pads: 32mm Roller Stands: 1 pair lifting roller stands</p> |
| | <p>Minitramp: 1079 Frame 126 x 126 cm Jumping Bed 70 x 70 cm 6 x 6 mm Nylon Wed Bed Frame Pads, 40 springs.</p> |
| | <p>Open – End Minitramp: 1095 Frame 140 cm (L) x 130 cm (W) Jumping Bed 90 x 64 cm 6 x 6 mm Nylon Wed Bed Height Adjustable: 40 – 60 cm Frame Pads, 28 springs.</p> |
| | <p>Vault Trampoline: Frame 136 cm (L) x 100 cm (W) Jumping Bed 93 x 57 cm 13 x 13 mm Nylon Wed Bed Height Adjustable: 27 – 34 cm Frame Pads, 52 springs.</p> |
| | <p>Trampoline Track: 1087 Frame: 2m (W) x 20m (L) Sections Size: 2m (L) x 2m (W) Jumping Bed: 140cm (W) 13 x 3 mm Nylon Wed Bed Height: 60 cm. Frame Pads, 28 springs.</p> |
| | <p>Air Track: 1217</p> <ul style="list-style-type: none"> - 1217A: 10m x 1.55m x 100mm - 1217B: 20m x 1.55m x 100mm - 1217C: 24m x 2m x 200mm - 1217D: 12m x 2m x 200mm |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

MATS: Competition & Training (Conforming to FIG Specifications)













| | |
|--|--|
| | <p>Gymnastic Mats: 9001</p> <ul style="list-style-type: none"> - 9001A: 6' x 4' x 10 cm Soft Mats - 9001B: 6' x 4' x 20 cm Soft Mats - 9001C: 6' x 4' x 20cm Firm Mats - 9001D: 6' x 4' x 50mm Gymnastic Mats with velcro on sides. - 9001E: 6' x 4' x 50mm 3 fold gymnastic mats |
| | <p>Gymnastic Crash Mats: 10100</p> <ul style="list-style-type: none"> - 10100A: 3m x 2m x 10cm soft supplementary mat. - 10100B: 3m x 2m x 20 cm - 10100C: 3m x 2m x 30 cm <p>Combination of High Density EPE and PU Foam. Heavy Duty 18Oz vinyl cover with carry handles</p> |
| | <p>Gymnastic Crash Mats: Foldable Soft Mat: 11100</p> <p>Made of High Density PU Foam. Heavy Duty 18Oz vinyl cover with carry handles Size: 6m x 2m x 10cm Thick – Foldable 3m x 2m x 20 cm when folded</p> |
| | <p>Supplementary 10cm Throw Mats: 12100 Conforming to FIG Specifications</p> <ul style="list-style-type: none"> - 12100A: 1.1m x 1.5m x 10cm - 12100B: 1.2m x 2.4m x 10cm - 12100C: 1.5m x 3m x 10cm - 12100D: 1.5m x 3m x 10cm – Firm Mat - 12100E: 2.1m x 3m x 10cm <p>18 oz. vinyl are used on the top and sides for durability Mesh bottom panel accommodate rapid air release and reduces slippage Polyurethane foam filler is 4" (10cm) thick</p> |
| | <p>Dollamur FlexiRoll™ Mats:</p> <ul style="list-style-type: none"> - 2m width. Length upto 40m - Anti-skid and anti-static carpet top heat bonded onto cross link foam. - Thickness from 30mm to 50mm - Multiple mats can be used to make a seamless Gymnastics Floor. - Velcro Joints <p>'PHYSIQUE' Roll – Up Mats:</p> <ul style="list-style-type: none"> - PHYFR50: 6'(W) x 50mm (T) - Acrylic Anti-Skid and Anti-Static Carpet Lamintated onto HDEPE Foam |
| | <p>Inflatable Mats: 13100</p> <ul style="list-style-type: none"> - 13100A: 1.5m x 1.5m x 200mm - 13100B: 2m x 1m x 100mm - 13100C: 2m x 1m x 200mm - 13100D: 3m x 1.5m x 100mm - 13100E: 4m x 2m x 100mm <p>Blower Included</p> |
| | <p>Inflatable Inclines Mats: 14100</p> <ul style="list-style-type: none"> - 14100A: 1.5m x 1m x 300mm – Small - 14100B: 2m x 1.5m x 400mm – Medium - 14100C: 2m x 1m x 600mm – Large - 14100D: Inflatable Springboard – 1.2m x 60cm x 100mm |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

Training Tools:

















| | |
|--|--|
|  <p>Spotting Blocks:</p> <p>Small: 00160A 50cm(L) x 50cm(W) x 50 cm(H)</p> <p>Large: 00160B 80cm(L) x 80cm(W) x 80cm(H)</p> |  <p>Handstand Bouncer: 00170</p> <p>Height Adjustable: 100 – 150 cm Length of Bar: 1.6m Flexi Strip with foam roller.</p> |
|  <p>Parallettes: 00180</p> <p>All imported beech wood 40mm Ø 40 cms (L) 00180-A 80 cms (L) 00180-B</p> |  <p>Wall Bar Bend: 00190</p> <p>90 cm(L) x 50 cm(W) x 42 cm(H)</p> |
|  <p>Wall Bars: 00200</p> <p>Sections of 8' x 3' Made of Beechwood 16nos oval rungs PU finish</p> |  <p>Gymnastic Bench: 00210</p> <p>10' (L) x 1' (H) Made of Beech Wood. Includes wall bar attachments.</p> |
|  <p>Spotting Platform for Horizontal Bar: 00220</p> <p>100cm x 45cm Platform Height Adjustable: 140 – 180 cm</p> |  <p>Spotting Platform for Parallel Bars: 00230</p> <p>245cm x 25cm Platform Height adjustable: 55 – 80cm</p> |
|  <p>Spotting Platform for Uneven Bar: 00240</p> <p>100cm x 45cm Platform Height Adjustable: 140 – 180 cm</p> |  <p>Spotting Platform for Rings: 00250</p> <p>100cm x 45cm Platform Height Adjustable: 140 – 180 cm</p> |
|  <p>Alpha Rocker: 00260</p> <p>Great tool for training handstand skills and strength that transfer not only to Rings but also Parallel Bars, and Beam. Rocking motion helps focus on stabilizer muscles.</p> |  <p>360° Tossing Frame with Belt: 00270</p> <p>640cm (H) x 240 Cm (W) Leather belt with twisting frame with nylon rope Pulley system made from 6mm wire rope which is equipped with quick rope tightening device to guarantee quick rope tensioning..</p> |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

KIDS FOAM MODULES: Balance / Stability / Motor Skill Development and Training Aids







| | |
|--|--|
|  <p>Wedge: 00100A 80cm x 60cm x 38 / 3cm (S) 00100B 120cm x 60cm x 38 / 3cm (M) 00100C 185cm x 90cm x 41 / 3cm (L)</p> |  <p>Mailbox: 00900 00900A 90cm x 50cm x 41cm. 00900B 100cm x 50cm x 40cm</p> |
|  <p>Foldable Wedge: 00200A 185cm x 125cm x 40 / 3 cm (S) 00200B 305cm x 150cm x 55 / 2cm (L)</p> |  <p>Colour ball: 01000 0100A 95cm (od) x 50cm (id) x 90cm (h) (small) 0100B 85cm (od) x 45cm (id) x 100cm (h) (large)</p> |
|  <p>Straight Wedge: 00300 140cm x 70cm x 70cm</p> |  <p>Octagon: 01100 01100A 35cm ϕ x 60cm (h) 01100B 50cm ϕ x 75cm (h) 01100C 75cm ϕ x 90cm (h)</p> |
|  <p>Wave Wedge: 00400 120cm x 60cm x 60cm</p> |  <p>Cylinders with cradle: 01200 01200A 20cm ϕ x 40cm (h) 01200B 30cm ϕ x 120cm (h) 01200C 50cm ϕ x 70cm (h) 01200D 65cm ϕ x 120cm (h)</p> |
|  <p>Mid Triangle: 00500 110cm x 82cm x 60 / 3cm</p> |  <p>Flexible semi-circle cylinders: 01300 185cm x 95cm x 95cm (3 in one)</p> |
|  <p>Slope Ladder Mat: 00600 60cm x 80cm x 20cm x 30cm</p> |  <p>Semi-Circle: 01400 40cm ϕ x 60cm thickness</p> |
|  <p>Foam Rings: 00700 0070A: 120cm (od) x 60cm (id) x 30cm (thick) (small) 0070B: 135cm (od) x 75cm (id) x 45cm (thick) (large)</p> |  <p>Octagon Ring: 01500 120cm (od) x 65cm (id) x 40cm thickness</p> |
|  <p>Handspring Trainers: 00800 00800A Small Trainer 32" 00800B Medium Trainer 36" 00800C Handspring Trainer 48"</p> |  <p>Foam Trapezoid: 01600 Top width 38cm, Bottom width 90cm, Length 1.2 m, Height of 0.3 - 1.2 m, Combination of epe and pu foam.</p> |



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
 Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

KIDS FOAM MODULES: Balance / Stability / Motor Skill Development and Training Aids

| | |
|--|--|
|  <p>Step-Ups: 01700 01700A 40cm x 40cm x 20cm (small step ladder) 01700B 60cm x 55cm x 35cm (2-step) 01700C 85cm x 60cm x 55cm (3-step) 01700D 140cm x 70cm x 70cm (5-step)</p> |  <p>Bridge: 01800 01800A 130cm x 60cm x 50cm (3 Step Ladder Bridge) 01800B 280cm x 70cm x 70cm (5 Step Ladder Bridge)</p> |
|  <p>Jump Blocks: 01900 01900A 60cm(L) x 15cm(W) x 15cm (T) 01900B 60cm (L) x 20cm (W) x 15cm (T) 01900C: 60cm (L) x 25cm (W) x 15cm (T) 01900D 60cm (L) x 30cm (W) x 15cm (T)</p> |  <p>Semi-Circle Rings: 02000 02000A 120cm (OD) x 60cm (ID) x 30cm Thickness 02000B 130cm (OD) x 75cm (ID) x 45cm Thickness</p> |
|  <p>Cylinder Combination: 02100 3 In 1 Combination Foam Module</p> |  <p>Foldable Block: 02200 60cm x 60cm x 5 cm Thick 2.4m (L) x 60cm (W) x 5cm (T) when open</p> |



We are exclusive country representatives for TAISHAN, China & EUROTRAMP, GmbH

We undertake complete turnkey solutions for design and installation of training and FIG Competition Arenas.



STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
 Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com



GYMNASTIC NUTRITION.. get it right!..

The only Certified Dope Free Company in India

Nutra Supplement products are dope free certified batch-wise from Banned Substance Control Group (Gold Standard), LA, USA.



DOPE FREE SUPPLEMENTS FOR GYMANSTICS

TRAINING PHASE / COMPETITION PHASE:



POST COMPETITION PHASE:






STANDARD SPORTS INDUSTRIES PVT. LTD.

36/2, Dhandekar Godown, Kondhwa Budruk, Pune – 411 048
Contact: 8806396501 / 94033 21450 / stan_sports@rediffmail.com

COMPETITION LAYOUT FOR MENS ARTISTIC GYMNASTICS



COMPETITION LAYOUT FOR WOMENS ARTISTIC GYMNASTICS

