



**NISSAN AND INFINITI TRUCK TRANSPORT LOADING MATRIX**  
**SOFT TIES ONLY \*\* NO CHAINS AND NO LASSO ALLOWED \* No Plastic Wrap on Front or Rear Glass**  
**CLOSE FUEL DOORS \*changes are in red**

NISSAN & INFINITI MODELS	VERY LOW CLEARANCE 3MPH MAX LOAD SPEED	LOW CLEARANCE 5MPH MAX LOAD SPEED	4 DEGREE LOAD ANGLE OR LESS	6 DEGREE LOAD ANGLE OR LESS	NO RAMP TRANSITION GREATER THAN 1.5"	FRONT OR REAR FACING ONLY	CRITICAL TRAILER POSITION	DECK PREFERENCE	OTHER SPECIAL HANDLING
<b>NISSAN MODELS</b>									
<b>NISSAN STRONGLY RECOMMENDS FOLDING EXTERIOR MIRRORS PRIOR TO LOADING *** USE POWER SWITCH to FOLD MIRRORS when AVAILABLE</b>									
<b>ALTIMA</b>	SLOW drive on speed - low ground clearance		4 degree load angle		X	Back On: Head Rack, behind the cab and in the belly.			Shallow pocket settings at head rack and behind the cab
<b>ARMADA</b>									
<b>FRONTIER</b>	<b>NO RESTRICTIONS</b>								
<b>GTR NISMO, MATTE and TRACK editions</b>	<b>*** FULLY ENCLOSED TRAILER WITH HYDRAULIC LIFTGATE – NO EXCEPTIONS ***</b>								
<b>KICKS</b>	<b>NO RESTRICTIONS</b>								
<b>LEAF 45Kw and 60Kw E Plus Model</b>		X			X				low front air dam clearance has risk at wide transitions
<b>MAXIMA</b>	CAUTION: low front fascia/air dam clearance SLOW drive on speed - low ground clearance		4 degree load angle		Transitions MUST BE FULLY CLOSED	Back On: Head Rack, behind the cab and in the belly.	Ramps must be fully extended		Shallow pocket settings at head rack and behind the cab
<b>MURANO</b>	Drive On to Head Rack Preferred								
<b>NV200 and TAXI</b>				X					
<b>NV Standard and BUS Roof</b>				X					
<b>NV HIGH Roof</b>				X	Low Clearance to Exhaust		Top Deck REAR facing ONLY		CAUTION: Height and overhang clearances
<b>PATHFINDER</b>									Crossbar units not recommended on head rack or behind the cab
<b>ROGUE</b>	<b>No Restriction 20MY &amp; 21MY Same loading standard for Rogue &amp; Rogue HEV edition</b>								



**NISSAN AND INFINITI TRUCK TRANSPORT LOADING MATRIX**  
**SOFT TIES ONLY \*\* NO CHAINS AND NO LASSO ALLOWED \* No Plastic Wrap on Front or Rear Glass**  
**CLOSE FUEL DOORS \*changes are in red**

NISSAN & INFINITI MODELS	VERY LOW CLEARANCE 3MPH MAX LOAD SPEED	LOW CLEARANCE 5MPH MAX LOAD SPEED	4 DEGREE LOAD ANGLE OR LESS	6 DEGREE LOAD ANGLE OR LESS	NO RAMP TRANSITION GREATER THAN 1.5"	FRONT OR REAR FACING ONLY	CRITICAL TRAILER POSITION	DECK PREFERENCE	OTHER SPECIAL HANDLING
<b>SENTRA</b> NO RESTRICTIONS									
<b>SENTRA NISMO</b>	SLOW drive on speed - low ground clearance			X					BACK ON ONLY * SEE QUALITY BULLETIN
<b>TITAN XD Crew Cab</b>	SLOW drive on speed - mirror clearance						NO LOADING IN BOTTOM BELLY CANNOT OPEN DOORS		CAUTION: Limited mirror clearance
<b>TITAN Crew Cab Gas</b>									
<b>VERSA</b>		X							
<b>VERSA NOTE</b>		X		X					
<b>370Z COUPE</b>	VERY LOW CLEARANCE TO UNDER CARRIAGE AND BODY		X					Upper	5" CLEARANCE FOR FT FASCIA AND UNDERCARRIAGE
<b>370Z NISMO</b>					X	REAR ONLY			Bottom last position or upper rear three positions ONLY
<b>INFINITI MODELS</b>									
<b>NISSAN STRONGLY RECOMMENDS FOLDING EXTERIOR MIRRORS PRIOR TO LOADING ***USE POWER SWITCH to FOLD MIRRORS when AVAILABLE</b>									
<b>Q50 Sedan</b>	X		X		X	REAR facing bottom 1st two spots and head rack	HEAD RACK: 2 hole shallow pocket, deck must be level		Bottom rear ramp MUST be low and fully extended
<b>Q60 Coupe</b>					X	REAR facing on Head Rack			
<b>QX50 Crossover</b> NO RESTRICTIONS									
<b>QX55</b> NO RESTRICTIONS									
<b>QX60 Crossover</b>									Crossbar units not recommended on head rack or behind the cab
<b>QX80 SUV</b>									



**NISSAN AND INFINITI TRUCK TRANSPORT LOADING MATRIX**  
**SOFT TIES ONLY \*\* NO CHAINS AND NO LASSO ALLOWED \* No Plastic Wrap on Front or Rear Glass**  
**CLOSE FUEL DOORS \*changes are in red**

NISSAN & INFINITI MODELS	VERY LOW CLEARANCE 3MPH MAX LOAD SPEED	LOW CLEARANCE 5MPH MAX LOAD SPEED	4 DEGREE LOAD ANGLE OR LESS	6 DEGREE LOAD ANGLE OR LESS	NO RAMP TRANSITION GREATER THAN 1.5"	FRONT OR REAR FACING ONLY	CRITICAL TRAILER POSITION	DECK PREFERENCE	OTHER SPECIAL HANDLING
--------------------------	--	-----------------------------------	-----------------------------	-----------------------------	--------------------------------------	---------------------------	---------------------------	-----------------	------------------------