

SAFETY DATA SHEET Fabric Softener

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, December 2011

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name Fabric Softener. Fabsoft

Internal identification Soft

Relevant identified uses of the substance or mixture and uses advised against

Application Fabric conditioner and antistatic agent

Uses advised against Use only for intended applications.

Details of the supplier of the safety data sheet

Supplier/Manufacturer Genesis Industrial Pty Ltd

6 Ginger Street Paget, QLD, 4740 07 4999 9743

david@genesisindustrial.com.au

Contact Person Poisons Information 131126 or David Yates 0424785349

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Skin Irrit. 2 - H315 Eye Irrit. 2A -

Health hazards H319

Environmental hazards Aquatic Chronic 3 - H412

Label elements

Pictogram



Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

Harmful to aquatic life with long lasting

H412 effects.

Fabric Softener

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing

and wash before reuse.

P501 Dispose of contents/ container in accordance with national regulations.

Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition and information on ingredients

Mixtures

Cetrimonium chloride	1-10)%
CAS number: 112-02-7		
M factor (Acute) = 10	M factor (Chronic) = 1	

Classification

Acute Tox. 4 - H302 Acute Tox. 3 - H311 Skin Corr. 1C - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measures

General information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical

personnel.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms

are severe or persist.

Ingestion Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not

induce vomiting unless under the direction of medical personnel.

Skin Contact Rinse with water.

Eye contact Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart.

Get medical attention if any discomfort continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

New category

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Revision date: 14/07/2020

Fabric Softener

Revision: 1

Inhalation No specific symptoms known.

Ingestion May cause irritation.

Skin contact Redness. Irritating to skin.

Eye contact Irritating to eyes.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon

dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the

surrounding fire.

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

Special hazards arising from the substance or mixture

Containers can burst violently or explode when heated, due to excessive pressure build-

Specific hazards

Hazardous combustion

products

firefighting

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

Advice for firefighters

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat

Protective actions during

water spray and remove them from the fire area if it can be done without risk. Cool

containers

exposed to flames with water until well after the fire is out. If a leak or spill has not ignited,

water spray to disperse vapours and protect men stopping the leak. Avoid discharge to

the

aquatic environment. Control run-off water by containing and keeping it out of sewers and

watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate

protective

clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS

for firefighters

(for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS

(for protective gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall

Personal precautions

taken without appropriate training or involving any personal risk.

Environmental precautions

Environmental

precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the

aquatic environment.

Methods and material for containment and cleaning up

13.

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

Dangerous for the environment. Do not empty into drains. For waste disposal, see Section

Fabric Softener

Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on

 $health\ hazards.\ See\ Section\ 12\ for\ additional\ information\ on\ ecological\ hazards.\ For$

waste disposal, see Section 13.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Read and follow manufacturer's recommendations. Wear protective clothing as

Usage precautions described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding

stuffs.

Handle all packages and containers carefully to minimise spills. Keep container tightly

sealed

when not in use. Avoid the formation of mists. Avoid discharge to the aquatic

environment.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash

before reuse. Wash contaminated clothing before reuse.

Conditions for safe storage, including any

incompatibilities

Keep only in the original container. Keep container tightly closed, in a cool, well

Storage precautions ventilated

place. Keep containers upright. Protect containers from damage.

Storage class Miscellaneous hazardous material storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls and personal protection

Control parameters

Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time

glove material. To protect hands from chemicals, gloves should comply with

Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove

manufacturer, check during use that the gloves are retaining their protective properties and change

them as soon as any deterioration is detected. Frequent changes are recommended.

SO

protection

Other skin and body

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures eating,

Wash hands thoroughly after handling. Wash at the end of each work shift and before smoking and using the toilet. Do not eat, drink or smoke when using this product.

Fabric Softener

Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and

the

filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with

replaceable

filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half

mask

and quarter mask respirators with replaceable filter cartridges should comply with

Australia/New Zealand Standard AS/NZS 1716.

Environmental exposure

controls

environmental

Keep container tightly sealed when not in use. Emissions from ventilation or work process

equipment should be checked to ensure they comply with the requirements of

protection legislation. In some cases, fume scrubbers, filters or engineering modifications

to

the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Coloured liquid.

Colour Pink.

Odour Floral.

Specific Gravity 1.0

SECTION 10: Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

No potentially hazardous reactions known.

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity - oral

Based on available data the classification criteria are not

Notes (oral LD₅₀) met.

ATE oral (mg/kg) Acute toxicity - 32,679.74

dermal

Based on available data the classification criteria are not

Notes (dermal LD₅₀) met.

ATE dermal (mg/kg) 19,607.84

Acute toxicity inhalation Notes (inhalation LC₅₀) Skin

corrosion/irritation

Based on available data the classification criteria are not

Fabric Softener

Animal data Irritating.

Serious eye damage/irritation

Serious eye

damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data the classification criteria are not

Respiratory sensitisation met.

Skin sensitisation

Based on available data the classification criteria are not

Skin sensitisation met.

Germ cell mutagenicity

Genotoxicity - inBased on available data the classification criteria are not

vitro n

Carcinogenici

ty

Based on available data the classification criteria are not

Carcinogenicity met.

IARC carcinogenicity

Reproductive

toxicity

None of the ingredients are listed or exempt.

Reproductive toxicity -

fertility

Based on available data the classification criteria are not

met.

Based on available data the classification criteria are not

Reproductive toxicity -

development

met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration

hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms known.

Ingestion May cause irritation.

Skin Contact Redness. Irritating to skin.

Eye contact Irritating to eyes.

Route of entry Ingestion Inhalation Skin and/or eye contact

Target Organs No specific target organs known.

SECTION 12: Ecological Information

Toxicity

Persistence and degradability

Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

Persistence and degradability Bioaccumulative potential

The degradability of the product is not known.

Bioaccumulative Potential

No data available on bioaccumulation. Mobility in

soil

Fabric Softener

Mobility No data available.

Results of PBT and vPvB assessment

Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product

should

be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

Disposal methods Dispose of waste via a licensed waste disposal contractor.

SECTION 14: Transport information

The product is not covered by international regulations on the transport of dangerous

goods

(IMDG, IATA, ADR/RID).

UN number

General

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Inventories

Australia - AICS

None of the ingredients are listed or exempt.

SECTION 16: Any other relevant information

Fabric Softener

Training advice Only trained personnel should use this material.

Revision date 14/07/2016

Revision 1

SDS No. 4811

The following risk and hazard statements are to be considered a glossary. They relate to

General Information the

raw materials used in this product and therefore may not be accurate for the finished

product

itself. For the complete risk and hazard statements for this product please refer to section

2 of

this Safety Data Sheet

Hazard statements in full H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.