



Center of Advance Learning in Research & Development Department of Reproductive Biology


WEBINAR

Fertility Awareness: My Body Changing

Presented by

Dr. Faiza Rao

Why World Fertility Day is so Important?





<u>China:</u> My brother-in-law said to us once without respect that we won't know how to teach children _____ since we do not have any. We felt insulted.

Ghana: The people in my community are real gossips. They talk too much. They gossip a lot about it. Sometimes I pass by some places and all that I see is people pointing fingers at me



Iran: I like to be alone at home and do not like to go anywhere. A woman who does not have a child must _ stay at home.

Kenya: Our culture demands that, for a woman to be socially acceptable, she should have at least one biological child.

Pakistan: Now whenever I go to any family gathering, right away they ask me this question. It feels very strange. When someone comes to meet me at my house they ask the same question. I feel very hurt that why do people say this thing.

Turkey: My depression is [primarily] because of my neighborhood. Whenever I socialize, they ask me questions like, 'Don't you have a child?'... If I say that I am trying to get a tube baby, it will fly around immediately and we will become a subject of gossip




United States: My maternal instinct is being denied. It's a slap in the face. I feel like I'm isolated in a prison; I have no one who understands how horrible this is. People don't know what to say to you ... I think I'm alternatively dealt with as either someone who has died or that have a handicap

United Kingdom: Whenever people ask when I'm going to have children, I tell them I can't have kids, and they look at me like I've handed them a dead puppy. People don't know how to react and often say the completely wrong thing – usually along the lines of "lucky you, kids are a nightmare" or "just relax and it will happen" – not helpful.




"A disease of the reproductive system defined by the failure to achieve a clinical pregnancy after 12 months or more of regular unprotected sexual intercourse."


Infertility is recognized as an illness by the Worlds Health Organization.



When couples are not able to become pregnant After at least 1 year (six months in case of women age >= 35) of having regular unprotected sexual intercourse.

When couples have been able to get pregnant atleast once, but second time is unable to do so. Fertility rate for Pakistan in given years shown births per woman





Dr. Naheed Rana, November 7, 2019

Female Fertility Timeline








immature egg follicles 1 to 2 million

About 400,000 eggs remain at start of menstruation







As the body ages, it has fewer follicles.



Chances of


conceiving are low





8

Infertility Risk Factors



Fertility


Because a woman's ability to conceive children **diminishes over time**, understanding what factors affect it can help women improve fertility with ease.





Infertility Treatment

Infertility in Men and Women can also be treated with Assisted Reproductive Technology (ART).









Infertility Treatment

Infertility in Men and Women can also be treated with Assisted Reproductive Technology (ART).





Conclusion





Major Fertility Breakthroughs

The first IVF baby, Louise Joy Brown, was born in 1978, and since then millions of parents have welcomed babies born via this procedure.





Wide-eyed Louise Brown pictured in hospital 18 hours after she was born. Today she's doing well. See Page Three



Decades after the first baby was conceived with frozen sperm, the first birth from a frozen embryo came along in 1984, followed 2 years later by the first birth from a frozen egg.



IVF specialists now perform chromosomal screens on 5-day-old embryos, offering a more extensive genetic analysis than earlier tests in which younger embryos were screened. The technique may increase the rate of successful pregnancies and cut miscarriage rates in half by identifying healthier embryos for implantation.





Major Fertility Breakthroughs

Using time-lapse imaging, IVF embryos are monitored in the lab for 5-6 days to determine when they develop into blastocysts. The technique allows those embryos that appear to be developing most normally to be selected for implantation.

