




COHILLS
PRO SERIES®


METAL ESSENCE
METALLICS




STANDARD COLLECTION




ARIZONA GOLD




AUTUMN BLAZE




CAPPUCCINO




CARIBBEAN BLUE



CHESTNUT



COPPER




GALAXY BLUE



MERLOT




PURPLE HAZE



QUICK SILVER




STERLING



TUSCAN SUN



PREMIER COLLECTION




SEQUOIA



BLURPLE



BURLYWOOD



CINNABAR



CERULEAN BLUE




CELESTIAL BLUE




MANGO TANGO



MAYAN GOLD



ONYX




PERFECT STORM

DESIGNER COLLECTION




ALUMINUM




AVOCADO



BUTTERSCOTCH




COCOA



DEEP PURPLE




DENIM




EMERALD GREEN



JET BLACK




KHAKI




MAHOGANY




MOTHER OF PEARL




PEACH



PLUM




ROSE



STEEL




SUNRISE




TEAL




KIDZ COLLECTION



CABANA BANANA



GRAPE



JADE



LIME GREEN



RACER BLUE



PINK




SURFS UP

The color selector is designed to assist you in making your selection for Cohills® Metal Essence Metallic epoxy colors. Metal Essence Metallic pigment packs are measured by weight (not volume) and are designed to be added to a variety of clear vehicles including, but not limited to 100% solids epoxy, polyaspartics and polyurethanes all creating different effects. Metal Essence Metallic pigment packs are packaged in two sizes, small and large. 1 small pigment pack should be added to 1 quart of material or 1 large pigment pack should be added to 1-1½ gallons of material. To ensure proper color, the entire contents of the Metal Essence Metallic pigment pack should be used. Be sure to thoroughly read all application data on whatever vehicle you are adding the Metal Essence Metallic pigment packs to. Mix thoroughly for 3 minutes to insure proper dispersion.

FOR USE IN:

- HOMES
- SALONS
- OFFICES
- GARAGES
- RESTAURANTS
- SHOWROOMS



Due to reproduction limitations, it is necessary that we reserve the right to allow for reasonable variations of application. Printed colors show approximate color without affect of dispersing techniques, finishing techniques or application procedure. Variation of application will also affect the final appearance. It is highly recommended that you do a sample test area before installation. An instructional DVD is available upon request.

***Refer to Cohills® Technical Bulletin CBS082013
Warranty-Disclaimer-Precautions for additional information.**

Cohills Building Specialties, Inc.®
3825 East Anne Street • Phoenix, AZ 85040
Phone: 602-266-0462 • Toll Free: 877-709-2220
©2014 All Rights Reserved Cohills Building Specialties, Inc.®
www.cohills.com