







GRANDER SOCIATION



TO RESTAURANT O PERATORS GETTING READY TO REO PEN...

The purpose of guidance is just that, to offer you direction and provide a framework for best practices as you reopen.

But as the saying goes, the devil is in the details, and not every restaurant is the same and not every opening scenario will align. We recognize that not everyone has access to guidance, and that is where the Georgia Restaurant Association and the National Restaurant Association can provide help.

- Make sure your person-in-charge has an up-to-date ServSafe Food Manager certification. The Food and Drug Administration requires every facility to have a person in charge on site during open hours and also directs that the person in charge should have a food manager certification.
- Provide ServSafe food handler training for your workers.
 They're your front line; educating them protects them, you and your guests.
- Make technology your friend. Contactless payment systems, automated ordering systems, mobile ordering apps, website updates and simple texts can help you to communicate and conduct business with reduced need for close contact. As you begin to reopen, keep communicating with customers (your hours, menu items, reservations, etc.), and help promote your social distancing and safety efforts.
- And some of the best advice comes from the Food and Drug Administration, which develops the Food Code we all rely on. Its newest guide, Best Practices for Retail Food Stores, Restaurants, and Food Pick-Up/Delivery Services During the COVID-19 Pandemic, was just released. You can link to it here.

As we continue to learn more about operating businesses during the COVID-19 pandemic, it's important to share with you the most current direction and advice from the experts at FDA, the Centers for Disease Control and Prevention, the Environmental Protection Agency, and other agencies. These documents will continue to reflect those best practices and will continue to be updated.

REOPENING GUIDANCE TASK FORCE

Frank Yiannas,

Deputy Commissioner, Food Policy & Response, FDA

Dr. Mark Moorman,

Director, Office of Food Safety, FDA

Dr. David McSwane,

Executive Director, Conference for Food Protection

Dr. Benjamin Chapman,

Professor, Food Science, North Carolina State University

Dr. Donald Schaffner,

Distinguished Professor, Food Science, Rutgers University

Patrick Guzzle,

Idaho Department of Health, Past Chairman, CFP

Greg Cocchiarella,

Vice President, Industry Relations, Ecolab

Larry Lynch,

Senior Vice President, Science and Industry, National Restaurant Association

RETURNING RESTAURANTS TO SERVICE

SAFELY

he National Restaurant Association partnered with representatives of the Food and Drug Administration, academia, the Conference for Food Protection, Ecolab, public health officials and industry representatives to develop a set of opening and operating guidelines to help restaurants return to full operation safely when the time comes.

This guidance is designed to provide you with a basic summary of recommended practices that can be used to help mitigate exposure to the COVID-19 virus, including:

- **S** Food safety
- Employee health monitoring and personal hygiene
- Social distancing

Combine this guidance with your existing policies as well as this new resource from the FDA, Best Practices for Retail Food Stores, Restaurants, and Food Pick-Up/Delivery Services During the COVID-19 Pandemic.

Armed with information, ServSafe training and the recommendations of your local health departments, you can help secure a safe opening.

For the most comprehensive and up-to-date COVID-19 resources and information for the restaurant industry, visit: garestaurants.org or restaurant.org/covid19.









RESTAURANT RESPONSE

Food safety has always been a priority for the restaurant industry, for both guests and employees.

The basis of an effective food safety culture is the Food and Drug Administration Food Code, which for decades has served as the foundation for restaurant operating procedures as they relate to safe food handling. The guidance outlined in the Food Code is science-based and is designed to reduce and prevent the incidence of foodborne illness. Food Code requirements related to sanitation and personal hygiene in particular are the most reliable protocols available to combat risks related to the spread of COVID-19.

Local, state and federal regulators use the FDA Food Code as a model to develop or update their own food safety rules and to be consistent with national food regulatory policy.

AMONG THE REQUIREMENTS OF THE FOOD CODE THAT APPLY TO CORONAVIRUS MITIGATION ARE

- Prohibiting sick employees in the workplace
- Strict handwashing practices that include how and when to wash hands
- Strong procedures and practices to clean and sanitize surfaces
- Ensuring the person in charge of a foodservice facility is a certified food safety manager
- Straining the person in charge is on site at all times during operating hours





FOR MORE THAN
30 YEARS, THE
NATIONAL RESTAURANT
ASSOCIATION'S
SERVSAFE PROGRAM HAS
PROVIDED FOOD SAFETY
TRAINING FOR BOTH
MANAGERS AND FOOD H
ANDLERS.

Semagers: Untibles I fand safety independently developed certification exam, which follows standards adopted by the Conference for Food Protection.

The Conference for Food Protection also collaborates with the FDA to develop the Food Code.

THE PURPOSE OF THIS GUIDANCE IS TO BUILD ON THE ALREADY ESTABLISHED BEST PRACTICES AND REQUIREMENTS AVAILABLE

that address specific health and safety concerns related to the spread of COVID-19, and to put those protocols into practice as state and local officials begin to open communities and businesses.

Operators should make use of these guidelines as they relate to their existing policies and procedures and in conjunction with instructions they receive from authorities during their reopening phase-in.









REOPENING GUIDANCE

FOR EMPLOYERS State and local officials may tailor the application of opening criteria to local circumstances (e.g., metropolitan areas that have suffered severe COVID outbreaks vs. rural and suburban areas where outbreaks have not occurred or have been mild).

To prepare to comply with opening procedures, operators should update their existing policies and operating procedures in accordance with the latest FDA, Centers for Disease Control and Prevention, and Environmental Protection Agency guidance and in accordance with local and state officials regarding:

- Social distancing and protective equipment Employee health
- **⊘**Cleaning/sanitizing/disinfecting
- ✓ Implement stagger shifts for all possible workers
- Where practicable, take-out and curbside pick-up services should be prioritized over dine-in services.
- Objective Discard all food items that are out of date.

ON FOOD SAFETY

- \bigcirc Discontinue use of salad bars and buffets.
- If providing a "grab and go" service, stock coolers to no more than minimum levels.
- ServSafe certified and that their certification is up to date, and provide food handler training to refresh employees.







FOR CLEANING AND SANITIZING

Thoroughly detail-clean and sanitize entire facility, especially if it has been closed. Focus on high-contact areas that would be touched by both employees and guests. Do not overlook seldom-touched surfaces. Follow sanitizing material guidance to ensure it's at effective sanitizing strength and to protect surfaces.

Avoid all food contact surfaces when using disinfectants.

Between seatings, clean and sanitize table condiments, digital ordering devices, check presenters, self-service areas, tabletops, and common touch areas. Single-use items should be discarded. Use rolled silverware and eliminating table presets.

Remove items from self-service drink, condiment, utensil, and tableware stations, and have workers provide items to patrons directly wherever practicable.

Clean and sanitize reusable menus. If you use paper menus, discard them after each customer use. Implement procedures to increase how often you clean and sanitize surfaces in the back-of-house. Avoid all food contact surfaces when using disinfectants.

Frequently check and ensure adequate supply of soap dispenser & towels.

Make hand sanitizer readily available to guests. Consider touchless hand sanitizing solutions.











REOPENING GUIDANCE

ON MONITORING EMPLOYEE HEALTH & PERSONAL HYGIENE

Per existing FDA Food Code requirements, employees who are sick should remain at home.

If an employee becomes ill or presents signs of illness, the operator should identify the signs during a pre-work screening, employee should be sent home. If employee suspected or confirmed COVID-19, employee must self-isolate for at least 7 days. After 7 days, employee must be fever free/symptom free for 3 consecutive days without medication before returning to work.

₹ Taking employees' temperatures is at the operators' discretion. The CDC has not mandated taking an employee's temperature and any operator who chooses to do so should engage health officials first and adopt policies aligned with proper procedures. CDC guidance states the minimum temperature that indicates a fever is 100°F.


Require all employees wear face coverings at all times. Face coverings should be cleaned & replaced daily.

Train all employees on the importance of frequent hand washing, the use of hand sanitizers with at least 60% alcohol content, and give them clear instruction to avoid touching hands to face.











ON SOCIAL DISTANCING

- Update floor plans for common dining areas, redesigning seating arrangements to ensure at least six feet of separation between table setups. Limit party size at tables to no more than six people as approved by state government. Where practical, especially in booth seating, physical barriers are acceptable. Consider a reservations-only business model or call-ahead seating to better space diners.
- No more than ten patrons should be allowed in facility per five-hundred square feet of public space. Calculating public space includes waiting and bar areas, but not hallways, restrooms, and spaces closed to patrons.
- Remind third-party delivery drivers and any suppliers that you have internal distancing requirements.
- Post signage at the entrance that states that no one with a fever or symptoms of COVID-19 is to be permitted in the restaurant.
- Limit contact between waitstaff and guests.
 Increased physical space between worker and patron.
 In addition, prohibit handshaking and other unnecessary person to person contact in the workplace.
- If practical, physical barriers such as partitions or Plexiglas barriers at registers are acceptable.
- Use technology solutions where possible to reduce person-to-person interaction: mobile ordering and menu tablets; text on arrival for seating; contactless payment options.

- Provide hand sanitizer for guests to use, including contactless hand sanitizing stations, and post signs reminding guests about social distancing. Thank them for their patience as you work to ensure their safety.
- Enforce social distancing for non-cohabitating persons present on leased or owned property. Try not to allow guests to congregate in waiting areas or bar areas. Design a process to ensure guests stay separate while waiting to be seated. The process can include floor markings, outdoor distancing, waiting in cars, etc. Consider an exit from the facility separate from the entrance. Determine ingress/egress to and from restrooms to establish paths that mitigate proximity for guests and staff.
- Where possible, workstations should be staggered so employees avoid standing directly opposite one another or next to each other. Where six feet of separation is not possible, consider other options (e.g., face coverings) and increase the frequency of surface cleaning and sanitizing.
- Limit the number of employees allowed simultaneously in break rooms.
- With larger staffs, use communication boards to or digital messaging to convey pre-shift meeting information.
- All restaurant and dining room playgrounds shall be closed.









BEST PRACTICES

FOR RETAIL
FOOD STORES,
RESTAURANTS
& FOOD/PICK-UP
DELIVERY SERVICES
DURING THE
COVID-19 PANDEMIC

FDA is sharing information about best practices to operate restaurants, retail food stores and associated pick-up and delivery services during the COVID-19 pandemic to safeguard workers and consumers.

This addresses key considerations for how foods offered can be safely handled and delivered to the public. This is not a comprehensive list. FDA encourages consulting the references and links provided below (by CDC, FDA, EPA, and OSHA) for more detailed information. This will be updated as FDA receives further information and inquiries.

- Managing Employee Health (Including Contracted Workers)
- Personal Hygiene for Employees
- Managing Operations in a Foodservice Establishment or Retail Food Store
- Managing Food Pick-Up and Delivery

BE HEALTHY, BE CLEAN



- Employees Stay home or leave work if sick; consult doctor if sick, and contact supervisor
- Employers Instruct sick employees to stay home and send home immediately if sick
- Employers Pre-screen employees exposed to COVID-19 for temperature and other symptoms



- Wash your hands often with soap and water for at least 20 seconds
- If soap and water are not available, use a 60% alcohol-based hand sanitizer per CDC
- Avoid touching your eyes, nose, and mouth with unwashed hands
- Wear mask/face covering per <u>CDC</u> & <u>FDA</u>



- Never touch Ready-to-Eat foods with bare hands
- Use single service gloves, deli tissue, or suitable utensils
- Wrap food containers to prevent cross contamination
- Follow 4 steps to food safety Clean, Separate, Cook, and Chill

CLEAN & DISINFECT



- Train employees on cleaning and disinfecting procedures, and protective measures, per CDC and FDA
- Have and use cleaning products and supplies
- Follow protective measures



- Disinfect high-touch surfaces frequently
- Use EPA-registered disinfectant
- Ensure food containers and utensils are cleaned and sanitized



- Prepare and use sanitizers according to label instructions
- Offer sanitizers and wipes to customers to clean grocery cart/basket handles, or utilize store personnel to conduct cleaning/sanitizing

SOCIAL DISTANCE



- Help educate employees and customers on importance of social distancing:
- Signs
 - Audio messages
- Consider using every other check-out lane to aid in distancing



- Avoid displays that may result in customer gatherings; discontinue self-serve buffets and salad bars; discourage employee gatherings
- Place floor markings and signs to encourage social distancing



- Shorten customer time in store by encouraging them to:
- Use shopping lists
- Order ahead of time, if offered
- Set up designated pick-up areas inside or outside retail establishments

PICK-UP & DELIVERY



- If offering delivery options:
- Ensure coolers and transport containers are cleaned and sanitized
- Maintain time and temperature controls
- Avoid cross contamination; for example, wrap food during transport



- Encourage customers to use "no touch" deliveries
- Notify customers as the delivery is arriving by text message or phone call



- Establish designated pick-up zones for customers
- Offer curb-side pick-up
- Practice social distancing by offering to place orders in vehicle trunks











COVID-19

REOPENING GUIDANCE

A GUIDE FOR THE

RESTAURANT INDUSTRY

For other resources:
GARESTAURANTS.ORG
RESTAURANT.ORG/COVID19

