



## PRODUCTION RIDER 2025

### HOSPITALITY:

We require a sandwich-type lunch with drinks and coffee for our crew at time of load-

in. Dinner buyout of \$40.00 per person or dinner for (4).

Dressing room catering as specified on attached sheet titled

### HOSPITALITY REQUIREMENTS.

#### DRESSING ROOM:

The Band must have a PRIVATE DRESSING ROOM to change in and be alone before

and after the show with a private bathroom and one full-length mirror.

**PRIVATE DRESSING ROOM** must be lockable with key or code and to be given to the

Tour Manager.

**LOAD-IN:** (please have drinks and perishable foods on ice or in fridge before scheduled load-in time)

4 - Sandwiches or Subs on Multi Grain or Whole Wheat bread w/condiments on the side

20 - Bottled Waters

6 - Sparkling waters (Perrier, etc.)

1 - Deli tray (small) for 5 people  
1 - Vegetable tray with Dip (small)  
1 - Tortilla Chips (large)  
1 - Medium or Hot salsa  
8 - Towels (small or medium)  
Coffee/Tea with Milk, Sugar & Honey

### **DINNER:**

Buyout preferred for (4) people x \$40.00 = \$160.00 or Full-Course Dinner

**ACCOMMODATIONS:** FOUR (4) SEPARATE HOTEL ROOMS FOR BAND MEMBERS  
WHEN TRAVELING OUTSIDE ATLANTA.

### **SOUND REQUIREMENTS**

#### **FRONT OF HOUSE:**

- Profile or SC48 digital mixing console w/full factory Plug-In package (BF-76, BF-2A, BF-3A) and Waves Plug-In package or Yamaha CL Series digital mixing console.
- RTA with mic.
- Clear-com system FOH to Monitors & (1) talkback mic to stage.

#### **PA SYSTEM:**

- Please have (2) technicians available for setup, sound check and show (FOH Tech, Monitor Tech – per advance).
- Line-Array Speakers is greatly preferred (d&b Audiotechnik or J-Series, EV X-Line or XLC, L'Acoustics K2 or V-DOSC, Meyer LEO, JBL Vertec) with adequate coverage and subwoofers to provide 110db to all areas of the venue.
- Sub woofers on Aux, and ensure subs are sufficient to couple for low frequency extension and headroom.
- Front fills for vocal heavy aux mix required across down stage lip.
- Delay fills should be added and placed to provide adequate coverage to all seats where/if required.

### MONITOR SYSTEM:

- Profile, SC48 or Yamaha CL Series digital mixing console (preference in that order).